infer_01_er_siamese_bert_dot_score_195.8921

April 27, 2023

1 Model 01 inference

Evidence retrieval using a Siamese BERT classification model.

Ref: - STS continue training guide

1.1 Setup

1.1.1 Working Directory

[ ]:
```
# Change the working directory to project root
import pathlib
import os
ROOT_DIR = pathlib.Path.cwd()
while not ROOT_DIR.joinpath("src").exists():
    ROOT_DIR = ROOT_DIR.parent
os.chdir(ROOT_DIR)
```

1.1.2 File paths

[ ]:
```
MODEL_PATH = ROOT_DIR.joinpath("./result/models/*")
OUTPUT_PATH = ROOT_DIR.joinpath("./result/inference")
```

1.1.3 Dependencies

[ ]:
```
# Imports and dependencies
import torch
from sentence_transformers import SentenceTransformer, LoggingHandler, util
from src.torch_utils import get_torch_device
from src.data import load_from_json
from src.model_01 import run_inference
import logging
import random
random.seed(a=42)

torch_device = get_torch_device()
```

```
Torch device is 'mps'
```

1.1.4 Names

```
[ ]: model_save_path = MODEL_PATH.with_name(f"model_01_base_e5_equal_neg")
inference_output_path = OUTPUT_PATH.joinpath(model_save_path.name)
```

1.1.5 Logging

```
[ ]: logging.basicConfig(format='%(asctime)s - %(message)s',
    datefmt='%Y-%m-%d %H:%M:%S',
    level=logging.INFO,
    handlers=[LoggingHandler()]
)
```

1.2 Dataset

```
[ ]: data_names = ["train-claims", "dev-claims", "test-claims-unlabelled",␣
  ↪"evidence"]
train_claims, dev_claims, test_claims, all_evidence = load_from_json(data_names)
```

```
Loaded train-claims
Loaded dev-claims
Loaded test-claims-unlabelled
Loaded evidence
Loaded evidence
```

```
[ ]: print(len(test_claims))
print(len(dev_claims))
print(len(all_evidence))
```

```
153
154
1208827
```

As `all_evidence` exceeds maximum size limit for `tensor.save`, we will test with a reduced set for now.

```
[ ]: # Extract a set of named evidence ids
related_evidence_ids = set()
for dataset in [train_claims, dev_claims]:
    for claim in dataset.values():
        related_evidence_ids.update(set(claim["evidences"]))
len(related_evidence_ids)
```

```
[ ]: 3443
```

```
[ ]: random_evidence_ids = random.sample(
    population=set(all_evidence.keys()),
    k=5000
```

```
)
len(random_evidence_ids)
```

[ ]: 5000

[ ]:
```
evidence_lib_ids = related_evidence_ids.union(random_evidence_ids)
len(evidence_lib_ids)
```

[ ]: 8429

[ ]:
```
reduced_evidence = {k:v for k, v in all_evidence.items() if k in␣
↪evidence_lib_ids}
```

1.3 Select load model from file

[ ]:
```
model = SentenceTransformer(
    model_name_or_path=model_save_path,
    device=torch_device
)
model
```

```
2023-04-27 22:05:18 - Load pretrained SentenceTransformer: /Users/johnsonzhou/gi
t/comp90042-project/result/models/model_01_base_e5_equal_neg
```

[ ]:
```
SentenceTransformer(
  (0): Transformer({'max_seq_length': 512, 'do_lower_case': False}) with
Transformer model: BertModel
  (1): Pooling({'word_embedding_dimension': 768, 'pooling_mode_cls_token':
False, 'pooling_mode_mean_tokens': True, 'pooling_mode_max_tokens': False,
'pooling_mode_mean_sqrt_len_tokens': False})
)
```

1.4 Run inference

[ ]:
```
run_inference(
    name="dev",
    model=model,
    claims=dev_claims,
    evidence=reduced_evidence,
    scorer=util.dot_score,
    threshold=195.8921,
    output_path=inference_output_path,
    batch_size=64,
    device=torch_device,
    verbose=True
)
```

```
Generate claim embeddings n=154
Loaded claim embeddings from file
Generate evidence embeddings n=8429

Batches: 100%|      | 132/132 [00:10<00:00, 12.05it/s]

Saved evidence embeddings to file
Calculate scores
Retrieve top scoring evidences

claims: 154it [07:26,  2.90s/it]

Average retrievals = 512.870130
Done!
```