#### 2.1.4 - Current Release

- Updated Chrome Driver to current
- Updated Firefox Driver to current

### 2.1.1

- Bug Fixes
  - CheckElementExistsReturnIWebElement method does not utilize configured wait
    - Changed the way elements are searched for when AttributeText\_Contains and AttributeText\_ExactMatch are used
    - This fix could potentially enhance performance
- Update Chrome Driver from 77 to 78

## 2.1

- WebUiAutomationEnums
  - HtmlAttributeType
    - Added "For"
- IWebDriverManager
  - Click(SelectorData selectorData)
    - This method will now retry the click once after waiting 2 seconds after the first ElementClickInterceptedException is thrown
- WebUiAutomation
  - Updated methods
    - ITestExecutor GetTestExecutor(string resultsPath, bool collectTestData = false)
      - □ Passing true will enable the built in test data collection module
      - □ Calling ITestExecutor.GetTestSummary() at the end of a test run will return a detailed summary of the current run
- ITestExecutor
  - Methods Added
    - string GetTestRunSummary()
      - Returns formatted string of test results that can be written to a log file or elsewhere

## 2.0

- IWebDriverManager
  - o Updates to method summaries to align with the IWebDriver interface
  - Updates to align with the IJavaScriptExecutor interface
    - Added Methods
      - □ object ExecuteScript(string script, params object[] args)
      - □ object ExecuteAsyncScript(string script, params object[] args)
    - Properties Added
      - □ IWebDriver WrappedDriver
        - ◆ This property returns the active IWebDriver object
        - This should not be utilized for testing and is provided for troubleshooting any issues found while using this package
- WebUiAutomation
  - Methods removed
    - IJavaScriptExecutor GetJavaScriptExecutor(IWebDriverManager webDriverManager);

		Replaced by the ExecuteScript and ExecuteScriptAsync methods on the IWebDriverManager Interface
0		noved to IWebDriverManager
		ne methods listed below will now need to be called from the IWebDriverManager and their signatures have been
		ited to exclude the IWebDriverManager parameter.
		tionally, any method that was returning the IWebDriverManager object has been updated to void.
		CheckChildElementExistsAndReturnIt CheckClamentEvistsBeturnCosSelector
		CheckElementExistsReturnCssSelector CheckElementExistsReturnIM(abElement
		CheckElementExistsReturnIWebElement
		CheckElementsExist
		ClearText
		Click
		DoesUrlContain
		DoesUrlContainUsingRegex
		GetAllElementsUsingMatchingSelectorData
		HighlightElement
		IsElementDisplayed
		IsElementEnabled
		IsElementDisplayedAndEnabled
		JavaScriptClick
		MoveToElement
		SendText
		SendTextWithDelay
		TakeScreenShot
- Bug F		
0	-	Click should return the IWebDriverManager object
		resolved by moving the method onto the IWebDriverManager object now there is no need to return it
0		being logged after the closing line in the log
	<ul><li>Move</li></ul>	ed the call to log failure info to the correct position
1.1		
Llada	ta Chrama I	Driver from 76 to 77
-		Driver from 76 to 77
		river from 24 to 26
- Upda	ite IE Driver	from 3.150.0 to 3.150.1
1.0		
- Depr	ecated Metl	nods:
•		ent FindElementWithActiveDriver(SelectorData selectorData) - meant to assist in troubleshooting issues during
	the alpha p	
	the dipha p	
- Adde	d Methods:	
	IWebDrive	
		SwitchToFrame(SelectorData selectorData)
		Switches the driver context to the frame matching the SelectorData provided
		selectorData -> Object representing the frame to check
		20.0000. 2000 Februaring the name to oneon
0	ILogger	
		g GetCurrentLogFileName
		Returns the name of the failure log file currently in use
	<ul><li>string</li></ul>	g GetCurrentFailureLogFileName
		Returns the name of the failure log file currently in use

1.1.1

1.1.0

## 1.0.11-alpha

- Deprecated HtmlTree and HtmlTag as they were not useful in their current state
- Added IDomTree and IDomNode(Accessible methods outlined in the general documentation)
- Deprecated the below method:
  - List<By> GetAllBysUsingMatchingSelectorData(SelectorData selectorData, IWebDriverManager webDriverManager)
    - It had no practical usage in it's current state as the goal of this tooling was to remove the need it interact with By typed objects
- Added the below method(s)
  - bool IsElementDisplayed(IWebDriverManager webDriverManager, SelectorData selectorData)
    - Checks whether or not the provided element is visible(This requires IWebElement.Displayed evaluate to true)
    - selectorData -> Object representing the element to check
  - bool IsElementEnabled(IWebDriverManager webDriverManager, SelectorData selectorData)
    - Checks whether or not the provided element is enabled(This requires IWebElement.Enabled evaluate to true)
    - selectorData -> Object representing the element to check
  - bool IsElementDisplayedAndEnabled(IWebDriverManager webDriverManager, SelectorData selectorData)
    - Checks whether or not the provided element is visible(This requires IWebElement.Displayed and IWebElement.Enabled to both evaluate to true)
    - selectorData -> Object representing the element to check
  - ReadOnlyCollection<IWebElement> GetAllElementsUsingMatchingSelectorData(SelectorData selectorData, IWebDriverManager webDriverManager)
    - Finds and returns all elements matching the provided selector data
    - Data to check for in the current DOM instance

# 1.0.9-alpha

- Added method bool DoesUrlContainUsingRegex(IWebDriverManager webDriverManager, string pattern)
  - Checks whether or not the current url contains the provided pattern using regex IsMatch
- Added method void SetDriverOptions(ChromeOptions chromeOptions = null, FirefoxOptions firefoxOptions = null, InternetExplorerOptions internetExplorerOptions = null, EdgeOptions edgeOptions = null)
  - Sets the options for the associated driver. If the driver is active when this method is called it will be recreated
  - If no options objects are set the default options defined on the driver will be used
- Added method void SetFirefoxProfile(FirefoxProfile firefoxProfile)
  - Sets the profile for the firefox driver. If the driver is active when this method is called it will be recreated.
  - If no profile object is set the default profile defined on the browser will be used

## 1.0.8-alpha

- Updated signature of the method CheckChildElementExistsAndReturnIt to take an optional parameter of int nthParentElement
  - This is meant for cases where there are identical elements that could be returned for the parent
  - It is a zero based value used to select a specific parent element and then use it for the starting point of the child search
  - o The default value is -1