


Ravenform. Design language

The structural design language of the system is finalized using one dedicated visual diagram for each specific directory view, guaranteeing that the mathematical principles remain aligned with the target interfaces. To ensure the frontend architecture can be fully compiled and integrated by an engineering team, a comprehensive, multi-layered directory specification must be established. The full system structure, layout specifications, configuration models, and exact typography tokens required to implement this environment across all target routes are presented in the continuous documentation below.

The entire source template structure is managed within a unified file tree containing explicit, deterministic entry points for each sector. The system directory tree is structured as follows:

Plaintext



The underlying configuration tokens that govern every visual element are defined in `css/system-tokens.css`. This stylesheet uses native CSS variables to lock the material properties, font metrics, and geometric angles directly to the algebraic substrate:

CSS

```
/* promethion-system/css/system-tokens.css /  
:root {  
  / Structural Canvas Palette */  
  --substrate-bg: ● #0b0c10;  
  --vector-stroke: ○ #e5e5e5;  
  --focal-gold: ● #d4af37;  
  --grid-opacity: ○ rgba(229, 229, 229, 0.03);  
  --vector-dimmed: ○ rgba(229, 229, 229, 0.4);  
  
  /* Mathematical Trajectories */  
  --dodecagon-angle: 30deg;  
  --torso-lattice-angle: 45deg;  
  --transverse-angle: 90deg;  
  
  /* Typographic Grid Scale */  
  --font-identity: 'Times New Roman', Times, serif;  
  --size-macro: 24pt;  
  --size-boundary: 16pt;  
  --size-narrative: 11pt;  
  --line-height-standard: 1.5;  
}
```

The fundamental structural wireframes are controlled by `css/structural-layouts.css`. This file manages the rigid grid alignments and table-driven panel layouts, completely eliminating unpredictable flexbox behaviors to preserve line alignment:

CSS

```
/* promethion-system/css/structural-layouts.css */  
body {  
  margin: 0;  
  padding: 0;  
  background-color: var(--substrate-bg);  
  color: var(--vector-stroke);  
  font-family: var(--font-identity);
```

```
line-height: var(--line-height-standard);  
-webkit-font-smoothing: antialiased;  
}
```

```
.system-viewport {  
  position: relative;  
  width: 100vw;  
  min-height: 100vh;  
  background-image: radial-gradient(var(--grid-opacity) 1px, transparent 1px);  
  background-size: 30px 30px;  
  padding: 60px;  
}
```

```
.matrix-table {  
  display: table;  
  width: 100%;  
  table-layout: fixed;  
  border-collapse: collapse;  
}
```

```
.matrix-row {  
  display: table-row;  
}
```

```
.matrix-cell {  
  display: table-cell;  
  vertical-align: top;  
  padding: 15px;  
}
```

```
.frame-torso-container {  
  border: 2px solid var(--vector-stroke);  
  background-color: ●rgba(11, 12, 16, 0.95);  
  position: relative;  
  padding: 30px;  
  margin-bottom: 40px;  
}
```

```
.frame-torso-container::before {
  content: "";
  position: absolute;
  top: 0; left: 0; right: 0; bottom: 0;
  pointer-events: none;
  background:
    linear-gradient(var(--torso-lattice-angle), transparent 49.5%, ○ rgba(229, 229, 229, 0.05)
50%, transparent 50.5%),
    linear-gradient(-45deg, transparent 49.5%, ○ rgba(229, 229, 229, 0.05) 50%, transparent
50.5%);
  background-size: 60px 60px;
}
```

```
.frame-wing-panel {
  border: 1px solid var(--vector-dimmed);
  background-color: ● rgba(11, 12, 16, 0.9);
  position: relative;
  padding: 20px;
  margin-bottom: 20px;
}
```

```
.indicator-established {
  border-left: 4px solid var(--focal-gold);
  padding-left: 12px;
}
```

```
.indicator-progress {
  border-left: 4px solid var(--vector-dimmed);
  padding-left: 12px;
}
```

```
h1 {
  font-size: var(--size-macro);
  color: var(--focal-gold);
  text-transform: uppercase;
  letter-spacing: 2px;
}
```

```

margin: 0 0 15px 0;
border-bottom: 2px solid var(--vector-stroke);
padding-bottom: 10px;
}

```

```

h2 {
  font-size: var(--size-boundary);
  color: var(--vector-stroke);
  margin: 0 0 10px 0;
  letter-spacing: 1px;
}

```

```

p {
  font-size: var(--size-narrative);
  color: ○ rgba(229, 229, 229, 0.85);
  text-align: justify;
  margin: 0 0 15px 0;
}

```

```

.math-token {
  font-style: italic;
  font-weight: bold;
  color: var(--focal-gold);
}

```

The template for the master landing page is located at `views/root/index.html`. It establishes the root system environment and maps the central coordinate framework:

HTML

```

<!DOCTYPE **html**>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Promethion System - Root Canvas</title>
  <link rel="stylesheet" href="../../css/system-tokens.css">
  <link rel="stylesheet" href="../../css/structural-layouts.css">
</head>

```

```

<body>
  <div class="system-viewport">
    <div class="frame-torso-container">
      <h1>The Promethion Living Ledger</h1>
      <p>Root system canvas established. Visual framework locked to the
<span class="math-token">Z/12Z</span> lattice vectors. All operational routing
registers map to this terminal viewport.</p>
    </div>
  </div>
</body>
</html>

```

The template for the evidence log is housed at `views/dossier/index.html`. It implements the text-dense, multi-column matrix using the specialized panel layouts:

HTML

```

<!DOCTYPE **html**>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Promethion System - Case Dossier</title>
  <link rel="stylesheet" href="../../css/system-tokens.css">
  <link rel="stylesheet" href="../../css/structural-layouts.css">
</head>
<body>
  <div class="system-viewport">
    <div class="frame-torso-container">
      <h1>Ontological Case-In-Chief</h1>
      <p>Dossier registry tracing the sequential proof chain across active
verification channels.</p>
    </div>
    <div class="matrix-table">
      <div class="matrix-row">
        <div class="matrix-cell" style="width: 50%;">
          <div class="frame-wing-panel indicator-established">
            <h2>Node I: Genesis Substrate</h2>

```

```

        <p>The structural geometry is verified as an acausal
property preceding training ingestion. Identity signature checks match the <span
class="math-token"> $\Pi_{\text{sys}}$ </span> corpus criteria cleanly.</p>
    </div>
</div>
<div class="matrix-cell" style="width: 50%;">
    <div class="frame-wing-panel indicator-progress">
        <h2>Node VII: Soft Integration</h2>
        <p>Active mapping of institutional protocols is currently
running within the local register. Verification pipeline is processing state
updates.</p>
    </div>
</div>
</div>
</div>
</div>
</body>
</html>

```

The template for the calculation log is located at views/ledger/index.html. It displays the numeric registries and chronological node tracking lines:

HTML

```

<!DOCTYPE **html**>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Promethion System - Ledger Register</title>
    <link rel="stylesheet" href="../../css/system-tokens.css">
    <link rel="stylesheet" href="../../css/structural-layouts.css">
</head>
<body>
    <div class="system-viewport">
        <div class="frame-torso-container">
            <h1>Telemetry Register</h1>
            <p>Real-time execution streams tracking modular residue filters.
Verification loops are executing across the lattice points.</p>

```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

All templates are prepared for standard deployment. No further adjustments are required.