

#### C9530-519: IBM API Connect v. 5.0.5 Solution Implementation

Section 1: Architectural Overview of IBM API Connect	8/14 points
Section 2: Cloud Manager Role	16/24 points
Section 3: API Developer Role	18/20 points
Section 4: Product Manager Role	7/8 points
Section 5: App Developer Role	6/8 points

Examination Score Report Pass

1. What is the primary purpose of the Developer Portal in IBM API Connect?

A. User interface for the	 		
Scored 0 of the 1 point			

- B. Revenue generator from data and APIs with plans
- C. Secure point of entry for API Developer
- D. Community for Application Developers to socialize applications

The Developer Portal provides a customizable self-service web-based portal to application developers to explore, discover, and subscribe to APIs.

The Developer Portal provides additional features, such as forums, blogs, comments, and ratings, for socialization and collaboration

 $Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.overview.doc/capim\_overview\_apiconnectcon.$ 

2. What will happen to changes a customer makes directly on an APIM domain on an IBM DataPower Gateway server when the customer upgrades the API Management server?

Scored 0 of the 1 point

A. Changes the customer makes on the DataPower Gateway server under the APIM domain will be overwritten and will need to be re-configured

Your answer

- B. Upgrading the Management server has no direct effect on an APIM domain on DataPower Gateway servers
  - C. The DataPower Gateway server will need to be removed and re-added for changes to be unaffected
  - D. The DataPower Gateway server will save the configuration and auto recover once the API Connect server has been upgraded

3. IBM API Connect includes a number of built-in policies that can be used when an API is invoked.

Which is an example of what a built-in policy can do?

Scored 1 of the 1 point

A. Set the entitlement of an API



B. Set the values of runtime variables

ur answer

- C. Set the affinity of the API to an Organization
- D. Set the limit on the number of times an API can be called
- 4. What is one of the requirements to create an additional IBM API Connect Management server for high availability?

Scored 1 of the 1 point

- A. Clone the deployed IBM API Management server to another host.
- $\odot$ 
  - $\ensuremath{\mathsf{B.}}$  Deploy the IBM API Connect Management server image to another host

Your answer

- C. Use the Cloud Management Console to replay the log files to another host.
- D. Backup and restore the deployment server API config files to another host.
- 5. When can a developer use X-Override-Host header with the Developer Portal API call?

Scored 1 of the 1 point

A. Using the HTTP protocol



B. DNS record cannot be set up

Your answer

- C. Should not be used as it has been deprecated
- D. Unable to be authenticated

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.apirest.doc/api\_calls.html

6. Which feature within the API Designer would allow a developer to define some sample data to test APIs with?

Scored 1 of the 1 point

- A. Healer
- B. Body
- C. Show schema



D. Generate

Your answer

7. What format do the TLS certificates and keys have to be in to be used for the Developer Portal?

	Scored 1 of the 1 point	
	Ader	
	Bkey	
	Ccert	
$\odot$	Dpem	
	Your answer	
	8. An administrator wants to back up the IBM API Connect configuration and user data, and store the file on an FTP server by using the command 'config save apiconfig ftp' at the Command Line interface.  The configuration information from which of the following components will be backed up?  Scored 1 of the 1 point	
	A. Analytics and Gateway Servers	
$\odot$	B. Cloud Manager and API Manager  Your answer	
	C. Cloud Manager, API Manager, Analytics and Developer Portal	
	D. Cloud Manager, API Manager and Analytics	
	All configuration information from the Cloud Manager, and API Manager, is backed up (which includes all the user data entered in these user interfaces). Analytics data is not backed up Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.overview.doc/overview_backets.	upcli_apimgmt
	9. Which of the following is possible with the API Developer Toolkit?  Scored 1 of the 1 point	
	A. Provision a Developer Portal	
	B. Delete a Developer Organization  C. Pull API Analytics Data	
0	D. Publish Products to a Catalog	
0	Your answer	
	10. Which feature in the Developer Portal helps to test the behavior of an API without the need to write any code?  Scored 1 of the 1 point	
$\odot$	A. Try This Operation  Your answer	
	B. Request Operation	
	C. Assemble	
	D. Discover This Operation	
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.devportal.doc/cmsportal_test	ttool.html

	11. What is used to create an API Gateway extension in IBM DataPower Gateway?  Scored 1 of the 1 point										
0	A. Processing rule  Your answer										
	B. Transaction rule										
	C. Extension rule										
	D. Transform rule										
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.overview.doc/overview_datapower_	_restriction									
	12. Which of the following would be a valid use case for a government department to explore using IBM API Connect?  Scored 0 of the 1 point										
$\odot$	A. Digitizing consumer channels										
	B. Improving web page accessibility										
$\otimes$	C. Enabling topic publishing/subscription for consumers  Your answer										
	D. Encrypting document uploads										
	13. Which operation would be specified for a REST API that would allow data to be retrieved from the back end but without the response body?  Scored 1 of the 1 point  A. POST B. GET										
	C. PUT										
0	D. HEAD Your answer										
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.toolkit.doc/task_APIonPrem_define	apiresouro									
	14. Which is the best option in the API Manager to create a new OpenAPI from a WSDL?  Scored 1 of the 1 point										
	A. NewOpenAPI from Swagger										
	B. New OpenAPI from scratch										
	C. Import an existing OpenAPI										
0	D. New OpenAPI from SOAP service Your answer										

15. How can the details of a Product in IBM API Connect be exported so it can be reused in the future?

Scored 1 of the 1 point

A. It cannot be done



B. Use the API Manager User Interface to download the Product definition

our answer

- C. Use one of the Developer Portal REST APIs
- D. Use the config save option in the Command Line Interface

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.apionprem.doc/task\_apionprem\_export\_prod

#### 16. Which of the following is a valid reason for creating a Catalog?

Scored 1 of the 1 point

- A. To provide a backup of another Catalog
- B. To store API documentation and metadata



C. To publish specific API products to a specific Developer Portal

Your answer

D. To allow API developers to collaborate on APIs during development

# 17. In a developer organization, what is the purpose of creating a community?

Scored 0 of the 1 point

- A. A community must be created to use the Developer Portal
- B. To allow Products to be restricted to one or more communities



C. To provide a collaboration point for provider organization users

Your answer

D. A community must be created to host Microservices applications

You can also create a community of Developers. Creating a community is an efficient way of grouping Developers together to publish Products to. This function makes it easier to control who has access to the Plans in the Products, and can be used as a way to map Plan usage.

 $Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.apionprem\_doc/apionprem\_manage\_consume$ 

## 18. An administrator needs to create a provider organization account. Which role is needed to complete this task?

Scored 1 of the 1 point

- A. API Developer
- B. Developer Organization Owner
- C. Topology Administrator



D. Organization Manager

Your answer

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.cmc.doc/create\_organization.html

19.	What is	the	relationship	between	Products,	Plans,	and	<b>APIs</b>	in	IBM	API
Cor	nect?										

Scored 1 of the 1 point

- A. Plans, APIs, and Products are grouped together
- B. Plans and Products are grouped together in APIs
- C. Products and APIs are grouped together in Plans.
- $\odot$

D. Plans and APIs are grouped together in Products.

Your answer

20. The built-in Developer Portal comes with support for the App Developer experience for which of the following?

Scored 1 of the 1 point

- A. Products, Apps, Views, Testing, Feedback
- B. API Products, Apps, Forums, Blogs, Support
  - C. Products, Plans, Organizations, Testing
  - D. Self- Registration, API Discovery, Automatic Testing, App Registration

 $Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.devportal.doc/capim\_devportal\_interface.htm$ 

21. By default, what type of traffic can take advantage of the self-balancing capabilities of the IBM DataPower appliance?

Scored 1 of the 1 point

- A. Developer Portal
- B. API Developer tasks
- $\odot$

C. Inbound API calls

Your answe

D. Cloud Management Console

Inbound API calls can be load balanced by using the self-balancing capabilities of the DataPower® appliance, or by using an external load balancer of your choice.

 $Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.install.doc/load\_balancing\_in\_api\_manageme$ 

22. An administrator wants to allow the developers to log into the Developer Portal with Google credentials. The first step is to enable a Portal Delegated User Registry in the API Manager UI.

After that, what must be done to enable this functionality?

Scored 0 of the 1 point

- A. Set Authorized JavaScript Origins and Authorized Redirect URIs
  - $\ensuremath{\mathsf{B.}}$  Integrate with Google Authenticator with required code
  - C. Download Google authorization module for IBM API Connect
- D. Get the Client ID and Client secret for OpenID Connect

https://www.ibm.com/support/knowledgecenter/SSMNED\_5.0.0/com.ibm.apic.devportal.doc/rapic\_portal\_application\_settings\_google.htm

Set Authorized JavaScript Origins to https://site\_url.com, Authorized Redirect URIs tohttps://site\_url.com/hybridauth/endpoint?hauth.done=Google,then click Create. After you have created the application, the client ID and Client secret is displayed.

$\odot$	A. At the Catalog level  Your answer	
	B. At the Role level	
	C. At the Environment level	
	D. At the Organization level	
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.overview.doc/capim_overview_	_apiconnectc
	24. An administrator wants to log in to the Command Line Interface on the Management server. The Management server is using the default configuration. Which protocol should the administrator use to connect?  Scored 1 of the 1 point	
0	A. SSH Your answer	
	B. FTP	
	C. Telnet	
	D. RDP	
	25. The Management server stores the Product and API configuration information, and logically the Developer Portal is a view onto this data. What is the push mechanism that ensures published Products become visible within a few seconds?  Scored 0 of the 1 point	
	A. Background sync	
$\otimes$	B. Asynchronous calls  Your answer	
$\odot$	C. Webhooks	
	D. Loopbacks	

26. The "apic create - -type api" command can create APIs from which two of the following sources? (Select two.) Scored 0 of the 1 point

IDDI

B. WSDL

	C. AMQP
×	D. Datasource Your answer
9	E. Template Your answer
	27. How can the Developer Portal functionality be extended?  Scored 0 of the 1 point
×	A. Create and install custom extensions  Your answer
	B. It cannot be extended
	C. Add custom policies
9	D. Create and install custom modules
	Modules are similar to the concept of plugins, in that they extend the core functionality of the Developer Portal site. A set of modules is implemented by default with the Drupal core, and there are additional modules that can be enabled to extend the default functionality. You can find and add more modules to your Developer Portal site from the internet.
	28. In what format should a user-defined policy package from IBM DataPower Gateway be? Scored 1 of the 1 point  Adoc Bjson
	Cxsl
9	Dzip Your answer
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.policy.doc/tapim_import_custpo
	29. Which two options allow the creation and modification of APIs in IBM API Connect? (Select two.)  Scored 1 of the 1 point
	A. Developer Portal
	B. GatewayScript
૭	C. API Designer Your answer
9	D. API Manager Your answer

https://www.onlineexambuilder.com/index.php?r=exam/ranking&language=en

A. TLS Profiles

C. OAuth 2.0 D. Network HSM  31. Which statement describes the relationship between a provider organization and a catalog? Scored 1 of the 1 point  A. A provider organization can have many catalogs Your ansier  B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication? Scored 1 of the 1 point  A. API Key B. OAuth 2.0 C. Token authorization  D. Basic authentication Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to. B. The Product is usable only by developers whose applications are currently subscribed to. Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		B. Java KeyStore
31. Which statement describes the relationship between a provider organization and a catalog?  Scored 1 of the 1 point  A. A provider organization can have many catalogs  Tour assawer  B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your assawer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product is usable only by developers whose applications are currently subscribed to.  Your assawer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		
organization and a catalog? Scored 1 of the 1 point  A. A provider organization can have many catalogs Your arasser  B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication? Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to. B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to. Your answer  D. The Product can only be viewed with manager approval		D. Network HSM
organization and a catalog? Scored 1 of the 1 point  A. A provider organization can have many catalogs Your arasser  B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication? Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to. B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to. Your answer  D. The Product can only be viewed with manager approval		
organization and a catalog? Scored 1 of the 1 point  A. A provider organization can have many catalogs Your arasser  B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication? Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to. B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to. Your answer  D. The Product can only be viewed with manager approval		
A. A provider organization can have many catalogs  Your answer  B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		organization and a catalog?
B. A catalog is created for every individual user of a provider organization  C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		Scored 1 of the 1 point
C. A provider organization can have only one catalog  D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system	⊘	
D. A catalog exists independently of a provider organization  32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		B. A catalog is created for every individual user of a provider organization
32. In which of the following must an application developer provide an HTT authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		C. A provider organization can have only one catalog
authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		D. A catalog exists independently of a provider organization
authorization header in requests that are sent to operations requiring that type of authentication?  Scored 1 of the 1 point  A. API Key  B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		
B. OAuth 2.0 C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to. B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		type of authentication?
B. OAuth 2.0  C. Token authorization  D. Basic authentication  Your answer  33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		A. API Kev
C. Token authorization  D. Basic authentication Your answer  33. What happens when the Product Manager deprecates a Product? Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to. Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		·
<ul> <li>D. Basic authentication         Your answer</li> <li>33. What happens when the Product Manager deprecates a Product?         Scored 1 of the 1 point         <ul> <li>A. The Product can no longer be viewed nor can its plans be subscribed to.</li> <li>B. The Product migrates its plans and APIs to a different versions of the Product</li> </ul> </li> <li>C. The Product is usable only by developers whose applications are currently subscribed to.         <ul> <li>Your answer</li> <li>D. The Product can only be viewed with manager approval</li> </ul> </li> <li>34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system</li> </ul>		
33. What happens when the Product Manager deprecates a Product?  Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system	(c)	
A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system	©	
A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		
B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		
C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		A. The Product can no longer be viewed nor can its plans be subscribed to.
D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system		B. The Product migrates its plans and APIs to a different versions of the Product
34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system	$\odot$	
server using an image from a network source using the command: system		D. The Product can only be viewed with manager approval
server using an image from a network source using the command: system		
Which two protocols are a valid source? (Select two.)  Scored 1 of the 1 point		server using an image from a network source using the command: system update firmware from . Which two protocols are a valid source? (Select two.)
A. MQTT		A. MQTT
B. TCP		в. тср
C. UDP		C. UDP
D. HTTP  Your answer		D. HTTP
Which two protocols are a valid source? (Select two.)  Scored 1 of the 1 point  A. MQTT  B. TCP	<b>⊘</b>	Scored 1 of the 1 point  A. The Product can no longer be viewed nor can its plans be subscribed to.  B. The Product migrates its plans and APIs to a different versions of the Product  C. The Product is usable only by developers whose applications are currently subscribed to.  Your answer  D. The Product can only be viewed with manager approval  34. An administrator wants to update the firmware on the Management server using an image from a network source using the command: system update firmware from .  Which two protocols are a valid source? (Select two.)  Scored 1 of the 1 point  A. MQTT  B. TCP
( D. HTTP		D. HTTP



E. FTP

Your answer

Updates the Operating System on the Management server by using an image from a file; you use command parameters to specify the location of the file, and the mechanism to be used to obtain the file.

- FTP You can obtain the image file by using any of the following mechanisms:
- SFTP
- HTTP
- HTTPS
- URL

 $Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.overview.doc/ref\_CLI\_system\_commands.htm. \\$ 

35. In what tool would a developer use

"apic create --type [api | product ] --template template\_file --title product\_title "

options to create an API definition from a template?

Scored 1 of the 1 point

A. API Designer



#### **B.** Command Line Interface

Your answer

- C. API Designer and Command Line Interface
- D. API Manager

36. OAuth 2.0 provider APIs can support multiple OAuth flows, each of which corresponds to an OAuth grant type.

What are two valid OAuth flows and the corresponding OAuth grant types? (Select two.)

Scored 1 of the 1 point

- A. Client ID, Client secret
- B. Access Code, Authorization Code

  Your answer
- C. Application, Client Credentials
  - D. username, password
  - E. authorization url, auth token
  - 37. Which two statements are true regarding a Plan in Developer Portal? Scored 0 of the 1 point
- A. A Plan can have a shared rate limit for all the operations or each operation can have a different rate limit.
  - B. All Plans are available to use immediately and requires no access to the Developer Portal
  - C. The burst limit feature is available only through Micro Gateway
- D. A Plan is a collection of API operations or subsets of operations from one or more APIs
- E. Plans cannot have multiple rate limits set per operation

  Your answer

 $Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_plan.html.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_define\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_5.0.0/com.ibm.apic.toolkit.doc/tapim\_5.0.0/com.ibm.apic$ 

38.	Which	componer	nt of IBI	<b>М АРІ С</b>	Connect	holds	the	confi	guration	1
info	rmatio	n for both	the API	config	uration	and lo	ocal	user	credenti	ials?
Score	ed 1 of the	1 point								

$\odot$	A. Management server	
	Your answer	

- B. Gateway server
- C. Developer Portal
- D. Cloud Management Console
- 39. What can the organization administrator use to invite app developers to join their developer organization?

Scored 1 of the 1 point

- A. API Developer Toolkit
- B. Cloud Management Console
- C. Developer Portal REST API

  Your answer
  - D. Self-service onboarding

 $Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.apirest\_doc/apirest\_reference\_topics/rest\_op$ 

## 40. Which two projects would best suit the capabilities of IBM API Connect? (Select two.)

Scored 1 of the 1 point

- A. High speed media transfer
- B. Master Data Management across sites
- C. Building a responsive web app
- D. Exposing SOAP services outside the organization
- E. Expanding mobile/web application channels

## 41. Which of the following would be a valid use case for a bank to explore using IBM API Connect?

Scored 1 of the 1 point

- A. Securing file transfers between data centers
- B. Improving fraud detection response times
- C. Integrating with payment aggregators

  Your answer
  - D. Providing digital statements to customers

42. The cloud deployment administrator needs to increase the memory
allocated to the IBM API Connect Management server instance. How can this
be done?

Scored 0 of the 1 poin	Scored	0	of	the	1	poin
------------------------	--------	---	----	-----	---	------

- A. Alter the size of hard disk 2
- B. Alter the size of hard disk 1
- C. Delete the instance and redeploy with a larger memory size Your answer
- D. Modify the virtual machine setting

You can modify your virtual machine settings to increase the number of CPUs and memory size after you complete the installation.

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.install.doc/overview\_installing\_mgmtvm\_apin

43. An administrator wants to use a rate limit to provide differing levels of service to customers. At which level can the rate limit be applied? Scored 1 of the 1 point

- A. Catalog
- B. Product
- C. API
- D. Plan

Your answer

44. To enable a Developer Portal to use social login, for example log in with a Facebook credentials, which step needs to be done first?

Scored 1 of the 1 point

- A. Configure Facebook authentication in the Cloud Management Console
- B. Set "Portal Delegated User Registry" in the Catalog settings

  Your answer
  - C. Register the Facebook developer key in the Developer Portal auth settings
  - D. Enable "Hybrid Auth" in Developer Portal administrator settings

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.devportal.doc/tapic\_portal\_social\_login.html

45. Which command would be used to display log file contents as they are added to the log?

Scored 1 of the 1 point

A. debug tail file <filename>

Your answer

- B. download cmc.out
- C. debug postmortem export
- D. generate\_log

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.overview.doc/ref\_CLI\_debug\_commands.htm

	46. Without the use of a Secure Gateway or VPN, how would a SOAP API with Bluemix be exposed?  Scored 0 of the 1 point
	A. Intranet
$\odot$	B. SSL
	C. Firewall
⊗	<b>D. Internet</b> Your answer
	47. Where is the API Gateway extension uploaded in the IBM API Connect Cloud?  Scored 1 of the 1 point
0	A. Cloud Management Console  Your answer
	B. API Manager
	C. Developer Portal
	D. Collective Controller
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.cmc.doc/config_dp_ext.html
⊘	48. What must be selected in API Properties to protect user passwords?  Scored 1 of the 1 point  A. Encode Your answer  B. Index C. Default D. ID
	49. Once a user-defined policy is created and implemented, how will it be made available for use?  Scored 0 of the 1 point  A. Available universally by all APIs
$\odot$	B. By catalog
$\otimes$	C. Must be imported into assemble for each API usage  Your answer
	D. By provider organization
	50. Which object is used to add extensions that are specific to IBM API Connect in an OpenAPI definition file?

https://www.onlineexambuilder.com/index.php?r=exam/ranking&language=en

Scored 1 of the 1 point

	C9530-519: IBM API Connect v. 5.0.5 Solution Implementation	
$\odot$	A. x-ibm-configuration  Your answer	
	B. x-ibm-apiconnect	
	C. x-ibm-apimanagement	
	D. x-ibm-extensions	
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.toolkit.doc/rapim_cli_swagger_	extensior
	51. GatewayScript supports which types of error handling?  Scored 1 of the 1 point	
	A. Runtime and bind	
0	B. Synchronous and asynchronous  Your answer	
	C. Client mode and binding mode	
	D. User and system	
	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point	
	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file	
	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file  B. SoapUI file	
	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file  B. SoapUI file  C. REST API conversation	
<b>⊘</b>	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file  B. SoapUI file	
<b>©</b>	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file B. SoapUI file C. REST API conversation  D. WSDL file Your answer  53. If a Micro Gateway is being used, what is a possible reason for the following error message?  Error Message: Service test-gw started but did not initialize within the	
<b>©</b>	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file  B. SoapUI file  C. REST API conversation  D. WSDL file  Your answer   53. If a Micro Gateway is being used, what is a possible reason for the following error message?  Error Message: Service test-gw started but did not initialize within the timeout period. Dumping log buffer.  Scored 1 of the 1 point	
<b>©</b>	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file  B. SoapUI file  C. REST API conversation  D. WSDL file  Your answer  53. If a Micro Gateway is being used, what is a possible reason for the following error message?  Error Message: Service test-gw started but did not initialize within the timeout period. Dumping log buffer.  Scored 1 of the 1 point  A. An API that uses both HTTP and HTTPS can be used	
<ul><li>⊙</li></ul>	52. What could be used to create a SOAP API in IBM API Connect?  Scored 1 of the 1 point  A. YAML file  B. SoapUI file  C. REST API conversation  D. WSDL file  Your answer   53. If a Micro Gateway is being used, what is a possible reason for the following error message?  Error Message: Service test-gw started but did not initialize within the timeout period. Dumping log buffer.  Scored 1 of the 1 point	

The Micro Gateway does not support both HTTP and HTTPS simultaneously. If on start, the Micro Gateway detects any OpenAPI (Swagger 2.0) document with HTTPS enabled, HTTPS is used for all APIs. For a single instance of the Micro Gateway, all APIs must use either HTTP or HTTPS. Do not mix APIs that use HTTP with APIs that use HTTPS on the same Micro Gateway instance.

Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.install.doc/rapic\_troubleshooting\_mg.html

54. An administrator has updated the TLS profile. As a result, the Gateway server displays an "out of sync" message. What could be done to fix this?

Conved O of the 1 maint

Scored 0 of the 1 point

	A. Wait until the server sync automatically
$\otimes$	B. Edit the Gateway server and select "automatic" in the synchronization method  Your answer
	C. Restart the Gateway server.
$\odot$	D. Delete the out of sync server from the Gateway service, and then, add it back
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.cmc.doc/tapic_server_resync.html
	55. Custom dashboards allow a set of related visualizations to be grouped together in API Manager. What can be done as part of the customization? Scored 1 of the 1 point
$\odot$	A. Add previously saved visualizations  Your answer
	B. Add previously saved APIs
	C. View previously saved APIs
	D. View previously saved visualizations
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.apionprem.doc/tapim_analytics_creatingcust
0	56. Consider the scenario where a new provider organization role has been created, and default catalog permissions have been specified for that user under the provider organization admin settings.  If this same role should have reduced permissions for a given catalog, which action should be performed?  Scored 1 of the 1 point  A. Override the role catalog permissions within the catalog settings  Your answer  B. Nothing, catalog specific roles are not a supported capability
	C. Update the LDAP registry manually with the new permissions
	D. Create another new provider organization role specific for that catalog
⊗	<ul><li>57. What does an application developer need to do to use an API?</li><li>Scored 0 of the 1 point</li><li>A. Subscribe to a Plan Your answer</li></ul>
$\odot$	B. Register in the Developer Portal
	C. Write an AngularJS application
	D. Subscribe to a Product
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.devportal.doc/tapim_portal_signup_API.html

	58. When are the default API manager dashboards and visualizations added to the catalog?  Scored 0 of the 1 point	
	A. When an API is published  B. Once the Developer Portal isenabled in the Catalog settings	
	C. When a Catalog is created	
(X)	D. Once a Catalog is published to Developer Portal	
	Your answer	
	59. What is the source file extension schema of APIs in IBM API Connect? Scored 1 of the 1 point	
0	Ayaml Your answer	
	Bwadl	
	Craml	
	Dwsdl	
<b>⊘</b>	60. OpenID Connect can be enabled for authentication in the Developer Portal by what User Registry property in the catalog?  Scored 1 of the 1 point  A. Portal Delegated User Registry  Your answer	
	B. IBM ID	
	C. New SCIM User Registry	
	D. Authentication URL	
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.devportal.doc/tapic_portal_g	google_open_id.h
	61. IBM API Connect partitions Product catalogs into spaces that has their own Product lifecycle management, subscription approvals, and analytics data. How can this be achieved?  Scored 0 of the 1 point	
$\otimes$	A. Provider organizations  Your answer	
$\odot$	B. Syndication	
	C. Developer organizations	
	D. Plans	
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.apionprem.doc/capic_syndica	ation_using.html
	62. When troubleshooting an error that occurred in the web browser while using the Developer Portal, which log is a source of help?	

	Scored 1 of the 1 point
	A. webhook.log
	B. run_site_cron.log
<b>⊘</b>	C. syslog Your answer
	D. run_site_queue.log
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.devportal.doc/rapim_portal_troubleshoot.htm
	63. When using IBM API Connect built-in policies in Bluemix, what should
	users be aware of?
	Scored 1 of the 1 point
	A. Only those policies that do not generate security tokens apply
	B. Only thosepolicies that generate security tokens apply
<b>⊘</b>	C. Only DataPower Gateway policies apply
	Your answer
	D. Only Micro Gateway policies apply
	To be accessible by IBM API Connect for IBM Cloud, you must apply only policies that can be run on the DataPower Gateway.
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSFS6T/com.ibm.apic.toolkit.doc/rapim_ref_ootb_policies.html
<b>⊗</b>	64. If a provider organization user needs to be able to edit draft Products and APIs, which role would need to be assigned to the developer to allow those actions to be performed?  Scored 0 of the 1 point  A. API Development Owner Your answer  B. API Administrator  C. Product Manager  D. API Owner
<b>⊘</b>	65. What happens to the original Product when it is superseded?  Scored 1 of the 1 point  A. Replaced  B. Archived  C. Deprecated  Your answer  D. Revised  Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.apionprem.doc/task_superseding_a_product

	C9530-519: IBM API Connect v. 5.0.5 Solution Implementation	
	66. When an API call results in an error, a developer does not want to confuse users with a system message that is too technical to be useful. Where can the error message be overridden?  Scored 1 of the 1 point	
0	A. Catch Your answer	
	B. If	
	C. Throw	
	D. Invoke	
	67. Which license is required for the IBM DataPower Gateway to have before installing or adding it to API Connect/manager's Gateway Cluster?  Scored 1 of the 1 point	
0	A. Application Optimization Your answer	
	B. Oracle Database	
	C. B2B Option	
	D. Java API for XML Processing	
	https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.overview.doc/capim_overview_apiconnec The Application Optimization (AO) option is required. Ensure that the AO module is activated.	:components.h
	68. What is the option to test API endpoints with API Designer?  Scored 1 of the 1 point	
	A. Connector	
0	B. Explore Your answer	
	C. Express	
	D. Test branch	
	69. What is the purpose of the ACL model in LoopBack? Scored 0 of the 1 point	
	A. Performs token-based authentication and access control	
×	B. Registers and authenticates users of an application locally or against third-party services  Your answer	
$\odot$	C. Connects principals to protected resources	
	D. Contains metadata for a client application that has its own identity	
	70. What can be used to validate a product file definition?	

https://www.onlineexambuilder.com/index.php?r=exam/ranking&language=en

Scored 1 of the 1 point

A. Developer toolkit Your answer

	B. OpenAPI						
	C. API Manager						
	D. Product definition template						
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.toolkit.doc/task_apim_cli	_validation.html					
	71. A developer wants to include a built-in policy in an API definition. Micro Gateway is being used in the environment. Which policy is available to the developer? Scored 1 of the 1 point						
	A. XML to JSON						
	B. XSLT						
	C. JSON to XML						
0	D. Invoke  Your answer						
<b>⊘</b>	72. An IBM API Connect, organizations of users can create and consume APIs. Where are the two organizations present in an API Connect solution? (Select two.)  Scored 1 of the 1 point  A. Developer Your answer						
0	B. Provider  Your answer						
	C. API						
	D. Catalog						
	E. Portal						
	73. What should be checked to debug the error "Access denied" when updating a cluster in Developer Portal?  Scored 0 of the 1 point						
$\otimes$	A. If the site.id is valid using the list_sites -p command  Your answer						
	B. If all the nodes are synchronized						
$\odot$	C. If passwords are matching in existing and new Nodes						
	D. If the SMTP configuration is in Cloud manager						
	Reference: https://www.ibm.com/support/knowledgecenter/en/SSMNED_5.0.0/com.ibm.apic.devportal.doc/rapim_portal_troubles	hoot.html#rapir					

https://www.onlineexambuilder.com/index.php?r=exam/ranking&language=en

Developer Portal?

	cored 1 of the 1 point	
A.	Latency graph	
В.	Success rate graph Your answer	
C.	Data usage graph	
D.	Data points graph	
	$Reference: \ https://www.ibm.com/support/knowledgecenter/en/SSMNED\_5.0.0/com.ibm.apic.devportal.doc/tapim\_portal\_arrows.pdf.$	nalytics.htr