

General Industries Hub

Enterprise Inventory Management

Logistics Portal Manual

Purchase orders, vendor management, procurement chain.

Version 1.2.0 - Generated 2026-08-06

Confidential - for authorized personnel only

GI Hub - Role booklet - Logistics Portal Manual

Contents

1. Introduction & System Overview	3
1.1 What the system does	3
1.2 Core principles	3
1.3 The transaction lifecycle (the heart of the system)	4
1.4 Currency, dates, units	5
3. Login, Sidebar & Common Elements	6
3.1 Login screen	6
3.2 Sidebar (visible after login)	6
3.3 Brand header (top of every page)	7
3.4 Bug / Feature reporting dialog	7
3.6 Notifications bell (NEW in v3.0)	7
3.5 Overdue Returnable banner (Store Keepers only)	9
11. Status Codes, Reason Codes & Glossary	10
11.1 Common status pills	10
11.2 Adjustment reason codes	10
11.3 PR workflow states	10
11.4 Lot statuses	11
11.4a DN states (NEW v3.0)	11
11.4b PO + PO line states (NEW v3.0)	11
11.4c Force-closure target types (NEW v3.0)	11
11.4d Reschedule + vendor return states (NEW v3.0)	11
11.4e RL/BL family tags (NEW v3.0)	11
11.4f Notification severity (NEW v3.0)	12
11.4g Logistics-status on PR rows (NEW v3.0)	12
11.5 Glossary	12
14. Logistics Portal Manual	13
14.1 Pages visible to Logistics	14
14.2 Tab 1: Incoming PRs	14
14.3 Tab 2: Create PO	15
14.4 Tab 3: Open POs	16
14.5 Tab 4: Assign to Warehouse	16
14.6 Tab 5: Reschedules	17
14.7 Tab 6: Force-Close	17
14.8 Tab 7: <- Vendor Returns	18
14.9 Tab 8: History	20
14.10 Logistics - Use Cases	20
14.11 Logistics - FAQ	21

16. Cross-Role Procurement Walk-through	22
16.1 The scenario	22
16.2 Hour by hour	22
16.3 Side-path examples	24

1. Introduction & System Overview

1.1 What the system does

The General Industries (GI) Hub is a multi-site warehouse inventory, procurement and asset-management system. It tracks every material movement - issues, receipts, returns and corrections - through a two-stage approval process, and gives you live stock figures, oldest-stock-first discipline on anything with an expiry date, stock valuation, serialised tool and equipment tracking, and a complete audit trail across every site you manage.

It runs in a web browser on a phone, a tablet or a desktop, and is also available as an installable app for Windows, macOS and Android.

1.2 Core principles

Principle	What it means
Stock is calculated, never stored	Stock on hand is always received, minus consumed, minus returned, recalculated from the movement history every time it is shown. No running total is kept anywhere, so no
Two-stage approval	Store Keepers stage entries step-HOD ready, and commits at End-of-Day. Nothing touches the permanent ledger without HOD approval.
Site isolation	HODs and Supervisors see only their own site's stock. Only Admin sees all sites. Cross-site moves require formal
Audit-first	Every action is recorded with the user's name, the exact time and what changed. Even a deletion leaves a trace.
Nothing to maintain	Upgrades apply themselves when the system starts. Nobody has to run a database update by hand.
Procurement chain	One continuous workflow from a site's request through to material on the shelf. Logistics owns purchase orders; Warehouse owns physical receiving and delivery notes; the Site HOD approves what is being sent; the Store Keeper
RL/BL strict separation	Rubber Lining and Brick Lining items NEVER share a PO line group, a DN, or a warehouse aggregation. The system rejects mixed-family DNs by design and tags each line with its family on insert.

Warehouse-blind pricing	Warehouse users can see materials and quantities but NEVER see Unit_Price, Total_Price, or any monetary header field on a PO. Three independent enforcement layers guarantee this.
-------------------------	--

1.3 The transaction lifecycle (the heart of the system)

Every stock movement travels the same four steps. Nothing reaches the permanent record until a Head of Department has approved it.

Step	Who does it	What happens	Where it sits afterwards
1	Store Keeper	Enters the issue, receipt or return on the Entry Log	Staged, awaiting approval
2	Head of Department	Reviews it at End-of-Day and may edit the quantity, approve, or reject with a reason	Still staged until they decide
3	System	Commits the approved entry to the permanent stock	Permanent - stock figures move now
4	System	Sends Sends the WhatsApp and in-app notifications, and writes the audit entry	Permanent audit history

Receipts, issues, returns and stock adjustments all follow this same shape. A rejected entry never reaches step 3, so it never affects a stock figure - but the rejection itself is still recorded, together with the reason.

1.3a The procurement chain

Buying material is a relay. Each role does one thing and hands over to the next, and every handover appears in the receiving role's own queue.

Step	Role	Action	Lands in
1	Site HOD	Submits a Purchase Request	Logistics - Incoming PRs
2	Logistics	Issues the Purchase Order	Site HOD is notified; Admin sees it for oversight
3	Logistics	Assigns the order (or individual lines) to a warehouse	Warehouse - Incoming Assignments
4	Warehouse	Acknowledges, then records the physical arrival from	Warehouse - Receiving
5	Warehouse	Prepares the Delivery Note	Logistics - DN approval queue
6	Logistics	Approves the delivery date	Site HOD - DN Approvals

Step	Role	Action	Lands in
7	Site HOD	Approves the contents	Store Keeper - Incoming DNs
8	Store Keeper	Confirms physical arrival on	Permanent stock record; the

Three side-paths exist for when things do not go to plan: site delivery closes

- Vendor returns - any role can raise one. The order line reopens so the material can be re-delivered.
- Reschedules - Warehouse or Site HOD request a new date; Logistics decides.
- Force-closure - Logistics only, for an order that will never complete. Both Admin and the Site HOD are notified automatically.

A Delivery Note may never mix Rubber Lining and Brick Lining material. The system refuses to create one, rather than warning about it.

1.4 Currency, dates, units

- Currency: Saudi Riyal (SAR) throughout.
- Dates: shown as DD/MM/YYYY or DD MMM YYYY.
- Time zone: the site's local time. Audit entries record the time to the second.
- Units of measure: each item carries its own unit - pieces, boxes, rolls, cans, metres, kilograms. There is no automatic conversion: an item is issued in the same unit it was received in. If a material arrives in boxes and is used in pieces, record the conversion in the item's description and keep one unit for both directions.

3. Login, Sidebar & Common Elements

3.1 Login screen

Elements:

- Username text box - your assigned username (case-sensitive).
- Password text box - masked input. Min 8 characters policy enforced on creation.
- Sign In button - checks your credentials and takes you straight to the first page your role can open.
- "Don't have an account? Request access" link - opens a self-service registration form.

Registration form elements:

- Username - must be unique
- Password / Confirm Password
- Role requested - selectbox: Store Keeper / Supervisor / HOD (Admin role cannot be self-requested)
- Site_ID - which site to associate the account with
- Phone Number - used for WhatsApp alerts (format: +966 5X XXX XXXX)
- Submit Request button - creates a pending_users row + audit log + WhatsApp alert to all admins

Admin must approve via Admin Portal -> Users tab before the user can log in.

3.2 Sidebar (visible after login)

Every page shares this sidebar. Reading top to bottom:

Element	Purpose	Notes
GI Hub bolt icon + version	Branding	Shows v3.0.0
Role card	Your username + role badge	Color-coded: grey=Store Keeper, emerald=Warehouse, blue=Supervisor, indigo=HOD, sky=Logistics, gold=Admin
Notifications bell (NEW v3.0)	Unread count + inbox dialog	Red badge if N>0, primary button changes to "Open inbox (N unread)". Modal shows recent procurement events with mark-read controls. See §3.6
"Navigate to:" radio	Page picker	Only shows pages allowed by your role
INVENTORY ALERTS section	Compact stock-alert badge	Visible to Supervisor/HOD/Admin only. Shows count of items below
Bug/Feature reporting	Opens a dialog	See §3.4
Theme toggle	Dark / Light mode switch	Persists per-session

Element	Purpose	Notes
Sign Out button	Ends the session	Audit-logs the LOGOUT event

3.3 Brand header (top of every page)

Variant	Used by	Visual
Standard header	Live Dashboard, Entry Log	Gold subtitle accent + current date
HOD header	HOD Portal	Purple subtitle accent + current date
Admin header	Admin Portal	Gold accent + green/amber pulse chip ("All systems operational" / "Degraded") + current date


3.4 Bug / Feature reporting dialog

Available to every user from the sidebar:


- Type selectbox - Bug Report / Feature Request
- Page dropdown - which page the issue/idea relates to (Live Dashboard, Entry Log, HOD Portal, Admin Portal, Reports, Other)
- Description textarea - up to 200 characters
- Submit button - writes to bug_reports table with user, timestamp, type, page, description. Visible to Admin in the Admin Portal Reports & Bugs tab for triage.

3.6 Notifications bell (NEW in v3.0)

Sits between the role card and the navigation radio. Every signed-in user sees their own personalised inbox of procurement-chain events.



Sidebar - Notifications bell with unread badge + inbox modal



Connectivity - offline indicator pill appears top-left when the browser loses network (Phase 7E)

The button:

- No unread: "Open inbox" (secondary button, no badge)
- 1+ unread: "Open inbox (N unread)" (primary button, red pill badge with the count, capped at "99+")

The inbox dialog (click the button):

- Only unread toggle - on by default. Flip off to see your full history.
- Per-notification card - colour-coded left border by severity:
 - Critical (red) - force-closures, T-0 delivery reminders
 - Warning (amber) - T-1/T-2 reminders, reschedule requests
 - Success (green) - DN approved / received successfully
 - Info (blue) - PR submitted, PO issued, assignments
- Per-row Mark read - flips just that notification
- Bulk [OK] Mark all as read - flips every visible row (respecting the role + site + warehouse scope)

you'd see normally)

What gets sent here:

Event you'll see	Triggered by
New PR from a site (Logistics only)	Site HOD pressing " Submit PR(s) to Logistics"
PO issued (Site HOD)	Logistics creating a PO against your site's PR
PO assigned to warehouse (Warehouse only)	Logistics routing a PO to your WH
DN awaiting your approval (HOD)	Logistics approving a DN delivery date
Incoming DN ready to receive (SK)	HOD approving DN content
Reschedule requested (Logistics)	Warehouse or HOD asking to push a date
Reschedule decided (requester)	Logistics approve/reject
Force-closure (Admin + originating HOD)	Logistics force-closing a PR/PO/line
Vendor return raised (Logistics)	Any role raising a return
Delivery reminder T-2 / T-1 / T-0	The daily sweep job (see §9)

The bell is tolerant - if the notification lookup fails, the badge silently shows 0 instead of breaking the sidebar. In-app notifications ALWAYS fire; the WhatsApp side is gated by the per-event WhatsApp toggles in the system settings (see §9).

3.5 Overdue Returnable banner (Store Keepers only)

When a Store Keeper logs in and there are overdue returnable items at their site, a red banner appears at the top of any page they navigate to:

> [!] OVERDUE ITEMS - Action Required: N borrowed item(s) past expected return: <item names>. Go to the Returnable Items tab to follow up.

11. Status Codes, Reason Codes & Glossary

11.1 Common status pills

Status	Color	Meaning
pending	grey	Awaiting decision
flagged	amber	Has a concern (e.g., zero stock at
approved	green	Approved, ready for commit
rejected	red	Soft-rejected (row preserved for
committed	gold	Posted to permanent ledger
draft	grey	User can still edit
submitted	blue	Sent forward; awaiting next stage
in_progress	amber	Active (e.g., PR with supplier)
received	green	Fully delivered
open	blue	Active, has pending balance
closed	green	Fully fulfilled
OK / Low / Below Min / Empty	green/amber/orange/red	Stock vs minimum status
Expired / Critical / Warning	red/red/amber	Expiry buckets
sent	green	WhatsApp delivered

11.2 Adjustment reason codes

Code	Label	When to use
cycle_count	Cycle count correction	Routine periodic count
damaged	Damaged / unusable	Physical damage
expired_disposal	Expired - disposed	Expired and physically discarded
miscount_in	Miscount - found extra	Found more than system shows
miscount_out	Miscount - short	Found less than system shows
lost	Lost / unaccounted	Genuinely missing
theft	Suspected theft	Deliberate removal
return_to_supplier	<- Returned to supplier	Quality issue, sent back
other	Other (see notes)	Anything else (must explain in notes)

11.3 PR workflow states

- draft - manual creation, not yet sent
- submitted - sent to procurement
- approved - procurement greenlit
- in_progress - supplier engaged
- received - fully received

11.4 Lot statuses

- open - has remaining quantity, available for FEFO
- exhausted - fully consumed (auto)
- expired - past expiry date (manual or background)
- disposed - physically removed (manual)
- quarantine - held pending inspection (manual)

11.4a DN states (NEW v3.0)

draft -> pending_logistics -> logistics_approved -> pending_hod -> hod_approved -> pending_sk -> received With rejected as terminal from any pending state.

11.4b PO + PO line states (NEW v3.0)

PO header: open -> partially_delivered -> delivered -> closed / force_closed / cancelled PO item line: open -> partially_delivered -> delivered -> returned / closed / force_closed

11.4c Force-closure target types (NEW v3.0)

Code	Label
pr	Whole PR closed
po	Whole PO closed
po_item	Single line on a PO closed

11.4d Reschedule + vendor return states (NEW v3.0)

Reschedule: pending -> approved / rejected Vendor return: open -> vendor_acknowledged / resupplied / cancelled

11.4e RL/BL family tags (NEW v3.0)

Tag	Meaning	Detection rule
RL	Rubber Lining	The Material Code or Description contains "RL-", "RUBBER LINING" or "RUBBER-LINING"
BL	Brick Lining	It contains "BL-", "BRICK LINING", "BRICK-LINING" or "BRICK MATERIAL"
(none)	Neither family	The default when nothing above matches

The system works this out for you. An item is never tagged as both - if the wording matches both

families, RL wins.

11.4f Notification severity (NEW v3.0)

Severity	Visual	When used
info (blue)	Info pings - PR submitted, PO issued, assignments	
warning (amber)	T-2/T-1 reminders, reschedule requests, rejections	
success (green)	DN approved successfully, delivery completed	
critical (red)	T-0 reminder, force-closures, urgent escalation	

11.4g Logistics-status on PR rows (NEW v3.0)


Code	Meaning
site_draft	HOD has the PR but hasn't submitted to Logistics yet
submitted	Sitting in Logistics queue waiting for PO issuance
in_po	A PO has been issued against this PR line
closed	PR fulfilled normally
force_closed	Logistics force-closed the PR with a reason

11.5 Glossary


Term	Meaning
FEFO	First-Expiry-First-Out - issue oldest-expiring lot first
EOD	End-of-Day commit (HOD action that finalizes the day's transactions)
PR	Purchase Request
DN	Delivery Note (logistics document)
OCR	Optical Character Recognition - used for bulk-staging from images
PWA	Progressive Web App - the offline mobile companion
RBAC	Role-Based Access Control
WAL	A database setting that lets many people read while one person writes. Nothing to configure - it is on
Standard cost	Per-item Unit_Cost on inventory master (vs weighted-average cost which would require receipts-history)
Identity math	Stock derived from movements, never stored as a counter

14. Logistics Portal Manual


The Logistics Portal sits between Site HOD (who creates PRs) and Warehouse (which physically receives goods). Role-locked to {logistics, admin} - exact-role lock means no other role inherits access via the hierarchy. Eight tabs.



Logistics Portal - Create PO from PDF upload or manual entry



Logistics Portal - Open POs dashboard with status pills

*Logistics Portal - Assign PO to a Warehouse*

14.1 Pages visible to Logistics

- Live Dashboard (read-only - all sites)
- Logistics Portal (this page)
- Reports (incl. the 3 new procurement reports)

14.2 Tab 1: Incoming PRs

Site HODs submit PRs to Logistics from their HOD Portal -> PR tab. They land here.

14.2.1 Site filter

Dropdown of all sites + "All sites". Defaults to all.

14.2.2 Hero strip (3 cards)

Card	Source
OPEN PRs	Active queue count
TOTAL QTY	Sum across all open PR lines
SITES	Distinct sites currently submitting

14.2.3 Queue table

A table with columns: PR No. - Site - Lines - Total Qty - Submitted - Earliest Delivery - Status. Sortable, filterable, exportable.

14.2.4 Per-PR drilldown

Selectbox under the queue table. Pick a PR + Site combination and a section card appears:

Card row	Source
PR Number	the row
Site	the row
Lines	line count
Total Qty	summed across lines
Earliest Delivery	min of Delivery_Date across lines

Below: full line items grid with Material_Code, Material_Name, Requested_Qty, UOM, WBS_Number, Network, Plant, Delivery_Date, Supplier, Est_Cost_SAR.

14.2.5 Use this PR to create a PO button

Loads the PR into Tab 2 (Create PO). Selectbox state is preserved so you can switch tabs without losing the chosen PR.

14.3 Tab 2: Create PO

Two sub-tabs: Manual entry and PDF upload. Both create the Purchase Order the same way - the only difference is where the details come from.

14.3.1 Vendor picker

Selectbox of all active vendors `<code>` - `<name>`, plus a "Add new vendor" option that opens an inline expander with Vendor Code, Name, Address, Default Inco Terms, Default Payment Terms. Save -> re-renders the parent form with the new vendor pre-selected.

14.3.2 PO header form

Three-column layout:

Column	Fields
Left	PO Number * - PO Date - PO Type
Middle	PR Number - Quotation No. - Quotation Date
Right	Expected Delivery - Inco Terms - Payment Terms

Plus a second three-column row for Contact (vendor), Contact Email, Mobile, Our Reference, Your Reference, Our Email.

Vendor defaults (Inco / Payment Terms) auto-fill from the master row but remain editable.

14.3.3 Manual sub-tab: line items

If a PR was loaded via the Tab 1 shortcut, every PR line pre-fills with Include = True and zero Unit_Price + Total_Price (you set them). Otherwise an empty editable grid opens.

Editable columns: Include - Material_Code - Description - Qty - UOM - Unit_Price - Total_Price - WBS_Number - Network - Plant. Rows with Include = False are dropped on save.

14.3.4 PDF upload sub-tab

Element	Purpose
File uploader	Drop the PO PDF
Extract from PDF button	Reads the document and pulls out the header (PO Number, Vendor, Inco/Payment terms, Quotation refs, totals), the line items (Sr. No, Material_Code, Description, Qty, UOM, Unit_Price, Total_Price) and the PO Annexure delivery
Review extracted PO	Editable preview of every extracted field. The header form pre-fills. The line items grid pre-fills. Edit anything before saving.
Delivery schedule	If Annexure parsed, a table shows shipment_no - material_group - target_date
Save PO (from PDF)	Saves the PO, its line items and its shipment schedule. The original PDF is kept attached to the PO itself, so the

On PO numbers with X-masking: the sample PDF has the last 4 digits masked as XXXX for security. The extractor preserves whatever is on the page verbatim. In production, vendors send full 10-digit numbers and those pass through unchanged.

14.3.5 Side-effects on save

- A new Purchase Order is created, open
- One line is created per item, each auto-tagged with its RL/BL family
- The matching PR lines - same PR number, same site - are marked as now covered by a PO, so they leave your Incoming PRs queue
- The site HOD gets a "PO issued" notification in-app, and on WhatsApp if that event is enabled

14.4 Tab 3: Open POs

Browse + drill into every open PO.

14.4.1 Filters

Site dropdown - Vendor dropdown - PR Number exact-match textbox.

14.4.2 KPI strip

OPEN POs count - Total value SAR - PENDING (not yet delivered) count.

14.4.3 Per-PO drilldown

Select a PO -> section card with PR Number, Vendor, Inco/Payment Terms, PO Date, Expected, Source (manual/pdf_upload), Status, Total. Below: items grid with an RL/BL family chip per row, the parsed delivery schedule (if any), and a list of warehouse assignments.

14.5 Tab 4: Assign to Warehouse

Route a PO (or a subset of items) to a warehouse for receiving.

14.5.1 PO + Warehouse pickers

Two-column row: PO selectbox - Warehouse selectbox (shows <id> - <name>).

14.5.2 Items selector

Editable grid showing every PO line with an Include checkbox (default True). Disable lines you don't want to route - they stay with this PO for a future assignment.

14.5.3 Header

Expected Delivery date + Notes (visible to Warehouse).

14.5.4 Assign to Warehouse button

- If every line is included, the assignment is recorded as covering the whole PO - which reads more cleanly in an audit than listing each line
- If only some lines are included, the assignment records exactly which PO lines were routed
- Warehouse users at the chosen warehouse get a "PO assigned to warehouse" notification in-app, and on WhatsApp if that event is enabled
- PO header's Expected_Delivery auto-fills with this date if not set
- Audit log entry: ASSIGN_PO_TO_WAREHOUSE

14.6 Tab 5: Reschedules

Incoming reschedule requests from Warehouse / Site HOD.

14.6.1 Empty state

If no pending requests: empty-state card.

14.6.2 Per-request card

Element	Purpose
Header line	PO <number> - DN <number> - From <current_date> -> <requested_date>
Subline	requested_by + role + reason
Decide popover	Decision notes textbox + [OK] Approve / [X] Reject buttons

Approval automatically pushes the new date everywhere it matters: the PO's expected delivery date, the warehouse assignment's expected delivery date, and the Delivery Note's date if one is linked. (reject requires reason)

14.7 Tab 6: Force-Close

Use sparingly. Force-closing notifies Admin + originating Site HOD immediately with the reason.

14.7.1 Target radio

PR (entire) - PO (entire) - PO line (single item)

14.7.2 Reason textbox

Mandatory, minimum 3 characters. Stored word-for-word on the force-closure record and in the audit log.

14.7.3 Target picker (changes per radio)

- PR: dropdown of open PR numbers in Logistics queue
- PO: dropdown of open POs
- Line: PO dropdown -> then line dropdown showing only open / partially_delivered lines

14.7.4 Force-close button

Single confirm-and-execute. Behind it:

- PR target: the PR is closed and marked force-closed in the Logistics queue
- PO target: the PO and all of its lines are marked force-closed
- Line target: only that one PO line is marked force-closed
- A force-closure record is written, carrying your reason
- Notifications go out to every Admin and to the HOD of the site the document came from, at critical severity

14.7.5 Recent force-closures (audit)

A table of the last 50 closures. Read-only.

14.8 Tab 7: <- Vendor Returns

Raise a return to the vendor against a PO. Returning a line REOPENS the PO so it shows in your active queue again.

14.8.1 PO picker + scope

PO selectbox (all POs incl. closed). Then radio: Whole PO or Single line. If single line, a line picker appears.

14.8.2 Return details form

- Return quantity (number, > 0)
- Reason (textarea, mandatory)
- Expected resupply (date picker, defaults to today + 14)
- Notes (optional)

14.8.3 <- Raise vendor return button

- A return record is created, showing it was raised by Logistics

—

The PO line's returned quantity goes up, and the line reopens as either partly delivered or open

- If the PO had already been closed, it reopens as partly delivered and its closure details are cleared
- A "vendor return raised" notification goes to the Logistics inbox, and to WhatsApp if that event is enabled

14.8.4 Open returns table

A table of all open returns. Read-only.

14.9 Tab 8: History

Read-only archive. Two sub-tabs: Closed POs and Closed PRs.

- Closed POs: status in closed / force_closed / cancelled
- Closed PRs: any PR that is itself closed, or that Logistics has closed, force-closed, or already turned into a PO

For force-closures with the reason history, use Tab 6 -> Recent force-closures table.

14.10 Logistics - Use Cases

Use Case 1: Issue PO from a fresh PR

1. Incoming PRs -> pick PR -> Use this PR to create a PO
2. Create PO -> Manual entry -> pick / add vendor, fill header, edit Unit Price per line
3. Save PO -> balloon animation -> notification fires to Site HOD

Use Case 2: Issue PO from a vendor's emailed PDF

1. Receive PO PDF from vendor (sample format: Create PO -> PDF upload)
2. Drop the PDF -> Extract from PDF
3. Review extracted header + line items + delivery schedule
4. Correct anything the parser missed
5. Save PO (from PDF) - original PDF is archived

Use Case 3: Route a PO to a warehouse

1. Assign to Warehouse -> pick PO + warehouse
2. Disable lines you want to route separately later
3. Pick Expected Delivery, add a routing note
4. Assign - warehouse user is pinged

Use Case 4: Handle a Warehouse reschedule ask

1. Reschedules -> review the request (reason text + current vs requested date)
2. Decide -> notes + [OK] Approve
3. The PO's expected delivery date updates automatically; Warehouse and the requester get the

decision notification

Use Case 5: Force-close a stale PR

1. Force-Close -> radio = PR (entire)
2. Write the reason (e.g. "Project cancelled by site management 2026-06-15")
3. Pick PR -> Force-close PR
4. Admin + Site HOD see a critical notification in their bell

14.11 Logistics - FAQ

Q: A PR appears in Incoming PRs but I can't issue a PO against it - Material_Code is wrong. A: PR lines come from the Site HOD's inventory catalogue. If the Material_Code is wrong, the SK created it wrong upstream. Don't fix in your PO - bounce the PR back via WhatsApp / chat, ask the site to re-submit. There's no in-app "reject PR" button (yet) because PR rejection should be a conversation, not a click.

Q: PDF extraction picked up wrong qty. A: The Review preview is editable. Always check Qty / Unit_Price / Total_Price before saving. The extractor is calibrated against the General Industries sample layout; other vendor templates may need template additions.

Q: I want to assign a PO to multiple warehouses. A: Two separate Assign actions - one per warehouse. Each assignment records its own set of PO lines, so the two never overlap.

Q: Why can't I see prices in Tab 4 / on assignment cards? A: You CAN see prices in Tab 3 (Open POs drilldown). Tab 4 (Assign to Warehouse) shares the read with Warehouse users, so prices are hidden there for consistency.

Q: Force-closure undo? A: Not yet. Once force-closed, you'd have to either raise a Vendor Return (reopens the line) or admin-edit via Master DB Editor. A 24-hour undo window is on the v3.0 backlog.

16. Cross-Role Procurement Walk-through

A single happy-path narrative threading all five roles together, useful for onboarding.

16.1 The scenario

Site GI-PS01 needs 50 RL panels and 20 BL bricks. Total 3 working days from PR raise to physical receipt.

16.2 Hour by hour

When	Who	What
Day 1 - 8:00 AM	Site HOD	Opens HOD Portal -> Purchase Requests. Creates 2 PR lines (50 RL panels, 20 BL bricks) with PR Number 3000099999, WBS Number 4003951, Network 4003951-PROJ-A, Plant
Day 1 - 8:15 AM	Site HOD	Opens the Delivery PRs Day 1 Logistics Portal expander -> multi-selects PR 3000099999 -> Submit Selected to Logistics.
Day 1 - 8:15 AM	(auto)	A "PR submitted to Logistics" notification lands in the Logistics inbox with a red badge, plus a WhatsApp
Day 1 - 9:00 AM	Logistics	Sees PR 3000099999 in incoming PRs queue. Drills in - 2 lines, RL + BL.
Day 1 - 9:30 AM	Logistics	Switches to Create PO -> manual entry. Picks vendor "Carborundum Universal" (0000110341), Inco/Payment auto-fill, fills PO Number 4720033030, Unit_Price per line,
Day 1 - 9:30 AM	(auto)	The PR is completed and a PO is created by a PO and disappear from the Logistics queue. The site HOD gets a "PO issued" notification with the vendor and PO number.

Day 1 - 10:00 AM	Logistics	Assign to Warehouse -> picks PO 4720033030 + Warehouse WH-A + Expected Delivery Day 2 evening. Assign.
Day 1 - 10:00 AM	(auto)	A "PO assigned to warehouse" notification lands in the WH-A users' inbox, plus a WhatsApp ping if that event is enabled.
Day 1 - 11:00 AM	Warehouse user (WH-A)	Incoming Assignments -> [OK] Acknowledge assignment #N. Goes about their day.
Day 2 - 5:00 PM	Warehouse user	Physical truck arrives from vendor. Receive Goods -> assignment #N -> type 50 in Receive Now for the RL line, 20 for the BL line. Record receipt.
Day 2 - 5:30 PM	Warehouse user	Prepare DN -> pick PO 4720033030, destination GI-PS01. Types Ship Qty 50 for RL line, attempts to add BL line - rejected (RL/BL strict separation). Saves DN-WH-A-20260617-001 for
Day 2 - 5:35 PM	Warehouse user	Repeats: new DN with only the BL line.
Day 2 - 5:40 PM	Warehouse user	Outbound DNs -> submits both drafts to Logistics.
Day 2 - 5:45 PM	Logistics	Sees DN-WH-A-20260617-001 + 002 in their DN approval queue. Confirms delivery date Day 3 AM. Approves both.
Day 2 - 5:45 PM	(auto)	Both DNs move to awaiting-HOD-approval. The site HOD gets the "DN approved by Logistics" notification.
Day 2 - 6:00 PM	Site HOD	notification sees red bell badge 2 unread. Opens inbox -> drills into the DNs via
Day 2 - 6:00 PM	(auto)	Both DNs move to awaiting-Store-Keeper, and a matching draft receipt appears in the site's Receipt Staging for each. The site SK gets the incoming-DN notification.
Day 3 - 8:30 AM	Truck arrives at site GI-PS01	

Day 3 - 8:45 AM	Site SK	Opens Entry Log -> Receipt Staging. The new Incoming Delivery Notes from Warehouse expander is open at the top, showing both DNs. Inspects both,
Day 3 - 8:45 AM	(auto)	to direct physical posted, to title [OK] Adgeas Received on each. each carrying its DN number, source warehouse and originating PO. Both DNs are marked received, the staged drafts are cleared, and the Live Dashboard shows the new stock immediately.

16.3 Side-path examples

A site rejects a DN

Same scenario, but on Day 2 at 6:00 PM, Site HOD inspects the line preview on DN-002 and notices the BL qty doesn't match the PR. Rejects DN-002 with note "BL qty in DN is 25, PR asked for 20 - bounce back".

- DN-002 is marked rejected, and the reason is stored with it
- Warehouse user gets the rejection notification with the reason
- The BL line on the PO frees up qty (the over-ship guard recalculates available since DN-002 is no longer "live")
- Warehouse prepares DN-003 with correct qty

Logistics force-closes the PR mid-flight

Project cancelled by management on Day 1 evening:

- Logistics -> Force-Close -> radio = PR -> reason "Project cancelled per CFO email 2026-06-16" -> Force-close PR
- Admin + Site HOD see critical-severity notification in their bell
- The pending PO can either stay (if vendor already shipped) or also be force-closed
- Site HOD's In-Transit -> Force-closures sub-tab shows the closure with the reason

Warehouse asks for reschedule

Receiving day Truck doesn't show up - vendor delay:

- Warehouse -> Outbound DNs -> drill into DN-001 -> Request reschedule -> new date Day 4 -> reason "Vendor delivery delayed 24h confirmed by vendor email"
- Logistics -> Reschedules -> reviews -> [OK] Approve with notes "Confirmed with vendor"
- PO Expected_Delivery, po_assignments.Expected_Delivery, AND DN_Date all flip to Day 4 in one transaction

-

Site HOD sees the decision notification
