





DETAIL 1 - IJ - ISOLATION JOINT





DETAIL 2 - DEJ - DOWELLED EXPANSION JOINT





DETAIL 3 - DCJ - DOWELLED CONTROL JOINT





DETAIL 4 - CJ - CONTROL JOINT





DETAIL 5 - KCJ - KEYED CONSTRUCTION JOINT





DETAIL 6 - CJ - CONSTRUCTION JOINT





DETAIL 7 - DCJ - DOWELLED CONSTRUCTION JOINT





DETAIL 8 - DCJ - DOWELLED CONSTRUCTION JOINT
BETWEEN NEW AND EXISTING GROUND SLABS




DETAIL 9




DETAIL 10




DETAIL 11 - CORNER BAR REINFORCING AT PENETRATIONS THRU CONCRETE PAVING

| FOR 20,25 OR 30 WIDE JOINTS CONSTRUCT AS BELOW | | | |
|---|---|---|---|
| DIMENSION A | DIMENSION B | DIAMETER C | DIMENSION D |
| 20 | 40 | 25 | 12 |
| 25 | 50 | 30 | 15 |
| 30 | 60 | 40 | 18 |

NOTES

1. FOR CONCRETE GENERAL NOTES REFER DRAWING MD-520-1000-EG-CV-STD-0001.
2. FOR DETAILS OF REINFORCEMENT REFER PAVING DETAILS OR DESIGN DRAWINGS.
3. FOR SLAB THICKNESS REFER DESIGN DRAWINGS.
4. VBM INDICATES POLYTHENE VAPOUR BARRIER MEMBRANE REFER CONCRETE NOTES ON DRAWING MD-520-1000-EG-CV-STD-0001.
5. CONTACT SURFACE AT ALL CONSTRUCTION JOINTS SHALL BE SCABBLED OR WATER JET BLASTED TO EXPOSE A CLEAN ROUGH SURFACE WITH COARSE AGGREGATE PROTRUDING 5mm MIN BUT FIRMLY FIXED IN THE CONCRETE MATRIX. APPLY AN EMPLOYER APPROVED WET TO DRY EPOXY COATING BONDING AGENT TO CONTACT FACE BY AIRLESS SPRAY IMMEDIATELY PRIOR TO POURING NEW CONCRETE.
6. ALL CONCRETE JOINTING MATERIAL SHALL BE APPROVED BY THE EMPLOYER, PRIOR TO USE, AND INSTALLED / APPLIED STRICTLY IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.
6. ALL EXPOSED CORNERS OF CONCRETE SHALL BE CHAMFERED 25X25MM MIN.

LEGEND

**ISSUED FOR CONSTRUCTION**

| REV | DATE | REVISION DESCRIPTION | DRN | CHK | ENG | APP | EMP |
|---|---|---|---|---|---|---|---|
| C01 | 16/07/24 | ISSUED FOR CONSTRUCTION | SMU | KKP | SHB | GSS | MD |
| A03 | 12/17/23 | ISSUED FOR USE | SMU | KKP | SHB | AA | MD |
| A02 | 11/05/23 | ISSUED FOR USE | SMU | KKP | SHB | AA | MD |
| A01 | 09/14/23 | ISSUED FOR REVIEW | SMU | KKP | SHB | AA | MD |

PROPRIETARY & CONFIDENTIAL

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

"Contractor Insignia to be placed here if applicable"

Worley energy | chemicals | resources

JESA INTERNATIONAL

MA'ADEN معادن Saudi Arabian Mining Company شركة التعدين العربية السعودية

Ma'aden Phosphate 3 – Phase 1

| NAME | TITLE | SIGN | DATE |
|---|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |

REVIEW GRADE

| Result | Code | Description |
|---|---|---|
| ☐ | A | Accepted |
| ☐ | C | Proceed with exceptions to next Submission and Revision |
| ☐ | R | Do Not Proceed - Revise as noted and Resubmit |

Acceptance in any of these categories in no way relieves the Contractor/Supplier of its responsibility for the due and proper performance of the Works in accordance with the Contract/Purchase Order.

PROJECT MANAGER SIGN-OFF:

| NAME | | DATE | |
|---|---|---|---|

| | | |
|---|---|---|
| DRAWN | M.UMAIR | 09/14/23 |
| CHECKED | P.KALYAN | 09/14/23 |
| ENGINEER | S.BISTA | 09/14/23 |
| APPROVED | A.SALAM | 09/14/23 |
| EMPLOYER | MAADEN | 09/14/23 |
| SCALE | NTS | A1 |

MA'ADEN PHOSPHATE-3 PHASE-1
RAS AL-KHAIR & WAAD AL SHAMAL
STRUCTURAL STANDARDS
CONCRETE DETAILS SHEET 3

DRAWING NUMBER MD-520-1000-EG-CV-STD-0004 REV C01

\\saalkwpdfs01v\Projects\Projects\WPEC(C_Projects\303011_Infra\313011-00282\12_Dwgs\12.11_Structural\12.11.05_Working\WAS\CWA COMMON\Civil\CONC

17/Jul/24 15:36 PM