

WEBDEV1 • DIAGNOSTIC PRACTICE SET

Flexbox Practice — No Hints

Same idea as the first sheet, except this time you don't get told which property to use. Study each target layout, figure out **which flex properties** are responsible for the spacing/alignment/direction you see, then write both your diagnosis and the CSS yourself.

How to use this sheet:


1. Look closely at the target box — direction of flow, spacing between items, alignment on both axes.
2. Write down which container property (or properties) you think control what you're seeing.
3. Write the full CSS ruleset for `.container` that reproduces it exactly.
4. Test it in a browser, then reveal the solution to check both your diagnosis and your code.

⚠ No property names are given anywhere on this sheet — that's the point.

Name: _____ Section: _____ Date: _____

01 Layout A

TARGET LAYOUT



Given HTML (do not change):

```
<div class="container">
  <div class="box">1</div>
  <div class="box">2</div>
  <div class="box">3</div>
</div>
```

WHICH PROPERT(Y/IES) ARE AT WORK HERE?


.....

YOUR CSS FOR .CONTAINER:

```
.....
.....
.....
```

02 Layout B

TARGET LAYOUT



Given HTML (do not change):

```
<div class="container">
  <div class="box">1</div>
  <div class="box">2</div>
  <div class="box">3</div>
</div>
```

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

.....

.....

.....

03

Layout C

TARGET LAYOUT



Given HTML (do not change):

```
<div class="container">
  <div class="box a">1</div>
  <div class="box b">2</div>
  <div class="box c">3</div>
</div>
```

←!— each box already has a different fixed height →

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

```
.....
.....
.....
```

04

Layout D

TARGET LAYOUT (CONTAINER IS 360PX WIDE)



Given HTML (do not change):

```
<div class="container">
  <div class="card">1</div>
  <div class="card">2</div>
  <div class="card">3</div>
  <div class="card">4</div>
</div>
```

←!— each .card is already fixed at 110px wide →

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

.....


.....

.....

05

Layout E

TARGET LAYOUT (CONTAINER IS 360PX × 220PX)



Given HTML (do not change):

```
<div class="container">
  <div class="card">1</div>
  <div class="card">2</div>
  <div class="card">3</div>
  <div class="card">4</div>
</div>
```

←!— .container is fixed at 360px wide, 220px tall →
←!— each .card is fixed at 155px wide →

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

.....
.....
.....
.....

06 Layout F

TARGET LAYOUT



Given HTML (do not change):

```
<nav class="container">
  <div class="logo">LOGO</div>
  <div class="links">NAV LINKS</div>
  <button class="cta">BTN</button>
</nav>
```

←!— logo, links, and button have different fixed heights already →

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

```
.....
.....
.....
.....
```

07 Layout G

TARGET LAYOUT — NOTE THE NUMBER ORDER, LEFT TO RIGHT



Given HTML (do not change — note the source order is 1, 2, 3):

```
<div class="container">
  <div class="box">1</div>
  <div class="box">2</div>
  <div class="box">3</div>
</div>
```

WHICH PROPERT(Y/IES) ARE AT WORK HERE?


.....

YOUR CSS FOR .CONTAINER:

```
.....
.....
.....
```

08 Layout H

TARGET LAYOUT



Given HTML (do not change):

```
<div class="container">
  <div class="box small">1</div>
  <div class="box wide">2</div>
  <div class="box medium">3</div>
</div>
```

←!— each box already has its own fixed width →

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

.....

.....


.....

.....

.....

09 Layout I

TARGET LAYOUT



Given HTML (do not change):

```
<div class="container">
  <div class="box">1</div>
  <div class="box">2</div>
  <div class="box">3</div>
</div>
```

WHICH PROPERT(Y/IES) ARE AT WORK HERE?


.....

YOUR CSS FOR .CONTAINER:

```
.....
.....
.....
```

10 Layout J

TARGET LAYOUT (CONTAINER IS 360PX × 200PX)



Given HTML (do not change):

```
<div class="container">
  <div class="card">1</div>
  <div class="card">2</div>
  <div class="card">3</div>
  <div class="card">4</div>
  <div class="card">5</div>
</div>
```

←!— .container is fixed at 360px wide, 200px tall →

←!— each .card is fixed at 90px wide →

WHICH PROPERT(Y/IES) ARE AT WORK HERE?

.....

YOUR CSS FOR .CONTAINER:

.....

.....

.....

.....

.....

```
// Flexbox Practice Sheet — Diagnostic Set (No Hints) · WEBDEV1 · solutions hidden when printed
```