Notice for TAIYO YUDEN products

Please read this notice before using the TAIYO YUDEN products.

REMINDERS

Product information in this catalog is as of October 2009. All of the contents specified herein are subject to change without notice due to technical improvements, etc. Therefore, please check for the latest information carefully before practical application or usage of the Products.

Please note that Taiyo Yuden Co., Ltd. shall not be responsible for any defects in products or equipment incorporating such products, which are caused under the conditions other than those specified in this catalog or individual specification.

- Please contact Taiyo Yuden Co., Ltd. for further details of product specifications as the individual specification is available.
- Please conduct validation and verification of products in actual condition of mounting and operating environment before commercial shipment of the equipment.
- All electronic components or functional modules listed in this catalog are developed, designed and intended for use in general electronics equipment.(for AV, office automation, household, office supply, information service, telecommunications, (such as mobile phone or PC) etc.). Before incorporating the components or devices into any equipment in the field such as transportation,(automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network (telephone exchange, base station) etc. which may have direct influence to harm or injure a human body, please contact Taiyo Yuden Co., Ltd. for more detail in advance. Do not incorporate the products into any equipment in fields such as aerospace, aviation, nuclear control, submarine system, military, etc. where higher safety and reliability are especially required.

In addition, even electronic components or functional modules that are used for the general electronic equipment, if the equipment or the electric circuit require high safety or reliability function or performances, a sufficient reliability evaluation check for safety shall be performed before commercial shipment and moreover, due consideration to install a protective circuit is strongly recommended at customer's design stage.

- The contents of this catalog are applicable to the products which are purchased from our sales offices or distributors (so called "TAIYO YUDEN's official sales channel").

 It is only applicable to the products purchased from any of TAIYO YUDEN's official sales channel.
- Please note that Taiyo Yuden Co., Ltd. shall have no responsibility for any controversies or disputes that may occur in connection with a third party's intellectual property rights and other related rights arising from your usage of products in this catalog. Taiyo Yuden Co., Ltd. grants no license for such rights.
- Caution for export

Certain items in this catalog may require specific procedures for export according to "Foreign Exchange and Foreign Trade Control Law" of Japan, "U.S. Export Administration Regulations", and other applicable regulations. Should you have any question or inquiry on this matter, please contact our sales staff.

Should you have any question or inquiry on this matter, please contact our sales staff.

SMD INDUCTORS SMALL AND LARGE CURRENT TYPE




FEATURES

- Small and Low profile inductor.
- It corresponds to High current.
- Simple and original magnetic shield structure.
- Durable structure against dropping impact.


APPLICATIONS

For small DC/DC converter (cellular Phone, HDD, DVC, DSC, PDA, LCD display etc).

ORDERING CODE



■ EXTERNAL DIMENSIONS/STANDARD QUANTITY





Туре	L	w	н	е	f	Quantity [pcs] Tape & Reel
NRH2410	2.4±0.1 (0.095±0.004)	2.4±0.1 (0.095±0.004)	1.0 max (0.039 max)	0.6±0.2 (0.024±0.008)	1.45±0.2 (0.057±0.008)	2500
NRH3010	3.0±0.1	3.0±0.1	1.0 max (0.039 max)	0.9±0.2	1.9±0.2	2000
NRH3012 NRV3012	(0.118±0.004)	(0.118±0.004)	1.2 max (0.047 max)	(0.035±0.008)	(0.075±0.008)	2000
					Linit :	mm(inah)

Unit: mm(inch)

Type	L	W	Н	е	Δe	f	Δℓ	Standard Quantity [pcs] Tape & Reel
NRS5012			1.2 max (0.047 max)					1000
NRS5014	4.9±0.2 (0.193±0.008)	4.9±0.2 (0.193±0.008)	1.4 max (0.055 max)	1.2±0.2 (0.047±0.008)	0.3±0.2 (0.011±0.008)	3.3±0.2 (0.130±0.008)	1.3±0.3 (0.051±0.011)	1000
NRS5020			2.0 max (0.079 max)					800
NRS6010	6.0±0.2 (0.236±0.008)	6.0±0.2 (0.236±0.008)	1.0 max (0.039 max)	1.35±0.2 (0.053±0.008)	0.3±0.2 (0.011±0.008)	4.0±0.2 (0.157±0.008)	2.3±0.3 (0.091±0.011)	1000
							Unit:	mm(inch)

Recommended Land Patterns





AVAILABLE INDUCTANCE RANGE

Range	Туре	1	NRH2410		NRH3010	1	NRH3012		NRV3012		NRS5012		NRS5014	N	RS5020	ı	NRS6010
		lmax	Rdc±20%				Rdc±20%										
		[mA]	[Ω]	[mA]	[Ω]	[mA]	[Ω]	[mA]	[Ω]	[mA]	[Ω]	[mA]	[Ω]	[mA]	[Ω]	[mA]	[Ω]
	1.0	1410	0.070	1480	0.065	1710	0.048	L		2300	0.053			3600	0.021		
[H <i>H</i>]	4.7							1100	0.120			2800	0.045			1900	0.090
	10	450 300	0.690		0.350		0.270			850	0.420	1800	0.100	1300	0.120	1000	0.270
Inductance	22	300	1.47	380	0.770	500	0.630							900	0.260		
	100																

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs

129

NRH 2410 Shielded type

		FUC /Fmuinemental			Self-resonant		Rated curre	ent ※)〔mA〕	Measuring
Ordering code		EHS (Environmental Hazardous Substances)	Inductance [µH]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current	Temperature rise current	frequency (kHz)
	NRH2410T R68NN 4						Idc1	ldc2	
NRH24101 R68NN 4		RoHS	0.68	±30%	120	0.060	2,200	1,570	
NRH2410T 1R0NN 4		RoHS	1.0	±30 %	106	0.070	1,800	1,410	
NRH2410T 1R5MN		RoHS	1.5		94	0.110	1,550	1,160	
NRH2410T 2R2MN		RoHS	2.2		77	0.150	1,290	970	
NRH2410T 3R3MN		RoHS	3.3		56	0.220	1,000	770	100
NRH2410T 4R7MN		RoHS	4.7	±20%	50	0.290	880	670	100
NRH2410T 6R8MN		RoHS	6.8	±20%	43	0.410	750	570	
NRH2410T 100MN		RoHS	10	1	32	0.690	550	450	
NRH2410T 150MN		RoHS	15		27	1.02	470	370	
NRH2410T 220MN		RoHS	22		22	1.47	390	300	

NRH 3010 Type

		FUC /Fm. incommontal			Self-resonant		Rated curre	nt ※)〔mA〕	Measuring
Ordering code		EHS (Environmental Hazardous Substances)	Inductance [μH]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	frequency (kHz)
NRH3010T 1R2N		RoHS	1.2	±30%	120	0.065	1,700	1,480	
NRH3010T 1R5N		RoHS	1.5	30 /₀	99	0.075	1,440	1,370	
NRH3010T 2R2M		RoHS	2.2		86	0.083	1,300	1,300	
NRH3010T 3R3M		RoHS	3.3		64	0.130	1,000	1,030	
NRH3010T 4R7M		RoHS	4.7		50	0.170	850	900	100
NRH3010T 6R8M		RoHS	6.8	±20%	44	0.250	700	745	
NRH3010T 100M		RoHS	10]	34	0.350	600	620]
NRH3010T 150M		RoHS	15] [25	0.550	450	480	
NRH3010T 220M		RoHS	22		22	0.770	380	410	

NRH 3012 Type

	EHS (Environmental			Self-resonant		Rated curre	ent ※)〔mA〕	Measuring
Ordering code	Hazardous Substances)	Inductance [μH]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	frequency (kHz)
NRH3012T 1R0N	RoHS	1.0	±30%	111	0.048	2,200	1,710	
NRH3012T 1R5N	RoHS	1.5	±30 %	95	0.055	1,700	1,600	
NRH3012T 2R2M	RoHS	2.2		78	0.075	1,500	1,370	
NRH3012T 3R3M	RoHS	3.3		61	0.100	1,200	1,210	
NRH3012T 4R7M	RoHS	4.7		50	0.130	1,000	1,060	100
NRH3012T 6R8M	RoHS	6.8	±20%	43	0.190	850	890	
NRH3012T 100M	RoHS	10		32	0.270	730	720	
NRH3012T 150M	RoHS	15] [26	0.450	530	570	
NRH3012T 220M	RoHS	22		22	0.630	500	500	

●NRV 3012 Type

		EHS (Environmental			Self-resonant		Rated curre	ent ※)〔mA〕	Measuring
Ordering code		Hazardous Substances)	Inductance [μΗ]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	frequency (kHz)
NRV3012T 2R2M		RoHS	2.2	±20%	70	0.120	1,800	1,100	100

NRS 5012 Type

		FUC /Fmuiremmental			Self-resonant		Rated curre	ent ※)〔mA〕	Measuring
Ordering code		EHS (Environmental Hazardous Substances)	Inductance [μH]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	frequency (kHz)
NRS5012T 1R0N		RoHS	1.0	±30%	100	0.053	4,500	2,300	
NRS5012T 1R5N		RoHS	1.5	±30%	86	0.070	3,800	2,200	
NRS5012T 2R2M		RoHS	2.2		70	0.085	3,100	2,000	
NRS5012T 3R3M		RoHS	3.3		48	0.160	2,400	1,450	100
NRS5012T 4R7M		RoHS	4.7	±20%	40	0.180	2,200	1,400	
NRS5012T 6R8M		RoHS	6.8		36	0.260	1,700	1,100	
NRS5012T 100M		RoHS	10		26	0.420	1,400	850	

●NRS 5014 Type

wound05_e-01

		EHS (Environmental			Self-resonant		Rated curre	ent ※)〔mA〕	Measuring
Ordering code			Inductance [μH]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	frequency (kHz)
NRS5014T 1R2N		RoHS	1.2		86	0.045	3,800	2,800	
NRS5014T 2R2N		RoHS	2.2	±30%	56	0.065	2,800	2,300	100
NRS5014T 3R3N		RoHS	3.3	±30%	48	0.080	2,350	2,100	100
NRS5014T 4R7N		RoHS	4.7		41	0.100	2,050	1,800	

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.

PART NUMBERS

NRS 5020 Type


		FUC (Fauire a manual)			Self-resonant		Rated curre	nt ※)〔mA〕	Measuring
Ordering code		EHS (Environmental Hazardous Substances)	Inductance [μH]	Inductance Tolerance	frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	frequency (kHz)
NRS5020T 1R0N		RoHS	1.0		81	0.021	4,000	3,600	
NRS5020T 1R5N		RoHS	1.5	±200/	68	0.026	3,350	3,200	
NRS5020T 2R2N		RoHS	2.2	±30%	57	0.035	2,900	2,900	
NRS5020T 3R3N		RoHS	3.3		46	0.048	2,400	2,400	
NRS5020T 4R7M		RoHS	4.7		37	0.060	2,000	2,000	100
NRS5020T 6R8M		RoHS	6.8		30	0.090	1,600	1,650	
NRS5020T 100M		RoHS	10	±20%	24	0.120	1,300	1,450	
NRS5020T 150M		RoHS	15] [20	0.165	1,100	1,200	
NRS5020T 220M		RoHS	22		17	0.260	900	1,000	

NRS 6010 Type

•									
		EHS (Environmental			Calf vacament		Rated curre	ent ※)〔mA〕	Managemina
Ordering code	Ordering code Hazardous Substances)	Inductance [µH]	Inductance Tolerance	Self-resonant frequency (MHz) (min.)	DC Resistance [Ω] (±20%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency (kHz)	
NRS6010T 1R5N		RoHS	1.5		90	0.090	2,400	1,900	
NRS6010T 2R2N		RoHS	2.2		65	0.110	1,900	1,700	
NRS6010T 3R3N		RoHS	3.3	±30%	50	0.135	1,600	1,500	100
NRS6010T 4R7N		RoHS	4.7]	38	0.165	1,300	1,400	100
NRS6010T 6R8N		RoHS	6.8		30	0.220	1,200	1,200	
NRS6010T 100M		RoHS	10	±20%	25	0.270	1,000	1,100]

^{**)} The saturation current value (ldc1) is the DC current value having inductance decrease down to 30%. (at 20°C)
**) The temperature rise current value (ldc2) is the DC current value having temperature increase up to 40°C. (at 20°C)
**) The rated current is the DC current value that satisfies both of current value saturation current value and temperature rise current value.

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.




^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.

1Minimum Quantity


Tuno	Standard Quantity [pcs]
Туре	Tape & Reel
NRH 2410	2500
NR 3010/NRH 3010	2000
NR 3012/NRH3012/NRV3012	2000
NR 3015	2000
NR 4010	5000
NR 4012	4500
NR 4018	3500
NRG4026	2000
NRS5012	1000
NRS5014	1000
NRS5020	800
NR 5040	1500
NRS6010	1000
NR 6012	1000
NR 6020	2500
NR 6028	2000
NR 6045	1500
NR 8040	1000

2Tape Material



3 Taping dimensions


Embossed tape 8mm wide (0.315 inches wide)



Type	Chip cavity		Insertion pitch	Tape thickness	
Type	Α	В	F	Т	K
NRH 2410	2.6±0.1 (0.102±0.004)	2.6±0.1 (0.102±0.004)		0.25±0.05 (0.009±0.002)	1.3±0.1 (0.051±0.004)
NR 3010 NRH 3010			4.0-0.1		1.4±0.1 (0.055±0.004)
NR 3012 NRH 3012 NRV3012	3.2±0.1 (0.126±0.004)	3.2±0.1 (0.126±0.004)	4.0±0.1 (0.157±0.004)	0.3±0.05 (0.012±0.002)	1.6±0.1 (0.063±0.004)
NR 3015					1.9±0.1 (0.075±0.004)

Unit : mm (inch)


Embossed tape 12mm wide (0.47 inches wide)



Tuno	Chip	cavity	Insertion pitch	Tape th	ickness
Type	Α	В	F	Т	K
NR 4010	4.3+0.1 4.3+0.1			1.4±0.1 (0.055±0.004)	
NR 4012		4.3±0.1 (0.169±0.004)		0.3±0.05 (0.012±0.002)	1.6±0.1 (0.063±0.004)
NR 4018	(0.169±0.004)				2.1±0.1 (0.083±0.004)
NRG 4026					3.1±0.1 (0.122±0.004)
NRS 5012					1.4±0.1 (0.055±0.004)
NRS 5014	5.25±0.1 (0.207±0.004) 5.15±0.1 (0.203±0.004)	5.25±0.1 (0.207±0.004)	8.0±0.1 (0.315±0.004)		1.6±0.1 (0.063±0.004)
NRS 5020					2.3±0.1 (0.091±0.004)
NR 5040		5.15±0.1 (0.203±0.004)			4.2±0.1 (0.165±0.004)
NRS 6010					1.4±0.1 (0.055±0.004)
NR 6012				0.4±0.1 (0.016±0.004)	1.6±0.1 (0.063±0.004)
NR 6020	6.3±0.1 (0.248±0.004)	6.3±0.1 (0.248±0.004)			2.3±0.1 (0.090±0.004)
NR 6028					3.1±0.1 (0.122±0.004)
NR 6045					4.7±0.1 (0.185±0.004)

Unit : mm (inch)

• Embossed tape 16mm wide (0.63 inches wide)




Time	Chip	cavity	Insertion pitch	Tape th	ickness
Type	Α	В	F	Т	K
NR 8040	8.3±0.1 (0.327±0.004)	8.3±0.1 (0.327±0.004)	12.0±0.1 (0.472+0.004)	0.5±0.1 (0.020±0.004)	4.5±0.1 (0.177±0.004)

Unit : mm (inch)


4 Leader and Blank portion

NR, NRH, NRS, NRG, NRV




^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.

⑤Reel size



Type	Reel size (Reference values)				
Type	φD	φd	W		
NRH2410					
NR 3010 NRH 3010	180±0.5	60±1.0	10.0±1.5		
NR 3012 NRH 3012 NRV 3012	(7.087±0.019)	(2.36±0.04)	(0.394±0.059)		
NR 3015					
NRS 5012					
NRS 5014					
NRS 5020	180±3.0 (7.087±0.118)	60±2.0 (2.36±0.08)	14.0±1.5 (0.551±0.059)		
NRS 6010		(2.30±0.06)	(0.551±0.059)		
NR 6012					

Unit : mm (inch)




Type	Reel size (Reference values)				
туре	φD	φd	t (max.)	W	
NR 4010					
NR 4012					
NR 4018					
NRG 4026	330±3.0	80±2.0	18.5 (0.72)	13.5±1.0 (0.531±0.04)	
NR 5040					
NR 6020	(12.99±0.118)	(3.15±0.078)			
NR 6028					
NR 6045					
NR 8040			22.5 (0.89)	17.5±1.0 (0.689±0.04)	

Unit : mm (inch)

6Top Tape Strength

The top tape requires a peel-off force of 0.1 to 1.3N in the direction of the arrow as illustrated below.



^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.

RELIABILITY DATA

1 On systima Tampa systems Dangs		
1. Operating Temperature Range BRC1608, BRL2012, BRC2016, BRC2518,		
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40,	-25~+105°C	
NRH24/30, NRS50/60 Type	-25~+120°C	
NR10050 Type [Test Method and Remarks] Including self-generated heat	-25~+105°C	
2. Storage Temperature Range		
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type		
NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type	40~+85°C	
NR10050 Type [Test Method and Remarks]		
BRC1608, BRL2012, BRC2016, BRC2518 NR10050 Type : 0~40°C for the produc	, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type: 0 to 40°C for the product with taping. st with taping.	
3. Rated current		
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type		
NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type	Within the specified tolerance	
NR10050 Type		
4. Inductance		
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type		
NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type	Within the specified tolerance	
NR10050 Type		
NR30/40/50/60/80, NRV30, NRG40, NRH24/ NR10050 Type	8, BRFL2518, BRL2518, BRL3225 Type: LCR Meter: HP 4285A or equivalent, Measuring frequency: Specified frequency 30, NRS50/60 Type: LCR Meter: HP 4285A or equivalent, 100KHz, 1V: LCR Meter: HP 4263A or equivalent, 100KHz, 1V	
5. DC Resistance		
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type		
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type	Within the specified tolerance	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks]	Within the specified tolerance	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale	Within the specified tolerance	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency	Within the specified tolerance	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type	Within the specified tolerance	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type	Within the specified tolerance	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251	Within the specified tolerance Mithin the specification Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type:	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251	Within the specified tolerance nt Within the specification	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251	Within the specified tolerance Mithin the specification Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : er : HP4291A or equivalent HP4191A, 4192A or equivalent	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251 Inpedance analyzer/material analyzer	Within the specified tolerance Mithin the specification Within the specification 8, BRFL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type:	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251 Inpedance analyzer/material analyzer/ 7. Temperature characteristic	Within the specified tolerance Within the specification B, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : er : HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change : Within ±15% BRC1608	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251 Inpedance analyzer/material analyzer 7. Temperature characteristic BRC1608, BRL2012, BRC2016, BRC2518,	Within the specified tolerance Mithin the specification Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : or : HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change : Within ±15%	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC2518, Inpedance analyzer/material analyzer 7. Temperature characteristic BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40,	Within the specified tolerance Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: er: HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change: Within ±15% BRC1608 Inductance change: Within ±20%	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type ITest Method and Remarks DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type ITEST Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRS1050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRC2016, BRC1608, BRC2016, BRC2518, BRC1608, BRC2016, BRC2518, BRC1608, B	Within the specified tolerance Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: er: HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change: Within ±15% BRC1608 Inductance change: Within ±20%	
BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type ITest Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251 Inpedance analyzer/material analyzer 7. Temperature characteristic BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type ITest Method and Remarks] BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type ITest Method and Remarks] BRC1608, BRL2012, BRC2016, BRC251 Measurement of inductance shall be With reference to inductance value a	Within the specified tolerance 8, BRFL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: er: HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change: Within ±15% BRC1608 Inductance change: Within ±20% Inductance change: Within ±20% 8, BRFL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: etaken at temperature range within =25°C~+85°C. tt +20°C., change rate shall be calculated.	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2525 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type [Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC2518, Inpedance analyzer/material	Within the specified tolerance Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: er: HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change: Within ±15% BRC1608 Inductance change: Within ±20% Inductance change: Within ±20% 8, BRFL2518, BRL32518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: taken at temperature range within −25°C~+85°C. tt+20°C., change rate shall be calculated.	
BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type ITest Method and Remarks DC ohmmeter: HIOKI 3227 or equivale 6. Self resonance frequency BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL325 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2012, BRC2016, BRC2518, Measurement of inductance shall be With reference to inductance value at the change of maximum inductance det Temperature at step 1 20°C Temperature at step 2 Minimum	Within the specified tolerance ### Within the specification ### Within the specification ### Within the specification ### BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : er : HP4291A or equivalent HP4191A, 4192A or equivalent ### BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change : Within ±15% ### BRC1608 Inductance change : Within ±20% ### Inductance change : Within ±20% ### BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : etaken at temperature range within =25°C~+85°C. tt +20°C., change rate shall be calculated.	
BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS55/60 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2016, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type NR10050 Type ITest Method and Remarks BRC1608, BRL2012, BRC2016, BRC2518, BRC1608, BRL2012, BRC2016, BRC1608, BRC1608, BRC2016, BRC1608, BRC1608, BRC2016, BRC1608, BRC160	Within the specified tolerance Within the specification 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : er : HP4291A or equivalent HP4191A, 4192A or equivalent BRL2012, BRC2016, BRL2518, BRL3225, BRC2518, BRFL2518 Inductance change : Within ±15% BRC1608 Inductance change : Within ±20% Inductance change : Within ±20% Inductance change : Within ±20% 8, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : taken at temperature range within —25°C~+85°C. taken at temperature sange within —25°C~+85°C. viation in step 1 to 5 Coperating temperature	

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.

8. Resistance to flexure of substrate
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, No damage.
NRH24/30, NRS50/60 Type
NR10050 Type [Test Method and Remarks]
RC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type: The test samples shall be soldered to the test board by the reflow. As illustrated below, apply force in the direction of the arrow indicating until deflection of the test board reaches to 2 mm. Test board size: 100×40×1.0 Test board material: glass epoxy-resin Solder cream thickness: 0.12 (BR Series) 0.10 (NR30/40, NRV30, NRH24/30,NRG40) 0.15 (NR50/60/80, NRS50/60)
Land dimension (BRC1608) Land dimension (BRL2012) Land dimension (BRL3225) Land dimension (NR30, NRH30, NRV30) Land dimension (NR60, NR560) Land dimension (NR, NRS50)
0.55 0.8 0.55 0.9 0.65 0.9 0.05 0.05
Land dimension (BRC2016) Land dimension (BRL2518,BRC2518,BRFL2518) Land dimension (NRH24) Land dimension (NR40, NRG40) Land dimension (NR80)
1.8
9. Insulation resistance: between wires BRC1608, BRL2012, BRC2016, BRC2518,
BRFL2518, BRL2518, BRL3225 Type
NR30/40/50/60/80, NRV30, NRG40,
NRH24/30, NRS50/60 Type NR10050 Type
INTIOUS Type
10. Insulation resistance: between wire and core
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type
NR30/40/50/60/80, NRV30, NRG40,
NRH24/30, NRS50/60 Type
NR10050 Type
11. Withstanding voltage: between wires and core
BRC1608, BRL2012, BRC2016, BRC2518,
BRFL2518, BRL2518, BRL3225 Type
NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type
NR10050 Type
12. Adhesion of terminal electrode BRC1608, BRL2012, BRC2016, BRC2518,
BRIL2518, BRIL2518, BRIL3225 Type
NR30/40/50/60/80, NRV30, NRG40, Shall not come off PC board.
NRH24/30, NRS50/60 Type
NR10050 Type Toot Method and Remarks]
[Test Method and Remarks] BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type:
The test samples shall be soldered to the test board by the reflow.
·Applied force : 10N to X and Y directions. ·Duration : 5s.
• Solder cream thickness : 0.15mm. □ □ ■ 10N, 5s
BRC1608, NR10050 Type: 'Applied force: 5N to X and Y directions. 'Duration: 5s.
13. Resistance to vibration
BRC1608, BRL2012, BRC2016, BRC2518,
BRFL2518, BRL2518, BRL3225 Type ND20/40/E0/20/20, ND2/20, ND2
NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type Inductance charge: Within ± 10% No significant abnormality in appearance.
NR10050 Type
[Test Method and Remarks]
BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type: The test samples shall be soldered to the test board by the reflow.
Then it shall be submitted to below test conditions. Frequency Range 10~55Hz
Frequency Range 10~55Hz Total Amplitude 1.5mm (May not exceed acceleration 196m/s²)
Sweeping Method 10Hz to 55Hz to 10Hz for 1min.
X X
Time Y For 2 hours on each X, Y, and Z axis.

Recovery: At least 2hrs of recovery under the standard condition sfter the test, followed by the measurement within 48hrs

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs.

RELIABILITY DATA

14. Solderability

BRC1608, BRL2012, BRC2016, BRC2518 BRFL2518, BRL2518, BRL3225 Type

NR30/40/50/60/80, NRV30, NRG40, At least 90% of surface of terminal electrode is covered by new solder. NRH24/30, NRS50/60 Type

NR10050 Type

[Test Method and Remarks]

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050Type:

The test samples shall be dipped in flux, and then immersed in molten solder as shown in below table. Flux: Methanol solution containing rosin 25%.

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type:

Solder Temperature	245±5℃
Time	5±1.0 sec.

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type:

Solder Temperature	245±5℃
Time	5±0.5 sec.

*Immersion depth: All sides of mounting terminal shall be immersed

15. Resistance to soldering heat

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80 NRV30 NRG40 NRH24/30, NRS50/60 Type

Inductance change: Within ±10% No significant abnormality in appearance.

NR10050 Type

[Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type

3 times of reflow oven at 230°C MIN. for 40sec. with peak temperature at 260⁺⁰₋₅°C for 5sec.

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type

The test sample shall be exposed to reflow oven at 230±5°C for 40 seconds, with peak temperature at 260±5°C for 5 seconds, 2 times.

NR6020 Type:

The test sample shall be exposed to reflow oven at $230\pm5^{\circ}$ C for 40 seconds, with peak temperature at $250\pm0^{\circ}$ C for 5 seconds, 2 times.

Test board thickness: 1.0mm

Test board material : glass epoxy-resin

16. Thermal shock

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

Inductance change: Within ±10% No significant abnormality in appearance.

NR10050 Type

[Test Method and Remarks]

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type, NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type : The test samples shall be soldered to the test board by the reflow. The test samples shall be placed at specified temperature for specified time by step 1 to step 4 as shown in below table in sequence. The temperature cycle shall be repeated 100 cycles.

Conditions of 1 cycle			
Step	Temperature (°C)	Duration (min)	
1	-40±3	30±3	
2	Room temperature	Within 3	
3	+85±2	30±3	
4	Room temperature	Within 3	

17. Damp heat

BRC1608, BRL2012, BRC2016, BRC2518,

BRFL2518, BRL2518, BRL3225 Type Inductance change: Within ±10% No significant abnormality in appearance. NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

NR10050 Type

[Test Method and Remarks]

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type:

Temperature	60±2℃
Humidity	90~95%RH
Time	1000 hours.

Recovery: At least 2hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type:

The test samples shall be soldered to the test board by the reflow.

The test samples shall be placed in thermostatic oven set at specified temperature and humidity as shown in below table.

Temperature	60±2℃
Humidity	90~95%RH
Time	500±24hour

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs

RELIABILITY DATA

18. Loading under damp heat

BRC1608, BRL2012, BRC2016, BRC2518 BRFL2518, BRL2518, BRL3225 Type

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

Inductance change: Within ±10% No significant abnormality in appearance.

NR10050 Type

[Test Method and Remarks]

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type :

Temperature	60±2℃
Humidity	90~95%RH
Applied current	Rated current
Time	1000hours.

Recovery: At least 2hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type :

The test samples shall be soldered to the test board by the reflow.

The test samples shall be placed in thermostatic oven set at specified temperature and humidity and applied the rated current continuously as shown in below table.

Temperature	60±2℃
Humidity	90~95%RH
Applied current	Rated current
Time	500±2hour

19. Low temperature life test

BRC1608, BRL2012, BRC2016, BRC2518 BRFL2518, BRL2518, BRL3225 Type

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

Inductance change: Within ±10% No significant abnormality in appearance.

NR10050 Type

[Test Method and Remarks]

BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type :

Temperature	-40±2℃
Duration	1000hours

Recovery: At least 2hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type, NR10050 Type :

The test samples shall be soldered to the test board by the reflow

After that, the test samples shall be placed at test conditions as shown in below table.

Temperature	-40±3℃
Time	500±24hour

20. High temperature life test

BRC1608, BRL2012, BRC2016, BRC2518, Inductance change: Within ±10% BRFL2518, BRL2518, BRL3225 Type No significant abnormality in appearance

NR30/40/50/60/80 NRV30 NRG40 NRH24/30, NRS50/60 Type

Inductance change: Within ±10% NR10050 Type No significant abnormality in appearance

[Test Method and Remarks] BRC1608, BRL2012, BRC2016, BRC2518, BRFL2518, BRL2518, BRL3225 Type:

	Temperature	85±2℃
ĺ	Duration	1000hours

Recovery: At least 2hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.

NR10050 Type:

,,	
Temperature	105±3℃
Time	500±24hour

Recovery: At least 2hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.

21. Loading at high temperature life test

BRC1608, BRL2012, BRC2016, BRC2518 BRFL2518, BRL2518, BRL3225 Type

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

Inductance change: Within ±10% No significant abnormality in appearance

NR10050 Type

[Test Method and Remarks]

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

The test samples shall be soldered to the test board by the reflow soldering

Temperature	85±2℃
Applied current	Rated current
Time	500±24hour

22. Standard condition

BRC1608, BRL2012, BRC2016, BRC2518, Standard test condition:

BRFL2518, BRL2518, BRL3225 Type

Unless otherwise specified, temperature is $20\pm15\%$ and $65\pm20\%$ of relative humidity.

NR30/40/50/60/80, NRV30, NRG40, NRH24/30, NRS50/60 Type

When there are question concerning measurement result : In order to provide correlation date, the test shall be condition of 20±2°C of temperature, 65±5% relative humidity.

NR10050 Type

Inductance is in accordance with our measured value

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs

SMD Inductors

1. Circuit Design

Operating environment

Precautions

1. The products described in this specification are intended for use in general electronic equipment (office supply equipment, telecommunications systems, measuring equipment, and household equipment). They are not intended for use in mission-critical equipment or systems requiring special quality and high reliability (traffic systems, safety equipment, aerospace systems, nuclear control systems and medical equipment including life-support systems,) where product failure might result in loss of life, injury or damage. For such uses, contact TAIYO YUDEN Sales Department in advance

2. PCB Design

Precaution

◆Land pattern design
1. Please refer to a recommended land pattern.

Technical consider-

 Land pattern design Surface Mounting

- ations
 - Mounting and soldering conditions should be checked beforehand. Applicable soldering process to this products is reflow soldering only

3. Considerations for automatic placement

Adjustment of mounting machine

Precautions

1. Excessive impact load should not be imposed on the products when mounting onto the PC boards 2. Mounting and soldering conditions should be checked beforehand.

Technical considerations

Adjustment of mounting machine

1. When installing products, care should be taken not to apply distortion stress as it may deform the products

4. Soldering

◆Reflow soldering

- 1. Please contact any of our offices for a reflow soldering, and refer to the recommended condition specified
- . This products is reflow soldering only.
- 3. Please do not add any stress to a product until it returns in normal temperature after reflow soldering.

Lead free soldering

Precautions

- 1. When using products with lead free soldering, we request to use them after confirming of adhesion, temperature of resistance to soldering heat, soldering etc sufficiently.
- ecommended conditions for using a soldering iron (NR10050 Type)
- Put the soldering iron on the land-pattern.
 Soldering iron's temperature Below 350°C
- Duration 3 seconds or less

BRC1608, BRL2012, BRL2518,


· The soldering iron should not directly touch the inductor.


Reflow soldering

1. If products are used beyond the range of the recommended conditions, heat stresses may deform the products, and consequently degrade the reliability of the products.


NR30/40/50/60/80, NRV30, NRG40.

Technical considerations





Heating Time [sec]



· NR10050 Type

5. Cleaning

Precautions

Cleaning conditions

1. Washing by supersonic waves shall be avoided

Technical considerations

Cleaning conditions

1. If washing by supersonic waves, supersonic waves may cause broken products

6. Handling

◆Handling

- 1. Keep the product away from all magnets and magnetic objects.
- ◆Breakaway PC boards (splitting along perforations)
 - 1. When splitting the PC board after mounting product, care should be taken not to give any stresses of deflection or twisting to the board.

 2. Board separation should not be done manually, but by using the appropriate devices.

Precautions

- Mechanical considerations 1. Please do not give the product any excessive mechanical shocks
- 2. Please do not add any shock and power to a product in transportation.

◆Pick-up pressure
1. Please do not push to add any pressure to a winding part. Please do not give any shock and push into a ferrite core exposure part.₀

1. Please avoid accumulation of a packing box as much as possible.

Breakaway PC boards (splitting along perforations)

1. Planning pattern configurations and the position of products should be carefully performed to minimize stress. ◆Mechanical considerations

Technical considerations

- 1. There is a case to be damaged by a mechanical shock
- 2. There is a case to be broken by the handling in transportation.

Pick-up pressure

1. Damage and a characteristic can vary with an excessive shock or stress.

1. There is a case that transformation and a product of tape are damaged by accumulation of a packing box

7. Storage conditions

1. To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should

Precautions

· Recommended conditions Ambient temperature: 0~40°C

Humidity : Below 70% RH

The ambient temperature must be kept below 30°C. Even under ideal storage conditions, solderability of products electrodes may decrease as time passes. For this reason, product should be used within 6 months from the time of delivery. In case of storage over 6 months, solderability shall be checked before actual usage

Technical considerations

♦Storage

1. Under a high temperature and humidity environment, problems such as reduced solderability caused by oxidation of terminal electrodes and deterioration of taping/packaging materials may take place

^{*} This catalog contains the typical specification only due to the limitation of space. When you consider purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) or CD catalogs