Carter Lindy

ADOS-2 Module 3 Guide

Communication Sample: _____

1) Construction Task

Items Needed: Block puzzle and printed design

Instructions: Place materials on the desk. Place the design and a few blocks, ***"I want you to put these pieces together to fill in this picture. You are supposed to use all the pieces. You can start with these*** (hand child some pieces). ***Let me know when you need more pieces."*** and gesture to blocks out of reach. If no request, look deliberately at child for 3 seconds, then say ***"Are you doing alright?"*** of ***"How are you doing?"*** (pause) ***"Do you need more pieces?"***

- Requesting
- Eye contact
- Gestures
- Vocalization

Notes: After the task is complete, put the container on the table and open it. Put a few pieces into the bag and say ***"Let's move on to something else"*** and watch to see if the child helps.

Observations:

- ☐ **Eye Contact**
- ☐ **Gesture**
- ☐ **Requesting**

9:00 of 12/13

2) Make-Believe Play

Items Needed: Doll family (5), furniture, mini book, small spoons & plates, little teapot or pitcher, mini food, car, rocket, small ball, hologram disk, cloth, jewelry box.

- Creative Play
- Imaginative Play/Sequences
- Doll Play

Instructions: Place the toys on the table. ***"Here are a princess, a wrestler, a solider, and their pet dinosaur. Here are some of their things. Can you play with these for a while?"*** Introduce them by appearance. If the child does not play, say, ***"I'll play with these."*** and demonstrate limited, creative play w/o including the child, then gesture and ask ***"What are you going to do with yours?"***

Throughout task, comment and show interest, but do not lead play. Asking questions can help, ***"That looks interesting – what are you doing there?" "Who is this?" "Where did he come from?"***

Notes: For an older child, it can be framed as a TV show or video game.

Observations: Appl used

- No Response

No pretend play

Lisp?

3) Joint Interactive Play

Items Needed: Toys from make-believe play

- Reciprocity
- Develops play
- Joint interaction

Instructions: After make-believe play is sufficient, ask ***"Can I play too? Who should I be?"*** or ***"Now I'd like to join you."*** and IMMEDIATELY proceed to produce a press for JI play (hand something to child's doll).

Notes: Make collaboration obvious. Helpful: "***Who do you want to be? I'll be the wrestler. Can you be the army guy?"*** or ***" Oh, Can I do that too?"*** Modify play as appropriate.

JI Presses: ☐ ☐ ☐ ☐ *(give 4 objects)*

Observations:

gave all spaceman

finger posturing.

Pointed

Hitting vi bet

big smiles only.

Not really fellow along

NOEC.

4) Demonstration Task

- Gesture w/language
- Miming pretend objects
- Report familiar event

Items Needed: Hand towel and soap

Instructions: ***"Now we're going to play a different kind of pretend game. Let's pretend that I don't know how to brush my teeth, and I need you to teach me!"*** and set up play scene with appropriate gestures. ***"Let's pretend that this is the sink, this is the hot water, and this is the cold water."*** Pretend to draw the sink with faucet. ***"This is the toothbrush. This is the toothpaste. And this is the cup."*** Pretend to draw these items. ***"Now I want you to SHOW ME and TELL ME how to brush my teeth. Start right at the beginning. You've just come into the bathroom to brush your teeth. What do you do now?"***

If gesture only: ***"That's great. Now, TELL me AND show me again right from the beginning – from when you first came into the bathroom."*** Or ***"That's great. Now can you try it again, but this time SHOW me AND tell me at the same time."***

If no response: The scene may be described once more if needed. If still not understood, demonstrate ANOTHER event before re-setting the scene, such as driving a car or washing your hands.

Second Trial: Set pretend soap, wash cloth, face towel and sink. Say, ***"Now I want you to teach me how you wash your hands using soap."*** If no response, use real towel and soap.

Instructions: ☐ ☐ **Demo & Inst.:** ☐

Observations:

☐ **Gestures**

☐ **Language**

5) Description of a Picture

- Spontaneous Language
- Communicative Behaviors
- Interests

Items Needed: American montage scene & resort scene.

Instructions: "Let's look at this picture now. Can you tell me about it? What is happening here?"

Show interest, but do not provide more info about picture after comments. Encourage relation to own experiences. (I've never been on one have you? You're right. Have you ever been to X?)

Notes: The focus is on language at any level, not just abstract. If minimal or no response, model one complex observation. (Look over here. That man on the tractor must be a farmer. He's next to a big ear of corn." If no response, ask specific questions. (What's this? Who is this? What is he doing? What is happening over here?)

Observations:

6) Telling a Story from a Book

- Follow & comment on story
- Affect & Social relationships

Items Needed: Either of two picture story books.

Instructions: ***"Let's look at this book. It tells a story in pictures. See, its starts out with...***(describe first picture)***. Can you tell me the story as we go along? You go first and I'll take a turn."*** Prompt as necessary to continue the story and turn the page. After the child has told some of the story, switch and complete the story, saying, ***"That was great. Now I'll take a turn."***

Notes: Give **NO MORE THAN TWO Specific prompts** to start the story. (I wonder what happens next. What are all the pictures about?)

Observations:

ADOS-2 Module 3 Guide

7) Cartoons

- Narrate a story
- Enacts gestures
- Integrates gaze with language
- Affect & Social relationships

Items Needed: Series A & B cartoons

Instructions: The participant is told that they will now be shown some cartoons and will be asked to retell it w/o looking at the pictures. Give a general overview of the pictures, say, ***"This is a story about a fisherman and a cat,"*** or ***"This is a story about two monkeys."*** Allow the participant to look through the pictures and encourage him or her to comment on what is happening in each card. Clarify the story only if needed. Ask the participant to stand and retell the story.

Notes: Place the participant away from anything they may lean on. Ask to retell to parent if present. (Give it a try first, and I'll hold up a card to help you remember if you really need it.)

Observations:

- ☐ **Gestures**
- ☐ **Language**

8) Conversation & Reporting

- Less structured conversation
- Back & Forth
- Initiate new topic
- Gaze & expression

Items Needed: None

Instructions: Provide sufficient leads, guides and prompts on a topic, but not of specific interest to the participant.

Notes: Avoid stereotyped or question & answer. Provide information about self to allow follow-up. Pause to see if continued.

Observations:

- ☐ **Followed Lead**
- ☐ **Asked ?**

9) Emotions

- Description of own emotions
- Identify concept of emotions
- Social relationships

Items Needed: None

Instructions: Say, ***"Now I'd like to ask you a few questions."***

Notes: Two emotions must be fully discussed.

Happy: What do you like doing that makes you feel happy and cheerful? What kinds of things make you feel this way? How DO you feel when you're happy? Can you describe it?

Fear: What about things you're afraid of? What makes you feel frightened or anxious? How does it feel? What do you do?

Anger: What about feeling angry? What kinds of things make you feel that way? How do you feel "inside" when you're angry?

Sad: Most people have times when they feel sad. What kinds of things make you feel that way? How DO you feel when you're sad? What is it like when you're sad? Can you describe that?

Content: How about feeling relaxed or content? What kinds of things make you feel that way?

ADOS-2 Module 3 Guide

10) Social Difficulties and Annoyance

- Responsibility for actions
- Social insight
- Appropriateness & implications

Items Needed: None

Instructions: Ask the following questions:

Have you ever had problems getting along with people at school (or work)? How about at home with your family? Do you ever get in trouble? Why? What for? No

Are there things that other people do that irritate or annoy you? What are they? Loosing

What about things you do that annoy others? If no response, **(What about your brothers, sisters, or parents?)**

Have you ever been teased or bullied? Why, do you think?

Have you ever tried to change these things? Have you ever done anything so that others wouldn't tease you? How has it worked?

Are there other kids/people you know who get teased or bullied? No

11) Break

- Break from questions
- Observe unstructured behaviors
- Response to withdrawal – any interaction
- Method of occupation

Items Needed: Shape puzzle, drawing paper, 8 markers, pin art, spin pen, small radio, newspaper & magazine, material from "Make-Believe" Play

Instructions: When appropriate, ***"Let's take a break!" "I need to make some notes for a few minutes."*** If no interest is shown, demonstrate a few objects. If still no interest, a snack may be provided if necessary. Move chair back and "take notes" for at least 2 minutes. If the participant interacts, respond positively but briefly.

After a few seconds, engage eye contact and smile encouragingly. ***"I'll be just a few more minutes."***

When finished, make it clear you have finished making notes.

Notes: If snack is offered, set two plates, but do not take food unless offered.

Observations:

12) Friends and Marriage

- Insight into current and future relationships

Items Needed: None.

Instructions: Ask the following questions:

Notes: The focus is not on whether the participant has friends, but whether or not they understand the concept.

Do you have some friends? Can you tell me about them? (names, ages)

What do you like doing together? How did you get to know them? How often do you get together?

What does being a friend mean to you? How do you know someone is your friend?

How is a friend different from someone whom you just go to school with?

ADOS-2 Module 3 Guide

Do you have a boyfriend or girlfriend? (Do you know someone who has a g/f or b/f? (name, age)

NO

When did you last see him/her?

What is s/he like? What do you like to do together?

How do you know s/he is your boyfriend/girlfriend?

just as a "friend"

Where do you want to live when you get older? What kind of place (apartment, house, condo)?

ZOO apartment

Whom do you think you would like to live with? Your family, a roommate, by yourself?

where my mom lives ZOO

Do you ever think about getting married when you're older?

Yeah IDK

Cesar is 3yr old

Why, do you think, do some people get married when they grow up?

Want someone to live w/

What would be nice about it? What might be difficult about being married?

NICE - ZOO

CONS - ZOO

☐ **13) Loneliness**

Items Needed: None.

Instructions: Ask the following questions:

- Insight into social situation & reaction to it

Do you ever feel lonely?

NO

Do you think other kids your age ever feel lonely?

NO

Are there things that you do to help yourself feel better? What about things other people do to help themselves feel better when they're lonely?

Yo what? -DIDK

☐ **14) Creating a Story**

- Creativity

Items Needed: 6 items with a definite purpose, 6 items with no clear purpose

Instructions: ***"Now you and I are going to make up stories using some of these objects. First I will pick five things and use them to make up a story, and then you will have a turn to make up a story using five different things."*** Chose five items and create a simple, imaginative story: Use 3 objects in a novel way or not for their intended use and use 2 objects as they were intended to be used. Remove the used item and allow the participant to take their turn.

Notes: Do not be too long or complex. Use different materials.

Observations:

Like All's story


Family & sleeping

Boy hero in space

Had to follow abx

verview of Conners K-CPT 2 Online Scores

his section provides an overview of the respondent's Conners K-CPT 2 Online scores.



Variable Type	Measure	T-score (90% CI)	Percentile	Guideline	Interpretation
Detectability	d'	69 (65–73)	98th	Elevated	Difficulty differentiating targets from non-targets.
Error Type	Omissions	61 (57–65)	91st	Elevated	High rate of missed targets.
	Commissions	69 (64–74)	95th	Elevated	High rate of incorrect responses to non-targets.
	Perseverations	90 (90–96)	99th	Very Elevated	Very high rate of random, repetitive, or anticipatory responses.
Reaction Time Statistics	HRT	42 (40–44)	25th	A Little Fast	Slightly fast mean response speed.
	HRT SD	80 (76–84)	99th	Very Elevated	Very high inconsistency in reaction times.
	Variability	84 (76–92)	99th	Very Elevated	Very high variability in reaction time consistency.
	HRT Block Change	37 (27–47)	5th	Low	Showed a good ability to sustain or increase response speed in later blocks.
	HRT ISI Change	61 (53–69)	85th	Elevated	Substantial reduction in response speed at the longer ISI.

Note. CI = Confidence Interval.

Summary: Relative to the normative sample, the respondent: Was less able to differentiate targets from non-targets. Made more omission errors. Made more commission errors. Made more perseverative errors. Responded faster. Displayed less consistency in response speed. Displayed more variability in response speed. Displayed more of a reduction in response speed at the longer ISI.

Overall, the respondent has a total of 8 atypical T-scores, which is associated with a high likelihood of having a disorder characterized by attention deficits, such as ADHD. Note that other psychological and/or neurological conditions with symptoms of impaired attention can also lead to atypical scores on the Conners K-CPT 2 Online.

The respondent's profile of scores and response pattern indicates that they may have issues related to:
•**Inattentiveness (Strong Indication)** •**Impulsivity (Strong Indication)** •**Vigilance (Strong Indication)**

Copyright © 2024, 2015 Multi-Health Systems, Inc. (MHS, Inc.). All rights reserved.

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: 1/10/26 Child's Name: Kaiper Lundy Date of Birth: 03/01/2020

Parent's Name: Tim Sinicki Parent's Phone Number: 412 657 4261

Directions: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child ☐ **was on medication** ☑ **was not on medication** ☐ **not sure?**

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	(2)	3
2. Has difficulty keeping attention to what needs to be done	0	1	(2)	3
3. Does not seem to listen when spoken to directly	0	(1)	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	(2)	3
5. Has difficulty organizing tasks and activities	0	1	(2)	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	(2)	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	(1)	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	(3)
9. Is forgetful in daily activities	0	1	2	(3)
10. Fidgets with hands or feet or squirms in seat	0	1	2	(3)
11. Leaves seat when remaining seated is expected	0	1	(2)	3
12. Runs about or climbs too much when remaining seated is expected	0	1	(2)	3
13. Has difficulty playing or beginning quiet play activities	0	1	(2)	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	(3)
15. Talks too much	0	1	(2)	3
16. Blurts out answers before questions have been completed	0	1	(2)	3
17. Has difficulty waiting his or her turn	0	1	2	(3)
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	(2)	3
19. Argues with adults	0	(1)	2	3
20. Loses temper	0	(1)	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	(1)	2	3
22. Deliberately annoys people	0	1	(2)	3
23. Blames others for his or her mistakes or misbehaviors	0	1	(2)	3
24. Is touchy or easily annoyed by others	0	(1)	2	3
25. Is angry or resentful	(0)	1	2	3
26. Is spiteful and wants to get even	(0)	1	2	3
27. Bullies, threatens, or intimidates others	(0)	1	2	3
28. Starts physical fights	(0)	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	(1)	2	3
30. Is truant from school (skips school) without permission	(0)	1	2	3
31. Is physically cruel to people	(0)	1	2	3
32. Has stolen things that have value	(0)	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality

McNeil Consumer & Specialty Pharmaceuticals

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: 11/10/26 Child's Name: Karter Lundy Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total Symptom Score for questions 1–18: _____

Total number of questions scored 2 or 3 in questions 19–26: _____

Total number of questions scored 2 or 3 in questions 27–40: _____

Total number of questions scored 2 or 3 in questions 41–47: _____

Total number of questions scored 4 or 5 in questions 48–55: _____

Average Performance Score: _____

American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ
National Initiative for Children's Healthcare Quality

McNeil
Consumer & Specialty Pharmaceuticals

wps

John N. Constantino, MD

Assessment ID _____

SRS™-2 Profile Sheet

School-Age | FEMALE

Child's name _____ Child's age in years _____ Date of rating _____

Rater's name _____ Relationship to rated individual ☐ Mother ☐ Father ☐ Other custodial adult

PARENT REPORT

This profile for the SRS-2 is designed to aid in diagnosis and treatment planning. The user should be familiar with the materials presented in the SRS-2 Manual (WPS Product No. W-608M). See Chapter 3 of the manual for additional interpretation of scores. No diagnostic or treatment decisions should be made solely on the basis of this report without confirming information from independent sources.

SRS-2 TOTAL SCORE RESULTS

T-score	Total raw score	
≥90	≥123	SEVERE
	121–122	
	118–120	
	116–117	
	114–115	
85	111–113	
	109–110	
	107–108	
	104–106	
	102–103	
80	99–101	
	97–98	
	95–96	
	92–94	
	90–91	
75	88–89	MODERATE
	85–87	
	83–84	
	80–82	
	78–79	
70	76–77	
	73–75	
	71–72	
	69–70	
	66–68	
65	64–65	MILD
	61–63	
	59–60	
	57–58	
	54–56	
60	52–53	
	50–51	
	47–49	
	45–46	
	43–44	
55	40–42	
	38–39	
	35–37	
	33–34	
	31–32	
50	28–30	
	26–27	
	24–25	
	21–23	
	19–20	
45	16–18	
	14–15	
	12–13	
	9–11	
	7–8	
40	5–6	
	2–4	
	0–1	
	.	
	.	
35	.	
	.	
	.	
	.	
	.	
30	.	

Total raw score	
T-score	

TOTAL SCORE DISCUSSION

59T and below—Within normal limits

Scores in this range are generally not associated with clinically significant autism spectrum disorders.

60T to 65T—Mild range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and may lead to mild to moderate interference with everyday social interactions.


66T to 75T—Moderate range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to substantial interference with everyday social interactions. Such scores are typical for children with autism spectrum disorders of moderate severity.

76T or higher—Severe range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to severe interference with everyday social interactions. Such scores are strongly associated with clinical diagnosis of an autism spectrum disorder.

TREATMENT SUBSCALES



	Awr	Cog	Com	Mot	RRB
Raw score					
T-score					

DSM-5 COMPATIBLE SCALES

SCI T-score	SCI Raw score	RRB T-score	RRB Raw score
≥90	≥102	≥90	≥24
	100–101		.
	98–99		23
	96–97		.
	94–95		22
85	92–93	85	.
	90–91		21
	89		.
	87–88		20
	85–86		.
80	83–84	80	19
	81–82		.
	79–80		18
	77–78		.
	75–76		17
75	73–74	75	.
	71–72		16
	69–70		.
	67–68		15
	65–66		.
70	63–64	70	14
	61–62		.
	59–60		13
	57–58		.
	55–56		12
65	54	65	.
	52–53		11
	50–51		.
	48–49		10
	46–47		.
60	44–45	60	9
	42–43		.
	40–41		8
	38–39		.
	36–37		7
55	34–35	55	.
	32–33		6
	30–31		.
	28–29		5
	26–27		.
50	24–25	50	4
	22–23		.
	21		3
	19–20		.
	17–18		2
45	15–16	45	.
	13–14		1
	11–12		.
	9–10		0
	7–8		.
40	5–6	40	.
	3–4		.
	1–2		.
	0		.
	.		.
35	.	35	.
	.		.
	.		.
	.		.
	.		.
30	.	30	.
Raw score		Raw score	
T-score		T-score	

EXAMINER: REMOVE THIS SHEET BEFORE COMPLETING FORM.

The SRS-2 is available online at **platform.wpspublish.com**. Additional copies of this form (W-608A) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA.

wps

John N. Constantino, MD

SRS™-2 Profile Sheet

Assessment ID _____

School-Age | FEMALE

Child's name _____ Child's age in years _____ Date of rating _____

Rater's name _____ Relationship to rated individual ☐ Teacher ☐ Other specialist

TEACHER REPORT

This profile for the SRS-2 is designed to aid in diagnosis and treatment planning. The user should be familiar with the materials presented in the SRS-2 Manual (WPS Product No. W-608M). See Chapter 3 of the manual for additional interpretation of scores. No diagnostic or treatment decisions should be made solely on the basis of this report without confirming information from independent sources.

SRS-2 TOTAL SCORE RESULTS

T-score	Total raw score	
≥90	≥112	SEVERE
	110–111	
	108–109	
	106–107	
	104–105	
85	102–103	
	99–101	
	97–98	
	95–96	
	93–94	
80	91–92	
	88–90	
	86–87	
	84–85	
	82–83	
75	80–81	MODERATE
	78–79	
	75–77	
	73–74	
	71–72	
70	69–70	
	67–68	
	64–66	
	62–63	
	60–61	
65	58–59	
	56–57	
	54–55	
	51–53	
	49–50	MILD
60	47–48	
	45–46	
	43–44	
	40–42	
	38–39	
55	36–37	
	34–35	
	32–33	
	30–31	
	27–29	
50	25–26	
	23–24	
	21–22	
	19–20	
	16–18	
45	14–15	
	12–13	
	10–11	
	8–9	
	6–7	
40	3–5	
	1–2	
	0	
	.	
	.	
35	.	
	.	
	.	
	.	
30	.	

Total raw score	
T-score	

TOTAL SCORE DISCUSSION

59T and below—Within normal limits

Scores in this range are generally not associated with clinically significant autism spectrum disorders.

60T to 65T—Mild range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and may lead to mild to moderate interference with everyday social interactions.


66T to 75T—Moderate range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to substantial interference with everyday social interactions. Such scores are typical for children with autism spectrum disorders of moderate severity.

76T or higher—Severe range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to severe interference with everyday social interactions. Such scores are strongly associated with clinical diagnosis of an autism spectrum disorder.

TREATMENT SUBSCALES



	Awr	Cog	Com	Mot	RRB
Raw score					
T-score					

DSM-5 COMPATIBLE SCALES

SCI		RRB	
T-score	Raw score	T-score	Raw score
≥90	≥97	≥90	≥19
	95–96		18
	94		.
	92–93		.
	90–91		17
85	88–89	85	.
	86–87		16
	84–85		.
	82–83		.
	81		15
80	79–80	80	.
	77–78		14
	75–76		.
	73–74		.
	71–72		13
75	69–70	75	.
	67–68		12
	66		.
	64–65		.
	62–63		11
70	60–61	70	.
	58–59		.
	56–57		10
	54–55		.
	52–53		9
65	51	65	.
	49–50		.
	47–48		8
	45–46		.
	43–44		7
60	41–42	60	.
	39–40		.
	38		6
	36–37		.
	34–35		5
55	32–33	55	.
	30–31		.
	28–29		4
	26–27		.
	24–25		3
50	23	50	.
	21–22		.
	19–20		2
	17–18		.
	15–16		.
45	13–14	45	1
	11–12		.
	9–10		0
	8		.
	6–7		.
40	4–5	40	.
	2–3		.
	0–1		.
	.		.
	.		.
35	.	35	.
	.		.
	.		.
	.		.
30	.	30	.

Raw score		Raw score	
T-score		T-score	

wps

John N. Constantino, MD

Assessment ID _____

SRS™-2 Profile Sheet

School-Age | MALE

Child's name Karter Lundy

Child's age in years 6

Date of rating 11-10-26

Rater's name _____

Relationship to rated individual ☐ Mother ☑ Father ☐ Other custodial adult

PARENT REPORT

This profile for the SRS-2 is designed to aid in diagnosis and treatment planning. The user should be familiar with the materials presented in the SRS-2 Manual (WPS Product No. W-608M). See Chapter 3 of the manual for additional interpretation of scores. No diagnostic or treatment decisions should be made solely on the basis of this report without confirming information from independent sources.

SRS-2 TOTAL SCORE RESULTS

T-score	Total raw score	
≥90	≥134	SEVERE
	131–133	
	129–130	
	126–128	
	124–125	
85	121–123	
	119–120	
	116–118	
	113–115	
	111–112	
80	108–110	
	106–107	
	103–105	
	101–102	
	98–100	
75	96–97	MODERATE
	93–95	
	91–92	
	88–90	
	86–87	
70	83–85	
	81–82	
	78–80	
	76–77	
	73–75	
65	71–72	MILD
	68–70	
	66–67	
	63–65	
	61–62	
60	58–60	
	56–57	
	53–55	
	50–52	
	48–49	
55	45–47	
	43–44	
	40–42	
	38–39	
	35–37	
50	33–34	
	30–32	
	28–29	
	25–27	
	23–24	
45	20–22	
	18–19	
	15–17	
	13–14	
	10–12	
40	8–9	
	5–7	
	3–4	
	0–2	
	.	
35	.	
	.	
	.	
	.	
	.	
30	.	

Total raw score	78
T-score	68

TOTAL SCORE DISCUSSION

59T and below—Within normal limits

Scores in this range are generally not associated with clinically significant autism spectrum disorders.

60T to 65T—Mild range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and may lead to mild to moderate interference with everyday social interactions.


66T to 75T—Moderate range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to substantial interference with everyday social interactions. Such scores are typical for children with autism spectrum disorders of moderate severity.

76T or higher—Severe range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to severe interference with everyday social interactions. Such scores are strongly associated with clinical diagnosis of an autism spectrum disorder.

TREATMENT SUBSCALES



	Awr	Cog	Com	Mot	RRB
Raw score	13	11	28	11	15
T-score	73	59	69	60	64

DSM-5 COMPATIBLE SCALES

SCI T-score	SCI Raw score	RRB T-score	RRB Raw score
≥90	≥109	≥90	≥28
	107–108		27
	105–106		.
	103–104		26
	101–102		.
85	99–100	85	25
	97–98		.
	95–96		24
	93–94		23
	91–92		.
80	89–90	80	22
	87–88		.
	85–86		21
	83–84		.
	81–82		20
75	79–80	75	19
	77–78		.
	75–76		18
	73–74		.
	70–72		17
70	68–69	70	.
	66–67		16
	64–65		15
	62–63		.
	60–61		14
65	58–59	65	.
	56–57		13
	54–55		.
	52–53		12
	50–51		11
60	48–49	60	.
	46–47		10
	44–45		.
	42–43		9
	40–41		.
55	38–39	55	8
	36–37		7
	34–35		.
	32–33		6
	30–31		.
50	28–29	50	5
	26–27		.
	24–25		4
	22–23		.
	20–21		3
45	18–19	45	2
	16–17		.
	14–15		1
	12–13		.
	10–11		0
40	8–9	40	.
	6–7		.
	4–5		.
	2–3		.
	0–1		.
35	.	35	.
	.		.
	.		.
	.		.
30	.	30	.
Raw score	63	Raw score	15
T-score	67	T-score	68

EXAMINER: REMOVE THIS SHEET BEFORE COMPLETING FORM.

The SRS-2 is available online at **platform.wpspublish.com**. Additional copies of this form (W-608A) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8

wps

John N. Constantino, MD

Assessment ID _____

SRS™-2 Profile Sheet

School-Age | MALE

Child's name _____ Child's age in years _____ Date of rating _____

Rater's name _____ Relationship to rated individual ☐ Teacher ☐ Other specialist

TEACHER REPORT

This profile for the SRS-2 is designed to aid in diagnosis and treatment planning. The user should be familiar with the materials presented in the SRS-2 Manual (WPS Product No. W-608M). See Chapter 3 of the manual for additional interpretation of scores. No diagnostic or treatment decisions should be made solely on the basis of this report without confirming information from independent sources.

SRS-2 TOTAL SCORE RESULTS

T-score	Total raw score	
≥90	≥149	SEVERE
	147–148	
	144–146	
	141–143	
	138–140	
85	135–137	
	132–134	
	129–131	
	126–128	
	124–125	
80	121–123	
	118–120	
	115–117	
	112–114	
	109–111	
75	106–108	MODERATE
	103–105	
	100–102	
	98–99	
	95–97	
70	92–94	
	89–91	
	86–88	
	83–85	
	80–82	
65	77–79	
	75–76	
	72–74	
	69–71	MILD
	66–68	
60	63–65	
	60–62	
	57–59	
	54–56	
	52–53	
55	49–51	
	46–48	
	43–45	
	40–42	
	37–39	
50	34–36	
	31–33	
	28–30	
	26–27	
	23–25	
45	20–22	
	17–19	
	14–16	
	11–13	
	8–10	
40	5–7	
	3–4	
	0–2	
	.	
	.	
35	.	
	.	
	.	
	.	
	.	
30	.	

Total raw score	
T-score	

TOTAL SCORE DISCUSSION

59*T* and below—Within normal limits

Scores in this range are generally not associated with clinically significant autism spectrum disorders.

60*T* to 65*T*—Mild range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and may lead to mild to moderate interference with everyday social interactions.


66*T* to 75*T*—Moderate range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to substantial interference with everyday social interactions. Such scores are typical for children with autism spectrum disorders of moderate severity.

76*T* or higher—Severe range

Scores in this range indicate deficiencies in reciprocal social behavior that are clinically significant and lead to severe interference with everyday social interactions. Such scores are strongly associated with clinical diagnosis of an autism spectrum disorder.

TREATMENT SUBSCALES



	Awr	Cog	Com	Mot	RRB
Raw score					
T-score					

DSM-5 COMPATIBLE SCALES

SCI		RRB	
T-score	Raw score	*T*-score	Raw score
≥90	≥125	≥90	≥28
	123–124		27
	120–122		.
	118–119		26
	115–117		25
85	113–114	85	.
	111–112		24
	108–110		.
	106–107		23
	104–105		.
80	101–103	80	22
	99–100		21
	96–98		.
	94–95		20
	92–93		.
75	89–91	75	19
	87–88		.
	85–86		18
	82–84		17
	80–81		.
70	77–79	70	16
	75–76		.
	73–74		15
	70–72		.
	68–69		14
65	66–67	65	13
	63–65		.
	61–62		12
	58–60		.
	56–57		11
60	54–55	60	.
	51–53		10
	49–50		9
	46–48		.
	44–45		8
55	42–43	55	.
	39–41		7
	37–38		.
	35–36		6
	32–34		5
50	30–31	50	.
	27–29		4
	25–26		.
	23–24		3
	20–22		.
45	18–19	45	2
	16–17		1
	13–15		.
	11–12		0
	8–10		.
40	6–7	40	.
	4–5		.
	1–3		.
	0		.
	.		.
35	.	35	.
	.		.
	.		.
	.		.
	.		.
30	.	30	.

Raw score		Raw score	
T-score		*T*-score	

wps

John N. Constantino, MD

Name _____

SRS™-2 Scoring Worksheet (Page 2) School-Age ITEMS 33–65

Awr	Cog	Com	Mot	RRB		
		1			0 1 2 3	33.
			0		0 1 2 3	34.
		1			0 1 2 3	35.
		1			0 1 2 3	36.
		1			0 1 2 3	37.
		2			3 2 1 0	38.
				1	0 1 2 3	39.
	0				3 2 1 0	40.
		3			0 1 2 3	41.
	2				0 1 2 3	42.
			1		3 2 1 0	43.
	1				0 1 2 3	44.
0					3 2 1 0	45.
		1			0 1 2 3	46.
		1			0 1 2 3	47.
	0				3 2 1 0	48.
				1	0 1 2 3	49.
				1	0 1 2 3	50.
		3			0 1 2 3	51.
3					3 2 1 0	52.
		2			0 1 2 3	53.
2					0 1 2 3	54.
		3			3 2 1 0	55.
3					0 1 2 3	56.
		2			0 1 2 3	57.
	2				0 1 2 3	58.
	0				0 1 2 3	59.
		0			0 1 2 3	60.
		1			0 1 2 3	61.
	1				0 1 2 3	62.
				0	0 1 2 3	63.
			1		0 1 2 3	64.
			3		0 1 2 3	65.
8	6	22	5	3		Sum of scores for Items 33–65
+	+	+	+	+		
5	5	6	6	12		Sum of scores for Items 1–32

SCI RAW SCORE	=	Awr	+	Cog	+	Com	+	Mot	+	RRB	=	SRS-2 TOTAL RAW SCORE
63	=	13	+	11	+	28	+	11	+	15	=	78
(sum of Awr, Cog, Com, and Mot)												(sum of all subscales)

The SRS-2 is available online at **platform.wpspublish.com**. Additional copies of this form (W-608A) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8

John N. Constantino, MD

Name _____

SRS™-2 Scoring Worksheet (Page 1) School-Age ITEMS 1–32

USING THE SCORING WORKSHEET TO CALCULATE RAW SCORES

On the Scoring Worksheet, enter the darkened response value for each item in the box in the same row as that item. If a response is missing (no response has been darkened), enter the median value (the number in **bold print**). *Treatment subscale raw scores are obtained first and then used to calculate all other raw scores. Calculating each subscale score requires reference to responses on both page 1 (Items 1–32) and page 2 (Items 33–65) of this worksheet.* To calculate the raw score for each Treatment subscale, locate the subscale's column on page 1 and add the item response values you entered in the boxes in that column. Transfer that sum to the box in row *Sum of scores for Items 1–32* in the same column on page 2. Add the responses in the column on page 2 for that subscale and enter that sum in the box in row *Sum of scores for Items 33–65*, above the sum transferred from page 1. Add these two sums to obtain the raw score for the subscale. Repeat this process for the other four Treatment subscales, adding the response values from the columns on both pages of the worksheet. Add the raw scores for the Awr, Cog, Com, and Mot subscales and enter the resulting sum in the space at the left labeled *SCI RAW SCORE*. Add the raw scores for all five subscales and enter the resulting sum in the space at the right labeled *SRS-2 TOTAL RAW SCORE*.

USING THE PROFILE SHEET TO DETERMINE *T*-SCORES

Two Profile Sheets, one for male children (blue form) and another for female children (pink form), are attached to the School-Age **AutoScore**™ Form. One side of each Profile Sheet is used to determine Parent Report scores, and the other side is used to determine Teacher Report scores. Each side has columns for determining overall *T*-score, *DSM-5*–compatible *T*-scores, and *T*-score for each Treatment subscale.

Select Profile Sheet: Select the appropriate Profile Sheet (Male or Female) and side to use (Parent Report or Teacher Report).

Transfer raw scores: Transfer the raw scores from the Scoring Worksheet to the spaces at the bottom of the columns on the Profile Sheet.

- Under SRS-2 Total Score Results, in the space labeled *Total raw score*, enter the SRS-2 Total raw score from the Scoring Worksheet.
- Under *DSM-5* Compatible Scales, in the SCI column, in the space labeled *Raw score*, enter the SCI raw score from the Scoring Worksheet.
- Under *DSM-5* Compatible Scales, in the RRB column, in the space labeled *Raw score*, enter the RRB raw score from the Scoring Worksheet.
- Under Treatment Subscales, enter the raw score of each subscale (Awr, Cog, Com, Mot, and RRB) in the space labeled *Raw score* in the corresponding column.

Determine *T*-score: On the Profile Sheet, under SRS-2 Total Score Results, find the raw score value under Total Raw Score. Mark where that value appears. Find the corresponding *T*-score in the scale to the left of that mark. Enter that value in the space labeled *T-score* below.

Determine *T*-scores for *DSM-5*–compatible scales (SCI and RRB): On the Profile Sheet, under *DSM-5* Compatible Scales, find the raw score value under Raw Score for both SCI and RRB. Mark where each value appears. Find the corresponding *T*-score in the scale to the left of each mark. Enter each value in the space labeled *T-score* below.

Determine *T*-scores for Treatment subscales (Awr, Cog, Com, Mot, and RRB): On the Profile Sheet, under Treatment Subscales, find the raw score value in each column. Mark where that value appears. Find the corresponding *T*-score in the scale to the left or right of each mark. Enter each value in the space labeled *T-score* below.

Awr	Cog	Com	Mot	RRB		
			0		0 1 2 3	1.
0					0 1 2 3	2.
			1		3 2 1 0	3.
				2	0 1 2 3	4.
	2				0 1 2 3	5.
			1		0 1 2 3	6.
2					3 2 1 0	7.
				0	0 1 2 3	8.
			1		0 1 2 3	9.
	1				0 1 2 3	10.
			2		3 2 1 0	11.
		2			3 2 1 0	12.
		1			0 1 2 3	13.
				2	0 1 2 3	14.
	0				3 2 1 0	15.
		1			0 1 2 3	16.
	0				3 2 1 0	17.
		0			0 1 2 3	18.
		1			0 1 2 3	19.
				1	0 1 2 3	20.
		0			3 2 1 0	21.
		1			3 2 1 0	22.
			0		0 1 2 3	23.
				1	0 1 2 3	24.
1					0 1 2 3	25.
		0			3 2 1 0	26.
			1		0 1 2 3	27.
				3	0 1 2 3	28.
				1	0 1 2 3	29.
	2				0 1 2 3	30.
				2	0 1 2 3	31.
2					3 2 1 0	32.
5	5	6	6	12	Sum of scores for Items 1–32 (copy to Scoring Worksheet page 2)	
Awr	Cog	Com	Mot	RRB		

The SRS-2 is available online at **platform.wpspublish.com**. Additional copies of this form (W-608A) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA.

ASRS® (6–18 Years) PARENT RATINGS

Sam Goldstein, Ph.D. & Jack A. Naglieri, Ph.D.

G&N Goldstein & Naglieri Excellence in Assessments

AGES 6–11 YEARS

INSTRUCTIONS:

1. ***T*-scores, Percentile Ranks, and Classifications:** Circle the raw score for each scale in the Conversion Table (shown on the right side of this page) and follow the row across to find the corresponding *T*-score, Percentile Rank, and Classification. Transfer these values into the Scale Score Summary Table, below.
2. ***T*-score Confidence Intervals (CI):** Decide if 90% or 95% *T*-score CIs will be used, and circle that value in the column heading. Look up the CIs from appendix A of the *ASRS Technical Manual* and enter the values in the appropriate boxes.
3. ***Total Score Calculation:*** Sum the *T*-scores for Social/Communication (SC), Unusual Behaviors (UB), and Self-Regulation (SR), and enter the sum in the box provided in the section titled Total Score, below. Record the Total Score *T*-score, Percentile Rank, Classification, and CI in the appropriate boxes.

Note: See chapter 3 of the *ASRS Technical Manual* for complete scoring instructions.

Scale Score Summary Table: Ages 6–11 Years

ASRS Scales

Scales	Raw Score	*T*-Score	Percentile Rank	Classification	90/95% *T*-score CI (circle one)
Social/Communication (SC)	21	55	69	Average	____ to ____
Unusual Behaviors (UB)	42	65	93	Elevated	____ to ____
Self-Regulation (SR)	51	70	98	Very Elevated	____ to ____

Total Score

SC *T*-Score		UB *T*-Score		SR *T*-Score		Sum of SC, UB, & SR *T*-Scores	*T*-Score	Percentile Rank	Classification	90/95% *T*-score CI (circle one)
55	+	65	+	70	=	190	65	93	Elevated	____ to ____

DSM-5 Scale

Scale	Raw Score	*T*-Score	Percentile Rank	Classification	90/95% *T*-score CI (circle one)
DSM-5 Scale (DSM)	63	62	88	Slightly Elevated	____ to ____

Treatment Scales

Scales	Raw Score	*T*-Score	Percentile Rank	Classification	90/95% *T*-score CI (circle one)
Peer Socialization (PS)	8	51	54	Average	____ to ____
Adult Socialization (AS)	13	56	95	Elevated	____ to ____
Social/Emotional Reciprocity (SER)	18	58	79	Average	____ to ____
Atypical Language (AL)	9	62	88	Slightly Elevated	____ to ____
Stereotypy (ST)	14	70	98	Very Elevated	____ to ____
Behavioral Rigidity (BR)	20	68	96	Elevated	____ to ____
Sensory Sensitivity (SS)	3	50	50	Average	____ to ____
Attention (AT)	32	69	97	Elevated	____ to ____

Child's Name/ID: _____ Gender: M F (Circle One) Today's Date: ____/____/____ (Year / Month / Day)

Parent's Name/ID: _____ Grade: ____ Birth Date: ____/____/____ (Year / Month / Day)

Age: ____/____/____ (Years / Months / Days)

Raw Score to *T*–Score and Percentile Rank Conversion Table for Ages 6–11 Years

Percentile Rank	*T*–Score	ASRS Scales			TOT	DSM	Treatment Scales								*T*–Score	Percentile Rank	Classification
		SC	UB	SR			PS	AS	SER	AL	ST	BR	SS	AT			
99	85	64–76			239–250	126–160	36	24	45–52				22–24	44	85	99	
99	84	62–63			236–238	124–125	35	23					21	43	84	99	
99	83	60–61	96		233–235	122–123	34	22	44				20	42	83	99	
99	82	58–59	94–95	67–68	230–232	120–121	33	21	43	24	20		19	41	82	99	
99	81	56–57	92–93	65–66	227–229	118–119	32		42	23		32	18	40	81	99	
99	80	54–55	90–91	64	224–226	115–117	31	20	40–41	22	19	31	17	39	80	99	
99	79	52–53	88–89	63	221–223	112–114	30		38–39			30	16		79	99	
99	78	50–51	86–87	61–62	218–220	109–111	29	19	37	21	18	29	15	38	78	99	Very Elevated
99	77	48–49	84–85	59–60	215–217	106–108	28		36				14		77	99	
99	76	46–47	81–83	57–58	213–214	103–105	27	18	35	20	17	28		37	76	99	
99	75	45	77–80	56	211–212	100–102	25–26		34	19		27	13		75	99	
99	74	44	72–76	55	209–210	97–99	24	17		18	16	26		36	74	99	
99	73	42–43	66–71	54	207–208	94–96	23		33	17		25	12		73	99	
99	72	41	61–65	53	205–206	91–93	22	16	32	16	15	24		35	72	99	
98	71	39–40	58–60	52	203–204	88–90	21		31	15		23	11	34	71	98	
98	70	38	55–57	50–51	201–202	85–87	20	15	30	14	14	22		33	70	98	
97	69	37	52–54	49	199–200	82–84	19		29	13		21	10	32	69	97	
96	68	35–36	48–51	47–48	198	79–81	18	14	28	12	13	20		31	68	96	
96	67	34	46–47	46	195–197	76–78	17		27			19	9	30	67	96	Elevated
95	66	33	44–45	45	192–194	73–75	16	13	26	11	12	18		29	66	95	
93	65	32	42–43	44	189–191	70–72	15		25			17		28	65	93	
92	64	31	40–41	41–43	187–188	67–69		12	24	10	11	16	8	27	64	92	
90	63	29–30	38–39	40	185–186	64–66	14		23					25–26	63	90	
88	62	28	36–37	37–39	182–184	60–63		11	22	9	10	15		24	62	88	Slightly Elevated
86	61	27	34–35	35–36	179–181	56–59	13		21			14	7	23	61	86	
84	60	26	32–33	33–34	175–178	52–55		10	20	8	9			22	60	84	
82	59	25	30–31	32	172–174	49–51	12		19			13	6	21	59	82	
79	58	24	27–29	30–31	169–171	46–48	11	9	18	7	8			20	58	79	
76	57	23	25–26	29	167–168	43–45			17			12		19	57	76	
73	56	22	24	28	165–166	40–42	10	8	16	6	7		5	18	56	73	
69	55	21	22–23	27	162–164	37–39			15			11		17	55	69	
66	54	20	21	26	158–161	35–36	9	7	14	5	6				54	66	
62	53	19	20	24–25	155–157	33–34			13			10	4	16	53	62	
58	52	18	18–19	23	153–154	31–32		6		4	5	9		15	52	58	
54	51	17	17	22	150–152	30	8		12						51	54	
50	50	16	16	21	148–149	28–29			11			8	3	14	50	50	Average
46	49	15	15	20	145–147	26–27	7	5			4	7		13	49	46	
42	48	14	14	19	142–144	24–25			10	3				12	48	42	
38	47	13	13	18	139–141	22–23	6				3	6	2		47	38	
34	46	12	12	17	137–138	20–21		4	9					11	46	34	
31	45	11	11	16	134–136	18–19	5				2	5			45	31	
27	44	10	10	15	131–133	16–17			8	2		4	1	10	44	27	
24	43	9	9	14	129–130	14–15	4	3						9	43	24	
21	42	8	8	13	127–128	13			7		1	3		8	42	21	
18	41	7	7	12	125–126	11–12									41	18	
16	40	6	6		123–124	10	3		6	1		2		7	40	16	
14	39	5	4–5	11	121–122	9		2				1	0		39	14	
12	38	4	3	10	119–120	8	2		5						38	12	
10	37		2		116–118	7				0				6	37	10	
8	36	3		9	113–115	6	1		4		0	0		5	36	8	
7	35	2	1	8	110–112	5									35	7	
5	34	1			107–109	4	0		3					4	34	5	
4	33	0	0	7	105–106	3		1							33	4	
4	32			6	104	2			2					3	32	4	Low
3	31			5	103	1									31	3	
2	30			4	101–102	0			1						30	2	
2	29				100			0						2	29	2	
1	28			3	98–99				0					1	28	1	
1	27			2	96–97										27	1	
1	26			1	94–95									0	26	1	
1	25			0	91–93										25	1	

ASRS®

(6–18 Years)
PARENT RATINGS

Sam Goldstein, Ph.D. & Jack A. Naglieri, Ph.D.

Goldstein & Nag
Excellence In Assessment

During the past four weeks, how often did the child...	Never	Rarely	Occasionally	Frequently	Very Frequently
1. appear disorganized?	0	1	2	3	4
2. become bothered by some fabrics or tags in clothes?	0	1	2	3	4
3. seek the company of other children?	0	1	2	3	4
4. show little emotion?	0	1	2	3	4
5. follow instructions that he/she understood?	0	1	2	3	4
6. argue and fight with other children?	0	1	2	3	4
7. have problems waiting his/her turn?	0	1	2	3	4
8. share fun activities with others?	0	1	2	3	4
9. look at others when talking with them?	0	1	2	3	4
10. engage in tasks that require sustained effort?	0	1	2	3	4
11. avoid looking at people who spoke to him/her?	0	1	2	3	4
12. play with toys appropriately?	0	1	2	3	4
13. have a strong reaction to any change in routine?	0	1	2	3	4
14. have trouble talking with other children?	0	1	2	3	4
15. understand the point of view of others?	0	1	2	3	4
16. learn simple tasks but then forget them quickly?	0	1	2	3	4
17. use language that was immature for his/her age?	0	1	2	3	4
18. get into trouble with adults?	0	1	2	3	4
19. have social problems with children of the same age?	0	1	2	3	4
20. use an odd way of speaking?	0	1	2	3	4
21. repeat certain words or phrases out of context?	0	1	2	3	4
22. become obsessed with details?	0	1	2	3	4
23. keep a conversation going?	0	1	2	3	4
24. insist on doing things the same way each time?	0	1	2	3	4
25. overreact to touch?	0	1	2	3	4
26. repeat or echo what others said?	0	1	2	3	4
27. smell, taste, or eat inedible objects?	0	1	2	3	4
28. understand how someone else felt?	0	1	2	3	4
29. overreact to common smells?	0	1	2	3	4
30. become distracted?	0	1	2	3	4
31. play with others?	0	1	2	3	4
32. notice social cues?	0	1	2	3	4
33. respond when spoken to by adults?	0	1	2	3	4
34. avoid looking at an adult when there was a problem?	0	1	2	3	4
35. have problems paying attention when doing homework or chores?	0	1	2	3	4
36. make careless mistakes in school work?	0	1	2	3	4

MHS Copyright © 2010, 2014 Multi-Health Systems Inc. All rights reserved. In the United States, P.O. Box 950, North Tonawanda, NY 14120-0950, 1-800-456-3003. In Canada, 3770 Victoria Park Ave., Toronto, ON M2H 3M6, 1-800-268-6011, 1-416-492-2627, Fax 1-416-492-3343.

THIS FORM CONTAINS A COPY PROTECTION FEATURE TO PREVENT UNAUTHORIZED REPRODUCTION. TO OBTAIN PERMISSION TO COPY, EMAIL: legaldept@mhs.com

Child's Name/ID: Karter Lynch Gender: M F (Circle One)

Parent's Name/ID: Tim Shicki Grade: 1

Today's Date: 2026 / 03 / 10 (Year / Month / Day)

Birth Date: 2020 / 03 / 01 (Year / Month / Day)

Age: 6 / / (Years / Months / Days)

During the past four weeks, how often did the child...	Never	Rarely	Occasionally	Frequently	Very Frequently
37. talk too much about things that adults don't care about?	0	1	(2)	3	4
38. resist being touched or held?	(0)	1	2	3	4
39. care about what other people think or feel?	0	1	(2)	3	4
40. focus too much on details?	0	1	(2)	3	4
41. not understand why others don't like him/her?	0	1	(2)	3	4
42. share his/her enjoyment with others?	0	1	2	3	(4)
43. show an interest in the ideas of others?	0	1	2	3	(4)
44. leave homework or chores unfinished?	0	1	2	3	(4)
45. understand age-appropriate humor or jokes?	0	1	(2)	3	4
46. flap his/her hands when excited?	0	1	(2)	3	4
47. listen when spoken to?	0	1	(2)	3	4
48. focus on one subject for too much time?	0	1	2	(3)	4
49. need things to happen just as expected?	0	1	2	3	(4)
50. talk too much about things that other children don't care about?	0	1	2	(3)	4
51. insist on certain routines?	0	1	2	(3)	4
52. have problems paying attention to fun tasks?	0	1	2	(3)	4
53. become fascinated with parts of objects?	0	1	2	(3)	4
54. line up objects in a row?	0	1	2	(3)	4
55. smile appropriately?	0	1	2	3	(4)
56. start conversations with others?	0	1	2	(3)	4
57. fail to complete tasks?	0	1	2	3	(4)
58. ask questions that were off-topic?	0	1	2	3	(4)
59. have trouble talking with adults?	0	1	2	(3)	4
60. interrupt or intrude on others?	0	1	2	(3)	4
61. look at others when interacting with them?	0	1	2	(3)	4
62. overreact to loud noises?	0	1	(2)	3	4
63. become upset if routines were changed?	0	1	2	(3)	4
64. choose to play alone?	0	(1)	2	3	4
65. insist on keeping certain objects with him/her at all times?	0	1	(2)	3	4
66. have social problems with adults?	0	1	(2)	3	4
67. twirl, spin, or bang objects?	0	1	2	(3)	4
68. reverse pronouns (e.g., you for me)?	0	(1)	2	3	4
69. show good peer interactions?	0	1	2	(3)	4
70. respond when spoken to by other children?	0	1	2	(3)	4
71. appear fidgety when asked to sit still?	0	1	2	3	(4)

THIS FORM CONTAINS A COPY PROTECTION FEATURE TO PREVENT UNAUTHORIZED REPRODUCTION. TO OBTAIN PERMISSION TO COPY, EMAIL: legaldept@mhs.com

wps

John N. Constantino, MD

Assessment ID _____

SRS™-2 AutoScore™ Form — School-Age — ○MALE ○FEMALE

INSTRUCTIONS

For each question, please darken the circle that best describes this child's behavior **over the past 6 months.**

Child's name Karter Lundy — Child's age in years 6

Rater's name Tim Sinicki — Date of rating 11/10/26

Relationship to rated individual ☐ Mother ☑ Father ☐ Other custodial adult ☐ Teacher ☐ Other specialist

Grade 1 — School or clinic O'Ingra elementary

PLEASE PRESS HARD WHEN MARKING YOUR RESPONSES.

1 = NOT TRUE 2 = SOMETIMES TRUE 3 = OFTEN TRUE 4 = ALMOST ALWAYS TRUE

1. Seems much more fidgety in social situations than when alone. ..... (1) 2 3 4
2. Expressions on his or her face don't match what he or she is saying. ..... (1) 2 3 4
3. Seems self-confident when interacting with others. 1 (2) 3 4
4. When under stress, he or she shows rigid or inflexible patterns of behavior that seem odd. 1 2 (3) 4
5. Doesn't recognize when others are trying to take advantage of him or her. 1 2 (3) 4
6. Would rather be alone than with others. 1 (2) 3 4
7. Is aware of what others are thinking or feeling. 1 (2) 3 4
8. Behaves in ways that seem strange or bizarre. ..... (1) 2 3 4
9. Clings to adults, seems too dependent on them. 1 (2) 3 4
10. Takes things too literally and doesn't get the real meaning of a conversation. 1 (2) 3 4
11. Has good self-confidence. 1 (2) 3 4
12. Is able to communicate his or her feelings to others. 1 (2) 3 4
13. Is awkward in turn-taking interactions with peers (for example, doesn't seem to understand the give-and-take of conversations). 1 (2) 3 4
14. Is not well coordinated. 1 2 (3) 4
15. Is able to understand the meaning of other people's tone of voice and facial expressions. 1 2 3 (4)
16. Avoids eye contact or has unusual eye contact. 1 (2) 3 4
17. Recognizes when something is unfair. 1 2 3 (4)
18. Has difficulty making friends, even when trying his or her best. ..... (1) 2 3 4
19. Gets frustrated trying to get ideas across in conversations. 1 (2) 3 4
20. Shows unusual sensory interests (for example, mouthing or spinning objects) or strange ways of playing with toys. 1 (2) 3 4
21. Is able to imitate others' actions. 1 2 3 (4)
22. Plays appropriately with children his or her age. 1 2 (3) 4
23. Does not join group activities unless told to do so. ..... (1) 2 3 4
24. Has more difficulty than other children with changes in his or her routine. 1 (2) 3 4
25. Doesn't seem to mind being out of step with or "not on the same wavelength" as others. 1 (2) 3 4
26. Offers comfort to others when they are sad. 1 2 3 (4)
27. Avoids starting social interactions with peers or adults. 1 (2) 3 4
28. Thinks or talks about the same thing over and over. 1 2 3 (4)
29. Is regarded by other children as odd or weird. 1 (2) 3 4
30. Becomes upset in a situation with lots of things going on. 1 2 (3) 4
31. Can't get his or her mind off something once he or she starts thinking about it. 1 2 (3) 4
32. Has good personal hygiene. 1 (2) 3 4

Continue on back page

The SRS-2 is available online at **platform.wpspublish.com.** Additional copies of this form (W-608A) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA.

PLEASE PRESS HARD WHEN MARKING YOUR RESPONSES.

1 = NOT TRUE 2 = SOMETIMES TRUE 3 = OFTEN TRUE 4 = ALMOST ALWAYS TRUE

33. Is socially awkward, even when he or she is trying to be polite. 1 **3** 4

34. Avoids people who want to be emotionally close to him or her. **2** 2 3 4

35. Has trouble keeping up with the flow of a normal conversation. 1 **2** 3 4

36. Has difficulty relating to adults. 1 **2** 3 4

37. Has difficulty relating to peers. 1 **2** 3 4

38. Responds appropriately to mood changes in others (for example, when a friend's or playmate's mood changes from happy to sad). 1 **2** 3 4

39. Has an unusually narrow range of interests. 1 **2** 3 4

40. Is imaginative, good at pretending (without losing touch with reality). 1 2 3 **4**

41. Wanders aimlessly from one activity to another. 1 2 3 **4**

42. Seems overly sensitive to sounds, textures, or smells. 1 2 **3** 4

43. Separates easily from caregivers. 1 2 **3** 4

44. Doesn't understand how events relate to one another (cause and effect) the way other children his or her age do. 1 **2** 3 4

45. Focuses his or her attention to where others are looking or listening. 1 2 3 **4**

46. Has overly serious facial expressions. 1 **2** 3 4

47. Is too silly or laughs inappropriately. 1 **2** 3 4

48. Has a sense of humor, understands jokes. 1 2 3 **4**

49. Does extremely well at a few tasks, but does not do as well at most other tasks. 1 **2** 3 4

50. Has repetitive, odd behaviors such as hand flapping or rocking. 1 **2** 3 4

51. Has difficulty answering questions directly and ends up talking around the subject. 1 2 3 **4**

52. Knows when he or she is talking too loud or making too much noise. **2** 2 3 4

53. Talks to people with an unusual tone of voice (for example, talks like a robot or like he or she is giving a lecture). 1 2 **3** 4

54. Seems to react to people as if they are objects. 1 2 **3** 4

55. Knows when he or she is too close to someone or is invading someone's space. **2** 2 3 4

56. Walks in between two people who are talking. 1 2 3 **4**

57. Gets teased a lot. 1 2 **3** 4

58. Concentrates too much on parts of things rather than seeing the whole picture. For example, if asked to describe what happened in a story, he or she may talk only about the kind of clothes the characters were wearing. 1 2 **3** 4

59. Is overly suspicious. **2** 2 3 4

60. Is emotionally distant, doesn't show his or her feelings. **2** 2 3 4

61. Is inflexible, has a hard time changing his or her mind. 1 **2** 3 4

62. Gives unusual or illogical reasons for doing things. 1 **2** 3 4

63. Touches others in an unusual way (for example, he or she may touch someone just to make contact and then walk away without saying anything). **2** 2 3 4

64. Is too tense in social settings. 1 **2** 3 4

65. Stares or gazes off into space. 1 2 3 **4**

1. Is she/he now able to talk using short phrases or sentences? If *no*, skip to question 8.	yes	no
2. Can you have a to and fro "conversation" with her/him that involves taking turns or building on what you have said?	yes	no
3. Has she/he ever used odd phrases or said the same thing over and over in almost exactly the same way (either phrases that she/he has heard other people use or ones that she/he has made up)?	yes	no
4. Has she/he ever used socially inappropriate questions or statements? For example, has she/he ever regularly asked personal questions or made personal comments at awkward times?	yes	no
5. Has she/he ever got her/his pronouns mixed up (e.g., saying *you* or *she/he* for *I*)?	yes	no
6. Has she/he ever used words that she/he seemed to have invented or made up her/himself; put things in odd, indirect ways; or used metaphorical ways of saying things (e.g., saying *hot rain* for *steam*)?	yes	no
7. Has she/he ever said the same thing over and over in exactly the same way or insisted that you say the same thing over and over again?	yes	no
8. Has she/he ever had things that she/he seemed to have to do in a very particular way or order or rituals that she/he insisted that you go through?	yes	no
9. Has her/his facial expression usually seemed appropriate to the particular situation, as far as you could tell?	yes	no
10. Has she/he ever used your hand like a tool or as if it were part of her/his own body (e.g., pointing with your finger, putting your hand on a doorknob to get you to open the door)?	yes	no
11. Has she/he ever had any interests that preoccupy her/him and might seem odd to other people (e.g., traffic lights, drainpipes, or timetables)?	yes	no
12. Has she/he ever seemed to be more interested in parts of a toy or an object (e.g., spinning the wheels of a car), rather than using the object as it was intended?	yes	no
13. Has she/he ever had any special interests that were *unusual* in their intensity but otherwise appropriate for her/his age and peer group (e.g., trains, dinosaurs)?	yes	no
14. Has she/he ever seemed to be *unusually* interested in the sight, feel, sound, taste, or smell of things or people?	yes	no
15. Has she/he ever had any mannerisms or odd ways of moving her/his hands or fingers, such as flapping or moving her/his fingers in front of her/his eyes?	yes	no
16. Has she/he ever had any complicated movements of her/his whole body, such as spinning or repeatedly bouncing up and down?	yes	no
17. Has she/he ever injured her/himself deliberately, such as by biting her/his arm or banging her/his head?	yes	no
18. Has she/he ever had any objects (*other* than a soft toy or comfort blanket) that she/he *had* to carry around?	yes	no
19. Does she/he have any particular friends or a best friend?	yes	no

LIFETIME

Social Communication Questionnaire (SCQ™)

AutoScore™ Form

Michael Rutter, M.D., F.R.S., Anthony Bailey, M.D., Sibel Kazak Berument, Ph.D., Catherine Lord, Ph.D., and Andrew Pickles, Ph.D.

WPS

Rated Individual's Name: Carter Lundy

Date of Birth: 03/01/2020

Date of Interview: 11/10/2026

Chronological Age: 6

Gender: M

Name of Respondent: Tim Sinicki

Relationship to Rated Individual: Father

Clinician Name:

School/Clinic:

Directions

Thank you for taking the time to complete this questionnaire. Please answer each question by circling *yes* or *no*. A few questions ask about several related types of behavior; please circle *yes* if *any* of these behaviors have ever been present. Although you may be uncertain about whether some behaviors were ever present or not, please answer *yes* or *no* to every question on the basis of what you think.

The SCQ is available online at **platform.wpspublish.com**.
Additional copies of this form (W-381B) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**.

Copyright © 2003 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com).
All rights reserved. Printed in USA. 15 14 13

For the following behaviors, please focus on the time period between the child's fourth and fifth birthdays. You may find it easier to remember how things were at that time by focusing on key events, such as starting school, moving house, Christmastime, or other specific events that are particularly memorable for you as a family. If your child is not yet 4 years old, please consider her or his behavior in the past 12 months.

20. When she/he was 4 to 5, did she/he ever talk with you just to be friendly (rather than to get something)? ..... yes no

21. When she/he was 4 to 5, did she/he ever *spontaneously* copy you (or other people) or what you were doing (such as vacuuming, gardening, or mending things)? ..... yes no

22. When she/he was 4 to 5, did she/he ever spontaneously point at things around her/him just to show you things (not because she/he wanted them)? ..... yes no

23. When she/he was 4 to 5, did she/he ever use gestures, other than pointing or pulling your hand, to let you know what she/he wanted? ..... yes no

24. When she/he was 4 to 5, did she/he nod her/his head to mean *yes*? ..... yes no

25. When she/he was 4 to 5, did she/he shake her/his head to mean *no*? ..... yes no

26. When she/he was 4 to 5, did she/he usually look at you directly in the face when doing things with you or talking with you? ..... yes no

27. When she/he was 4 to 5, did she/he smile back if someone smiled at her/him? ..... yes no

28. When she/he was 4 to 5, did she/he ever show you things that interested her/him to engage your attention? ..... yes no

29. When she/he was 4 to 5, did she/he ever offer to share things other than food with you? ..... yes no

30. When she/he was 4 to 5, did she/he ever seem to want you to join in her/his enjoyment of something? ..... yes no

31. When she/he was 4 to 5, did she/he ever try to comfort you if you were sad or hurt? ..... yes no

32. When she/he was 4 to 5, when she/he wanted something or wanted help, did she/he look at you and use gestures with sounds or words to get your attention? ..... yes no

33. When she/he was 4 to 5, did she/he show a normal range of facial expressions? ..... yes no

34. When she/he was 4 to 5, did she/he ever spontaneously join in and try to copy the actions in social games, such as *The Mulberry Bush* or *London Bridge Is Falling Down*? ..... yes no

35. When she/he was 4 to 5, did she/he play any pretend or make-believe games? ..... yes no

36. When she/he was 4 to 5, did she/he seem interested in other children of approximately the same age whom she/he did not know? ..... yes no

37. When she/he was 4 to 5, did she/he respond positively when another child approached her/him? ..... yes no

38. When she/he was 4 to 5, if you came into a room and started talking to her/him without calling her/his name, did she/he usually look up and pay attention to you? ..... yes no

39. When she/he was 4 to 5, did she/he ever play imaginative games with another child in such a way that you could tell that they each understood what the other was pretending? ..... yes no

40. When she/he was 4 to 5, did she/he play cooperatively in games that required joining in with a group of other children, such as hide-and-seek or ball games? ..... yes no