wps

John N. Constantino, MD

Assessment ID _____

SRS™-2 AutoScore™ Form — School-Age — ○ MALE ○ FEMALE

INSTRUCTIONS

For each question, please darken the circle that best describes this child's behavior **over the past 6 months.**

Child's name Karter Lundy — Child's age in years 6

Rater's name Tim Sinicki — Date of rating 11/10/26

Relationship to rated individual ☐ Mother ☑ Father ☐ Other custodial adult ☐ Teacher ☐ Other specialist

Grade 1 — School or clinic O'Ingrg elementry

PLEASE PRESS HARD WHEN MARKING YOUR RESPONSES.

1 = NOT TRUE 2 = SOMETIMES TRUE 3 = OFTEN TRUE 4 = ALMOST ALWAYS TRUE

1. Seems much more fidgety in social situations than when alone. ..... (1) 2 3 4
2. Expressions on his or her face don't match what he or she is saying. ..... (1) 2 3 4
3. Seems self-confident when interacting with others. 1 (2) 3 4
4. When under stress, he or she shows rigid or inflexible patterns of behavior that seem odd. 1 2 (3) 4
5. Doesn't recognize when others are trying to take advantage of him or her. 1 2 (3) 4
6. Would rather be alone than with others. 1 (2) 3 4
7. Is aware of what others are thinking or feeling. 1 (2) 3 4
8. Behaves in ways that seem strange or bizarre. ..... (1) 2 3 4
9. Clings to adults, seems too dependent on them. 1 (2) 3 4
10. Takes things too literally and doesn't get the real meaning of a conversation. 1 (2) 3 4
11. Has good self-confidence. 1 (2) 3 4
12. Is able to communicate his or her feelings to others. 1 (2) 3 4
13. Is awkward in turn-taking interactions with peers (for example, doesn't seem to understand the give-and-take of conversations). 1 (2) 3 4
14. Is not well coordinated. 1 2 (3) 4
15. Is able to understand the meaning of other people's tone of voice and facial expressions. 1 2 3 (4)
16. Avoids eye contact or has unusual eye contact. 1 (2) 3 4
17. Recognizes when something is unfair. 1 2 3 (4)
18. Has difficulty making friends, even when trying his or her best. ..... (1) 2 3 4
19. Gets frustrated trying to get ideas across in conversations. 1 (2) 3 4
20. Shows unusual sensory interests (for example, mouthing or spinning objects) or strange ways of playing with toys. 1 (2) 3 4
21. Is able to imitate others' actions. 1 2 3 (4)
22. Plays appropriately with children his or her age. 1 2 (3) 4
23. Does not join group activities unless told to do so. ..... (1) 2 3 4
24. Has more difficulty than other children with changes in his or her routine. 1 (2) 3 4
25. Doesn't seem to mind being out of step with or "not on the same wavelength" as others. 1 (2) 3 4
26. Offers comfort to others when they are sad. 1 2 3 (4)
27. Avoids starting social interactions with peers or adults. 1 (2) 3 4
28. Thinks or talks about the same thing over and over. 1 2 3 (4)
29. Is regarded by other children as odd or weird. 1 (2) 3 4
30. Becomes upset in a situation with lots of things going on. 1 2 (3) 4
31. Can't get his or her mind off something once he or she starts thinking about it. 1 2 (3) 4
32. Has good personal hygiene. ..... (1) 2 3 4

Continue on back page

The SRS-2 is available online at **platform.wpspublish.com**. Additional copies of this form (W-608A) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8

PLEASE PRESS HARD WHEN MARKING YOUR RESPONSES.

1 = NOT TRUE 2 = SOMETIMES TRUE 3 = OFTEN TRUE 4 = ALMOST ALWAYS TRUE

33. Is socially awkward, even when he or she is trying to be polite. 1 2 3 4

34. Avoids people who want to be emotionally close to him or her. 1 2 3 4

35. Has trouble keeping up with the flow of a normal conversation. 1 2 3 4

36. Has difficulty relating to adults. 1 2 3 4

37. Has difficulty relating to peers. 1 2 3 4

38. Responds appropriately to mood changes in others (for example, when a friend's or playmate's mood changes from happy to sad). 1 2 3 4

39. Has an unusually narrow range of interests. 1 2 3 4

40. Is imaginative, good at pretending (without losing touch with reality). 1 2 3 4

41. Wanders aimlessly from one activity to another. 1 2 3 4

42. Seems overly sensitive to sounds, textures, or smells. 1 2 3 4

43. Separates easily from caregivers. 1 2 3 4

44. Doesn't understand how events relate to one another (cause and effect) the way other children his or her age do. 1 2 3 4

45. Focuses his or her attention to where others are looking or listening. 1 2 3 4

46. Has overly serious facial expressions. 1 2 3 4

47. Is too silly or laughs inappropriately. 1 2 3 4

48. Has a sense of humor, understands jokes. 1 2 3 4

49. Does extremely well at a few tasks, but does not do as well at most other tasks. 1 2 3 4

50. Has repetitive, odd behaviors such as hand flapping or rocking. 1 2 3 4

51. Has difficulty answering questions directly and ends up talking around the subject. 1 2 3 4

52. Knows when he or she is talking too loud or making too much noise. 1 2 3 4

53. Talks to people with an unusual tone of voice (for example, talks like a robot or like he or she is giving a lecture). 1 2 3 4

54. Seems to react to people as if they are objects. 1 2 3 4

55. Knows when he or she is too close to someone or is invading someone's space. 1 2 3 4

56. Walks in between two people who are talking. 1 2 3 4

57. Gets teased a lot. 1 2 3 4

58. Concentrates too much on parts of things rather than seeing the whole picture. For example, if asked to describe what happened in a story, he or she may talk only about the kind of clothes the characters were wearing. 1 2 3 4

59. Is overly suspicious. 1 2 3 4

60. Is emotionally distant, doesn't show his or her feelings. 1 2 3 4

61. Is inflexible, has a hard time changing his or her mind. 1 2 3 4

62. Gives unusual or illogical reasons for doing things. 1 2 3 4

63. Touches others in an unusual way (for example, he or she may touch someone just to make contact and then walk away without saying anything). 1 2 3 4

64. Is too tense in social settings. 1 2 3 4

65. Stares or gazes off into space. 1 2 3 4

B Reciprocal Social Interaction

Code in comparison to nonverbal mental age.

B1. Unusual Eye Contact

Coding for this item requires that clear, flexible, socially modulated, and appropriate gaze that is used for a variety of purposes be distinguished from gaze that is limited in flexibility, appropriateness, or contexts. If the participant is shy initially, and his or her gaze changes markedly and consistently as he or she becomes more comfortable, do not base the code on earlier impressions. However, if eye contact never improves, coding must be based on what is observed, even if the participant seems shy. Do not code eye contact that occurs between the participant and individuals other than the examiner who may be in the ADOS-2 assessment room.

[ ]

0 = Appropriate gaze with subtle changes meshed with other communication.

2 = Uses poorly modulated eye contact to initiate, terminate, or regulate social interaction.

B2. Facial Expressions Directed to Examiner

The rating for this item should indicate whether the participant's facial expressions are directed to the examiner for the purpose of communicating affective (e.g., enjoyment, frustration) or cognitive (e.g., puzzlement, skepticism) states. Facial expressions that are directed to objects or other people in the room, or that are undirected, are not rated here. Appropriate or slightly exaggerated facial expressions should be coded even if there are also odd expressions.

[1]

0 = Directs a range of appropriate facial expressions to the examiner in order to communicate affective or cognitive states.

1 = Some direction of facial expressions to the examiner (e.g., directs only expressions indicating emotional extreme(s), or occasionally directs wider range of expressions). A participant who has a limited range of facial expressions, but who directs almost all of his or her facial expressions to the examiner, may be rated here.

2 = Does not direct appropriate facial expressions to the examiner.

B3. Language Production and Linked Nonverbal Communication

The purpose of this item is to code the degree to which, *when* the participant vocalizes, the vocalization is accompanied by subtle changes in gaze, facial expression, and gesture. This item should be coded on the basis of the vocalizations used, regardless of their frequency. Code the most typical occurrences, not merely the best ones. When assigning a rating, include vocalizations used to maintain interaction or to respond to the examiner, as well as initiations. A rating of 8 (uncodable) should be assigned by default if one or more of the following behaviors coded earlier in this protocol received a rating of 2: "Unusual Eye Contact," "Facial Expressions Directed to Examiner," or "Descriptive, Conventional, Instrumental, or Informational Gestures."

[ ]

0 = Vocalization usually accompanied by subtle and socially appropriate changes in gesture, gaze, and facial expression.

1 = Vocalization accompanied by abnormal, limited, or less than usual frequency and/or range of gesture, gaze, and facial expression, OR use of one modality almost exclusively (e.g., frequent use of gaze, but limited use of gesture and facial expression).

2 = Little or no nonverbal communication linked with vocalization.

7 = Some avoidance of direct eye gaze, particularly at the beginning of the session, perhaps because of shyness, but shows some modulation and coordination of language and nonverbal behavior.

8 = N/A; no vocalization OR no or minimal use of gesture, facial expression, or socially directed gaze. This code should be assigned automatically if the absence of linking can be accounted for by the limited frequency of unusual eye contact, facial expressions, and/or gestures.

ADOS-2 Module 3 Algorithm

Participant ID: _____ Examiner: _____

Gender: Female ☐ Male ☐ Date of Birth: _____ Date of Evaluation: _____ Chronological Age: _____

CONVERTING ITEM CODES TO ALGORITHM SCORES

- **Convert** assigned ratings of **3** to algorithm scores of **2**.
- **Convert** assigned ratings other than 0, 1, 2, or 3 (i.e., **7**, **8**, and **9**) to algorithm scores of **0**.
- **Transfer** assigned ratings of **0**, **1**, and **2** directly to the algorithm form (do not convert).

Social Affect (SA)

Communication		
Reporting of Events	(A-7)	0
Conversation	(A-8)	2 → 0 follow trap or than U
Descriptive, Conventional, Instrumental, or Informational Gestures	(A-9)	1
Reciprocal Social Interaction		
Unusual Eye Contact	(B-1)	2
Facial Expressions Directed to Examiner	(B-2)	1
Shared Enjoyment in Interaction	(B-4)	2
Quality of Social Overtures	(B-7)	1
Quality of Social Response	(B-9)	1
Amount of Reciprocal Social Communication	(B-10)	2
Overall Quality of Rapport	(B-11)	1
SA TOTAL		13

Restricted and Repetitive Behavior (RRB)

Restricted and Repetitive Behaviors		
Stereotyped/Idiosyncratic Use of Words or Phrases	(A-4)	1
Unusual Sensory Interest in Play Material/Person	(D-1)	1 → Pinball Cotton
Hand and Finger and Other Complex Mannerisms	(D-2)	3→2
Excessive Interest in Unusual or Highly Specific Topics/Objects or Repetitive Behaviors	(D-4)	0
RRB TOTAL		4
OVERALL TOTAL (SA + RRB)		17

See the back of this form for guidance on how to convert the Overall Total to the ADOS-2 Classification and the ADOS-2 Comparison Score.

CLASSIFICATION/DIAGNOSIS

ADOS-2 Classification: _____

Overall Diagnosis: _____

ADOS-2 COMPARISON SCORE (See back of form for conversion table.)	9
Level of autism spectrum–related symptoms:	
10 9 8 HIGH	
7 6 MODERATE	
5 4 3 LOW	
2 1 MINIMAL-TO-NO EVIDENCE	

wps. Additional copies of this form (W-605D) may be purchased from WPS. Please contact us at **800.648.8857** or **wpspublish.com**. Copyright © 2012 by Western Psychological Services. Not to be reproduced, adapted, and/or translated in whole or in part without prior written permission of WPS (rights@wpspublish.com). All rights reserved. Printed in USA. 9 8 7