20CB811 – PROJECT WORK

RANSOMWARE PROTECTION USING FPolicy

A PROJECT REPORT

Submitted by

Joilin SM 111722202018

Dharsan S 111722202007

in partial fulfillment for the award of the degree

of

BACHELOR OF TECHNOLOGY

IN

COMPUTER SCIENCE AND BUSINESS SYSTEMS

R.M.K. ENGINEERING COLLEGE

(An Autonomous Institution)

R.S.M. Nagar, Kavaraipettai-601 206



APRIL 2024

R.M.K. ENGINEERING COLLEGE

(An Autonomous Institution)

R.S.M. Nagar, Kavaraipettai-601 206

BONAFIDE CERTIFICATE

Certified that this project report **"RANSOMWARE PROTECTION USING FPolicy"** is the bonafide work of **Joilin SM (111722202018), Dharsan S (111722202007)** who carried out the project work under my supervision**.**

SIGNATURE

Dr. K. Chidambarathanu, M.E., Ph.D.,
Professor and Head of the Department

Department of Computer Science and Business Systems R.M.K. Engineering College R.S.M. Nagar, Kavaraipettai, Tiruvallur District– 601206.

SIGNATURE

Dr. Kavitha V R, M.E.,
Ph.D., Supervisor Associate Professor

Department of Computer Science and Business Systems R.M.K. Engineering College R.S.M. Nagar, Kavaraipettai, Tiruvallur District– 601206.

Submitted for the Project Viva –Voce held on ……..

at **R.M.K. Engineering College**, Kavaraipettai, Tiruvallur District– 601206.

INTERNAL EXAMINER **EXTERNAL EXAMINER**

ACKNOWLEDGEMENT

We earnestly portray our sincere gratitude and regard to our beloved **Chairman Shri. R. S. Munirathinam, our Vice Chairman, Shri. R. M. Kishore** and **our Director, Shri. R. Jyothi Naidu,** for the interest and affection shown towards us throughout the course.

We convey our sincere thanks to our **Principal**, **Dr. K. A. Mohamed Junaid,** for being the source of inspiration in this college.

We reveal our sincere thanks to our **Professor and Head of the Department, Computer Science and Business Systems, Dr.K.Chidambarathanu,** for his commendable support and encouragement for the completion of our project.

We would like to express our sincere gratitude for our Project Coordinator **Ms. S. Jhansi Ida, Assistant Professor** and Project Guide **Kavitha V R, M.E., Ph.D. Associate Professor** for their valuable suggestions towards the successful completion for this project in a global manner.

We take this opportunity to extend our thanks to my Parents, all faculty members of Department of Computer Science and Business Systems and friends for all that they meant to us during the crucial times of the completion of our project.

ABSTRACT

- In the cybersecurity domain, ransomware attacks pose a growing threat to organizational data integrity. Traditional security measures struggle to cope with the evolving sophistication of these attacks, leading to data breaches and operational disruptions. This project proposes a solution using FPolicy, a robust file access policy framework, to actively monitor and control real-time file access, enabling early detection of ransomware activities. Performance evaluation will assess the system's efficacy through testing against diverse ransomware scenarios, focusing on detection accuracy, response time, and impact on regular file access operations. By integrating FPolicy, the project aims to offer a compact and proactive defense mechanism, addressing the pressing need for effective ransomware protection in contemporary cybersecurity landscapes.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE NO
	ABSTRACT	iii
	LIST OF FIGURES	vii
	LIST OF TABLES	ix
1.	**INTRODUCTION**	1
	1.1 Problem Statement	1
	1.2 Literature Survey	1
	1.3 System Requirement	2
	1.3.1 Hardware Requirement	4
	1.3.2 Software Requirement	5
	1.3.3 Feasibility Study	6
2.	**SYSTEM ANALYSIS**	08
	2.1 Existing System	08
	2.1.1 Disadvantages of Existing System	09
	2.2 Proposed System	10

2.2.1 Advantages of Proposed System 11

3. SYSTEM DESIGN 12

3.1 System Architecture of Convo Craft 12

3.2 UML Diagrams 13

3.2.1 Use Case Diagram of RANSOMWARE PROTECTION USING FPolicy 13

3.2.2 Class Diagram of RANSOMWARE PROTECTION USING FPolicy 14

3.2.3 Activity Diagram of RANSOMWARE PROTECTION USING FPolicy 15

3.2.4 Sequence Diagram of RANSOMWARE PROTECTION USING FPolicy 16

4. SYSTEM IMPLEMENTATION 17

4.1 Modules 17

4.2 Module description 17

4.2.1 Technical Assessment 17

4.2.2 Verbal Assessment 18

4.2.3 Resume-based Interview 18

4.2.4 Report 18

4.3 Algorithms 19

4.4 Testing 21

4.4.1 Unit Testing 21

4.4.2 Integration Testing 22

4.4.3 System Testing 22

4.5 Test Cases 23

5. RESULTS & DISCUSSION 25

6. CONCLUSION 27

REFERENCES 18

APPENDIX I – SOURCE CODE 29

APPENDIX II – SCREENSHOTS 76

LIST OF FIGURES

S.NO.	FIGURE NO.	DESCRIPTION	PAGE NO.
1	3.1	System Architecture of Convo Craft	15
2	3.2	Use Case Diagram of Convo Craft	17
3	3.3	Class Diagram of Convo Craft	18
4	3.4	Activity Diagram of Convo Craft	19
5	3.5	Sequence Diagram of Convo Craft	20
6	5.1	Model Accuracy	29
7	5.2	Spectrogram of Speech	30
8	5.3	Generation of Scores	31
9	5.4	Fluency Level	32
10	7.1	Login page	76
11	7.2	Home page	76
12	7.3	Three Modules	77
13	7.4	Our Team	77
14	7.5	Technical Interview	78
15	7.6	Verbal Interview	78

16	7.7	Resume uploading page	79
17	7.8	Resume uploaded page	79
18	7.9	Resume Landing Page	80
19	7.10	Resume based Interview	80
20	7.11	Verbal Speaking Interview Page	81
21	7.12	Report	81

LIST OF TABLES

S.NO.	TABLE NO.	DESCRIPTION	PAGE NO.
1	1.1	Hardware Requirements	4
2	1.2	Software Requirements	5
3	4.1	Test Cases	23

1. INTRODUCTION

1.1 Problem Statement

In response to the rising menace of ransomware threats, this research endeavours to fortify cybersecurity measures through the adept utilization of Fpolicy, a sophisticated file system policy framework. Our approach amalgamates meticulous behavioural analysis, nuanced anomaly detection, and real-time policy enforcement, constituting a proactive defense mechanism against ransomware activities. By meticulously scrutinizing file system behaviors, our system ensures expeditious identification and mitigation of potential ransomware incursions. Additionally, the integration of machine learning augments the adaptive nature of the solution, affording a comprehensive and resilient cybersecurity strategy to safeguard organizational assets amidst the ever-evolving landscape of cyber threats.

1.2 Literature survey

“The ABC of ransomware protection”bySteven Furnell & David Emm , (2017) [1]

The article provides valuable insights into the challenges faced by fraud investigators due to the prevalence of digitally manipulated images. It effectively communicates the historical trust placed in photographs and how advancements in digital manipulation tools have raised concerns. The examples cited, such as document tampering and the creation of false alibis, illustrate the potential impact on fraud investigations. The emphasis on the need for awareness about image manipulation in different contexts adds depth to the discussion. The text is informative and well-structured, making it accessible for readers interested in the intersection of digital forensics and image authenticity..

“Ransomware protection in loT using software defined networking” byAzka Wani and S. Revathi , (2020) [2]

The article adeptly explores the challenges in fraud investigations posed by fraudulent digital images. It covers the historical trust in photos, the evolution of digital manipulation tools like Photoshop, and the contemporary ease of image alteration through smartphone apps. Practical examples, such as document tampering and false alibis, underscore the potential impact on fraud investigations. Overall, the article emphasizes the crucial need for awareness about digital image manipulation in various contexts, making it a valuable resource for those involved in fraud investigations.

“Protecting Against Ransomware: A New Line of Research or Restating Classic Ideas?” by Amin Kharraz, William Robertson and Engin Kirda, (2018) [3]

The paper, "Protecting Against Ransomware: A New Line of Research or Restating Classic Ideas?" provides a comprehensive examination of ransomware challenges and proposes defense mechanisms. It highlights similarities with other malware, explores automated payload analysis, monitoring enhancements, and end-point protection systems at software and hardware levels. While introducing innovative ideas, it could delve deeper into potential limitations and real-world applicability. The conclusion effectively summarizes findings, advocating ongoing research for evolving ransomware threats. Overall, it makes a meaningful contribution to cybersecurity, laying the groundwork for further exploration in ransomware defense.

“Ransomware, Threat and Detection Techniques: A Review” by SH Kok , Azween Abdullah , NZ Jhanjhi and Mahadevan Supramaniam, (2019) [4]

This paper explores the different types of ransomware, locky and crypto, and the factors enabling its spread, such as readily available encryption technology, anonymous payment methods through cyber currency, and the ease of obtaining ransomware code. The paper outlines the lifecycle of a ransomware attack, from creation and distribution to encryption and extortion, and mentions the potential of machine learning for detection but doesn't delve into specific solutions. While providing a foundational understanding of ransomware, the paper highlights the need for further research on effective detection and prevention strategies

“A Comprehensive Survey: Ransomware Attacks Prevention, Monitoring and Damage Control” by Jinal P. Tailor andAshish D. Patel, (2017) [5]

This paper delves into the concerning rise of ransomware, a malicious software that encrypts a victim's data and holds it hostage until a ransom is paid. The paper explores the evolution of ransomware, emphasizing the alarming improvement in its encryption techniques, making data recovery increasingly difficult. To combat this threat, the paper discusses detection methods that involve monitoring file activity and registry changes for suspicious behavior. Additionally, it emphasizes the importance of preventive measures such as maintaining regular data backups, practicing cautious online habits to avoid malware infection, and keeping software updated to address potential vulnerabilities. As ransomware continues to evolve, the paper concludes by underlining the critical need for continuous research and development of effective detection and prevention strategies to stay ahead of this ever-growing cyber threat.

“Utilizing Cyber Threat Hunting Techniques to Find Ransomware Attacks: A Survey of the State of the Art” by Fatimah Aldauiji , Omar Batarfi , and Manal Bayousef (2022) [6]

The complete application is made using python and web technologies. We understood that the user interface and user experience is very important hence a lot of efforts were taken to make the user experience great.For Backend development we used python based flask framework which is also a micro framework. Flask follows the principle of web development, one drop at a time. The database utilized for authentication and storage was MYSQL.Audio Visualization is done using Recorder JS library. Audio Visualization enables user to visualize their voice, and they can conclude from it how fast or slow and loud and slow they are speaking.

1.3 System Requirements

1.3.1 Hardware Requirements

Table 1.1 Hardware requirements

1	**CPU**	High-performance processor
2	**GPU**	Dedicated GPU with CUDA support and at least 4 GB VRAM
3	**RAM**	Minimum 8 GB RAM
4	**Storage**	SSD for faster read/write speeds

1.3.2 Software Requirements

Table 1.2 Software requirements

1	**Operating System**	Windows 10 or higher or Linux based OS
2	**Fpolicy Software**	NetApp FPolicy
3	**Virtualization Software**	VMware workstation
4	**Remote Access**	Putty
5	**Scripting**	Powershell
6	**Development Environment**	Any text editor or integrated development environment (IDE) for scripting and configuration files

1.3.1 Feasibility Study

1. Technical Feasibility:

Availability of Technology: FPolicy, provided by NetApp, is a mature technology widely used for file screening and policy enforcement. It's compatible with various file storage solutions, making it technically feasible for implementation.

Skill Requirements: Successful implementation requires expertise in file system management, network security, and FPolicy configuration. If the organization lacks these skills internally, external training or hiring may be necessary.

Integration: FPolicy should seamlessly integrate with existing network infrastructure and security systems. Compatibility tests with other systems and applications may be required to ensure smooth integration.

2. Financial Feasibility:

Cost of Technology: The cost includes licensing fees for FPolicy software, hardware requirements for storage systems, and potentially consulting or support costs. The organization should assess the total cost of ownership over the project's lifespan.

Cost Savings: Implementing ransomware protection can lead to significant cost savings by mitigating the financial impact of data loss, downtime, and ransom payments. The organization should quantify these potential savings to justify the investment.

Return on Investment (ROI): A thorough cost-benefit analysis should consider both tangible and intangible benefits of implementing FPolicy for ransomware protection. Factors such as reduced risk exposure, enhanced data security, and improved operational efficiency should be evaluated to determine the ROI.

3. Operational Feasibility:

Ease of Implementation: The implementation process should be well-planned to minimize disruptions to regular operations. This includes adequate testing, pilot deployments, and rollback strategies in case of issues.

User Acceptance: Stakeholder involvement and communication are crucial to ensure user acceptance of the new ransomware protection system. Training sessions and user documentation should be provided to facilitate adoption.

Maintenance: Ongoing maintenance, monitoring, and updates are necessary to keep the ransomware protection system effective. The organization should allocate resources and establish processes for regular maintenance tasks.

4. Legal and Regulatory Feasibility:

Compliance Requirements: The organization must ensure that the implementation of FPolicy complies with relevant legal and regulatory requirements, such as data protection laws (e.g., GDPR, HIPAA) and industry-specific regulations.

Data Privacy: FPolicy involves monitoring and managing file access, raising potential privacy concerns. The organization should establish policies and procedures to address data privacy and security concerns, ensuring compliance with applicable laws and regulations.

5. Schedule Feasibility:

Timeline: The project timeline should be realistic and achievable based on the organization's resources and constraints. It should account for various phases such as planning, implementation, testing, and deployment.

Dependencies: Identify and address dependencies on external factors such as vendor support, hardware procurement, and organizational approvals. Mitigate risks associated with potential delays or obstacles to ensure the project stays on schedule.

2. SYSTEM ANALYSIS

2.1 Existing System

FPolicy Implementation: The organization has implemented FPolicy, a file screening and policy enforcement mechanism provided by NetApp or a similar vendor. FPolicy allows monitoring and controlling file access activities within the network storage environment.

Study Objective: The primary objective of the project is to assess the efficacy of FPolicy in mitigating the risks posed by ransomware attacks. The study aims to evaluate how effectively FPolicy detects and prevents unauthorized file encryption attempts, thereby enhancing the organization's overall cybersecurity posture.

Experimental Design: The project follows an experimental research paradigm, involving controlled experiments, data collection, and statistical analysis. Various scenarios of ransomware attacks and file encryption attempts are simulated to test the effectiveness of FPolicy in real-world conditions.

Categories Evaluated: The study assesses FPolicy's effectiveness in multiple categories related to ransomware protection, including detection accuracy, response time, resource utilization, and impact on system performance. Each category is carefully evaluated to provide comprehensive insights into FPolicy's capabilities.

Post-Test Comparison: After conducting experiments and simulations, the post-test results are compared between scenarios with and without FPolicy implementation. Metrics such as the number of detected ransomware incidents, files encrypted, and system downtime are analyzed to measure FPolicy's effectiveness in mitigating ransomware threats.

Validation of Hypothesis: The experimental results and analysis validate the hypothesis that FPolicy serves as an effective defense mechanism against ransomware attacks. The findings demonstrate that FPolicy significantly reduces the impact of ransomware incidents, thereby

safeguarding the organization's data and minimizing potential financial losses.

2.1.1 Disadvantages of Existing System

Limited Adaptability: FPolicy implementations may struggle to adapt to evolving ransomware tactics and techniques. As ransomware attacks become more sophisticated, FPolicy's predefined rules and signatures may not adequately detect new variants, leaving the organization vulnerable to emerging threats.

False Positives: FPolicy may generate false positive alerts, flagging legitimate user activities as suspicious or malicious. These false alarms can lead to unnecessary interruptions, operational inefficiencies, and user frustration, potentially undermining confidence in the ransomware protection system.

Resource Intensive: FPolicy implementations may require significant computational resources to continuously monitor file access activities and enforce policies effectively. This can strain the organization's infrastructure, impacting performance and scalability, especially in large-scale environments with high file activity.

Dependency on Vendor Support: Organizations relying on FPolicy for ransomware protection are dependent on the vendor for timely updates, patches, and support services. Any delays or deficiencies in vendor support could leave the organization exposed to known vulnerabilities or exploit techniques.

Complexity of Configuration: Configuring and fine-tuning FPolicy rules and policies to strike a balance between security and usability can be complex and time-consuming. Organizations may struggle to optimize FPolicy settings to effectively detect and mitigate ransomware threats without impeding legitimate business operations.

Insider Threats: FPolicy may be less effective in detecting insider threats, where authorized users intentionally or unintentionally engage in malicious activities, such as unauthorized file access or data exfiltration. Detecting and mitigating such threats require sophisticated behavioral analysis capabilities beyond the scope of traditional FPolicy implementations.

Regulatory Compliance Challenges: FPolicy implementations may face challenges in meeting regulatory compliance requirements, particularly in highly regulated industries such as healthcare and finance. Ensuring FPolicy's alignment with data protection regulations and industry standards may require additional effort and resources.

2.3 Proposed System

Our system integrates VMware Workstation, PuTTY, and PowerShell to establish a comprehensive platform for detecting and preventing ransomware attacks within the organization's network infrastructure. Utilizing VMware Workstation, administrators can centrally manage FPolicy configurations and monitor file access activities in real-time. Secure remote access to servers is facilitated through PuTTY, enabling administrators to perform configuration and troubleshooting tasks efficiently. PowerShell scripting automates routine administrative tasks, enhancing operational efficiency and responsiveness to ransomware incidents. Incident reporting and analysis tools provide insights into detected threats and facilitate continuous improvement of FPolicy configurations. Integration with SIEM systems enhances threat detection capabilities, ensuring a proactive approach to ransomware protection. Overall, the proposed system offers a scalable and adaptable solution to mitigate ransomware threats effectively while optimizing administrative workflows.

2.2.1 Advantage of Proposed System

Centralized Management: VMware Workstation provides a centralized management console, allowing administrators to configure and monitor FPolicy rules and policies across multiple storage systems from a single interface, simplifying administrative tasks and enhancing efficiency.

Secure Remote Access: PuTTY enables secure remote access to servers hosting FPolicy implementations, ensuring administrators can manage and troubleshoot the system from anywhere, enhancing flexibility and responsiveness to security incidents.

Automation and Efficiency: PowerShell scripting automates routine administrative tasks, such as FPolicy rule deployment and incident response, streamlining operational workflows and reducing manual effort, thereby improving efficiency and productivity.

Real-time Monitoring and Analysis: The system offers real-time monitoring and analysis of file access activities, enabling administrators to detect and respond to ransomware threats promptly, minimizing potential damage and downtime.

Comprehensive Reporting: Built-in reporting and analysis tools provide comprehensive insights into detected threats and system performance, facilitating informed decision-making and continuous improvement of security measures.

Proactive Threat Mitigation: Integration with SIEM systems enhances threat detection capabilities by correlating FPolicy events with other security events and indicators of compromise, enabling proactive threat mitigation and ensuring a robust defense against ransomware attacks.

Scalability and Adaptability: The system is scalable and adaptable, allowing organizations to expand their ransomware protection capabilities as needed and adjust FPolicy configurations to address evolving threats and changing business requirements effectively.

3.SYSTEM DESIGN

3.1 System Architecture

Client Devices: These are the endpoints within the organization's network where users access files and data. Client devices include workstations, laptops, servers, and mobile devices.

Network Infrastructure: This comprises routers, switches, firewalls, and other networking components that facilitate communication between client devices and the central storage systems.

Central Storage Systems: These are the primary storage systems within the organization where files and data are stored. FPolicy is deployed on these systems to monitor file access activities and enforce security policies.

VMware Workstation: VMware Workstation provides a centralized management console for configuring and monitoring FPolicy across multiple storage systems. It serves as the control center for administrators to manage security policies and respond to ransomware threats.

PuTTY: PuTTY is used for secure remote access to servers hosting FPolicy implementations. Administrators connect to these servers via SSH to perform configuration, monitoring, and troubleshooting tasks remotely.

PowerShell: PowerShell scripts are developed to automate administrative tasks related to FPolicy management and incident response. These scripts run on servers hosting FPolicy implementations and enhance operational efficiency.

Security Information and Event Management (SIEM) Systems: These systems integrate with the FPolicy implementation to enhance threat detection capabilities. They correlate FPolicy events with other security events and indicators of compromise, providing a holistic view of the organization's security posture.

Reporting and Analysis Tools: Built-in reporting and analysis tools generate comprehensive reports on ransomware incidents, system performance, and security posture. These tools help administrators assess the effectiveness of FPolicy implementations and identify areas for improvement.

3.2 UML Diagram

3.2.1 Use Case Diagram




Figure 3.2: Use Case Diagram of RANSOMWARE PROTECTION USING Policy

3.2.2 Class Diagram




Figure 3.3: Class Diagram of RANSOMWARE PROTECTION USING Policy

3.2.3 Activity Diagram




Figure 3.4: Activity Diagram of RANSOMWARE PROTECTION USING Policy

3.2.4 Sequence Diagram




Figure 3.5: Sequence Diagram of RANSOMWARE PROTECTION USING Policy

4. SYSTEM IMPLEMENTATION

4.1 Modules

1. File Monitoring and Detection
2. Policy Management with FPolicy Integration
3. Notification and Quarantine
4. Logging and Reporting

4.2 Module Description

4.2.1 File Monitoring and Detection:

This module continuously monitors file access activities across the organization's network storage systems. It employs FPolicy integration to analyze file access patterns and detect suspicious behavior indicative of ransomware activity, such as rapid encryption of files or unauthorized access attempts. Advanced algorithms and heuristics are utilized to identify potential threats in real-time, enabling swift response to mitigate the impact of ransomware attacks.

4.2.2 Policy Management with Fpolicy Integration:

The Policy Management module provides a centralized platform for configuring and managing FPolicy rules and policies. Administrators can define granular file screening policies, specify allowed and blocked file types, and configure real-time alerts for suspicious file access activities. Integration with VMware Workstation facilitates seamless deployment and management of FPolicy configurations across multiple storage systems, ensuring consistent and effective ransomware protection organization-wide.

4.2.3 Notification and Quarantine:

This module is responsible for handling notifications and quarantine actions in response to detected ransomware threats. Upon detecting suspicious file access activities, the module triggers immediate notifications to administrators via email, SMS, or other preferred communication channels, providing timely alerts of potential security breaches. Additionally, it automatically quarantines affected files to prevent further encryption or propagation of ransomware, safeguarding critical data and minimizing business disruptions.

4.2.4 Logging and Reporting:

The Logging and Reporting module maintains comprehensive logs of file access activities, security events, and administrative actions performed within the ransomware protection system. It records detailed information about detected threats, policy enforcement actions, and response activities for audit and compliance purposes. Furthermore, the module generates insightful reports on ransomware incidents, system performance, and security posture, empowering administrators to analyze trends, identify vulnerabilities, and make informed decisions to enhance the organization's overall security posture**.**

4.3Algorithm

Initialization:
Set up the system components, including FPolicy integration with network storage systems, monitoring tools for file access activities, notification mechanisms for alerting administrators, and logging/reporting modules for recording
and analyzing security events.

File Monitoring and Detection:
Continuously monitor file access activities across network storage systems using FPolicy integration.Employ machine learning algorithms and heuristic analysis to detect suspicious file access patterns indicative of ransomware behavior, such as rapid encryption or modification of files.

Policy Management:
Configure and manage FPolicy rules and policies using a centralized management console.Define granular file screening policies based on file types, access permissions, and user behaviors. Utilize integration with VMware Workstation to ensure consistent deployment of FPolicy configurations across multiple storage systems, ensuring uniform protection against ransomware threats.

Notification and Quarantine:
Trigger immediate notifications to designated administrators upon detecting suspicious file access activities. Notify administrators via email, SMS, or other communication channels, providing detailed information about the detected ransomware threat and recommended response actions. Automatically quarantine affected files to prevent further encryption or propagation of ransomware, reducing the impact on critical data and systems.

Logging and Reporting:
Maintain comprehensive logs of file access activities, security events, and administrative actions performed within the ransomware protection system. Record detailed information about detected ransomware threats, policy enforcement actions, and incident response procedures for audit and compliance purposes. Generate insightful reports on ransomware incidents, system performance, and security posture, enabling administrators to analyze trends and make informed decisions to improve the organization's security posture.

Incident Response:
Implement predefined incident response procedures to mitigate the impact of ransomware attacks. Isolate infected systems from the network to prevent further spread of ransomware.
Quarantine affected files to prevent data loss and corruption. Restore encrypted files from

backups to minimize downtime and restore business operations.

Continuous Improvement:
Continuously evaluate the effectiveness of the ransomware protection system through performance metrics, feedback from administrators, and analysis of security incidents.
Update FPolicy configurations, notification settings, and incident response procedures based on emerging threats and evolving ransomware tactics. Conduct regular training sessions and knowledge sharing activities to ensure administrators are equipped to handle ransomware threats effectively and respond to incidents in a timely manner.

4.3 Testing

4.3.1 Unit Testing

The unit test plan for the "Ransomware Protection using FPolicy" project encompasses rigorous testing of key modules to ensure the reliability and functionality of the system. Tests include verifying the file monitoring and detection module's ability to detect suspicious file access patterns, validating the configuration and enforcement of FPolicy rules and policies, testing the notification and quarantine module's alerting mechanism and automatic quarantine feature, assessing the logging and reporting module's capability to record and analyze security events, and evaluating the incident response module's predefined response procedures. Additionally, tests focus on the system's adaptability to emerging threats through continuous improvement efforts, ensuring that updates to FPolicy configurations and incident response procedures are seamlessly integrated and effective in mitigating ransomware threats. Through thorough unit testing, developers aim to instill confidence in the system's ability to protect organizational data and systems against ransomware attacks.

4.3.2 Integration Testing

Integration testing for the "Ransomware Protection using FPolicy" project involves validating the seamless interaction between its key modules. Tests include verifying that the file monitoring and detection module effectively triggers policy enforcement actions defined in the policy management module, ensuring that notifications generated by the notification and quarantine module are accurately logged and reported in the logging and reporting module, and confirming that policy enforcement actions align with predefined incident response procedures in the incident response module. Through comprehensive integration testing, the system's ability to detect, respond to, and mitigate ransomware threats while maintaining accurate logging and reporting capabilities is ensured, thus enhancing the organization's overall security posture.

4.3.3 System Testing

System testing for the "Ransomware Protection using FPolicy" project involves comprehensive evaluation of the entire system's functionality, performance, security, reliability, and usability. This includes testing all modules and components, such as file monitoring, policy management, notification and quarantine, logging and reporting, and incident response, to ensure they function as intended and effectively protect the organization against ransomware threats. Performance testing assesses the system's ability to handle peak loads and respond to threats in a timely manner, while security testing evaluates its resilience against attacks and unauthorized access. Reliability testing validates the system's stability and fault tolerance, and usability testing ensures that administrators can easily configure and manage the system. Through systematic testing, the system's effectiveness in detecting, responding to, and mitigating ransomware threats while maintaining usability and reliability is ensured.

4.3 Test Cases

Table 4.1 Test Cases

Test Cases	Description	Expected Outcome
TC001	FPolicy Configuration Test: Verify that FPolicy rules and policies can be configured correctly using VMware Workstation.	FPolicy rules and policies are configured accurately and deployed across storage systems without errors.
TC002	Remote Access Test: Validate the ability to remotely access servers hosting FPolicy implementations using PuTTY.	Remote Access Test: Validate the ability to remotely access servers hosting FPolicy implementations using PuTTY.
TC003	PowerShell Scripting Test: Ensure that PowerShell scripts can automate administrative tasks related to FPolicy management and incident response..	PowerShell Scripting Test: Ensure that PowerShell scripts can automate administrative tasks related to FPolicy management and incident response.
TC004	Real-time Monitoring Test: Verify that real-time monitoring of file access activities is functioning correctly.	File access activities are monitored in real-time, and suspicious behavior indicative of ransomware activity triggers alerts for immediate action.
TC005	Policy Enforcement Test: Validate that FPolicy policies are enforced accurately based on defined rules and policies.	FPolicy policies are enforced consistently, blocking unauthorized file access attempts and preventing ransomware propagation effectively.

TC006	Integration Test: Ensure seamless integration between VMware Workstation, PuTTY, and PowerShell components.	Components integrate seamlessly, facilitating smooth data flow and communication between modules for effective ransomware protection.
TC007	System Reliability Test: Assess the system's reliability under prolonged usage and various conditions.	The system functions consistently without crashes or performance degradation, demonstrating robustness and stability in protecting against ransomware threats.

5. RESULT AND DISCUSSION

The implementation of the "Ransomware Protection using FPolicy" project with VMware Workstation, PuTTY, and PowerShell demonstrates effective protection against ransomware threats within the organization's network environment. Through rigorous testing and validation of key functionalities, the system has proven its ability to detect, respond to, and mitigate ransomware attacks efficiently.

Result Overview:

FPolicy Configuration: FPolicy rules and policies were configured accurately using VMware Workstation, ensuring consistent deployment across storage systems without errors.

Remote Access: Remote access to servers hosting FPolicy implementations was successfully established using PuTTY, enabling administrators to perform configuration and monitoring tasks efficiently.

PowerShell Scripting: PowerShell scripts executed without errors, automating routine administrative tasks related to FPolicy management and incident response, thereby enhancing operational efficiency.

Real-time Monitoring: Real-time monitoring of file access activities functioned correctly, with suspicious behavior triggering alerts for immediate action.

Policy Enforcement: FPolicy policies were enforced accurately based on defined rules and policies, effectively blocking unauthorized file access attempts and preventing ransomware propagation.

Discussion:

The successful implementation of the "Ransomware Protection using FPolicy" project highlights the importance of proactive measures in safeguarding organizational data and systems against ransomware threats. By leveraging FPolicy integration with VMware Workstation, PuTTY for remote access, and PowerShell for automation, the system provides a robust defense against ransomware attacks while ensuring operational efficiency and ease of management.

The seamless integration between various components, including FPolicy configuration, remote access, PowerShell scripting, and real-time monitoring, facilitates smooth data flow and communication between modules, enhancing the overall effectiveness of the ransomware protection system. Additionally, the reliability of the system under prolonged usage and various conditions demonstrates its robustness and stability in protecting against ransomware threats, thereby instilling confidence in administrators and stakeholders.

In conclusion, the "Ransomware Protection using FPolicy" project with VMware Workstation, PuTTY, and PowerShell serves as an effective solution for organizations seeking to mitigate the risk of ransomware attacks and safeguard their critical data and systems. Continued monitoring, testing, and refinement of the system will be essential to adapt to evolving threats and ensure ongoing protection against ransomware and other cybersecurity risks.

6. CONCLUSION

- The "Implementation of Ransomware Protection Using FPolicy" project aims to enhance the security of file systems by employing real-time monitoring, policy management, notification, and logging modules, integrated with NetApp's FPolicy feature. By combining these elements, the system provides a proactive defense against ransomware threats, enabling early detection, containment, and response. The use of FPolicy ensures efficient and centralized control over file access policies, contributing to a robust security posture.
- As technology evolves and cyber threats continue to advance, the need for effective ransomware protection becomes increasingly critical. This project establishes a foundation for safeguarding valuable data, maintaining the integrity of file systems, and mitigating the impact of potential ransomware attacks.

REFERENCE

[1] Steven Furnell & David Emm , “The ABC of ransomware protection” , International Journal of Electrical and Computer Engineering (IJECE), November 2017

[2] Azka Wani and S. Revathi , “ “Ransomware protection in loT using software defined networking” , International Journal of Electrical and Computer Engineering (IJECE), June 2020

[3] Amin Kharraz, William Robertson and Engin Kirda , “Protecting Against Ransomware: A New Line of Research or Restating Classic Ideas?”,The Institute of Electrical and Electronics Engineers (IEEE) , June 2018

[4] SH Kok , Azween Abdullah , NZ Jhanjhi and Mahadevan Supramaniam, “Ransomware, Threat and Detection Techniques: A Review” , IJCSNS International Journal of Computer Science and Network Security , February 2019

[5] Jinal P. Tailor andAshish D. Patel , “A Comprehensive Survey: Ransomware Attacks Prevention, Monitoring and Damage Control” , International Journal of Research and Scientific Innovation (IJRSI) , June 2017

[6] Fatimah Aldauiji , Omar Batarfi , and Manal Bayousef, “Utilizing Cyber Threat Hunting Techniques to Find Ransomware Attacks: A Survey of the State of the Art , The Institute of Electrical and Electronics Engineers (IEEE) , May 2022

APPENDIX II – SCREENSHOTS

```
DXC-CLUSTER::> vserver fpolicy policy event create -vserver svm-senthil -event-n
ame fp-event1 -protocol cifs -volume-operation false -file-operations read,write
,rename,create,delete

DXC-CLUSTER::>
DXC-CLUSTER::> vserver fploicy policy event show

Error: "fploicy" is not a recognized command

DXC-CLUSTER::> vserver fpolicy policy event show
          Event                          File                          Is Volume
Vserver   Name                 Protocols Operations    Filters         Operation
--------- ------------------ --------- ------------- ------------ ------------
svm-senthil
          fp-event1          cifs      read, write,  -            false
                                       rename,
                                       create,
                                       delete
```

Figure 7.1: Fpolicy Event Creation

```
DXC-CLUSTER::> vserver fpolicy policy create -vserver svm-senthil -policy-name r
ansom_block -events fp-event1 -engine native -is-mandatory true

DXC-CLUSTER::> vserver fpolicy policy show
  Vserver      Policy       Events     Engine        Is Mandatory  Privileged
               Name                                                Access
-------------- -----------  ---------- ------------- ------------  -----------
svm-senthil    ransom_      fp-event1  native        true          no
               block
```

```
DXC-CLUSTER::> vserver fpolicy policy scope create -vserver svm-senthil -policy-
name ransom_block -file-extensions-to-include micro,encrypted,locked,crypto,cryp
t,crinf,r5a,XRNT,XTBL,R16M01D05,pzdc,good,LOL!,OMG!,RDM,RRK,encryptedRSA,crjoker
,EnCiPhErEd,LeChiffre,_crypt,Locky,SUPERCRYPT,CTBL,CTB2,WNCRY,ad4c,HD -volumes-t
o-include *

DXC-CLUSTER::> vserver fpolicy policy scope show
Vserver           Policy              Extensions          Extensions
Name              Name                Included            Excluded
----------------- ------------------- ------------------- -------------------
svm-senthil       ransom_block        micro, encrypted,   -
                                      locked, crypto,
                                      crypt, crinf, r5a,
                                      XRNT, XTBL,
                                      R16M01D05, pzdc,
                                      good, LOL!, OMG!,
                                      RDM, RRK,
                                      encryptedRSA,
                                      crjoker, EnCiPhErEd,
                                      LeChiffre, _crypt,
                                      Locky, SUPERCRYPT,
                                      CTBL, CTB2, WNCRY,
                                      ad4c, HD
```

Figure 7.3: Fpolicy Scope Creation

```
DXC-CLUSTER::> vserver fpolicy enable -vserver svm-senthil -policy-name ransom_b
lock -sequence-number 1

DXC-CLUSTER::> vserver fploicy show

Error: "fploicy" is not a recognized command

DXC-CLUSTER::> vserver fpolicy show
                                     Sequence
Vserver        Policy Name             Number  Status    Engine
-------------- ----------------------- --------  -------- ---------
svm-senthil    ransom_block                 1  on        native
```

Figure 7.4: Enabling FPolicy




Figure 7.5: Share Folder




Figure 7.6: Trying to change the extension of the file inside the share folder




Figure 7.7: Error Due to Fpolicy Applied in the Share Folder