Introduction

At **Porsche AG and its subsidiaries**, all business processes are modeled and maintained exclusively by designated **process owners** using the **BIC Process Design** tool.

> In **LeanIX**, no new business processes are created or modified. All process-related modeling activities—including the assignment of IT products to process activities—are performed solely in BIC.

General Modeling Rules

- The **"Process" fact sheet** in LeanIX is **read-only** and does not follow a dedicated modeling guideline.
- Business processes are **not modeled or edited** directly in LeanIX.

System Integration: LeanIX ↔ BIC

To support **enterprise architecture modeling**, especially the **business architecture layer**, LeanIX relies on the availability of active business processes. For this reason, a **synchronization interface** is in place:

Process Import from BIC to LeanIX

- All **active business processes** modeled in BIC are automatically imported into LeanIX.
- These processes are available in LeanIX for **reference and linkage** to other architectural elements (e.g., applications, capabilities, initiatives).
- If an application has been assigned to a process step in BIC, this assignment is also synchronized to LeanIX

Application Export from LeanIX to BIC

- All **active IT products** in LeanIX are synchronized to BIC as **applications**.
- These applications can then be assigned to **process activities** within BIC.

  This bidirectional integration ensures consistency between process modeling and enterprise architecture views.

Zusätzliche Relationen

In addition to the automatically existing assignments between IT product and process, which are synchronized from BIC, business capabilities and modeling initiatives can be assigned to a process. Manual assignment of IT products via LeanIX should be avoided and should be done exclusively in BIC!

Further Information

Detailed technical and functional information about the synchronization between LeanIX and BIC can be found in the chapter ***LeanIX System Integration with BIC***.

Structure Summary

Section	Key Concept	Description
Process Ownership	BIC → Process Modeling	All processes are created and maintained in BIC
LeanIX Usage	Process Fact Sheet (read-only)	No modeling or editing of processes in LeanIX
Integration: BIC → LeanIX	Process Import	Active processes are synchronized into LeanIX
Integration: LeanIX → BIC	Application Export	IT products are sent to BIC for process activity assignment
Modeling Scope	Tool Separation	BIC for process logic, LeanIX for architecture context

Metamodel View

The diagram shows the possible relations between the entities that can be used to model a **process** in the context of the appropriate architecture level.

Structure Summary

Image Description for LLM Input: ModelView Process Diagram

Title: *ModelView Process*

Structure:
The image is a schematic diagram illustrating the relationships between components in an enterprise architecture context. It is divided into two main sections, each enclosed in a yellow-bordered rectangle.

Top Section:

- **Magenta-colored box labeled "Initiative"**
    - **Relationship:** "is linked to" an element in the bottom section.

Bottom Section:

- **Three boxes:**
    1. **Magenta-colored box labeled "IT Product"**
        - **Relationship:** "supports" another element.
    2. **Magenta-colored box labeled "Business Capability"**
        - **Relationship:** "is linked to" another element.
    3. **Green-colored box labeled "Process"**
        - **Relationships:**
            - Supported by the *IT Product*
            - Linked to the *Business Capability*

Right Side:

- **Two yellow circles containing TOGAF® references:**
    1. **Top circle:**
        - *TOGAF®*
        - *A.*
        - *Architecture Vision*
    2. **Bottom circle:**
        - *TOGAF®*
        - *B.*
        - *Business Architecture*