



NATURAL FIBER COMPOSITE · AHIMSA DESIGN

Only when we make the right
choices **do we achieve the right
results.**

TERMITE PROOF

WATER PROOF

FLAME RETARDANT

EASILY MACHINABLE

THERMOFORMABLE

ECO-FRIENDLY & RECYCLABLE

PRODUCT CATALOGUE

Every panel, fully specified.

Sizes, thicknesses, finishes and verified test data for all eleven Indowud nfc products — boards, doors, frames, decking, jaali and more.

[11 PRODUCTS](#)[GREENPRO CERTIFIED](#)[ZERO-WOOD](#)

CONTENTS

The range at a glance.

01	zerOwud nfc board	PANEL
02	Indowud nfc board	HERO PANEL
03	nfc door	JOINERY
04	nfc frame	JOINERY
05	nfc Jaali	FAÇADES & SCREENS
06	nfc decking	OUTDOOR

07	nfc flute	LOUVER
08	nfc textured panels	SURFACE
09	nfc trim	PROFILES
10	nfc fence	OUTDOOR
11	nfc glu	ADHESIVE

01 PANEL

zerOwud nfc board

Build green with zero-wud panels

Good strength and durability for furniture, cabinetry and wall panels. Smooth on both sides.

- STRONG
- DURABLE
- SMOOTH 2 SIDES

STANDARD SIZE	8ft × 4ft · 2440 × 1220 mm
THICKNESS	6 · 8 · 12 · 16 · 18 · 25 mm
SURFACE	Smooth, both sides
GRADES	Single density
CUSTOM SIZES	On request



INDOWUD NFC · PANEL

GREENPRO

02 HERO PANEL

Indowud nfc board

Agricultural waste into a sustainable panel

The hero panel — a high-performance alternative to plywood across interiors and exteriors. Rough on both sides for finishing.

- NEO
- CREATE
- BUILD

RANGE	nfc Neo · Create · Build
STANDARD SIZE	8ft × 4ft · 2440 × 1220 mm
THICKNESS	6 · 8 · 12 · 15/16 · 18 · 25 mm
SURFACE	Rough, both sides
DENSITY	625 / 725 / 825+ kg/CBM



INDOWUD NFC · HERO PANEL

GREENPRO

03 JOINERY

nfc door

The eco-friendly door

The beauty of a natural wood panel with full sustainability.
Paint, polish, varnish, or overlay veneer / laminate.

- PAINTABLE
- VENEER-READY
- WATERPROOF

SIZE	7ft × 3ft · 2140 × 920 mm
ALSO	8ft × 3ft · 2440 × 920 mm
THICKNESS	28 mm & 30 mm
FINISH	Paint · polish · veneer · laminate



INDOWUD NFC · JOINERY

GREENPRO

04 JOINERY

nfc frame

Reimagine doorways with
nfc frames

Door frames with open grains akin to natural wood. Easy to paint, varnish and stain.

- OPEN GRAIN
- CUSTOMISABLE

SIZES	3"x2" · 4"x2.5" · 5"x2.5"
STANDARD LENGTH	7ft · 8ft · 10ft
FINISH	Paint · varnish · stain
USE	Door & window frames



INDOWUD NFC · JOINERY

GREENPRO

05 FAÇADES & SCREENS


nfc Jaali

Elevate space with intricate patterns

CNC-routed nfc boards — including mashrabiya screens — for interior partitions and lightweight exterior façades.

- CNC ROUTED
- MASHRABIYA
- CUSTOM DESIGNS

METHOD	CNC routing
USE	Interior screens · exterior façades
DESIGNS	Fully customisable
BASE BOARD	nfc board, any thickness



INDOWUD NFC · FAÇADES & SCREENS

GREENPRO

06 OUTDOOR

nfc decking

Solid composite decking

The beauty of wood without the maintenance. Exceptional strength, durability and weather resistance; stainable.

- WEATHERPROOF
- STAINABLE
- SOLID

AVAILABLE SIZE	8ft × 6in · 2440 × 150 mm
THICKNESS	25 mm & 30 mm
FINISH	Stainable
INSTALL	300 mm support · 4 mm plank gap



INDOWUD NFC · OUTDOOR

GREENPRO

07 LOUVER

nfc flute

Nature's elegance, modern design

Fluting and louver solutions for green architecture — sustainable louver and flute panelling.

- LOUVER
- FLUTED

AVAILABLE SIZE	8ft × 1ft · 2440 × 300 mm
THICKNESS	18 mm & 25 mm
USE	Louvers · feature walls
PATTERNS	See indowud.com



INDOWUD NFC · LOUVER

GREENPRO

08 SURFACE


nfc textured panels

Nature in intricate wooden grains

Natural-fibre composites with deep wooden-textured designs — the warmth of wood, the durability of composite.

- DEEP GRAIN
- DECORATIVE

TEXTURED	8ft × 2ft · 2440 × 600 mm
THICKNESS	8 · 12 · 15 · 18 · 25 mm
DEEP TEXTURE	8ft × 1ft · 13 · 15 · 23 mm
USE	Feature & wall panels



INDOWUD NFC · SURFACE

GREENPRO

09 PROFILES

nfc trim

Eco-friendly cut-to-size trims

A versatile cut-to-size solution for elegant detailing — easily customised to project requirements.

- CUT TO SIZE
- VERSATILE

STANDARD LENGTH	8ft · 2440 mm
THICKNESS	8 · 12 · 15 · 18 · 25 · 30 mm
STANDARD WIDTH	100 · 150 · 200 · 250 mm
USE	Edging · profiles · detailing



INDOWUD NFC · PROFILES

GREENPRO

10 OUTDOOR


nfc fence

Beauty and sustainability combined

An eco-friendly alternative to wood fencing — strong, durable and weather-resistant for any outdoor space.

- WEATHERPROOF
- TWIST STYLES

LENGTH	4ft · 1220 mm
WIDTH	50 · 75 · 100 mm
THICKNESS	15 · 18 · 25 mm
STYLE	Standard · single/double/triple twist



INDOWUD NFC · OUTDOOR

GREENPRO

11 ADHESIVE

nfc glu

A strong, water-resistant bond

NFC-GLU bonds almost all surfaces — rough or smooth, porous or non-porous. Recommended for bonding nfc, faster.

- WATER-RESISTANT
- UNIVERSAL BOND

BONDS	Rough · smooth · porous · non-porous
BEST WITH	Indowud nfc surfaces
SET TIME	Varies with conditions
USE	Joinery · lamination



INDOWUD NFC · ADHESIVE

GREENPRO

VERIFIED PERFORMANCE

One material. Every claim, tested.

Independent results (National Test House, CIPET, IPIRTI, Spectro & SGS Labs). Applies across the nfc range; values may vary 5% by grade.

PROPERTY	UNIT	RESULT
Density	Kg/CBM	800.3
Water absorption · 24h	%	0.12
Modulus of rupture	N/mm ²	14.5
Modulus of elasticity	N/mm ²	1327
Screw withdrawal · face	N	2252
Tensile strength	MPa	7.6
Compression strength	MPa	40.2
Flame spread (E84)	Index	6
Smoke developed (E84)	Index	100
VOC emissions	Mg/Kg	Below detectable
Termite / fungal / borer	—	No attack

CERTIFICATIONS

GREENPRO

EPD

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

ASTM E84 CLASS 1/A

UL94 V0

LEAD-FREE

ORDER & ENQUIRIES

info@indowud.com · www.indowud.com
Indowud nfc Pvt Ltd · Chennai, India

TOGETHER

**Let's build a world where
beauty and responsibility go
hand in hand.**

ORDER & ENQUIRIES

info@indowud.com · www.indowud.com
Indowud nfc Pvt Ltd · Chennai, India

CERTIFIED

GREENPRO

EPD VERIFIED

