



TEMENOS
THE BANKING SOFTWARE COMPANY

WealthSuite Front Office Portfolio Management

Release WS R20 AMR

User Guide



© 2020 Temenos Software Luxembourg SA

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Temenos Software Luxembourg SA.

Triple'A Plus™ is a registered trademark of the TEMENOS Group of companies. All other trademarks referenced herein are the property of their respective owners.

The Temenos product suites use a number of third-party software products that are distributed under free or other open source licence agreements. These products are the copyright of their respective owners and are governed by their own licensing terms as indicated in the applicable licence, copying, read-me and/or help files for such products. Copies of the relevant licence agreements for these products can be found in the *WealthSuite Front Office - Portfolio Management - Open Source Software Licenses Reference Guide*.



Contents

1	Overview.....	8
2	Understanding the GUI interface.....	9
2.1	Logging into the GUI.....	9
2.2	Main menu.....	10
2.2.1	Menu bar.....	10
2.2.2	Toolbar.....	10
2.3	Tooltips.....	11
2.4	Buttons.....	11
2.5	Mandatory fields.....	12
2.6	Rank field.....	12
2.7	Creating notes using Notepad function.....	12
2.8	Creating denominations using Denomination function.....	12
2.9	Creating synonyms for existing object.....	13
2.10	Screen menus.....	13
2.10.1	File.....	13
2.10.2	Options.....	14
2.10.3	Tools.....	14
2.10.4	Help.....	14
2.10.5	Select screens.....	14
2.10.6	Quick Search.....	15
2.11	Additional menu items.....	17
2.12	Context menus.....	18
2.13	GUI individual settings.....	18
3	Basic concepts of the GUI.....	19
3.1	Accessing the database.....	19
3.2	Domain.....	19
3.2.1	Loading data.....	20
3.2.2	Parameters.....	22
3.3	Formats.....	27
3.3.1	Detailed List format.....	27
3.3.2	Summary List format.....	28
3.3.3	Matrix format.....	29
3.3.4	Domain format.....	30
3.3.5	Zooms format.....	30
3.3.6	Graphics format.....	30



3.3.7	Tables format	31
3.3.8	Switching formats	31
3.4	Folders and documents	32
3.4.1	Creating folders	32
3.4.2	Managing folders	33
3.4.3	Creating documents	33
3.4.4	Accessing/opening documents	34
3.4.5	Managing documents	34
4	File menu	36
5	Tools menu	37
6	Analysis menu	38
6.1	Valuation function	39
6.2	Operations History function	39
6.3	Position History function	39
6.4	Journal of Liquidities function	40
6.5	Return Analysis function	40
6.6	Performance Analysis function	41
6.6.1	Return Analysis	41
6.6.2	Long Term Analysis	41
6.6.3	Performance Attribution	41
6.6.4	Launching the Performance Analysis function	41
6.7	Composite Manager function	42
6.7.1	Launching the Composite Manager function	42
6.8	Reports function	42
6.8.1	Launching the Reports function	42
6.9	Storage Functions function	43
7	Productivity menu	45
7.1	Strategy function	45
7.1.1	Finding a strategy	46
7.1.2	Viewing a strategy definition	47
7.1.3	Modifying a strategy definition	47
7.1.4	Deleting a strategy	47
7.1.5	Copying a strategy	47
7.1.6	Creating a new strategy	48
7.1.7	Editing strategy objectives	48
7.1.8	Editing strategy composition	49



7.1.9	Archiving the strategy	50
7.1.10	Viewing archived historic strategy information	50
7.1.11	Defining strategy objectives using dynamic weight	51
7.1.12	Automatic allocation	52
7.2	Strategy Link	54
7.2.1	Viewing Strategy Link	55
7.2.2	Creating Strategy Link	55
7.3	View Portfolio Objectives	56
7.4	Constraints	56
7.4.1	Trading Constraints	56
7.4.2	Modelling Constraints	57
7.5	Check Strategy function	58
7.6	Reconcile Strategy function	59
7.7	Allocate Order function	59
7.7.1	Loading Data tab	60
7.7.2	Strategy tab	60
7.7.3	Order Generation tab	60
7.7.4	Order Details tab	61
7.7.5	Parameters Details tab	63
7.8	Order List function	64
7.9	Order Entry function	64
7.10	Unmatched Execution List function	66
8	Operation menu	67
8.1	Create Operation function	67
8.2	Create Execution function	68
8.2.1	Execution	68
8.2.2	Global Execution Fee	69
8.3	Create Unmatched Execution function	69
8.4	Operation List function	70
8.5	Event Generation function	70
8.6	Fusion function	71
8.7	Monitoring	72
8.7.1	Sessions Monitoring	72
8.7.2	Batch Result	73
8.7.3	Withdrawal Request	73
8.7.4	Event Scheduler	73
8.8	Special Functions function	74



8.8.1	Copy Operations	74
8.8.2	Archive	75
8.8.3	Archive History	75
8.8.4	Purging Orders	76
9	Administration menu	78
9.1	Main Entities	80
9.1.1	Portfolios	80
9.1.2	Third party	80
9.1.3	Instruments	81
9.2	Reference Data	82
9.2.1	Currency	82
9.2.2	Geographical Area	82
9.2.3	Sector	82
9.2.4	Rating	82
9.2.5	Deposit	83
9.2.6	Calendar	83
9.2.7	Business Entity / Business Organisation	83
9.2.8	Manager	89
9.3	Typology	90
9.3.1	Type	90
9.3.2	Balance Position type	90
9.3.3	Category	90
9.3.4	Codification	91
9.4	Business Rules	91
9.4.1	Valuation Rule	92
9.4.2	Risk Rule	92
9.4.3	Case Rule	93
9.4.4	Performance Rule	94
9.4.5	Compound Order Rule	94
9.4.6	Advisory	97
9.4.7	Taxes and Tax Lots	101
9.4.8	Rules for instrument recommendation levels	102
9.5	Infrastructure	104
9.5.1	External Service	104
9.5.2	Report	105
9.5.3	Notification	105
9.5.4	Change Set	105



9.6	Chrono	109
9.6.1	Portfolio Chrono	109
9.6.2	Third Party Chrono	109
9.6.3	Instrument Chrono.....	109
9.6.4	Compliance Chrono.....	109
9.6.5	Instrument Price	110
9.6.6	Exchange Rate	110
9.6.7	Currency Chrono	110
9.6.8	Compute Instrument Chrono	110
9.6.9	Compute Compliance Chrono	110
9.6.10	Display Compliance Chrono.....	110
9.7	Lists, Classifications, and Grids.....	111
9.7.1	Lists	111
9.7.2	Classifications	114
9.7.3	Grids.....	115
9.8	Security.....	117
9.8.1	Main menu.....	117
9.8.2	Profiles	118
9.9	Configuration	120
9.9.1	Format	120
9.9.2	Screen	121
9.9.3	Constraint Template	121
9.9.4	Case Msg. Template	121
9.9.5	Scripts	121
9.9.6	Function Scripts.....	121
9.9.7	Subscriptions.....	121
9.10	Miscellaneous	122
9.10.1	Corporate Action Definition overview	122
10	Accounting menu	123
11	Funds menu.....	124
12	Help menu	125



1 Overview

This product guide describes how to use Front Office – PM via the standard GUI. The guide is intended for end users and follows in its structure the GUI.

Front Office – PM is an application of great diversity and there is a large number of different ways to use it. On Windows NT systems, users typically interact with the application using either the standard GUI or an in-house set of customised screens. The GUI also runs on Unix systems. In addition, batch files can be used to enter both large and small amounts of data, especially outside of normal working hours. In all these cases, users are accessing the Front Office – PM database to enter, delete and update data, perform calculations and display information, and so on.

For detailed information on the actual business functions, script language, and system parameters, refer to other Front Office – PM user documentation.



2 Understanding the GUI interface

The following topics are covered in this section:

- [Logging into the GUI](#)
- [Main menu](#)
- [Tooltips](#)
- [Buttons](#)
- [Mandatory fields](#)
- [Rank field](#)
- [Creating notes using Notepad function](#)
- [Creating denominations using Denomination function](#)
- [Creating synonyms for existing object](#)
- [Screen menus](#)
- [Additional menu items](#)
- [Context menus](#)
- [GUI individual settings](#)

2.1 Logging into the GUI

To run the Front Office – PM application on a Windows NT machine:

1. From your Windows NT desktop, click **Start > Triple'A**. Note that the option can have a different name depending on your environment. There may also be a submenu indicating the different Front Office – PM environments on your network.

The login dialog box is displayed.

2. Enter your name and password in the appropriate fields and click **OK**.

The **Login** screen is displayed.

Note that passwords must be changed regularly and you cannot by default re-use any of your last five passwords.

The **Login** screen tells you which environment you are in (on some sites there are several) and, as long as the correct system parameter is defined to display the information, you will also see the User, SQL Server, Main Database, and Financial Server names. The **About** screen, accessed by clicking **Help > About** from the main menu bar, provides additional information such as the names of third party products embedded in Front Office – PM. Similar to the **Login** screen, the **About** screen displays the User, SQL Server, Main Database, and Financial Server names if the correct system parameter is defined to do so. For more information about which system parameter is used to configure the Login and About screens, refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide*.

The software release number is only displayed once you have logged in to the system. The metadictionary and system parameters are automatically loaded and the Front Office – PM main menu bar is displayed.

There are other ways that you can log into the GUI:

- You can enter your user name and password in the Run dialog box (**Start > Run**) if you use the following command:


```
C:\Program Files\Odyssey\Tools\Starter.exe QA-8 I:\APPLIC~1\Triple-  
A\Version\Current\BIN\GUI.EXE -KVersion -UXXX -Pxxxxxx
```

The -U and -P switches are the user name and password.



- If you use a shortcut on the Windows desktop, you can enter a similar command in the **Target** field of the shortcut's properties (create the shortcut, right-click it to choose **Properties** and click the **Shortcut** tab). **This is, however, not recommended and can lead to security problems as your user name and password are accessible to third parties.**

2.2 Main menu



The main menu provides access to all functions of Front Office – PM. It is composed of two parts:

- [Menu bar](#)
- [Toolbar](#) (containing the command icons)

2.2.1 Menu bar

The menu bar has several main options, each containing several commands and submenus. You can use the mouse to choose an option or press the [ALT] key followed by the underlined letter in the option name. For example, to access the **File** menu on the menu bar, you can press the [ALT] key followed by the letter [F] ([ALT] + [F]) or simply click **File**. A menu appears displaying all the commands (or options) in the **File** menu.

Note that once a menu is selected, you can use the arrow keys to go from one option to the next (up and down arrow keys) or from one main menu to the next (left and right arrow keys).

2.2.2 Toolbar

The toolbar contains the following icons that represent the main user commands. Clicking on the icon will execute the command.

	Valuation
	Operation History
	Journal (of Liquidity)
	Return Analysis
	Reports (Report generation)
	Operation List
	Check Strategy



Strategy Reconciliation




Allocate Order



Order Entry

2.3 Tooltips

When you position the cursor over an icon, a tooltip (or short text describing a function) appears with the name of the command:



2.4 Buttons

The GUI contains the following buttons:

Button	Function
View	Opens data in read-only mode.
Create	Creates a new element in a table.
Copy	Creates a copy of the data and presents it to be edited.
Modify	Opens data in write mode.
Delete	Deletes data permanently from the database.
Search	Starts a detailed search.
Browse	Opens the Select Instrument List screen which displays all the existing instrument lists.
OK	Executes a business function, generate a report, or saves the data to the database and closes the screen. It is replaced by the screen of the requested business function.
Save	Saves the data to the database and leaves the current window open. Note that in many cases buttons are disabled until you click Save button. When you click Save button, you save your settings to the database and enable the greyed buttons. In database terminology, the buttons allow access to a number of subtables. Attributes such as notepads, denominations and synonyms are a common case where you are required to use the Save button to access them.
Apply	Executes a business function or generates a report. The screen of the specified business function appears. Note that the Domain screen remains displayed.
Cancel	Cancels the business function or report and returns to the main menu.



2.5 Mandatory fields

When you create a new object, some fields are labelled in red. This means that they are mandatory fields and must be completed. If you try to save an element without completing a mandatory field, a warning is displayed and the cursor is positioned on the field requiring a value.

2.6 Rank field

In some cases, when a new object is created, a mandatory field **Rank** is displayed. The rank lets you assign priorities to the objects in a database table. You can use this priority to display reports and formats in a particular order or to sort elements in an **Administration** screen.

2.7 Creating notes using Notepad function

The Notepad is an application-wide utility. You can use it to enter text describing an object. Each note you write with the Notepad is identified by date and type. The Notepad function lets you make notes of client visits or telephone calls and add remarks on specific securities, company results or analyst comments.

To create a note:

1. In the **Select** screen, click **Modify**.
The **Modify** screen is displayed.
2. Click the **Notepad** button.
The notepad messages already linked to the object are listed in the **Select Portfolio Notepad** screen.
3. Click the **Create** button to add a new notepad message.
The **Create Portfolio Notepad** screen is displayed.
4. Complete the **Note Date**, **User**, and **Type** fields, and enter the note text in the **Note** field.
5. Click **OK** button to save the notepad and to return to the previous screen.

2.8 Creating denominations using Denomination function

The Denomination function changes the name of an object to the user's language. It also allows you to add descriptions of the database objects you create.

To create denominations:

1. In the **Select** screen, click **Modify**.
The **Modify** screen is displayed.
2. Click the **Denomination** button.
The denominations already linked to the object are listed in the **Select Currency Denomination** screen.
3. Click **Create** button to add a new denomination.
The **Create Currency Denomination** screen is displayed.



3. Complete the **Language** and **Denomination** fields.
4. Click **OK** button to save the denomination and to return to the previous window.

2.9 Creating synonyms for existing object

Synonyms let you accommodate more than one coding convention for the same object. Security codes, for example, can originate from different sources such as Reuters, Excel, or Telekurs. You can use synonyms to identify objects by reference to more than one code.

To create a synonym for an existing object:

1. In the **Select** screen, click **Modify** button.
The **Modify** screen is displayed.
2. Click **Synonym** button.
The Synonyms already linked to the object are listed in the **Select Instrument Synonym** screen.
3. Click **Create** button to add a new synonym.
The **Create Instrument Synonym** screen is displayed.
4. Complete the **Codification** and **Code** fields.
5. Click **OK** button to save the synonym and to return to the previous window.

2.10 Screen menus

When you choose an option from the **Administration** menu, the screen that opens contains its own main menu. The options in this menu are specific to the entity-type selected. In other words, the available menu options depend on the type of screen you are using. Details of these menus are given in the following sections:

- [File](#)
- [Options](#)
- [Tools](#)
- [Help](#)
- [Select screens](#)
- [Quick Search](#)

2.10.1 File

Option	Description
Page Setup	Modifies the page parameters (e.g., the paper size and orientation).
Print	Prints the current entity to a specific printer or file. Front Office – PM does not allow printing a range of pages, therefore, all pages are printed.
Copy to Clipboard	Copies the current data selection to the Clipboard. You can then paste the copy into other applications.
Copy Window to Clipboard	Allows you to select a window with the mouse. The selected window is copied to the standard clipboard and can be directly included in any documents.



Option	Description
Copy Area to Clipboard	Allows you to select an area on the screen with the mouse. The selected area is copied to the standard clipboard and can be directly included in any documents.
Save	Saves the current entity definition while keeping the active screen open.
Save & Close	Saves the current entity definition and closes the active screen.
Close	Closes the active screen without saving any modifications that you may have been made.
New Session	Launches a new GUI session beside the current one. The new session is launched with the same user credentials and does not require any authentication input. You have the choice to keep the previous session or to close it.

2.10.2 Options

Option	Description
Save	Specifies how the Save function operates. The three possibilities are: • Create & Keep: When a record is saved, the status of the function simply changes to 'modify' and the details of the active record remain on screen. • Create & Clear: When a record is saved, the screen is cleared to let you enter new records. • Create & Copy: When a record is saved, Front Office – PM makes a copy of the original record so you can modify it later if you want.
Print	Defines how entity names are printed. Choose from one of the following: • Print with Code: Prints using the GUI field labels. • Print With SQLName: Prints using the SQL name.

2.10.3 Tools

Option	Description
Modify Business Key	Lets you edit the identification fields of an entity.
Edit Input Control	Lets you edit the nature of the values that can be entered in the fields using the Script Language. For further details refer to the <i>WealthSuite Front Office - Portfolio Management - Script Language Reference Guide</i> .

2.10.4 Help

Option	Description
On Window	Displays help that is specific to the active screen.
On Topic	Displays help that is specific to the selected topic.
On Item	Lets you place a question mark cursor (?) over a specific field to obtain relevant help.

2.10.5 Select screens

When you use a **Select** screen to locate an element or list of elements, several options are available. The following screenshot is the **Select Instrument** screen for an instrument or list of instruments (**Administration > Instrument**):




Field	Description
Nature	Lets you select the Instrument nature (stock, fixed income, option, cash account, etc.) from the drop-down list (displayed by clicking the down arrow on the right). All the instruments of the chosen nature are then displayed. You can select All to display all the objects in the Instrument table.
List	Lets you select a list of instruments. You can enter the name of the list directly or click the Browse button (...) to browse for a list. Clicking the Browse button opens the Select Instrument List screen which displays all the existing instrument lists.
Blank fields	The blank fields at the bottom of the screen let you perform a quick search (the Search button is for detailed searches). Type the initial alphanumeric character(s) of the code, name (second blank field in the screenshot) or denomination (third blank field in the screenshot) you are looking for and press the [TAB] key on the keyboard. The search function immediately displays all the instruments whose name or code begins with the characters you entered. You can also use the wildcard character (*) to display all the instances of an object (instruments, operations, etc.).

2.10.6 Quick Search

The **Search** button on many screens lets you search for specific data occurrences. A search screen opens, which displays all attributes of the entity on which the search is conducted. Depending on the attribute type, the right-hand side of the search screen allows for the selection of the values with number ranges, texts, or selection from enumerations.

You can select several attributes in one search. These will be combined with an AND conjunction.

The following screenshots illustrate a quick search on format:



2.10.6.1 Exhaustive list of quick search entities

- Balance Position Type
- Calendar
- Classification
- Constraint Template
- Corporate Action
- Deposit
- FT Convention
- Format
- List
- Login History
- Modelling Constraint
- PSP Position Data
- Report
- Screen
- Search Criteria
- Search Criteria Compo
- Search Profile
- Search Profile Compo
- Trading Constraint
- User
- Valuation Rule

2.10.6.2 Difference between menu actions Refresh and Reset to default selection

When the user performs a quick search, it is difficult, but not impossible, to retrieve the initial situation (i.e., the default selection). To return to the default selection, go to menu **File > Reset to Default Selection**.

- The menu option **Refresh** refreshes the selection screen but does not change the current selection mode (e.g., list, pattern, simple search). The shortcut is the <F5> key.



- The menu option **Reset to def. Selection** changes the current selection mode to a simple select.

2.11 Additional menu items

The following options are available from the **Select** screen menu. These are in addition to those detailed in section [Screen menus](#).

Menu	Description
File > Refresh	Lets you refresh the selection criteria fields.
Edit > View	Displays the selected element's details. You cannot modify data with this option.
Edit > Create	Creates a new element in a table. When you choose this option, the master file of the element is displayed. You can also click the Create button or press [CTRL] + [N]. There are three forms of Create: • Create and Keep: When you click the Save button, the object remains on the screen in Modify mode. To create another object, you must click OK button or Cancel button to close the window and then click the Create button in the Select window. • Create and Clear: When you click Save button, the screen is cleared to let you create a new object immediately. • Create and Copy: When you click Save button, you can create a new object that is a copy of the previous object. In a Front Office – PM screen, when you want to create a new entity, for example a portfolio, you first have a screen, a list of portfolios, from which you select a portfolio to copy, using the Copy button. Then in the Create Portfolio screen all fields are filled with the selected portfolio. With the Save button, you create a new portfolio that is the copy of previous portfolio.
Edit > Copy	To copy an element to a table. Either click the Copy button or press [CTRL] + [C]. If the copied object has logical attributes, for example, an instrument with various events, Front Office – PM can also copy them. This can be done both manually and automatically. If the process is automatic (see Option>Copy), a default list of logical attributes is copied. If you perform the copy manually, you can choose the logical attributes you want to copy.
Edit > Copy Logicals	You can also specify one object and copy the logical attributes from a different one. In this case, the Copy Instrument Logicals screen is displayed. In the top part of the screen, you can enter the name, code or denomination of the object whose logical attributes you want to copy in the From field. Enter the target object's name in the To field. If necessary, you can browse for these objects using the browse buttons (...). The lower part of the screen shows the logical attributes that can be copied from one object to another. Some attributes are marked by default and are copied if you do not deselect them. To deselect logical attributes, click the tick in the first column. Click the same column to select the items you want.
Edit > Modify	Modifies the master file of an existing object. You can also click the Modify button or press [CTRL] + [E].
Edit > Delete	Deletes an existing object. You can also click the Delete button or press [Del] on the keyboard.
Option > Codification	Selects an alternative codification scheme for object codes. This lets you use coding schemes like Reuters' or Telekurs'. Note that the internal code is used if no synonym for an alternative codification scheme has been defined.
Option > Copy	Defines if the copying of elements is Automatic or Confirmed.
Option > Sort	Sorts objects by Code, Name or Default.
Option > Find	Finds an object in the current list.



Menu	Description
Tools > Use Screen	Enables a pre-defined screen. The screen must be defined in a screen format and you must have assigned the appropriate Screen Format Profile in your user profile.
Tools > Quick Search	Searches for objects on the basis of their attributes. Opens the Quick Search screen. There, the left side of the screen shows the attribute objects that can be included in the search. The right side of the screen displays the possible values, or search criteria, that you can associate with the object attributes. Click an attribute to select it on the left side of the above screen. The search will take account of all the selected attributes and return a list of objects that correspond to the search criteria specified in the right side of the screen. To retrieve all the objects that do not correspond to the search criteria, select the Not checkbox. For some attributes a Null Value checkbox appears. Select this checkbox to include objects of which the selected attribute has a NULL value. The Clear All button clears the screen of both attributes and search criteria. The Clear button clears the screen of search criteria only. The Save List button lets you save modifications to existing search lists or create new lists with the nature Search. If the list is new, a List window appears so you can enter the Code, Name and Data Security Profile of the new list.
Tools > Modify Nature	This option is only available for Instruments and lets you modify the nature of the instrument selected.

2.12 Context menus

Context menus are menus that pop up when you right-click on the screen with the mouse. Context menus usually contain options that can be found in the main menu of the screen. In some cases, the context menu contains extra options as well as allowing access to the most relevant main menu options. Typically, the options include a selection of the following, depending on the element-type you right-click:

- Edit Details
- Select Date/Select Notepad
- Default Values
- Filter
- Help On Item

You can right-click certain entry fields in some **Function** screens to display a context menu with options that correspond to the type of field.

You can create new instruments from a context menu in all the operation administration and user-defined screens. Once you save the instrument, it becomes the instrument of the operation. If a simplified screen for instrument creation is associated with your user screen profile, it is proposed to you as default. This also applies to any kind of foreign key, not just instruments.

2.13 GUI individual settings

The GUI user context is saved each time you quit the GUI. This means that when you start Front Office – PM again, it comes up with the same settings you had in your previous session.



3 Basic concepts of the GUI

The following topics are covered in this section:

- [Accessing the database](#)
- [Domain](#)
- [Formats](#)
- [Folders and documents](#)

3.1 Accessing the database

When you use the GUI client, you are in fact communicating with the Front Office – PM database installation on the server. The GUI lets you do this by means of data entry and results screens. The data entry screens contain labelled data entry fields that let you enter the data you want to send to the database. There are four types of fields:

Field type	Description
non-editable	You cannot complete non-editable fields. Front Office – PM completes them automatically.
insert/update	You can complete these fields and update them when you want.
insert	Once insert fields are completed, they cannot be changed.
insert/update/filter	Same as insert/update fields except that the value entered must correspond to the filter placed on the field.

There are two main types of data entry screens:

- Domain
- Select

Select screens let you choose from lists of existing database objects. **Select** screens typically contain the following buttons: **View**, **Create**, **Copy**, **Modify** and **Delete**. You can use these buttons to make changes to the database directly. See section [Select screens](#) for more information.

When you validate a Domain screen, Front Office – PM typically returns a list screen containing the information you requested. The list screen can show either a summary list of information or a detailed list. The type of list returned depends on your data format profile. A data format profile is associated with each user. Formats are described later in section [Formats](#).

Formats not only define list screens, they can also define grids, matrices and the graphical representation of data, for example, pie and bar charts.

The key to retrieving this information is the data you enter in the **Domain** screen.


3.2 Domain

The domain is the structure that lets you specify the criteria required to run a business function or to produce a report. The domain lets you choose the way you want to view the data (the different possible views are always only partial views compared to the total amount of data in the background database tables). The domain structure has three main dimensions (you can specify additional parameters):

- Portfolio
- Instrument



- Time



The domain screen depends on the business function you are running. Typically, it contains tabs that are described in the following sections:

- [Loading data](#): contains the main dimensions of the domain structure
- [Parameters](#)

3.2.1 Loading data

When you run a command from the menu that takes a domain structure as a parameter, the Loading Data tab is displayed:

The fields on the Loading Data tab are as follows:



Field	Description
Portfolio Dimension	This field lets you select or enter the portfolio, or group of portfolios, whose data is retrieved when you run a business function or produce a report. The different options in the drop-down list are: • All Portfolios: Retrieves data belonging to all the portfolios in the database. You must select All Portfolios in the Portfolio Dimension field. • List: Retrieves data belonging to a defined list of portfolios. You must select Portfolio List in the Portfolio Dimension field and enter the portfolio list code. You can also click the Browse button (...) to select a portfolio list from a list. Note that the Browse button opens a Select screen with a list of portfolio lists. • Portfolio: Retrieves the data for one portfolio only. You must select Portfolio in the Portfolio Dimension field and enter the portfolio code. You can also click the Browse button (...) to select a portfolio from a list. Note that the Browse button opens a Select screen with a list of portfolios. • Quick Search: Displays the Quick Search screen when you click the Browse button (...). • Third Party: Retrieves data for all the portfolios that belong to a specific customer. You must select Third Party from the Portfolio Dimension list and enter the Third Party's code. You can also click the Browse button (...) to select a customer from a list. Note that the Browse button opens a Select screen with a list of third parties, including customers. This value is related to the Client Portfolios Load available in the Parameters tab (see section Parameters for more details). Note that whichever option you select in the Portfolio Dimension field, only the portfolios to which you are allowed access in your User Profile can be retrieved from the database.
Instrument Dimension	The Instrument Dimension fields let you select a specific security, or group of securities. There are four options: • All Instruments: Retrieves data for all the instruments stored in the database. • Instrument: Retrieves data for one instrument only. You must select Fin. Instrument in the Instrument Dimension field and enter the instrument code. You can also click the Browse button (...) to select an instrument from a list. Note that the Browse button opens a Select screen with a list of instruments. • List: Retrieves data for a defined list of instruments. You must select Instrument List in the Instrument Dimension field and enter the instrument list code. You can also click the Browse button (...) to select an instrument list from a list. Note that the Browse button opens a Select screen with a list of instrument lists. • Quick: Displays the Quick Search screen when you click the Browse button (...). Note that for performance reasons you cannot select a domain where the Portfolio Dimension is set to All Portfolios when the Instrument Dimension is set to All Instruments. If you need such a report, you must create a portfolio list containing all the portfolios in the database and specify the list in the Portfolio Dimension.
Initial Date	Complete this field with: • The date at which you want to value positions using the Valuation business function. • The date from which you want the operations to be taken into account when you use the Operations History business function or the Operation List command. • The date from which you want to project the future flows in the Journal of Liquidities. • The date from which you want to calculate a Return or Performance - Short Term Analysis.
Final Date	Complete this field with: • The date until which you want the operations to be taken into account when you use the Operations History business function or the Operation List command. • The date until which you want a Journal of Liquidities to run. • The date until which you want to calculate a Return or Performance.



Field	Description
Reference Date	Enter the effective date on which the cashflow forecast begins when you use the Journal of Liquidities function (Analysis->Journal of Liquidities). The data displayed between the Initial Date and the Reference Date is historical data, provided that the Initial Date is less (or earlier) than the Reference Date. To enter the start date for the Long Term Analysis, use the Performance Analysis function; see the Loading Data tab section. This date should be before or on the Initial Date. For the period between the Reference Date and the Initial Date, you will only get results if data has been stored previously. No online computation is executed for this period.
Default Parameters	
Currency	The Currency field specifies the currency to be used as the reference currency when you run a business function. The Forced Currency flag only applies when you run a business function for a group of portfolios in Tiled mode. Clear the Forced checkbox beside the Currency field to set the flag to Forced. This means that the currency used for each portfolio in the group is the one specified in the Domain screen. Check the Forced checkbox if you want to use the Currency defined in each of the portfolios in the list to perform the business functions.
Language	The Language field defines the language used for reports. The Forced Language flag only applies when reports are produced for a group of portfolios in Tiled mode. Clear the Language Forced checkbox to use the language specified in the current Domain screen for all the portfolios in the list. Select the Forced checkbox to use the language defined in the portfolios themselves.
Minimum Status Maximum Status	Each position in the portfolio or portfolio list has a Status derived from the Status of the Operation. The Status fields have a range of ten possible values. You control the scope of the business function by selecting both a Minimum and a Maximum status in the Domain screen. For example, as a portfolio manager you can enter a number of Buy operations with the status Simulation to note the effect on the overall composition of the portfolio. If you then want to generate a portfolio Valuation that only takes real positions into account, you can adjust the Minimum status value to exclude simulated operations.
Portfolio Position Set The purpose of the Portfolio Position Set (PPS) is to report different accounting and valuation rules, for the same portfolio data. Then you do not have to duplicate operations and create new copies of portfolios manually. Each operation can generate as many accounting entries as there are PPSs, in addition to the entries in the main portfolio. You can create an unlimited number of PPSs for each portfolio.	
Loading Rule	Specifies if the business function is to be run using a PPS or not. The options are: - No PPS: no PPS is loaded so the portfolio data is displayed by default. - Load PPS or Default: Loads a specific PPS to which the main Portfolio is linked or the default PPS defined at Portfolio level if none is selected. - Load PPS: Loads a specific PPS to which the main Portfolio is linked.
Type	Specifies the type of PPS to use.
Consolidation Ptf	Loads a specific PPS. Enter the name of the Consolidation Portfolio directly or click the Browse button (...) to browse for it.

3.2.2 Parameters

You can define additional parameters for the domain on the Parameters tab. The following **Domain** screen is displayed when you click the Parameters tab:



Domain - Valuation

Loading data **Parameters**

Consolidation

- ☐ Merged
- ☐ Detailed
- ☐ Tiled
- ☒ Merged Hierarchy

Risk View

Fund Splitting:

Accounting View: ☐

Option Risk:

Cash Flow Management:

Cash Flow Management:

Other Options

Excl. Zero Pos: ☐ Excl. Pos: ☐

Merge Status: ☒ Keep Sub-Pos: ☐

Keep Positions: ☐ No Non-Discret: ☐

Exclude Debts: ☐

Load Hierarchy:

Fusion Rules

Fusion Rule:

Position Logical Id:

Fusion Date Rule:

Valuation Rules

Quote Valuation Rule:

Exch. Valuation Rule:

Position Valuation Rule:

Ext Pos List:

Return Detail

P&L Method:

Detail Level:

Grid:

Sub-Grid: ☐ No

Compute Data

Compute Data:

Function Result:

Display Result Flag: ☒ Yes

Client Portfolios Load

Client Portfolio:

Ownership Rule:

Buttons: OK, Apply, Cancel

The fields in the Parameters tab are as follows:

Field	Description
Consolidation	The Consolidation is only taken into account when a business function is run for a group of portfolios. One of the following is active: - Merged: All the data in the group of portfolios is merged or, in other words, the portfolio group is treated as a single portfolio. - Detailed: In Valuation, each portfolio (parent or child portfolio) is displayed individually. In Check Strategy, Return and Performance, the consolidation occurs at the hierarchy head. - Detailed Children: Specific for Return and Performance - each portfolio (parent or child portfolio) is displayed individually. - Merged Hierarchy: Specific for Valuation and Check Strategy - The consolidation occurs at the level of the hierarchy head - Merged TWR: Specific calculation method for Performance Analysis. - Tiled: For Reporting only - one global report is produced, containing a separate report for each portfolio - Burst: For Reporting only - produces a separate report for each portfolio.
Risk view	
Fund Splitting	Select Splitting to display the underlying assets of a fund. The components of the fund must be stored in the Front Office – PM database. Select None to value the portfolio on the basis of the fund share or Splitting to value it on the basis of the underlying assets of the fund.
Accounting / Risk View	Displays the securities held in a portfolio (Accounting View) or their underlying exposure (Risk View). For example, a portfolio valuation can show an option held or show the underlying exposure of the option.
Option Risk	Values an option according to one of three risk valuation methods. The risk valuation methods are: - No exposure: only the option appears - Full exposure: shows the underlying exposure and the cash counterparts - Delta exposure: the market value of the underlying exposure is determined by the delta
Cash Flow Management	



Field	Description
Cash Flow Management	This parameter permits to manage income generated by exercised dividend but not already paid. It can take the following values: • <None>: Means that exercised but not paid dividends are never accrued in financial functions, regardless the value set at portfolio and system parameter levels. This is also the parameter's default value. • All: Means that dividends are accrued from ex-Date until Payment Date for Stocks and Fund Shares. • Default: Dividend Accruals treatment depends on Portfolio's attribute Dividend Accruals. • Stocks: Means that only dividends of stocks are accrued. • Fund Shares Means that only dividends of fund shares are accrued.
Other Options	
Include/Exclude Zero Positions	Includes or excludes positions where the quantity is currently zero. This option lets you include previously held positions even though they are currently set to zero.
Keep/Merge Status Fusion	Merges or keeps separate positions in an instrument where the status of each position is different. You can use this feature for simulation purposes, for example. When you choose the Merge Status option, the positions are merged according to the system parameter setting.
Keep/Close Position Closing	Merges or keeps separate negative and positive positions of the same instrument in the event of a consolidation.
Include/Exclude Debt	Includes or excludes debt positions.
Load Hierarchy	Determines, in cases where the selected portfolio is part of a portfolio hierarchy, if other members of the hierarchy are loaded as well. • No: Only the positions of the selected portfolio are loaded. • From Parent: Top-down approach. The positions of child portfolios are also loaded. • Full: Bottom-up approach. The positions of parent and child portfolios are loaded.
Include/Exclude Position	Only applies to the Operation History and Operation List functions. Select the checkbox if you require the opening and closing positions for instruments in the selected period. Clear the checkbox if you are simply concerned with flows. Note that processing is faster when the flag is set to Exclude Pos.
Keep/Merge Sub-Pos	Select the checkbox if you want to keep sub-position types separate. Clear the checkbox to merge them.
Load/No Non-Discret	Loads the portfolios belonging to the hierarchy below the portfolio(s) specified in the domain. Note that only child portfolios with the Non-Discretionary nature are returned. This checkbox is complementary to the Load Hierarchy setting.
Fusion Rules	
Fusion Rule	Fusion is the merging and closing of positions and balance positions. The Fusion Rule defines the basis on which the positions and balance positions are merged and closed. This is not a data entry field. It displays the fusion rule that is applied to the portfolio specified in the current domain screen. The possible Fusion Rules are: • None: If no rule is defined at this level then the rule applied is the one specified in the application parameters. Refer to the <i>WealthSuite Front Office - Portfolio Management - System Management Guide</i> for a description of the system parameters. • WMP: Positions are merged by Weighted Mean Price. • FIFO: Positions are not merged and accounting is made on the basis of First In First Out. • LIFO: Positions are not merged and accounting is made on the basis of Last In, First Out. • High Cost: Positions are not merged and accounting is made on the basis of the position with the highest acquisition cost. • Low Cost: Positions are not merged and disposals are made on the basis of the position with the lowest acquisition cost.



Field	Description
Position Logical Id	Determines how two positions are matched in order to merge them in the fusion process. This feature is only relevant when the WMP fusion rule is applied (where positions can merge). Positions can only merge when certain elements of the positions match. The Position Logical Id Rule determines which elements must match for positions to merge. The possible values for the Position Logical Id Rule are as follows: • Default: The rule set at the portfolio level applies. If no rule is set at the portfolio level, the rule specified in the application parameters applies. Refer to the <i>WealthSuite Front Office - Portfolio Management - System Management Guide</i> for more details. • Basic: The positions are merged if the portfolio code and the instrument code match. • PosCurr – Basic + Position Currency: For the positions to merge, the Basic Rule must be satisfied and the position currency code of the positions must be the same. • Deposit - Basic + Deposit: For the positions to merge, the Basic Rule must be satisfied and the deposit code of the positions must be the same. • PossCurr/Deposit - Basic + Position Currency + Deposit: For the positions to merge, all the above elements must match.
Fusion Date Rule	Each operation has three different date types: Operation Date, Accounting Date and Value Date. The Fusion Date Rule, which can be set at either the portfolio or the system level, defines the date at which fusion takes place (i.e., the date at which a position becomes part of the portfolio). The possible values for the Fusion Date Rule are as follows: • None - The rule set at the portfolio or system level applies. • Operation Date • Accounting Date • Value Date Note: Moving to GIPS compliance requires the full disclosure of position merging. Accordingly, the Fusion Date Rule functionality has been adapted for full GIPS compliance without affecting past transactions. Refer to the <i>WealthSuite Front Office - Portfolio Management - Operations, Positions, and Fusions Reference Guide</i> for more information.
Quote Valuation Rule	Defines the Quote Valuation Rule, which should be used for the retrieval of instrument prices.
Exchange Rate Valuation Rule	Defines the Exchange Rate Valuation Rule, which should be used for the retrieval of exchange rates.
Position Valuation Rule	Specifies where the position value records are to be loaded, if at all. Select one of the following: • Nothing to load, default value • Load at the Initial Date • Load at the Final Date • Load at the Initial Date and Final Date • P&L Rule: Specifies in which counters (balance positions) the P&L is generated by the fusion for a specific portfolio or PPS. This rule nature lets you override the default P&L counters specified by the corresponding system parameters.
Return Detail	
P&L Method	Two possible values: • Standard: The P&L counters are computed according to the usual method. • Market Value P&L: On a return analysis, the profit and loss counters are computed online as the difference between the market value at the Initial Date and the market value at the Final Date of the domain. With this method, the cost price of the position is no longer used to compute the P&L counters. The market value at the Initial Date of the domain is copied to the net cost value of the position during the processing.



Field	Description
Detail level	Indicates whether the results are shown at the portfolio level, the grid level or the instrument level. In the case of grid level, one may either specify a grid, or leave blank, in which case the process will use the grid(s) defined at the portfolio, third party, or list level, depending on the portfolio dimension specified above. "Use PSP" only applies to the Performance Analysis function. This setting enforces the use of pre-calculated data and will use override the selected grid by the grid of the PSP.
Compute data	
Compute data	Defines if the computed data replaces old data and is displayed and saved or not. The options are: - OnLine: Computed data is displayed on-screen but not stored in the database. This is the default setting when Check Strategy is used for a single portfolio. - Compute New: New computed data is stored in the database as a new function result - Replace Old: New computed data will replace an old function result that is selected in the Function Result field - Use: The displayed data is associated with an existing function result, selected in the Function Result field - Delete: Deletes all the data related to a specific function result - Delete All: Deletes all the data related to all the function results
Function result	Reference of the computed data.
Display Result Flag	When the Compute New or the Replace Old option is selected, you can select the checkbox to display the results on the screen.
Client Portfolios Load If the Portfolio Dimension of the domain is set with the value Third Party (see section Loading data), the Client Portfolios Load specifies the way the customer is related to the portfolios. The schema below shows the different possibilities:	
Case 1: Direct link	
Case 2: Indirect link	
Case 3: Direct & indirect links	
Client Portfolios	Specifies the type of the link between the portfolio and the third party. This field is editable only if the value of Portfolio Dimension is Third Party. The options are: - All: All portfolios, linked directly or indirectly to the third party, will be loaded. The Ownership Rule field specifies the role associated to the indirect link. - Direct: Only portfolios, linked directly to the third party, will be loaded. - Indirect: Only portfolios, linked indirectly to the third party, will be loaded. The Ownership Rule field specifies the role associated to the indirect link.



Field	Description
Ownership Rule	Specifies the role defined on the indirect link between the portfolio and the third party. The field's value is taken into account only if the Client Portfolios is indirect. It is editable only if the value of Portfolio Dimension is Third Party. The options are: • Full Ownership: Only portfolios on which the third party is linked indirectly with the role Full Ownership will be loaded. This value is inherited from the third party composition, used to make the indirect link between the portfolios and the third party. • Bare Ownership: Only portfolios on which the third party is linked indirectly with the role Bare Ownership will be loaded. This value is inherited from the third party composition, used to make the indirect link between the portfolios and the third party. • Usufruct: Only portfolios on which the third party is linked indirectly with the role Usufruct will be loaded. This value is inherited from the third party composition, used to make the indirect link between the portfolios and the third party.

3.3 Formats

The purpose of formats is to determine which data is computed and displayed for each business function and the manner in which the data is displayed. Formats are fully configurable windows that are grouped into format profiles. A format profile is then assigned to a user. A format profile can be unique or customised for a particular type of user. A profile can contain a suite of formats tailored to the individual's work. Tooltips with the format name are displayed when you position the cursor over a format icon.

Format screens contain appropriate menus that depend on the specific format being used. The following format types are available:

- [Detailed List](#)
- [Summary List](#)
- [Matrix](#)
- [Domain](#)
- [Zooms](#)
- [Graphics](#)
- [Tables](#)

You can easily switch from one format to another (see section [Switching formats](#)).

3.3.1 Detailed List format

The Detailed List displays portfolio data in a non-summarised form. For example, in the Valuation business function, the Detailed List format shows the instruments held in a selected portfolio with the corresponding holdings. Each page of the Detailed List corresponds to a different instrument nature (Fixed Income, Stock, Option, Cash Account, Money Market, Future, Exotic Option, etc.). Click the little browse arrows on the right showing the page numbers to go from page to page. The screenshot shows page 1 of 4 pages. The preceding numbers show the selected row (5 in this case) out of the total number of rows (17). Right-click the selected row to display the context menu and access the business functions:



Valuation - T_AI_AC_PTF2 - All Instruments

Portfolio: T_AI_AC_PTF2 Date: 17/08/2011

Min: Accounted truments Merge Status: ☒

Max: Accounted Currency: CHF Swiss Franc

Valuation & Position Details - Format for Valuation Details and Position Details

DSP_id	Id (for calculation)	Status	Portfolio	Nb. of Pos	Hierarchy Head	Hierarchy String
10	-24	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-23	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-3	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-14	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-13	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-16	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-17	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-26	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-22	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-4	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-12	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-19	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]
10	-11	Accounted	N_AI_AC_PTF2.....e	1	N_AI_AC_PTF2.....e	N_AI_AC_PTF2.....end[HIERLEVT_AI_AC_PTF2]

27

Print Close

3.3.2 Summary List format

The Summary List displays portfolio data in a summarised form. Each line of data (e.g. holdings in a valuation) is consolidated according to a pre-defined criterion: for example, asset class where each asset class is consolidated by geographical zone.



Valuation - T_AI_AC_PTF2 - All Instruments

Currency exposure

Portfolio: T_AI_AC_PTF2

Min: Accounted Instruments

Max: Accounted Currency: CHF Swiss Franc

Summary List- Currency exposure

Currency	Unhedged Exposure	MV (%)	Hedged Exposure	MV (%)
CHF	1,500,000.00	74.68%	1,500,000.00	74.68%
JPY	460,263.24	22.92%	460,263.24	22.92%
T_AI_CHF_57043	56,446.67	2.81%	56,446.67	2.81%
T_AI_CHF_57046	59,463.06	2.96%	59,463.06	2.96%
T_AI_CHF_57049	55,780.00	2.78%	55,780.00	2.78%
T_AI_CHF_9478	83,250.00	4.14%	83,250.00	4.14%
T_AI_CHF_9499	75,947.50	3.78%	75,947.50	3.78%
T_AI_CHF_AC_PTF2	-6,641,091.25	-330.64%	-6,641,091.25	-330.64%
T_AI_CHF_BAER	5,040,000.00	250.93%	5,040,000.00	250.93%
T_AI_CHF_KUD	48,500.00	2.41%	48,500.00	2.41%
T_AI_CHF_NESN	354,000.00	17.62%	354,000.00	17.62%
	2,008,543.84	100.00%	2,008,543.84	100.00%

Print Close

3.3.3 Matrix format

Matrices break portfolio data down according to two criteria. For example, you can view a globally invested portfolio by Instrument nature and Currency to ascertain the portfolio composition from the perspective of these two criteria.



Valuation - T_AI_AC_PTF2 - All Instruments

Portfolio: T_AI_AC_PTF2

Min: Accounted Instruments

Max: Accounted Currency: CHF Swiss Franc

Matrix - Risk exposure by currency

	CHF	EUR	GBP	Total
Equity	314.97%	3.05%	0.76%	401.96%
Interest 0-2 years		0.79%	1.08%	10.27%
Interest 3-6 years	5.77%			5.77%
Other	-245.26%	-3.48%	-1.80%	-318.00%
Total	75.48%	0.36%	0.05%	100.00%

Print Close

3.3.4 Domain format

Formats contain screen headers showing the main criteria (specified in the Domain screen) that are used to produce the screen display:


Portfolio	qbe_ord1	Currency	CHF
Instrument		From Date	05/11/2002

3.3.5 Zooms format

Zoom formats are boards that can be displayed when an element of another format (summary or detailed list) has been selected. Typically, the displayed information is related to the selected element and appears at a predefined place.

3.3.6 Graphics format

Graphic formats are a useful way of presenting high-level portfolio data, for example, the currency exposure of a portfolio or group of portfolios.



The graphic formats available in Front Office – PM are pie charts, column charts, bar charts, areas, lines, XY lines, scatters and XY scatters.

3.3.7 Tables format

Table formats are boards on which various types of information can be displayed at predefined places.

3.3.8 Switching formats

You can easily switch from one format to another.


To switch between formats:

1. Click the page indicator icon if the required format is of the same type as the one currently being used.




2. Click the icon representing the required format type at the top of the screen. The available icon types as shown in the screenshot below are:

- Detailed list
- Summary list
- Graphic
- Matrix



- From the main menu, go to **View > Format** and choose the format you want from the submenu options.

The **Format** menu is sectioned by type:



3.4 Folders and documents

If you use a business function on a regular basis with the same Domain settings (for example, a daily Valuation run for the same customer), you can save the settings as a document. Documents contain a business function and a set of predefined Domain settings. A document is only available to the user who created it and cannot be used by other users.

Documents are kept in folders, which are also stored. The folder is created separately from the documents. A folder is a set of documents.

The following sections describe:

- [Creating folders](#)
- [Managing folders](#)
- [Creating documents](#)
- [Accessing/opening documents](#)
- [Managing documents](#)

3.4.1 Creating folders

To create folders:

- From the menu of the **Folder** screen, go to **File > Folder**.
An icon for each folder created by the current user is displayed.
- To create a new folder, go to **File > New**.



The **File** dialogue box is displayed.

3. Complete the mandatory fields **Code** and **Name**. The code is the key identifier of the folder and must therefore be unique.
4. Click **OK**.
5. To quit the **Folder** screen, go to **File > Close** from the menu bar.

3.4.2 Managing folders

After you have created a folder, you can make as many changes to it as you want.

3.4.2.1 Renaming folders

To rename a folder:

1. Click the relevant folder icon in the **Folder** screen and go to **File > Rename** from the menu bar.

The field below the selected icon is selected.

2. Change the name.

You can also just double-click in the field name and change it.

3.4.2.2 Copying folders

To copy a folder:

1. Click the relevant folder icon in the **Folder** screen.
2. Go to **File > Copy** from the menu bar or press [Ctrl] + [C] on your keyboard.
3. Enter the **Name** and **Code** fields of the new folder.
4. Click **OK** to confirm the copy. The contents of the new folder are exactly the same.

3.4.2.3 Deleting folders

To delete a folder:

1. Click the relevant folder icon in the **Folder** screen.
2. Go to **File > Delete** from the menu bar or press [Del] on your keyboard.

A confirmation dialogue box is displayed.

3. Click **Yes** to confirm the delete or **No** to cancel.

3.4.3 Creating documents

When you run a business function, you select a set of parameters in the Domain screen. These parameters determine the scope of the data displayed from a portfolio, instrument and time perspective. Once the function has run, and the result is displayed, and you can save the set of parameters in a document.

To create a document:

1. Go to **File > Save** or **File > Save As** from the main menu in the **Function** screen.

The **File** dialog box is displayed.



2. Enter the name of the folder in which you want to place the parameters or browse for it. This is a mandatory field as each document must be part of a folder. If you do not know the name of the folder, click the **Browse** button (...) to display a list of available folders.
3. Enter the document's code in the **Code** field. This is also a mandatory field and must be the unique identifier of the document. By default, the **Name** field is automatically completed with the same information as in the **Code**.

In the right panel of the **File** dialog box, the icon that represents the business function is displayed (in the image above, the Valuation business function icon is shown in the right panel).
4. Click **OK**.

3.4.4 Accessing/opening documents

To access or open a document:

1. Click on the folder icon or go to **File > Folder** from the menu bar to open the **Folder** screen.
The **Folder** screen displays an icon for each folder created by the current user.
2. To open the required folder, double-click the icon. Alternatively, click the icon to select it and then, go to **Folder > Go Down** or **Actions > Open** from the main menu.
Documents contained in the folder are displayed in the **Folder** screen.
3. To open the document, double-click its icon. Alternatively, click the icon to select it and then, go to **Actions > Open** from the main menu.

3.4.5 Managing documents

3.4.5.1 Viewing and editing document properties

The properties of a document are the parameters used in the **Domain** screen to run the business function.

To edit or view the properties:

1. Open the relevant folder and click the document icon.
2. Go to **Actions > Edit Domain** from the main menu.

3.4.5.2 Renaming documents

To rename a document:

1. Click the relevant document icon in the **Folder** screen and go to **File > Rename** from the menu bar.

The field below the selected icon is selected.

2. Change the name.

You can also double-click in the field name and change it.

3.4.5.3 Deleting documents

To delete a document:

1. Click the relevant document icon in the **Folder** screen.
2. Go to **File > Delete** from the menu bar or press [Del] on your keyboard.



A confirmation dialogue box is displayed.

3. Click **Yes** to confirm the delete or **No** to cancel.

3.4.5.4 Copying documents

To copy a document:

1. Click the relevant document icon in the **Folder** screen.
2. Go to **File > Copy** from the menu bar or press [Ctrl] + [C] on your keyboard.
3. Enter the **Name** and **Code** fields of the new folder
4. Click **OK** to confirm the copy. The contents of the new folder are exactly the same. The code field is mandatory. The code must be unique. The document name is optional.
5. Enter the name of the folder where you want to store the copied document. The contents of the new document are the same as the contents of the original document. You can change the business function while retaining the same domain when you create the new document.



4 File menu

The **File** menu is accessible from the [Main menu](#).

The options in the **File** menu are:

Option	Description
Folder	Opens the Folder screen that lets you view an existing folder or create new folders. For details of defining folders, see section Folders and documents .
Page Setup	Modifies the page parameters, e.g. the paper size and orientation.
Print Window	Graphically prints the selected window. The arrow cursor changes to a cross-hair cursor (+). Simply click the Front Office – PM screen that you want to print. The screen must be open on your Windows desktop.
Print Area	Graphically prints an area of a window. The arrow cursor changes to a cross-hair cursor (+) that you can use to define the area you want to print. Position the cursor at the top left corner of the area and drag it diagonally across the screen to define the size of the area required. This menu option is useful for printing sections of any of the screens you have open. If you are in a different screen, just switch to the main menu bar ([ALT] + [TAB]) and choose this option. If necessary, move the main menu bar before beginning to print the area you want.
Copy Window to Clipboard	Lets you select a window with the mouse. The selected window is copied to the standard Windows clipboard and can be directly included in any documents.
Copy Area to Clipboard	Lets you select an area of a screen with the mouse. The selected area is copied to the standard Windows clipboard and can be directly included in any documents.
Exit	Quits the application.



5 Tools menu

The **Tools** menu is accessible from the [Main menu](#).

The options available in this menu depend on the screens you have opened. For example, if you opened **Productivity > Check Strategy**, you will see the additional menu items **Tools > Edit Rule**.

The options in the **Tools** menu are:

Option	Description
External Function	Lets you start an external application, import the Clipboard contents to Excel™, use server tools and open a Web page (URL). You can also reference user-defined functions.
Change Password	Lets you change your current Front Office – PM password.
Options>Copy to Clipboard	Copies details to the Clipboard. You can choose whether to copy totals or not and real data or formatted data.
Options>Print	Lets you print attributes and values with the code or SQL name.



6 Analysis menu

The **Analysis** menu, which provides access to the main business functions and the report generator, is accessible from the [Main menu](#).

This section describes the business functionality of Front Office – PM, which can be found in the **Analysis** menu of the GUI. The business commands of Front Office – PM perform specific business functions. The commands are used with a domain that you have parameterised. That means, you enter or select a specific portfolio or list of portfolios, a specific instrument or list of instruments and the required period details (Begin Date, End Date, etc.).

The data generated on the basis of the domain parameters is stored in a table that can be accessed through formats. The formats are fully configurable so that you can determine how the data is displayed. For more details on formats, refer to the *WealthSuite Front Office - Portfolio Management - Format and UDS Reference Guide*.

The options in the **Analysis** menu are:

Option	Description
Valuation function	Current or backdated portfolio valuations. The following sub menus are available: • Valuation: Displays a valuation of a portfolio. • Risk Valuation: Displays a valuation of a portfolio from a risk perspective. For more information, refer to section Valuation function .
Operations History function	Historical transaction data. The following sub menus are available: • Operation History: Displays a historical view of operations in a portfolio. • Cash Flow History: Displays a historical view of a portfolio's cash flow. For more information, refer to section Operations History function .
Position History function	Historical view of positions. For more information, refer to section Position History function .
Journal of Liquidities function	Cash projections based on the income and redemption details of the securities held. For more information, refer to section Journal of Liquidities function .
Return Analysis function	Performance calculations and analysis. For more information, refer to section Return Analysis function .
Performance Analysis function	Returns portfolio performance details. For more information, refer to section Performance Analysis function .
Composite Manager function	Lets you sort, manage and display your portfolios as composites in line with the AIMR-PPS/GIPS portfolio presentation standards. For more information, refer to section Composite Manager function .
Reports function	Displays and prints reports. For more information, refer to section Reports function .
Storage Functions	Stores various types of pre-calculated data for quick retrieval. The following sub menus are available: • Valuation Storage: Consolidates profits and losses at the date you enter. • Synthetic Administration: Computes the portfolio synthetic structure and stores it in the database. This function calculates the figures required for the final calculation of the return. • Bench Storage: Stores instrument and strategy data that is used for the Performance Analysis function. • Portfolio Storage: Stores previously calculated portfolio data for quick retrieval. For more information, refer to section Storage Functions function .



6.1 Valuation function

To access the Valuation function, go to **Analysis > Valuation** from the main menu bar. The Valuation function retrieves the details of a position or positions from a portfolio or a group of portfolios at a given date and displays the positions in a pre-defined screen format. The selection criteria are:

- All Portfolios
- List (of portfolios)
- Portfolio
- Quick Search (opens the Portfolio Quick Search screen when you click the Browse button ...)
- Third Party (all portfolios of a specific customer)

You can select the instrument dimension in the domain parameters according to the portfolio group selected. The selection criteria are:

- All Instruments
- (Financial) Instrument
- (Financial Instrument) List
- Quick Search (opens the Instrument Quick Search screen when you click the **Browse** button (...))

6.2 Operations History function

To access the Operations History function, go to **Analysis > Operations History** from the main menu bar. The Operations History function lists all the existing operations consistent with the domain criteria.

The screen displays an initial stock position for each instrument at the Initial Date, any operations undertaken during the period and a final stock position at the Final Date.

6.3 Position History function

To access the Position History function, go to **Analysis > Position History** from the main menu bar. The Position History function is similar to an Operation History with two Valuations, one at Initial Date and one at Final Date. The Position History function is the process that displays:

- Flows inherent in the operations performed in a portfolio or several portfolios between two given dates.
- Positions that are open at the Initial Date and Final Date.

Each line in the Position History screen contains information on the transaction (dates, cost prices, etc.) and, for positions that are valued, the pricing data available at the Initial Date and Final Date.

The Position History process retrieves the positions in accordance with parameters entered in the domain. The most important parameters are the Portfolio Dimension and the Initial and Final Dates. These and other fields are described in section Position History in the *WealthSuite Front Office - Portfolio Management - Business Functions User Guide*. With this information, the process retrieves the flows between the dates and creates the **extended position** structure.

The second part of the process involves the valuation of the position at the Initial and Final Dates. The mechanism is the same as for a Valuation. The process creates an extension to the extended position structure called position valuation. For more details on the Position History



function, refer to the *WealthSuite Front Office - Portfolio Management - Business Functions User Guide*.

6.4 Journal of Liquidities function

To access the Journal of Liquidities function, go to **Analysis > Journal Of Liquidities** from the main menu bar. The Journal of Liquidities function retrieves cash flow details from the past or displays cash flows expected in the future on the basis of current positions. Additionally, you can set a time period from a date in the past to a date in the future.

This function has three date settings. The Initial Date determines the start date of the liquidity journal, the Reference Date the time from which cash flow projections start and the Final Date the time up to which the cash flow projection continues.

The cash flows are derived from a variety of sources:

- Spot market operations
- Term market operations
- Payment of coupons
- Payment of dividends
- Payment of interests
- Expirations of bonds
- Expiration of term deposits
- Forwards settlements
- Expiration of options
- Term events for futures

The Journal of Liquidities function also takes into account cash derived from Standing Instructions. For more explanations about Standing Instructions, refer to the *WealthSuite Front Office - Portfolio Management - Business Functions User Guide*.

Front Office – PM displays the discount factor derived from the yield-curve of the reference currency in the Journal function. Discount Factors are used to compute the Present Values of the Future Cash Flows. Interest Rate Swaps use the Discount Factors to discount back the value the future flow (in/out) of liquidity to the present-day. Initial Date in the Journal domain is the actual day that is kept as an anchor to compute and display the discount factors using the yield-curves of the two legs of the swap. This is applicable to single-currency Interest Rate Swaps (IRS).

The Interest Rate Swap (IRS) contains the Received and Paid legs that together constitute the Net Amount. The Received Coupons and the Paid Coupons are netted to arrive at the Net Amount. Front Office – PM displays the split legs of the Interest Rate Swap.

6.5 Return Analysis function

To access the Return Analysis function, go to **Analysis > Return Analysis** from the main menu bar. The Return Analysis function computes different return rate possibilities: Time Weighted Rate of Return (TWRR), Money Weighted Rate of Return (MWRR) and Internal Rate of Return (IRR). For more details, refer to the *WealthSuite Front Office - Portfolio Management - Business Functions User Guide*.



6.6 Performance Analysis function

The Performance Analysis function in Front Office – PM has several different sub-functions:

- [Return Analysis](#)
- [Long Term Analysis](#)
- [Performance Attribution](#)

With a single function call, all three sub-functions can be executed.

For information about launching the Performance Analysis function, see section [Launching the Performance Analysis function](#).

6.6.1 Return Analysis

Return Analysis is the analysis of a portfolio's absolute returns. The analysis can be carried out from different viewpoints:

- Breakdown of the return into its effects: Capital P&L, Currency P&L, Income, etc.
- Breakdown of the return into market segments
- Breakdown of the return into periods
- Global comparison with benchmarks

The three types of breakdown described above can be cumulated to show effects per market segment and per period. For each result, various figures on the return are displayed, such as initial and final market values, flows, gain and loss, mean capital, etc.

6.6.2 Long Term Analysis

The aim of Long Term Analysis is to compare the evolution of the portfolio's return against its benchmark over a longer period of time. The result comprises

- Returns and cumulative returns of the portfolio and the benchmark for different periods.
- Risk analysis (Treynor, Jensen, Information Ratio, Tracking Error, etc.).

6.6.3 Performance Attribution

Performance Attribution is the analysis of relative returns (i.e., the comparison of the returns of 2 objects (portfolios or benchmarks)), which are decomposed on the same market structure. The function results compare weights and returns at the different market segments and decompose the over- or under-performance into different effects (market timing, stock picking, interaction).

6.6.4 Launching the Performance Analysis function

To launch the Performance Analysis function:

1. From the main menu bar, go to **Analysis > Performance Analysis** to access the domain.
The **Domain – Performance Analysis** screen is displayed.
2. In each tab of the screen (i.e., Loading Data, Strategy, Parameters, Custom), complete the fields to define the parameters for the function. For more information about each field, right-click on the field to access its context menu, and then, select Help on Item. For information about general parameters, see section [Parameters](#).



6.7 Composite Manager function

The Composite Manager is a tool used in performance standards presentation (e.g. GIPS, AIMR or SPPS). One of the key concepts of these standards is the *composite*. A composite is a group of portfolios that follow the same investment strategy. The standards require publishing a track record of historical performance according to constraints and recommendations. A composite is defined in Front Office – PM as a list of portfolios. As the contents of this list can change over time, it is essential to create historical lists. The Composite Manager function retrieves the portfolios belonging to a composite over time. From each portfolio and period, you can access pre-stored performance data. This performance data must be stored in the related portfolio chronological data.

For information about launching the Composite Manager function, see section [Launching the Composite Manager function](#).

6.7.1 Launching the Composite Manager function

To launch the Composite Manager function:

1. From the main menu bar, go to **Analysis > Composite Manager**.
2. Enter the name of the Portfolio list (Composite) in the **Entity List** field, the period over which the data must be presented (**Initial Date** and **Final Date**), and the **Frequency** and **Frequency Unit** at which the portfolio returns are calculated (e.g. Monthly).

Front Office – PM generates a portfolio frequency structure. A line of this structure is displayed for each portfolio and each period, and contains information stored in the chronological data of the portfolio.

For more information, refer to the *WealthSuite Front Office - Portfolio Management - Business Functions User Guide*.

6.8 Reports function

The Reports function presents the information generated by business functions in a layout that can be customised to the needs of the user with varying degrees of sophistication. These reports are generated by the report generator.

The Report Domain is the same as the Domain screens for the other business functions except for the **Report** field in the Default Parameters section.

For information about launching the Reports function, see section [Launching the Reports function](#).

6.8.1 Launching the Reports function

To launch the Reports function:

1. From the main menu bar, go to **Analysis > Reports**.
2. Enter the code of the report you want to generate in the **Report** field or click the **Browse** button (...) to list all the available predefined reports. Each user has their own Report Profile that determines the set of reports that can be accessed.
3. Choose the **Report** tab from the **Domain** screen menu and modify the report output setup, if necessary.

The Output Setup parameters are:



Field	Description
Preview Report	If you want to preview the report before printing, check the box.
Print Report	Specify how the report will be printed. The available options are: - No (No printing) - On Local Printer - On Server Printer
Printer	Select an available printer in the current printer profile.
No. of Copy	Enter the number of copies you want to print.
File Output	If you want the report to be saved to a file, check this box.
Output Type	Specify a file format for the generated report.
Output Name	Specify a new or existing file name if you want to save the generated report to a file. If you specify an existing file, it will be overwritten with the new report.
ROI Output Name	Specify a name for the Actuate ROI job.
Delete Data	If the box is checked, the data used to generate the report will be deleted from the database. By default, this box is checked. When unchecked, the data will be kept in the report database, which can lead to errors when the database becomes full.

Note that all the information displayed in the business functions can be displayed in reports.

6.9 Storage Functions function

To access the Storage Functions function, go to **Analysis > Storage Functions** from the main menu bar. The Storage Functions function allows historisation of the financial data in Front Office – PM. The following menu options are available:

- **Valuation Storage** - Consolidates Profit and Loss at specified dates. The Valuation Storage function (formerly known as Profit and Loss Restart) lets you consolidate profits and losses at a defined date. You can enter the following details:
 - Single portfolio, portfolio list or all portfolios
 - Single financial instrument, instrument list or all instruments
 - Ref Date – date for which you want to see a consolidated view of the positions
- **Synthetic Administration** - Calculates position data for defined periods. This business function performs calculations on all the positions held in a portfolio or portfolio group during the period specified in the **Domain** screen (defined by the Initial Date and Final Date). Calculations include:
 - Net and gross realised Profit & Loss (capital and change)
 - Net and gross unrealised Profit & Loss (capital and change)
 - Net and gross received and paid incomes
 - Received and paid accrued interests
 - Portfolio fees and taxes
 - Tax credits
 - Investments and withdrawals

This functionality is particularly useful for the performance computation of matrix segments defined by classifications (emerging market stocks, American bonds, Pacific area stocks, etc.)



- ***Bench Storage*** - Stores benchmark data.
- ***Portfolio Storage*** - Stores portfolio data.



7 Productivity menu

The **Productivity** menu, which lets you define investment objectives and strategies and use them for day-to-day portfolio management, is accessible from the [Main menu](#).

The options in the **Productivity** menu are summarised in the table below and detailed in the subsections that follow the table.

Option	Description
Strategy function	Administration of strategies and their links to portfolios. The following sub menus are available: • Strategy: Lets you define and view strategies of different natures. • Edit strategy objectives: Lets you set and change the objectives of a strategy. • Strategy link: Lets you define and view the strategies, which are linked to a portfolio or a portfolio list. • Create strategy link: Lets you create a link between a portfolio or portfolio list and a strategy • View portfolio objectives: Lets you view all objectives for a portfolio. For more information, see sections Strategy function and Strategy Link .
Constraint function	Portfolio constraint management and strategy derivation. The following sub menus are available: • Trading Constraint: Lets you define and view Trading Constraints. • Modelling Constraint: Lets you define and view Modelling Constraints. • Strategy Derivation: Lets you derive new strategies from existing ones. For more information, see section Constraints .
Check Strategy function	Compares a strategy with real portfolio positions to check adherence to the strategy. For more information, see section Check Strategy function .
Reconcile Strategy function	Generates the orders required to align or re-align a portfolio with a strategy. For more information, see section Reconcile Strategy function .
Allocate Order function	Allocates buy/sell orders across one or more portfolios on the basis of specific selection criteria. For more information, see section Allocate Order function .
Order List function	Displays a list of all the orders in a portfolio and lets you create new ones. You can also reverse orders and perform enhanced searches. For more information, see section Order List function .
Order Entry function	Lets you enter orders directly. For more information, see section Order Entry function .
Unmatched Execution List function	Lists the unmatched executions that you can then re-process. For more information, see section Unmatched Execution List function .

7.1 Strategy function

The Strategy function of the Productivity menu defines an investment strategy. There are currently the following strategy types: (Asset) Allocation, Model Portfolio, Recommendation List, Constraint Set, Index, Investment Profile, Benchmark, Surveyed Security List, Risk Strategy. The following submenus are available:

- **Strategy**: Lets you define a new strategy.



- **Edit Strategy Objectives:** Lets you edit the objectives of a given strategy.
- **Strategy Link:** Lets you view or modify a strategy link with a portfolio or list of portfolios. You can also create and delete strategy links using this function.
- **Create Strategy Link:** Links a strategy with a portfolio or portfolio list. This lets you compare the prescribed investment objectives with real portfolio positions.
- **View Portfolio Objectives:** Displays the strategic objectives you have defined for a particular portfolio.

In the following sections, you will learn about:

- [Finding a strategy](#)
- [Viewing a strategy definition](#)
- [Modifying a strategy definition](#)
- [Deleting a strategy](#)
- [Copying a strategy](#)
- [Creating a new strategy](#)
- [Editing strategy objectives](#)
- [Editing strategy composition](#)
- [Archiving the strategy](#)
- [Viewing archived historic strategy information](#)
- [Defining strategy objectives using dynamic weight](#)
- [Automatic allocation](#)

7.1.1 Finding a strategy

To find a strategy:

1. From the main menu bar, go to **Productivity > Strategy > Strategy**.

The **Select Strategy** screen is displayed.

2. To find a strategy, select a **Nature** from the drop-down list:

Nature	Description
<All>	
Allocation	A Grid-based strategy where weights are given for the market segments, and benchmark objects are associated to them.
Model Portfolio	A strategy based on instruments, each of them with a weight attached and a possible fluctuation margin. Note that while a model portfolio cannot be a parent strategy, it can be assigned to the market segment of an allocation.
Recommendation List	A strategy for which each strategy element is a recommendation for an instrument . Example: buy/sell x, increase/decrease y.
Constraint Set	An unstructured target that can be defined by a portfolio manager, legislation or a client. To define constraints, you must use the Front Office – PM script language. An example of a constraint is “No chemical stocks”.
Index	An Index strategy is composed of instruments with weights. In contrast to a model portfolio, the instruments are classified while the analysis is executed.
Investment Profile	Investment Profile. strategy is based on a composition of strategies (of any other nature), portfolios, or instruments representing a typical set of individual management benchmark linked to a portfolio class.



Nature	Description
Benchmark	A benchmark is a composition of strategies. It defines objective weights for the total market or part of the market (using strategies based on market structure subsets). A benchmark is always based on the complete market structure, which avoids having several strategy links in one portfolio. Instead, only one strategy link is possible between benchmark and portfolio.
Surveyed Security List	The Surveyed Securities List is a special strategy nature. It has practically the same characteristics as the Recommendation List except that it cannot be used directly to define objectives. This strategy is linked to a notional instrument composed by an instrument list.
Risk Strategy	A strategy nature to set the thresholds for the risk measures. This strategy can be included in an investment profile. The Risk strategy is only used for storage purpose; there is no Risk Analysis treatment in Front Office – PM. This strategy can be interfaced with a Risk Management software.

4. If you have lists defined, you can restrict your search by selecting a list.
A list of strategies is displayed.
5. Select the required strategy by clicking on it.

7.1.2 Viewing a strategy definition

To view the strategy definition:

1. Click **View**.
The **View Strategy** screen is displayed and shows all available data of the strategy.
2. Click the buttons to view more details. The screens do not allow any data manipulation.

7.1.3 Modifying a strategy definition

To modify a strategy definition:

1. Click on the desired strategy.
2. Click **Modify**.
The **Modify Strategy** screen opens, showing all available data of the strategy.
3. Edit the fields you want to modify (e.g., add missing information).
4. To add, modify or delete history information, notes, denomination or compliance chrono, click on the appropriate button and provide the data.
5. Click **OK** to return to the **Select Strategy** screen.

7.1.4 Deleting a strategy

To delete a strategy:

1. Click **Delete**.
A dialog box is displayed asking you to confirm your action.
2. Click **Yes**.

7.1.5 Copying a strategy

To copy an existing strategy:



1. Click **Copy**.
The **Copy Strategy** screen opens, showing all available data of the strategy.
2. Enter a new **Code** and modify other data, if required.
3. Click **Save** button to activate the buttons **History**, **Denomination**, **Notepad** and **Compliance Chrono**.
4. To add, modify or delete history information, notes, denomination or compliance chrono, click on the appropriate button and provide the data.
5. Click **OK** button to return to the **Select Strategy** screen.

7.1.6 Creating a new strategy

To create a new strategy:

1. Click **Create**.
2. Select the nature of the new strategy from the **Selection** screen and click **OK** button.
3. Fill in the necessary data (depends on the strategy nature).
4. Click **Save** button to activate the buttons **History**, **Denomination**, **Notepad**, **Compliance Chrono** and **Perf. Storage Parameter**.
5. To add history information, notes, denominations, compliance chrono, or permanence storage parameters, click on the appropriate button and provide the data.
6. Click **OK** button to return to the **Select Strategy** screen.

7.1.7 Editing strategy objectives

The Edit Strategy Objectives option helps you improve strategy definition and maintenance in Asset Allocations, Model Portfolios and Recommendation Lists.

You can easily manage a set of strategies using a single screen. For example, you can view the different Stock/Currency Model Portfolios, composed more or less of the same instruments, with different objective weights depending on the risk profile of the portfolio and/or its value, in one screen.

The main features of Edit Strategy Objectives are:

- You define your strategies using editable cells.
- The **Strategy Administration** screen is user-defined.
- You can edit a list of strategies on the same screen.
- The Objective Weight Contribution (i.e., the weight defined as a percentage of the whole portfolio market value) is computed online and is editable.
- Consistency between the way strategies are displayed in business functions and the administration tool.
- You can display different types of general information not directly related to investment objectives using formats.

The image below shows an example of the **Edit Strategy Objectives** screen:



Instrument	Priority	BS Weight	Margin (%)
MP_ARD_045266		100.00%	
MP_ARD_045266	0	100.00%	
ARD_APPLE_EUR	0	100.00%	
ARD_STOCK_EUR	0	50.00%	
ARD_STOCK_EUR	0	50.00%	

7.1.7.1 Inserting new instruments/records

You can easily insert new instruments into your Model Portfolios, Recommendation Lists, or Surveyed Securities Lists.

To insert a new instrument/record:

1. Select the cell in the model or list in which you want to insert the new instrument.
2. Press the [Insert] key on your keyboard or go to **Edit > New**.
3. Enter the required instrument details and attached objectives. Note that you can enter the instrument code, name, or denomination provided that you specify the right data type in the corresponding format element.

7.1.7.2 Deleting records

To delete a record:

1. Select the entire line of the record by double-clicking or selecting a cell in the row and holding down the [SHIFT] key while you press the [Home] or [End] keys.
2. Press the [Delete] key or go to **Edit > Delete**.

7.1.8 Editing strategy composition

Investment profiles, benchmarks, and indices do not have strategy objectives but are compositions of other strategies and/or instruments.

To create a composition:

1. After saving a new history, you can create a composition by clicking the **Strategy Compo** button.
2. Click **Create** button to create the Strategy History Strategy Composition.
3. In the **Create Strategy History Strategy Composition** screen, complete the following fields:



Field	Description
Entity Type	Indicates which kind of object belongs to the composition of the strategy. Permitted values are: • instrument • portfolio • strategy
Strategy Instrument Portfolio	Depending on the Entity Type, select a strategy, instrument, or portfolio.
Link Nature	Specify which kind of link relates a strategy to an object. Permitted values are: • All • Strategy: Reserved for strategies that may be the object of a 'Check Strategy' and/or a 'Strategy Reconciliation' with the automatic generation of orders. • Benchmark: Reserved for strategies that may be the object of a 'Check Strategy' and/or a comparison in the context of a performance attribution. • Strat&Bench: Reserved for strategies which may be used in both previous contexts (not yet implemented for the 'Benchmark' context). • Strategy (Check only): Reserved for strategies that may be the object of a 'Check Strategy' and/or a 'Strategy Reconciliation' without the automatic generation of orders. • Constraint • Cash Management (only used for Front Office – PM)
Priority	Allows the filtering of strategies on which the reconciliation will be performed.
Weight	Allows specifying the percentage of the strategy defined in the composition of a strategy (mainly used for Core/Satellite approach).
Weight nature	Allows defining the weights nature of Model Portfolios in a core satellite model. Permitted values are: • None • Relative Weight • Absolute Weight • Computed by Difference

7.1.9 Archiving the strategy

To archive the strategy:

1. From the **Edit Strategy Objectives** screen, click the **Save New History** button.

The **Create Strategy History** screen is displayed.

2. Enter the Begin Date and other required data.

Note: You can only create a new strategy history from this screen. You cannot overwrite and replace existing strategy histories with new strategy objectives.

7.1.10 Viewing archived historic strategy information

To view the historic strategy information:

1. From the **Select Strategy** screen, click the **History** button

The **Select Strategy History** screen is displayed.

2. Select the Begin Date of the strategy version you want to view and click **Elements** to open the **Edit Strategy Objectives** screen.



7.1.11 Defining strategy objectives using dynamic weight

When you want to define a new set of security objectives (i.e., Model Portfolio), you may want to define their current weight as their previous weight in the strategy plus their relative performance over the period. This notion is known in Front Office – PM as dynamic weight.

Using dynamic weight helps you define a new set of objectives in an automated way. For securities whose relative weight you do not want to change from the previous period, you use the automated copy function. Then, you can manually change the weight of the other securities (and add or remove securities) to define the eventual content of your strategy.

Read the following notes on dynamic weights carefully before using dynamic weights in the Edit Strategy Objectives function.

- **Currency**

Unless all securities of your model portfolio are labelled in the same currency, you need to specify the currency in which you want the dynamic weights to be computed. Front Office – PM uses the currency defined in your strategy. As this information is not mandatory, you **MUST** make sure that it is correctly set before you run the dynamic weight function in Edit Strategy Objectives.

- **Decimals**

All decimal numbers are retained during the dynamic weight computation: the sum of all security weights, therefore, always adds up to 100%. However, when using Copy Dynamic Weight, Front Office – PM copies all individual weights separately (stored to nine decimal places), which can lead to a total of the weights that is slightly less or more than 100%. You then need to adjust the weight of a single security with the Allocate Remainder option.

- **Area of application**

The Copy Dynamic Weight function was designed for Model Portfolio strategies in the Edit Strategy Objective function. It is strongly recommended that you only use it on a single Model Portfolio strategy. It can be used with other types of strategies (Asset Allocation, Investment Profile, etc.) but this is not currently recommended or supported.

To use the following steps to define strategy objectives using dynamic weight, your Function Security Profile must be authorised for the Copy Dynamic Weight function. If you do not have it, contact your System Administrator to obtain this authorisation.

1. On the **Edit Strategy Objectives** screen:

- a. Enter the Strategy reference in the upper left corner of the screen.
- b. Enter the Strategy Begin Date, which is the date at which you want to save a new set of objectives.
- c. Check the Dynamic Weight checkbox.

2. Click **Select** button (or press [F5] on your keyboard).

The latest objectives are loaded on the screen along with the dynamic weight. The objectives for the new date are initialised with the previous objectives.

3. Select the rows with dynamic weight that you want to copy to the current weight. You can use your keyboard and your mouse to select the rows:

- Double-click a cell in a row or press [SHIFT]+[SPACE] to select the row.
- Use the [UP] and [DOWN] arrows (↑ and ↓) to extend or reduce the selection.
- Press [CTRL] and double-click a row to select non-adjacent rows.
- Press [CTRL]+[A] to select the entire table.

4. Right-click the mouse to display a context menu and select the option **Copy Dynamic Weight**.



For the selected rows, the values of the dynamic weight column are copied to their respective current weight columns.

5. Update the remaining weights.

Note: As dynamic weighting usually produces figures with up to nine decimal places, you might not be able to exactly match a full allocation manually (which is attained at 100%). For example, if you adjust the weight of one security (in the image below, Logitech security is adjusted from 5% to 5.7%), then the strategy is not exactly allocated to 100% and consequently, the 100% figure (at top of column) is highlighted in red.

	Instrument	Priority	OLD Weight	DYN Weight	ABS Weight
PLO_ModelPtF08					100.0%
PLO_ModelPtF08		0	100.0%	100.0%	100.0%
4MTechnology	4MTechnology	0	3.0%	2.8%	2.8%
Bachem	Bachem	0	3.0%	2.8%	2.8%
Ciba	Ciba	0	10.0%	9.2%	9.2%
Clariant	Clariant	0	12.0%	11.1%	11.1%
Kudelski	Kudelski	0	5.0%	4.6%	5.0%
Logitech	Logitech	0	5.0%	4.6%	5.7%
Nestle	Nestle	0	15.0%	13.0%	15.0%

To automatically adjust the small difference for any security, double-click its row (or press [SHIFT]+[SPACE]), and then right-click the row to display the context menu. Select the option **Allocate Remainder**, which will automatically allocate the difference. The difference is allocated to the selected security and the strategy is now fully allocated (the 100% figure at top of column is in black).

	Instrument	Priority	OLD Weight	DYN Weight	ABS Weight
PLO_ModelPtF08					100.0%
PLO_ModelPtF08		0	100.0%	100.0%	100.0%
4MTechnology	4MTechnology	0	3.0%	2.8%	2.8%
Bachem	Bachem	0	3.0%	2.8%	2.8%
Ciba	Ciba	0	10.0%	9.2%	9.2%
Clariant	Clariant	0	12.0%	11.1%	11.1%
Kudelski	Kudelski	0	5.0%	4.6%	5.0%
Logitech	Logitech	0	5.0%	4.6%	7%
Nestle	Nestle	0	15.0%	13.0%	0%
Novartis	Novartis	0	15.0%	13.0%	2%
Roche	Roche	0	12.0%	11.1%	12.0%

- At any time, you can undo your action and retrieve the initial weights by pressing [F5] on your keyboard and answering "No" to the question displayed (if you want to save your changes).
- Click **Save New History** to save your action permanently at the selected date.

Note: You can only create a new strategy history from this screen. You cannot overwrite and replace existing strategy histories with new strategy objectives.

7.1.12 Automatic allocation

When you define a new set of investment objectives, the following automated functions help you allocate the over/under-invested balance:

- [Proportional Allocation option](#)
- [Relative allocation option](#)

7.1.12.1 Proportional Allocation option

Assume that you manually changed the weights of four securities in a model portfolio. After the change, a remainder of 14% is left to be allocated:



	Instrument ▾	Priority	OLD Weight	ABS Weight
PLO_ModelPtf08				100.0%
└ PLO_ModelPtf08		0	100.0%	96.0%
└ 4MTechnology	4MTechnology	0	3.0%	3.0%
└ Bachem	Bachem	0	3.0%	3.0%
└ Ciba	Ciba	0	10.0%	10.0%
└ Clariant	Clariant	0	12.0%	10.0%
└ Kudelski	Kudelski	0	5.0%	5.0%
└ Logitech	Logitech	0	5.0%	5.0%
└ Nestle	Nestle	0	15.0%	10.0%
└ Novartis	Novartis	0	15.0%	10.0%
└ Roche	ROCHE	0	12.0%	10.0%
└ UBS	UBS	0	10.0%	10.0%
└ ZURICH	ZURICH	0	10.0%	10.0%

First, select all rows that you did not change. To select a row, double-click one of its cells or press [SHIFT]+ [SPACE]. Use the [UP] and [DOWN] arrows to extend or reduce the selection. Press [CTRL] and double-click a row to select non-adjacent rows. Then, right-click with your mouse and select the Proportional Allocation option in the context menu that is displayed:

	Instrument ▾	Priority	OLD Weight	ABS Weight
PLO_ModelPtf08				100.0%
└ PLO_ModelPtf08		0	100.0%	96.0%
└ 4MTechnology	4MTechnology	0	3.0%	3.0%
└ Bachem	Bachem	0	3.0%	3.0%
└ Ciba	Ciba	0	10.0%	10.0%
└ Clariant	Clariant	0	12.0%	10.0%
└ Kudelski	Kudelski	0	5.0%	5.0%
└ Logitech	Logitech	0	5.0%	5.0%
└ Nestle	Nestle	0	15.0%	10.0%
└ Novartis	Novartis	0	15.0%	10.0%
└ Roche	ROCHE	0	12.0%	10.0%
└ UBS	UBS	0	10.0%	10.0%
└ ZURICH	ZURICH	0	10.0%	10.0%

The remainder is proportionally allocated to the selected securities; that is, 2% is added to the objectives of these seven securities ($14\% \{remainder\} / 7 \{number\ of\ selected\ securities\}$):

	Instrument ▾	Priority	OLD Weight	ABS Weight
PLO_ModelPtf08				100.0%
└ PLO_ModelPtf08		0	100.0%	100.0%
└ 4MTechnology	4MTechnology	7	3.0%	5.0%
└ Bachem	Bachem	7	3.0%	5.0%
└ Ciba	Ciba	7	10.0%	12.0%
└ Clariant	Clariant	0	12.0%	10.0%
└ Kudelski	Kudelski	7	5.0%	7.0%
└ Logitech	Logitech	7	5.0%	7.0%
└ Nestle	Nestle	0	15.0%	10.0%
└ Novartis	Novartis	0	15.0%	10.0%
└ Roche	ROCHE	0	12.0%	10.0%
└ UBS	UBS	7	10.0%	12.0%
└ ZURICH	ZURICH	7	10.0%	12.0%

7.1.12.2 Relative allocation option

In this example, assume that you manually changed the weights of six securities in a Model Portfolio. After the change, a remainder of 10% is left to be allocated:



	Instrument ▾	Priority	OLD Weight	ABS Weight
PLO_Model1PtF08				100.00%
└ PLO_Model1PtF08		0	100.0%	99.90%
└ 4MTechnology	4MTechnology	0	3.0% →	5.00%
└ Bachem	Bachem	0	3.0% →	5.00%
└ Ciba	Ciba	0	10.0% →	10.00%
└ Clariant	Clariant	0	12.0% →	10.00%
└ Kudelski	Kudelski	0	5.0%	5.00%
└ Logitech	Logitech	0	5.0%	5.00%
└ Nestle	Nestle	0	15.0% →	10.00%
└ Novartis	Novartis	0	15.0% →	10.00%
└ Roche	ROCHE	0	12.0% →	10.00%
└ UBS	UBS	0	10.0%	10.00%
└ ZURICH	ZURICH	0	10.0%	10.00%

First, select the rows you did not change. To select a row, double-click one of its cells or press [SHIFT]+[SPACE]. Use the [UP] and [DOWN] arrows to extend or reduce the selection. Press [CTRL] and double-click a row to select non-adjacent rows. Then, right-click with your mouse and select the Relative allocation option in the context menu that is displayed:

	Instrument ▾	Priority	OLD Weight	ABS Weight
PLO_Model1PtF08				100.00%
└ PLO_Model1PtF08		0	100.0%	99.90%
└ 4MTechnology	4MTechnology	0	3.0%	5.00%
└ Bachem	Bachem	0	3.0%	5.00%
└ Ciba	Ciba	0	10.0%	10.00%
└ Clariant	Clariant	0	12.0%	10.00%
└ Kudelski	Kudelski	0	5.0%	5.00%
└ Logitech	Logitech	0	5.0%	5.00%
└ Nestle	Nestle	0	15.0%	10.00%
└ Novartis	Novartis	0	15.0%	10.00%
└ Roche	ROCHE	0	12.0%	10.00%
└ UBS	UBS	0	10.0%	10.00%
└ ZURICH	ZURICH	0	10.0%	10.00%

The remainder is then automatically allocated in relation to the initial weight (OLD Weight column). Columns with an initial weight of 10% are increased by 2.5% ($10\% \{remainder\} * 10\% \{initial\ weight\} / 40\% \{sum\ of\ selected\ securities'\ initial\ weights\}$) and by 1.25% for the columns with an initial weight of 5% ($10\% \{remainder\} * 5\% \{initial\ weight\} / 40\% \{sum\ of\ selected\ securities'\ initial\ weights\}$):

	Instrument ▾	Priority	OLD Weight	ABS Weight
PLO_Model1PtF08				100.00%
└ PLO_Model1PtF08		0	100.0%	100.00%
└ 4MTechnology	4MTechnology	0	3.0%	5.00%
└ Bachem	Bachem	0	3.0%	5.00%
└ Ciba	Ciba	0	10.0% →	12.50%
└ Clariant	Clariant	0	12.0%	10.00%
└ Kudelski	Kudelski	0	5.0% →	6.25%
└ Logitech	Logitech	0	5.0% →	6.25%
└ Nestle	Nestle	0	15.0%	10.00%
└ Novartis	Novartis	0	15.0%	10.00%
└ Roche	ROCHE	0	12.0%	10.00%
└ UBS	UBS	0	10.0% →	12.50%
└ ZURICH	ZURICH	0	10.0% →	12.50%

7.2 Strategy Link

The following topics are covered in this section:

- [Viewing Strategy Link](#)
- [Creating Strategy Link](#)



7.2.1 Viewing Strategy Link

The **Strategy Link** menu option creates links between portfolios or lists of portfolios and strategies. All strategies that are directly linked to a portfolio or a list of portfolios are considered to be associated with the portfolio.

It is possible that asset allocations or model portfolios are associated with a portfolio list but client constraints are only linked to individual portfolios. Direct links are physically created between portfolios and strategies while indirect links are logically created between portfolios and strategies through a list. Note that you can archive links.

You can enter the following parameters:

Field	Description
Portfolio	Select whether you want to link: - a single portfolio - a portfolio list - all portfolios
Strategy	Select whether you want to link: - a single strategy - a strategy list - all strategies
Link Nature	Select one of the following from the drop-down list: - Strategy: compares one or more portfolios with a strategy. The system will reconcile the portfolios with the strategy and display proposals for buy or sell orders. Links to strategies that can be used with the Check Strategy and/or Strategy Reconciliation functions, with automatic order generation. - Benchmark: compares the performance of one or more portfolios with that of a benchmark strategy and also attributes the realised performance to different effects. - Benchmark and Strategy: compares one or more portfolios to reconcile them with proposed orders, also compares performance. - Strategy (Check Only): Links to strategies that can be used with the Check Strategy and/or Strategy Reconciliation functions, without automatic order generation. - Constraint.
Expand Strategy	Specify whether the components of the strategy of nature "Benchmark" and/or "Investment Profile" should be displayed.
All History	Check the box to display all the stored links, irrespective of their validity date.
Current Links	Check the box to display the links for which the end date is still valid.
Physical Links	Check the box to display the links that have been physically created between a portfolio and a strategy.
Direct Links or All Links	Activate one of the following: - Direct Links to display only direct links. - All Links to display both direct and indirect links. Note: You must select the Direct Links (and not the All Links) option in the Select Strategy Link screen (Productivity > Strategy Link) to View, Copy, Modify or Delete a strategy link. This enables the relevant buttons (e.g., View, Copy, etc.).

7.2.2 Creating Strategy Link

The Create Strategy Link option creates a link between a strategy and a portfolio or list of portfolios. You can also open the **Create Strategy Link** screen by clicking the **Create** button in the **Strategy Link** screen.



To create a Strategy Link, complete the following fields:

Field	Description
Mandatory fields:	
Strategy	Code and Name of the strategy.
Entity Type	Select from - Portfolio - Portfolio List
Portfolio	Code and Name of the portfolio to attach to the strategy.
Link Nature	Select one of the following from the drop-down list: - Strategy: compares one or more portfolios with a strategy. The system will reconcile the portfolios with the strategy and display proposals for buy or sell orders. Links to strategies that can be used with the Check Strategy and/or Strategy Reconciliation functions, with automatic order generation. - Benchmark: compares the performance of one or more portfolios with that of a benchmark strategy and also attributes the realised performance to different effects. - Benchmark and Strategy: compares one or more portfolios to both reconcile them with proposed orders, also compares performance. - Strategy (Check Only): Links to strategies that can be used with the Check Strategy and/or Strategy Reconciliation functions, without automatic order generation. - Constraint
Begin Date	Date from which the link is valid.
Data Security Profile	Unique technical identifier of an occurrence.
Optional fields:	
End Date	Date at which the link stops to be valid.
Priority	Indicates the level of importance of a strategy for a portfolio or list of portfolios.

7.3 View Portfolio Objectives

The View Portfolio Objectives function displays the investment objectives linked to a portfolio. It retrieves the main hierarchy of strategies linked to a portfolio and computes or retrieves the derived strategies, depending on the **Derivation** field setting in the domain.

7.4 Constraints

The Constraint function of the **Productivity** menu defines Portfolio constraint management. In the following sections, you will learn about:

- [Trading Constraints](#)
- [Modelling Constraints](#)

7.4.1 Trading Constraints

Trading constraints allow you to define rules, which are checked when entering orders. The most common case is to prevent the buy of a specific security.



All trading constraints are defined for a specific portfolio or portfolio list.

7.4.1.1 Creating trading constraints

To create a trading constraint:

1. Define a code.
2. Set a begin date.
3. Decide if the constraint applies to a portfolio or a portfolio list, and set its code.
4. Set name, denomination, and criticalness.

Trading Constraints can be defined with or without using a constraint template:

- [Defining Trading Constraint with Constraint Template](#)
- [Defining Trading Constraints without Constraint Template](#)

Defining Trading Constraint with Constraint Template

When you define trading constraints using a template, you do not need knowledge of the script language.

Simply select one of the available constraint templates from the drop-down on the constraint template attribute and the system will then prompt you to provide the parameters for the constraint. Then, give a value for each parameter and when you click **Save**, the system will create the script expression for the constraint.

Defining Trading Constraints without Constraint Template

Leave the "Constraint Template" attribute blank. After saving the constraint, the **Definition** button becomes available. In the sub-panel, you can enter the script definition for the constraint.

7.4.2 Modelling Constraints

Front Office – PM has allocation constraints of three different natures:

- [Allocation Constraints](#)
- [Security In Constraints](#)
- [Security Out Constraints](#)

7.4.2.1 Allocation Constraints

Allocation Constraints are based on the market segments of the portfolio's rebalancing strategy.

Creating Allocation Constraints

1. Select a portfolio.
2. Enter a begin date.
3. Click **Save** button.
4. Click **Elements** button.

In a new window, the system will show the market structure of the portfolio's rebalancing strategy in a tree view.

5. For each line (market segment), you can define minimum or maximum weight, value for "fixed cell", and severity. To do this, click onto the cells and select or enter a value.
6. Save your work.



7.4.2.2 Security In Constraints

Security In Constraints consist of constraint elements. Each constraint element is based on an instrument or an instrument list.

Creating Security In Constraints

1. Select a portfolio.
2. Enter a begin date.
3. Click **Save** button.
4. Click **Elements** button.

A new window is displayed.

5. Define whether the constraint element should be based on a single instrument or on an instrument list and then, set its code.
6. Select one of the following bound nature:
 - Percentage: Defining the constraint objectives as percentages of the portfolio market value. For constraint elements based on instrument lists, this is the only possible choice.
 - Quantity: Defining the constraint objectives in units / nominal.
 - Amount: Defining the constraint objectives as an amount in a currency.
7. Enter a minimum and/or a maximum value (this is a percentage, a quantity, or an amount, according to the bound nature).
8. If the bound nature is in percentages, enter the currency.
9. Set the criticalness.

7.4.2.3 Security Out Constraints

Security Out Constraints are used to exclude positions, which are held in the portfolio, from strategy check and rebalancing.

Creating Security Out Constraints

1. Select a portfolio.
2. Define a begin date.
3. Click **Elements** button.

A new window is displayed.

4. Set the code of the instrument to which the constraint should apply. Security Out Constraints can only be defined with bound nature = Quantity.
5. Select whether the constraint treatment is optional or mandatory.
6. Enter the minimum value.
7. Set the criticalness.

7.5 Check Strategy function

Check Strategy is used to compare a portfolio, list of portfolios or all the portfolios to linked strategies. To access the Check Strategy function, go to **Productivity > Check Strategy** from the main menu bar. Then, the **Domain – Check Strategy** screen is displayed. The screen has the following tabs:



- Loading Data tab
- Strategy tab
- Parameters tab.

To access the tabs, click on the tab name. You can define the parameters of the Check Strategy function by completing the fields of each tab. For more information about each field, right-click on the field to access its context menu, and then, select Help on Item.

7.6 Reconcile Strategy function

The Reconcile Strategy function lets you reconcile (align or re-align) portfolios with strategies by automatically generating Buy and Sell orders. Front Office – PM generates these order proposals by comparing portfolios and combinations of Asset Allocation, Model Portfolio and Recommendation List strategies.

For more details, refer to the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide*.

7.7 Allocate Order function

The Allocate Order function lets you enter directly Buy and Sell orders in a portfolio or list of portfolios instead of letting the Portfolio/Strategy comparison generate them. Note that you can always perform a Portfolio/Strategy comparison before saving the proposed individual orders to the database.

You can also perform the allocation with Trading Constraints. Depending on the order allocation, the orders are checked against the constraints imposed on the portfolios in question. Front Office – PM can modify the order allocation if some of the orders are blocked by Trading Constraints.

The Allocate Order function is based on the final market value of the portfolio that contains the synthetic data. The synthetic data is valid for a pre-defined period.

There are several ways to split the global order across the selected portfolios automatically:

- You can specify a global quantity to buy or sell. Front Office – PM then helps you split the global quantity across portfolios by proposing allocation rules:
 - pro rata of the portfolio's market value
 - pro rata of the available quantities
 - equal percentage
- Alternatively, you can use simple allocation rules that determine a resulting global quantity for the order:
 - sell all the existing positions in a security
 - buy or sell in each portfolio up to a predetermined percentage of the portfolio market value
 - specify the percentage of a market segment in each selected portfolio market value
 - switch instruments in a particular market segment

In the last case, the proposed objectives are simple. They do not cover the complex objectives that you can specify using the various types of investment strategies (asset allocations, model portfolios, constraint sets, recommendation lists) defined in the system.



To access the Allocate Order function, go to **Productivity > Allocate Order** from the main menu bar. Then, the **Domain – Allocate Order** screen is displayed. Like other financial functions, you run the Allocate Order function from a Domain, hence the screen name **Domain – Allocate Order**. The screen has the following tabs:

- [Loading Data tab](#)
- [Strategy tab](#)
- [Order Generation tab](#)
- [Order Details tab](#)
- [Parameters Details tab](#)

7.7.1 Loading Data tab

On the Loading Data tab, complete the following fields:

Field	Description
Portfolio Dimension	Enter the name of the portfolio or list of portfolios in which you want to generate the Buy/Sell orders.
Initial Date	Enter the date at which the valuation is made to allocate the order (i.e. to determine the current quantities, market values, etc.). Note also that the operation and accounting dates of the orders generated are based on this date.

7.7.2 Strategy tab

Click the Strategy tab and complete the fields described below:

Field	Description
Check Strategy	Also used for the Strategy Reconciliation function. Indicates if the other strategies linked to the portfolio must be checked. The minimum and maximum link priorities are also used in the strategy check.
Check Trading Constraint	Also used for the Strategy Reconciliation function. Allows you to check or bypass checking the Trading Constraints when you generate orders through order allocate.

7.7.3 Order Generation tab

Click the Order Generation tab and complete the fields described below:

Field	Description
Gen. Global Order (Generate Global Order)	Also used for the Strategy Reconciliation function. • Gen. Global Orders: Creates a global order in a book portfolio. • No Global Order: Does not create global orders in a book portfolio. Refer to the 'Order Administration' section in the <i>WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide</i> for more details about the notion of global orders (called a Block Order in Front Office – PM). Note that global orders are not generated when the domain is based on only one portfolio.



Field	Description
Book Portfolio	Also used for the Strategy Reconciliation function. Enter the portfolio you want to use as the Book Portfolio or browse for it. This is the portfolio in which the global orders are saved if Generate Global Orders is selected in the Gen. Global Order field.
Minimum Order amount and currency	Also used for the Strategy Reconciliation function. You can set a minimum transaction amount and currency. The reconciliation process will not generate any order proposals that have an amount lower than the one you enter in the domain. This avoids generating small orders.
Minimum order percentage	Also used for the Strategy Reconciliation function. You can set a minimum percentage for the transaction amount in relation to the portfolio market value. This avoids generating small orders. Minimum order amount and minimum order percentage work together in an OR conjunction. If both criteria are set, orders with too small amount or too small percentage will be suppressed.
Order Status	Also used for the Strategy Reconciliation function. Status of the generated orders.
Buy Rule	Also used for the Strategy Reconciliation function. Enter the Rule to apply to generated Buy orders. This rule is used to compute the default values.
Sell Rule	Also used for the Strategy Reconciliation function. Enter the Rule to apply to generated Sell orders. This rule is used to compute the default values.
Order Switch Generation	Also used for the Strategy Reconciliation function. Allows you to generate switch orders or not by selecting / deselecting Order Switch Generation, when you generate orders using Allocate Order.

7.7.4 Order Details tab

The Allocate Order function Domain contains a tab called Order Details. This tab lets you specify the order allocation objective (i.e., instrument, quantity, quote, etc.). Complete the fields in this tab as described below:



Field	Description
Alloc. Nature	Select the type of allocation objective from the drop-down list: • Global Order Qty • Instr. Order Quantity • Instr. Res. Qty • Instr. Order % of Ptf. • Instr. Res. % of Ptf. • MktSgt. Res. % of Ptf. • Switch Instr. • Cash Res. % of Ptf. • Ptf. Order Qty • Ptf. Res. Qty • Conversion • Arbitrage • Combined Sell/Buy • Instr. Res. % MktSgt. • Instr. Res. % StratMktSgt. The meaning of these values is explained in section Allocation Nature in the <i>WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide</i>. Note that the type of information (and hence the data entry fields displayed) requested by the Domain depends on the value of this attribute.
Order Nature	For some Allocation Natures, you can specify the kind of order you want to generate in the Order Nature field: • Buy/Sell • Buy • Sell The Buy and Sell options are only valid for the following Order Allocation Natures: • Instrument Resulting Quantity • Instrument Resulting % of Portfolio • Market Segment Resulting % of Portfolio • Cash Resulting % of Portfolio • Portfolio Resulting Quantity This lets you restrict the order proposals to buy or sell operations.
Qty Alloc Nat.	Quantity Allocation Nature This setting is used with the Global Order Qty nature. Defines how the order is distributed into the different portfolios. Select one of the following options from the drop-down list: • Default: This option defaults to the Pro Rata of Market Value described next. • Pro Rata of MV: Computes the market value of each portfolio and the percentage it represents of the total market value. These percentages are used to distribute the global quantity. • Pro Rata of Qty: Computes the percentage of the total held quantity for each portfolio. Those percentages are used to distribute the global quantity. • Equal %: Front Office – PM tries to distribute an equal percentage of the initial quantity to each portfolio so that every portfolio receives the same quantity of security.
Obj. Weight	Objective Weight Enter the global objective weight you want to apply. This field is used with the following natures: • Market Segment Resulting % • Cash Resulting %



Field	Description
+ /- (Objective Weight Margin)	Enter the percentage margin to apply. The global objective margin is used with the following natures: • Market Segment Resulting % • Cash Resulting %.
Market Segment	Enter the Market Segment or browse for it. This information is only used with the Market Segment Resulting % and the Switch Instrument natures.

You can click **Load** button to provide a Recommendation List for the following Allocation Natures instead of manually entering securities:

- Cash Resulting % of Portfolio
- Switch Instrument
- Market Segment Resulting % of Portfolio.

As well as entering the global parameters for the Allocate Order function, you must specify the order details. The method of creating orders and the required parameters will vary depending on the nature of the selected allocation.

The Order details tab is a special tab. It contains an editable table with a number of column headers:

- Portfolio
- Instrument
- Recommendation (Buy, Sell, Reduce, Increase and Keep)
- Buy/Sell
- Quantity
- Resulting Quantity
- Objective Percentage
- Percentage Margin
- Maximum Percentage
- Limit Quote
- Quote
- Order Quote
- Currency
- Stop Quote
- Order Nature (Market, Limit, etc.)
- Sub-Nature
- Limit Date
- Validity
- Round Lot Quantity
- Minimum Order Quantity

To edit a field, click once in the column to select the field, and then click again in the field. The field is then enabled and you can enter a value directly or, in some cases, browse for a value or select one from a drop-down list.

7.7.5 Parameters Details tab

Refer to the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide* for a full description of the Allocation Parameter tab.



7.8 Order List function

The Order List function lets you perform a multi-criteria search on operations. The search is not restricted to the domain fields but is possible on almost any attribute of the extended position entity.

It returns the extended operation structure. The Order List displays information inherent in the operations performed in one or more portfolios between two given dates. Each line contains information on the transaction (dates, quotes, prices, etc.).

The Order List function specifies the behaviour when loading Global Orders and Portfolio Hierarchies. When working on Global Orders you can specify that other members of the same family must be returned using the **Load Global Order** field.

The permitted values for this field are:

Value	Description
No Family (default)	Only returns the order matching the specified criteria.
Parent	If the criteria match a Child Order its parent order is returned as well.
Children	If the criteria match a Parent Order all its children are returned as well.
Parent & Children	This nature combines the two previous rules (Parent and Children).

The functions can also handle a whole portfolio hierarchy when the Load Hierarchy from Parent is selected at Domain's Parameters level.

Refer to the *WealthSuite Front Office - Portfolio Management - Business Functions User Guide* for more information.

7.9 Order Entry function

The Order Entry function lets you record and track orders in your portfolios. The orders are mainly Buy and Sell operations. The portfolios and instruments are first displayed with the settings of the previously used domain. However, you can edit the entries displayed, if necessary. There are also keyboard shortcut keys available to help you use the **Order Entry** screen quickly.

The detailed list format screen lets you enter orders line by line. The function can handle a large number of orders (up to 32000). You can initialise orders from a list of positions, using shortcut commands.

In a single session, you can create a list of orders linked to the appropriate portfolios and instruments and save the list as an Order Entry session. You can then re-open the session later.



Screen element	Description
screen header block	Shows the basic details of the domain of the Order Entry function. In the header block, you can choose a portfolio and/or an instrument dimension or open an existing Order Entry draft session to continue working on it. The editable domain in the header block (Portfolio and Instrument fields, etc.) of the screen means that you do not have to go through the generic domain screen to choose a domain. If necessary, however, you can click the domain icon at the top right of the screen to access the complete Order Entry domain screen. Note: When you select a particular portfolio it becomes the default portfolio for subsequent orders. The Portfolio field is then disabled. This also applies to the Instrument field. To change portfolios or instruments, you must start a new session. To start entering orders, you can go to Edit > Create, use the keyboard shortcut [CTRL]+[N] or use the [Insert] key on the keyboard. This enables the first cell in the Nature column and initialises it to Buy. Click the down arrow beside the cell to choose a different operation nature.
list box part	Enter the orders directly line by line. The list is an editable detailed list format, based on the extended operation structure. Some data, displayed for information purposes only, is not editable (Last Quote, Odd Lot Quantity, etc.). The available operation natures can be restricted (to Buy/Sell operations, for example). To do this, edit the user's Function Security Profile. Default value scripts are executed online. Data validation checks are executed before orders are saved to the database. If any of the orders fail validation, the save is cancelled for all the orders in the list. Different validation checks can be applied to Buy and Sell orders. You can highlight some fields by modifying the template of the cell (i.e., edit the Format Element Cell Format to apply shadowing or a coloured background to the cell). You can define filters for enumerated fields (e.g., the Market, Stop, etc. order natures) and foreign keys (e.g., Cash Account, etc.). You can use the Copy/Paste features to copy orders. You can use keyboard shortcut commands to navigate quickly around the screen (e.g., arrow keys, Page Down, Home, End keys, etc.) to select, copy, paste and enter data. Sub-totals can be computed online.
New Session button	The New Session button or the menu option Edit>New Session ([Ctrl] + [W]) clears the screen and creates a new Order Entry session. Front Office – PM asks if you want to save the current session before creating a new one.
Save Session button	The Save Session button saves the session into the database. When you save orders definitively to the database, the session is stored with a status indicating that it is a copy of the saved orders. When you do this, you can still view the session but you can no longer change it.
Save Draft button	The Save Draft button or the menu option Edit>Save Draft ([Ctrl] + [T]) links all the operations in the list to one session, and saves the session as a draft session. The orders are not saved to the database at this stage. This lets you interrupt your work without losing the orders you have already entered. You can then re-open the session later (see the domain description).
Check Strat. button	The Check Strat. button runs the Pre-Trade Check Strategy financial function, using the current domain parameters. The same function is called even if there are no strategy links but you want to validate your orders against the Trading Constraints linked to the portfolios in question. This flag is automatically updated after a Trading Constraint check.
Print button	The Print button prints the order list.
Close button	The Close button closes the session. If you click Close button without saving your modified data, Front Office – PM displays a warning message that asks to save the changes as a draft session. A counter shows the total number of orders in the current list and the current order position.
Row number	Number of the selected row and the total number of rows.

The table below summarises the keyboard shortcuts available with the Order Entry function.



Action	Option	Shortcut
Edit	Create	Ctrl + N or Insert button
	View	Ctrl + O
	Modify (call a detailed screen)	Ctrl + E
	Copy	Ctrl + C
	Cut (for a single cell)	Ctrl + X
	Paste	Ctrl + P
	Delete	Delete key
	Select the row	Shift + Home key or Shift + End key
	New Session	Ctrl + W
	Save Session	Ctrl + S
	Save Draft	Ctrl + T
Move	Beginning of row	Home key
	End of row	End key
View	Extend	+
	Extend All	Shift & + (press Shift and the plus sign key)
	Full Extend	Alt & + (press Alt and the plus sign key)
	Full Extend All	Shift & Alt & + (press Shift and Alt and the plus sign key at the same time)
	Collapse	-
	Collapse All	Shift -
	Full Collapse	Alt -
	Full Collapse All	Shift Alt -

Note that you can type the first letter of the attribute you want in an enumerated field to speed up the search.

For more information, refer to the Order Entry section in the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide*.

7.10 Unmatched Execution List function

Lists the unmatched executions that you can then re-process. For more information, refer to the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide*.



8 Operation menu

The **Operation** menu, which lets you create all necessary types of order you need and view them, is accessible from the [Main menu](#). You can also merge your portfolio positions (Fusion).

The options in the **Operation** menu are summarised in the table below and detailed in the subsections that follow the table.

Option	Description
Create Operation function	Creates a new operation. For more information, see section Create Operation function .
Create Execution function	Manages multiple order executions. For more information, see section Create Execution function .
Create Unmatched Execution function	Lets you create unmatched executions and fees. For more information, see section Create Unmatched Execution function .
Operation List function	Lists all the existing operations for a specified domain. For more information, see section Operation List function .
Event Generation function	Generates operations from the data stored in the instrument event tables (e.g. maturity term, coupon payment dates). For more information, see section Event Generation function .
Fusion function	Fusion is the process by which positions are incorporated into a portfolio. This option lets you run the fusion process manually or specify automatic fusion. For more information, see section Fusion function .
Monitoring menu group	This menu includes the following monitoring features: • Sessions Monitoring: Lists all kinds of orders sessions and permits displaying their content. • Batch Result: Lists specific batches execution and permits displaying their content. • Withdrawal Request: Lists all withdrawal requests and permits displaying their content. • Event Scheduler: Lists incomplete fusion processes. For more information, see section Monitoring .
Special Functions function	These functions are only available to the system super-user. The following sub menus are available: • Fusion Statistics: Displays statistics of merged operations. • Modify Reference Currency: Modifies a portfolio's reference currency, system currency, or both, as well as portfolio position set and instrument currency. • Copy Operations: Copies all the operations from one portfolio to another. • Archive: Lets you archive your operations. • Archive History: Manages your archives. • Purge Order: Lets you to delete undesirable orders and purges them from Front Office – PM. For more information, see section Special Functions function .

8.1 Create Operation function

An operation can be created in two different ways:



- From the main menu bar, click **Operation > Create Operation**.
- Click the **Create** button in the Operation List function.

In either case, a **Create Operation** screen is displayed.

An operation window consists of at least three tabs (at the bottom of the screen):

- Main
- Fees and taxes (F&T)
- Reference (Ref)

Click the tab you want to activate. In some cases, the following tabs are also available:

Tab	Description
Locking	Use this tab for Repo, Reverse Repo, or Réméré transactions. In Front Office – PM, a Repo (or Reverse Repo) is considered as a Sell (or Buy) of Money Market security, i.e. a cash borrowing (or lending), for which another security is used as a guarantee. In Front Office – PM, the guarantee provided by the underlying security takes the form of a locking position linked to the money market position.
Custom	Reserved for the user-defined fields created in the Operation entity.
History	For historical price and exchange rates (e.g. investment)
Adjustment	Lets you enter adjustment parameters for an adjustment.
Book	Lets you enter Book Price and Exchange Rates (e.g. for a Transfer).

The structure and content of the operation's Main tab changes according to the operation nature specified. An investment operation, for example, is quite different from an income operation and this is reflected in the Main tab's displays. On the tabs, the drop-down list of the field **Nature** shows all available operation natures.

You can right-click on any data entry fields to display context menus that provide information or commands related specifically to the field. For example, the context menu for the **Instrument** field contains the following menu items:

- Action
- Create Instrument
- Instrument Codification
- Default Values
- Filter
- Help on Item
- Copy Text to Clipboard

8.2 Create Execution function

The Create Execution option has the following submenus:

- [Execution](#)
- [Global Execution Fee](#)

8.2.1 Execution

Create Execution is an alternative way to handle order executions. It lets you create order executions directly in the GUI. There are two types: Partial and Total.



With Create Execution, you can:

- Keep track of the original trade entered in the system. In practical terms, this means that even after an execution (total or partial) you can view the original trading data: order quantity, trading place, code, etc. You can keep track of this information even after the accounting of the order.
- View the original quantity directly as well as the cumulated executed quantity and the remaining quantity using the Order List function. Also displayed is the weighted mean quote of executions.
- View in Order List, in addition to the original order, all the corresponding execution flows that have occurred. For each execution, the quantity, quote, timestamp, value date and sequence number are displayed. Like the original order, this information is available even after the accounting of the executions.
- Avoid fixed fees being paid twice when there are two partial executions with the same operation and value date for the same order. The execution fees apply to the total execution amount per day.
- Record one specific accounted operation per execution when many executions refer to the same order instead of having a single accounting operation for all the executions together.
- View positions that arise from (partial) executions and from pending orders for the remaining quantity.

The **Create Execution** screen consists at least of the tabs Main Execution, Fees & Taxes, and Detail. In the tabs, you can right-click on any data entry fields to display context menus that provide information or commands related specifically to the field.

8.2.2 Global Execution Fee

There is a distinction between *specific execution fees* and *global execution fees*.

Specific execution fees are those directly specified in the execution (i.e., using Create Execution). Each execution has its own fees and taxes amounts.

Create Global Execution Fee is an alternative way to handle specific executions fees. Use Global Execution Fee to associate fees with multiple order executions. Typically, this option handles fixed execution fees in the case of partial executions. Instead of assigning fees to each execution of an order, you logically regroup these executions and compute the fees for each logical group, for example, all the order executions with the same operation and value date. You specify the execution grouping criterion in the **Execution Set Criteria** field of the **Execution** and **Global Execution Fee** screens.

The **Global Execution Fee** screen consists at least of the tabs Main Global Execution Fee and Fees & Taxes. In the tabs, you can right-click on any data entry fields to display context menus that provide information or commands related specifically to the field.

8.3 Create Unmatched Execution function

The **Create Unmatched Execution** screen consists at least of the tabs Main Execution, Fees & Taxes, and Detail. In the tabs, you can right-click on any data entry fields to display context menus that provide information or commands related specifically to the field.



8.4 Operation List function

The Operation List function lists all existing operations for a specified domain.

To use the Operation List function:

1. From the Front Office – PM main menu bar, go to **Operation > Operation List**.
The **Domain** screen is displayed.
2. Define the parameters required for the business function.
3. Click the **OK** or **Apply** button to display the operation list.
4. (Optional) You can view, copy, modify and delete existing operations and create new ones. In addition, you can use the right mouse button to switch to other business functions and view instrument details and notepads. Note that:
 - If you modify an operation, you cannot see the change immediately on the screen. You must return to the Domain screen and re-run the business function to see the impact of the modifications. Alternatively, click **Refresh** button at the top right of the toolbar (.
 - If the selected line has a reverse nature “reversed”, you do not have rights to update, delete, and copy. Also, for reverse nature “reverse”, you do not have rights to delete and copy. In all other cases, you have standard rights.
5. (Optional) You can save the contents of an operation list as a document in a folder. Choose **Document** from the main menu. Click **Save As** button to display the **File** screen and enter the name and code of the document and the name of the folder you want to save it to.

8.5 Event Generation function

The Event Generation function is used to automatically generate operations from pre-defined events that are linked to instruments or from Standing Instructions that are linked to portfolios.

You can set the following parameters:

Field	Description
Portfolio	Click on the arrows to select • Portfolio • Portfolio List • All Portfolios
Instrument	Click on the arrows to select • All Instruments • Financial Instrument • Financial Instrument List
Position Date	Date on which the event generation starts.
Final Date	Date at which the event generation ends.



Field	Description
Operation Status	Assign a status to the operations that are generated by the Event Generation. Available values are: - Cancelled - Simulation - Order - Confirmed - Accounted
Generation Nature	Specify whether or not the generated event requires confirmation: - Automatic: no confirmation - Events to be confirmed - Events/Operations to be confirmed - Generate events with instrument - Generate events with instrument and portfolio - Adjustment to be confirmed - Create a session
Event P&L Rule	Specify if the generated P&Ls are assigned to the underlying instrument at the origin of the event.
Event Date Rule	Choose the date at which the operations are generated. Available in the Event Generation & Journal domains. The permitted values are: - Term Date: the operations are generated at the end date of the event. - Earliest Date: the operations are generated at the earliest possible date. The default value is Term Date.
Flow Natures	Click the field in the left column to select the event natures you want to process (puts a tick ✓ in the column). available natures are: - All - Income - Issue - Redemption - Debt - Term Contract - Exchange - Standing Instruction
Flow Sub-Natures	Lets you refine the Flow Nature you selected with an appropriate sub-nature.

8.6 Fusion function

Fusion is the process that computes new positions and balance positions following the input of operations. For example, the Fusion of a Buy operation for a security that is already held merges the two positions (new and existing), whereas Fusion of a Sell closes a position.

To use the Fusion function:

1. From the Front Office – PM main menu bar, go to **Operation > Fusion**.

The **Portfolio Fusion** dialog box is displayed.

2. You can select a Portfolio, a Portfolio List or all the portfolios on the system. To do this, click the Portfolio button (with the up and down arrows ).



3. You can use the screen controls (the New/All Operations checkbox and the Fusion Date field) to set the Fusion process to include all the operations from a specific date or only new operations. By New Operations is meant those on which the Fusion process has not been run. When you select the New Operations checkbox, the label changes to All Operations and the Fusion Date field is enabled.

8.7 Monitoring

You can access the following monitoring screens and functions from the **Monitoring** sub-menu from the **Operation** menu in the Front Office – PM main menu bar:

- [Sessions Monitoring](#)
- [Batch Result](#)
- [Withdrawal Request](#)
- [Event Scheduler](#)

8.7.1 Sessions Monitoring

The Sessions Monitoring menu entry permits listing all kinds of orders sessions and displaying their content via the eponym function.

To use the Sessions Monitoring function:

1. From the Front Office – PM main menu bar, go to **Operation > Monitoring > Sessions Monitoring**.

The **Sessions Monitoring - Function Result Selection** screen displays the available orders sessions in the system.

2. (Optional) Reduce the orders sessions list by using one of the following filters:

- Function
- User
- Code
- Status
- Modification Date
- From Date

3. Select the desired orders session from the list and click the View button.

The **Sessions Monitoring Domain** screen is displayed.

4. (Optional) Amend the domain screen. When the selected session is based on a large portfolio list, we recommend you amend the portfolio dimension by reducing the session's initial scope to one portfolio or a limited set of portfolios.

5. Click the **OK** or **Apply** button.

The application executes the Sessions Monitoring function and displays the results in the selected formats. Using a format based on ext_operation entity like PCK_PM_SESSIONS_MON, it displays the orders present in the session. Using a format based on case_management like PCK_PM_SESSIONS_CMC, it permits displaying the cases linked to the selected session.



8.7.2 Batch Result

The Batch Result menu entry permits listing batches execution and displaying their specific content. Current supported batches are:

- Automatic Rebalancing
- Event Generation
- Payout Monitoring
- Payout Request
- Portfolio Closure

To use the Batch Result functionality:

1. From the Front Office – PM main menu bar, go to **Operation > Monitoring > Batch Result**.

The **Batch Result Selection** screen displays the available batch results in the system.

2. (Optional) Reduce the list by using the Nature filter.
3. Select the desired batch result from the list and click the **View** button.

The **View Batch Result** screen is displayed. The information displayed can vary and is dependent on the batch result's nature.

4. (Optional) Right-click on the Orders Session or Failed orders session none-empty attribute and select **View Details**.

The application executes the Sessions Monitoring function displaying the content of the selected session.

8.7.3 Withdrawal Request

The Withdrawal Request menu entry permits listing all withdrawal requests present in the system and displaying their specific content.

1. From the Front Office – PM main menu bar, go to **Operation > Monitoring > Withdrawal Request**.

The **Withdrawal Request Selection** screen displays the available batch results in the system.

2. Select the desired withdrawal request from the list and click the **View** button.
3. The **View Withdrawal Request** screen is displayed.
4. (Optional) Right-click on the Orders Session or Withdrawal Session none-empty attribute and select **View Details**.

The application executes the Sessions Monitoring function displaying the content of the selected session.

8.7.4 Event Scheduler

The Event Scheduler is used to track the fusion process. The **Event Scheduler** screen lists portfolios for which fusion has been specified but for which the process is incomplete. The following data is displayed:

- Nature
- Entity
- Object



- Status
- Fusion Scope
- Initial Date
- Creation Date
- Event Date
- Start Date
- (Fusion) Server
- Operation Code

8.8 Special Functions function

You can access the following functions of Special Functions from the **Operation** menu in the Front Office – PM main menu bar:

- [Copy Operations](#)
- [Archive](#)
- [Archive History](#)
- [Purging Orders](#)

8.8.1 Copy Operations

The Copy Operations function lets you copy the operations from one portfolio to another.

8.8.1.1 Using Copy Operations function

To use the Copy Operations function:

1. From the Front Office – PM main menu bar, go to **Operation > Special Functions > Copy Operations**.
The **Copy Operation** dialog box is displayed.
2. Enter the name of the source portfolio from which you want to copy the operations in the From Portfolio field.
3. Enter the destination portfolio (to which you want to copy the operations) in the To Portfolio field. The copy generates all the related positions and balance positions in the second portfolio.
4. If you want to indicate the start date of the operations that you want to copy, complete the **Initial Date** field. If you want to copy all operations, leave the field blank.
5. (Optional) If you copy operations from one portfolio to the same portfolio, you must enter the Portfolio Position Set (that you want to copy the portfolio's positions to) in the To Portfolio Position Set section (which is enabled in this case). You must have previously created the Position Set by selecting the **PPS** checkbox in the **Modify Portfolio** screen and clicking the **Position Set** button at the bottom of that screen.
6. To complete the copy operation, you must fuse the positions in the destination portfolio (refer to section [Fusion function](#)).

For more detailed information, refer to the *WealthSuite Front Office - Portfolio Management - Operations, Positions, and Fusions Reference Guide*.



8.8.2 Archive

The Archive function lets you archive the Operation entity in the database. You can archive the operations belonging to a single portfolio or a portfolio list.

8.8.2.1 Using Archive function

To use the Archive function:

1. From the Front Office – PM main menu bar, go to **Operation > Special Functions > Archive**.

The **Archive** screen is displayed.

2. Choose Portfolio or List in the **Portfolio Dimension** field and enter the name of the portfolio or list or you can click the **Browse** button (...) to choose the desired portfolio or list. You can archive operations up to a particular date or all the operations belonging to the portfolio or list:
 - To archive all operations up to a particular date, clear the **Archiving Scope** checkbox and enter the date in the **Archiving Date** field.
 - To archive all operations belonging to the portfolio or list, select the **Archiving Scope** checkbox (the right-hand label changes to All). This feature is used, for example, when the administrator would like to completely archive and remove a portfolio from the system. **No Init operations are created in this scope**.
3. Complete the **Archiving Method** field. This field lets you specify one of the following methods:

Archiving method	Description
Purge Only	Purges the operations in the database whose positions are closed before or on the archiving date. The operations with opened positions on the archiving date are replaced with new operations whose nature is Init. One Init operation is created for each opened position at the archiving date.
Extract Only	Leaves the database intact. The archived operations are exported to an archive file on the host.
Purge & Extract	This method combines the Purge Only and Extract Only methods. The Init operations created by the Archive function are inserted in the archiving file in delete mode since they need to be removed in the case of a restore.

4. In the **File Name** field, enter the name of your archive file. This file (in import native Front Office – PM format) is created on the host where the financial server is located. You must have write permission to this directory. For example, if you archive all the operations in the portfolio my_portfolio up to the 4 August 2000, you might call your archive file my_portfolio20000804.arc.

8.8.3 Archive History

The Archive History function displays the selected occurrences of the Archive entity where the archive history is stored, on a portfolio basis.

8.8.3.1 Using Archive History function

You cannot archive at a date less than or equal to the last Archive Date for the portfolio. Therefore, if there is a specific instance of an archive in this table for a particular portfolio, you cannot create archives for dates earlier than the date of that archive. The last Archive Date for a portfolio appears in the Portfolio entity under the attribute Archive Date (i.e. in the **Archive Date** field). To view this, select **Administration > Portfolio** from the main menu.



To use the Archive History function:

1. From the Front Office – PM main menu bar, go to **Operation > Special Functions > Archive History**.
The **Select Archive** screen is displayed.
2. Complete the **Dimension** and **Code** fields and enter an **Initial Date** and a **Final Date** if you want to restrict the search to a particular period. Note that Extract Only archives are not historicised in this table:

8.8.4 Purging Orders

The Purge Order function allows you to delete undesirable orders and purge them from Front Office – PM. Using this function, you can display, delete and/or extract orders. Orders have a short life cycle and performance in this domain is essential. When a lot of orders are cancelled or no longer need to be kept in the Front Office – PM database, they must be deleted or deleted and archived, if necessary.

You select the orders you want to purge using a domain screen that is similar to the **Order List** function screen.

8.8.4.1 Using Purge Orders function

Referenced orders cannot be purged. A referenced order is the old version of the reference operation in its life cycle. If a purge is attempted on referenced orders, they are not deleted but are displayed as errors.

To use the Purge Orders function:

1. From the Front Office – PM main menu bar, go to **Operation > Special Functions > Purge Orders**.
The **Domain** screen is displayed.
2. Complete the fields. Note the following points:
 - As in the Order List function, the **Initial Date** and **Final Date** fields are not mandatory.
 - The minimum and maximum operation statuses must be less than the accounting value. Only orders can be deleted or archived from this function.
 - Only orders can be deleted or archived from this function. The Load Global Order filter is forced to Children. This filter includes the child orders (linked to the selected transactions) in the processing.
 - For the Purge Order Method field, the following table describes the different Purge Order methods (in the drop-down list):

Option	Description
None	Displays the selected transactions. This is the best way to validate the data you want to delete or/and archive.



Option	Description
Purge Only	Purges the orders in the database which match the domain criteria. After this action, the transactions are definitely deleted from the database and are no longer accessible. When the Purge Only method is chosen: - If the result screen is empty (that is, no transactions are displayed), it means that all the transactions have been correctly deleted. Only transactions with errors are displayed on the screen. For example, if you have ten orders to delete and two orders are displayed on the screen as errors, it means that eight of them were successfully purged. - The executions and global execution fee linked to the deleted orders are also deleted - The transaction providing data consistency is at the order level only. The executions linked to the order are deleted in this transaction. - When an accounted operation references a purged order (to account order executions through the order code and execution set criteria), the link from the operation to the order is deleted. A trace of this order is kept by storing the order code in the operation record (order_code attribute). - If there are one or more valid subscriptions on the extended operation entity, the Purge Order function generates event and/or audit records. Only subscriptions on the extended operation entity are activated by this function. Subscriptions on the execution or global execution fee entities are not executed.
Extract Only	Leaves the database intact. The archived transactions are exported to an archive file on the UNIX host. Make sure you enter the Archive file path in the File Name field. This file must be accessible from the Financial server. The file properties must include modify rights for the financial server user. If this method is chosen and no file name is specified, an error is raised. If you run the function in Extract Only mode, you may retrieve more records than the output from Purge Only mode. The reason for this is that the Extract Only mode is a simulation that does not take any database errors into account. In Purge & Extract mode, it is guaranteed that the data extracted in the file is purged/deleted data. There is no difference between the two outputs. When the Extract Only method is chosen: - If the result screen is empty (that is, no transactions are displayed), it means that all the transactions have been correctly archived. Only transactions with errors are displayed on the screen. - The archived records can have three possible structures, one for each of the following entities: extended operation, execution and global execution fee. Each record is constructed in the following way: <entity name> as the first field, and a complete entity description in which each field is described by its name followed by its value. This output structure is exactly the same as the event or audit structure generated by the subscription.
Purge & Extract	This method combines the Purge Only and Extract Only methods. If the data cannot be archived in the file, the delete is rolled back and the data restored.
Examples: <pre><ext_operation>nature_e=2^^ function_result=NULL^^ code=^_A_OCE1_1^_^^.... <execution>ext_order=^_A_OCE1_1^_^^ type=NULL^^ type.attribute.entity=NULL^^ <global_execution_fee>ext_order=^_A_OCE1_1^_^^ type=NULL^^</pre>	

3. Click **OK** (or **Apply**).

The Purge Order performs a multi-criteria search on operations. The search is not restricted to the domain fields but applies to most of the attributes of the extended operation entity.

The extended operation structure is returned in the first panel and the extended execution structure in the second panel. Each result row contains information on the transaction (dates, quotes, prices, etc.). You cannot modify transactions from these result screens. The **View** button is the only one enabled when you double-click a specific row for more detail.

There is no specific procedure provided to import these transactions back into the Front Office – PM database. If you need to redirect these transactions into Front Office – PM, the DataStage TX (formerly Mercator) maps for these entities' subscriptions can be very helpful.



9 Administration menu

The **Administration** menu is accessible from the [Main menu](#). The **Administration** menu lets you view, insert, copy, update or delete elements in different tables of the database. The purpose of this section is to review the different tables you can access and explain their roles in the application. Note that all the attributes (fields) displayed in the different tables are fully described in the *WealthSuite Front Office - Portfolio Management - Data Model Reference Guide*.

Note that the Administration menu has changed since Release 17.06. To keep the old one, use the variable AAAOLDADMINMENU.

The options in the **Administration** menu are summarised in the table below and detailed in the subsections that follow the table.

Option	Description
Main Entities	Lets you view, create, modify, or delete the following entities: • Portfolio • Third Party • Instrument For more information, see section Main Entities .
Reference Data	Lets you view, create, modify, or delete the following entities: • Currency • Geographical Area • Sector • Rating • Deposit • Calendar • Business Entity / Business Organisation • Manager For more information, see section Reference Data .
Typology	Lets you view, create, modify, or delete the following entities: • Type • Balance Position Type • Category • Codification It also lets you set up Codification schemes for entities such as Synonym, Sector, or Rating and stores them in the database. For more information, see section Typology .
Business Rules	Lets you view, create, modify, or delete the following rules: • Valuation Rule • Risk Rule • Case Rule • Performance • Compound Order • Advisory • Taxes and Tax Lot For more information, see section Business Rules .



Option	Description
Infrastructure	Lets you view, create, modify, or delete the following entities: • External Service • Report • Notification • Change Set For more information, see section Infrastructure.
Chrono	Lets you view, create, modify, and delete chronological details of the following entities: • Portfolio Chrono • Third Party Chrono • Instrument Chrono • Compliance Chrono • Instrument Chrono • Exchange Rate • Currency Chrono • Compute Instrument Chrono • Compute Compliance Chrono • Display Compliance Chrono For more information, see section Chrono.
List	Lets you view, create, modify, and delete lists of entities, for example, portfolio lists and instrument lists. You can create the lists manually or on the basis of specific characteristics; for example, you can create a list of all the portfolios managed by a particular manager. This option also lets you organise Classifications and Grids of portfolios for defining strategies. For more information, see section Lists, Classifications, and Grids.
Security (system super user only)	Lets you view, create, modify, and delete various parameters used by the system, such as user-profiles, server connections and languages. For more information, see section Security. For an overview of security parameters, refer to the <i>WealthSuite Front Office - Portfolio Management - System Management Guide</i>.
Configuration (system super user only)	Lets you manage the configuration of the environment. You can view, create, modify, or delete the following elements: • Format • Screen • Constraint Template • Case Msg Template • Scripts • Function Scripts • Subscriptions For more information, see section Configuration.
Miscellaneous	Lets you view, create, modify, or delete the Corporate Action Definition. For more information, see section Miscellaneous. For an overview of the Corporate Action Definition, refer to the <i>WealthSuite Front Office - Portfolio Management - Operations, Positions, and Fusions Reference Guide</i>.

Note that in the product guides, reference is frequently made to a particular *level*, for example, portfolio level, instrument level, or operation level. This means you should enter particular data



or definitions in the corresponding screen or in the screens of the subtables accessed via a button in the parent screen. For the current examples you would go to **Administration > Main Entities > Portfolio**, **Administration > Main Entities > Instrument**, or **Operation > Create Operation**, etc.

9.1 Main Entities

Lets you view, create, modify, or delete the following entities:

- [Portfolios](#)
- [Third party](#)
- [Instruments](#)

9.1.1 Portfolios

A portfolio is an entity that groups financial assets and liabilities. The portfolio can be private, institutional, or a mutual fund. A portfolio can belong to a customer and can be managed by an administrative and commercial manager. It has a reference currency and obeys several rules, governing, for example, the fusion of its positions (Fusion rule) and the fusion process itself (Fusion Date Rule).

Note: You cannot delete a portfolio that is referenced in orders or accounted operations.

9.1.2 Third party

A third party is an entity that is external to the financial institution.

The available third parties are:

- Clients
- Intermediaries
- Issuers
- Custodians
- Markets

9.1.2.1 Links between clients and portfolios (Households)

Generally, the portfolio (and not the client) represents the "managed object" in Front Office – PM. This means, for example, that strategies and benchmarks are linked to portfolios and not to clients. The client is mainly a "reporting unit" in the sense that business functions and reports can be called at the client level.

In some cases, it is required to split a portfolio into sub-portfolios (e.g., for tax reasons). As well, if the sub-portfolios of a main portfolio are actively managed (e.g., rebalancing against a strategy), it is advisable to create a portfolio hierarchy. A portfolio hierarchy is created by referencing the code of the parent portfolio in the child portfolio.

Links between portfolios and clients (known as third parties) can be defined as direct or indirect links.

- In a direct link, the client (i.e., portfolio owner) is referenced in the attribute **Client** of the portfolio. This type of link should be used if there is only one owner per portfolio.
- Indirect links are managed in the entity Portfolio Third Composition, which is accessible from the menu item **Administration > Main Entities > Portfolio** in editable mode and **Administration > Main Entities > Third Party** in read-only mode. Indirect links should



be used if a portfolio belongs to more than one client, or if several persons have rights to it. Portfolio Third Composition lets you define the ownership rules, validity date, and end date.

When executing a business function on a client, you can decide whether direct links only, indirect links only, or both types of links should be evaluated and in cases of indirect links, which ownership rule should be used (see section [Parameters](#)).

The portfolios that belong to the client at the Initial Date of the analysis will be included in the analysis.

9.1.3 Instruments

An instrument is any asset or liability that can be held in a portfolio. It can also be an indicator or a quoted set of instruments. One of the most important attributes of an instrument is its nature. The nature defines the category of the instrument.

The available instrument natures are:

- Stock
- Fixed Income
- Option
- Cash Account
- Money Market
- Future
- Forward
- Index
- Rate
- Swap
- Discount Instrument
- Commodity
- Fund Share
- Yield Curve
- Deliverable
- Debt
- Other
- Option Bond
- Convertible Bond
- Forward Rate Agreement
- Forex Swap
- Exotic Option
- Swaption
- Mortgage-Backed Security
- Flow Instrument
- Notional Instrument

Details about the instrument attributes can be found in the *WealthSuite Front Office - Portfolio Management - Financial Instruments Reference Guide*.



9.2 Reference Data

This section provides a short description of each table used by the Administration function of Front Office – PM. For more information on the meaning of individual attributes, refer to the Front Office – PM online help (also known as “Help on Item” when you right click on a field).

To view the tables, go to **Administration > Reference Data** and then choose the table from the submenu.

The tables used by the Administration function are:

- [Currency](#)
- [Geographical Area](#)
- [Sector](#)
- [Rating](#)
- [Deposit](#)
- [Calendar](#)
- [Business Entity / Business Organisation](#)
- [Manager](#)

9.2.1 Currency

The Currency table contains information about:

- Reference currencies for securities.
- Reference currencies for portfolios.
- Monetary units of the geographical areas (e.g., CHF, USD, GBP)
- Rounding rules for different currencies.

Note that a currency traded as a financial instrument is also referenced in the Instrument table (Cash Account nature). The maximum length for a currency code is three characters.

9.2.2 Geographical Area

The Geographical Area table contains data defining countries and geographical areas. The countries and areas are referenced in the application as risk countries or as part of an address (e.g., USA, UK, EU, WORLD, CANTON-VAUD, REGION-WALLONNE).

9.2.3 Sector

The Sector table contains data defining economic sectors and sub-sectors with which an object can be linked (e.g., BUILDING, BANKING, SOFTWARE, etc.). Note that sectors and sub-sectors must be linked to a system of codification (e.g., Internal, NACE, F.T.). Also, a security can be classified under more than one sector only if there is a different codification scheme for each sector code.

9.2.4 Rating

The Rating table contains data defining credit ratings for both third parties and financial instruments (e.g., AAA, BB+). Each rating must be linked to a codification scheme such as Moody or Standard & Poor's. Each object, security, or third party can have different ratings at the same time only if the codification scheme is different.



9.2.5 Deposit

The Deposit table contains data defining the deposits on the system. You can specify a deposit when you create an operation. This indicates the corresponding account of the custodian with which the securities (of the operation) are held. The deposit is particularly important when the Position Logical ID is set to Deposit. This way, Front Office – PM will not merge two positions of the same security if their deposit codes are different.

9.2.6 Calendar

In the Calendar table, you can define specific calendar functions for dealing with business operations that would theoretically occur on non-working days. For example, a portfolio manager can define when dividends should be paid if the payment date falls on a weekend.


9.2.7 Business Entity / Business Organisation

The Business Entity table contains records representing the bank's business teams (e.g., desks, divisions, branches, etc.). These can be linked hierarchically together to model the bank's organisation.

The following can be attached to business entities:

- Portfolios (see section [Portfolios](#)).
- Instruments (see section [Instruments](#) as well as refer to the *WealthSuite Front Office - Portfolio Management - Financial Instruments Reference Guide*).
- Third parties (see section [Third party](#)).
- Bank employees (represented by Front Office – PM users).

The aim of these links is to define, for example, which teams will administrate the portfolios, which teams will manage the portfolios, and which teams will check the portfolios' compliance. These business objects can belong to the same business entity but their roles must be different. As well, only one business entity can be defined as their main business entity. The following image provides an example of portfolios, clients, and financial instruments administration:



9.2.7.1 Creating new business entities

To create a new business entity:

1. From the Front Office – PM main menu bar, go to **Administration > Reference Data > Business > Business Entity**.

The **Select Business Entity** screen is displayed.

2. Click **Create**.

The **Create Business Entity** screen is displayed.

3. Define the following attributes:

Attribute	Description
Code	Business identifier of the business entity. It is mandatory and has to be unique
Name	Business entity's name. It is mandatory and its default value is the attribute Code.
Denomination	Can be the description of the business entity or the business entity's long name.
Currency	Currency of the business entity. Its default value is the system's currency.
Phone Number	Business entity's main phone number.



Attribute	Description
Fax Number	Business entity's main fax number.
Telex Number	Business entity's main telex number.
Residence Country	Country where the business entity is located.
E-mail Address	Business entity's main e-mail address.
Calendar	Business entity's official calendar.
Legal Nature	Business entity's legal nature. The default value is Business Entity.
Organisation Role	Role that the business entity has inside the bank's organisation. The values Master Company, Lead Company, and Branch Company are available only if the attribute Reference is defined with the value "Core Banking" as they are solely dedicated to Core Banking (see section Specific usage of business entities for Core Banking for more details).
Type	Business entity's type.
Status	Business entity's status. The default value is Active.
Reference	Business entities may be referenced in another system. This attribute is used to indicate the reference system.
Data Security Profile	Business entity's Data Security Profile, which is used to define security access and rights for the Front Office – PM users. It is mandatory and its default value is the default Data Security Profile.
Additional Data Security Profile	Business entity's additional Data Security Profile.

4. Do one of the following:

- If you are finished with defining the attributes in the previous step and want to save the new business entity at this point, click **OK**.
- If you want to continue to define other attributes (availability based on the user's rights) such as translated denominations, synonyms, and additional addresses (including phone, fax and telex numbers, and e-mail addresses), click **Save**. Then, the **Modify Business Entity** screen is displayed where you can complete these attributes by clicking the **Denomination**, **Synonym**, and **Address** buttons.

9.2.7.2 Modifying existing business entities

To modify an existing business entity:

1. From the Front Office – PM main menu bar, go to **Administration > Reference Data > Business > Business Entity**.

The **Select Business Entity** screen is displayed.

2. Select the desired business entity from the list and click **Modify**.

The **Modify Business Entity** screen is displayed. Availability of the buttons on the screen depends on the user's rights.

3. Modify the attributes you want to change.

4. Do one of the following:

- If you are finished with the modifications, click **OK** to save the changes.



- If you want to continue to modify or add other attributes (availability based on the user's rights) such as translated denominations, synonyms, and additional addresses (including phone, fax and telex numbers, and e-mail addresses), click **Save**. The **Modify Business Entity** screen remains with the previous modifications saved.

9.2.7.3 Deleting existing business entities

To delete an existing business entity:

1. From the Front Office – PM main menu bar, go to **Administration > Reference Data > Business > Business Entity**.

The **Select Business Entity** screen is displayed.

2. Select one or more business entities to delete from the list and click **Delete**.

The **Message Report Window** screen is displayed asking you to confirm the deletion request.

3. Click **Yes** or **Yes To All**.

The **Message Report Window** is closed and the selected business entities are removed from the database.

9.2.7.4 Copying existing business entities

By default, all links with portfolios, third parties, instruments, bank employees (Front Office - PM users), and other business entities are also copied. If you want to change the default values, go to **Tools > Options > Copy > Confirmed** to make new selections before proceeding with the steps described in this section.

If the original business entity was defined as the main business entity of some portfolios, third parties, instruments and/or users, then it is overridden by its copy (i.e., the original business entity remains attached but it is no longer considered the main business entity).

To copy an existing business entity:

1. From the Front Office – PM main menu bar, go to **Administration > Reference Data > Business > Business Entity**.

The **Select Business Entity** screen is displayed.

2. Select the business entity to copy from the list and click **Copy**.

The **Copy Business Entity** screen is displayed. The attributes of the copied business entity take the same value as the original.

3. Modify the attribute **Code** and, if necessary, modify the other attributes too.

4. Do one of the following:

- If you are finished with the modifications and want to save the copy to the database at this point, click **OK**.
- If you want to continue to modify or add other attributes (availability based on the user's rights) to the copy such as translated denominations, synonyms, and additional addresses (including phone, fax and telex numbers, and e-mail addresses), click **Save**. Then, the **Modify Business Entity** screen is displayed where you can complete these attributes by clicking the **Denomination**, **Synonym**, and **Address** buttons.

9.2.7.5 Defining business organisations (links) between business entities

Business entities can be linked hierarchically together to model the bank's organisation. These links are defined through business organisations.



Accessing the business organisations' administration can be done by doing one of the following:

- Use the **Business Organisation** button when modifying a business entity (see section [Modifying existing business entities](#)) to display existing business organisations that have the selected business entity defined as its parent business entity. The availability of this button depends of the user's rights.
- Use the command **Administration > Reference Data > Business > Business Organisation** of the menu bar to display all existing business organisations.

The business organisation is displayed in the list only if the user has access rights to its child and parent business entities. From the administration of the business organisations, it is possible to create new business organisations as well as modify, copy, delete, and view existing business organisations. Their attributes are:

Attribute	Description
Business Entity	Child business entity of the link.
Parent Business Entity	Parent business entity of the link.
Functional Role	Functional role that the parent business entity has on the child business entity.
Type	Type of link.

You can link the same child and parent business entities together several times but the functional role must be different.

9.2.7.6 Defining compositions of business entities

Business entities can contain portfolios, third parties, instruments, and bank employees (Front Office – PM users), which are defined through business entity compositions.

Accessing the business organisations' administration can be done by doing one of the following:

- Use the **Portfolio**, **Third Party**, **Instrument**, or **User** buttons when modifying a business entity (see section [Modifying existing business entities](#)) to display existing business entity compositions related to the selected business entity and the corresponding object (i.e., portfolio, third party, instrument, or user). The availability of these buttons depends on the user's rights.
- Use the **Business Entity** button when modifying a portfolio, a third party, an instrument, or a user to display existing business entity compositions related to the selected object's record (i.e., portfolio, third party, instrument, or user). The availability of this button depends on the user's rights.

The business entity composition is displayed in the list only if the user has access rights on the related business entity and the related object (i.e., portfolio, third party, instrument or user). From the administration of the business entity compositions, it is possible to create new compositions as well as modify, copy, delete, and view existing compositions. Their attributes are:

Attribute	Description
Portfolio	Portfolio to be included in the composition. This attribute is available only if the object to include in the business entity composition is a portfolio.
Third Party	Third party to be included in the composition. This attribute is available only if the object to include in the business entity composition is a third party.



Attribute	Description
Instrument	Instrument to be included in the composition. This attribute is available only if the object to include in the business entity composition is an instrument.
User	User to be included in the composition. This attribute is available only if the object to include in the business entity composition is a user.
Business Entity	Business entity to be defined.
Role	Role that the business entity has on the included portfolio, third party, or instrument. For a user, it is the role that the employee has inside the business entity.
Main Business Entity	Indicates whether or not the business entity is the main business entity of the related object.
Type	Type of business entity composition.

It is possible to include the same portfolio, third party, instrument, or user inside the same business entity but the role must be different.

The main business entity of a portfolio, a third party, an instrument, or a user can be directly defined with its attribute Main Business Entity (`main_business_entity_id`). In any case, only one business entity can be the main business entity of a given portfolio, third party, instrument, or user. If another business entity is defined as the main business entity, it overrides the previous definition of the main business entity (but the previous main business entity continues to contain the object).

9.2.7.7 Specific usage of business entities for Core Banking

Business entities can be used to represent records of the Core Banking application COMPANY. Records of COMPANY are divided into the following categories:

- **Lead company:** The lead company is used by Core Banking to define user's access rights and actions for unshared data such as portfolios, clients, and currencies owned by this company. A Core Banking instance may contain several lead companies.
- **Master company:** The master company is a specific lead company. It is used to define the user's access rights and actions for shared data such as countries but also for unshared data it owns. Only one record of the master company has to be defined per Core Banking instance. If portfolios, clients and/or currencies are shared, the master company owns them automatically.
- **Branch company:** The branch company is a sub-company below a lead company. It owns exactly the same unshared data associated to its lead company but the user's access rights and actions can be different.

In case a business entity has to represent a COMPANY's record, it is recommended that its attributes Legal Nature, Reference, and Organisation Role are defined with the following values:


- **Legal Nature:** It should take the value "Company" to indicate that it is a COMPANY's record.
- **Reference:** It should take the value "Core Banking" to indicate that the reference system is Core Banking.
- **Organisation Role:** It should take the value "Lead Company", "Master Company", or "Branch Company" to indicate the company's category.

If relationships between COMPANY's records (lead company ↔ branch company) must also be represented in Front Office – PM, then the parent business entity should be the lead company



and the child company should be the branch company. Then, portfolios, clients (third parties), and financial instruments that have a correspondence with Core Banking data can be attached to those business entities as the main business entity.

It is recommended to use business entities that represent lead or master companies. The image below shows an example of correspondences between Front Office – PM and Core Banking with portfolios and clients:



For bank employees (Front Office – PM users), the main business entity will represent the default COMPANY's record used to log into the Core Banking browser.

9.2.8 Manager

The Manager table contains data defining portfolio managers. Managers can be classified into two different types that are referenced in the portfolio master file:

- Commercial managers in contact with the customers.
- Administrative managers who manage portfolios by applying various strategies.



9.3 Typology

This section provides a short description of each table used by the Administration function of Front Office – PM. For more information on the meaning of individual attributes, refer to the Front Office – PM online help (also known as “Help on Item” when you right click on a field).

The tables used by the Administration function are:

- [Type](#)
- [Balance Position type](#)
- [Category](#)
- [Codification](#)

9.3.1 Type

Front Office – PM can group objects together if one or more criteria are specified as the basis for constructing the group. The Type table contains data defining types and sub-types. Types can be defined on the following entities:

- Address (type)
- Calendar (term type)
- Exchange Rate (type)
- Guarantee (type)
- Instrument (type, sub-type)
- Instrument Price (type)
- Notepad (type)
- Operation (type, sub-type)
- Portfolio (type)
- Position (lock type id)
- Third Party (type)

Note: Other entities exist; the drop-down list in the **Entity** field shows all possibilities.

9.3.1.1 Creating, modifying, or viewing entity types

To create, modify, or view entity types:

1. In the **Select Type** screen, select the relevant table from the **Entity** drop-down list.
2. Specify the required **Type** in the **Attribute** field.

9.3.2 Balance Position type

For each operation saved in the system, Front Office – PM generates a position and, at the same time, a Balance Position, in a similar way to a double-entry accounting system. Each Balance Position is represented in the system by a counter. Front Office – PM is shipped with 30 standard Balance Position types that must not be deleted. You can define as many new Balance Position types as required, provided each is linked to a defined hard-coded Balance Position type. This lets you create, for example, a new fee counter for a particular financial instrument or a tax credit counter for a country.

9.3.3 Category

Categories can be created and have the nature third party, portfolio, or instrument.



A category must have a nature, a code, a description, and a Data Security Profile.

For the same nature and the same Data Security Profile, you can only have one description.

A group of users can then create a list of categories and use it to categorize entities like third party, portfolio, or instrument. A list of categories can be restricted to this group of users. Another group can decide to create another list.

The members of the group can then search for all third parties, portfolios, or instruments that have a dedicated category. In Channels - PM front end, an advanced search is proposed on category.

9.3.4 Codification

Codification lets you set up alternative coding schemes to define the same object attributes in different ways. For example, a security can have both a Reuters and a Bloomberg synonym as well as both an S&P and a Moody's rating. A stock can have both an FT and a NACE sector code.

You can secure access to a codification through data security profile. This gives you the capacity to restrict access to all related synonyms for some users when these synonyms hold critical values for the bank. The restricted access applies to codification and synonyms, not to the business data itself. For example, you can secure a codification on third parties that is internal to the bank, providing personal client's information. Users with restricted access to codification cannot see the synonym but still can see the third party record, according to his security setting for third party record.

When the definition of a list is based on a specific Codification (e.g., sector codification), you must first create the Codification and then stop and restart the financial server. That way, the Codification is taken into account. Otherwise, the list composition is empty when you want to build the list.

9.4 Business Rules

This section provides a short description of each table used by the Administration function of Front Office – PM. For more information on the meaning of individual attributes, refer to the Front Office – PM online help (also known as “Help on Item” when you right click on a field).

The tables used by the Administration function are:

- [Valuation Rule](#)
- [Risk Rule](#)
- [Case Rule](#)
- [Performance Rule](#)
 - [PSP Position Data](#)
 - [Performance Effect Definition](#)
 - [Performance Analysis Parameters](#)
- [Compound Order Rule](#)
- [Advisory](#)
 - [Questionnaire definition](#)
 - [Questionnaire history](#)
 - [Plan Rule](#)
 - [Plan Definition](#)
- [Taxes and Tax Lots](#)



- [FT Convention](#)
- [Accounting Profile](#)
- [Fiscal Period](#)
- [Rules for instrument recommendation levels](#)
 - [Instr. Recomm. Level - Instr. Rule](#)
 - [Instr. Recomm Level - Ptf. Rule](#)
 - [Instr. Recomm Level - User Rule](#)
 - [Instrument recommendation level rule](#)

9.4.1 Valuation Rule

Valuation Rule impacts the calculations of the business functions. Valuations rules can be linked to a portfolio and some can also be selected in the domain when executing a business function. The rules can be classified into the following groups:

Rule	Description
Quote Valuation rule	Defines the method of retrieval or computation of an instrument's price. The price of an instrument can be quoted, in which case the rule defines the following: • Price type (e.g., open or close). • Price currency. • Price provider (e.g., Reuters, Telekurs, internal). • Price market (e.g., New York Stock Exchange, London Stock Exchange).
Exchange Valuation rule	Defines the method of retrieval of the exchange rate between two currencies. The exchange rate retrieved is defined by the following selection criteria: • Exchange rate type (e.g., bid, offer, mean). • Exchange rate provider. • Exchange rate market. Additionally, you can specify the currency against which other currencies are to be crossed.
Instrument Lending Valuation rule	Specifies the lending value of an instrument. The coefficient is attached to an instrument or list of instruments. It defines the maximum percentage of their value that can be used as collateral.
Currency Lending Valuation rule	Specifies the percentage margin that is held in the event of a currency mismatch (i.e., where there is net exposure in one currency).
Book Valuation rule	Specifies the basis on which position book values are computed.
Theoretical Valuation rule	Determines the method to be used for calculating an instrument price on a theoretical basis using a valuation model (e.g., an option valuation model such as Black-Scholes).
P/L rule	Determines the calculation of profit and loss.

9.4.2 Risk Rule

For Risk Compliance, Risk Rule allows you to define attributes that are applicable for the external risk application call from Front Office – PM. Main attributes are level of confidence and time horizon.

Risk Rule is used to call risk tools to generate risk value entities (actual risk values) and are also used to compose risk strategy element entities. Risk Rule is an attribute of the domain of Check Strategy and Pre-trade Check Strategy functions.



This infrastructure is composed of a rule and its composition. The composition contains at least one row. The composition also depends on the risk tool used as well as the risk values calculated and needed. A composition row can be linked to specific values of the level of confidence and time horizon, and to specific technical calls to external tools.

In the standard packaging, a default Risk Rule is delivered and is comprised of a risk rule and a rule type, and the rank is set to 1.

Example of rule compositions:

Rule	Rank	Type	Level of confidence	Time Horizon	Description
Rule_01	1	PCK_DS_RULE_DEFAULT	95%	1 Month	Default rule in the standard packaging.
Rule_02	1	Type_for_tools_A	95%	1 Month	For tools A, only a set of risk indicators are calculated.
Rule_02	2	Type_for_tools_A	95%	2 Weeks	
Rule_02	3	Type_for_tools_A	95%	1 Weeks	
Rule_02	4	Type_for_tools_A	90%	1 Month	
Rule_02	5	Type_for_tools_A	90%	2 Weeks	
Rule_02	6	Type_for_tools_A	90%	1 Weeks	
Rule_02	1	Type_for_tools_B	95%	3 Month	For tools B, another set of risk indicators are calculated.
Rule_02	2	Type_for_tools_B	95%	1 Month	
Rule_02	3	Type_for_tools_B	95%	2 Weeks	
Rule_02	4	Type_for_tools_B	95%	2 Weeks	

For more information about using Risk Rule, refer to the section about risk compliance in the *WealthSuite Front Office - Portfolio Management - Compliance Reference Guide*.

9.4.3 Case Rule

For compliance, Case Rule allows you to define the conditions to create a case and the attributes of this case.

A Case Rule is based on an entity and a function; a script defines the filter to apply to the entity. The case definition is realised by a specific script keyword `CREATE_CASE`. For more information about this script keyword, refer to the *WealthSuite Front Office - Portfolio Management - Script Language Reference Guide*.

The standard packaging includes one Case Rule for the risk compliance `SYS_RISK_CASE_RULE` and four Case Rules for the Lombard compliance.

To deactivate all Case Rules delivered in the standard packaging and to apply only specific Case Rules, use the system parameter `SYS_CASE_RULE_ACTIVATION_FLAG`.

For more information about using Case Rule within the compliance, refer to the section about risk compliance and Lombard compliance in the *WealthSuite Front Office - Portfolio Management - Compliance Reference Guide*.



9.4.4 Performance Rule

9.4.4.1 PSP Position Data

The PSP Position Data describes the rules for the storage of performance data.

9.4.4.2 Performance Effect Definition

The setup of the performance effects is required for the Intermediate Benchmark Performance Analysis function. Each effect is associated with a nature, which determines the formula to be used for the calculation of the effect.

9.4.4.3 Performance Analysis Parameters

The Performance Analysis Parameters are special settings used by the Performance Analysis Function. These describe the methods of portfolio consolidation, currency conversions, and period chaining.

9.4.5 Compound Order Rule

The Compound Order Rules and master elements are used to define the pattern and business rules applicable for compound orders/operations.

Compound Order is available to manage a synthetic order/operation that can be modelled by the composition of different operations. It provides the ability to manage this synthetic order/operation as one business transaction.

9.4.5.1 Creating / defining Compound Order Rules

To create/define a new Compound Order Rule:

1. From the GUI menu, select **Administration >Business Rules> Compound Order > Compound Order Rules**.
2. Click **Create**.
3. Complete the attribute of the definition.
4. Click **Save** to save the definition.
5. Click **Master Element** to define the master element orders.
6. In **Compound Order Rule Compound Order Master**, click **Create**.
7. Complete the definition of the master element order. Each master element order of a Compound Order rule defines a type of business event associated with the Compound Order (e.g., buy, sell). You can add one or many master element orders into a Compound Order Rule.
8. Click **Save** to save the definition of the master element order.
9. Click **Slave Element**.
10. In **Compound Order Master Compound Order Slave**, click **Create**.
11. Complete the definition of the slave element order linked to the master. You can add one (minimum) or more slaves element orders for the master.

Note: The modification and deletion of master and slave element orders are limited if there are orders and/or operations linked to the Compound Order Rules.

For more information about the Compound Order function, refer to the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide*.



9.4.5.2 Compound Order Rule and Compound Order/operation management

The purpose of a Compound Order Rule definition is to define the pattern applied by Front Office – PM when the end user creates, modifies, or deletes a type of compound order. Via this rule definition, it is possible to manage it as a single transaction, even if there are several orders inside.

When the end user creates a new compound order, the user only needs to define the applicable master element orders, and to complete the minimum attributes required for the master and slave leg orders. Front Office – PM generates all orders of the compound order according to the pattern defined by the combination of one master element order with one or many slave element orders linked.


All orders/operations belonging to a compound order have the same compound order code. As well, each order references the master or one of the slave element orders of the Compound Order Rule applied for the generation.

9.4.5.3 Application of the Compound Order Rule - Call Spread option strategy

The goal of the Compound Order Rule is to provide the ability to configure advanced business transactions that have a definition that can be modelled for business purposes as a linear combination of a standard transaction, with the ability to process them as one order/operation in Front Office – PM. For example, the Front Office – PM Web standard packaging includes the management of options strategies.

A buy (resp. sell) of a Call Spread option strategy is a combination between a buy (resp. sell) of an option call at strike X with a sell (resp. buy) of an option call with strike Y higher than X for the same maturity and underlying position.

The transposition via the Compound Order Rules is based on:



For a Call Spread option strategy, the following business class of Compound Order Rule settings are delivered in the Front Office – PM Web standard packaging for Compound Order Rules to match the business definition of a Call Spread:



There are two master elements defined, one to manage the Buy order/operation and one for the Sell order/operation:

- [Buy of a Call Spread option strategy](#)
- [Sell of a Call Spread option strategy](#)

Buy of a Call Spread option strategy

The buy of a Call Spread (also known as Long Call Spread) is modelled with one master element with operation nature Buy, and linked with one slave element with nature Sell.

As the buy of a Call Spread is managed by a combination of two elements only, there is only one slave, with rank 1 and with leg nature Single.

The leg nature of the slave element can be a multiple. It is applicable when there are several slave leg orders belonging to the same Compound Order slave element for a business case. It is possible to define the maximum number of supported slave leg orders via the attribute Maximum Leg Number.



Sell of a Call Spread option strategy

The image shows two overlapping windows from a financial software application. The background window is titled 'Modify Compound Order Rule Compound Order Master'. It contains several input fields: 'Code' (POC_BS_SELL_CALLSP), 'Name' (Call Spread Sell - Master), 'Denomination' (Call Spread Sell - Master), 'Compound Order Rule' (POC_BS_CALLSPREAD), 'Operation Nature' (Sell), 'Operation Type' (None), 'Operation Sub-Type' (None), 'Operation Order Type' (Call Spread), and 'Screen'. At the bottom are buttons for 'Denomination', 'Slave Element', 'OK', and 'Save'. The foreground window is titled 'Modify Compound Order Master Compound Order Slave'. It contains fields: 'Compound Order Master' (POC_BS_SELL_CALLSP), 'Code' (POC_BS_SELL_CALLSP), 'Name' (Call Spread Sell - Slave), 'Denomination' (Call Spread Sell - Slave), 'Operation Nature' (Buy), 'Operation Type' (None), 'Operation Sub-Type' (None), 'Operation Order Type' (Call Spread), 'Screen' (POC_BS_RULE_SPT_STKX), 'Rank' (1), 'Leg Nature' (Single), and 'Maximum Leg Number'. At the bottom are buttons for 'Denomination', 'OK', 'Save', and 'Cancel'.

The sell of a Call Spread has a pattern that is reversed from the buy of a Call Spread.

It is possible to define the default value, filter, and input control specific for a Compound Order by adding a screen into the definition.

Business rules include:


- The options on the master and slave must have the same underlying, option style, option class, maturity date, and underlying quantity.
- The strike on the slave must be higher than on the master.

9.4.6 Advisory

9.4.6.1 Questionnaire definition

The questionnaire definition lets you create the main properties to apply to a new questionnaire structure. Different questionnaires can be created but each of them has to be identified as a unique questionnaire. This structure/definition must be defined in Front Office – PM before running any questionnaires and storing answers. Once a questionnaire definition has been completed, the new entity linked to this definition will be generated. With this new entity, it is then possible to create Front Office – PM screens as for any other entity. The questionnaire Screen History keeps the history of the algorithm (i.e., screen) used for a questionnaire definition.

The following image illustrates the steps to follow when creating a questionnaire definition and generating its linked entity:



In the following sections, you will learn the steps for:

- [Creating questionnaire definition, sections, and elements](#)
- [Generating the entity based on the questionnaire definition](#)
- [Creating screen on generated entity and creating questionnaire screen history](#)

Creating questionnaire definition, sections, and elements

To create/define a new questionnaire definition, sections, and elements:

1. From the GUI menu, select **Administration > Business Rules > Advisory > Questionnaire Definition**.
2. Click **Create**.
3. Complete the questionnaire definition. You must complete all mandatory fields and especially, the nature of the questionnaire.
4. **Note**: The code is limited to 27 characters.
5. Click **Save** to save the questionnaire definition.
6. Click **Section** to define the different sections of the questionnaire.
7. Click **Create**.
8. Complete the questionnaire section attributes.
9. Click **Save** to save the section definition.
10. Click **Element** to define the different elements of the questionnaire (e.g., questions, comment, score, technical fields, etc.).
11. Click **Create**.
12. Complete the element definition attributes. You must complete all mandatory fields and especially, the associated **section**, **nature**, and **datatype** of the element.
 - A Question element is used to specify a standard question of the questionnaire.
 - Click **Label** to add multilingual labels for the question.
 - For enumeration, select **Perm Value** to define possible answers for the question.
 - For reference on another entity, use **id_t** as the datatype.
 - A Comment element can be used to describe the questionnaire itself or to provide some information on a section, for instance. If the nature of the element is **Comment**, then click **Comment** to add multi-lingual comments on the element. Note that the length of this comment is linked to the datatype of the element.



- A Score element can be used to calculate and store the score of the questionnaire.
- A Technical element can be used to manage the questionnaire or to store some data linked to the questionnaire. This element will not be displayed.
- A Virtual element is similar to a technical element but it is not stored in the database.

Generating the entity based on the questionnaire definition

After a questionnaire definition has been completed (see section [Creating questionnaire definition, sections, and elements](#)), you can generate the new entity based on this definition. To generate this new entity, launch the command `install_ddl tb qu`. For more information, refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide*.

The system will generate a new entity based on the questionnaire definition. Note that if the status is "Validated", **the system will not regenerate the entity if it already exists**.

Creating screen on generated entity and creating questionnaire screen history

After the entity has been generated (see section [Generating the entity based on the questionnaire definition](#)), you can create a new screen on this entity and link it to the questionnaire definition through the questionnaire screen history.

1. To create/define a new screen on the generated entity, refer to the *WealthSuite Front Office - Portfolio Management - Format and UDS Reference Guide* for details.
2. To create/define a new questionnaire screen history:
 - a. From the GUI menu, select **Administration > Business Rules > Advisory > Questionnaire Definition**.
 - b. Select the relevant questionnaire and click **Modify**.
 - c. Click **Screen Histo**.
 - d. From the screen history window, click **Create**.
 - i. Choose the screen you had previously created.
 - ii. Select the correct status for the screen history. Note that only a screen history with a status higher than the status defined in the system parameter `QUEST_MIN_STATUS` will be applied by the system. If several screen histories are associated to the questionnaire definition, the system will use the screen history with the smallest status (higher than the status defined in `QUEST_MIN_STATUS`) and the greater date.
 - e. Click **Save** to save the questionnaire screen history.

9.4.6.2 Questionnaire history

The questionnaire history corresponds to the result of a questionnaire; it holds the answers of the questionnaire and lets you view the details of the answers.

9.4.6.3 Plan Rule

The Plan Rule lets you create a template, where you can define a standard set of global properties that will be applied to all financial plans that have this Plan Rule. The administration of a Plan Rule is exclusively managed through the GUI.

A Plan Rule has a nature (e.g., Investment Plan, Education Plan, Savings Plan, etc.) and can be defined per country. Each Plan Rule has a set of Plan Rule History allowing you to track changes during the time. During the lifecycle of a Plan Rule, it is possible to update some information related to this rule. The Plan Rule History lets you historise all changes made on the plan rule.

Notes:



- The Plan Rule associated to a plan definition cannot be updated once the plan is validated.
- The Plan Rule associated to a plan and the plan itself must have the same nature.

Creating Plan Rule and Plan Rule History

To create/define a new Plan Rule and Plan Rule History:

1. From the GUI menu, select **Administration > Business Rules > Advisory > Plan Rule**.
2. Click **Create**.
3. Complete the fields for the Plan Rule. All mandatory fields must be completed, especially the nature of the plan and the geographic area for which the rule will be applied.
4. Click **Save** to save the rule.
5. Click **Plan Rule Histo** to create a Plan Rule History.
6. Click **Create**.
7. Complete the following fields:
 - a. The period frequency (unit and number).
 - b. The minimum amount to invest or the maximum amount not to exceed.
 - c. The last investment date for the given period.
 - d. The nature of the amount (i.e., invested amount, periodic amount, objective amount or free amount).
8. Click **Save** to save the Plan Rule History.

9.4.6.4 Plan Definition

The Plan Definition defines the main properties to apply to a financial plan and gives you access to all existing financial plans. The Plan Definition also manages a lifecycle, where different actions are possible depending on the status of the plan. For example, automatic order generation based on the plan parameters are run only for Active plans (i.e., validated plan with a Begin Date in the past). Furthermore, a Plan Rule can be applied to a Plan Definition (see section [Plan Rule](#)).

A Plan Definition includes:

- Plan objectives allow you to define objectives that corresponds to the objectives of the client in terms of amount and time horizon. These objectives will be used by the system to calculate the periodical plan amount and to generate orders linked to the plan. Changes made to these objectives are historised.
- Plan investment parameters allow you to define how and when cash flows and investments will be executed for the related plan. Changes made to these investment parameters are historised.
- Free deposits allow you to freely invest in a financial plan regardless of the objectives of the plan and planned investments. All free deposits created are historised.
- Standing instructions allow you to define orders that can regularly and automatically be generated. Standing instructions are linked to the plan itself and not a portfolio, and they are defined by weight. The total weights of all instructions must reach 100%. Based on the weight, objectives of the plan, and eventually the plan rule associated with the plan as well as the orders already generated, the [Event Generation function](#) will calculate the correct amount to invest and will generate the correct order.

Notes:

- A plan is associated with one portfolio and a portfolio can have only one active plan.



- The Plan Rule associated with a Plan Definition cannot be updated once the plan is validated.
- The objective nature of a plan cannot be updated once the plan has been validated.
- Orders are generated only on Active plans.

9.4.7 Taxes and Tax Lots

For additional information on topics in this section please refer to *WealthSuite FrontOffice – Portfolio Management – TaxLots - ReferenceGuide*.

9.4.7.1 FT Convention

The **FT Convention** table stores the conventions that you define for the charging of taxes and fees. The conventions can be classified into the following groups:

- Withholding Tax
- VAT
- Stamp Tax

9.4.7.2 Accounting Profile

The Accounting profile stores the accounting rule for the instrument lists in a classification. The instrument-lists are set either to manage or not manage tax lots for the instruments in the list.

Accounting profile is composed by three entities:

- Accounting Profile: Stores the code and definition.
- Accounting profile Compo: Captures the instrument-list and the tax lot management option.
- Accounting Profile: Links the Accounting profile to an entity (portfolio, third party or business unit).

Accounting Profile Natures

Accounting profile can be created for the following natures:

Nature = Position	Nature = Position & Tax Lot
Defines the nature of accounting for Positions	Defines the nature of accounting for Tax Lots.
Instrument classification is not used	Instrument classification is used
Fusion process references this nature for position management	Order Simulation process references this nature for Tax Lot management In the integrated solution, position management is expected to follow Average cost (WMP method).

9.4.7.3 Fiscal Period

The Fiscal period defines the length of a Fiscal period. It identifies the begin and end dates for a Fiscal calendar. The Fiscal period is defined by tax nature.

Fiscal period definition is composed of the following entities:

- Fiscal period: Stores the code and definition.
- Fiscal Period History: Captures the history along with the validity dates for each entry.
- Fiscal Period Compo: Captures the length of Fiscal period for each nature.



9.4.8 Rules for instrument recommendation levels

This section describes the rules that provides you with a set of instruments with different levels of recommendation. These rules are definable for a portfolio, user, or instrument only.

A rule is defined by a **filter** and a **composition**:


- **Filter**, called «include filter», is composed of a set of instruments, a set of portfolios, and a set of users. The filter is optional but strongly recommended from a performance perspective. Similar to other filters in Front Office – PM, script language can accurately compose this set, and if needed, with predefined lists by using the script keyword `IS_IN_LIST`, etc.
- **Composition** rule aims to give a recommendation level for the set of instruments defined by the include filter. Each composition row gives a specific recommendation level on a subset of instruments.

The set of qualified instruments is built by pre-computed jobs on active rules.

The result is available on the Channels order screen on the instrument filter when using the script keyword `INSTR_RECOMM_LEVEL`. It can also be used throughout the application in filters to limit the selection of instruments of a certain recommendation level or to highlight some instruments as best recommended. As well, it can be used in formats to display instrument recommendation level.

For more information about script keywords, refer to the *WealthSuite Front Office - Portfolio Management - Script Language Reference Guide*.

For more information about the implementation and usage of rules for instrument recommendation levels, refer to the *WealthSuite Front Office - Portfolio Management - Instrument Recommendation Rule - Implementation Guide*.



9.4.8.1 Instr. Recomm. Level - Instr. Rule (IRR - Instrument)

The Instrument Recommendation Level - Instr. Rule aims to define the rule based on instruments only.

9.4.8.2 Instr. Recomm Level - Ptf. Rule (IRR - Portfolio)

The Instrument Recommendation Level - Ptf. Rule aims to define the rule based on instruments and portfolios.

9.4.8.3 Instr. Recomm Level - User Rule (IRR - User)

The Instrument Recommendation Level - User. Rule aims to define the rule based on instruments and users.

9.4.8.4 Instrument recommendation level rule

All qualified instruments are viewable with their recommended level.

Depending on the active Instrument Recommendation Rule (IRR) that built the set of recommended instruments, you can have:

- Instrument and recommendation level built from IRR - Instrument
- Instrument and portfolio and recommendation level built from IRR - Portfolio
- Instrument and user and recommendation level built from IRR - User

For aggregation, the lowest level of recommendation of all impacted rules is kept. For more information about aggregation, refer to the *WealthSuite Front Office - Portfolio Management - Instrument Recommendation Rule - Implementation Guide*.



The instruments' qualification is used by the script keyword INSTR_RECOMM_LEVEL to return the final recommendation level, as follows, depending of the parameter given:

- Instrument only: Lowest recommendation level from IRR - Instrument only.
- Instrument and portfolio: Lowest recommendation level from IRR - Instrument and IRR - Portfolio
- Instrument and user: Lowest recommendation level from IRR - Instrument and IRR - User
- Instrument, portfolio, and user: Lowest recommendation level from IRR - Instrument, IRR - Portfolio, and IRR - User

9.5 Infrastructure

This section provides a short description of each table used by the Administration function of Front Office – PM. For more information on the meaning of individual attributes, refer to the Front Office – PM online help (also known as “Help on Item” when you right click on a field).

The tables used by the Administration function are:

- [External Service](#)
- [Report](#)
- [Notification](#)
- [Change Set](#)

9.5.1 External Service

External Service allows you to define information required to access an external service from Front Office – PM. It defines which structures are involved to build the request and to retrieve the response. This infrastructure is composed of an external service and its composition. Technical parameters to access the external tools, like address and protocol, are at the External Service level while the composition contains at least two rows: one for the request and another one for the response.

- **Request**, means direction "Out" (Front Office – PM → External):
 - **Rank**: Defines the execution order of the composition with the same direction.
 - **Source Entity**: Front Office – PM entity from which data is retrieved.
 - **Target Entity**: The External Built entity. This entity can be a "user" defined entity.
 - **Format**: Not used.
 - **Screen**: Defines the screen used to map the Target Entity attributes to the Source Entity attributes. The script keyword INIT helps to link a target attributes to the source attributes.
 - **Filter**: Allows you to filter the Source Entity by script.
- **Response**, means direction "In" (External → Front Office – PM); only entities that have a different meaning than the request:
 - **Source Entity**: The external entity from which data is retrieved. This entity can be a "user" defined entity.
 - **Target Entity**: The Front Office – PM built entity.

The nature of the external service defines the way that it can be involved. For more information about the possible involvements, refer to the *WealthSuite Front Office - External Service - Implementation Guide*. Particular behaviours are:



- Risk: The external service is called before the risk strategy element generation, which is possible in the following functions: Check Strategy, Pre-trade Check Strategy, and View Portfolio Objectives.
- Lombard: The external service is called at the end of the function. Possible only in Pre-trade Check Strategy function.

For risk compliance and Lombard compliance, the External Service Profile (see section [External Service Profile](#)) specifies the external services to call. For more information about using External Service within the compliance, refer to the section about risk compliance and Lombard compliance in the *WealthSuite Front Office - Portfolio Management - Compliance Reference Guide*.

9.5.2 Report

You can use Reports to do the following:

- Prepare tables in view of generating reports.
- Prepare data for report generation.

Refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide* and the *WealthSuite Front Office - Portfolio Management - Format and UDS Reference Guide* for details.

9.5.3 Notification

Refer to *WealthSuite Front Office - Portfolio Management - System Management Guide*, which provides explanations about user-defined entities and how to implement them.

9.5.4 Change Set

The Change Set feature allows a user (known as a Maker) to update data without it immediately becoming public to all users. These updates are first sent to another user (known as a Checker) for validation. It is only when the data is validated (also known as 4 eyes validation), then published, before the data becomes public and accessible to all users.


The GUI is used to implement and administer the Change Set feature; it is not used to apply 4 eyes validation directly in the GUI. Other front ends are better adapted to applying this validation while updating data. Specific OData services can be used to facilitate the implementation.

9.5.4.1 Example

A Maker builds a new strategy Allocation and its elements (e.g., history, strategy elements, etc.) are grouped into one Change Set. During the construction phase, the status of the Change Set is Draft and no one, except the Maker, can access the new strategy. When the construction of this new strategy is finalized, the Maker sends it to a Checker, and the Change Set status is now To Validate. The Checker will analyse the new strategy and launch a Check Strategy function on a portfolio to check the compliance of the strategy. When the Checker decides to validate the new strategy, the Change Set status moves to Validated, then Published, and the new strategy becomes available to everyone.



9.5.4.2 Workflow statuses



The main principles of the Change Set feature are:

- [Available entities on 4 eyes validation](#)
- [Creating a Change Set](#)
- [Activating / deactivating a Change Set](#)
- [Updating data: Creating / modifying / deleting](#)
- [Checking the updated data](#)
- [Validating the updated data](#)
- [Workflow statuses and customization](#)
- [Displaying Change Sets](#)
- [Limitations](#)

Available entities on 4 eyes validation

The 4 eyes validation is activated on entities that have the Change Set feature enabled. This feature is defined as:

- “Disabled” if the 4 eyes validation is possible but not activated.
- “Forbidden” if the 4 eyes validation is not implementable.

Refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide* for details on how to activate the Change Set feature on strategy tables.

Creating a Change Set

From the GUI menu, select **Administration > Infrastructure > Change Set**. Click on **Create** and complete the Change Set attributes. The workflow status, by default, is Draft, and the assigned user is the current user. While updating data, the workflow status must be Draft. For more information about workflow status, see [Workflow statuses and customization](#).

Activating / deactivating a Change Set

From the GUI menu, go to **Tools > Options > Current Change Set**. Select the desired Change Set from the list of proposed Change Sets, which are those linked to the user as assigned user and with workflow status other than Cancelled, Rejected, Validated, and Published. For more information about workflow status, see [Workflow statuses and customization](#).

Technically, adding the Change Set during the application session of the user will activate the Change Set. Remember that a new application session is created at each user log on, therefore, each time you log off and then log on, you need to activate the Change Set again.

If you do not activate the Change Set, any updated data will not be linked to a Change Set and will become immediately available to all users without 4 eyes validation.



After all updates are done, it is important to deactivate the Change Set by going to **Tools > Options > Current Change Set** from the GUI menu. Then, click on the current Change Set, which has the ✓ icon before its code.

Updating data: Creating / modifying / deleting

The way to update the data remains the same for all entities (e.g., strategy, portfolio, instrument, risk rule, etc.).

Note that if another user has already made changes to an activated Change Set, you cannot update the same data and the **Modify** button is disabled.

Important: The delete action is not implemented with 4 eyes validation. You cannot make deletions on an activated Change Set.

Checking the updated data

Depending on the updated data, the check can be:

- Simple viewing of an object. For example, viewing the strategy attributes to check the modifications of the strategy.
- Applying default values and filters. For example, creating an order by executing default values and filters to check the instrument's modification.
- Launching a financial function. For example, launching strategy Reconciliation to check the update on a Model Portfolio strategy.

When a Change Set is activated for a Maker or a Checker, the updated data that is grouped into the Change Set always takes priority over data from the entity.

Validating the updated data

Validation of a Change Set is realized by setting the workflow status to Validated, then the system automatically publishes the updated data.

Dedicated update field functions aims to move the workflow status from one status to another. These update field functions are available as a result of the Display Change Set Function. For more information, see section [Displaying Change Sets](#).

Workflow statuses and customization


By default, the minimum and mandatory steps are:

- Draft status. At this step, the Maker updates the data and it is stored in shadow entities.
 - If the Maker decides that the updates provide the expected result and pushes them for validation, the workflow status becomes To Validate.
 - If the Maker decides to cancel the updates, the workflow status becomes Cancelled.
- To Validate status. At this step, the data updates are under review.
 - If the Checker decides that the updates provide the expected result and validates them, the workflow status becomes Validated.
 - If the Checker decides to reject the updates, the workflow status becomes Rejected.
 - If the Checker decides to request for changes to the updates and pushes them back to the Maker, the workflow status becomes Draft.
- Validated status. This is a temporarily step that triggers the system to publish the updated data, then the workflow status becomes Published. The Validated status is the only step that leads to the publication.
- Published status. At this final step, the updated data is now published and is visible to all users.
- Cancelled status. At this final step, the updated data is lost.



- Rejected status. At this final step, the updated data is lost.

Note that other intermediary steps may be added, but not final steps.



Displaying Change Sets

From the GUI menu, go to **Administration > Infrastructure > Change Set**. Select the desired Change Set and click **View** or **Modify**. On the **Change Set** screen, click **Display Change Set** to execute the Displayed Change Set function. This function builds a hierarchy with data linked to the Change Set, and uses formats to display the result:

- change_set*
 - From this entity, update field functions are available to manage workflow status changes.
- change_set_compo*
- change_set_participant*
- entities on which data is updated
 - For creations, the new object is available.
 - For updates, the updated object is available and, with a dedicated script keyword FOUR_EYES_OLD, the previous data is retrieved. For more information about this script keyword, refer to the *WealthSuite Front Office - Portfolio Management - Script Language Reference Guide*.

*Regarding change_set entities, for more information about the meaning of individual attributes, refer to the Front Office – PM online help (also known as “Help on Item” when you right click on a field).

Limitations

The 4 eyes validation is not opened to all entities. For more information, see section [Available entities on 4 eyes validation](#).

As well, the delete action is not implemented with 4 eyes validation. For more information, see section [Updating data: Creating / modifying / deleting](#).

It is strongly recommended that you do not use functions that store data (i.e., storage functions to not publish orders) if the orders are generated while using a Change Set. The usage of a Change Set must be conducted only within a 4 eyes validation scope.



9.6 Chrono

This section provides a short description of each table used by the Administration function of Front Office – PM. For more information on the meaning of individual attributes, refer to the Front Office – PM online help (also known as “Help on Item” when you right click on a field).

The available tables linked to Chrono are:

- [Portfolio Chrono](#)
- [Third Party Chrono](#)
- [Instrument Chrono](#)
- [Compliance Chrono](#)
- [Instrument Price](#)
- [Exchange Rate](#)
- [Currency Chrono](#)
- [Compute Instrument Chrono](#)
- [Compute Compliance Chrono](#)
- [Display Compliance Chrono](#)

9.6.1 Portfolio Chrono

The **Portfolio Chrono** table contains chronological information related to a specific portfolio. Portfolio chronological data is defined by a date, a nature, a currency and a value, e.g. market value, mean invested capital, fees, internal rate of return.

9.6.2 Third Party Chrono

The **Third Party Chrono** table contains historical numerical data related to a third party. Third party chronological data is defined by a date, a nature, an optional currency and a value, e.g. share capital, number of voting rights.

9.6.3 Instrument Chrono

The **Instrument Chrono** table contains historical numerical data related to an instrument. Instrument chronological data is defined by a dDate, a nature, an optional currency and a value, e.g. alpha, beta, earnings per share, modified duration, convexity.

9.6.4 Compliance Chrono

The **Compliance Chrono** table contains the numerical chronological data associated to the compliance data. The data saved in this table can be a risk measure or a risk indicator. The **Compliance Chrono** screen is divided in two distinct parts:

- A Search by criteria panel. After entering the criteria, click the **Refresh** button to retrieve results corresponding to the criteria.
- A Results part: it returns the selected data that match the search criteria you have entered.

This screen allows you to view, create, copy, modify, and delete Compliance Chronological data. On the screen, you can right-click on any attribute to display context menus that provide information related specifically to the attribute.



9.6.5 Instrument Price

The price is an instrument value provided by the market at a precise date. An instrument can have more than one price for the same date only if the provider, type or the currency is different.

9.6.6 Exchange Rate

An exchange rate is the value of one currency unit expressed in another currency. A currency can have more than one exchange rate for the same underlying currency at the same date only if the types or the providers are different.

9.6.7 Currency Chrono

The **Currency Chrono** table contains numerical chronological data related to a currency. Currency chronological data is defined by a date, a nature and an underlying currency.

9.6.8 Compute Instrument Chrono

The **Compute Instrument Chrono** table lets you specify:

- an instrument or list of instruments,
- a calculation date,
- a **Nature** field

and performs a related computation. The result is displayed in the **Instrument Chrono** table.

9.6.9 Compute Compliance Chrono

The **Compute Compliance Chrono** table lets you specify:

- a portfolio, or list of portfolios, or a strategy,
- a calculation date. This date is not part of the data selection but initiates the date of computed compliance chrono.
- a **Nature** field. You can set a specific risk indicator or leave it at <none> to select all risk indicator natures.
- a level of confidence,
- a time horizon

and performs a related computation. The result is displayed in the **Compliance Chrono** table.

9.6.10 Display Compliance Chrono

Display Compliance Chrono table lets you specify:

- a portfolio, or list of portfolios, or a strategy,
- a calculation date. This date is not part of the data selection but initiates the date of computed compliance chrono.
- a **Nature** field. You can set a specific risk indicator or leave it at <none> to select all risk indicator natures.
- a level of confidence,
- a time horizon



and performs a related computation. The result is displayed in the **Display Compliance Chrono**.

9.7 Lists, Classifications, and Grids

The following sections provide detailed information about:

- [Lists](#)
- [Classifications](#)
- [Grids](#)

9.7.1 Lists

A list is a user-defined group of objects that originate from the same table. You can define several types of lists:

List type	Description
Enumerated	A manually constructed list whose objects are individually specified. See section Creating enumerated lists .
Constrained	A list constructed on the basis of criteria or constraints specified by the user. Only objects matching the criteria are included in the list. For example, you want to build a list of the portfolios you manage. Rather than specifying each portfolio (enumerated list), you can specify a constraint to include only relevant portfolios. These portfolios match the constraint. See section Creating constrained lists .
Search	A list used for a Quick Search. The list is defined by the search criteria. See section Creating search lists .
Hierarchical	A list of portfolios that consolidates a group of portfolios and replicates a hierarchy using a parent/child relationship. See section Creating hierarchical lists .
Other	This list nature is used to create a classification (a group of lists). Where lists are typically created from specific criteria, you can create a list with the nature Other to ensure that all required objects are included in the classification. An Other list must always belong to a classification.

You can define lists from the following tables:

- Currency
- Geographical Area
- Sector
- Grid
- Strategy
- Third Party
- Portfolio
- Manager
- Instrument
- Extended Position

9.7.1.1 Creating enumerated lists

To create an enumerated list (in this example, we are creating a constrained list of instruments):

1. From the Front Office – PM main menu bar, go to **Administration > List > List > Instrument**.



The **Modify List** screen is displayed.

2. Complete the **Code** and **Name** fields and select Enumerated in the **Nature** field.
3. Click **Save** button to save the list.
4. Click **Composition** button and then, enter an instrument into the list.
5. Click **OK** button.
6. Repeat the previous steps for each instrument that you want to include into the list.

9.7.1.2 Creating constrained lists

To create a constrained list (in this example, we are creating a constrained list of instruments):

1. From the Front Office – PM main menu bar, go to **Administration > List > List > Instrument**.

The **Modify List** screen is displayed.

2. Complete the **Code** and **Name** fields and select 'Constrained' in the **Nature** field.
3. Click **Save** button to save the list.
4. Click **Definition** button and then, enter a script definition that defines the list, (for example, nature_e=2). This defines a list of instruments that have 2 as nature (fixed income, which in this case is bonds).
5. Click **OK** button.
6. Front Office – PM returns to the **Create List** screen.
7. Close the **Create List** screen
8. From the menu bar in the **Select Instrument List** screen, go to **Tools > Build List Composition**.
9. The **Build Instrument List Composition** screen is displayed.
10. Select or clear the **Scope** checkbox to define whether the constrained list contains One List or All Lists. If you only want to create one list, you can use the **List** field **Browse** button (...) to select the list you want.
11. If you want to save the list contents at a specific date, select the **Historisation** checkbox.
12. Select the **Forced Build** checkbox (Yes/No) to rebuild a list based on the constraints in the script definition.
13. Click **Composition** in the **Create List** screen to view the list components. To accelerate the process, select the list that you want to build before you go to **Tools > Build List Composition**.

A specific case of constraint lists are historical lists. To create a historical list, the historical list flag in the list definition must be checked, and the script definition should contain the LIST_HIST_DATE keyword. (For more information about this script, refer to the *WealthSuite Front Office - Portfolio Management - Script Language Reference Guide*.) In this case, the condition in the script definition is evaluated with reference to the validity date of the list compositions. Historical lists are typically used when the contents change over time. Examples are instrument lists based on maturity or duration, and portfolio lists that serve as composites.

If the definition of a list is based on a specific codification (e.g. sector codification), you must first create the codification and then stop and restart the financial server. That way, the codification is taken into account. Otherwise, the list composition is empty when you want to build the list.

Note: When a constraint list has a list composition with no validity date, this means that the list is not historicised and its composition is not valid. If this is not the expected behaviour, then a



historical list composition must be generated via the Build List Composition function as well as specifying Historisation = Yes together with specifying a Historisation Date in the past.

9.7.1.3 Creating hierarchical lists

To create a hierarchical list (in this example, we are creating a hierarchical list of portfolios):

1. From the Front Office – PM main menu bar, go to **Administration > List > List > Portfolio**.
The **Create List** screen is displayed.
2. Enter the name of the parent portfolio in the Portfolio field or click the Browse button (...) to browse for one.
3. Click Save button to save the list.
4. From the menu in the Select Portfolio List screen, go to Tools > Build List Composition.
5. The Build Portfolio List Composition screen is displayed.
6. Select or clear the Scope checkbox to define if the constrained list contains One List or All Lists. If you only want to create one list, you can use the List field Browse button (...) to select the list you want.
7. Select the Historisation checkbox if you want to save the list contents at a specific date.
8. Select the Forced Build checkbox (Yes/No) to rebuild a list composed of the parent portfolio and/or the constraints defined by the script (Definition button).
9. Click Composition in the Create List screen to view the list components. To accelerate the process, select the list that you want to build before you go to Tools > Build List Composition.

9.7.1.4 Creating search lists

To create a search list (in this example, we are creating a search list sorted by instrument):

1. From the Front Office – PM main menu bar, go to Administration > List > List > Instrument.
2. Click **Create**.
The **Create List** screen is displayed.
3. Select Search from the **Nature** field's drop-down list.
4. Enter a **Code** and click **Save** button to save the list.
5. Click the **Definition** button to open the **Quick Search** screen and enter your search criteria.
The search criteria determine the basis on which the list is built. For example, the criteria can be the Risk Currency attribute and the FRS code (in the ISO codification). These criteria build a list in which the currency of the instrument is FRS only.
6. Click **Save List** button or **Cancel** button to return to the previous screen.
7. From the menu in the **Select Instrument** screen, go to **Tools > Build List Composition**.
The **Build Instrument List Composition** screen is displayed.
8. Select or clear the **Scope** checkbox to define if the list contains One List or All Lists. If you only want to create one list, you can use the **List** field **Browse** button (...) to select the list you want.
9. Select the **Historisation** checkbox if you want to save the list contents at a specific date.
10. Select the **Forced Build** checkbox (Yes/No) to rebuild a list composed of the parent portfolio and/or the constraints defined by the script (**Definition** button).



11. Click **Composition** in the **Create List** screen to view the list components. To accelerate the process, select the list that you want to build before you go to **Tools > Build List Composition**.

9.7.1.5 Accessing composition of a list

Access to the list's composition depends on the nature of the list.

- Enumeration list: From the list record edition, click on **Composition** button and then, enter an instrument into the list.
- Constraint, search, and hierarchical lists: These lists can have multiple versions for the same definition. A version is a list build history resulting from the construction of the list. From the list record edition, click on **Build History** button and you will have access to all existing list build history. Select a valid history and open it. Then, click on the **Build History Compo** button to access the composition.

Note: lists with no validity period defined (validity_period=NULL) have no build history and no build history composition, as the list is rebuilt every time it is used. The composition is not stored in the database.

9.7.2 Classifications

A classification is a group of lists that are linked by the same entity type.

An object can belong to more than one list within the same classification. In this case, Front Office – PM allocates the object to the list with the highest priority.

Classifications can be defined for:

- Currency
- Geographical Area
- Sector
- Strategy
- Third Party
- Portfolio
- Manager
- Instrument
- Extended Position

9.7.2.1 Example

A common use of classifications is to create financial instrument categories. For example, you can create categories based on Term to Maturity with five classifications:

- **Cash constrained list** based on all cash, term deposits and fixed income instruments expiring in one month
- **Short term constrained list** based on term deposits and fixed income instruments expiring in one year
- **Medium term constrained list** based on all fixed income instruments expiring in five years
- **Long term constrained list based** on all fixed income instruments expiring in more than five years
- **Other instruments list** including all instruments not belonging to one of the previous lists

Once you have defined your classification, it can be used in formats and reports displayed to the users.



All classifications should contain a list of nature "Others" to take on all items, which do not belong to any other list. The "Other" list must have the lowest rank within the classification.

9.7.2.2 Creating classifications

To create an Instrument classification:

1. From the Front Office – PM main menu bar, go to Administration > List > Classification > Instrument.

The **Select Instrument Classification** screen is displayed.

2. Click **Create**.

The **Create Instrument Classification** screen is displayed.

3. Click **Save** button to create the classification in the database.

4. Click **Composition** button.

The **Select Instrument Classification Composition** screen is displayed.

5. Specify the lists that you want to include in your classification.

6. Click **Create**.

The **Create Classification Composition** screen is displayed.

7. Assign a rank and priority to each list you add to the classification in the **Rank** and **Priority** fields.

9.7.3 Grids

Grids are segments or matrices that contain one or more classifications. Grids allow the segmentation of financial instruments into different markets. This segmentation is used, for example, to define allocation strategies or compute performance attribution.

Front Office – PM has the following natures of grids:

- Standard Grids: can be one-dimensional or two-dimensional.
- Market Structures: can have more than two dimensions. In contrast to Standard Grids, it is possible to define non-homogenous structures (e.g., Stocks per country, Bonds per currency, etc.).
- Market Structure Subsets: allow for the creation of reusable building blocks.

Note, however, that you cannot use Market Structures and Market Structure Subsets in the Return Analysis function.

The former concept of "list of grids" should no longer be used.

9.7.3.1 Creating Standard Grids

A Standard Grid is composed of one or two classifications depending on whether you want to create a one or two-dimensional grid. When you create an allocation strategy, you can specify the grid used to define each strategy element.

1. From the Front Office – PM main menu bar, go to **Administration > List > Grid**.

The **Select Grid** screen is displayed.

2. Click **Create** button (or **Copy** button an existing grid to modify it).

The **Create Grid** screen is displayed.



3. Enter an instrument classification in the mandatory **Abscissa Classification** field or use the **Browse** button to browse for one. This references a classification that constitutes the vertical dimension of the grid.
4. If you require a two-dimensional grid (optional), also complete the **Ordinate Classification** field.
5. Click **Save** button, then click the **Mkt Segment** button to display the lists that comprise the classifications defined for the co-ordinates.

9.7.3.2 Creating Market Structures

1. From the Front Office – PM main menu bar, go to **Administration > List > Grid**.
The **Select Grid** screen is displayed.
2. Click **Create** button.
The **Nature Selection** screen is displayed.
3. Select the Market Structure nature.
The **Create Grid** screen is displayed.
4. Enter a code and fill in the other attributes.
5. Click **Save** button to save the grid.
The **Market Structure** button is enabled.
6. Click the **Market Structure** button.
The **Create Grid Market Structure** screen is displayed.
7. To define the composition of the market structure, you must complete the following fields:

Field	Description
Grid	Standard grid. You can select one from the drop-down list or browse for one by clicking the ... button). When a record is saved in the market structure, the market segments are created with all combinations of lists (of the abscissa classification and ordinate classification of the standard grid) and blanks for the subtotals. The grid must not have a parent market segment.
Parent Market Structure	If the grid is the head grid of the market structure, there is no need to enter a Parent Market Structure or a Parent Market Segment. The market segments have a field in which their corresponding market structure is defined. If a grid is attached to a market segment, a Parent Market Structure must be specified.
Parent Market Segment	All market segments created from the Parent Market Structure are available in the Parent Market Segment selection and can be chosen.
Rank	The rank allows the complete hierarchy to be seen, as the parent rank is automatically taken from the Parent Market structure. You must increment the rank sequentially each time you add a new Grid Market Structure.

The market segments are automatically created when a market structure is added. One record is created using list combination and blanks. This means that if a grid has an abscissa classification with two lists and an ordinate classification with three lists, the total number of market segments will be twelve (6 combinations of lists, 5 list subtotals, and 1 grand total). You can view these market segments by using the **Mkt Segment** button, but you cannot add or delete market segments.

When you want to change the market structure composition after it has been saved, do not use the **Modify** button to change a grid in the composition. Instead, delete the entry in the market structure composition and create a new record with the desired one.



9.7.3.3 Creating Market Structure Subsets

A Market Structure Subset is part of an existing grid whose nature is Market Structure. Only the market structure of the same grid can be selected.

1. From the Front Office – PM main menu bar, go to **Administration > List > Grid**.

The **Select Grid** screen is displayed.

2. Click **Create** button.

The **Nature Selection** screen is displayed.

3. Select the Market Structure Subset nature.

The **Create Grid** screen is displayed.

6. Enter a code and complete the **Global Grid** field with the Market Structure that you want to break down into subsets. This Market Structure must be the one you defined for modelling the asset allocation.

4. Click **Save** button to save the grid.

The **Market Structure Subset** button is enabled.

5. Click the **Market Structure Subset** button, then click the **Create** button.

The **Create Grid Market Structure Subset** screen is displayed.

6. Click the Market Structure's **Browse** button.

7. Select a grid with the nature Market Structure and then, select a market structure through the existing market structure. There must be no gaps between the market structures; otherwise, the Order and Productivity functions will not work.

You can use all market segments that are linked to the Market Structure in the grid of Market Structure Subset.

9.8 Security

This section covers the following topics about the security option of the Administration menu:

- [Main menu](#)
- [Profiles](#)

9.8.1 Main menu

Menu item	Description
User	The User table contains the description of all the users with access to the application. It can be modified by the application's Administrator and contains information such as: • Data Security Profile • Additional Data Security Profile (optional) • Data Profile • Function Security Profile • Format Profile • Screen Profile • Report Profile • Funds Profile



Menu item	Description
Client Connection	The Client Connection table determines the financial server to which a client is connected.
Server Connection	The Server Connection table defines the role of a server. The server can be one of the following: • Fusion server • Financial server • Dispatch server • Report server
Login History	The Login History shows all successful and failed logins to the GUI.
Parameter	The Parameter table is used to set up the application parameters. The application parameters are defined in the data model.
Language	The Language table is used to define the characteristics of a particular locale or language. For example: • Thousands separator • Decimal separator • Date format
Profiles	The Profiles table allows the definition of profiles (see section Profiles).

9.8.2 Profiles

Profiles control what the user can see and do in the system when they are assigned to the user entity.

Refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide* for details.

9.8.2.1 Data Security Profile

A Data Security Profile is used to define access to user data. For example, portfolio managers can be authorised access to only the portfolios for which they are responsible and denied access to others. Similarly, users can be restricted to only certain instrument types.

A Data Security Profile has a code only as attribute. It can be assigned to various entities such as portfolios, instruments, etc.

9.8.2.2 Data Profile

The Data Profile composes data security profiles. A user will have access to data with Data Security Profiles, which are contained in a Data Profile that is linked to the user.

To access the Data Profile:

1. From the main menu, go to **Administration > Security > Profiles > Data Profiles**.

The **Select Data Profile** screen is displayed.

2. Select a Data Profile and click **Modify**.

The **Modify Data Profile** screen is displayed, and contains the **Code** field (which is the business key) and the **Composition** button.

3. Click the **Composition** button.

A list of Data Security Profiles is displayed and the authorisation flags for deletes and updates contained in the selected profile.



4. As Security Administrator(s), modify the Data Profiles. There is no check for duplicate compositions when you insert or modify compositions.

9.8.2.3 Format Profile

A Format Profile defines which formats (screen displays) are available to users when they run business functions, operation lists, or zooms. The format contents are fully configurable. The Format Profile contents are listed in the **Select Format Profile Composition** screen that you access through the Format Profile function. More than one user can have the same Format Profile. Only the Administrator of Front Office – PM is permitted to define Format Profiles and link them to users.

To define the contents of a Format Profile:

1. From the Front Office – PM main menu bar, go to **Administration > Security > Profiles > Format Profile**.
2. Click **Create** and name a Format Profile for the user.
3. Click **Save** to save the profile and to enable the buttons on the screen.
4. Click **Composition**.
5. Click **Create** and select the appropriate format.

Repeat these steps for each format you want to add to the profile.

9.8.2.4 Screen Profile

A Screen Profile defines which screens are available to each user. The Screen Profile contents are listed in the **Select Screen Profile Composition** screen that you access through the Screen Profile function. Many users can have the same profile. Only the Administrator of Front Office-PM is allowed to define Screen Profiles and link them to users.

To define the content of a Screen Profile:

1. From the Front Office – PM main menu bar, go to **Administration > Security > Profiles > Screen Profile**.
2. Click **Composition**.
3. The **Select Screen Profile Composition** screen is displayed.
4. Click **Create** or **Modify**.
5. Click the **Browse** button (...) located next to the **Screen** field to select the appropriate screen.

Repeat these steps for each screen you want to add to the profile.

9.8.2.5 Report Profile

A Report Profile defines which reports can be printed by each user. The Report Profile contents are listed in the **Select Report** screen that is accessed through the domain. Users can view the set of reports that their profile provides them access to and can select the required report. Many users can be linked to the same report profile. Only the System Administrator can define the contents of the Report Profiles and link them to users.

To define the contents of a Report Profile, go to

Administration > Security > Profiles > Report Profile from the Front Office – PM main menu bar. Repeat this step for each report you want to include in the profile.



9.8.2.6 Printer Profile

A Printer Profile defines which printers can be accessed by each user. Users can view the printers to which their profiles provide them access. Many users can be linked to the same Printer Profile. Only the System Administrator can define Printer Profiles and link them to users.

To configure a Printer Profile, go to **Administration > Security > Profiles > Printer Profile** from the Front Office – PM main menu bar.

9.8.2.7 Accounting Profile

An Accounting Profile defines the different accounting methods that could be linked to Portfolios. Users can view the Accounting Profile composition. An Accounting Profile can be linked to one or several Portfolios. Only the System Administrator can define Accounting Profiles and link them to Portfolios.

To configure an Accounting Profile, go to **Administration > Security > Profiles > Accounting Profile** from the Front Office – PM main menu bar.

9.8.2.8 External Service Profile

An External Service Profile defines the different external services that can be called for the user or channel. Users can view the composition of an External Service Profile.

An External Service can be linked to one or several users and channels. Only the System Administrator can define External Service Profiles and link them to users and channels.

To configure an External Service Profile, go to **Administration > Security > Profiles > External Service Profile** from the Front Office – PM main menu bar.

9.9 Configuration

Lets you manage the configuration of the environment.

Configuration includes:

- [Format](#)
- [Screen](#)
- [Constraint Template](#)
- [Case Msg. Template](#)
- [Scripts](#)
- [Function Scripts](#)
- [Subscriptions](#)

9.9.1 Format

You can use formats to do the following:

- Define the contents of the window displayed when users run a business function or query the database for an operation list.
- Define the data displayed when a zoom is performed on a displayed element.

Refer to the *WealthSuite Front Office - Portfolio Management - Format and UDS Reference Guide* for details.



9.9.2 Screen

Refer to the *WealthSuite Front Office - Portfolio Management - Format and UDS Reference Guide* for details.

9.9.3 Constraint Template

Refer to the *WealthSuite Front Office - Portfolio Management - Compliance Reference Guide* for details.

9.9.4 Case Msg. Template

Refer to the *WealthSuite Front Office - Portfolio Management - Compliance Reference Guide* for details.

9.9.5 Scripts

Lets you view, create, modify, and delete the various elements that use script language. These elements can be classified into four broad categories: Default Values, Input Controls, Rules, and Filters.

Refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide* and the *WealthSuite Front Office - Portfolio Management - Script Language Reference Guide* for details.

9.9.6 Function Scripts

Lets you enter the scripts for the Order Grouping feature.

Refer to the *WealthSuite Front Office - Portfolio Management - System Management Guide* and the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide* for details.

9.9.7 Subscriptions

Lets you view, create, modify, and delete Subscription table entries for advanced auditing.

- The **Event** and **Event Status** sub-menus let you view or delete the events created by a subscription.
- The **Map** sub-menu references the Front Office – PM Gateway files for interfacing with external systems.
- The **Data Dependency** sub-menu lets you define rules that allow the system to monitor changes that are happening on defined entities and to trigger subsequent actions. This feature is linked to the Rule-based engine, which is described in more details in the *WealthSuite Front Office - Portfolio Management Web - TSL Operating Guide*.

Refer to the *WealthSuite Front Office - Portfolio Management - Orders and Productivity User Guide* for details.



9.10 Miscellaneous

9.10.1 Corporate Action Definition overview

To get an overview of the Corporate Action Definition, refer to the *WealthSuite Front Office - Portfolio Management - Operations, Positions, and Fusions Reference Guide*.



10 Accounting menu

The **Accounting** menu is accessible from the [Main menu](#).

The options in the **Accounting** menu are summarised in the following table:

Option	Description
Book Adjustment	For positions that are valued according to book valuation rules. The book values of these positions are adjusted at the end of each accounting period. This option lets you create several automatic book adjustments.
Accounting Plan Valuation	Displays the positions of a portfolio, a list of portfolios, all portfolios or all portfolios belonging to a specific customer in an accounting view, according to a pre-defined accounting plan.
Accounting Plan	Lets you view, create, modify and delete accounting plans and their associated accounting periods and accounts.

Note: The Accounting menu is deprecated.



11 Funds menu

The **Funds** menu is accessible from the [Main menu](#). The **Funds** menu lets you carry out the tasks performed in a typical investment fund environment. In addition to the setting up of fee accruals and amortisation, you can perform Net Asset Value (NAV) calculations, enter unit subscription and redemption prices and produce accounting reports.

The options in the **Funds** menu are summarised in the following table:

Option	Description
Accounting Reports	Produces reports for the general ledger, accounting journal, trial balance and balance sheets. Also, you can generate reports of the accounting plan check list of investment limits and changes in security holdings.
Unit Valuation	Two sub menus: • View • Calculate NAV performance This function is the core of the Funds module. The NAV calculation returns a resultant unit price by dividing the total net assets by the number of units. The calculation also takes into account the previously defined fee accruals and amortisation.
Fund Valuation	Generates a valuation of a fund's Total Net Assets.
Accounting Period	Lets you view, create, modify and delete a fund's accounting periods. This function is also used for running the final processes at the end of the year.



12 Help menu

The **Help** menu, which provides access to online help, is accessible from the [Main menu](#).

The options in the **Help** menu are summarised in the following table:

Option	Description
On Window	Provides a description and explanation of the currently opened window.
On Topic	Displays a list of topics to choose from. You can then click the appropriate topic to display it.
On Item	Displays function-specific help. When you choose this option, the arrow cursor changes to a question mark cursor. Position the cursor over the field or label for which help is required and click.
Display Log	Displays a log of the user operations that provoked warnings and errors.
About	Displays the application version number, and user and server details.



Document Revision History

Version	Date	Description
15.06	20150226	PMSTA-19985: In section Accounting menu , added that Accounting module is now deprecated.
	20150504	PMSTA-18601: Added new section Compound Order Rule .
	20150506	PMSTA-20288: - Added new section Case Rule to describe the new Case Rule. - Added new section External Service to describe the new External Service.
	20150618	OCS-46121 and OCS-46122: Added new sections Questionnaire definition and Questionnaire history .
15.12	20150908	PMSTA-21128: In section Portfolios , added a note to indicate that you cannot delete a portfolio that is referenced in orders or accounted operations.
	20151001	PMSTA-21387: Added information about the limitation for questionnaire code in section Creating questionnaire definition, sections, and elements .
	20151009	PMSTA-20917: In section Administration menu , updated the description of the Subscription option to include information about the Event Status sub-menu and Data Dependency sub-menu.
	20151012	PMSTA-20940: - Added information about Case Rules for Lombard compliance in section Case Rule. - Added information about Lombard compliance in section External Service.
	20151023	PMSTA-21412: In section Creating constrained lists , added a note about what happens when a constraint list has a list composition with no validity date.
	20151215	OCS-47161: Added new sections Plan Rule and Plan Definition to describe these new infrastructures used by the Administration function of Front Office – PM.
16.04	20160225	PMSTA-22528: Brand update.
16.06	20160610	PMSTA-22496: - In section External Service, removed information about system parameters <code>RISK_EXTERNAL_SERVICE</code> and <code>LOMBARD_EXTERNAL_SERVICE</code>, which were replaced by the External Service Profile. - Added new section External Service Profile to describe this profile.
17.06	20170613	PMSTA-22355: Added new section Display Compliance Chrono .
	20170616	PMSTA-26023: Complete review and update of chapter Administration menu .
	20170619	PMSTA-26152: Added new section Change Set to explain how this feature allows a user to update data without it immediately becoming public to all users.
	20170712	PMSTA-27132 : Added new subsection Category to describe this entity in section Typology .
17.11	20171215	PMSTA-29399: In subsection File of section Screen menus , added information about New Session.
	20180115	PMSTA-29736: Added new subsection Accessing composition of a list in section Lists .
18.01	20180329	No changes to content.
18.06	201800621	PMSTA-30935: In section External Service , added information about how the nature of the external service defines the way that it can be involved.



Version	Date	Description
18.11	20180919	PMSTA-32018: Added new subsection Rules for instrument recommendation levels in section Business Rules .
WS 201904	20181203	PMSTA-33979: Added new subsection Monitoring in section Operation menu .
	20190204	PRO-8704: Brand update
	20190405	PRO-7808: Description of tax lot functionality added to section Business Rules subsection Taxes and Tax Lot .
WS 201905	20190418	No changes to content.
WS 201906	20190509	No changes to content.
WS 201907	20190627	PMSTA-36400: Updated section Codification .
	20190627	PRO-11502: Updated section Monitoring subsection Batch Result .
WS 201910	20191008	PRO-8027: Updated section Allocate Order function subsection Order Generation tab .
WS 202003	20200309	PCC-22017: Removed function result from Administration menu .
WS 202004	20200408	PMSTA-39698: added extra note for constraint lists in section Accessing composition of a list