



TEMENOS
The Banking Software Company

Triple'A Plus™ Web

Release 14.03

Audit Console User Guide



TA
Triple'A Plus™

© 2014 Odyssey Financial Technologies SA

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Odyssey Financial Technologies.

Odyssey Triple'A Plus™ is a registered trademark of TEMENOS Group. All other trademarks referenced herein are the property of their respective owners.

The Odyssey product suites use a number of third-party software products that are distributed under free or other open source licence agreements. These products are the copyright of their respective owners and are governed by their own licensing terms as indicated in the applicable licence, copying, read-me and/or help files for such products. Copies of the relevant licence agreements for these products can be found in the *Triple'A Plus Open Source Software Licences Reference Guide*.

In its continuous concern for customer satisfaction, Odyssey welcomes your opinion of the contents of this manual. Please send any comments to manuals@odyssey-group.com, including, if necessary, the manual title and page references.

Document Revision History

Version	Date	Description
1.30.4	20080327	Screenshots updated More explanations in the "Result" sections of the tasks, like description of fields and columns A new task, dedicated how to schedule the report execution, has been added. Corrections on some steps for some tasks
1.30.5	20080422	Disclaimer updated
	20081029	Configuration and reference information moved to the <i>Triple'A Plus WUI Audit Console Configuration Guide</i> .
1.30.6	20090522	Update information regarding creation of reports on the entity "service" of CDM component.
11	20110613	OCS-38341: Changed document name from <i>Triple'A Plus WUI Audit Console User Guide</i> to <i>Triple'A Plus Web Audit Console User Guide</i> .
	20110726	OCS-38756: Changed all references to CACM and Collaborative Advice and Contact Management with TCM and Task and Contact Management
	20110726	OCS-38760: Removed references to collaborative documents of TCM from sections Task and Contact Management (TCM) entities and Data Input , as these are not included in Release 11.
	20110727	OCS-38690: Removed references to Triple'A Plus Order Management User Guide as it is not included in the release 11 documentation set.
12	20120820	Updated title page to reflect new version.
13	20130628	Updated title page to reflect new version.
14.03	20140328	Updated title page to reflect new version.

Contents

1	Introduction	6
1.1	General description	6
1.2	Business goals	6
2	Audited Triple'A Plus Web components	7
2.1	Entities audited per component	10
2.1.1	Generic Crypto Layer (GCL) entities.....	11
2.1.2	Client Data Management (CDM) entities	11
2.1.3	Task and Contact Management (TCM) entities.....	12
3	Auditor definition	13
3.1	Auditor definition in Triple'A Plus Web	13
3.1.1	Creating an Auditor from the Security Officer Administration Console	13
3.1.2	Modifying an auditor from the Security Officer Administration Console.....	13
3.1.3	Deleting an auditor from the Security Officer Administration Console	14
3.2	Auditor definition in Triple'A Plus Core for Triple'A Plus Web	15
3.2.1	Creating an Auditor from Triple'A Plus Core	15
3.2.2	Modifying an Auditor from Triple'A Plus Core	15
3.2.3	Deleting an Auditor from Triple'A Plus Core.....	16
3.2.4	Mapping the Auditors from Triple'A Plus Core and Triple'A Plus Web	16
4	Default Page and Available Functions	18
5	Context.....	19
5.1	Data Input.....	19
5.2	Principles	22
5.3	Result.....	24
6	Report management.....	25
6.1	Creating a report.....	25
6.1.1	Prerequisites	25
6.1.2	Steps	25
6.1.3	What to do next.....	26
6.2	Modifying a created report.....	27
6.2.1	Prerequisites	27
6.2.2	Steps	27
6.2.3	Result.....	27

6.2.4	What to do next.....	28
6.3	Deleting created reports.....	28
6.3.1	Prerequisites	28
6.3.2	Steps	28
6.3.3	Result.....	28
6.3.4	What to do next.....	29
6.4	Executing a created report.....	29
6.4.1	Prerequisites	29
6.4.2	Steps	29
6.4.3	Result.....	29
6.4.4	What to do next.....	30
6.5	Scheduling the execution of a created report.....	30
6.5.1	Prerequisites	30
6.5.2	Steps	30
6.5.3	Result.....	30
6.5.4	What to do next.....	31
6.6	Deleting executed reports.....	31
6.6.1	Prerequisites	31
6.6.2	Steps	31
6.6.3	Result.....	31
6.6.4	What to do next.....	31
6.7	Viewing all executed reports	32
6.7.1	Prerequisites	32
6.7.2	Steps	32
6.7.3	Result.....	32
6.7.4	What to do next.....	33
6.8	Viewing a Specific Executed Report.....	33
6.8.1	Prerequisites	33
6.8.2	Steps	34
6.8.3	Result.....	34
6.8.4	What to do next.....	35

1 Introduction

This document describes the concept of the WUI audit console to enable you to use it in the way intended by Odyssey Financial Technologies. It was written for users of Triple'A Plus Web, mainly Client Data Management and Task and Contact Management.

1.1 General description

The audit console is a component, which allows authorised end users, called auditors, to create reports (queries) on Triple'A Plus Web entities and execute them to retrieve all the events matching the selected criteria. There is different type of criteria: the From and To date, the action performed, the entity on which actions are performed and the user who enacted the actions. By user, we mean security user (Bank Authority, Chief Security Officer and Security Officer) and end user (Triple'A Plus Web users managed by Security Officers and Triple'A Plus Web users managed by Triple'A Plus Core administrator).

The use cases belonging to the WUI Audit console are:

- Creating, modifying or deleting a report
- Executing a report
- Viewing an executed report
- Deleting an executed report

1.2 Business goals

The aim of the audit console is to help bank's auditors to track every change occurred on Triple'A Plus Web entities between two given dates. This is a legal requirement for the banks to be able to retrieve all the modifications. With such tool, it's possible to know all the actions done by a user and on which Triple'A Plus Web entities, to see all modifications made on a specific entity and who did them and to get a list of all entities on which a specific action was performed.


2 Audited Triple'A Plus Web components

Currently, only the following Triple'A Plus Web components are audited:


- The **Generic Crypto Layer** (GCL) component, which is used by security users (Bank Authority, Chief Security Officer and Security Officer) to manage the different users of Triple'A Plus Web components and several other security parameters. Refer to the *Triple'A Plus Web CDM Configuration Guide* for more details.
- The **Client Data Management** (CDM) component, which is used by end users to store information about the bank's client relationships and their participants (physical or/and legal persons). As example of data, we have their personal data, wealth and asset information and risk propension. Refer to the *Triple'A Plus Web CDM Configuration Guide* for more details.
- The **Task and Contact Management** (TCM) component, which is used by end users to manage the tasks and contacts, related to client relationships, participants of a client relationship and portfolios/services attached to a client relationship. Besides, the component gives the possibility to end users to create some proposals and provisions and provides workflows for their verification and validation. Refer to the *Triple'A Plus Web TCM User Guide* for more details.

When CDM and GCL are not used and installed, only the login and logout of Triple'A Plus Web users are audited. Triple'A Plus Core has a separate audit mechanism. See Triple'A Plus Core documentation for more details.


The following figures describe the components:



Generic Crypto Layer schematical description



Client Data Management schematical description



Task and Contact Management schematical description

2.1 Entities audited per component

We can audit all the entities of the four components and the login/logout of Triple'A Plus Web users, but the name of the entity when creating the report in the audit console can differ from the name of the entity used in the component. The next four tables show the mapping between the entity name in the component and the entity name in the audit console.

2.1.1 Generic Crypto Layer (GCL) entities

Name of the entity in the audit console	Name of the entity in the component (if available)	Description related to the audit console	Applicable actions
aaa-audit-user	Manager	A Triple'A Plus Core Manager entity used to test whether the manager was able to login or not with the WUI.	Login Success Login Failure
gcl-audit-user	User	Used to test whether the user was able to login or not.	Login Success Login Failure
gcl-user-information	User	Defines the Triple'A Plus Web user such as: - Bank Authority - Chief Security Officer - Security Officer - End User	Create Update Delete
gcl-user-desactivation	Not applicable	Used to immediately see the users who are deactivated.	Update
gcl-user-activation	Not applicable	Used to immediately see the users who were reactivated.	Update
gcl-group-information	Group	Defines the group in the bank.	Create Update Delete
gcl-security-profile-information	Security Profile	Defines the security profile, which can be assigned to an end user or/and group.	Create Update Delete
gcl-password-modification	Password	Used to check the modification made on users' password.	Update
gcl-password-rules-information	Password Rules	Used to check the modification made on the password rules.	Update

2.1.2 Client Data Management (CDM) entities

Name of the entity in the audit console	Name of the entity in the component (if available)	Description related to the audit console	Applicable actions
client-relationship	Client Relationship	The client relationship definition.	Create Update
person	Person	Defines a physical person.	Create Update
company	Person	Defines a legal person.	Create Update

Name of the entity in the audit console	Name of the entity in the component (if available)	Description related to the audit console	Applicable actions
participant	Participant	Defines the relation between a physical or a legal person and a client relationship.	Create Update
representative	Representative	Defines the relation between a physical person and a legal one.	Create Update Delete
direct-relationship	Direct Relationship	Defines a relation between: - a physical person and another one - a physical person and a legal one - a client relationship and another one qualified by a nature and 2 types.	Create Update
group-relationship	Group Relationship	Defines a kind of container in which client relationships, physical and legal persons can be included or removed.	Create Update
service-generic	Service	Defines the service created or closed on a client relationship	Create Update

2.1.3 Task and Contact Management (TCM) entities

Name of the entity in the audit console	Name of the entity in the component (if available)	Description related to the audit console	Applicable actions
recipient-notification	Notification	The notification sent to the recipients.	Create
cims-contact	Contact	The contact definition	Create Update Delete
task	Task	The task definition.	Create Update Delete

3 Auditor definition

3.1 Auditor definition in Triple'A Plus Web

An auditor can be defined from two sides: the Triple'A Plus Web administration console by the Security Officers (refer to the *Triple'A Plus Web CDM Operating Guide* for more details about users' management) or Triple'A Plus Core by the Triple'A Plus Core administrators using the GUI.

An auditor existing in the Triple'A Plus Web administration console is an end user and will be able to audit all actions made on CDM, TCM and GCL (even him).

Each auditor creates and executes his own reports and cannot access to reports of other auditors.

3.1.1 Creating an Auditor from the Security Officer Administration Console

3.1.1.1 Prerequisites

You must be logged in as a Security Officer to the Security Officer Administration Console. A page with a list of all existing end users is displayed. If this is not the case, click on the menu item **End Users**.

3.1.1.2 Steps

1. Click the button **Add**, at the bottom-right of the page to open a window with all the end user's attributes.
2. Check the box of the profile "Audit" to define the user as an auditor. You can also set all other attributes as required. Click **Next**.

3.1.1.3 Result

The auditor is created in the data base and can execute his tasks with the audit console. He will be able to audit all the users he wants, even if he doesn't belongs to any group.

3.1.1.4 What to do next

After creating a new auditor, you can:

- Create another new auditor
- Modify an existing auditor (see section [Modifying an auditor from the Security Officer Administration Console](#))
- Delete an existing auditor (see section [Deleting an auditor from the Security Officer Administration Console](#))
- Do other tasks not related to the audit.

3.1.2 Modifying an auditor from the Security Officer Administration Console

3.1.2.1 Prerequisites

You must be logged in as a Security Officer to the Security Officer Administration Console. A page with a list of all existing end users is displayed. If this is not the case, click on the menu item **End Users**.

3.1.2.2 Steps

1. Click the button **Modify** in front of the auditor to open a window with all the end user's attributes.
2. Set all attributes as required and click **Next**.

3.1.2.3 Result

The auditor is updated in the database and can execute all tasks with the audit console. The auditor can audit all users even if not belonging to any group.

3.1.2.4 What to do next

After modifying an auditor, you can:

- Modify another existing auditor
- Create a new auditor (see section [Creating an Auditor from the Security Officer Administration Console](#))
- Delete an existing auditor (see section [Deleting an auditor from the Security Officer Administration Console](#))
- Do other tasks not related to the audit.

3.1.3 Deleting an auditor from the Security Officer Administration Console

3.1.3.1 Prerequisites

You must be logged in as a Security Officer to the Security Officer Administration Console. A page with a list of all existing end users is displayed. If this is not the case, click on the menu item **End Users**.

3.1.3.2 Steps

1. Click the button **Delete** in front of the auditor to open a window with the name of the end user.
2. Click the button **Delete** and then on the button **Close** to confirm.

3.1.3.3 Result

The auditor is deleted from the Security Officer Administration Console but not from the database. The auditor cannot execute any more tasks with the audit console. He is not able to audit any more the other users.

3.1.3.4 What to do next

After deleting an auditor, you can:

- Delete another existing auditor
- Create a new auditor (see section [Creating an Auditor from the Security Officer Administration Console](#))
- Modify an existing auditor (see section [Modifying an auditor from the Security Officer Administration Console](#))
- Do other tasks, not related to the audit.

3.2 Auditor definition in Triple'A Plus Core for Triple'A Plus Web

3.2.1 Creating an Auditor from Triple'A Plus Core

This section describes how to create a new auditor using Triple'A Plus Core. It was written for Triple'A Plus Core administrators managing auditors in Triple'A Plus Web.

When CDM and GCL are not used and installed, then Triple'A Plus Web users are defined in Triple'A Plus Core as managers.

3.2.1.1 Prerequisites

You must be logged in as a Triple'A Plus Core Administrator to the Graphical User Interface (GUI). The default Triple'A Plus Core screen for administrator is displayed.

3.2.1.2 Steps

1. Select **Administration>Infrastructure>Manager**. to open the **Select Manager** screen.
2. Click the button **Create** to open the **Create Manager** screen.
3. Enter the **Name** and all other required information and select the **Profile** "Audit" for the new manager.
4. Click the button **OK** to continue, **Save** to save the information and keeping the screen open, or on the button **Cancel** to abort.

3.2.1.3 Result

The auditor is created in the database and can execute all tasks with the audit console. The auditor can audit all Triple'A Plus Web users.

3.2.1.4 What to do next

As Triple'A Plus Core administrator you can:

- Create another new auditor
- Modify an existing auditor (see section [Modifying an Auditor from Triple'A Plus Core](#))
- Delete an existing auditor (see section [Deleting an Auditor from Triple'A Plus Core](#))
- Do other tasks, not related to the audit.

3.2.2 Modifying an Auditor from Triple'A Plus Core

This section describes how to modify an existing auditor using Triple'A Plus Core. It was written for Triple'A Plus Core administrators managing auditors in Triple'A Plus Web.

3.2.2.1 Prerequisites

You must be logged in as a Triple'A Plus Core administrator to the Graphical User Interface (GUI). The default Triple'A Plus Core screen for administrator is displayed.

3.2.2.2 Steps

1. Select **Administration>Infrastructure>Manager**. to open the **Select Manager** screen.
2. Search for the existing manager to modify, highlight it and click on the button **Modify**.
The **Create Manager** screen opens.
3. Enter or update all required information. Leave the **Profile** as "Audit".

4. Click the button **OK** to continue, **Save** to save the information and keeping the screen open, or on the button **Cancel** to abort.

3.2.2.3 Result

The auditor is updated in the database and can execute all tasks with the audit console. The auditor can audit all Triple'A Plus Web users.

3.2.2.4 What to do next

As Triple'A Plus Core administrator you can:

- Modify an existing auditor
- Create a new auditor (see section [Creating an Auditor from Triple'A Plus Core](#))
- Delete an existing auditor (see section [Deleting an Auditor from Triple'A Plus Core](#))
- Do other tasks not related to the audit.

3.2.3 Deleting an Auditor from Triple'A Plus Core

This section describes how to delete an existing auditor using Triple'A Plus Core. It was written for Triple'A Plus Core administrators managing auditors in Triple'A Plus Web.

3.2.3.1 Prerequisites

You must be logged in as a Triple'A Plus Core administrator to the Graphical User Interface (GUI). The default Triple'A Plus Core screen for administrator is displayed.

3.2.3.2 Steps

1. Select **Administration>Infrastructure>Manager**. to open the **Select Manager** screen.
2. Search for the existing manager to delete, highlight it and click on the button **Delete**.
3. In the **Message Report Window**, click **Yes** to confirm the deletion.

3.2.3.3 Result

The auditor is deleted from Triple'A Plus Core and cannot execute any more the tasks with the audit console. The auditor cannot audit any more the other Triple'A Plus Web users.

3.2.3.4 What to do next

As Triple'A Plus Core administrator you can:

- Delete an existing auditor
- Create a new auditor (see section [Creating an Auditor from Triple'A Plus Core](#))
- Modify an existing auditor (see section [Modifying an Auditor from Triple'A Plus Core](#))
- Do other tasks not related to the audit.

3.2.4 Mapping the Auditors from Triple'A Plus Core and Triple'A Plus Web

This section describes how to map an existing auditor from Triple'A Plus Core and one or more auditors from the Security Officer Administration Console. It was written administrators managing auditors in Triple'A Plus Web.

3.2.4.1 Prerequisites

A manager defined as an auditor must exist in Triple'A Plus Core (see section [Creating an Auditor from Triple'A Plus Core](#)).


You must be logged in as a security officer to the Security Officer Administration Console. A page with a list of all existing end users is displayed. If this is not the case, click on the menu item **End Users**.

3.2.4.2 Steps

1. Click the button **Add** to add a new user or the button **Modify** of an existing end user to open a window with all the end user's attributes.
2. Define the field **Shared privilege Mapped user(s)** with the following value:
aaa:manager/Triple A Manager's Code (where Triple'A Plus Core manager's code is the attribute "Code" of the existing Triple'A Plus Core manager defined as an auditor).
3. When the end user is properly defined, click the button **Next>>** to continue.
4. In the newly opened window, click **Submit** to save the information.

3.2.4.3 Result

The auditor is created or modified in the data base and can execute all tasks with the audit console. The auditor can audit all users, even if not belonging to any group, and can audit all the login/logout of existing Triple'A Plus Web users.



Result of a mapping between auditors from Triple'A Plus Core and Triple'A Plus Web


3.2.4.4 What to do next

As Security Officer you can:

- Map the same or another auditor from Triple'A Plus Core.
- Create a new auditor (see section [Creating an Auditor from the Security Officer Administration Console](#))
- Modify an existing auditor (see section [Modifying an auditor from the Security Officer Administration Console](#))
- Delete an existing auditor (see section [Deleting an auditor from the Security Officer Administration Console](#))
- Do other tasks not related to the audit.

4 Default Page and Available Functions

When the auditor logs on the audit console, the WUI displays a default page as shown below:



Audit console default page

The area A is the last name and first name of the auditor.

The area B provides the following functions:

Command Name	Function Description
Report> List View	Opens the page with the list of all created reports. In this page, the created reports can be executed, modified or deleted.
Report> Create Report	Opens the page where the auditor can create a new report.
Executed Report> Tree View	Opens the page with all executed report sorted in tree view. To view a specific executed report, select it.
Executed Report> List View	Opens the page with all executed report sorted in list view. In this page you can view a specific executed report or delete executed reports.
Executed Report> View	Opens the page with a specific report, showing a list of all the retrieved matching events. You can select a specific event for analysing.
Report Server	Opens the page with the server and scheduling status (active / inactive) and gives the possibility to active the scheduling.

The area C is the default view after logging. It's the tree view of the executed reports (tab *Tree View*).

5 Context

The access rights to the audit console are granted by the GCL component. The GCL entities can be audited with the audit console; therefore it is possible to see who creates the auditors.

5.1 Data Input

The auditor creates the report by selecting some criteria (see section [Creating a report](#)). The display of the values in the drop-down list of the report creation page is customisable. When the report is created, the auditor executes it analyses the results. The criteria are the following:

Criterion	Description	Available Standard Values
Subject	The subject of the report.	Free text, by default "Untitled"
From date	Date from which the search has to start.	A combination of Hour, Month Day, Month and Year. The selection of the Day Week is possible too.
To date	Date at which the search has to stop.	A combination of Hour, Month Day, Month and Year. The selection of the Day Week is possible too.
Schedule	A flag which indicates whether the report should be scheduled or not.	TRUE / FALSE
Action	The action the auditor wants to find. Note that some actions are only specific to some Triple'A Plus Web entities.	Create Update Delete Login Success Login Failure Method Call Post Read

Criterion	Description	Available Standard Values
Entity	The Triple'A Plus Web entity the auditor wants to audit in order to check all the actions and modifications made on it.	recipient-notification cims-contact task aaa-audit-user gcl-audit-user client-relationship-audit person-audit company-audit participant-audit representative-audit gcl-user-information gcl-group-information gcl-security-profile-information gcl-password-modification gcl-user-desactivation gcl-user-activation gcl-password-rules-information client-relationship person company participant representative direct-relationship group-relationship service-generic
Entity Attributes (Where)	When an entity is selected, you can be more precise on its description by specifying some of its attributes with new and/or old values.	It depends on the selected entity. Refer to the <i>Triple'A Plus Web Audit Console Configuration Guide</i> for more details.
User	The user the auditor wants to audit in order to see all the actions and modifications he did.	The user name of the user who is to be audited. With this principle, an auditor can audit any user of the bank
Comment	The auditor can add a comment to remember the purpose of the report.	Free text

5.2 Principles

If a criterion is not specified, the system ignores it and returns events matching all the other specified criteria. When two or more criteria are selected, the system applies an AND clause between them.

The table below explains more in details the principle.

#	User Selected	Action Selected	Entity Selected	Number of Selected Entity Attributes (Where)	Results
1	No	No	No	0	All the events in the selected time period.
2	No	No	Yes	0	All events matching with the selected entity.
3	No	No	Yes	1	All events matching with the selected entity attribute.
4	No	No	Yes	More than one	All events matching with the selected entity attributes (AND clause).
5	No	Yes	No	0	All events matching with the selected action.
6	No	Yes	Yes	0	All events matching with the selected action and entity.
7	No	Yes	Yes	1	All events matching with the selected action and entity attribute.
8	No	Yes	Yes	More than one	All events matching with the selected action and entity attributes (AND clause).
9	Yes	No	No	0	All events matching with the selected user.
10	Yes	No	Yes	0	All events matching with the selected user and entity.
11	Yes	No	Yes	1	All events matching with the selected user and entity attribute.
12	Yes	No	Yes	More than one	All events matching with the selected user and entity attributes (AND clause).
13	Yes	Yes	No	0	All events matching with the selected user and action.
14	Yes	Yes	Yes	0	All events matching with the selected user, action and entity.
15	Yes	Yes	Yes	1	All events matching with the selected user, action and entity attribute.
16	Yes	Yes	Yes	More than one	All events matching with the selected user, action and entity attributes (AND clause).

5.3 Result

When a result is returned, the auditor can see a list of the matching events. The information consists of:

- the user who did the event
- the concerned Triple'A Plus Web entity
- the date of the event
- the action done in this event

If the auditor wants more details about a particular event, he can click on it and the audit console displays the same information as mentioned above, plus the entity attributes' new and old values.

Note: The display of the executed report, with the matching events and their details are not customisable.

6 Report management

6.1 Creating a report


6.1.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI displays the default page of the audit console.

6.1.2 Steps

1. Select menu **Report > Create Report** or click **Report** and then click on the Create Report tab of the displayed page to open the **Create Report** page.
2. Fill in the fields on the page:

Field	Description
Subject	Enter a short description of the report's subject.
Schedule	Activate or not the scheduling (see section Scheduling the execution of a created report).
From To	Define the From and Until dates. You can specify a date by its month and month day or directly by its week day. Month day is prioritary regarding week day.
Action	Select an action. If no action is selected, Triple'A Plus Web will ignore it during the report execution.
Entity	Specify the attributes by selecting one in the list (Where) and clicking on the icon  . When an attribute is added, its new and/or old value can be specified. It can be removed by clicking on the icon  . If no entity is selected, Triple'A Plus Web will ignore it during the report execution.
User	Enter a user name. If no user is selected, Triple'A Plus Web will ignore it during the report execution.
Comment	Comment on the purpose of the report.



Report

Subject: Audit on Group Update ☐ Schedule

From: Hour: 5 h, Month day: 5, Month: 1, Weekday: , Year: 2011

To: Hour: 18 h, Month day: 4, Month: 5, Weekday: , Year: 2011

Action: Update

Entity: gcl-group-information

User:

Where

Fields Changed	New Value	Old Value
group-uri	=	=
group-uri		

Comment:

Save Reset fields

Annotations:

- To remove the entity's attribute
- This module appears only if an entity is selected (field "Entity"). Otherwise is is not present
- To add the selected entity's attribute. More than one can be added
- In case of creation or update
- 2 possible values: = or contains
- In case of update or deletion

Report definition

- Click the button **Save** to save the report and make it available for execution or click **Reset Fields** to redefine completely the report, if necessary.

Result

When the report is saved, Triple'A Plus Web displays a list with all the created reports, the new one included, waiting for execution (see section [Executing a created report](#)). The list shows:

Column Name	Description
Subject	The subject of the report as entered when creating the report. It can be modified by modifying the report (see section Modifying a created report). Default column used to sort the report in ascending way (default sorting).
Entity	The entity of the report. It can be modified by modifying the report (see section Modifying a created report).
Status	Indicates wether the report is waiting for an execution (Waiting) or currently under execution (Running).
Schedule	Indicates wether the execution of the report is scheduled or not (see section Scheduling the execution of a created report).

6.1.3 What to do next

As an auditor you can now:

- Execute a report from the list of created report (see section [Executing a created report](#))
- Modify a report from the list of created report (see section [Modifying a created report](#))
- Delete a report from the list of created report (see section [Deleting created reports](#))

6.2 Modifying a created report

6.2.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI displays the default page of the audit console. A created report must exist.

6.2.2 Steps

1. Select menu **Report>List View**, click **Report** or create a report (see section [Creating a report](#)).

The page with the list of all created reports is displayed.

2. Select the report to modify by clicking on its subject.

Triple'A Plus Web displays the **Create Report** page.

3. Fill in the fields on the page:

Field	Description
Subject	Enter a short description of the report's subject.
Schedule	Activate or not the scheduling (see section Scheduling the execution of a created report).
From To	Define the From and Until dates. You can specify a date by its month and month day or directly by its week day. Month day is priority regarding week day.
Action	Select an action. If no action is selected, Triple'A Plus Web will ignore it during the report execution.
Entity	Specify the attributes by selecting one in the list (Where) and clicking on the icon  . When an attribute is added, its new and/or old value can be specified. It can be removed by clicking on the icon  . If no entity is selected, Triple'A Plus Web will ignore it during the report execution.
User	Enter a user name. If no user is selected, Triple'A Plus Web will ignore it during the report execution.
Comment	Comment on the purpose of the report.

4. Click the button **Save** to save the report and make it available for execution or click **Reset Fields** to redefine completely the report, if necessary.

6.2.3 Result

When the report is saved, Triple'A Plus Web displays a list with all the created reports, the modified one included, waiting for execution (see section [Executing a created report](#)). The list shows:

Column Name	Description
Subject	The subject of the report as entered when creating the report. It can be modified by modifying the report (see section Modifying a created report). Default column used to sort the report in ascending way (default sorting).
Entity	The entity of the report. It can be modified by modifying the report (see section Modifying a created report).
Status	Indicates whether the report is waiting for an execution (Waiting) or currently under execution (Running).
Schedule	Indicates whether the execution of the report is scheduled or not (see section Scheduling the execution of a created report).

6.2.4 What to do next

As an auditor you can now:

- Execute a report from the list of created report (see section [Executing a created report](#))
- Modify a report from the list of created report (see section [Modifying a created report](#))
- Delete a report from the list of created report (see section [Deleting created reports](#))

6.3 Deleting created reports

6.3.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI displays the default page of the audit console. A created report must exist.

6.3.2 Steps

1. Select menu **Report>List View**, click **Report** or create a report (see section [Creating a report](#)).

The page with the list of all created reports is displayed.

2. Select the reports to delete by clicking on the check box in the left column.
3. Click on the button **Delete** to delete the selected reports.

6.3.3 Result

When the report is deleted, Triple'A Plus Web displays a list with all the created reports, the deleted one not included anymore, waiting for execution (see section [Executing a created report](#)).

Note that when you delete a report, all previous executed reports (see section [Executing a created report](#)) are deleted too.

6.3.4 What to do next

As an auditor you can now:

- Execute a report from the list of created report (see section [Executing a created report](#))
- Modify a report from the list of created report (see section [Modifying a created report](#))
- Delete a report from the list of created report (see section [Deleting created reports](#))

6.4 Executing a created report

6.4.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI displays the default page of the audit console. A created report must exist.

6.4.2 Steps

1. Select menu **Report > List View**, click **Report** or create a report (see section [Creating a report](#)).


The page with the list of all created reports is displayed.

2. Click on the icon  at the right of the report to execute.

If you execute a report for the first time, a window appears asking for a password. The password is used to decrypt the information and it is the same for each auditor (different from user password). If you do not know it, ask your system administrator for it.

6.4.3 Result

When the report is executed, Triple'A Plus Web displays a list with all the executed reports (see section [Viewing all executed reports](#)). The construction of the executed report can take few minutes before being completely available; during this time, the columns "Ended" and "Status" does not contain values. The following image provides a list view of all executed reports:



	Subject	From	To	Started	Ended	Status
☐	Contacts	Jan 1, 2011 12:00 AM	Jan 1, 2011 12:00 AM	Aug 4, 2011 3:30 PM		
☐	Contacts	Jan 1, 2011 12:00 AM	Jan 1, 2011 12:00 AM	Aug 4, 2011 2:09 PM	Aug 4, 2011 2:09 PM	
☐	Audit on groups' update	Jan 1, 2011 12:00 AM	Jan 1, 2011 12:00 AM	Aug 4, 2011 2:09 PM	Aug 4, 2011 2:09 PM	
☐	Contacts	Jan 1, 2011 12:00 AM	Jan 1, 2011 12:00 AM	Aug 4, 2011 11:59 AM	Aug 4, 2011 11:59 AM	
☐	Audit on groups' update	Jan 1, 2011 12:00 AM	Jan 1, 2011 12:00 AM	Aug 4, 2011 11:58 AM	Aug 4, 2011 11:58 AM	

Results 1 to 6 of 6

Executed report under construction, so it is not available yet

Executed reports completed. They are available to view their details

Note that, if you change the subject of a created report (see section [Modifying a created report](#)), all previous executed reports will have their subject changed too with the same value.

6.4.4 What to do next

As an auditor you can now:

- View in detail a report from the list of created report (see section [Viewing a Specific Executed Report](#))
- Delete a report from the list of created report (see section [Deleting created reports](#))

6.5 Scheduling the execution of a created report

6.5.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI displays the default page of the audit console.

To verify that the server and the scheduling are active, click on the menu **Report Server**. This displays the **Report Server** page with the server and scheduling status (● = active, ● = inactive). Both must be active to schedule a report.



Server and scheduling are active schedule report execution available

To activate the server, ask the system administrator to launch the audit engine.

To activate the scheduling, click button **Activate the Scheduling**.

6.5.2 Steps

1. Create or modify a report (see section [Creating a report](#) or [Modifying a created report](#)).
2. When Triple'A Plus Web displays the **Create Report** page, define the scheduling option: Check the check box **Schedule** and define the execution time and date.
3. Click the button **Save** to save the report and make it available for execution or click the button **Reset Fields** to redefine completely the report, if necessary.

6.5.3 Result

When the report is saved, Triple'A Plus Web displays a list with all the created reports, the new one included, indicating that the execution is scheduled. You can execute a report manually anytime (see section [Executing a created report](#)). When the time and date of execution is reached, Triple'A Plus Web executes the report automatically. The list shows:

Column Name	Description
Subject	The subject of the report as entered when creating the report. It can be modified by modifying the report (see section Modifying a created report). Default column used to sort the report in ascending way (default sorting).
Entity	The entity of the report. It can be modified by modifying the report (see section Modifying a created report).
Status	Indicates whether the report is waiting for an execution (Waiting) or currently under execution (Running).
Schedule	Indicates whether the execution of the report is scheduled or not (see section Scheduling the execution of a created report).

6.5.4 What to do next

As an auditor you can now:

- Execute a report from the list of created report (see section [Executing a created report](#))
- Modify a report from the list of created report (see section [Modifying a created report](#))
- Delete a report from the list of created report (see section [Deleting created reports](#))

6.6 Deleting executed reports

6.6.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI must display the list view of all executed report (see section [Viewing all executed reports](#)). An executed report must exist.

6.6.2 Steps

1. To select the executed reports to be deleted, click on the check box in the left column.
2. Click on the button **Delete** to delete the selected executed reports.

6.6.3 Result

When the executed report is deleted, Triple'A Plus Web displays again the page with all the executed reports, without the deleted ones.

6.6.4 What to do next

As an auditor you can now:

- View in detail a report from the list of created report (see section [Viewing a Specific Executed Report](#))
- Delete a report from the list of created report (see section [Deleting created reports](#))

6.7 Viewing all executed reports

6.7.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI displays the default page of the audit console.

6.7.2 Steps

You can view the executed reports in two different ways: by list view and by tree view.

1. Select menu **Executed Report > List View** from the Audit Console or select **Executed Report** and click on the List View tab.

The page with the list view of all executed reports is displayed. The result can be sorted by column.

Or:

2. Select menu **Executed Report > Tree View** from the Audit Console or select **Executed Report** and click on the Tree View tab.

The page with the tree view of all executed reports is displayed. The result can be extended or reduced by executed report instances.

6.7.3 Result

All the instances of executed reports are shown. An instance of a report is the same report but executed for a different period. The instances can be displayed in a list view or a tree view, depending on your choice.

Note that if you change the subject of a created report (see section [Modifying a created report](#)), all previous executed reports will have their subject changed too with the same value.

Both views display the same columns and they are described in the following table:

Column Name	Description
Subject	The subject of the report as entered when creating the report. It can be modified by modifying the report (see section Modifying a created report). Default column used to sort the report in ascending way (default sorting).
From	The date when the executed report begins and corresponds to the date when the related report must begin. If this date is modified in the report, it will not be modified in the executed reports.
To	The date when the executed report finishes and corresponds to the date when the related report must finish. If this date is modified in the report, it will not be modified in the executed reports.
Started	The date when the execution of the report was requested by the user. The default column used to sort the report in descending way (default sorting).
Ended	The date when the execution of the report was completed. If this column is empty, it means that the execution of the report is still under progress and the executed report is not available (see section Viewing a Specific Executed Report).
Status	Provides information on the executed report, whether everything is correct or some warnings / errors has occurred during the execution. If this column is empty, it means that the execution of the report is still under progress and the executed report is not available (see section Viewing a Specific Executed Report). Otherwise, it gives the following indications:  = No errors, everything is ok.  = Some warnings, but the events in the executed report are ok.  = Some errors on some events of the report, an analysis and environment investigation can be required.

6.7.4 What to do next

As an auditor you can now:

- View in detail a report from the list of created report (see section [Viewing a Specific Executed Report](#)).
- Delete a report from the list of executed report (only with the list view) (see section [Deleting executed reports](#)).

6.8 Viewing a Specific Executed Report


6.8.1 Prerequisites

You need to have the profile "Audit" defined in your profiles list and be logged on the WUI. The WUI must display the list view of all executed report (see section [Viewing all executed reports](#)).

6.8.2 Steps

1. Click on the executed report you want to see, either in tree view or list view. If you execute a report for the first time, a window appears asking for a password. The password is used to decrypt the information and it is the same for each auditor (different from user password). If you do not know it, ask your system administrator for it.

Triple'A Plus Web displays a new page with all the retrieved events matching the criteria of the report.



The screenshot shows the TEMENOS Audit Console interface. At the top, the user is identified as 'Manfred, Norbert'. The 'Audit Console' tab is active, and the 'View' button is highlighted. A red box around the 'View' button is annotated with: 'It indicates that the system is displaying the details of a specific executed report'.

Below the 'View' button, a red box highlights the 'Report Detail' section. A red arrow points to the 'Executed' date 'Aug 8, 2011 4:17 PM' with the annotation: 'It's the date when the report's execution was requested. It's exactly the same value as in the column "Started" when viewing the executed reports in tree view or list view'.

Below the 'Report Detail' section, a red box highlights the 'Found Events' table. A red arrow points to the 'Status' column with the annotation: 'The definition (criteria) of the report, displayed for information'. Another red arrow points to the table with the annotation: 'The list with all the retrieved events, matching the report's criteria'.

The 'Found Events' table has the following columns: Number, Entity, Timestamp, Action, User Identity, and Status. The table contains 21 rows of events, including login failures, login successes, and password modifications.

List of events matching the report criteria

2. If you want to have more details about a specific event, click on it.

The same page is displayed, but at the bottom, we have the details of the selected event.

6.8.3 Result

All events matching the executed report criteria and their details, if requested, are shown.

The page is splitted in four parts which display depends on errors and warnings during the execution of the report or your action on this page. Those parts are shown on the figure below.

PART 1

PART 2

PART 3

PART 4

Warning
The report size has been truncated by configuration to 50 events.

Subject: General check

From	Jan 1, 2011 1:00 AM	To	Aug 10, 2011 11:00 PM	Executed	Aug 10, 2011 2:06 PM
Action	User		Entity		

Where

Fields Changed	Old Value	New Value
----------------	-----------	-----------

Found Events

Number	Entity	Timestamp	Action	User Identity	Status
1	gci-audit-user	Aug 10, 2011 1:02:11.124 PM	Login Success	advisor, advisor	
6	gci-audit-user	Aug 10, 2011 1:02:13.421 PM	Login Success	advisor, advisor	
2	gci-audit-user	Aug 10, 2011 1:56:16.483 PM	Login Success	advisor, advisor	
4	gci-audit-user	Aug 10, 2011 1:56:17.827 PM	Login Success	advisor, advisor	
5	gci-audit-user	Aug 10, 2011 1:56:53.154 PM	Login Success	advisor, advisor	
3	gci-audit-user	Aug 10, 2011 1:56:55.855 PM	Login Success	advisor, advisor	

Results 1 to 6 of 6

Found Events

Number	Entity	Timestamp	Action	User Identity	Status
1	gci-audit-user	Aug 10, 2011 1:02:11.124 PM	Login Success	advisor, advisor	
6	gci-audit-user	Aug 10, 2011 1:02:13.421 PM	Login Success	advisor, advisor	
2	gci-audit-user	Aug 10, 2011 1:56:16.483 PM	Login Success	advisor, advisor	
4	gci-audit-user	Aug 10, 2011 1:56:17.827 PM	Login Success	advisor, advisor	
5	gci-audit-user	Aug 10, 2011 1:56:53.154 PM	Login Success	advisor, advisor	
3	gci-audit-user	Aug 10, 2011 1:56:55.855 PM	Login Success	advisor, advisor	

Results 1 to 6 of 6

Found Events

Number	Entity	Timestamp	Action	User Identity	Status
1	gci-audit-user	Aug 10, 2011 1:02:11.124 PM	Login Success	advisor, advisor	
6	gci-audit-user	Aug 10, 2011 1:02:13.421 PM	Login Success	advisor, advisor	
2	gci-audit-user	Aug 10, 2011 1:56:16.483 PM	Login Success	advisor, advisor	
4	gci-audit-user	Aug 10, 2011 1:56:17.827 PM	Login Success	advisor, advisor	
5	gci-audit-user	Aug 10, 2011 1:56:53.154 PM	Login Success	advisor, advisor	
3	gci-audit-user	Aug 10, 2011 1:56:55.855 PM	Login Success	advisor, advisor	

Results 1 to 6 of 6

Event Detail Number:19

Transaction	13129296	Timestamp	Aug 10, 2011 2:37:04.374 PM	User Identity	Manfred, Norbert
Action	Update				
Field					
Old Value					
New Value					
gci-gci-password-modification					
☐ gci-first-name	Norbert	cdmas			
☐ gci-last-name	Manfred	cdmas			
☐ gci-modification-date	2011-08-10T14:27:46-02:00	2011-08-10T14:37:04-02:00			
☐ gci-modified-by-first-name	Norbert	cdmas			
☐ gci-modified-by-name	Manfred	cdmas			
☐ gci-modified-by-uri	gci/sgon/hmf	gci/sgon/cdmas			
☐ gci-modified-by-user-name	hmf	cdmas			
☐ gci-user-name	hmf	cdmas			
☐ gci-user-uri	gci/user/3613e5e0a1433ca110e110c000000006	gci/user/14d9c7e0a1433ca110e110c000000002e			

Event Detail Number:20

Transaction		Timestamp	Aug 10, 2011 12:42:22.774 PM	User Identity	D_AI_Manager2, null
Action	Login Success				
The result is empty					

Displayed only if warnings or errors occur during the report's execution

Always displayed. The columns "Fields Changed", "Old Value" and "New Value" can be empty if the corresponding report didn't define them

This table is displayed **with** rows only if matching events with the report's criteria are retrieved

When an event is selected, the corresponding row's background becomes yellow

This table is displayed **without** rows only if matching events with the report's criteria are **not** retrieved

When an event is selected, this module is displayed with the event's details, if no errors

If an event with errors is selected, the module displays only basic event's details

Specific executed report page description

For more information on the page, see the *Triple'A Plus Web Audit Console Configuration Guide*.

6.8.4 What to do next

You can do any tasks to continue your investigation and analysis.