



TEMENOS
The Banking Software Company

Triple'A Plus™ Web

Release 14.03

Client Data Management (CDM) User Guide



© 2014 Odyssey Financial Technologies SA

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Odyssey Financial Technologies.

Odyssey Triple'A Plus™ is a registered trademark of TEMENOS Group. All other trademarks referenced herein are the property of their respective owners.

The Odyssey product suites use a number of third-party software products that are distributed under free or other open source licence agreements. These products are the copyright of their respective owners and are governed by their own licensing terms as indicated in the applicable licence, copying, read-me and/or help files for such products. Copies of the relevant licence agreements for these products can be found in the *Triple'A Plus Open Source Software Licences Reference Guide*.

In its continuous concern for customer satisfaction, Odyssey welcomes your opinion of the contents of this manual. Please send any comments to manuals@odyssey-group.com, including, if necessary, the manual title and screen references

Document Revision History

Version	Date	Description
1.30.0	20070508	Extended searches
1.30.1	20070606	Detailed description of the system's behaviour in the context of closing a client relationship.
1.30.2	20071005	Fix – Search all, client relationship codes are not included.
1.30.5	20080422	Disclaimer updated
	20080429	Update of screenshots according to Triple'A Plus 1.30.5
	20080701	Removed and transferred section 2.14 Security section to Authentication, Security and Password Mgmt Reference Guide.
	20080915	Adding sections "Direct Relationships" and "Group Relationships" from OCS CDM Relationships User Guide Adding section "Client Data Historisation" from OCS CDM Client Data Historisation User Guide"
	20080915	Review of document structure
	20081120	Adding section " Client Opening and 4-Eyes Data Update Validation " from OCS CDM Client Opening and 4-Eyes Validation User Guide
	20081216	Reviewed monitoring sections take in account new monitoring functions.
	20081230	New opening
1.30.6	20090605	Notifications are now displayed on the client relationship overview and on the person overview screens. The workflow menu has been renamed since it is not specific to CDM anymore.
	20090703	Missing fields reporter: Documented the packaged missing fields rules.
11	20110826	OCS-38756: Replaced references to CACM by TCM.
	20110914	OCS-38244: Removed references to MMS.
12	20120803	OCS-40373: Updated sections Client Relationship View and Person View (Physical) to explain adjustments to displays of notifications.
	20120803	OCS-40354: Added section CDM client data information in TSL .
	20120816	PCC-16375: - Added references to MMS by adding sections (including their subsections): Standing Data-Distribution Rules Mail Management System integrated into CDM module Accessing the Clients Mailbox (Mailbox tab) - Removed the following sections (including their subsections): "Printing contractual documents" "Printing single documents" "Print empty documents" "Review products and services"
13	20130628	Updated title page to reflect new version.
14.03	20140328	Updated title page to reflect new version.

Contents

1	Introduction	7
2	CDM Processes	9
2.1	Identification of Existing Clients	9
2.1.1	Find Clients.....	9
2.1.2	Find Individuals	9
2.1.3	Find Client Relationships	10
2.1.4	Direct Access.....	10
2.2	CDM client data information in TSL	10
2.3	Viewing Information in CDM.....	10
2.3.1	Client Relationship View	11
2.3.2	Client Profile.....	12
2.3.3	Person View (Physical).....	12
2.3.4	Person View (Corporate)	12
2.3.5	Navigating From One View to the Other	12
2.4	Creation of New Clients and Client Opening-related Input	12
2.5	Report Missing Field Function	13
2.6	Data Mutation and Change Operations	13
2.6.1	Adding Participants to Client Relationships.....	13
2.6.2	Adding Services to Client Relationships	13
2.6.3	Adding Representatives to Corporations	13
2.6.4	Closing Participations.....	14
2.6.5	Removing Representatives	14
2.6.6	Closing Representatives	14
2.6.7	Closing Client Relationships	14
2.6.8	Adding Contact Point Information	15
2.6.9	Adding Contact Points to Persons or Corporations.....	15
2.6.10	Selecting Preferred Contacts.....	15
2.6.11	Managing the Client Opening Process Using CDM.....	15
2.6.12	Scanned Images	15
3	CDM Standard Views and Screens.....	16
3.1	Summary	16
3.2	CDM Start Screen and Menu Items	16
3.2.1	Search All	16
3.2.2	Client Relationship	17

3.2.3	Person	18
3.2.4	Workflows	19
3.2.5	Monitoring	19
3.2.6	Preferred Clients	20
3.3	Identifying Clients	20
3.3.1	Using Search All	20
3.3.2	Searching Client Relationships	21
3.3.3	Searching for Persons	23
3.4	Client Relationship View: Standing Data tab	25
3.4.1	Standing Data–Client Relationship Details	27
3.4.2	Standing Data–Participants	28
3.4.3	Standing Data–Services	28
3.4.4	Standing Data–Distribution Rules	28
3.4.5	Client Profile	33
3.4.6	Person (Physical) View	35
3.4.7	Person (Legal) View	37
3.4.8	Standing Data–Person/Corporation Profiles–Financial/Marketing/Risk Views	39
3.5	Data Management	39
3.5.1	Creating New Client Data	39
3.5.2	Adding Client Profiles	40
3.5.3	Adding Services to Client Relationships	40
3.5.4	Adding Persons and Corporations to Client Relationships	41
3.5.5	Updating Information	45
3.5.6	Adding Contact Points	45
3.5.7	Report Missing Fields	46
3.5.8	Selecting the Main Contact Points	48
3.5.9	Customising the Main Contact Points	48
3.6	Direct Relationships	48
3.6.1	Business Goals	49
3.6.2	Implementation	49
3.6.3	Context	51
3.6.4	Viewing List of Existing Direct Relationships	52
3.6.5	Creating New Direct Relationships	54
3.6.6	Modifying Existing Direct Relationships	56
3.6.7	Deleting Existing Direct Relationships	57
3.6.8	Viewing Existing Direct Relationships' Details	58
3.7	Group Relationships	58
3.7.1	Business Goals	59

3.7.2	Implementation	59
3.7.3	Context	61
3.7.4	Creating New Group Relationships	62
3.7.5	Searching Existing Group Relationships	64
3.7.6	Viewing Existing Group Relationships' Details	66
3.7.7	Viewing List of Group Relationships as Member	68
3.7.8	Modifying Existing Group Relationships	70
3.7.9	Deleting Existing Group Relationships	71
3.7.10	Including Members in Existing Group Relationships	73
3.7.11	Removing Members from Existing Group Relationships	75
3.7.12	Mail Management System integrated into CDM module.....	76
3.7.13	Accessing the Clients Mailbox (Mailbox tab)	76
3.8	4 Eyes Validation Support.....	77
3.8.1	Workflow	78
3.9	Client Data Historisation	80
3.9.1	General Description	80
3.9.2	Business Goals	81
3.9.3	Context	81
3.9.4	Data Input	81
3.9.5	Principles	82
3.9.6	Getting the Historic View.....	82
3.9.7	Going to Previous or Next Historisation	86
3.9.8	Comparing two Historisations of the Same Screen	87
3.9.9	Navigating in Historic View from one Screen to Another.....	89
3.9.10	References	91
3.10	Client Opening	94
3.10.1	Operational Starting Points and Access to Functions.....	95
3.10.2	Client Abstract and Save and Exit Function	95
3.10.3	Performing Financial Profiling	96
3.10.4	Perform Data Gathering	96
3.10.5	Define Accounts	101
3.10.6	Print contractual documents	101
3.10.7	Perform opening profiling	102
3.10.8	Client opening request management	103

1 Introduction

The Triple'A Plus Web Client Data Management (CDM) module provides a secure repository for confidential client information. This manual describes how to use the CDM module and the processes covered. The target audience is bank representatives and end users.

CDM contains the bank's confidential customer information. This can cover nominal clients as well as numbered clients. It includes all information on the client and his/her representative, whether one or more persons or a corporation.

The goal is to provide relationship managers with a system for collecting extended information on the persons and corporations they do business with. CDM allows them to do this with ease while respecting the legal constraints imposed on the bank through its formal relationship with its clients.

This information is a prerequisite in the following business scenarios:

- Legal & Compliance - Identification of clients: Using CDM, a bank immediately identifies persons contacting the bank as customers and has detailed knowledge of which operations the person is authorized to carry out as well as whether the person has the right to carry out the operations over the corresponding media.
- Legal & Compliance – Searches on the customer database: With a completed centralized client data repository a private bank can easily respond to official requests for identifying persons / corporations
- Marketing – Evaluation of client base: By developing a detailed client information database, a private bank can see their clients' preferences in product offerings and make appropriate suggestions
- Marketing – Linkage and grouping of CDM entities – it is possible to link & group CDM entities, thus to facilitate the management of persons/client relationships and to have an overview of business or family relationships that are not directly perceivable via the client relationships participants definition.
- Basis and support for a workgroup approach: Together with the contact and task views provided by the Task and Contact Management (TCM) module, it is easier for a bank to track client contacts and tasks in relation to a given client and ensure that a consistent quality of service is provided for the clients. For example, any member of a Desk that is responsible for a geographical area can see the contacts that have been made with a physical person and whether there are pending tasks if the person contacts the bank. This can be done if the desk member is the personal manager of the person or not.

CDM broadly defines each client as a relationship the bank has with one or more persons that play a role in the relationship.

The entities managed in CDM can be divided into the following categories

- Client relationship (*Relation client, Kundenbeziehung*): As mentioned above, the client relationship designates the formal relationship between the bank and one or more persons. Each client relationship is denoted by a name and is the equivalent of the basic client definition in the back office.
- Person: The physical person represents a role in one or more relationships. The roles delivered with the packaged system, for example, are Account Holder and Attorney.
- Corporation: A corporation is a legal person acting as Account Holder, Attorney or, for example, Third Party Manager.
- Participation: A participation expresses the fact that a person or corporation is acting with one or more roles in a client relationship and has a certain level of power associated with the role(s). For example, a person acting as Account Holder/Beneficial Owner in a client relationship might have joint signature rights with any other 2 account holders in a collective client relationship.

- Representation: A representation expresses the fact that a person represents a corporation and can thus be indirectly participating in a client relationship.
- Service: Services stand for any type of service provided under the respective client relationship. A service can for example be a current account or a custody account. Note that service definitions under CDM are primarily thought as a temporary storage of this information during the client relationship opening (data input/gathering phase); and they are there for 2 reasons:
 - To provide a view to Compliance on what services are planned to be provided to the client prior to the opening
 - To have this information available to be printed on the contractual documents
- For example CDM permits to define a service of type "custody account", but CDM is not the system that will in the end be "owner" or "master system" of this information. It is very probable that once the custody account has been opened in the respective system (Portfolio Management System or Back Office System), the data for the respective custody account is going to be completed and managed in that system.

2 CDM Processes

The following sections focus on the tasks that can be carried out with the CDM module by end users.

2.1 Identification of Existing Clients

One of the business scenarios covered by CDM is clients contacting the bank and requesting information. The aim at this point is to identify the client as quickly as possible in order to:

- Identify the person
- Determine if the person requesting the information is entitled to request the information (or provide the order) over the media used
- Obtain the requested information in Triple'A Plus Web or carry out the requested task

Client identification starts, of course, with a search operation. There are two different types of search operations: the first is carried out on the person and corporation records kept in the system and the second focuses on the formal client relationships and covers, for example, clients who use a pseudonym or code-name.

2.1.1 Find Clients

The most general search operation is the search for clients. This search operation returns client relationships, persons and corporations that have the following attributes matching the search expression entered:

- A person's name or maiden name
- A corporation's registered name
- The formal client relationship name
- One of the pseudonyms/code-names used for a client relationship

The result set returned contains all the records that match the search expression, whether they refer to a person, corporation or client relationship.

In addition to this, for each of the persons/corporations matching the search expression, you can choose to display all the client relationships the person/corporation is participating in.

2.1.2 Find Individuals

The search operation for individual clients focuses on persons and corporations.

The attributes that can form the search criteria are the following:

- Name / Registered name
- Maiden name
- First name
- Date of birth / constitution
- Role (to limit the search operation to account holders or beneficial owners, for example)
- Type of individual

2.1.3 Find Client Relationships

The search operation on client relationships focuses on client relationships only. You can use the following attributes in the search criteria:

- Name
- Status: You can restrict the search to all open client relationships to avoid displaying closed, prospect and all other non-open clients.
- Exclude prospects: Lets you exclude all the client relationships with the Prospect status
- Pseudonym / Code word: Using this criterion, you can restrict the search to any pseudonyms/code words used by the client
- Root ID: The root account number associated with this client relationship

2.1.4 Direct Access

If the client relationship's root ID is known, the client can be directly accessed using the root ID.

2.2 CDM client data information in TSL

Since Triple'A Plus Release12, some CDM attributes are searchable in Triple'A Service Layer (TSL). The following table outlines the CDM attributes that can be searched:

TSL Target Entity	Search Attribute	Description
Portfolio	Linked to PEP Person	Returns all portfolios: • linked to a client in Triple'A that has an equivalent* client relationship in CDM. • where one of the account holders in CDM has the PEP flag set to True.
Portfolio	Corporate Account Holder Industry	Returns all portfolios: • linked to a client in Triple'A that has an equivalent client relationship in CDM. • where there is a corporation with role account holder. • where this corporation has a certain type of business.
Client	Linked to PEP Person	Returns all Triple'A clients: • that have an equivalent client relationship in CDM. • where one of the account holders in CDM has the PEP flag set to True.

*An equivalent client relationship is a client relationship with a root ID that has the same value as the client code of the third-party client in Triple'A.


For information about how to carry out search operations on TSL, refer to the chapter about Transversal Functions/Searching Tool in the *Triple'A Plus Web User Guide*.

2.3 Viewing Information in CDM

As stated above, CDM recognises three main data entities, namely client relationships, persons and corporations. To distinguish between them, Triple'A Plus Web provides different

views to the data stored in the system. Screens that provide background information on a client relationship are not the same as those for a person or corporation.

The diagram below illustrates the different views of the data stored in CDM. In the example, a person is active in two client relationships, one representing a joint account and the other one representing a corporate account.



Views on the data stored in CDM

Referring to the search scenario described in the previous section, a search for a client called "Smith" would return three records:

1. Mr John Smith as a person, referenced in 2 client relationships. He might, for example, be an account holder of the joint account with his wife, Ms Smith and Director of a corporate account
2. Ms Alice Smith, being co-account holder in the "Mr/Ms Smith" client relationship
3. The client relationship "Mr/Ms Smith"

If you select the first or the second match, you are shown a person view, with details of the person. If you select the client relationship, you are returned to the client relationship view.

2.3.1 Client Relationship View

This view provides information on the formal client relationship such as:

- Key attributes of the client relationship. The system is designed in such a way that the most pertinent attributes in the client relationship are displayed in an overview. The same information is available from different menu options with additional details. The key attributes contain the preferred contacts for this client relationship, the country of residence and the nationality of the client.
- Notifications related to this client relationship.
- The participants and their roles and rights in the client relationship
- Services provided to this client. CDM enables you to define services of any type. For each service type, a list of service specific attributes can be defined. Examples for services are current account, custody account, safe deposit box, credit, etc. The aim is to have this information ready to be included in the contractual documents during the client opening.
- Information contained in the client profile.

2.3.2 Client Profile

The client profile is a series of views that provide detailed information about the client, with a focus on both Legal & Compliance (and, more precisely, Money Laundering Detection) as well as a sales perspective (what is the potential of the client, his investment horizon, etc.). Please refer to the document "Client Data Management Data Model" for details of the data in the client profile provided by CDM.

2.3.3 Person View (Physical)

The person view provides information on a physical person. An overview is provided with the most pertinent information, and then in more detail:

- Description, domicile address of the person and contact points (e.g., phone numbers, e-mail addresses, etc.)
- Participations - the client relationships that the person is active in
- Notifications related to this person
- Identification - passport or other ID details as well as nationality
- Profile - a person profile provides details on the personal preferences of the given person. Note that this profile should not be confused with the client relationship profile.

2.3.4 Person View (Corporate)

The corporate view is similar to the person view for physical persons, but allows for the fact that the detailed attributes provided for a corporation might vary slightly.

2.3.5 Navigating From One View to the Other

Depending on the information you are looking for, you can view information related to either client relationships or persons. The overviews in both cases show which other elements the client relationship or person is connected to. This means that:

- For client relationships, all corporate and physical participants and their powers are displayed in the overview. Users can see immediately who is entitled to carry out operations on this client relationship. From the list of participants you can navigate directly to the respective person.
- For physical or corporate persons, the overview displays all the participations the person has. Users can see immediately in which client relationships the person is entitled to provide orders or request information. From each participation, the user can navigate to the client relationship the person is participating in.

2.4 Creation of New Clients and Client Opening-related Input

This section describes the prospect creation functions. The other client opening related data input functions are described in section [Client Opening](#).

A prospect client is composed of:

- A new client relationship record.
- A new physical person or corporation record. This depends on whether the "Create physical prospect" or "Create corporate prospect" function was used.
- A phone/fax/e-mail contact point, if they were entered on the prospect creation input form

After defining a prospect you can immediately continue to enrich the client data by creating contact reports and tasks for the newly created prospect.

Another way of creating a new client relationship is to use the "Create new client relationship" function.

2.5 Report Missing Field Function

The 'Report missing field' function scans the information entered during client opening and reports any missing fields in the client relationship in tabular format.

2.6 Data Mutation and Change Operations

The operations listed below are carried out and used after the client has opened a relationship with the bank and the client opening was successful.

2.6.1 Adding Participants to Client Relationships

Adding participants is one of the steps that you carry out when you create new client relationships. The same function can be used later to add/attach a new person to a client relationship. For example, say you want to add a new co-account holder to a client relationship, provide a new power of attorney or add a new signatory on a board of directors to a corporate account.

2.6.2 Adding Services to Client Relationships

A bank can define the service types provided to their customers and the information to be saved with each service (for example, a base currency for a custody account and so on).

A user with the respective rights can then associate one or more services to a specific client relationship. The user can, for example, define that under client relationship XYZ there are services of type current account (USD and EUR), one custody account w/o a management mandate and a safe deposit box.

The available service types in Triple'A Plus Web depend on the types defined during implementation.

2.6.3 Adding Representatives to Corporations

CDM lets you define persons that represent corporations. This information can be used in business contexts:

- To see which persons can represent the corporation
- In specific client relationships, to indicate that a participant represents a corporation with an optional distinct signature right

Note that the system lets you define two kinds of representation:

- The first type of representation is valid throughout the application. Thus it is displayed with the corporation details and not under the client relationships the corporation participates in.
- The second type of representation is only valid for one client relationship. It is only displayed under the client relationship to show that the person represents a corporation

in his/her participation. The persons involved can then have a distinct signature authorization.

You can add representatives to corporations in two contexts:

When you define a corporation as a new participant in a client relationship, you can select from all the representatives which one represents this corporation in the client relationship. If no representative is selected, all of them are valid.

You can always add representatives to corporations from the corporation view.

2.6.4 Closing Participations

Users can close participations in client relationships. The participants will still be displayed as closed participants in the client relationship. The person/corporation attached to the participation will continue to be available in the repository. Together with the details of the participation, a history is displayed showing when the participation was created and closed.

2.6.5 Removing Representatives

Representatives can be deleted from corporations. If you delete a representative, it is not going to appear anymore on the user interface.

Note: If you have deleted the representation of person X on company Y, you still have to manually close one by one all the specific representations that person X has for company Y on client relationships (CR). The CR specific representations are not closed automatically when you remove the person's permanent representation on the corporation.

2.6.6 Closing Representatives

The process is identical to closing participations. When you have closed a permanent representative on a corporation by setting its close date, it will not appear on the corporation overview anymore. But it will still appear on the corporation standing details, with the comment "(Closed)" displayed behind it.

Note: If you have deleted the representation of person X on company Y, you still have to manually close one by one all the specific representations that person X has for company Y on client relationships (CR). The CR specific representations are not closed automatically when you remove the person's permanent representation on the corporation.

2.6.7 Closing Client Relationships

Closing a client relationship is carried out by applying a close date to the client relationship.

Setting a value to the close date has two consequences:

- All the participations linking persons and corporations to the client relationship will be closed; their close date will be set to the same value as the close date on the client relationship.
- The status of the client relationship will be set to status "Closed".

It is important to note that, if the close date is reset, the system will not behave by applying the exact reverse behaviour: Resetting a close date to blank will not automatically re-open all the participations and change the client relationship status. You will have to:

- Manually reset the client relationship status to the value he wants to have
- Manually re-open the participations that should be opened.

2.6.8 Adding Contact Point Information

Contact point information in the context of CDM is defined as anywhere the person/corporation might be contacted using a communication medium. This includes telephone numbers, fax numbers, e-mail addresses, beepers, telex numbers and postal addresses.

2.6.9 Adding Contact Points to Persons or Corporations

You can add contact points to persons. There is no limit to how many contact points a person or corporation can have.

2.6.10 Selecting Preferred Contacts

As well as attaching contact points to persons or corporations, you can also define preferred contact points for client relationships. For a given client relationship where six or seven persons have a role, only two might deal actively with the bank.

The system also permits a bank to define a type with each preferred contact point. For each type there can be additional fields. For example you can define that a phone number is used to transmit advices or you can define that a postal address is used for correspondence distribution.

2.6.11 Managing the Client Opening Process Using CDM

CDM provides system support for the client opening process within a bank. It focuses on the quick input of client on three levels:

- All client data can be entered into the system. The "Report Missing Fields" function provides support to validate the completeness of data.
- Opening process support: The system provides a ready to use TCM workflow the bank can use to cover the opening process.
- Export of data to other system. Once the client is accepted to be opened, the system provides support for exportation of its data to other bank systems.

The client opening support is illustrated in depth in section [Client Opening](#).

2.6.12 Scanned Images

When you create/update a Person record, you can include pre-scanned images in the Person's standing data. You can save two kinds of images:

- Scanned image of the person's signature
- Scanned image of an ID document, one per nationality. There are three nationality records per person by default. You can customise this number.

The signature is displayed in the Person's summary screen as well as in the Person's standing data. The ID documents are displayed on the **Person Identity** tab.

3 CDM Standard Views and Screens

This chapter describes how to use the CDM module to search, view, create and manage client data through the WUI.


3.1 Summary

The following topics are dealt with in detail:

- The CDM start screen and menu items are described. An overview of how to use the Web User Interface menu items in CDM is provided.
- Identifying clients: How to identify your clients using CDM. This chapter details how to use the different search functions that are available in CDM.
- CDM views and navigation: The CDM menu, user interface and navigation are described.
- Create new Client Relationships: How to create the basic information for new clients with some basic scenarios.
- Adding the background information on Client Relationships. Explains how to add persons / corporations to a Client Relationship.
- Adding representatives to corporations. How to add persons as representatives to corporations in CDM.
- Adding contact points for clients.
- The Report missing information function

3.2 CDM Start Screen and Menu Items

The CDM start screen is the first WUI screen you see when you click the **Client Data** tab in Triple'A Plus Web:



CDM start screen

The following sections describe the menu options located at the top of the CDM start screen.

3.2.1 Search All

When you choose the **Search All** menu option, the Search All search mask is displayed where you can enter search constraints. Alternatively, to perform a quick search, you can enter a search criterion in the **Search All** field (located in the bar below the menu options on the CDM start screen).

The search operation scans all client information (person's names, client names, etc). It is designed to perform as few search iterations as possible when you want to check that a name is that of a client of the bank. For more information, see section [Using Search All](#).

3.2.2 Client Relationship

When you choose the **Client Relationship** menu option, the Client Relationship search mask is displayed where you can enter search constraints. Alternatively, to perform a quick search, you can enter a search criterion in the **Client Relationship** field (located in the bar below the menu options on the CDM start screen). For more information, see section [Searching Client Relationships](#).

The system performs a search operation on all accessible Client Relationship that is described in section [Quick search operation](#).

Note: The number of Relationship menu options displayed depends on whether the TCM module is delivered with the CDM views. The submenus described below are those delivered with CDM.

Sub menu	Description
Search	Displays the search mask of the Client Relationship search. This is the same mask that is displayed when you choose the Client Relationship menu.
Overview/Standing Data	Displays the overview screen of the active Client Relationship. The active Client Relationship is the most recent Client Relationship available in the server's cache. The overview provides the most important information on a Client Relationship in one screen.
Overview/Task and Contact	Contains the latest tasks and contacts related to the active client relationship.
PM & Analysis	Redirects the user to the PM & Analysis Client Identification screen for the current client relationship being viewed.
Task History	Displays the pending tasks that are linked to this client relationship.
Contact History	Displays the contacts that have taken place with the client in the current client relationship.
Standing Data	Displays the following submenus: - Client Relationship Details - Participations - Services The first two submenus display the same subjects as the overview, only in more detail since they include all the available attributes. From this point, you can also access the modify screens that let you update the information or access the screens that let you add new items (provided you have the authority to do so). In the Services sub-menu, you can find the services that have been provided to this client. A service can be, for example, a simple current account, a deposit account or a safe deposit box. The types of services displayed depend on the bank's implementation.
Profile	In the profile menu, there are four client profile screens available. These screens provide you with information about different areas.
Relationships/Group Relationships	Displays the group relationships this client relationship is belonging to.
Relationships/Direct Relationships	Displays the direct relationships this client relationship has with other client relationships, physical persons or legal persons.

Sub menu	Description
Opening Process	Displays menu items that reflect the typical process steps carried out in the context of a client opening: • Perform financial profiling: Enter the financial and marketing information linked to the client • Perform data gathering, that is enter for this client relationship all basic/physical person/legal person information required by compliance and most information needed for the production of the contractual documents • Define accounts: define the current and custody accounts required for this client relationship • Produce contractual documents (Not delivered with R11) • Perform opening profiling: Enter all information required for AML compliance • Start an opening request: Kick of the bank internal validation process for this client opening • Process history: Display any active and completed processes related to this client relationship
Create Task	Redirects you to the task creation screen. Refer to the <i>Triple'A Plus Web TCM User Guide</i> for more information on creating tasks.
Create Contact	Redirects you to the contact creation screen. Please refer to the <i>Triple'A Plus Web TCM User Guide</i> for more information on creating contacts.
Create Client Relationship	Creates a new client relationship.

3.2.3 Person

The **Person** menu option has functions that are similar to the **Client Relationship** menu, except that they apply to a CDM physical or legal person record.

When you choose the **Person** menu option, the Person search mask is displayed where you can enter search constraints. Alternatively, to perform a quick search, you can enter a search criterion in the **Person** field (located in the bar below the menu options on the CDM start screen). For more information, see section [Searching for Persons](#).

The system performs a search operation on all accessible persons in Triple'A Plus Web, verifying whether their names or registered names starts with the criterion entered.

The following table provides a brief overview of the standard submenus:

Sub menu	Description
Search	Displays the person search window.
Overview/Standing Data	Similar to the Relationship Overview menu, the Person Overview menu provides access to an overview of the person's details.
Overview/Task and Contact	Contains the latest tasks and contacts related to the active person.
Task History	Displays the pending tasks linked to this person.
Contact History	Displays the contacts that have taken place with this person.

Sub menu	Description
Standing Data	Provides essential information on the physical/legal person. The following submenus are available: • Person Details • Person Identity • Participations • Person Profile The first and third submenus display the same subjects as those displayed in the overview. The second menu item displays the person identify while the third submenu displays the Person Profile.
Profile	Displays the profile information for the active person. Profiles are: • Financial profile: All information related to the financial situation of the person (e.g., types of assets held, short and long term expectations, etc.) • Marketing Profile: All information covering marketing aspects, such as type of client, segmentation criteria, etc. • Risk Profile: Risk information associated to this person.
Relationships/Group Relationships	Displays the group relationships in which this person belongs.
Relationships/Direct Relationships	Displays the client relationships/physical persons/legal persons with whom this person has a relationship.
Create Task	Redirects you to the task creation screen. Refer to the <i>Triple'A Plus Web TCM User Guide</i> for more information about creating tasks.
Create Contact	Redirects you to the contact creation screen. Refer to the <i>Triple'A Plus Web TCM User Guide</i> for more information about creating contacts.
Create Corporate Prospect	Displays an input form that lets you quickly create a prospect corporate person. Note: For security reasons in CDM, no person can independently exist from a client relationship, therefore, a client relationship will be created with the person. Also, certain bank organizations must be set for this feature to work.
Create Physical Prospect	Displays an input form that lets you quickly create a prospect physical person. Note: For security reasons in CDM, no person can independently exist from a client relationship, therefore, a client relationship will be created with the person. Also, certain bank organizations must be set for this feature to work.

3.2.4 Workflows

To view all work items that you have been either assigned to or are currently working on, choose the menu item **Workflows > Workitem List**.

3.2.5 Monitoring

Under **My Processes**, you have the following menu access points:

- **My Launched Processes:** Where you find a list of processes that you have kicked off (launched)
- **My Participating Processes:** Where you find a list of processes in which you are participating.

You might, for instance, want to check whether you have already started the process “Client opening process” for a specific client and whether any validation has taken place regarding this request. If you have started the request, you will find it under **My Launched Processes**.

If you are one of the validators, meaning you have carried out one of the validation steps as a user, you will see this request listed as “Participating processes”.

3.2.6 Preferred Clients

The Preferred Clients list is displayed in table format in the Preferred Clients section of the **Client Data** tab in Triple’A Plus Web. The Preferred Clients list shows all Client Relationships, Physical and Legal Persons whose information you can access on a regular basis. You can add and remove items from the list.

The first column in the table indicates the type of entity:

Entity type	Description
CL. REL	The entity is a Client Relationship
IND. PHYS.	The entity is a Physical Person
IND. LEG.	The entity is a Legal Person (corporation)

3.3 Identifying Clients

One of the main functions of CDM is to identify clients when they contact the bank. The following sections describe the different search functions in detail.

3.3.1 Using Search All

The Search All function is the most comprehensive search function available in CDM. It is designed to use a minimum of information (provided by a calling client or some other source) and to determine if the bank has a client with that name.

A criterion entered in the Search All entry field is compared against:

- All the accessible physical persons' names starting with the criterion
- All the accessible physical persons' maiden names starting with the criterion
- All the accessible legal persons' registered names starting with the criterion
- All the accessible persons shortnames starting with the criterion
- All the accessible Client Relationship names

The Search All operation returns all the matches that start with the string you enter. If, for example, you enter “Dupont”, then a Client Relationship called “Dupont Ltd.” as well as a physical person called “Dupont” would be returned.

You can run the Search All operation from the CDM start screen (see section [CDM Start Screen and Menu Items](#)). You can also run Search All from the Search All field (located in the bar below the menu options on the CDM start screen). In both cases, you must enter the search criterion, press [Enter] to start the search, or click **Search** if you are in the CDM start screen. The results are displayed in the same window.

The search operation can return three types of results:


- Client Relationships (CL. REL.)
- Corporations (IND. LEG.)

- Persons (IND. PHYS.)

To access one of the records, just click its name. This displays the item's overview screen.

3.3.1.1 Viewing Person Client Relationships

If this option is enabled, the search results show for each matching person record the Client Relationships they are participating in. The following screenshot illustrates this:



The screenshot shows the CDM search interface. The 'Search All' tab is selected. The search criteria are: Name = Berg, Closed = ☐, and Display all client relationships for individuals = ☒. The search results are displayed in a table with the following columns: Type, Root Id, Client Relationship Name / Name / Registered Name, Maiden Name, First Name, Short Name, Date of Birth/Registration/Creation, Audited, Root/Name, and Role(s). The results show 8 records for 'Berg' and 1 record for 'Preferred Clients'.

Type	Root Id	Client Relationship Name / Name / Registered Name	Maiden Name	First Name	Short Name	Date of Birth/Registration/Creation	Audited	Root/Name	Role(s)
IND. PHYS.		Berg		Johann					
CL. REL.		Berg GmbH							
IND. LEG.		Berg GmbH			Sansara		Undefined	Berg GmbH	Account Holder
IND. PHYS.		Bergh		Jean		Mar 22, 1950	Undefined	Jean & /or Anne Bergh	Account Holder, Beneficial Owner
IND. PHYS.		Bergh		Anne		Sep 12, 1952	Undefined	Jean & /or Anne Bergh	Account Holder, Beneficial Owner
IND. PHYS.		Bergh		Thomas		Mar 22, 1980	Undefined	Jean & /or Anne Bergh	Attorney
IND. PHYS.		Bergh		Peder		Mar 22, 2001	Undefined	Jean & /or Anne Bergh	
IND. PHYS.		Berghammer	Van der Valk	Jeanne		Apr 12, 1958	Undefined	Peder Bergh	

Results 1 to 8 of 8

Type	Root Id	Client Relationship Name / Name / Registered Name	Maiden Name	First Name	Date of Birth/Registration/Creation	Audited
CL. REL.	T_AL_Client9999	Jan Houvers				

Results 1 to 1 of 1

CDM – Search result with person client relationships

This view function is useful in situations where the calling person's name is not identical to any bank client's name because the person is not an immediate contracting partner, for example, but only has power of attorney in a client relationship.

3.3.1.2 Including Closed Records

If you select the checkbox *Closed*, you include closed records that are either client relationships whose contractual relationship with the bank has come to an end or persons who do not participate in any of the accessible contractual relationships.

3.3.1.3 Usage of the Wildcard Character

You may use the wildcard characters * or % in order to perform a "like" search using the search all function. As such, performing a search on "*mith" will return all persons with name "Smith", but also all persons with name "Hammersmith".

Caution: Using the wildcard will trigger the retrieval of all your accessible data. Because the CDM search design is aimed at encrypted repositories, it will only be able to apply a wildcard after decryption of the data. Depending on how many records you have access to, the response times for such a search may become very long.

3.3.2 Searching Client Relationships

This search operation is limited to Client Relationships. There are no persons or corporation records returned.


To run a search for Client Relationships, click the **Client Relationship** menu option. The Client Relationship search mask is then displayed.

The following table describes the search constraints that you can enter:

Field name	Description
Name	Provides the name/designation of the Client Relationship. Triple'A Plus Web performs a case insensitive search on all the accessible Client Relationships containing the criteria entered.

Field name	Description
Root Id	The root ID of the Client Relationship. Triple'A Plus Web returns all Client Relationships that have a Root ID starting with the criteria you entered.
Status	Status of the Client Relationship.
Exclude Prospects	Select this checkbox to avoid Client Relationships with the status Prospect from being returned.
Pseudonym/Code Word	A pseudonym / code word associated with the Client Relationship. If you do not use a wildcard, Triple'A Plus Web performs a case insensitive search on all the accessible Client Relationships that have a pseudonym / code word that contains the search criteria.
User managing the client	Using this constraint, it is possible to limit the search to: - All client relationships that are assigned to a specific user - An extension to a), all client relationships that are assigned to a specific user and that are accessed through a defined commercial role by the latter. As such it is for instance possible to search only those client relationships that are assigned to user XYZ who manages the clients with role "Commercial Manager".
Group managing the client	A similar constraint type as "User managing the client" – use this to limit the search to - All client relationships that are assigned to a specific group. - An extension to a), all client relationships that are assigned to a specific group and that are accessed by that group through a defined commercial role. As such it is for instance possible to search only those client relationships whose data is managed by the Zurich central file or that are managed by the Dutch desk.
Service code	Include the client relationships that have a CDM service linked to them with a code as entered.
Include closed client relationships	Include the client relationships that have been terminated, that have a close date.

The following screenshot shows an example of the results of a search. In this case, the search keyword was "berg", so all Client Relationships containing "berg" are returned.



The screenshot displays the search interface with the 'Client Relationship' tab selected. The search criteria are set to 'Berg'. The search results are displayed in a table with columns: Type, Root Id, Client Relationship Name / Name / Registered Name, Maiden Name, First Name, and Date of Birth/Registration/Creation. The results show three client relationships: 'Berg GmbH', 'Jean &/or Anne Bergh', and 'Pieder Bergh'. Below the search results, there is a section for 'Preferred Clients' showing one result: 'Jan Houvers'.

An alternative way of running a search for Client Relationships is to perform a quick search. You do this by entering a name in the **Client Relationship** field (located in the bar below the

menu options on the CDM start screen) and then press [Enter]. Note, however, that the search keyword is only matched against accessible Client Relationship names.

3.3.2.1 Minimal search criteria and logical combination of criteria

In order to perform a search a client relationship, you must at least enter one of the following criteria:

- A name
- A root ID
- A codename
- A service code

If you launch a search from the search mask, all search criteria will be combined with AND.

3.3.2.2 Quick search operation

When performing a quick search using the **Client Relationship** field (located in the bar below the menu options on the CDM start screen), the search operation is launched to find all client relationships that:

- have the criteria contained in their name


or

- whose root ID starts with the criteria.

Note: A search on a CDM service code is not possible.

3.3.3 Searching for Persons

The search for persons lets you limit a search operation to corporations and physical persons. To run a search for a person, use the **Person** search mask (see image below):



CDM Search Persons - Form

The following table describes the search constraints that you can enter:

Field name	Description
Name / Registered Name	The last name of the physical person or the registered name of the corporation.
Maiden name	The maiden name of a physical person.
First Name	The first name of a physical person.

Field name	Description
Short Name	The short name is a pseudonym on person level or a shortened version of the person's name. The short name is not supposed to reveal the person's identity and thus is not saved in encrypted form in the database.
Date of Birth/Constitution	The date of birth of the physical person or the date of constitution of the corporation.
Role	The role of the person. Physical persons and corporations participate in Client Relationships by acting as one or more roles. A person might be, for example, an Account Holder and also a Beneficial Owner in a Client Relationship. The Role drop-down list lets you search all the physical persons / corporations that have a specific role in one of the Client Relationships they are participating in. This allows you to search for beneficial owners, for example.
Type of persons	Limit the search to physical persons or legal persons (corporations).
Include closed person records	If this option is selected, the system also returns the records of persons that no longer participate in any contractual client relationships.
And/Or	If you select And, all the options you enter are logically combined with the AND operator, otherwise they are combined with the OR operator.
Mode	This setting is only applied to the Name / Maiden name / First name. There are three modes: • Starting with: All the records with a Name / Maiden name / First name starting with the search criteria are returned. • Equals: All the records with a Name / Maiden name / First name that exactly matches the search criteria are returned. • Contains: All the records with a Name / Maiden name / First name containing the search criteria are returned.

After sending the query, a result screen is shown. To navigate to one of the records returned in the result set, just click the name of the record. You will then be redirected to the standing data overview screen of the record in question.

3.3.3.1 Minimal search criteria and logical combination of criteria

When launching a search on person data, you must enter at least one of the following criteria:

- A person's name
- A person's maiden name
- A person's short name
- A person's date of birth

If you launch a search from the search mask, all search criteria will be combined with AND.

3.3.3.2 Quick search operation

When performing a quick search using the **Person** field (located in the bar below the menu options on the CDM start screen), the search operation is launched to find all persons that:

- have a name that starts with the entered criterion or
- have first name that starts with the entered criterion or
- have a maiden name that starts with the entered criterion or


- have a shortname that starts with the entered criterion

Note: If you run the quick search operations and there is only one matching record, it is automatically loaded. You do not have to select it from the search results table.

3.4 Client Relationship View: Standing Data tab

The purpose of the **Standing Data** tab is to propose a synthetic view in which you can check related data at a glance.

When you access a Client Relationship, for example, and select one from the search results, you are redirected to the Client Relationship overview screen on the **Standing Data** tab. The following screenshot shows an example of the Client Relationship overview screen overview screen:



The overview screen displays the most important information on the Client Relationship in one view. The information is displayed in the following sections on the screen:

- **Client Relationship Details:** The most important attributes in the Client Relationship, for example, the name and the optional associated code words. Please refer to section [Standing Data–Client Relationship Details](#) for a description of the information displayed.
- **Participants:** All the physical persons and corporations participating in this Client Relationship. This view displays the role(s) that the persons or corporations participating in the Client Relationships play and their associated powers. The columns are as follows:

Column	Description
Type	The type of participant: IND. PHYS. for physical persons and IND. LEG. for legal persons (corporations).
Name / Registered Name	The name of the person / corporation participating in the Client Relationship.
Role(s)	The role(s) the person or corporation plays in the Client Relationship. Roles are, for example, Account Holder, Beneficial Owner and Power of Attorney.
Signature right type	The signature type of the participant. If joint, the optional number beside it shows the number of persons signing together.
Amount / Currency	An optional amount and currency that goes with the signature right.

Column	Description
Comments	Any comments included in the participation.
View Details	The Details button provides access to the details screen of the participation details.

- **Managers / Groups:** The "Managers" list contains the list of managers (end user) and groups that have access to the current Client Relationship. All the users listed here and all the users that belong to the groups listed here can access this Client Relationship the same as you.

This module also displays organisational information. In other words, you can see the commercial role the users/groups have with respect to the client. In our example, the user Van Kaufenbergh, Luc has the commercial role "Commercial Manager" with regard to the client, the Dutch Desk is the service desk for the client and there are a Legal and Compliance and a Central File department that service the client (at the bank although not necessarily in contact with the client).

Note that this *organisational* information is used in the context of the client opening and 4 eyes data update workflows since it lets you retrieve the user who is responsible for this client when it comes to carrying out a particular task.

- **Main Contact Points:** The main contact points document the preferred way to contact this client. This is useful in situations in which several people are active in a Client Relationship, but only one of them carries out the daily business with the bank. The following table describes the columns displayed:

Column	Description
Name / Registered Name	The name of the person / corporation whose contact point this is.
Contact Type	The type of contact.
Details	Detailed information about the contact point.
Comments	Comments that go with the contact point.
From	A starting date for the usage of this contact point.
To	An end date for the usage of this contact point.
Type	You can define preferred contact point types and associate further information to a preferred contact point.

- **Participation Details:** Click **Details** to get the following information:

Field	Description
Root Id	The root ID of the Client Relationship this participant belongs to.
Client Relationship Name	Name of this Client Relationship.
Type	The type of participant: physical or corporate.
Registered Name	The name of the corporation participating in the client relationship (only if this is a corporate participant).
Last Name	The name of the person participating in the client relationship (only if this is a physical participant).
First Name	The first name of the person participating in the client relationship (only if this is a physical participant).
Account Holder, Attorney, etc.	The role(s) the person or corporation performs in this Client Relationship. Roles are, for example, Account Holder, Beneficial Owner and Attorney.
Signature right type	The signature type of the participant.

Field	Description
Number of people	In the case of joint signature rights, the number of persons signing together.
Signature amount	An amount and currency that go with the signature right.
Power of Attorney Type	The level of power of attorney: Full or Limited.
Power of Attorney Post Mortem	Indicates if the power of attorney expires with the death of one of the account holders.
Remarks	Optional comments.
Main Account Holder	Indicates whether the current participant is the main account holder or not
Close Date	The closing date of the record.
Closing Comments	Any comments that go with the closing operation.

3.4.1 Standing Data–Client Relationship Details

The **Standing Data** menu provides submenus that cover the information displayed on the overview screen in more depth. Depending on the Bank's implementation, it can also contain menu items that provide access to information that is excluded from the overview screen.

Once you have selected a Client Relationship in the overview screen, you can select the **Standing Data** menu.


This loads the Client Relationship (CR) Details screen, which contains all attributes belonging to the Client Relationship. The following table contains the description of the attributes displayed in the Standing Data – Client Relationship Details screen:

Field	Description
Root Id	The root ID of the Client Relationship (Numéro d'identification, Kundenstamm Nummer).
Client Relationship Name	The name of the Client Relationship.
Audited	This flag indicates that the data in this Client Relationship has been verified and is correct. Note that very often the data in systems like CDM is restored from other repositories and has to be manually completed or verified.
Numbered Client Flag	Indicates that the client is a numbered client.
Client relationship type	The type of client. Packaged values in CDM are Collective, Joint, Individual, and Corporate. Banks can, however, extend these choices.
Status	The status of the Client Relationship. CDM has predefined values which cover the life cycle of a Client Relationship: Prospect, Verify, Open, Blocked, Closed, and New. It is, however, up to the bank to decide on the exact business meaning behind each status.
Status Description	Any comments that go with the status.
Opening Date	The opening date of the Client Relationship.
Close date	The closing date of the Client Relationship.
Closing Comments	Any comments entered during the closing operation.
Main Account Holder	The main account holder is the name of the participant whose Main Account Holder flag is set. Since CDM can be interfaced with other systems that only have a basic data structure defining the client as a single person, you need a way to express this with CDM. The Main Account Holder flag lets you define which person's or corporation's details to use if the client data is exported to other systems.

Field	Description
Client signs with pseudonym Flag	Indicates that the client can use a pseudonym or code word for logon and authentication. Note that not all banks use the term "Pseudonym". Another term, for example, is "Code word".
Pseudonym/Code Word	3 code words or pseudonyms that can be used by the client.
Address details	The address details displayed are the domicile address of the main account holder. Again, this is mainly important in a context where this data is exported to another system.

3.4.2 Standing Data-Participants

Choose **Standing Data > Participants** to display the list of participants in the Client Relationship. These are the same participants that are displayed on the Overview screen:



Type	Name / Registered Name	Role(s)	Signature right type	Amount	Currency	Comments	View Details	Modify	Close
IND. PHYS.	Duval Anne	Account Holder, Beneficial Owner	Individual	0.00			Details	Modify	
IND. PHYS.	Duval Jean	Account Holder, Beneficial Owner	Individual	0.00			Details	Modify	
IND. PHYS.	Duval Thomas	Attorney	None	15,000.00	EUR	Main contact after father - any urgent matters are handled with him if P. Duval not available	Details	Modify	

Although the information is the same, you can additionally:


- Modify the record by clicking on the Modify button beside each Participation details line
- Add a new participant by clicking the Add button beneath the list of participants

3.4.3 Standing Data-Services

You can define services for client relationships. A service is any type of product/service provided to a client relationship. Examples are current accounts, custody accounts, safe deposit boxes, credits, etc.


There are two predefined services in the standard packaging: Current account and Custody account. Based on the CDM implementation at the bank site, you might have additional service types (and their business attributes) available to you.

The following view illustrates how services are displayed:



Type	Code/Number	Description	View Details	Modify	Close
Current account	518237-001	EUR current account	Details	Modify	
Custody account	518237-002	EUR Custody account - non discretionary	Details	Modify	

3.4.4 Standing Data-Distribution Rules



Delivery Type	Mailing Address	Document Address	Original	View	Remove	Modify
☒ HOLD	Undefined	75000 FR : Paris	☒	View	Remove	Modify
☒ SEND	75000 FR : Paris	75000 FR : Paris	☒	View	Remove	Modify
☒ Subscription	No Address	No Address	☐	View	Remove	Modify

Overview Client Data Management >> Distribution Rules

This panel presents a detailed content of the distribution rules defined for a client relation. The distribution rules are used to define how to mail reports to the client. There are three types of distribution rules:

- Hold-Mail
- Send-Mail
- Subscription


With this screen you can create, update, delete and review these distribution rules:

1. Press **Subscription**, **HoldMail** or **SendMail** button to create these rules.
2. Press **View** to review a rule.
3. Press **Remove** to delete a rule.
4. Press **Modify** to modify a rule.

Field	Description
Delivery type	Represents the three different types of elements in the list.
Mailing Address	The Mailing address is the physical address to which a send distribution rule must be mailed. Those addresses are maintained in CDM (contact points of a participating person). The contact point is stored in the CDM system. The production engine uses this mailing address; it also adds this address on the envelope cover page (if defined).
Document Address	The document address is the description of the contact point (domicile address or postal address) associated to the mail distribution rules. If defined, this contact point detail will stand on the document instead of the mailing address. The contact point is stored in the CDM system. The production engine uses the document address; it adds this address on document only if it is present.
Original (Document)	Indicate that all documents belonging to this mail distribution rule and this correspondent will be considered as original ones. An original document is free of any Copy and/or Duplicate flag on the document.

3.4.4.1 Viewing Hold-Mail Rules

When the distribution rule is Hold-Mail, the documents are not printed but kept in the mailbox.



View Hold-Mail

When your customer (bank customer) comes to collect his documents, select the Hold-Mail rule and click on the **Print** button. This action will start the printing process of all documents kept in the customer's mailbox since the last visit date.

Documents printed may contain a document address if defined; otherwise documents will not contain any personal data. The mailing address is disabled for a Hold-Mail print process, but the mailing address link is kept in case the rule will become a Send-Mail rule.

Before the printing, a list document preview will be displayed as your confirmation. You can sort a document list by clicking on the column header; the first document printed is the first document in this preview list.

At the end of the printing job an appendix document is added with the content of the Hold-Mail print output and a disclaimer page.

Click on the **OK** button to start the printing. You will receive a confirmation message once printing process performed, (containing the printer name location where the documents are printed).

3.4.4.2 Viewing Send Mail Rules

When the distribution rule is Send-Mail, the documents are printed. Documents printed may contain a document address if defined; otherwise the mailing address will be used.

3.4.4.3 Viewing Subscription Rules


A subscription rule defines the policy to apply to Mailbox content while doing a document export in a directory (for third tier publication process towards external Web sites). It is usually defined by:

- Related correspondent (root),
- Document functional type,
- An output resource.

A typical subscription rule is: "Correspondent 04081971 wishes to consult his valuation reports on the Web".

A document functional type defines the functional meaning of a set of documents. This definition allows the mail management system (MMS) to correctly identify an existing document and triggers the correct export of the document.

3.4.4.4 Modifying a Hold-Mail Rule



Modify Hold-Mail

Field	Description
Hold mail	Documents related to this mail distribution rule should be sent to the contact point or kept in the bank until the customer visit.
Extra copies	Documents related to this mail distribution rule should be sent to the contact point or kept in the bank until the customer visit.

Field	Description
Distribution language	This is the mailing in which the language will be sent. When documents (associated to this correspondent) are not available in this language, production will use default language (see Mail management Production for more details).
Enabled	A distribution rule can be enabled or disabled. If it is disabled, the production will not take in charge this client distribution.
Primary Document	Indicate that all documents belonging to this mail distribution rule and this correspondent will be considered as original ones. An original document is free of any Copy and/or Duplicate flag on the document.
Last visit date	Last time the customer came to the bank to retrieve his documents.
Functional Type selection	
All functional type	If set, the rule will apply to all documents that are in the mailbox.
Functional type	Documents belonging to this functional type are going to be processed. Functional types are set in the Integrator menu.
Functional type Group	Documents belonging to this functional type group are going to be processed. Functional type groups are set in the Integrator menu.

3.4.4.5 Modifying a Send-Mail Rule

Field	Description
Send mail	Documents related to this mail distribution rule should be sent to the contact point or kept in the bank until the customer visit.
Enabled	A distribution rule can be enabled or disabled. If it is disabled, the production will not take in charge this client distribution. Note: It is currently status information. A rule can be disabled only by the system. The end-user is not allowed to disable a rule.
Extra copies	Number of copies to add to the original document. The document will be printed with a "copy" on the top right corner of the page.
Distribution language	This is the mailing in which the language will be sent. When documents (associated to this correspondent) are not available in this language, production will use default language (see Mail management Production for more details)
Primary Document	Indicate that all documents belonging to this mail distribution rule and this correspondent will be considered as original ones. An original document is free of any Copy and/or Duplicate flag on the document.
Custom Filter	This option activates the third tab Custom Filter . This is used to refine (exclude/include) documents to be considered by the distribution rule.
Functional Type selection	
All functional type	If set, the rule will apply to all documents that are in the mailbox.
Functional type	Documents belonging to this functional type are going to be processed. Functional types are set in the Integrator menu.
Functional type Group	Documents belonging to this functional type group are going to be processed. Functional type groups are set in the Integrator menu.

Field	Description
Activation Date	The user mention to which integration (submitted date of the file) date the distribution rule should apply.
Category	Freely defined field on which a production run could be sorted.
Frequency type	Different frequencies that determine when the rule will be applied. (Available only when "Send mail" is selected).
Day of month	When the chosen frequency in "Monthly", this option allows choice of the day when mailing will be sent (or printed). By default, the first day is selected. Current values will be for example 15 or 25. (Available only when "Send mail" is selected).
Next production date	Define the next date as of which documents of the mailbox must be produced.
Last production date	Last time the document was sent (or printed). This is set by the system.

3.4.4.6 Modifying a Subscription Rule

Field	Description
Description	Information on the rule. It is usually filled by the interface that creates the subscription rule.
Enabled	A subscription rule can be enabled or disabled. If it is disabled, the document export process will not take in charge this client distribution. In other word, the rule is disabled when the stop date is reached.
Opening / Reachability Start Date	Date on which the rule is activated.
Close / Reachability Stop Date	Expiry date for subscription rule. Correspondent will not receive any more documents on the Web.
Distribution language	This is the mailing in which the language will be sent. When documents (associated to this correspondent) are not available in this language, production will use default language (see Mail management Production for more details)
Retro active day(s)	Retroactive days are the number of days before the start date of the rule. The export process will takes into account mailbox documents since the start date minus the retroactive days.
Functional Type selection	
All functional type	If set, the rule will apply to all documents that are in the mailbox.
Functional type	Documents belonging to this functional type are going to be processed. Functional types are set in the Integrator menu.
Functional type Group	Documents belonging to this functional type group are going to be processed. Functional type groups are set in the Integrator menu.
Output	This is the output description where are exported the mailbox documents

Note: In case a subscription rule has no related address defined, mailbox export will not add address on the documents.

3.4.4.7 Distribution Rule Filter Workflow

The parameters to fill in order to define a distribution rule are the same as defined previously. This workflow details the address pick up and the customer filter definition.

1. Click **Next** to open screen **Defining Mail Address**.
2. On the **Define Mailing Address** screen, click **Select** to choose an address for the rule.
3. **Pick up** the address you want to check.
4. The address consists of the following data:

Field	Description
Qualifiers	Additional information that will be printed on the envelope ("To the attention of ...", "Doctor", etc.). This is a 3 lines free text.
Street number	Street number of the domicile address.
Street	Street name of the domicile address.
Postal code	Postal code of the domicile address.
City	City of the domicile address.
Region	Region of the domicile address.
Country code	Country of the domicile address.
P.B.	Postal box of the domicile address.
Address Line 1..7	User can use these fields in case the address is not formatted

5. Define a document address or continue.

The filter option allows the possibility to do a very specific production for a correspondent.

Example:

This correspondent wants to include his confirmations statements when the document reference (transaction number) equals to 0. This custom distribution rule option opens a lot of possibilities in the distribution management. The following table shows the custom filter for the distribution rule:

Field	Description
Functional type	Document functional type on which filter may be applied
Property	Document property to filter on
Comparator	Operator to apply to achieve filtering
Value	Value to test to allow filtering
Include/Exclude	Include/Exclude respectively add and remove result elements to the current selection

6. Click **Save** to keep your changes.

3.4.5 Client Profile

With CDM, banks can establish a client profile that provides in-depth information that is captured in the following tabs on the Client Relationship menu option:

- [Opening tab](#)
- [Financial tab](#)
- [Marketing tab](#)
- [Risk tab](#)

Search All Client Relationship Person Group Relationship Workflows Monitoring

Search All Work Item List ship 518237 Person Group Relationship

Opening Financial Marketing Risk

Relationship Opening

Client Description / Business and Personal Background

Politically Exposed Client: Yes

Client Relationship Opening Details

Client Relationship Opening Place: Inside bank's office

If external agent, type of external agent: Third Party Manager

External Agent: Bank Employee

Acquisition factor: Competition

If transfer, reason for transfer: Private Wealth Management

Client Relationship Aim: Private Wealth Management

Absence of personal contact with the account holder(s): No

Absence of personal contact with the beneficial owner(s): Yes

First Funds Transfer Details

Origin of funds related to first transfer

Undefined: ☐

Business: ☒

Inheritance: ☐

Donation: ☐

Savings from current activity: ☐

ID	Nature	Amount	Currency	Internal - External	Provenance or Institution	Country of provenance	Modify	Delete
Transfer 1	Securities Transfer	456.28	EUR	Internal	4	LUXEMBOURG	Modify	Delete

Add Results 1 to 1 of 1

Future expected funds

Future incoming transfers expected: Yes

Future incoming transfers horizon: Undefined

Future incoming transfers amount: 0.00 USD

Frequent payment activity expected

Expected frequency of incoming transfers: 0-10

Expected frequency of outgoing transfers: 11-50

Country code: GERMANY

Country code: 10'000-50'000

Expected size of frequent incoming transfers: 10'000-50'000

Expected size of frequent outgoing transfers: 0-10'000

Opening

Decision taken by:

Compliance

Money Laundering Rating

Reason of refusal for opening

Date of Decision (dd.mm.yyyy)

Creation date: Aug 1, 2011 1:59 AM

Created by: advisor, advisor

Modification date:

Modified by:

Historic View Modify

3.4.5.1 Opening tab

Legal and compliance-oriented information gathered before the relationship is opened can be found in the **Opening** tab. This information determines whether the bank will want to establish a client relationship with the customer.

The following table provides information about the sections on the **Opening** tab of the **Profile – Opening** screen:

Section	Description
Client description	Provides a general description of the client: identification and business.
Client Relationship opening	Provides an in depth view on how the relationship was opened. The bank is able to track who exactly brought the client to the bank and how well the bank actually knows the client prior to establishing a business relationship with him.
First funds transfer details	Describes where the assets the client wants to hold with the bank originate from and lists how the client plans to transfer these assets to the bank; provides the geographical origin of the assets.
Future expected funds	Indicates if the client plans to transfer additional funds in a certain time span.
Frequent payment activity	Any recurrent transfers (for instance, a monthly transfer from business activities) that are planned to happen can be listed here.
Compliance	From the previous data, and the client relationship/person data itself the bank can define a Money Laundering Rating and may refuse to open the relationship.
Opening	If the client relationship is opened, provides information about the person(s) who took the decision.

3.4.5.2 Financial tab

The client's overall wealth and its composition, relationships with other banks, and financial requirements for both the short and long term can be found in the **Financial** tab.

The following table provides information about the sections on the **Financial** tab of the **Profile – Opening** screen:

Section	Description
Global Wealth / Origin / Composition	These fields allow the relationship manager to estimate the global wealth of the client, its origin and composition. This information is an indicator of the client's future potential.
Known relationships with other banks	Known relationships with other banks / entities in the same group.
Short term requirements	Short-term requirements for planned investments, a parameter required for portfolio cash positions.
Usage of assets	How the client plans to invest his capital. This is an indicator for the future asset allocation of the portfolio.
Investment time horizon	An indicator of the time span in which the client aims to meet his targets by placing his assets with the bank.

3.4.5.3 Marketing tab

A client's future potential, investor type, and preferences can be found in the **Marketing** tab.

The following table provides information about the sections on the **Marketing** tab of the **Profile – Opening** screen:

Section	Description
Client potential	Indicates whether the bank might acquire additional assets from this client and his/her general potential for the future.
Type of client	Indicates the investment profile of the client.
Client preferences / other	How the client wants to be contacted and the estimated administrative load.


3.4.5.4 Risk tab

The client's view on performance, knowledge of financial matters, and the proposed or chosen risk profile can be found in the **Risk** tab.

The fields on the **Risk** tab are self-explanatory. Most of the fields have a drop-down list (entry field with a little down arrow on the right) to allow you to choose from the list.

3.4.6 Person (Physical) View

The Person Overview is the first screen displayed when you access a Person from the Search results or from a list of participants. The **Overview** screen displays the most important information about the Person in one screen:



Person Overview screen

Person (details):

The Person's details show the key information on the person. The aim is to have enough information to identify the person which also includes scanned signatures. In addition to this, the domicile address of the person is preceded by a *qualifier*. The qualifier is a free text section that can be used to save correspondence dispatching information if correspondence is sent to this address.

Contact Points:

The Contact Points section lists the means to contact this person via phone, fax, email, etc.

Participations:

Shows the Client Relationships in which the person participates. You can see immediately which rights this Person has in the Client Relationships in which he/she/it is participating.

3.4.6.1 Standing Data – Person Details (Physical) tab

The **Person Details** tab displays all the available attributes of a physical person:

You can perform the following operations on this screen:

Operation	Description
Add To Preferred	This button lets you add the person to the list of preferred clients / persons.
Add Contact Point	Add a contact point for this person.
Modify	Clicking the Modify button opens a new window with the Person's details so that you can modify them.
Add a scanned signature file	To upload scanned signature files for a person, click the Modify button next to the signature field. Note that the image size and file type can be configured on the client site. By default, the maximum size is set to 2 MB. The supported file formats are .jpg and .gif.

Managing contact Points

The Contact Points section shows a list of contact points and describes how to contact the person. The information is the same as that displayed in the Overview screen.

For each contact point, you can perform the following actions:

- Click **Remove** button to remove the contact point.
- Click **Modify** button to open a new window that lets you change the contact point details.
- Click **Details** button to view the details of the contact point.

Adding or updating a person's signature file

1. Click the **Modify** button next to the label Signature.
2. Click the **Browse** button to search for the picture file containing the signature and then click **Attach**.
The picture file is copied to the system and then displayed.
3. Click **OK** to save the picture and return to the **Person Details** screen with the uploaded picture. If you want to remove an already uploaded image in an update operation, click **Remove Picture** to remove the image.
4. When you click **OK**, you are redirected to the **Person Details** screen.

If you scan large images of a signature or passport, it cannot be displayed on a details screen because of space limitations. In this case, you can click the **Details** button and a pop-up window is then displayed with the details of the scanned image.

3.4.6.2 Standing Data – Person Identity tab

All the details relating to the person's identity are defined on the **Person Identity** tab. You can also upload scanned pictures of identification documents. Up to three different nationalities of the person can be added with a scanned identification picture for each of them.

Uploading nationality identification pictures

1. Click **Modify** in the Nationality section whose scanned image you want to change.
2. Click **Browse** to select a file and then click **Attach** to upload the file (i.e. attach the file to the person's profile).
The picture is then uploaded. To remove an already uploaded picture, click the **Remove Picture** button. Otherwise, click **OK** to validate the upload and return to the main screen.

If you scan large images of a signature or a passport, it cannot be displayed on a details screen because of space limitations. In this case, you can click the **Details** button and a pop-up window is then displayed with the details of the scanned image.

3.4.6.3 Standing Data – Participations tab

The **Participations** tab shows the Client Relationships in which the person has participations:
The information displayed is the same as that in the **Overview** screen.


3.4.6.4 Standing Data – Person Profile tab

The **Person Profile** tab provides additional background information on the person. This screen is likely to be changed by the bank. Note that the person profile should not be confused with the client profile, which focuses on the Client Relationship.

Click the **Modify** button to open another screen that lets you modify the values.

3.4.7 Person (Legal) View

The following screenshot shows an **Overview** screen for a corporation:



The screenshot displays the 'Person (Legal) overview' for 'Berg GmbH'. The interface is divided into several sections:

- Corporation:** Shows registered name 'Berg GmbH', status 'Undefined', and address details (Street Number: 23, Street: Bahnhofstrasse, Zip Code: D-36726, City: Schlieffenbach, Country: GERMANY). Qualifier: Attn: Mr president of.
- Contact Points:** A table listing contact types and details.

Contact Type	Details	Comments	From	To
Fax	+49 34 377 3645	Berg_Corp_reachability	Jan 31	Jan 31
Phone	+49 34 377 3647		Jan 31	Jan 31
- Participations:** A table showing client relationships.

Root Id	Client Relationship Name	Role(s)	Signature right type	Amount	Currency	Comments	View Details	Close
Berg GmbH		Account Holder	Undefined	0.00			Details	
- Notifications:** A message stating 'You don't have any notifications'.
- Representatives:** A table listing representatives.

Name / First Name	Comments
Berg Johann	

Person (Legal) overview

The following table provides information about the sections on the **Standing Data** (Physical Persons) tab of the **Overview** screen:

Section	Description
Corporation (details)	Displays the minimum amount of information needed to identify the Corporation: the registered name and the domicile address of the corporation
Contact Points	Lists the ways this Person can be contacted via phone, fax, email, etc.
Participations	Shows the Client Relationships in which the Person participates. For example, it can list all the Client Relationships in which the Corporation acts as Beneficial Owner.
Representatives	Identifies who can represent the corporation in its Participations. This is useful in cases where the corporation exercises power of attorney.

3.4.7.1 Standing Data – Person Details (Corporation) tab

The **Person Details** tab displays all the available attributes for the corporation and provides the same actions as for the physical person, which are

- Adding the Person to the preferred clients / persons list,
- Adding a contact point and
- Modifying the details.
- The sections on the **Standing Data – Person Details** (Corporation) tab are:
- Representatives: The Representatives section shows the same list as the **Overview** screen. In addition, you can modify the comments that are saved with the Representative or remove the Representative.
- Contact Points: The Contact Points section and the actions available for each contact point are the same as the Contact Points section for physical persons.

3.4.7.2 Standing Data – Participations

The screen displays the same information as for Physical Persons.

3.4.7.3 Standing Data – Corporation Profile

As is the case for physical Persons, Corporations have a profile screen, displayed by choosing **Standing Data > Person Profile**.

3.4.8 Standing Data–Person/Corporation Profiles–Financial/Marketing/Risk Views

The following profiles are also available for persons and corporations:

- Financial profile
- Marketing profile
- Risk profile

You can access these profiles from the **Person** menu option.

These profiles have the same attributes as the client relationship profiles. You also use these profiles in the same way as the client relationship profiles.

3.5 Data Management

This section describes how to add data to CDM and modify it.

3.5.1 Creating New Client Data

The first step you need to carry out when you want to add a new client, whether a person, a group of persons or a corporation, is to define a new Client Relationship. The Client Relationship is the basic element as any other information is attached to it.

There are two reasons for this. The first is that the Client Relationship will sooner or later represent the official business relationship the bank has with the client (who can be one person, a group of persons or a corporation). CDM lets you create the starting information in a way that reflects this.

The second reason has to do with administration and security. CDM lets the super-user define different security levels. For example, you can allow some users to view the Client Relationship details only, but not the personal information behind the details. That way the information they view is limited to the Client Relationship name. The strict separation of Client Relationships and corporate/physical participants makes this possible. In addition to this, data access in CDM is exclusively managed through the Client Relationship, the general rule being that if you can access the Client Relationship, you can also access all the data connected to it.

To be able to enter contacts and tasks in the Triple'A Plus Web TCM module, you only need to define the Client Relationship. You do not have to add any persons or corporations to it. However, the added business value of adding these consists, of course, in being able to clearly specify in TCM which person you had a contact with or who you have a task for.

3.5.1.1 Creating the Client Relationship

1. To create a new Client Relationship (CR), click the Create Client Relationship menu item.
The **Client Relationship** screen is displayed and shows the same Client Relationship attributes as the standing data **CR Details** screen.
2. To define a new client relationship, complete the fields. Note that the only mandatory field for creating a client relationship is the Client Relationship Name field. However, your bank's controlling authorities might require more information for other activities (e.g., opening an account). In this case, you can use the Report Missing Information feature to determine other mandatory fields associated with the action. For more information, see section [Report Missing Fields](#).
3. To define the managers and groups, click the **Next** button to go to the second screen. Note that the only mandatory fields for creating a client relationship (on the second screen) are names of at least one manager and one group. However, your bank's

controlling authorities might require more information for other activities (e.g., opening an account). In this case, you can use the Report Missing Information feature to determine other mandatory fields associated with the action. For more information, see section [Report Missing Fields](#).

4. Use the search mask to search for managers and groups. Assign a commercial role to the manager/group in the client relationship, which lets you define:
 - Who can access this client relationship and the persons behind it from a data security point of view.
 - Who is managing the client and providing services to the client from an organisational point of view.
5. Click the **Next** button.
A confirmation screen is displayed.
6. Click the **Submit** button to save the data.

3.5.2 Adding Client Profiles

When you create a new client relationship, it does not have any associated client profiles. If you select any of the profiles at this time, the message "Click on add to create the profile" is displayed:

1. Click **Add**.
A sequence of screens (or wizard) is opened, containing all the fields for the respective profile.
2. Click **Next** to go to the next screen of the wizard.
3. Complete the fields and click **Next** to save the information.
A confirmation message is displayed.
4. Click **Submit** on the Confirmation screen.
You are redirected to the Client Profile screen for the profile you just have added. The opening profile information includes the initial transfers that the client plans to undertake on opening his relationship with the bank.
5. To add the details of an initial transfer record, click the **Add** button next to the label **Initial transfer details** to open the Initial Transfer screen.
6. Click the **Submit** button to save the information you entered and return to the client opening profile, which now contains the Initial transfer information.
7. Follow the exact same steps to create the other three client profiles: **Financial**, **Marketing** and **Risk**.

3.5.3 Adding Services to Client Relationships

To add a service to a client relationship:

1. Choose the menu option **Standing Data->Services**.
The **Service List** screen is displayed.
2. Click **Add** to add a service.
3. Select the service type you want to add. The available service types and their attributes depend on the CDM implementation.
A confirmation screen is displayed.
4. Click **Submit** to save the information that you entered on the screen.

3.5.4 Adding Persons and Corporations to Client Relationships

You have just created a client relationship for which you can already enter contacts and tasks in TCM. Adding persons and corporations to a client relationship is explained along an example:

Supposing that you are not far from opening the account with the client and you already have the following detailed knowledge about the client:

- The main person behind this Client Relationship is George Weller, who is the contracting partner of the bank
- His sister, Emily Weller has a full power of attorney for all the assets held in this Client Relationship

An independent asset managing company called ELB investments introduced the client to the bank, and requires a limited power of attorney. This company is represented by Marc Armstrong. The bank already has clients introduced by ELB investments and their data exists in CDM.

To add these Persons to the Client Relationship you have just created, you need to call the Add Participant function from the **Standing Data – Participants** screen.

3.5.4.1 Adding a first person

1. Click **Add** to add a new participant.

The Create a New Person/Corporation screen is displayed.

2. You can now search for a person or corporation already in CDM and link it to the current Client Relationship or add a new person/corporation. To do this, click the **Add** button.

This **Participation Details** screen lets you define the details of the Participation. The following fields are displayed:

Field	Description
Root ID	The root ID of the Client Relationship the person / corporation is added to. In this example, the client Paul Weller has not yet been assigned a root ID so it is empty.
Client Relationship Name	The name of the Client Relationship name.
List of roles	The list of roles (Account Holder, Power of attorney, etc.) lets you define which roles the person has in this Client Relationship.
Signature right type	The signature right type the person will have: Joint or individual.
Number of people	If there are joint signature rights, this is the number of people who can sign.
Signature amount and currency	An optional signature amount and currency.
Power of Attorney type	If the person has power of attorney (is not an account holder) in the Client Relationship, you can define whether it is a full or limited power of attorney.
POA Post Mortem	The mandate post mortem flag indicates whether the mandate of this person – if not an account holder – is still valid after the death of one of the account holders.
Main participant	If this value is set to Yes, then the person you are about to define is the Main participant/account holder of the client relationship. This is used, for example, when information is sent to other IT systems. Target systems can use the information on this person if it expects information such as a domicile address but does not have a data model as complex as CDM.

Field	Description
For representations, the corporation represented when acting on this Client Relationship	This drop-down list can only contain values if the person has been looked up and attached to the Client Relationship. If it contains values, they are the corporations the person is entitled to represent. That way you can specify that a person (or corporation) represents a corporation when participating in a Client Relationship with the given powers.
Comments	Any remarks.

3. Click **Next** to continue.

The next screen presents you with a drop-down list from which you select the person type.

4. From the drop-down list, select Legal Person (for a corporation) or Physical Person (for a person).
5. Click **Next** and complete the details. Note that you need only to complete the name and first name of the person to jump to the next screen.
6. Click **Next** to continue.

The **Persons Details** screen is displayed.

7. After completing the fields on this screen, continue to click **Next** on each of the following screens while completing the fields on each screen that describe the person's identity, job, contact points, profile.

When the screens are completed, a confirmation screen is displayed asking you to confirm your actions.

8. Click **Submit** to add your data to Triple'A Plus Web.
9. Use the same steps above to adding a second person.

3.5.4.2 Adding the Independent Asset Manager

The independent asset manager, Marc Armstrong, and the company he represents, ELB Investments, already exist in CDM. To add them to the "Paul Weller" Client Relationship:

1. Click **Add** on the Client Relationship's **Standing Data – Participants** screen to add the new participants.

The **Add Participant** screen is displayed.

2. Use the upper section of the screen to search for an existing person or corporation. For example, enter "Armstrong" in the Name/Registered Name field and click the **Search** button.

The following screen shows the person record for Mark Armstrong in the Search Result section.

Create a new Person/Corporation

Click on "Add" in order to add a new person/corporation Add

Search Persons

Name / Registered Name	arm
Maiden Name	
First Name	
Short Name	
Date of Birth/Constitution (dd.mm.yyyy)	
Role	--
Type of persons	--
Include closed persons records	☐
And/Or	And
Mode	Starts with

Search

Search Results

Type	Root Id	Client Relationship Name / Name / Registered Name	Maiden Name	First Name	Short Name	Date of Birth/Registration/Creation	
IND. PHYS.		Armstrong		Mark			Pick Up

Results 1 to 1 of 1

Preferred Clients

The result is empty

Adding a new person or corporation – Search result

- Click the **Pick Up** button to attach this person to the Client Relationship.
The Participation Details screen is displayed.

Participation Details

Root Id	
Client Relationship Name	Weller George
Account Holder	☐
Attorney	☒
Beneficial Owner	☐
Signatory	☐
Director	☐
Third Party Manager	☐
Signature right type	Individual
Number of people	0
Signature amount	10000.00 CHF
Power Of Attorney Type	Undefined
Power of Attorney Post Mortem	Undefined
Main Account Holder	Undefined
For representatives, the corporation represented when acting on this CR	ELB Investments
Remarks	

Next > Cancel

Adding a new person or corporation – Participation details

Note that in this Participation Details screen, something is different compared to a Participation Details screen for a person whom you created from scratch: The **Participating person / corporation's name** field contains a value.

- The represented corporation's drop-down list contains values that you can select from. For this example, you select ELB investments to show that Mr. Armstrong acts for this company. Note that you do not need to select a corporation here if you want to add Mr Armstrong to a Client Relationship representing himself.
- After you have completed the details of the participation, click the **Next** button.
A confirmation screen is displayed.
- Click the **Submit** button.

3.5.4.3 Adding Corporations as Participants

The way to add corporations as participants is exactly the same procedure. The only difference is that if you add a new corporation from scratch, you enter the corporation's details and profile and not any Person details.

You attach existing corporations to a Client Relationship in the same way as you attach physical persons to Client Relationships: you search for the corporation, select it and then define its participation details.

3.5.4.4 Adding Representatives to Corporations

In our example, one of the persons with a mandate in the Client Relationship represents a corporation. In CDM, you define two notions of representations:

Permanent representative: This term is used to specify that a person represents a corporation one way or another: he might be an employee of the corporation, one of the directors, etc.

Participation representative: A participation representative was created in the example above by specifying that Mr. Armstrong has a limited power of attorney in the Client Relationship. It was also specified that he represents the company ELC Investments Ltd.

The permanent representatives are displayed in the **Corporation Overview** screen and the **Corporation Standing Data – Person Details** screen. To add a new person or corporation as a representative, click the **Add** button in the Corporation **Standing Data – Person Details** screen (in the Representatives section).

Triple'A Plus Web displays a screen in which you can Search again for an existing person or corporation record or enter a new person or corporation. The search window is described in section [Searching for Persons](#).

In the following example, a new person that can represent the corporation in other client relationships is added.

Click **Next** each time to go through the screens.

1. Select the person type.
2. Enter the person details.
The identity is shown.
3. Enter the job details.
4. Enter the contact points details.
5. On the last screen, enter a description for the new entity.
When you have finished entering your data, a confirmation screen is displayed.
6. Click **Next** to add your information to Triple'A Plus Web.
You are then redirected to the corporation details view.

Defining New Persons / Corporations when Adding Representatives

Defining new physical persons or corporations when adding representatives is done exactly the same way as when adding participants. There are three screens in which you enter the following data:

- The person (physical or legal) details
- The contact point details
- The person profile

3.5.5 Updating Information

Whatever the type of information you want to update, there will always be a **Modify** button for the data in question on the respective Standing Data screen. Clicking the **Modify** button always displays a new window with the details in edit mode.

Note that it depends on the security set-up and the 4-eyes activation whether:

- You have the right to update the data
- Whether your changes are immediately sent to the database or whether you need to fill in a form to submit them to another user for validation

The examples you find below are showing updates on a system where end users are assigned the possibility to manage and update all client data with status "prospect".

For example, the Client Relationship details can be modified from the **Client Relationship Standing Data – CR Details** screen. The fields are described in section [Standing Data–Client Relationship Details](#).

Once you have modified the details, click **Next**. A confirmation screen is displayed. Click **Submit** to save the data you entered. The client relationship details view is displayed with your changes.

Exactly the same process applies to changing person details, contact points, profiles, participation and representation details.

For 4 Eyes Validation support...

A change carried out by one user can be validated by another user, depending on a set of rules. Section [4 Eyes Validation Support](#) provides further information on 4 eyes validation support in CDM.

3.5.6 Adding Contact Points

As the examples above show, when you create new persons or corporations, a default set of contact points is created for that person/corporation.

You can also add additional contact points to a person or corporation at any point. The types of contact points are

- Phone,
- Mobile Phone,
- Beeper,
- Fax,
- Email address and
- Postal address.

To add a contact point to a person, navigate to the **Person Standing Details – Person Details** screen.

Click the **Add** button in the Contact Points section to open the **Add Contact Point** screen.

Select the contact type you want from the drop-down list. Once you have done this, CDM displays any additional fields that can be completed for the selected contact point type.

Together with the standard fields for a telephone number, you can define contact parameters and you can specify whether the contact point is used for professional or private purposes.

The unformatted address area is usually only used when CDM data is taken from another system with no guarantee, for example, that the third line contains the postal code. In this case, the address data is displayed in the unformatted area. If you have special requirements, however, for which the given address information is insufficient, you can use


the unformatted address area to define the address. The above screenshot does not show all the available fields.

Once you have finished entering the data, click the **Next** button. A confirmation message is then displayed. Click the **Submit** button to save your data and return to the **Persons Details** screen with the new contact point added.

3.5.7 Report Missing Fields

When you add new data to CDM, there are no business rules that require you to define a minimum of mandatory fields to ensure you have sufficient information. The Report Missing Fields function provides a control mechanism that guarantees that an open Client Relationship contains the minimum amount of information required by the bank authorities. This function scans a Client Relationship and reports any missing information (i.e., which required fields have not been completed).

Click the **Report Missing Fields** button on the **Client Relationship** details screen to open the **Report Missing Information** screen:



Area	Item	Field
Client Relationship	Jean & /or Anne Duval	Numbered Client Flag
Client Relationship	Jean & /or Anne Duval	Client signs with pseudonym Flag

Results 1 to 2 of 2

Cancel

“Missing Information” Report

Column	Description
Area	The area which has missing information.
Item	Additional information on the area. In the example above, the names and first names of the participants are displayed in order to identify the participant in question.
Field	The missing field, i.e. the one that was not defined and, in some cases, a description to provide guidance.

The checks carried out by the Report Missing Fields function can be customised by the bank. The following table outlines the packaged rules that come with the Report Missing Fields function.


Entity	Field level check	Complex check
Client Relationship	Name must be defined	
	Root must be defined	
	Type must be defined	
	Status must be defined	
	Numbered indicator must be defined	
	Number with pseudonym indicator must be defined	
		If is numbered with pseudonym, there must be at least one code word/pseudonym.
		At least one account holder must be defined on the client relationship

Entity	Field level check	Complex check
		There must be one main account holder on the client relationship
		At least one beneficial owner must be defined on the client relationship
Participants		A participant must have at least one participant role
Participant with participant role "Account Holder"	Main indicator must be defined	
Participant with participant roles "Account Holder", "Power of Attorney", "Signatory"	Signature right type must be defined	
		If signature right type is joint, the number of joint signatures must be defined
Participant with participant role "Power of Attorney"	Power of attorney type must be defined	
	Mandate post mortem must be defined	
Participant with participant roles "Account Holder", "Power of Attorney", "Signatory", "Beneficial Owner" (If participant is a person.)	Date of birth must be defined	
	1st nationality Country code must be defined	
	1st nationality identification paper type must be defined	
	1st nationality identification paper ID must be defined	
	1st nationality identification paper expiration date must be defined	
Participant with participant roles "Account Holder", "Power of Attorney", "Signatory", "Beneficial Owner" (If participant is a company.)	Constitution date must be defined	
	Registered office must be defined	
	Industry type must be defined	
Domicile address	Domicile address must have P.O. Box or postal code	
	Domicile address must have a city	
	Domicile address must have a country	

3.5.8 Selecting the Main Contact Points

As described in section [Adding Contact Points](#), CDM allows you to define the main contact points of a Client Relationship. To change the main contact points of a Client Relationship, go to the **Standing Data – CR Details** screen of the respective Client Relationship.

Click the **Pick Main Contact** button to display the following window:



The screenshot shows a window titled "Main Contact Points" with a table of contact information. The table has columns: Name / Registered Name, Contact Type, Details, Comments, From, To, and Type. There are two main entries for "Duval Anne". The first entry has multiple contact types (Domicile Address, Phone, E-mail Address) and a "Type" dropdown menu. The second entry has a "Type" dropdown menu set to "Correspondence - Destination".

Name / Registered Name	Contact Type	Details	Comments	From	To	Type
	Domicile Address	Attn: Mr president, of, 234, De Bosquetplein NL 6211 KJ, Maastricht NL		Jan 31	Jan 31	Undefined
	Phone	43 +31 350 22 12				Undefined
	E-mail Address	pduval@intercomet.nl				Undefined
	Phone	43 +31 526 12 12		Jan 31	Jan 31	Undefined
	E-mail Address	annet@du-com.nl		Jan 31	Jan 31	Undefined
	Postal Address	A l'attn de Mme, Dupont, 15, rue de la foret L-6253, Lasauvage LU				Undefined
	Phone	43 +31 637 837				Undefined
	Domicile Address	Attn: Mr president, of, 1, Sibemaweg 6227 AH, Maastricht NL				Undefined
	E-mail Address	lber@tulwa.nl				Undefined
Duval Anne	Domicile Address	Attn: Mr president, of, 234, De Bosquetplein NL 6211 KJ, Maastricht NL				Correspondence - Destination

Main Contact Points

The window displays all the participants in the Client Relationship and their contact points. In the above example, two of them are not selected and one is defined to be a main contact point of type Correspondence - Destination.

There is a main contact type. The available types can be customised for the bank.

In this example, one of the telephone numbers is selected for general communication. The correspondence destination is left as it is.

Once you have associated a main contact point type with the contact points you want to use, click **Next** to open the **Corporation Profile**:

The screen displays all the selected main contacts. Depending on the selected type, you can enter additional information.

There are no business validations. None of the fields is mandatory. Any business rules for this data can be customised in the Report missing fields function (see section [Report Missing Fields](#)).

3.5.9 Customising the Main Contact Points

Both the available main contact types and the associated fields can be customised. The new types are defined as new values within a CDM enumeration, and the custom fields for the new types are defined in the CDM custom fields definition. This type of customization is carried out by an Odyssey web customization consultant

3.6 Direct Relationships

This section explains the Direct Relationships' concept. It provides definition and high level explanations on this feature to enable its use in the way intended by Odyssey Financial Technologies. It was written for users using Triple'A Plus Web CDM.

The feature "Direct Relationship" is a functionality of CDM. This function allows users such as Client Relationship Officers, Compliance and Due Diligence Officers, or Central Information File Officers to create, modify or delete links between CDM entities such as Client Relationships, Physical Persons and Legal Persons (Corporate).

Those links are different from Participations and Representations. Participation is a relation between a Client Relationship and a Person (Physical or Legal) with given roles (beneficial owner, account holder, attorney). Representation is a relation between a Legal Person and a Person (Physical or Legal) to indicate that the Person is representing the Legal Person.

A Direct Relationship is only used to characterise the type of relation between two CDM entities, such as the **Physical Person A** is the father of the **Physical Person B** (who is the son). The distinction will become clearer after reading the next sections.

With Direct Relationships you can:

- View list of existing Direct Relationships
- Create new Direct Relationships
- Modify existing Direct Relationships
- View existing Direct Relationship's details
- Delete existing Direct Relationships

3.6.1 Business Goals

With this function you can perform the following main tasks:

- Link together two CDM entities
- Qualify those links between the CDM entities
- View all linked CDM entities from a given one
- Navigate between CDM entities through those links

The objectives are:

- Facilitating the management of Persons and Client Relationships by regrouping them independently of their type. The regrouping depends only of the end user's logic.
- Having a better overview of the different relationships between the CDM entities. For example, the end user will see that the Physical Person X is the father of the Physical Person Y.

3.6.2 Implementation

A Direct Relationship is a link between two CDM entities, such as Client Relationships, Physical Persons and Legal Persons (Corporate). A given CDM entity can have more than one Direct Relationship with other CDM entities.

Those links are used to characterise the relation between the CDM entities, such as **Father** ⇔ **Son** for two Physical Persons.


The CDM entity counterparty from where the Direct Relationship is created, viewed, modified or deleted is called the **source** and the CDM entity counterparty, on which the Direct Relationship ends, is called the **recipient**.

A Direct Relationship is defined by the following attributes:

Attribute	Description
Nature	It is the nature of the Direct Relationship and its value is mandatory.
Type (Direct Relationship Type for the Source)	It is the type of the Direct Relationship for the source (type) and its value is mandatory.

Attribute	Description
Return Type (Direct Relationship Type for the Recipient)	It is the type of the Direct Relationship for the recipient (return type) and its value is mandatory. The available values for a given Direct Relationship are depending of its selected nature (previous attribute), type (previous attribute), source and recipient's category (Client Relationship, Physical Person or Legal Person) It can be seen as a subset of the attribute nature depending of the selected type, source and recipient category.
Sense	It defines the sense of the Direct Relationships and it is used only for information purpose. The value "Not directional" is used for Direct Relationship whose Type and Return Type have the same values. Otherwise, it is "Directional".
Comments	It is a free text that is provided at Direct Relationship's creation or modification for information purpose only.
Date of Creation	It is the date when the Direct Relationship was created. This value is automatically provided by the system at creation.
Date of Modification	It is the date when the Direct Relationship was last modified. This value is automatically provided by the system at modification.
Date of Deletion	It is the date when was deleted the Direct Relationship. This value is automatically provided by the system at deletion.
Created by	It indicates which end user creates the Direct Relationship. This value is automatically provided by the system at creation.
Modified by	It indicates which end user modifies the Direct Relationship for the last time. This value is automatically provided by the system at modification.
Deleted by	It indicates which end user deletes the Direct Relationship. This value is automatically provided by the system at deletion.

The following figure resumes the principle:



Summary of Direct Relationship's principle


The same source and recipient can have more than one Direct Relationship in common, even having the same "Nature". But their "Type" or/and "Return Type" must be different.

When you create a Direct Relationship from a source to a recipient, the system creates automatically a Return Direct Relationship going from the recipient to the source, with same "Nature" but inverting the "Type" and the "Return Type". Other attributes, such as "Comments" are also mapped from the Direct Relationship to the Return Direct Relationship according to the settings made in the XML configuration file `cdm-config.xml` (see "Direct Relationships - Configuration" in the *Triple'A Plus Web CDM Configuration Guide*).

When you modify a Direct Relationship, the changes will impact automatically the corresponding Return Direct Relationship with the same mapping as defined for creation.

And finally, when you delete a Direct Relationship, the system automatically deletes the corresponding Return Direct Relationship.

The concept of Direct Relationship and Return Direct Relationship depends on the CDM entity from where you are operating, because this entity will be defined as the source. But if you change the CDM entity from where you are operating and select the recipient, then the recipient will become the source and reciprocally. The next figure details this concept.



Direct Relationship and Return Direct Relationship point of view

3.6.3 Context

The creation, modification or deletion of Direct Relationships is audited by the system for compliance and due diligence policies. The next three subsections provide only high level

descriptions for the audit functionality and for more details about it, the *Triple'A Plus Web Audit Console User Guide* and *Triple'A Plus Web Audit Technical Guide* can be used as reference.

3.6.3.1 Data Input

For the audit console, the inputs are provided only when a Direct Relationship is created, modified or deleted.

The Direct Relationship's attributes are provided and some information on the source and recipient are provided too, such as their category (Client Relationship, Physical or Legal Person), their name, registered name or client relationship name and date of opening/birth/constitution.

As a Return Direct Relationship is submitted to the same action (create, modify, delete) as its corresponding Direct Relationship, it would be possible to audit the Return Direct Relationship too (but under the same **entity name** in the audit console).

3.6.3.2 Principles

Using the audit console enables you to retrieve all the events happened on Direct Relationships (and corresponding Return Direct Relationships) by creating a report on a given period based on criteria such as the **type of event** (*Create, Update or Delete*), the **entity name** and the **user**.

3.6.3.3 Result

After execution of the report in the audit console, the system will retrieve all the corresponding events and display them. Then by selecting a given one, the system will display its details.

3.6.4 Viewing List of Existing Direct Relationships

This section describes how to view the list of existing Direct Relationships on a Client Relationship, a Physical Person or a Legal Person.

3.6.4.1 Prerequisites

You must have selected a Client Relationship or a Person (Physical or Legal) on which he has a quantitative access (rights to view it or not). This selected Client Relationship or Person is qualified as the source of the existing Direct Relationships.

More details about the quantitative and qualitative access and how to select Client Relationships and Persons are available in the *Triple'A Plus Web CDM Operating Guide*.


3.6.4.2 Steps

Click on the submenu **Direct Relationships** of the menu **Relationships** of the selected Client Relationship or Person (the source of the Direct Relationships).

Client Relationship	Person	Group Relationship
Search		Search All
Overview		
PM & Analysis		
Task History		
Contact History		
Standing Data		
Profile		
Relationships		Group Relationships
Opening process		Direct Relationships
Process History		
Create Task		
Create Contact		
Create Client Relationship		

3.6.4.3 Result

The system displays the screen containing the list of all existing Direct Relationships on the selected Client Relationship or Person. Only the Direct Relationships for which the current user has a quantitative access on their recipient will be displayed in the list. There can be two possibilities: the list is empty or some Direct Relationships exist as shown on the next figures below:



List with existing Direct Relationships (with quantitative access to their recipient)

The display of each table's row of the screen is filtered applying your security profile and the GCL partitions (more details about the security concept are described in the *Triple'A Plus Web CDM Operating Guide*). A recipient can be linked with the same source several times even with the same "Nature", but at least the "Type" or the "Return Type" of the Direct Relationships must be different.

When there are existing Direct Relationships, the table contains the following values:

Column Name	Description
Type	It indicates the category of the recipient, whether it is a Client Relationship, a Legal Person (Corporate) or a Physical Person.
Root Id	If the recipient is a Client Relationship, then the Root Id is displayed. Otherwise, it is empty.
Client Relationship Name / Name / Registered Name	A hyperlink allowing you to navigate immediately to the Overview screen of the recipient.
Nature	The nature of the Direct Relationship. It is the default sorting column by descending way.
Type	The type of the recipient associated to the recipient. For example, if the selected Legal Person (source) is the father of the recipient (who is the son), the displayed value will be "Son".

Column Name	Description
Sense	The value depends whether both Direct Relationship's types (for the source and the recipient) are the same or not. If they are different (Father ⇔ Son), the value will be "Directional", otherwise (Friend ⇔ Friend), the value will be "Not directional".
Comments	A free text that is provided at Direct Relationship's creation or modification for information purpose only.
Details button	Used to view the details of the Direct Relationship. See Viewing Existing Direct Relationships' Details .
Modify button	Used to modify the Direct Relationship's nature and type. See Modifying Existing Direct Relationships .
Delete button	Used to delete the Direct Relationship. See Deleting Existing Direct Relationships .
Historic View button	Used to view historisations made on the Direct Relationship list and details.
Add button	Used to add a new Direct Relationship to the list, meaning that the current entity will be the Source of a new Direct Relationship. See Creating New Direct Relationships .

3.6.4.4 What to do next

From that screen, you can perform the following tasks:

- Create a new Direct Relationship (see [Creating New Direct Relationships](#))
- Modify an existing Direct Relationship (see [Modifying Existing Direct Relationships](#))
- Delete an existing Direct Relationship (see [Deleting Existing Direct Relationships](#))
- View details of an existing Direct Relationship (see [Viewing Existing Direct Relationships' Details](#))

3.6.5 Creating New Direct Relationships

This document describes how to create a new Direct Relationship from a Client Relationship, a Physical Person or a Legal Person. It was written for users using Triple'A Plus Web CDM.

3.6.5.1 Prerequisites

You must be watching the list of all existing Direct Relationships on a Client Relationship or Person (see [Viewing List of Existing Direct Relationships](#)). This Client Relationship or Person is qualified as the source of the new Direct Relationship to create. Also, the GCL security must allow you to add new Direct Relationships.

3.6.5.2 Steps

1. Click on the **Add** button where the list of existing Direct Relationships is displayed to open a window with a summary of the Direct Relationship's source.

This summary depends on the source category (Client Relationship, Physical Person or Legal Person). The fields are:

Field Name	Description
Client Relationship Name	This field is displayed if the source is a Client Relationship.
Last Name	This field is displayed if the source is a Physical Person.

Field Name	Description
Registered Name	This field is displayed if the source is a Legal Person (Corporate).
Root Id	This field is displayed if the source is a Client Relationship.
First Name	This field is displayed if the source is a Physical Person.
Category of the Source	Indicates the category of the source: whether it is a Client Relationship, a Legal Person (Corporate) or a Physical Person.
Opening date (dd.mm.yyyy)	This field is displayed if the source is a Client Relationship.
Date of birth (dd.mm.yyyy)	This field is displayed if the source is a Physical Person.
Date of constitution (dd.mm.yyyy)	This field is displayed if the source is a Legal Person (Corporate).
Category of the Recipient	The available values depend of the category of the source (Client Relationship, Physical Person or Legal Person).

- In the drop-down list **Category of the Recipient**, select a category.
- Click on the **Next >>** button to continue the creation process. If you want to abort the process, click on the **Cancel** button to return to the screen with the list of all existing Direct Relationships.

The system displays the search window in the same pop-up window. The display depend on whether the recipient is a Client Relationship or a Person (Physical or Legal), given by the previous screen's field " **Category of the Recipient**. If the field **Category of the Recipient** is undefined, the error message "You must define a category for the Recipient to continue" is displayed, until this field is defined.
- Enter the search criteria in the pop-up window and click on the **Search** button to execute the query.

The system returns results in a table as shown below. If some mandatory criteria are forgotten or the criteria are not matching with the existing data, the system returns an error message.
- To select a result as the recipient of the Direct Relationship, click on the **Pick Up** button to select the corresponding result in the pop-up window when some search results are returned.

The system displays in the same window a screen to define the Direct Relationship's attributes.
- Change the value of the fields **Nature**, **Direct Relationship Type for the Source**, **Direct Relationship Type for the Recipient** or/and **Comments**. The available values for the field **Direct Relationship Type for the Recipient** depend on the selected value of the field **Direct Relationship Type for the Source**, which availability itself depends on the selected value of the field **Nature**.
- Click on the **Next >>** button to continue the creation process or click on the **<< Previous** button to go back to the search window. If you want to abort the process, click on the **Cancel** button to stop the creation process and return to the screen with the list of all existing Direct Relationships. If the mandatory fields are undefined, error messages are displayed until the fields are defined.

The system will display the confirmation screen in the same pop-up window.
- To confirm the creation, click on the **Submit** button.

3.6.5.3 Result

The window closes and the screen containing the list of all existing Direct Relationships (see [Viewing List of Existing Direct Relationships](#)) including the newly created direct relationship is displayed.

Together with the Direct Relationship, a corresponding Return Direct Relationship is created too.

3.6.5.4 What to do next

After the creation confirmation, the user can perform the following tasks:

- Continue to create another new Direct Relationship
- Modify an existing Direct Relationship (see [Modifying Existing Direct Relationships](#))
- Delete an existing Direct Relationship (see [Deleting Existing Direct Relationships](#))
- View details of an existing Direct Relationship (see [Viewing Existing Direct Relationships' Details](#))

3.6.6 Modifying Existing Direct Relationships

This document describes how to modify an existing Direct Relationship from a Client Relationship, a Physical Person or a Legal Person. It was written for users using Triple'A Plus Web CDM.

3.6.6.1 Prerequisites

You must be watching the list of all existing Direct Relationships on a Client Relationship or Person (see [Viewing List of Existing Direct Relationships](#)). This Client Relationship or Person is qualified as the source of the Direct Relationship to modify. In addition, the GCL security must allow you to modify the Direct Relationship.

3.6.6.2 Steps

1. Click **Modify** in the column "Modify" of the corresponding Direct Relationship to open a window with a summary of all useful information. See [Creating New Group Relationships](#) for details on the fields.
2. Change the value of the fields **Nature**, **Direct Relationship Type for the Source**, **Direct Relationship Type for the Recipient** or/and **Comments**. The available values for the field **Direct Relationship Type for the Recipient** depend on the selected value of the field **Direct Relationship Type for the Source**, which availability itself depends on the selected value of the field **Nature**.
3. Click on the **Next >>** button to continue the modification process or click on the **<< Previous** button to go back to the search window. If you want to abort the process, click on the **Cancel** button to stop the modification process and return to the screen with the list of all existing Direct Relationships. If the mandatory fields are undefined, error messages are displayed until the fields are defined.

The system displays the confirmation screen in the same window.

4. To confirm the modification, click on the **Submit** button.

The system closes the pop-up window and displays again the screen containing the list of all existing Direct Relationships (see [Viewing List of Existing Direct Relationships](#)) but with the modified Direct Relationship shown with its modifications taken into account.

3.6.6.3 What to do next

After the modification confirmation, you can perform the following tasks:

- Continue to modify another existing Direct Relationship

- Create a new Direct Relationship (see [Creating New Direct Relationships](#))
- Delete an existing Direct Relationship (see [Deleting Existing Direct Relationships](#))
- View details of an existing Direct Relationship (see [Viewing Existing Direct Relationships' Details](#))

3.6.7 Deleting Existing Direct Relationships

This section describes how to delete an existing Direct Relationship from a Client Relationship, a Physical Person or a Legal Person. It was written for users using Triple'A Plus Web CDM.

3.6.7.1 Prerequisites

You must be watching the list of all existing Direct Relationships on a Client Relationship or Person (see [Viewing List of Existing Direct Relationships](#)). This Client Relationship or Person is qualified as the source of the Direct Relationship to delete. In addition, the GCL security must allow you to delete the Direct Relationship.

3.6.7.2 Steps

1. Click **Delete** in the column "Delete" of the Direct Relationship you want to delete to open a window with a summary of all useful information on the Direct Relationship. See [Creating New Group Relationships](#) for details on the fields.
2. Click on the **Next >>** button to continue the deletion process or click on the **<< Previous** button to go back to the search window. If you want to abort the process, click on the **Cancel** button to stop the deletion process and return to the screen with the list of all existing Direct Relationships. If the mandatory fields are undefined, error messages are displayed until the fields are defined.

The system displays the confirmation screen in the same window.

3. To confirm the deletion, click **Submit**.

The system closes the pop-up window and displays again the screen containing the list of all existing Direct Relationships (see [Viewing List of Existing Direct Relationships](#)) but with the modified Direct Relationship shown with its modifications taken into account.

3.6.7.3 Result

The deleted Direct Relationship is removed from the list of existing Direct Relationships and will never be displayed in the list anymore. But it would be possible to re-create it afterwards (see [Creating New Direct Relationships](#)).

If you have a quantitative access (see *Triple'A Plus Web CDM Operating Guide*) on the corresponding recipient of the deleted Direct Relationship, you will see that the Return Direct Relationship is deleted too.

On the CDM database

3.6.7.4 What to do next

After the deletion confirmation, you can perform the following tasks:

- Continue to delete another existing Direct Relationship
- Create a new Direct Relationship (see [Creating New Direct Relationships](#))
- Modify an existing Direct Relationship (see [Modifying Existing Direct Relationships](#))
- View details of an existing Direct Relationship (see [Viewing Existing Direct Relationships' Details](#))

3.6.8 Viewing Existing Direct Relationships' Details

This document describes how to view the details of an existing Direct Relationship from a Client Relationship, a Physical Person or a Legal Person. It was written for users using Triple'A Plus Web CDM.

3.6.8.1 Prerequisites

You must be watching the list of all existing Direct Relationships on a Client Relationship or Person (see [Viewing List of Existing Direct Relationships](#)). This Client Relationship or Person is qualified as the source of the Direct Relationship to view details.

3.6.8.2 Steps

1. Click on the **Details** button in the column "View Details" of the corresponding Direct Relationship to view details to open a window with all useful information as shown on the next figure. See "Creating a Direct Relationship" for explanation of the details.
2. Close the window by clicking on the **Cancel** button.

Then the system will display again the screen containing the list of all existing Direct Relationships (see [Viewing List of Existing Direct Relationships](#)).

3.6.8.3 What to do next

You can perform the following tasks:

- Continue to view the details of another Direct Relationship
- Create a new Direct Relationship (see [Creating New Direct Relationships](#))
- Modify an existing Direct Relationship (see [Modifying Existing Direct Relationships](#))
- Delete an existing Direct Relationship (see [Deleting Existing Direct Relationships](#))

3.7 Group Relationships

This section describes the Group Relationships' concept. It provides definitions and high level explanations on this new feature to enable its use in the way intended by Odyssey Financial Technologies. It was written for users using Triple'A Plus Web CDM.

The feature "Group Relationship" is a functionality of CDM. This function allows end users, like Client Relationship Officers, Compliance and Due Diligence Officers and Central Information File Officers, to group together CDM entities such as Client Relationships, Physical Persons and Legal Persons (Corporate) under common criteria.

In that way, a Group Relationship can be seen as a kind of container, in which CDM entities can be included. The allowed CDM entities to include are based on two Group Relationship's attributes: its nature and type (in fact a sub-nature). But the logic how to include those CDM entities is only given by the end users themselves.

The use cases belonging to the Group Relationships are:

- Searching existing Group Relationships
- Creating new Group Relationships
- Modifying existing Group Relationships
- Viewing existing Group Relationship's details
- Deleting existing Group Relationships
- Including Client Relationships and/or Persons in existing Group Relationships
- Removing Client Relationships and/or Persons from existing Group Relationships

- Administrating existing Group Relationships

3.7.1 Business Goals

With this function, you can perform the following main tasks:

- Group together CDM entities
- Qualify those grouping
- View all grouped CDM entities according to his quantitative and qualitative access
- Navigate between CDM entities and Group Relationships

The objective is to facilitate the management of Persons and Client Relationships by regrouping them independently of their type.

3.7.2 Implementation


A Group Relationship is an entity that can contain CDM entities, such as Client Relationships, Physical Persons and Legal Persons (Corporate). A given CDM entity can be included in more than one Group Relationship but only once in a given Group Relationship.

The included CDM entities are called "members" of the Group Relationship. A Group Relationship is defined by the following attributes:

Attribute	Description
Group Relationship Identifier	It is the identifier of the Group Relationship. This value is mandatory and must be unique.
Group Relationship Name	It is the name of the Group Relationship. This value is mandatory and must be unique.
Nature	It is the nature of the Group Relationship and its value is mandatory.
Type	It is the type of the Group Relationship and its value is mandatory. The available values for a given Group Relationship are depending of its selected nature (previous attribute). It can be seen as a subset of the attribute nature.
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members. The security on Group Relationships is based on it.
Date of Opening	This is the date when was taken the decision to create a new Group Relationship. It is a free date provided at Group Relationship's creation or modification for information purpose only.
Date of Closing	This is the date when was taken the decision to delete an existing Group Relationship. It is a free date provided at Group Relationship's deletion for information purpose only Mandatory.
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only
Date of Creation	It is the date when was created the Group Relationship. This value is automatically provided by the system at creation confirmation.
Date of Modification	It is the date when was modified the Group Relationship for the last time This value is automatically provided by the system at modification confirmation.

Attribute	Description
Date of Deletion	It is the date when was deleted the Group Relationship. This value is automatically provided by the system at deletion confirmation.
Created by	It indicates which end user creates the Group Relationship. This value is automatically provided by the system at creation confirmation.
Modified by	It indicates which end user modifies the Group Relationship for the last time. This value is automatically provided by the system at modification confirmation.
Deleted by	It indicates which end user deletes the Group Relationship. This value is automatically provided by the system at deletion confirmation.

The following figure outlines the principle:




Summary of Group Relationship's principle with some members

A given Group Relationship can contain more than one member. The management of Group Relationships are separated in two different ways; the management on the Group Relationships themselves, which implies their creation, modification and deletion and the management on their members, which implies the inclusion and removal.

The rights, for a given end user, to create new Group Relationships are defined by the Security Officer. When the Security Officer creates or modifies the attributes of end users, he can flag the role "**Group Relationship Administrator**" to give the corresponding end user the rights to create Group Relationships (see "Defining the rights for Group Relationship's creation" in the *Triple'A Plus Web CDM Configuration Guide*).

The modification, deletion, inclusion and removal rights are directly based on the GCL component using "Partitions" and "Security Profiles" (see *Triple'A Plus Web CDM Operating Guide* for more details about those topics). At creation of a Group Relationship (see [Creating New Group Relationships](#)), end users and groups are assigned to it as managers and managing desks as shown on the figure below.



Example of Assigned End Users and Groups as Managers and Managing Desks

The managers and end users belonging to the managing desks have the rights to access it (quantitative access). Depending of the Group Relationship's Security "Context" and their "Security Profiles", they will be also able or not to see some Group Relationship's data and perform its modification, deletion or members' inclusion (see "Group Relationships - Security" in the *Triple'A Plus Web CDM Configuration Guide*). The removal of members is based on the members' Security "Context".

For end users accessing the Group Relationship only through a managing desk, the used "Security Profile" will be the one of the corresponding group. For end users accessing the Group Relationship only as manager, the used "Security Profile" will be the one corresponding to the end user. In any other cases, there will be a logical combination with the "Security Profiles" (using an OR clause). If we take the example of the previous figure, the result will be the following:

End User	Rights to access (quantitative access)	Security Profile(s) used for qualitative access
End User 1	YES	Security Profile A1
End User 2	YES	Security Profile A2 combined with OR clause with Security Profile A4
End User 3	YES	Security Profile A4
End User 4	NO	Not applicable

Only Security Officers can redefine the managers and managing desks for a given Group Relationship (see "Adminstrating existing Group Relationships").

3.7.3 Context

The creation, modification or deletion of Group Relationships is audited by the system for compliance and due diligence policies. The next three subsections gives only high level

descriptions for the audit functionality and for more details about it, the *Triple'A Plus Web Audit Console User Guide* and *Triple'A Plus Web Audit Technical Guide* can be used as reference.

3.7.3.1 Data Input

For the audit console, the inputs are provided only when a Group Relationship is created, modified or deleted and when members are included or removed.

The Group Relationship's attributes are provided and some information on the members is provided, such as their category (Client Relationship, Physical or Legal Person), their name, registered name or client relationship name, and date of opening/birth/constitution.

3.7.3.2 Principles

Using the audit console, it would be possible to retrieve all the events happened on Group Relationships by creating a report on a given period based on criteria such as the type of event (Create, Update or Delete), the entity name and the user.

3.7.3.3 Result

After execution of the report in the audit console, Triple'A Plus Web retrieves all the corresponding events and displays them. Then, by selecting a given one, Triple'A Plus Web displays its details.

3.7.4 Creating New Group Relationships

This document describes how to create a new Group Relationship. It was written for users using Triple'A Plus Web CDM.

3.7.4.1 Prerequisites

The user must have the rights to create new Group Relationships. This is done by the Security Officer who can flag the GCL role "**Group Relationship Administrator**" of the corresponding end user (refer to the *Triple'A Plus Web CDM Configuration Guide*).

3.7.4.2 Steps

1. Click on the "**Create Group Relationship**" menu to open the Create Group Relationship screen. If you do not the rights to create a Group Relationship, a message indicating that this action is not possible is shown.

The table below is explains the fields of the Group Relationship Creation (first) screen:

Field Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship. This value is mandatory and must be unique.
Group Relationship Name	It is the name of the Group Relationship. This value is mandatory and must be unique.
Nature	It is the nature of the Group Relationship and its value is mandatory.
Type	It is the type of the Group Relationship and its value is mandatory. The available values for a given Group Relationship are depending of its selected nature (previous attribute). It can be seen as a subset of the attribute nature.
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members. The security on Group Relationships is based on it.

Field Name	Description
Date of Opening	This is the date the Group Relationship was created. It is a free date provided at Group Relationship's creation or modification for information purpose only.
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only.

- Complete the value of the fields and click on the **Next >>** button to continue the creation process. Click on the **Cancel** button to stop the creation process and return to the screen with the general search.

The managers and managing desk screen is displayed. If the mandatory fields are undefined, error messages are displayed until the fields are defined.

- Complete the values of the fields on the managers and managing desk screen:

Field Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship. This value is displayed only for information purpose and is not editable.
Group Relationship Name	It is the name of the Group Relationship. This value is displayed only for information purpose and is not editable.
Manager Name	It is used to retrieve all end users whose username, first name or last name match its value. The results is displayed immediately below.
Group Name	It is used to retrieve all groups whose name matches its value. The results is displayed immediately below.

- Search for existing end users and assign them as managers by selecting them and clicking on the corresponding arrow button . Click on the **Clear** button if you want to remove the corresponding manager or click on the **Remove All** button if you want to remove all managers.
- Search for existing groups and assign them as managing desks by selecting them and clicking on the corresponding arrow button . Click on the **Clear** button if you want to remove the corresponding managing desk or click on the **Remove All button** if you want to remove all managing desks. You need to define at least one manager and one managing desk.
- Click on the **Next >>** button to continue the creation process. Click on the **<< Previous** button to go back to the Group Relationship's attributes definition screen. Click on the **Cancel** button to stop the creation process and return to the screen with the general search.
The creation confirmation screen is displayed.
- To confirm the creation, click on the **Submit** button.

3.7.4.3 Result

Triple'A Plus Web creates the Group Relationship in the database and displays the general search window.

3.7.4.4 What to do next

After the creation confirmation, you can perform the following tasks:

- Continue to create another new Group Relationship

- Search for existing Group Relationships (see [Searching Existing Group Relationships](#))
- Search for existing Client Relationships, Physical Persons and Legal Persons

3.7.5 Searching Existing Group Relationships

This section describes how to search existing Group Relationships. An existing Group Relationship means that it was not previously deleted by a user (see [Deleting Existing Group Relationships](#)).

3.7.5.1 Prerequisites

The prerequisites are:

- Group Relationships must exist, which means that they have not been deleted (see [Deleting Existing Group Relationships](#)).
- You must have a quantitative access on them, which means that you can access them as their manager or as a member of their managing desks (for more information, see [Creating New Group Relationships](#) and "Administrating Group Relationships" in the *Triple'A Plus Web CDM Configuration Guide*).

3.7.5.2 Steps

Quick Search

In the **Group Relationship** field (located in the bar below the menu options on the CDM start screen), type your search criterion and press [Enter]. The search criterion is available only for the Group Relationship name or/and identifier. To retrieve all Group Relationships, you can use the value %.

Detailed Search

1. Click on the magnifying glass icon () and fill in the following search criteria:

Field Name	Description
Group Relationship Name	It is the name of the Group Relationship. This criterion is mandatory if the next one is not defined.
Group Relationship Identifier	It is the identifier of the Group Relationship. This criterion is mandatory if the previous one is not specified.
Nature	It is the nature of the Group Relationship. This criterion is optional.
Type	It is the type of the Group Relationship. The available values for a given Group Relationship depend of its selected nature (previous attribute). It can be seen as a subset of the attribute Nature. This criterion is optional.
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members. This criterion is optional.
Date of Opening	This is the date when the Group Relationship was created. It is a free date provided at Group Relationship's creation or modification for information purpose only. This criterion is optional.

Field Name	Description
Date of Closing	This is the date when the existing Group Relationship was deleted. It is a free date provided at Group Relationship's deletion for information purpose only. This criterion is optional.
Manager of the Group Relationship	This is a user assigned to the Group Relationship as its manager. See "Administrating Group Relationships" and Creating New Group Relationships for more details. This criterion is optional. To search a user, type in the beginning of the last name, first name or user name and press [Enter]. To refine the search result, enter a new Search Pattern. Click on the name of the Manager you want to use as search criterion.

- When the criteria are defined, click on the **Search** button. Or, if you were editing a text box criteria, you can directly press [Enter].

3.7.5.3 Result

The search result is displayed in a table beneath the search criteria.. An OR clause is applied for **Group Relationship Name** and **Group Relationship Identifier**. The other criteria use an AND clause.

The search on **Group Relationship Identifier** and **Group Relationship Name** works on fragments and the system will retrieve Group Relationships whose name and identifier in the database match, even partially, with the value as criterion.

For a quick search, the system will use the same value for **Group Relationship Name** and **Group Relationship Identifier** with an OR clause and ignore the other criteria.

The search result table columns have the following meaning:

Column Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship. If you are not allowed to view it, then the value is N/A.
Group Relationship Name	It is the name of the Group Relationship. It is a hyperlink which allows you to access to the corresponding Group Relationship's standing data, when you click it. See Viewing Existing Group Relationships' Details for more details. If you are not allowed to view it, then the value is N/A.
Nature	It is the nature of the Group Relationship. If you are not allowed to view it, then the value is N/A.
Type	It is the type of the Group Relationship. It can be seen as a subset of the attribute nature. If you are not allowed to view it, then the value is N/A.
Comments	It is a free text provided at Group Relationship's creation or modification for information purpose only. If you are not allowed to view it, then the value is N/A.
Created by	It is the last name and first name of the user who created the Group Relationship. It must not be confused with the users assigned as managers of the Group Relationship. If you are not allowed to view it, then the value is N/A.
Date Of Creation	It is the date when the Group Relationship was created. The used format is MM dd, yyyy. If you are not allowed to view it, then the value is N/A.

3.7.5.4 What to do next

After the Group Relationship search, you can perform the following tasks:

- Search again for other existing Group Relationships
- View details of an existing Group Relationship (see [Viewing Existing Group Relationships' Details](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))

3.7.6 Viewing Existing Group Relationships' Details

This section describes how to view the Group Relationship's details and included members. It was written for users using Triple'A Plus Web CDM.

3.7.6.1 Prerequisites

You must have performed a search on Group Relationships and the query must have returned some results (see [Searching Existing Group Relationships](#)). Otherwise, you must be watching a Client Relationship or a Person (Physical or Legal) with the list of all Group Relationships, in which the current entity belongs to as member (see [Viewing List of Group Relationships as Member](#)).

3.7.6.2 Steps

Group Relationship's Details

Click on one of the values in the 'Group Relationship Name' column of the table.


The Group Relationship Standing Data screen with its details is displayed. If you are not allowed to see some attributes, the corresponding fields are displayed with a dark background and their values are blank (empty). The following fields and buttons are shown:

Field/Button Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship.
Group Relationship Name	It is the name of the Group Relationship
Nature	It is the nature of the Group Relationship
Type	It is the type of the Group Relationship. It can be seen as a subset of the attribute nature
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members.
Date of Opening	This is the date when the Group Relationship was created. It is a free date provided at Group Relationship's creation or modification for information purpose only.
Date of Closing	This is the date when the existing Group Relationship was deleted. It is a free date provided at Group Relationship's deletion for information purpose only.
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only.
List of Managers	It is a list containing the last name and first name of all users assigned to the Group Relationship as managers. At least one user must be displayed.

Field/Button Name	Description
List of Groups	It is a list containing the name of all Groups assigned to the Group Relationship as managing desks. At least one Group must be displayed.
Creation date	It is the date when the Group Relationship was created.
Created by	It indicates which user created the Group Relationship.
Modification date	It is the date when the Group Relationship was last modified.
Modified by	It indicates which user modified the Group Relationship last.
Historic View	It is used to view historisations made on the Group Relationship's details.
Include CDM Entities	It is used to include a CDM entity in the Group Relationship as new member. See Including Members in Existing Group Relationships.
Modify	It is used to modify the Group Relationship's attributes, except managers and managing desks. see Modifying Existing Group Relationships.
Delete	It is used to delete the Group Relationship. see Deleting Existing Group Relationships.

Group Relationship's Members

Once the Group Relationship's details are displayed, click on the tab **Included CDM Entities** or on the submenu **Included CDM Entities** of the menu **Standing Data**.



"Included CDM Entities" menu

The system displays the Group Relationship Standing Data screen with its members, if some are already included. The available members are only Client Relationships or/and Persons (Physical or/and Legal) on which you have a quantitative access. Members are sorted per category (Client Relationship, Physical Person and Legal Person) in different modules, one category per module. It is possible that more members are included, but if you have no quantitative access, the system will not display them. The table shows the following columns:

Column Name	Description
Type	It indicates the category of the member, whether it is a Client Relationship, a Legal Person (Corporate) or a Physical Person.
Root Id	If the member is a Client Relationship, the Root Id is displayed. If you are not allowed to view this value, the system displays N/A. Otherwise, it is empty.
Client Relationship Name / Name / Registered Name	It is an hyperlink allowing the current user to navigate immediately to the Overview screen of the member.
Maiden Name	If the member is a Physical Person, then the Maiden Name is displayed. If you are not allowed to view this value, the system displays N/A. Otherwise, it is empty.
First Name	If the member is a Physical Person, then the First Name is displayed. If you are not allowed to view this value, the system displays N/A. Otherwise, it is empty.

Column Name	Description
Date of Birth/Registration/Creation	It indicates the Opening Date, Date of Constitution or Date of Birth of the member, if it is a Client Relationship, a Legal Person (Corporate) or a Physical Person.
Remove Entity	It is used to remove the corresponding Group Relationship's member. See Removing Members from Existing Group Relationships.

3.7.6.3 Result

The system displays one of the Group Relationship Standing Data screens. You can toggle between those two screens, using the tabs at the top of the screens or the submenus of the menu **Standing Data**.

3.7.6.4 What to do next

From any Standing Data screen

After viewing any **Group Relationship** standing data screen, you can perform the following tasks:

- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for other existing Group Relationships (see [Searching Existing Group Relationships](#))
- Include members in the selected Group Relationship (see [Including Members in Existing Group Relationships](#))

From the Group Relationship Details

After viewing the **Group Relationship** standing data details screen, you can perform the following tasks:

- Modify the selected Group Relationship (see [Modifying Existing Group Relationships](#))
- Delete the selected Group Relationship (see [Deleting Existing Group Relationships](#))

From the Group Relationship included CDM Entities screen

After viewing the Group Relationship standing data included members screen, you can perform the following task:

- Remove members from the selected Group Relationship (see [Removing Members from Existing Group Relationships](#))

3.7.7 Viewing List of Group Relationships as Member

This section describes how to view the list of existing Direct Relationships on a Client Relationship, a Physical Person or a Legal Person. It was written for users using Triple'A Plus Web CDM.

3.7.7.1 Prerequisites

You must have selected a Client Relationship or a Person (Physical or Legal) on which he has a quantitative access (rights to view it or not).

More details about the quantitative and qualitative access and how to select Client Relationships and Persons are available in the *Triple'A Plus Web CDM Operating Guide*.

3.7.7.2 Steps

Click on the submenu **Group Relationships** of the menu **Relationships** of the selected Client Relationship or Person to display the screen containing the list of all existing Group Relationships in which the selected Client Relationship or Person is included as member.

Only the Group Relationships for which you have a quantitative access will be displayed in the list. The display of each table's row of the screen is filtered regarding your security profile.

If there are existing Group Relationships, the table contains the following values:

Field/Button Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship.
Group Relationship Name	It is the name of the Group Relationship
Nature	It is the nature of the Group Relationship
Type	It is the type of the Group Relationship. It can be seen as a subset of the attribute nature
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only.
Details	It is used to view more details of the Group Relationship.
Modify	It is used to modify the Group Relationship's attributes, except managers and managing desks. see Modifying Existing Group Relationships .
Delete	It is used to delete the Group Relationship. see Deleting Existing Group Relationships .
Historic View	It is used to view historicalisations made on the Group Relationship's details.
Add	It is used to add an existing Group Relationship to the list, meaning that the current entity will become member of another Group Relationship. see Including Members in Existing Group Relationships .

Group Relationship Details

You can view the details of a Group Relationship from the list of existing Group Relationships: Click on the **Details** button of the corresponding Group Relationship to open a window containing all Group Relationship's details, according to your qualitative access.

3.7.7.3 What to do next

From the screen with the list of all existing Group Relationships, you can perform the following tasks:

- Include the current entity in existing Group Relationships, not already belonging to the list (see [Including Members in Existing Group Relationships](#))
- Modify an existing Group Relationship of the list (see [Modifying Existing Group Relationships](#))
- Delete an existing Group Relationship of the list (see [Deleting Existing Group Relationships](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for existing Group Relationships (see [Searching Existing Group Relationships](#))

3.7.8 Modifying Existing Group Relationships

This section describes how to modify existing Group Relationship. It was written for users using Triple'A Plus Web CDM.

3.7.8.1 Prerequisites

You must be watching the Group Relationship Standing Data Details screen, with all Group Relationship's attributes (see [Viewing Existing Group Relationships' Details](#)). Otherwise, the user must be watching a Client Relationship or a Person (Physical or Legal) with the list of all Group Relationships, in which the current entity belongs to as member (see [Viewing List of Group Relationships as Member](#)). Also, the GCL security must allow you to modify the corresponding Group Relationship.

3.7.8.2 Steps

1. Click on the **Modify** button to open a window with a summary of all useful information:

Field/ Button Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship. Mandatory field.
Group Relationship Name	It is the name of the Group Relationship Mandatory field.
Nature	It is the nature of the Group Relationship Mandatory field.
Type	It is the type of the Group Relationship. It can be seen as a subset of the attribute nature. Mandatory field.
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members.
Date of Opening	This is the date when the Group Relationship was created. It is a free date provided at Group Relationship's creation or modification for information purpose only.
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only.
Creation date	It is the date when the Group Relationship was created.
Created by	It indicates which user created the Group Relationship.
Modification date	It is the date when the Group Relationship was last modified.
Modified by	It indicates which user modified the Group Relationship last.

2. Enter the new values in the fields you want to modify and click on the **Next >>** button to continue the modification process.
3. To confirm the modification, click on the **Submit** button. Click on the **<< Previous** button to go back to the previous screen. To end the modification process without modifying the Group Relationship and close the window, click on the **Cancel** button.

3.7.8.3 Result

The Group Relationship is updated in the database and on the current WUI screen.

The attribute "Modification date" is automatically updated with the date and time of the modification. The attribute "Modified by" is automatically updated with the last name and first name of the user who made the modification.

If the value of the attribute "Client Segmentation" is updated, the qualitative access to the Group Relationship can change, according to the new "Context". It means that some attributes or/and actions on the Group Relationship may be not available anymore for you. More details are available under "Group Relationship - Security".

3.7.8.4 What to do next

You can perform the following tasks which depend on the displayed WUI screen as described below:

From the Group Relationship Details screen

From that screen, you can perform the following tasks:

- Modify again the Group Relationship's attributes, if the "Context" still allows it
- Delete the selected Group Relationship, if the "Context" allows it (see [Deleting Existing Group Relationships](#))
- Include members in the selected Group Relationship, if the "Context" allows it (see [Including Members in Existing Group Relationships](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for other existing Group Relationships (see [Searching Existing Group Relationships](#))

From the List of Group Relationship as Member screen

From that screen, you can perform the following tasks:

- Modify again some Group Relationship's attributes, from an available Group Relationship in the list.
- Delete a Group Relationship, available in the list (see [Deleting Existing Group Relationships](#))
- View details of a Group Relationship, available in the list (see [Viewing List of Group Relationships as Member](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for other existing Group Relationships (see [Searching Existing Group Relationships](#))

3.7.9 Deleting Existing Group Relationships

This section describes how to delete an existing Group Relationship. It was written for users using Triple'A Plus Web CDM.

3.7.9.1 Prerequisites

You must be watching the **Group Relationship** standing data details screen, with all Group Relationship's attributes (see [Viewing Existing Group Relationships' Details](#)). Otherwise, the user must be watching a Client Relationship or a Person (Physical or Legal) with the list of all Group Relationships, in which the current entity belongs to as member (see [Viewing List of Group Relationships as Member](#)). Also, the GCL security must allow you to delete the corresponding Group Relationship.

3.7.9.2 Steps

1. Click on the **Delete** button to open a window displaying the details of the Group Relationship:

Field/Button Name	Description
Group Relationship Identifier	It is the identifier of the Group Relationship.
Group Relationship Name	It is the name of the Group Relationship
Nature	It is the nature of the Group Relationship
Type	It is the type of the Group Relationship. It can be seen as a subset of the attribute nature
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members.
Date of Opening	This is the date when the Group Relationship was created. It is a free date provided at Group Relationship's creation or modification for information purpose only.
Date of Closing	This is the date when the existing Group Relationship was deleted.
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only.
Creation date	It is the date when the Group Relationship was created.
Created by	It indicates which user created the Group Relationship.
Modification date	It is the date when the Group Relationship was last modified.
Modified by	It indicates which user modified the Group Relationship last.

2. Enter a date for the field **Date of Closing**. You can directly type it in the field or use the calendar icon (📅) at its right to display a calendar.
3. Click on the **Next >>** button to continue the deletion process. Click on the **Cancel** button to stop the deletion process.
4. If the field **Date of Closing** is empty, an error message is displayed at the top of the screen until the field is defined.
5. To confirm the deletion, click on the **Submit** button. Click on the **<< Previous** button to go back to the previous screen. To end the deletion process without deleting the Group Relationship and close the window, click on the **Cancel** button.

3.7.9.3 Result

Triple'A Plus Web closes the window and displays again the WUI screen from which you started the deletion. In addition, the database will be impacted too, according to the system's configuration.

Deletion Started from Group Relationship Details screen

Triple'A Plus Web displays the Group Relationship Search screen, where you can search for existing ones (see [Searching Existing Group Relationships](#)). The deleted Group Relationship will not be retrieved by Triple'A Plus Web, but it is possible to re-create it afterwards (see [Creating New Group Relationships](#)).

Deletion Started from the List of Group Relationship as Member screen

Triple'A Plus Web displays the same WUI screen as before the deletion. However, the deleted Group Relationship is removed from the list of existing Group Relationships in which the current member is included and will never be displayed in the list anymore. But it is possible to re-create it afterwards (see [Creating New Group Relationships](#)).

3.7.9.4 What to do next

You can perform the following tasks which depend on the displayed WUI screen as described below:

From the Group Relationship Search screen

From that screen, you can perform the following tasks:

- Search for other existing Group Relationships (see [Searching Existing Group Relationships](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))

From the List of Group Relationship as Member screen

From that screen, you can perform the following tasks:

- Delete another existing Group Relationship, available in the list
- Modify again some Group Relationship's attributes, from an available Group Relationship in the list.
- View details of a Group Relationship, available in the list (see [Viewing List of Group Relationships as Member](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for other existing Group Relationships (see [Searching Existing Group Relationships](#))

3.7.10 Including Members in Existing Group Relationships

This section describes how to view the Group Relationship's details and included members. It was written for users using Triple'A Plus CDM Web.

3.7.10.1 Prerequisites

You must be watching one of the Group Relationship's standing data screens: details or list of included members (see [Viewing Existing Group Relationships' Details](#)). Otherwise, you must be watching a Client Relationship or a Person (Physical or Legal) with the list of all Group Relationships, in which the current entity belongs to as member (see [Viewing List of Group Relationships as Member](#)). Also, the GCL security must allow you to include members in the corresponding Group Relationship.

3.7.10.2 Steps

Including from the Group Relationship Standing Data screen

1. Click on the **Include CDM Entities** button to open a search window for Client Relationships and Persons (Physical and Legal) on which you have a quantitative access.
2. Define the search criteria. You must specify at least the **Name**. To retrieve all Client Relationships and Persons, you can use the value % for one of these fields.
3. When the criteria are defined, click on the **Search** button. Or if you were editing a text box criterion, you can directly press [Enter].

4. All Client Relationships and Persons, on which you have a quantitative access and which are not already included in the Group Relationship are displayed.
5. You can refine you query by entering other values for the criteria.
6. To select the desired future member, click on its corresponding **Pick Up** button.
A confirmation screen is displayed.
7. To confirm the inclusion, click on the **Submit** button. Click on the **<< Previous** button to go back to the previous screen. To end the inclusion process without including the member and close the window, click on the **Cancel** button.

Including from the list of Group Relationships as member

1. Click on the **Add** button open a search window for Client Relationships and Persons (Physical and Legal) on which you have a quantitative access.
2. Search the Group Relationship you want to include. The search is exactly working as described in [Searching Existing Group Relationships](#).
3. To select the desired future member, click on its corresponding **Pick Up** button.
A confirmation screen is displayed.
4. To confirm the inclusion, click on the **Submit** button. Click on the **<< Previous** button to go back to the previous screen. To end the inclusion process without including the member and close the window, click on the **Cancel** button.

3.7.10.3 Result

Using both methods include the Client Relationship or Person as a member of the Group Relationship. The database is updated in consequence and Triple'A Plus Web shows this inclusion. But regarding the used method, there are some differences.

If you choose the first method, the termination screen after inclusion confirmation will be the list of existing and available members (**Group Relationship Included CDM Entities** screen). The new members will be automatically displayed.

If you choose the other method, the termination screen will be the same as the starting screen (**List of Group Relationships in Which a Member is Included** screen).

3.7.10.4 What to do next

From the Group Relationship Included CDM Entities Screen

After viewing the Group Relationship standing data included members screen, you can perform the following tasks:

- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for other existing Group Relationships (see [Searching Existing Group Relationships](#))
- Remove members from the selected Group Relationship (see [Removing Members from Existing Group Relationships](#))

From the List of Group Relationships in Which a Member is Included

After viewing the Group Relationships list in which the selected member is included, you can perform the following tasks:

- Include again the current entity in existing Group Relationships, not already belonging to the list
- Modify an existing Group Relationship of the list (see [Modifying Existing Group Relationships](#))

- Delete an existing Group Relationship of the list (see [Deleting Existing Group Relationships](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for existing Group Relationships (see [Searching Existing Group Relationships](#))

3.7.11 Removing Members from Existing Group Relationships

This section describes how to remove a member from an existing Group Relationship. It was written for users using Triple'A Plus Web CDM.

3.7.11.1 Prerequisites

You must be watching the Group Relationship Members screen, with all current existing members on which you have a quantitative access (see [Viewing Existing Group Relationships' Details](#)). Some members must already be included (see [Including Members in Existing Group Relationships](#)). Also, the GCL security must allow you to remove the corresponding member.

3.7.11.2 Steps

1. Click on the **Remove** button to open a screen with the corresponding Group Relationship and member's information. The information includes:

Field Name	Description
Client Relationship Name	This field is displayed if the member is a Client Relationship.
Last Name First Name Date of Birth (dd.mm.yyyy)	These fields are displayed if the member is a Physical Person.
Registered Name Date of Constitution (dd.mm.yyyy)	These fields are displayed if the member is a Legal Person (Corporate).
Root Id Opening Date (dd.mm.yyyy)	These fields are displayed if the member is a Client Relationship.
Category	It indicates the category of the member: whether it is a Client Relationship, a Physical Person (Corporate) or a Legal Person.
Group Relationship Identifier	It is the identifier of the Group Relationship.
Group Relationship Name	It is the name of the Group Relationship.
Nature	It is the nature of the Group Relationship.
Type	It is the type of the Group Relationship. The available values for a given Group Relationship depend on its selected nature (previous attribute). It can be seen as a subset of the attribute nature.
Client Segmentation	This attribute defines the client segmentation of the Group Relationship' members. The security on Group Relationships is based on it.
Date of Opening	This is the date when the Group Relationship was created. It is a free date provided at Group Relationship's creation or modification for information purpose only.

Field Name	Description
Date of Closing	This is the date when the Group Relationship was deleted. It is a free date provided at Group Relationship's deletion for information purpose only.
Comments	It is a free text that is provided at Group Relationship's creation or modification for information purpose only.

- Click on the **Next >>** button to continue the removal process. Click on the **Cancel** button to stop the removal process.
The removal confirmation screen pops up.
- To confirm the removal, click on the **Submit** button. Click on the **<< Previous** button to go back to the previous screen. To end the removal process without removing the member from the Group Relationship and close the window, click on the **Cancel** button.
The window closes and the list of existing members is shown again.

3.7.11.3 Result

On the WUI (display on the screen)

The removed member is removed from the list of existing members and will never be displayed in the list anymore. But it is possible to re-include it afterwards (see section [Including Members in Existing Group Relationships](#)).

On the CDM database

The removed members can be deleted from the database depending on the settings in your installation.

3.7.11.4 What to do next

After confirming the removal, you can perform the following tasks:

- Remove another member from the selected Group Relationship if the "Context" allows it
- Switch the screen's view to see the details of the selected Group Relationship (see [Viewing Existing Group Relationships' Details](#))
- Create new Group Relationships (see [Creating New Group Relationships](#))
- Search for existing Group Relationships (see [Searching Existing Group Relationships](#))

3.7.12 Mail Management System integrated into CDM module

Refer to the Triple'A Plus Web Client Data Management Operating Guide.

3.7.13 Accessing the Clients Mailbox (Mailbox tab)

The mailbox is the repository of all documents created for a correspondent.

Note: After these documents are produced and printed, they are archived. It is important to differentiate between documents contained in the mailbox and archived documents. Archived documents are a copy of the documents in the mailbox with the address information embedded. When accessing this tab, a search is automatically performed on the database returning the current documents. Below is an example of the **Mailbox** tab.

Standing Data TaskAndContact **Mail Box** Mail Box History

Mail Box Items

Filters

Functional Type

From Date 

To Date 

Document Reference

Document Content

Selected	Document Reference	Document Type	Submitted Date	Document Language	Open
☐	1234_Valuation_EN_20050508.pdf	Valuation	Oct 17, 2005 1:04 PM	English	Open

Results 1 to 1 of 1

Mailbox tab

You have three options for searching the mailbox:

- **Get All:** Uses no filters and returns all the documents.
- **Today's Documents:** returns the documents entered into MMS today.
- **Search:** returns the documents based on the criteria entered in the filter criteria. The filters are described below

The searchable fields cover all-important attributes of the document.

Field Name	Description
Client Relationship Name	This field is displayed if the member is a Client Relationship.
Last Name First Name Date of Birth (dd.mm.yyyy)	These fields are displayed if the member is a Physical Person.
Registered Name Date of Constitution (dd.mm.yyyy)	These fields are displayed if the member is a Legal Person (Corporate).
Functional Type	This will filter on a particular document type (e.g., Valuation, Statement, Confirmation, etc.)
From Date	This parameter refers to the submitted date of the document.
To Date	This parameter refers to the submitted date of the document.
Document Reference	This parameter refers to the name of the document for filtering purpose.
Document Content	This parameter refers to a word or a set of words that could be contained in the searched document.

The mailbox tool can also print the documents where the correspondent has a Hold-Mail rule.

For more information about the Mail Management System, refer to the *Triple'A Plus MMS User Guide*.

3.8 4 Eyes Validation Support

The 4 Eyes Validation in CDM introduces a workflow that ensures that two persons validate independently from each other the data entered by a third person.

The 4 Eyes Validation is available for all CDM update and addition operations except for the client relationship addition. The assumption is that a client is always created in a prospect scenario, and thus this operation does not need to be validated.

3.8.1 Workflow


The scenario illustrated in the following series of screenshots shows a member of the central file adding two code words to a client relationship. Two members of the local central file department are then requested to validate the change. Note that the number of type of validations depends on the data changed and is configurable.

3.8.1.1 Changing the data

A second code word is to be added to the client relation. The data change is carried out exactly as described in section [Updating Information](#).

1. Opens the client relationship, which has status "Open".
2. Click the **Modify** button to open the **Modify** screen.
3. Add a code word in the second **Code Word** field.
4. Click **Next**.

CDM automatically determines that there is a need to validate this change and opens the **Validation** screen.



The screenshot shows a web application window titled "Validation for data adding/modification required". It contains several sections:

- Data Modification, Description/Add comments screen:** A message states "The following validation needs to be undertaken." followed by a red warning: "Validation with written proof by a second person from your team". Below this, a yellow box says: "The data will only change in the database only once this validation has taken place! Until then nobody may change this data, it is locked. You may add a description of the change or any comments below." A date field is labeled "Please enter the date of the written proof if there is one:" with the value "12.08.2011" and a "Save date" button.
- Add a comment:** A text area with the prompt "Please enter any comments or description related to the operation below" and a sample comment: "Client has submitted additional contract for signing with pseudonym." An "Add a comment" button is at the bottom right.
- Existing Comments:** A section stating "The result is empty".
- Navigation buttons: "<< Previous", "Submit", and "Cancel".

5. If a contract certifying the change is present, enter the date of the written proof document, and click **Save date**.
6. Add a comment and click **Add a comment**.
7. Click **Submit** to submit the data change for validation.

You are redirected to the CDM client relationship standing details screen.

The client relationship can no longer be edited at this time; it is locked. As soon as the valuator accepts the change, the relationship record is unlocked and can be edited again.

3.8.1.2 Viewing the Status of Launched Requests

After having launched a 4 eyes validation request, you can check its status and who is supposed to validate it. **Launched Processes** tab provides you with a list of the current processes that you have launched.

For each process, it lists the activities:

- All launched and executed activities
- The last activity enacted but not yet assigned to any user.

3.8.1.3 Validating changes

The person that needs to validate the change is defined by an organisational rule. In the example, anybody in the department that is servicing the client with a commercial role of "Data management" is authorised to validate this data change request. The group "Central File Department Geneva" is in charge of this.

Therefore, all members of the Geneva central file department can see the request for a data change appear in the list of work items under CDM. In this case, the user is a member of this department and therefore will see their own request appear.

All the users in the same department see the same request. If you select the request, it automatically means that you are in charge of the validation.

Validating/Refusing Changes (first user)

1. Click the subject to view the details.
The system displays the comments that have been entered by the request submitter for this 4 eyes request.
2. Click **Next** to continue.
A green arrow in front of the changed column highlights the fact that the data has been changed and corresponds to the description / written proof associated with the data change.
3. Click **Next** to continue.
The **Validate Data Modification** screen is displayed.
4. Do one of the following:
 - Validate the modification. The user who validated the modification will be asked to acknowledge the change.
 - Abandon the validation for now because no written proof has been transmitted yet.
 - Reject the request.
 - Reject the request with the possibility for the user to update the changes.You can also add comments to provide an explanation of your decision.

Validating/Refusing Changes (second user)

A second user must validate the data change. The screens that the second user sees and the decisions that the user can take are the same as those for the first user.

Acknowledging the Data Update

The user who made the data change will see a work item displayed after the change has been validated.

1. Click the subject to access the validation details.
All comments related to the requested data change, including the initial request, is displayed.
2. Click **Submit** to transmit the data to the database.

3.8.1.4 Viewing a Rejected Request

If the request is rejected without the possibility to relaunch, the work item is displayed in the user's list.

1. To access the details of the work item, click on it.
All the comments related to this request are displayed, explaining why your request was not accepted.
2. To submit your acknowledgement, click **Submit**.
The process is terminated.

3.8.1.5 Viewing a Rejected Request and Relaunch

If the request has been rejected with the possibility to relaunch, you see the work item in your work item list.

1. To access the details of the work item, click on it.
The system displays the comments that were entered with this request.
2. Click **Next** to continue.
The screen with the changes is displayed again so you can alter your change.
3. Change the information and click **Next**.
A decision screen is displayed. This screen lets you decide whether to resubmit the request or not. You can add comments with the new submission.
4. Click **Finish**.
If you decided to relaunch the request, it goes back to the validator. If you decided to accept the refusal, the process is completed.

3.8.1.6 Acknowledging Reception of Written Proof

You can temporarily postpone a validation and wait for the written proof to be transmitted to you. If you do this, the validation request is immediately displayed in your work items list.

3.9 Client Data Historisation

This subsection describes the "Client Data Historisation" to enable you to use it in the way intended by Odyssey Financial Technologies. It was written for users and services administering and using Triple'A Plus Web CDM.

3.9.1 General Description

The feature "Client Data Historisation" is a functionality of CDM. This function allows end users, like Client Relationship Officers, Compliance and Due Diligence Officers and Central Information File Officers, to retrieve the previous client data as they were at a given date by historisation of such data each time a validated change occurs.

A change can occur in three cases: a creation, an update or a deletion event. The historisation is performed only when the event is completely validated. For no sensitive data such as "marital status" (in standard packaging), it means immediately after the event, otherwise only after the positive termination of the validation workflow process.

The visualisation of previous client data uses the standard view of CDM for an easiest usability.

The use cases belonging to the Client Data Historisation are:

- Getting an historic view
- Navigating from previous or next historisation of the same screen
- Comparing two historisations of the same screen
- Navigating from one screen to another in historic view

3.9.2 Business Goals

With this function, an end user can perform the following main tasks:

- Retrieve previous client data of a CDM screen at a given date (historic view of the screen).
- Compare previous client data of a CDM screen at two given dates (historic view of the screen).

The objectives to reach for end users are:

- Compliance with legal and bank's policies
- Better serve clients by improving "Know your customer" capabilities

3.9.3 Context

To retrieve the past information, the function uses a database provided by OTF audit engine, already used by the audit console (see the *Triple'A Plus Web Audit Console User Guide* and *Triple'A Plus Web Audit Technical Guide* for more explanations about it).


It is not possible to import historised client data from another Client Relationship Management Software to CDM and retrieve them. This fact is due to the information retrieval based on OTF audit trails.

The access to the client relationships and persons, in historic view, is based on the same security concept as the CDM current view. With this principle, an end user can retrieve the same kind of information in historic view as in current view. In that way, the confidentiality of the client data is still guaranteed. The *Triple'A Plus Web Authentication, Security and Password Management Reference Guide* and *Triple'A Plus Web CDM Operating Guide* contain more explanations about the CDM security concept.

3.9.4 Data Input

The data input can be provided in three manners: client data import at initial load, batch import and end users' manual input. The initial load is normally executed once during the installation of CDM and concerns only current client data (not the historised ones). The batch import and manual input are historised only if the value is validated, which is automatically the case for a non-sensitive field and batch import.

The historisation is made screen per screen, which means that when an end user enters new information on a screen (create event) or modifies a previous one (update event) and eight months later he does a similar action on another screen, the dates of historisation differ from eight months. The next figure describes the process:



Time shift due to historisation process between CDM screens

As the historisation is executed screen per screen, it is recommended to avoid mixing the fields from several CDM entities (like Client Relationship, Participant, Person and Contact Point) on the same screen. Otherwise, you will have a shift in the historisation of the screen, because its data are provided from different CDM entities, which are not created, modified or deleted at the same time. The good practice, if the Client Data Historisation is needed, is to have the fields of only one CDM entity per screen. For this reason, we do not historise the Overview screen of Client Relationship and Person in the standard packaging.

3.9.5 Principles

When an end user wants to retrieve past information, the system will first returns all the events (creation, update and deletion) occurred between the two boundary dates entered by the end user. Then, if the end user selects a specific event, the system will decrypt the corresponding OTF audit trail and returns the values of the displayed screen.

For a comparison, the basic principle is the same, except that in addition the system must compare the values to see whether they are the same or not (and in this case, displays a red bullet point  near to the field).

3.9.6 Getting the Historic View

This section describes how to access to the historic view and visualise historised client data. It was written for users using Triple'A Plus Web CDM.

3.9.6.1 Prerequisites

To access the historic view, you must have the access rights of a Security Officer. The *Triple'A Plus Web CDM Operating Guide* contains more details about the tasks and roles of the Security Officer.

Modify an end user

End user details

User name	LVK
Name	Van Kaufenbergh
First name	Luc
Description	CRO
Password	
Verify Password	
Deactivate this user	☐
Security Profile	Relationship Manager
Shared privilege - Mapped user(s)	aaa.manager/LVK

Contract starting date (dd.mm.yyyy)	
Internal - External	Undefined
Internal phone number 1	
Internal phone number 2	

Backup

Backup details	
Manager Name	Backup, User Reset
Backup Security Profile	Backup Relationship Manager profile

Profiles

Financial Analyst	☐
Developer	☐
Audit	☐
Relationship Manager	☐
Portfolio Rules Administrator	☐
Retail Manager	☐
Default	☒
Marketing Officer	☐
Olympic	☐
New Client Opening functions available	☐
Administrator	☐

Roles

Assistant	☐
Head manager / Manager	☒
Nm administrator / marketing tester	☐
Historic Viewer CDM	☒
Group Relationship Administrator	☐
RLS Administrator	☐
RLS End User	☐

History

Last change date	Jul 26, 2011 10:17 AM
Last change user	cdmso cdmso
Creation date	Jul 26, 2011 10:16 AM
Created by	cdmso cdmso
Deactivation date	
Deactivated by	
Deactivation comments	

This role allows the end user
To activate the Historic View

Set-up for client data historisation access rights

Furthermore, the end user must visualise a screen that contains client data of a client relationship or a person (after a search, for example). The "Overview" screen is not considered as a screen that contains client data because its construction is based on a mix of several client data entities.

Accepted screens are:

Screen Main Name	Description
Client Relationship	

Screen Main Name	Description
Standing Data - Client Relationship Details	It contains the relevant information on the client relationship, like its type and status.
Standing Data - Participants	It gives the list of all the participants (persons) of the client relationship.
Standing Data - Services	It gives the list of all the services (accounts) used on the client relationship.
Profile - Opening	It contains all the opening information like the opening place or the introducer.
Profile - Financial	It describes the financial context of the client relationship (assets, other relationship in the same bank or in another bank).
Profile - Marketing	It contains information relating to the investment knowledge of the client relationship.
Profile - Risk	It describes the risk tolerance of the client relationship.
Relationships - Group Relationships	It contains a list with all Group Relationships in which the Client Relationship is included.
Relationships - Direct Relationships	It contains lists with qualified links to others Client Relationships, Physical Persons or Legal Persons (Corporates).
Person	
Standing Data - Person Details	It contains the relevant information on the person, like his name and birth/constitution date. This screen is only available for physical persons.
Standing Data - Person Identity	It contains all the information relating to the physical person's nationalities.
Standing Data - Participations	It gives the list of all the participations (client relationships) of the person.
Standing Data - Person Profile	It contains additional information on the person.
Profile - Financial	It describes the financial context of the person (assets, other relationship in the same bank or in another bank).
Profile - Marketing	It contains information relating to the investment knowledge of the person.
Profile - Risk	It describes the risk tolerance of the person.
Relationships - Group Relationships	It contains a list with all Group Relationships in which the Person is included
Relationships - Direct Relationships	It contains lists with qualified links to others Client Relationships, Physical Persons or Legal Persons (Corporates)
Group Relationship	
Standing Data - Group Relationship Details	It contains the relevant information on the group relationship, like its name and identifier.


Screen Main Name	Description
Standing Data - Included CDM Entities	It contains lists with included Client Relationships, Physical Persons and/or Legal Persons (Corporates)

3.9.6.2 Steps

- Click on the **Historic View** button.
The Settings pop-up window is displayed for you to enter boundary dates.
- In the **From Date** and **To Date** fields, click on the Calendar icon  to select a date. You can also:
 - Reset the date in either field to the current date by clicking the icon.
 - Cancel the action to return to the current view by clicking the **Cancel** button or the  icon.
- Click **Submit** to submit your request.
A Results pop-up window is displayed to show either a list of reference events or an error message indicating that no events were found.
- (Optional) In the Result pop-up window, you can:
 - Click on the reference event you want to view (see section [Result](#)).
 - Initiate a new request by clicking on the **New**  icon.
 - Cancel your action by clicking on the **Cancel** button to return to the current view.

3.9.6.3 Result

When an event is selected, the system displays the same CDM screen but at another date (reference date) than the current one. The values of the fields change and correspond at the reference date situation. The security is replicated; it means that the end user is allowed to view only the same fields as he is allowed in "Current View" (refer to the *Triple'A Plus Web CDM Operating Guide* for more details about the security principle of the "Current View"). Images (Signature and Scanned Documents for example) are not historised as the audit engine does not support it.



The screenshot shows the TEMENOS interface with the 'Client Relationship' tab selected. The main content area displays details for Client Relationship 518237. The 'Client Relationship Details' section includes fields for Root Id (518237), Client Relationship Name (Jean & Ior Anne Duval), Audited (Undefined), Numbered Client Flag (Undefined), Client relationship type (Individual), Status (Prospect), Status Description, Opening Date, Opened by (Van Kaufenbergh, Luc), Close date, Closing Comments, and Main Account Holder (Jean Duval). The 'Client signs with pseudonym Flag' is set to Undefined, and the PseudonymCode Word is Jones. The address fields show Street Number 337, Street Wagnerstraat, Postal Code 1000 AH, City Amsterdam, and Country Code. The audit trail shows Creation date (Aug 26, 2011 2:06 AM), Created by (advisor, advisor), Modification date (Aug 29, 2011 5:14 PM), and Modified by (Van Kaufenbergh, Luc). The bottom section lists Managers / Groups, including Van Kaufenbergh, Luc (Commercial Manager), Dutch Desk (Managing Service Desk), Central File Department Zurich (Data Management), and Legal and Compliance Zurich (Legal and Compliance).

Example of current screen at a selected reference date

3.9.6.4 What to do next

Five options are available:

- You can quit the historic view by clicking on the **Current View** button, by searching ("Search All", "Client Relationship", "Person" or "Group Relationship") or by selecting another component to use.
- You can look for another historisation by clicking on the  icon at the top right of the screen and then follow the steps in section [Steps](#).
- You can navigate to the next or previous historisation (if available) of the same screen (see [Going to Previous or Next Historisation](#)).
- You can navigate from one screen to another CDM screen in historic view (see [Navigating in Historic View from one Screen to Another](#)).
- You can compare the present situation with another one (see [Comparing two Historisations of the Same Screen](#)).

3.9.7 Going to Previous or Next Historisation

This document describes how to look for another historisation in historic view and visualize historized client data of the same screen. It was written for users using Triple'A Plus Web CDM.

3.9.7.1 Prerequisites

You must already view a CDM screen containing client data, in historic view (see [Getting the Historic View](#)).

3.9.7.2 Steps

Click on the **Previous Historisation** button or **Next Historisation** button (if applicable).

3.9.7.3 Result

Triple'A Plus Web displays the same CDM screen but at another date (new reference date) than the previous one. The values of the fields change and correspond at the new reference date situation.

When you reach the first historisation, the button Previous Historisation becomes inactive. The same occurs for the Next Historisation button when you reach the last historisation.

3.9.7.4 What to do next

Five options are available:

- You can continue to navigate from one historisation to another of the same screen.
- You can quit the historic view by clicking on the Current View button, by searching ("Search All", "Client Relationship", "Person" or "Group Relationship") or by selecting another component to use.
- You can look for another historisation by clicking the  icon at the top right of the screen and then follow the steps 2 to 4 (see [Getting the Historic View](#)).
- You can navigate from one screen to another CDM screen in historic view (see [Navigating in Historic View from one Screen to Another](#)).
- You can compare the present situation with another one (see [Comparing two Historisations of the Same Screen](#)).

3.9.8 Comparing two Historisations of the Same Screen

This section describes how to compare two historisations and visualise historised client data at the reference date.

3.9.8.1 Prerequisites

You must already view a CDM screen containing client data, in historic view (see [Getting the Historic View](#)).

3.9.8.2 Steps

1. Click on the **Compare** button.
The Settings pop-up window is displayed for you to enter boundary dates.
2. In the **From Date** and **To Date** fields, click on the Calendar icon  to select a date. You can also:
 - Reset the date in either field to the current date by clicking the **Reset** icon.
 - Cancel the action to return to the current view by clicking the **Cancel** button or the  icon.
3. Click **Submit** to submit your request.
A Results pop-up window is displayed to show either a list of reference events or an error message indicating that no events were found.
4. (Optional) In the Result pop-up window, you can:
 - Click on the reference event you want to view (see section [Result](#)).
 - Initiate a new request by clicking on the **New Request**  icon.
 - Cancel your action by clicking on the **Cancel** button to return to the historic view at the reference date.

3.9.8.3 Result

When an event is selected, the system displays the same CDM screen as the reference date with the comparison activated. The values of the fields correspond to the reference date situation. The result for comparison can be different depending on the data type. The following sections describe the different comparison possibilities:

- [Comparison Result for Text Fields](#)
- [Comparison Result for Check-box Fields](#)
- [Comparison Result for Rows and Table Rows](#)

Comparison Result for Text Fields

By text fields we mean all the fields that are permanent and which value can be free, given by a drop-down list or depending of a selection. For those fields a red bullet point  will indicate a difference between the reference historisation and the comparison historisation.

 Inheritance

 USD

 Berlin

 22.03.1974

 Mar 28, 2008 4:30 PM

Comparing text fields

Comparison Result for Check-box Fields

As for text fields, a red bullet point  indicates the difference between a reference historisation and a comparison historisation.

Undefined		☐
Elderly Person		☐
Inheritor		☒
High Income Earning		☒
Business Owner		☒

Comparing check-box fields

Comparison Result for Rows and Table Rows

A row or a table's row is a line that contains a set of data that defines an entity. For example, a participant is a table's row because the participant is displayed in a line in the table. For comparison purposes, the data in a row or a table's row is colour-coded.

Managers / Groups

Flamish Desk (Managing Service Desk)
Dutch Desk (Managing Service Desk)
Van Kaufenbergh, Luc (Administrative Manager)
Central File Department Zurich (Data Management)
Legal and Compliance Zurich (Legal and Compliance)

Comparing rows

Contact Points						
Contact Type	Details		Comments	From	To	View Details
Mobile	+33 38 364894					Details
Phone	+33 87 834939		Evenings after 7pm			Details
Phone	43 +31 350 22 12		Eveings after 19h00	Jan 31	Jan 31	Details
E-mail Address	pDuvai@intercomnet.nl		daily check			Details

Results 1 to 4 of 4

Comparing table's rows

Event	Description
Data exists at reference and comparison historisations	The data is displayed in black in the row or table's row. If available, using the Details button will display the comparison details.
Data exists only at reference historisation	The data is displayed in red in the row or table's row. If available, using the Details button will display data at reference historisation.
Data exists only at	The data is displayed in blue in the row or table's row. If available,

Event	Description
comparison historisation	using the Details button will display data at comparison historisation.

3.9.8.4 What to do next

Four options are available:

- You can quit the historic view and stop the comparison by clicking on the **Current View** button, by searching ("Search All", "Client Relationship", "Person" or "Group Relationship") or by selecting another component to use.
- You can compare again the present situation with another one by repeating the steps 1 to 4
- You can look for another historisation by clicking on the  icon at the top-right of the screen (see [Getting the Historic View](#)). When a reference is selected, this will automatically stop the comparison.
- You can navigate from one screen to another CDM screen in historic view (see [Navigating in Historic View from one Screen to Another](#)).

3.9.9 Navigating in Historic View from one Screen to Another

This section describes how to navigate from one screen to another in historic view. It was written for users using Triple'A Plus Web CDM.

3.9.9.1 Prerequisites

You must already be viewing a CDM screen containing client data, in historic view (see [Getting the Historic View](#)). A comparison can be activated or not (see [Comparing two Historisations of the Same Screen](#)).

In addition, the possibility to access (quantitative access) to the desired entity in "Current View" is requested as the security in "Historic View" is replicated (see *Triple'A Plus Web CDM Operating Guide* for more explanations about quantitative access in "Current View").

3.9.9.2 Steps


Use the navigation section to select another screen. The available screens are described below:

Screen Main Name	Description
Client Relationship	
Standing Data - Client Relationship Details	It contains the relevant information on the client relationship, like its type and status.
Standing Data - Participants	It gives the list of all the participants (persons) in the client relationship.
Standing Data - Services	It gives the list of all the services (accounts) used on the client relationship.
Profile - Opening	It contains all the opening information like the opening place or the introducer.
Profile - Financial	It describes the financial context of the client relationship (assets, other relationship in the same bank or in another bank).
Profile - Marketing	It contains information relating to the investment knowledge of the client relationship.
Profile - Risk	It describes the risk tolerance of the client relationship.

Screen Main Name	Description
Relationships - Group Relationships	It contains a list with all Group Relationships in which the Client Relationship is included.
Relationships - Direct Relationships	It contains lists with qualified links to others Client Relationships, Physical Persons or Legal Persons (Corporates).
Person	
Standing Data - Person Details	It contains the relevant information on the person, like his name and birth/constitution date.
Standing Data - Person Identity	It contains all the information relative to the physical person nationalities. This screen is only available for physical persons.
Standing Data - Participations	It gives the list of all the participations (client relationships) of the person.
Standing Data - Person Profile	It contains additional information on the person.
Profile - Financial	It describes the financial context of the person (assets, other relationship in the same bank or in another bank).
Profile - Marketing	It contains information relative to the investment knowledge of the person.
Profile - Risk	It describes the risk tolerance of the person.
Relationships - Group Relationships	It contains a list with all Group Relationships in which the Person is included.
Relationships - Direct Relationships	It contains lists with qualified links to others Client Relationships, Physical Persons or Legal Persons.(Corporates).
Group Relationship	
Standing Data - Group Relationship Details	It contains the relevant information on the group relationship, like its name and identifier.
Standing Data - Included CDM Entities	It contains lists with included Client Relationships, Physical Persons and/or Legal Persons (Corporates).

3.9.9.3 Result

Triple'A Plus Web displays the selected screen in historic view. The reference date (in the Historic Information section) of that new screen keeps the same value as the previous one, but the displayed data on the new screen is provided from the closest historisation (in the past) from the reference date. With this principle, we can move from one screen to another and finally return to the starting screen without a time shift at the end of the navigation (because the reference date did not change).



New reference date selection method

If a comparison was active on the previous screen, it is still active on the new screen. The rules for the comparison (date displayed and historisation chosen) are the same as those for the reference date and historisation.

When a participant is selected by clicking on his name in the screen Client Relationship->Standing Data->Participants, the system will display the screen Person->Standing Data->Person Details of the corresponding participant. The same principle is used when a participation is selected from the screen Person->Standing Data->Participations, the system displays the screen Client Relationship->Standing Data->Client Relationship Details.

3.9.9.4 What to do next

Five options are available:

- You can quit the historic view by clicking on the **Current View** button, by searching ("**Search All**", "**Client Relationship**", "**Person**" or "**Group Relationship**") or by selecting another component to use.
- You can navigate to the next or previous historisation (if available) of the same screen (see [Going to Previous or Next Historisation](#)).
- You can navigate again from one screen to another CDM screen in historic view.
- You can look for another historisation by clicking on the  icon at the top-right of the screen (see [Getting the Historic View](#)).
- You can compare the present situation with another one (see [Comparing two Historisations of the Same Screen](#)).

3.9.10 References

3.9.10.1 Standard Packaging

Only CDM screens containing client data use this functionality. They are the following in the standard packaging:

For Client Relationship screens:

Client Relationship -> Standing Data -> Client Relationship Details

Client Relationship -> Standing Data -> Participants

Client Relationship -> Standing Data -> Services

Client Relationship -> Profile -> Opening

Client Relationship -> Profile -> Financial

Client Relationship -> Profile -> Marketing

Client Relationship -> Profile -> Risk

Client Relationship -> Relationships -> Group Relationships

Client Relationship -> Relationships -> Direct Relationships

For Person screens:

Person -> Standing Data -> Person Details

Person -> Standing Data -> Person Identity

Person -> Standing Data -> Participations

Person -> Standing Data -> Profile

Person -> Profile -> Financial

Person -> Profile -> Marketing

Person -> Profile -> Risk

Person -> Relationships -> Group Relationships


Person -> Relationships -> Direct Relationships

For Group Relationship screens:

Group Relationship -> Standing Data -> Group Relationship Details


Group Relationship -> Standing Data -> Included CDM Entities

On all these screens, the **Historic View** button allows for the activation of the historic view of the screen.



Example of screen with client data and the button "Historic view"

The following is an example of a **Historic View** screen:



Example of screen with client data and historic view activated

The **Historic Information** screen shows the following:

- Restricted navigation and only the previously mentioned screens are accessible.
- The Historic Information panel, which provides (in the order that they appear on the screen):
 - **Information icon**  lets you look for another historisation.
 - **Reference date** is the historisation date of the displayed client data.
 - **Comparison date** is the historisation date used to make a comparison with the displayed client data (at reference date). If a comparison is not active, that date takes the same value as the reference date. When a comparison is active, the comparison date takes the value of the selected historisation and red bullet points  are displayed showing the differences between the reference date and the comparison date for text and check box fields. The differences for rows and table's rows are indicated using red, blue and black colours (see [Comparing two Historisations of the Same Screen](#)).
 - **Historic View** signals that the CDM visualisation is the historic view and not the current one.
 - **Current date** is displayed for information purpose only.
- Buttons:
 - **Next Historisation** button and the **Previous Historisation** button are used to go from one historisation to another.
 - **Compare** button is used to enact a comparison with other historisation dates.
 - **Current View** button is to quit the historic view and return to the standard CDM view.

Portfolio Analysis | Client Data | Tasks & Contacts | Monitoring | Admin

0 unread notification(s) User: Van Kaufenbergh, Luc 239

New Window Print PDF Excel Create Task Create Contact About Preferences Logout

Search All Client Relationship **Person** Group Relationship

Person Details | Person Identity | Participations | Person Profile

Aug 29, 2011 10:43:10 AM | Aug 29, 2011 5:42:47 PM | **Historic View | Aug 30, 2011**

Modify Physical Person

Title	Mr	Civil Status	Divorced
Name	Duval	Civil Status Comments	
First Name	Jean	Profession type	Undefined
Maiden Name		Sector	Undefined
Shortname	Samson le grand	Profession	Engineer
Status	Undefined	Business Title	Product Manager
Gender	Male	Job comments	
Date of birth (dd.mm.yyyy)	22.03.1950	Business restrictions	
Place of birth	Maastricht	Annual earnings	220,000.00 EUR
Country of birth	NETHERLANDS	Employer	Vermeer Technologies
Date of death (dd.mm.yyyy)		Business country	SWITZERLAND
Place of death			
Country of death	Undefined		
Spoken language	Dutch	Qualifier	Attn: Mr president
Written language	Dutch		of
		Street Number	337
		Street	Wagnerstraat
		Zip Code	1000 AH
		City	Amsterdam
		Country	NETHERLANDS
		Creation date	Aug 26, 2011 2:06 AM
		Created by	advisor, advisor
		Modification date	Aug 29, 2011 10:43 AM
		Modified by	Van Kaufenbergh, Luc

Previous Historization Next Historization Compare Current View

Contact Points

Contact Type	Details	Comments	From	To	View Details
Mobile	+33 38 384894				Details
Phone	+33 87 834939	Evenings after 7pm			Details
Phone	43 +31 350 22 12	Evenings after 19h00	Jan 31	Jan 31	Details
E-mail Address	pDuval@intercomnet.nl	daily check			Details

Results 1 to 4 of 4

Example of screen with client data and historic view activated with comparison

3.10 Client Opening

This chapter provides a functional overview of the CDM client opening.

The CDM Client opening provides the client relationship officer or his assistant with the following business functions:

- The creation of a client financial, risk and marketing profile by the client relationship officer/his assistant.
- The complete input the basic client information, as well as all persons/corporations acting behind the client relationship including the definition of their roles.
- The input of client accounts by the client relationship officer /his assistant.

The printing of contractual documents.

- The establishment of the client opening profile as well as the computation of the client Anti Money Laundering indicator.
- The launching and management of the client opening request.
- The validation of the opening request by the chief client relationship officer, the central file department, the legal and compliance department. If the client's AML rating is high, there will be an additional validation by the Account Opening Committee.

This section provides

- an overview of the business functions
- a detailed description of the functionality and its limitations

3.10.1 Operational Starting Points and Access to Functions

The starting point of an opening from an operational point of view will be one of the following:

- A client has been prospected and an operation has been created with the "Create a physical/corporate prospect" function. The client relationship manager has entered contact reports with this information, worked out an offering for the prospect client, and has now arrived at a point where the client agrees to opening a relationship with the bank. In this case, a client relationship with status "Prospect" is available, and the steps below are carried out on that client relationship.
- A client decides to open a relationship with the bank. A client relationship officer is assigned to handle the client's request and will create the prospect client as soon as the client relationship officer is assigned to handle the opening request.

User functions used on the context of the client opening process are accessed from the following points on the Web User Interface (WUI):

- The **Opening process** option is available on Client Relationships with status "Prospect" or "New/Opening in process".

Client Relationship	Person	Group Relationship
Search		Search All
Overview		
PM & Analysis		
Task History		
Contact History	Id 518237	
Standing Data	ne Jean & /or Anne Duval	
Profile	ed Yes	
Relationships	ag No	
Opening process	de Individual	
Process History	is Prospect	
Create Task	Perform financial profiling	
Create Contact	Perform data gathering	
Create Client Relationship	Define accounts	
	Perform opening profiling	
	Start an opening request	

Client Opening menu

- In the work items list you see all work items assigned to you in the context of the management of the opening request.
- In the launched/participating process views you can follow up all requests that you have launched or in which you are participating.

3.10.2 Client Abstract and Save and Exit Function

All of the functions below have two characteristics in common:

- A top level WUI module that we refer to as Client abstract. The client abstract provides you with key information on your client. It identifies which client relationship you are working on as well as what persons are participating to that the client relationship.
- The Save and Exit function. All business functions provided in the context of the client opening and the input of client data provide on each screen where data is entered the possibility to Save and Exit. The system will save the data you entered so far and redirect you the the client relationship overview.

3.10.3 Performing Financial Profiling

The financial profiling screenflow is a screen sequence that enables a CRO to enter key financial, risk and marketing information about his (prospect) client.

The financial and risk information is employed to select/constrain the services/products that may be offered to the client. To perform the financial profiling you:

1. Select a client.
2. Choose menu option **Opening process > Perform financial profiling**.
 The system displays the financial background. This first view displays information on the client's financial background.
3. Enter the information available on the client, then click **Next** to continue.
 The system displays the requirements and usage/Banking environment view.
4. Enter all information on what funds the client will need in the short and long term, as well as what his current banking relations with other entities in the group and other banks are. Click **Next** in order to navigate to the next screen.
 The system displays a screen where you can detail the clients' experience in investment matters.
5. Click **Next** to navigate to the next screen.
6. Define:
 - Marketing information about the client.
 - This client's potential. What do you estimate his assets to be, what is the ratio of the client's assets under management with us and his overall assets? What value do you think could achieve over a certain time span?
 - What client type are you dealing with? An active/passive investor? Any information providing a view on what should be suggested from a product offering point of view.
 - What are his typical risk parameters? Expected performance versus accepted losses.
7. Enter the information you have available/determine with the client, then click on **Submit** in order to submit the information changes.
 The system redirects you to the client relationship overview.

3.10.4 Perform Data Gathering

The data gathering screenflow focuses on gathering all the person/corporation related data: Who is acting with what role and what powers behind the client relationship?

This screenflow concentrates on entering the data necessary to satisfy compliance regulation as well as the printing of contractual documents. It does not focus on entering marketing related information such as person's hobbies etc.

The screenflow can be divided into three main functional parts:

- The first part consists of completing the basic client data
- The second part focusses on defining the account holder for the client relationship. This may, depending on the client relationship, be either one single person, a single corporation or several persons.
- The third part focusses on defining persons/corporations for the various roles that may exist behind the client relationship. This part lets you define the power of attorneys, the signatories for a corporate account etc.

The data gathering is executed based on an existing client relationship. You must launch it from an existing prospect client relationship. Although it is not mandatory, it is assumed that this prospect client relationship had been defined using the "Create Physical/Corporate Prospect" function.

1. Select the menu item **Opening process > Perform data gathering** to display the Basic Data screen.
2. Enter the basic relation information, such as the root ID to be used, the name, the type of client relationship and the code words, if the client signs with a pseudonym. The system will require you to enter a client relationship name and a root ID. Some of this information will already be defined if the client had been defined with the Create prospect function. Click **Next**.

The system will redirect you to different screens depending on the client type that you have selected. The section below provide the various steps.

3.10.4.1 Defining a corporate account holder

If the client relationship type is Corporate, then you are redirected to the Corporate account holder screen. In CDM terms, a corporate account holder is a corporation that participates to a client relationship with the role "Account Holder". As such, if we refer to *corporate account holder information*, we designate the corporation details as well as the participation comments.

If no corporate account holder is defined, you have the following options to define a corporate account holder:

- ["Entering a new corporation"](#) option to enter a new corporation.
- ["Adding existing corporation"](#) option to search and to add an existing corporation.
- ["Assigning existing corporation participant to the role"](#) option to assign one of the participating corporations to this client relationship.

Entering a new corporation

To enter a new corporation:

1. Select "New corporation" option.
The system displays a **Corporation details** blank screen.
2. Enter the corporate account holder information.
3. Enter the corporate account holder details. This covers the corporate details as well as the participation details.
4. Click the **Next** button to submit the information.

The system displays the **Corporate Account Holder** screen with the corporation being displayed.

5. Click the **Next** button.

The system redirects you to the **List of participants of type: Signatories** screen.

Adding existing corporation

To add an existing corporation:

1. Select the "Add existing corporation" option.
The system displays you with a search form.
2. Enter the corporation criteria to find the corporation that you know already exists in the database.

The system launches the search operation and displays the matching results.

3. Select the record you want to use, and click on **Pick up corporation**.
4. The system displays a corporate account holder details form, with the existing corporation details filled in. Note that depending on the security set-up, you might not have the right to edit this information.
5. (Optional) If you have access rights, revise and alter the data.
6. Click the **Add** button to add this corporation as a corporate account holder in your client relationship.
 The system displays the **corporate account holder** screen with the corporation displayed.
7. Click the **Next** button.
 The system redirects you to the **List of participants of type: Signatories** screen.

Assigning existing corporation participant to the role

To assign existing corporation participant to the role:

1. Select the "Assign existing corporation participant" option.
 The system displays a table of active existing corporations that are already participating in this client relationship, with or without a role.
2. Select one of the displayed corporations and click the **Next** button.
 The system displays a corporation details form, with the existing corporation details filled in. Note that depending on the security set-up, you might not have the right to edit this information.
3. (Optional) If you have access rights, revise and alter the data.
4. Click the **Add** button to add this corporation as a corporate account holder in your client relationship.
 The system displays the **corporate account holder** screen with the selected corporation displayed.
5. Click the **Next** button.
 The system redirects you to the **List of participants of type: Signatories** screen.

3.10.4.2 Removing an existing corporate account holder

To remove an existing corporate account holder:

1. Select the corporate account holder record displayed on the screen.
2. Click the **Remove** button.
 The corporation is removed.

3.10.4.3 Updating an existing corporate account holder information

To update an existing corporate account holder:

1. Select the corporate account holder record, and then click the **Update** button.
 The system displays a form with the corporate account holder details.
2. Update the information, then click the **Update** button.
 The corporate account holder information is updated.

3.10.4.4 Defining an individual account holder

Defining an individual account holder is similar to defining a corporate account holder (see section [Defining a corporate account holder](#)).

You have the following options to define an individual account holder:

- "Entering a new person" option to define a new person.
- "Adding an existing person" option to search and add an existing person.
- "Assigning an existing physical participant to this role" option to assign one of the participating persons to this client relationship.

The execution of these options is similar to the execution of the options for defining a corporate account holder, with the following notable differences:

- The data you define is a description of a physical person, not a corporation.
- When you define an individual account holder, you must also define whether this account holder is also the beneficial owner. If this is not the case, you will be requested at a later step to define the beneficial owner(s) of the client relationship.
- If you decide to search for an existing person, you will be presented with a search form that lets you search a person's criteria such as name/first name/maiden name/date of birth.
- When you are done defining an individual account holder using one of the options, clicking the Next button redirects to the **List of participants of type: Power of attorney** screen.

3.10.4.5 Joint/Collective account holders

If you defined the client relationship to be of type collective or joint, you will have to enter several account holders. The system redirects you to the joint/collective account holders in order to do so. Initially, the system displays an empty list since no account holders have been defined.

A drop down box presents you with the choices as you know them already from the previous chapter: Add a new person, Add an existing person, Assign a physical person to this role.

The difference between the individual account holder screen and the joint/collective account holders screen is that you can add several account holders on the joint/collective account holders screen.

Removing an existing account holder:

To remove an existing account holder:

1. Select the account holder by choosing its radio button, then select the option "Remove".
2. Click **Apply**.

The account holder is removed from the client relationship.

Updating an existing account holder:

To update an existing account holder:

1. Select the account holder by choosing its radio button, then select the option "Update".
2. Click **Apply**.

The system displays the account holder details.

3. Edit the details, then click on **Update** to update the information.

The system redirects you to the list of existing account holders.

4. When you have finished entering the account holders, click on **Next** to continue.

The system redirects you to the **List of participants of type: Power of attorney** screen.

3.10.4.6 Power of attorneys

During this step, you define the eventual physical or corporate power of attorney(s) that manage the assets of the client.

The system initially displays an empty list, since no power of attorneys has been defined yet. The functions available to do this are the same than for the joint/collective account holders with one extension. You can also add corporations as power of attorneys, so the choices available are the following:

- Enter a new person/corporation
- Add an existing person/corporation
- Assign a existing physical/corporation participant to this role
- Update (an power of attorney)
- Remove (a power of attorney)

When defining a physical or corporate power of attorney, you do not only enter the person or corporation details, but you must also define the power of attorney details:

- The signature right type
- The number of people to sign if the signature right type is jointly
- The signature amount
- Any other comments going with this power of attorney

When you have completed defining you power attorneys you click on **Next**. The system will determine the next step you will have to perform:

- If this is a corporate account, then you will be directed to the beneficial owners step
- If this is a individual/joint/collective account and none of the account holders is also the beneficial owner, you be redirected to the beneficial owners step.
- Else you will be redirected to the third party managers step

3.10.4.7 Beneficial owners

During this step, you define the beneficial owner(s) of this client relationship managed by the bank.

You perform this in exactly the same manner than when defining the power of attorney's of the client relationship.

When you define a beneficial owner, you define the physical person or corporation details plus the comments going with the participation.

When have completed defining the beneficial owners, you click onto **Next**. The system redirects you to the **List of participants of type: Third Party Manager** screen.

3.10.4.8 Third Party Managers

During this step, you define the eventual third party manager(s) that manage the assets of the client. In order to be legally entitled to do so, your client defines them to be third party manager and provides them with a third party manager power of attorney.

The way you carry this out is exactly the same way than if you define power of attorneys. The only thing that changes is the role.

When you have completed the third party managers input, you click onto **Next**. The system redirects you to a confirmation screen **Data Gathering Complete**.

You confirm by clicking on **Finish**. The system redirects you to the Client relationship overview.

3.10.4.9 Signatories

When you enter a corporate account, you must define the signatories for this corporate account. During the signatories step, you define the physical or corporate signatories on this corporate client relationship.

You do this exactly the same way than when you define power of attorneys.

3.10.5 Define Accounts

The define accounts screenflow is used to define both current and custody accounts that will be opened with the client relationship.

1. Start the create accounts screenflow by selecting the menu item **Opening process->Define accounts**.

The system displays the list of existing current accounts. Initially, this list is empty.

2. Click **Add** to add a current account

The system displays the input form for a current account.

3. Enter the account details, like current account number, the usage and description.

4. Click **Add** to add the current account.

The system redirects you to the list of current accounts, which displays the account you have just added.

5. Either select **Update** or **Remove** to update or to remove this current account.

6. Click **Next** to add custody accounts.

The system displays the list of custody accounts, which is initially empty. You can **Add**, **Remove** or **Update** a custody account from this screen.

7. Click **Add** to add a custody account.

The system displays the custody account input form.

8. Enter the custody account details such as account number, base currency, and description.

9. Click **Add** to add the custody account to the client relationship.

The system redirects you to the list of custody accounts, which now displays the custody account you have just added.

10. Either select **Update** or **Remove** to update or to remove this current account.

11. Click **Submit** to complete the accounts definition^.

3.10.6 Print contractual documents

Note: Contractual document printing system is not delivered as part of Triple'A Plus Release 12. Ignore the information presented in this section.

Using the print opening documents function, you print all the contractual documents that are required to open the relationship with the bank.

Note that depending on the bank implementation, this step might be carried out only once the client opening profile has been defined.

The following is the sequence of operations for printing all documents for a client relationship:

1. Select the client relationship you want to print the documents for. The client relationship must have status prospect or new opening in process
2. Launch the contractual document printing by selecting the menu **Opening process >Print contractual documents**.

Note: Since the client financial profiling, data gathering, and accounts creation screenflows have enabled you to enter all client data information, the data input screens are limited to one screen, where you defined the correspondence definition and the type of mandate.

It is important to understand that the packaged system comes with a sample data input screen and contracts, and that this part of the software may will change in a large degree in function of the banks contracts.

3.10.7 Perform opening profiling

The client opening profile or compliance profile screenflow enables you to enter all information concerning a client that is relevant from a due diligence and KYC obligations point of view.

Upon completion of this operation, the bank will dispose of all client background information necessary to assess on whether the bank can open the client without any reservations.

You launch the opening profile screenflow by selecting the menu entry point **Opening process**->**Perform opening profiling**. This menu point is only active if a client relationship has been selected and it has either status "Prospect" or "New/Opening in process".

1. On the first screen, enter the following information:
 - Client Description / Business and Personal Background: A thorough description of the client background and origin as well as a clear statement on whether this client is in any manner politically exposed, whether it be directly, or through family relations.
 - The client relationship opening and details: You provide details on where this client request for opening was opened, under which conditions (for instance whether there has been an absence of contact with the account holders or beneficial owners), and what the motivations for the opening are.
 - The client relationship objective: You provide a clear statement on the purpose of this client relationship.

The fields **Politically exposed client**, **Absence of personal contact with the account holder(s)/beneficial owner(s)**, and **Client relationship aim** are mandatory since they are used for the AML risk computation.

2. To navigate to the next screen, click **Next**. If any of the above mentioned fields are missing, the system displays an error message, telling you to provide this information.
3. The system displays you with a screen containing the following information
 - Origin of funds: You provide a simple categorization of the origin of the incoming funds.
 - Initial transfer: You define precisely which initial transfers, constituting the assets to manage, are to be expected. Where will they be coming from and what nature do they have.
 - Expected funds / Periodic incoming/outgoing transfers: You define whether any additional funds are to be expected over a certain time period and what periodic incoming/outgoing transfers are to be expected.
4. To navigate to the next screen, click **Next**.
5. The system computes the Client AML rating based on all the information that you have entered. In the event where any information needed for the client AML computation is missing, you are being shown an error message.
6. To save the computed AML rating, click **Submit**.

3.10.8 Client opening request management


The CDM client opening comes with a pre-packaged opening workflow, designed with Odyssey's Design Studio. The workflow models the client opening process, it describes a sample opening process as it is implemented within a private bank.

Note that a bank is prone to adapt this process during the implementation, the pre-packaged process' aim is however to limit as much as possible such adaptations. It is thought to cover the main due diligence and compliance requirements for a private bank:

- To ensure that each client is validated using the same control mechanisms
- To ensure with a formal validation by central file that the bank disposes of the required information, and that all necessary legal contracts and forms have been received
- To ensure that each client opening application is reviewed by a legal and compliance representative
- To take into consideration the client Anti Money Laundering indicator computed during the establishment of the client opening profile. Clients who have a high Anti Money Laundering value are required to be opened by an Account Opening Committee.

3.10.8.1 Overview of the client packaged opening process

The following graph illustrates the packaged opening process.



1. Client relationship officers (CRO's) or their assistants submit opening requests (SubmitRequest)
2. Chief client relationship officers (CCRO's) perform a first validation (ValidationByCCRO), in order to check that all information was provided in due manner. The CCRO may reject the request, in which case it is redirected to the requester

3. The central file departments validates that all client data has been entered in due manner and that the client dossier is complete with all the required contracts (ValidationByCF)
4. The Legal & Compliance department performs a similar check than the central file, but rather than doing this with an administrative angle of view, it performs a risk based validation. Based on the client information entered so far, it assesses whether requesting additional information may be required in order to eliminate remaining risks for the bank, or if for any other due diligence related reason, the client should not be opened.
5. If the client has been computed to be a high risk client, the account opening committee will receive the client dossier for review. (ValidationByAOC)
6. If either the client was low risk and accepted by the Legal & Compliance, or the client was high risk and accepted by the Account Opening Committee, the system updates the client relationship so that its status becomes "Open" (UpdateClientStatusToOpen). If a front to back data exportation interface has been implemented, then this is the moment where the client data is published into the other systems
7. The Central File Department completes the data input into the other IT systems (Open Client In Other IT Systems). Note that even if a front to back interface is implemented, usually some information such as the client fees or management mandate details have to be entered into systems such as the back office.
8. The client has been opened and all bank systems are ready to receive orders for this client. Both the CCRO and CRO are notified that the opening has been accepted.

3.10.8.2 A sample execution: The workflow process activities presented in detail

The following chapters present the activities outlined in the previous chapter in detail. They are describing on how you interact with the system in order to act and follow up on a client opening request.

Since there is a number of different ways the process could be executed, we are focussing on a simple low risk client successful validation.

Submission of opening request

To launch a request for a client:

1. Choose the menu option **Opening process > Start an opening request**.
The Client Abstract screen is displayed. You see the client abstract, providing you with most pertinent information on the client. Furthermore, a text area is provided to you, where you can input any comments in relation to this request.
2. Click **Report Missing Information** to navigate to a screen that will report all the missing information for this client. This function helps you to avoid unnecessary rejections of your opening request, since with it you make sure that all minimal required information has been entered. You click onto **Previous** in order to return from the missing fields screen back to the submission screen.
3. Input the comments for this client opening request and click **Submit**.
A confirmation screen is displayed.
4. Click **Ok**.

You are redirected to the Launched processes view where you see that your request has been submitted and this first activity has been completed. It tells you that a next activity called "Validation of request by CCRO" has been started, and that this activity is ready to be treated by the user "Peeters, Jop", who is the "assignee". You will also see that the validation activity has status Ready and does not yet have an owner. The moment that Jop Peeters starts working on this activity, the status will change to "Running" and the owner will be Jop Peeters. For all requests concerning client relationships, the "Related to" column will be displaying the client relationship code/root number and name. You access the concerned

client's client relationship overview by simply clicking on client relationship code/root number and name.

Process History								
Process List								
Active	Complete	Activity	Related to	Assignee	Owner	Status	Creation Date/Time	Completion Date/Time
Client opening process								
		Zenner, STARTED Aug 24, 2011 2:12 PM						
		Submission of opening request	Zenner	Peeters, Jop	Van Kaufenbergh, Luc	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 2:12 PM
		Validation of request by CCRO	Zenner		No Owner	READY	Aug 24, 2011 2:12 PM	
Number of distinct items: 2								

Viewing the request details of a running process and navigating to the client data details.

Say you are the submitter of a request, it is currently passing the various validation steps, but you are curious and want to know what comments have been provided so far. You can access those details on any process you have either launched or that you are participating to. You do this by simply clicking on the activity name of the activity. So in the view above, you click onto "Validation of request by CCRO". The system displays the comments that are contained in the request up to that point:

Process List

Client Resume
 Client Relationship Name: **Zenner**
 Root Id: 233423

Participants

Type	Name / Registered Name	Role(s)
IND. PHYS.	Zenner Maria	Attorney
IND. PHYS.	Zenner Paul	Beneficial Owner, Account Holder

Existing Comments

Date and Time	Author	Comments
Aug 24, 2011 2:12 PM	Van Kaufenbergh, Luc	Please have this opened for this Friday.

Results 1 to 1 of 1

Close

From this view, you can navigate to the client relationship overview and to each person's overview screen by clicking on their name. The main window will redirect you to the respective screens.

Re-assigning an activity

Any process being displayed on the Launched or Participating processes view can be re-assigned by the user accessing these views.

The following is an example of such an assignment. Say Jop Peeters is on holidays. He has given out the directive to his team that all requests for client opening should be assigned to his back-up during his absence, Mr Tom Smit. So what you want to do, after having launched your request, is to re-assign the validation to Tom Smit:

- Click onto the **Reassign** button displayed behind the activity with status READY
The system displays a pop-up window with a user search form.
- Enter a user code or name into the search criteria text box. Then, click on the magnifying glass to initiate the search operation.
The system displays matching records for your search operation.
- Select the user in which you want to re-assign the activity.

The system creates a copy of the activity which is assigned to the user you selected as replacement. The original activity is cancelled by the system.

Validation of request by CCRO


In the previous chapter we saw that Jop Peeters is the first validator of this request. Supposing you are that user, you will perform the following steps to validate the request:

1. Choose **Workflows(CDM)>Workitems** menu.

The system displays the activities assigned to you. The workitems view shows that for a process of type "Client opening process", the activity "Validation of request by CCRO" has been assigned to you. The request is related to the client relationship "233423 - Zenner ", and it was submitted on August 24th 2011.

2. You start the activity by clicking on "Validation of request b CCRO" link.

The activity status changes from Ready to Running and user Jop Peeters becomes the owner of the activity. The system launches the validation screenflow in a pop-up window:



Root id	Client Relationship Name	Client relationship type	Status
233423	Zenner	Individual	New/Opening in progress

Participants with one or more roles

Name/Registered name	First name	Birth/constitution date	Participant role
Zenner	Paul	Mar 17, 1967	Beneficial Owner
Zenner	Paul	Mar 17, 1967	Account Holder
Zenner	Maria	Aug 12, 1978	Attorney

Results 1 to 3 of 3

Participants without a role
The result is empty

List of comments

Comment	User	Date
Please have this opened for this Friday.	Van Kaufenbergh, Luc	Aug 24, 2011 2:12 PM

Cancel Next

The pop-up window displays a client abstract, providing you with information such as who is acting in what role behind the client relationship, and the key attributes of the client relationship. It also provides you with the list of comments entered so far on this request.

3. After you have had a view at the request comments as a validator, you will want to browse the client details. To do this, click **Cancel** and return to the workitems view. You will then navigate to the client relationship by clicking on the name displayed in the Related to column.

The system displays the Client relationship overview

4. Either navigate over the client data by following the classical CDM views or access the New Opening functions one by one under the menu Opening Process. This is done so that you have access to all client data that you will be basing your judgement on. As a CCRO, you will usually focus on the client financial profile and client opening profile information.
5. After you have reviewed all information, select again the activity displayed in the workitems list.

The first screen with the client abstract and the comments entered so far is displayed again.

6. Click **Next**.

The **Client Abstract - Decision** screen is displayed.

7. Use the drop-down field to indicate whether you accept or decline the request. Then, enter comments to justify your decision.
8. Click **Submit**.

The system performs a "check in" of this activity, defines the activity as completed, then determines the next activities and launches them.

- The participating processes view is displayed. The view informs you that the activity "Validation of request by CCRO" has been completed and that a new activity "Validation by Central File" has been started. This corresponds to the process flow outlined in section [Overview of the client packaged opening process](#). The view also lists the persons who are assigned to this activity. Each person will see the activity in his/her workitem list. As soon as one of these persons select the activity from their workitem list, they become the owner and the activity disappears from other users list.

Validation by Central file

The validation by a central file representative is carried out in a very similar manner when it comes to how the user will navigate through the application. Suppose you are Romain Schmit, who is one of the assignees for the activity "Validation by Central file".

- Choose menu option **Workflows (CDM)>Workitem list**.
- Click on the activity "Validation by Central file" on the workitem list.
The system starts the validation screenflow in a pop up window. The client abstract, as well as all comments provided up to now are displayed.
- Perform the data validation in the same manner as the CCRO. That is, you:
 - Close the pop-up window, then navigate to the client relationship overview by clicking onto the link displayed in the "Related to" column.
 - Navigate over the new opening screenflows. As a central file representative, you will usually focus on the persons, their roles, and the accounts and services/products selected. Based on this information, you validate that all contractual documents required are present, signed, and that the information on them is complete and corresponds to the information contained in the application.
- Return to the activity screenflow, then click **Next**.
The system displays the **Client Abstract - Decision** screen.
- Use the drop-down field to indicate whether you accept or decline the request. Then, enter comments to justify your decision.
- Click **Submit** to complete the activity.
The system closes the pop up window and redirects you to the participating processes view. The next activity of validating Legal and Compliance is displayed.

Validation of request by Legal and Compliance

The validation by Legal and Compliance is performed in exact the same manner than the validation by CCRO, hence we are not going to describe the user interaction in detail.

The system is updating the client to status Open.

This activity is a so called "System activity", or "System task". No human being will interact with the application in order to execute this activity.

The system will detect that such an activity has been assigned to it, and it will execute it. In our case the execution stands for updating the client relationship status to "Open".

On a processes view, a system activity is displayed like any other activity:

My Launched Processes

My Participating Processes

Process List

Active

Complete

Client opening process

233423 - Zenner, STARTED Aug 24, 2011 2:12 PM

Submission of opening request

Validation of request by CCRO

Validation by Central file

Validation of request by Legal & Compliance

Update of client status to Open by system

233423 - Zenner

233423 - Zenner

233423 - Zenner

233423 - Zenner

233423 - Zenner

Van Kaufenbergh, Luc

Peeters, Jop

Schmit, Romain

Kernhold, Bea

advisor, advisor

COMPLETED

COMPLETED

COMPLETED

COMPLETED

RUNNING

Aug 24, 2011 2:12 PM

Aug 24, 2011 2:12 PM

Aug 24, 2011 3:39 PM

Aug 24, 2011 3:44 PM

Aug 24, 2011 3:50 PM

Aug 24, 2011 2:12 PM

Aug 24, 2011 3:39 PM

Aug 24, 2011 3:44 PM

Aug 24, 2011 3:50 PM


Reassign

Number of distinct items:

Number of distinct items: 5

You see that a user called "advisor/advisor" is executing the activity "Update of client status to Open by system".

After a while, when you reload the screen, the system has finished executing the activity. The activity has been checked in and its follow up has been launched:



Process List		Related to	Assignee	Owner	Status	Creation Date/Time	Completion Date/Time	Reassign
Client opening process								
233423 - Zenner, STARTED Aug 24, 2011 2:12 PM								
☐	Submission of opening request	233423 - Zenner		Van Kaufenbergh, Luc	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 2:12 PM	
☐	Validation of request by CCRO	233423 - Zenner		Peeters, Jop	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 3:39 PM	
☐	Validation by Central file	233423 - Zenner		Schmit, Romain	COMPLETED	Aug 24, 2011 3:39 PM	Aug 24, 2011 3:44 PM	
☐	Validation of request by Legal & Compliance	233423 - Zenner		Kernholz, Bea	COMPLETED	Aug 24, 2011 3:44 PM	Aug 24, 2011 3:50 PM	
☐	Update of client status to Open by system	233423 - Zenner	advisor, advisor		COMPLETED	Aug 24, 2011 3:50 PM	Aug 24, 2011 3:52 PM	
☐	Entering of additional data into IT systems by central file staff	233423 - Zenner	Schmit, Romain	No Owner	READY	Aug 24, 2011 3:52 PM		Reassign

Number of distinct items: 6

Note that the same Central file user, who carried out the "Validation by Central file activity", is the one who will perform the input into IT systems. This is on purpose since a bank does probably want to have the same person to handle a dossier from beginning to end, and not to dispatch one validation in the same working group to 2 different persons.

Entering of additional data into IT systems by central file staff

Since CDM cannot/does not want to be master for all data related to client relationship, a central file representative will need to complete the client data in external systems.

As Schmit Romain, you will carry out this activity by performing the following steps:


1. Access your workitem list under **Workflows (CDM)>Workitem list**.
2. Select the activity from your workitem by clicking on the activity name "Entering of additional data into IT systems by central file staff".

The system displays the activity execution screenflow in a pop-window. The first screen displays, as usual, the client abstract and the list of comments entered so far.

3. Close the window and enter the client data in the other applications.
4. Return to CDM, and restart the activity by clicking on the activity name in your workitem list.

The system displays again the first screen in a pop-up window.

5. Click **Next** to navigate to the next screen
6. Enter any comments with regards to this activity, then click **Submit** to complete the activity.
7. The system closes the pop-up window and redirects you to the participating processes view. You see that two new activities have been created, which indicates to the submitter as well as the CCRO (or in our case, the person who acted as CCRO during the validation) that the opening has been accepted.



Process List		Related to	Assignee	Owner	Status	Creation Date/Time	Completion Date/Time	Reassign
Client opening process								
233423 - Zenner, STARTED Aug 24, 2011 2:12 PM								
☐	Submission of opening request	233423 - Zenner		Van Kaufenbergh, Luc	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 2:12 PM	
☐	Validation of request by CCRO	233423 - Zenner		Peeters, Jop	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 3:39 PM	
☐	Validation by Central file	233423 - Zenner		Schmit, Romain	COMPLETED	Aug 24, 2011 3:39 PM	Aug 24, 2011 3:44 PM	
☐	Validation of request by Legal & Compliance	233423 - Zenner		Kernholz, Bea	COMPLETED	Aug 24, 2011 3:44 PM	Aug 24, 2011 3:50 PM	
☐	Update of client status to Open by system	233423 - Zenner	advisor, advisor		COMPLETED	Aug 24, 2011 3:50 PM	Aug 24, 2011 3:52 PM	
☐	Entering of additional data into IT systems by central file staff	233423 - Zenner	Schmit, Romain		COMPLETED	Aug 24, 2011 3:52 PM	Aug 24, 2011 3:54 PM	
☐	Acknowledgement of opening acceptance by CCRO	233423 - Zenner	Peeters, Jop	No Owner	READY	Aug 24, 2011 3:54 PM		Reassign
☐	Acknowledgement of opening acceptance by CRO	233423 - Zenner	Van Kaufenbergh, Luc	No Owner	READY	Aug 24, 2011 3:54 PM		Reassign

Number of distinct items: 8

Acknowledgement of opening acceptance by CCRO

As explained in the previous chapter, this activity's sole purpose is to inform the CCRO that a request for opening submitted by his team has been accepted.

As Jop Peeters, you would carry out this activity by doing the following:

1. Choose **Workflows (CDM)/Workitem list** to access your workitem list.
2. Select the activity from your workitem by clicking on the activity name "Acknowledgement of opening acceptance by CCRO".

The system displays the activity execution screenflow in a pop-window. The screen displays the client abstract and the list of comments entered so far. You will also see that your request for client opening has been accepted:

Client abstract

Root Id: 233423 Client Relationship Name: Zenner Client relationship type: Individual Status: Opened

Participants with one or more roles

Name/Registered name	First name	Birth/constitution date	Participant role
Zenner	Paul		Beneficial Owner
Zenner	Paul		Account Holder
Zenner	Maria		Attorney

Results 1 to 3 of 3

Participants without a role
The result is empty

Request has been accepted

Your request has been accepted. Below are the comments submitted by the validator.
Click on submit in order to acknowledge this acceptance message and complete the process.

List of comments

Please have this opened for this Friday.	Van Kaufenbergh, Luc	Aug 24, 2011 2:12 PM
Of for me.	Peeters, Jop	Aug 24, 2011 3:39 PM
Ok for me	Schmit, Romain	Aug 24, 2011 3:44 PM
Ok for me - can be opened.	Kernholz, Bea	Aug 24, 2011 3:50 PM
Ok, information entered into PMS and back office system.	Schmit, Romain	Aug 24, 2011 3:54 PM

Cancel Submit

3. View the comments, and then click **Submit**.

The system closes the pop up window and redirects you to the participating processes view. You see that your acknowledgement activity has been completed and that the only remaining activity to be executed is "Acknowledgement of opening acceptance by CRO".

My Launched Processes My Participating Processes

Process List

Active	Complete	Activity	Related to	Assignee	Owner	Status	Creation Date/Time	Completion Date/Time	Reassign
Client opening process 233423 - Zenner, STARTED Aug 24, 2011 2:12 PM									
☒	☐	Submission of opening request	233423 - Zenner		Van Kaufenbergh, Luc	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 2:12 PM	
☒	☐	Validation of request by CCRO	233423 - Zenner		Peeters, Jop	COMPLETED	Aug 24, 2011 2:12 PM	Aug 24, 2011 3:39 PM	
☒	☐	Validation by Central file	233423 - Zenner		Schmit, Romain	COMPLETED	Aug 24, 2011 3:39 PM	Aug 24, 2011 3:44 PM	
☒	☐	Validation of request by Legal & Compliance	233423 - Zenner		Kernholz, Bea	COMPLETED	Aug 24, 2011 3:44 PM	Aug 24, 2011 3:50 PM	
☒	☐	Update of client status to Open by system	233423 - Zenner		advisor, advisor	COMPLETED	Aug 24, 2011 3:50 PM	Aug 24, 2011 3:52 PM	
☒	☐	Entering of additional data into IT systems by central file staff	233423 - Zenner		Schmit, Romain	COMPLETED	Aug 24, 2011 3:52 PM	Aug 24, 2011 3:54 PM	
☒	☐	Acknowledgement of opening acceptance by CCRO	233423 - Zenner		Peeters, Jop	COMPLETED	Aug 24, 2011 3:54 PM	Aug 24, 2011 4:01 PM	
☒	☐	Acknowledgement of opening acceptance by CRO	233423 - Zenner	Van Kaufenbergh, Luc	No Owner	READY	Aug 24, 2011 3:54 PM		Reassign

Number of distinct items: 8

Acknowledgement of opening acceptance by CRO

The interaction with the system for this activity is exactly the same than for "Acknowledgement of opening acceptance by CCRO".

3.10.8.3 Alternative scenarios: Refusal by one of the validators

If one of the validators declines the request for opening by selecting the option "I decline the request" during the validation, the activity "Acknowledge refusal of client opening" is started and assigned to the submitter of the request.

As submitter of the request, you can then decide to either accept the refusal or relaunch the request by doing the following:

1. Choose **Workflows (CDM)/Workitem list** to access your workitem list.

The system displays a workitem called "Acknowledge refusal of client opening". This is the declined request.

2. Click on the declined request workitem to open it.

The system displays the activity execution screenflow in a pop-window. The first screen displays the client abstract and the list of comments entered so far. The system also displays a message telling you that your request has been rejected, and that you may re-launch the request on the next screen.

3. Click **Next**.


The system displays a screen where you can enter your decision to either re-launch the request or accept the rejection.

4. Use the drop-down field to indicate whether you accept the refusal or want to relaunch the request. Then, enter comments to justify your decision.

- If you decided to re-launch the request, the validation process will restart from the beginning by activity.
- If you decided to accept the rejection, the system will start the activity "Update of client status to Prospect by system".

5. Click **Submit** to complete the activity.

The system closes the pop-up window and redirects you to the participating processes view. In our example, we decided to accept the rejection so the next activity displayed is "Update of client status to Prospect by system":



Process List		Related to	Assignee	Owner	Status	Creation Date/Time	Completion Date/Time	Reassign
Client opening process								
Peterson, STARTED Aug 24, 2011 4:10 PM								
☐	Submission of opening request	Peterson		Van Kaufenbergh, Luc	COMPLETED	Aug 24, 2011 4:10 PM	Aug 24, 2011 4:10 PM	
☐	Validation of request by CCRO	Peterson		Peeters, Jop	COMPLETED	Aug 24, 2011 4:10 PM	Aug 24, 2011 4:13 PM	
☐	Acknowledge refusal of client opening	Peterson		Van Kaufenbergh, Luc	COMPLETED	Aug 24, 2011 4:13 PM	Aug 24, 2011 4:22 PM	
☐	Update of client status to Prospect by system	Peterson		adviser, adviser	RUNNING	Aug 24, 2011 4:22 PM		Reassign

Number of distinct items: 4

Update of client status to Prospect by system

This activity is also a system activity. The only difference with regard to the previous one is that it changes the client status to "Prospect".

3.10.8.4 Alternative scenarios: Validation of opening request by Account Opening Committee

This validation only occurs for high risk clients. The validation by Account Opening Committee is performed in exact the same manner than the validation by CCRO, hence we are not going to describe the user interaction in detail.

It is however worthwhile to note that no separate pool of user/groups has been defined for the account opening committee. The activity remains with Legal & Compliance, and in fact the assignee is the same person than the one who performed the activity "Validation by Legal & Compliance".