



TEMENOS
The Banking Software Company

Triple'A Plus™ Web

Release 14.03

Mail Management System (MMS) User Guide



TA
Triple'A Plus™

© 2014 Odyssey Financial Technologies SA

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Odyssey Financial Technologies.

Odyssey Triple'A Plus™ is a registered trademark of TEMENOS Group. All other trademarks referenced herein are the property of their respective owners.

The Odyssey product suites use a number of third-party software products that are distributed under free or other open source licence agreements. These products are the copyright of their respective owners and are governed by their own licensing terms as indicated in the applicable licence, copying, read-me and/or help files for such products. Copies of the relevant licence agreements for these products can be found in the Triple'A Plus Open Source Software Licences Reference Guide.

In its continuous concern for customer satisfaction, Odyssey welcomes your opinion of the contents of this manual. Please send any comments to manuals@odyssey-group.com, including, if necessary, the manual title and page references.

Document Revision History

Version	Date	Description
1.30.5	20080422	Disclaimer updated
1.30.6	20090515	Updated title page to reflect new version.
11	20110403	Updated title page to reflect new version.
12	20120820	Updated title page to reflect new version.
13	20130628	Updated title page to reflect new version.
14.03	20140328	Updated title page to reflect new version.

Contents

1	Introduction	5
2	Standing Data.....	6
3	Searching the mailbox.....	9
4	Searching the client's mailbox history	11
5	Hold Mail rule	12
5.1	Defining a Hold Mail rule	12
5.2	Viewing Hold Mail rules	13
5.3	Modifying Hold Mail rules.....	13
5.4	Deleting Hold Mail rules.....	14
5.5	Hold Mail productions.....	14
5.5.1	Hold Mail printing from the Distribution Rule screen	14
5.5.2	Hold Mail printing from the mailbox	14
6	Send Mail rule.....	17
6.1	Defining Send Mail rules	17
6.2	Viewing Send Mail rules.....	19
6.3	Modifying Send Mail rules	19
6.4	Deleting Send Mail rules	20
7	Subscription rule	21
7.1	Defining Subscription rules	21
7.2	Viewing Subscription rules	22
7.3	Modifying Subscription rules	22
7.4	Deleting Subscription rules	23

1 Introduction

This document describes how to use the Mail Management System (MMS) module and illustrates which business processes can be covered using it. The target audience are bank representatives as well as end users.


The Mail Management System module of Triple'A Plus is responsible for managing the storing and the distribution of documents. The Mail Management System provides a Java graphical user interface (GUI) application for managing the administrative tasks and Web user interface (WUI) screens for entering the document distribution rules and viewing these documents stored in the mailbox and mailing history.

The Mail Management System WUI module includes a mini version of the Client Data Management module (CDM). CDM client relation is the common entry point for the Mail Management System. When viewing a client relation on the **Standing Data** tab, you can see the distribution rules entered. You can also access the Mailbox and Mail History by clicking on the relevant tabs.

2 Standing Data

The purpose of Standing Data is to propose a synthetic view in which you can check related data at a glance.

1. To open Standing Data, click on **Overview > Standing Data**.
2. For a more detailed standing data for a client relationship, click on **Standing Data > Client Relationship Details**.
3. Click on the **Overview** menu item to open the window below:



The screenshot shows the 'Client Data Management' window with the 'Client Relationship' tab selected. The window displays various fields for client information, including Root Id, Client Relationship Name, Audited status, and Client relationship type. It also includes a table for Participants and a table for Distribution Rules.

Client Relationship Details:

- Root Id: 1502
- Client Relationship Name: JOL Odyssey
- Audited: Yes
- Numbered Client Flag: Undefined
- Client relationship type: Individual
- Status: Opened
- Opening Date (dd.mm.yyyy):
- Opened by:
- Close Date (dd.mm.yyyy):
- Main Account Holder: J Odyssey
- Client signs with pseudonym Flag: Undefined
- Pseudonym/Code Word: JOL
- Street Number: 8
- Street: Ask Street
- Postal Code: L2713
- City: London
- Country Code: UNITED KINGDOM

Participants:

Type	Name / Registered Name	Role(s)	Signature right type	Amount	Currency	Comments	View Details	Close
IND. LEO.	Aries computer		Individual	0.00			Details	
IND. PHYS.	Odyssey J	Account Holder	Individual	0.00			Details	
IND. PHYS.	Richard Green	Director	Jointly (I)	0.00			Details	

Results 1 to 3 of 3

Managers / Groups:

- Dehog, Janine (Commercial Manager)
- advisor, advisor (Administrative Manager)
- Bank XYZ Geneva Branch (Managing Service Desk)
- Bank XYZ Zurich Branch (Legal and Compliance)

Main Contact Points:


The result is empty

Distribution Rules:

Delivery Type	Qualifier	Mailing Address	Document Address	Original	View
HOLD	Mrs	Undefined	L-2722 LU : LUXEMBOURG Lux		Details
SEND	Mrs	L-2713 GB : UNITED KINGDOM London	Undefined		Details
SEND	Mrs	L-2713 GB : UNITED KINGDOM London	Undefined		Details
SEND	Mrs	L-2713 GB : UNITED KINGDOM London	L-2713 GB : UNITED KINGDOM London		Details
Subscription	No Address	No Address	No Address		Details

Standing Data > Client Relationship Details

4. In this **Standing Data** tab, Distribution rules are available in the bottom panel of the screen. To check the details, press the related **Details** button of the distribution rule you want to see.
5. Click on the **Standing Data** menu item to open the window below:



Mail Management System screen, Standing Data menu item

- Click on the **Distribution Rules** tab to set distribution rules.

Distribution Rules


A Mail Distribution rule defines when, where, how often, and the type of document (or functional meaning) that is going to be sent.

The Mail Management System supports three types of distribution rules:

- [Hold Mail rule](#)
- [Send Mail rule](#)
- [Subscription rule](#)

For Hold Mail and Send Mail rules, the Mail Management System uses the participant's contacts point related to the client relationship. The contact points can either be used as a mailing address or as a document address.

The distribution rules can be defined, modified and deleted from the **Distribution Rules** tab on the **Standing Data** tab.



Delivery Type	Qualifier	Mailing Address	Document Address	Original	View	Remove	Modify
HOLD	Undefined	L-2722 LU : LUXEMBOURG Lux	L-2722 LU : LUXEMBOURG Lux	☒	View	Remove	Modify
HOLD	Undefined	L-2722 LU : LUXEMBOURG Lux	L-2722 LU : LUXEMBOURG Lux	☒	View	Remove	Modify
SEND	L-2722 LU : LUXEMBOURG Lux	L-2722 LU : LUXEMBOURG Lux	L-2722 LU : LUXEMBOURG Lux	☒	View	Remove	Modify
Subscription	No Address	No Address	No Address	☐	View	Remove	Modify

Results 1 to 4 of 4

[Subscription](#) [HoldMail](#) [SendMail](#)


Distribution Rules tab

Field	Description
Delivery type	Represents the three different types of elements in the list.
Mailing Address	The Mailing Address is the physical address to which a Send distribution rule must be mailed. Those addresses are maintained in CDM (contact points of a participating person). The contact point is stored in the CDM system. The production engine uses this mailing address; it also adds this address on the envelope cover page (if defined).

Field	Description
Document Address	The Document Address is the description of the contact point (domicile address or postal address) associated to the mail distribution rules. If defined, this contact point detail will stand on the document instead of the mailing address. The contact point is stored in the CDM system. The production engine uses the document address; it adds this address on document only if it is present.
Original (Document)	Indicates that all documents belonging to this mail distribution rule and this correspondent will be considered as original ones. An original document is free of any Copy and/or Duplicate flag on the document.

3 Searching the mailbox

The mailbox is the repository of all documents created for a correspondent. Click on the **Overview** menu item to get to the Mailbox.



The screenshot shows the 'Mailbox' tab in a software interface. It includes a 'Filters' section with fields for Functional Type, From Date, To Date, Document Reference, Document Content, and Hold Mail Documents. Below the filters is a table with columns: Selected, Document Reference, Document Type, Submitted Date, Document Language, and Open. The table contains four rows of document entries. At the bottom right, it says 'Results 1 to 4 of 4'.

Selected	Document Reference	Document Type	Submitted Date	Document Language	Open
☐	1503_Valuation_FR_05052006.pdf	JOL_Sub-Type_Valuation	Feb 5, 2008 11:03 AM	French	Open
☐	1503_Valuation_EN_05052006.pdf	JOL_Sub-Type_Valuation	Feb 5, 2008 11:03 AM	English	Open
☐	1503_Statement_FR_05052006.pdf	Statement	Feb 5, 2008 11:03 AM	French	Open
☐	1503_Statement_EN_05052006.pdf	Statement	Feb 5, 2008 11:03 AM	English	Open

Mailbox tab


Note: Once these documents are produced and printed, they are archived. It is important to make a difference between documents contained in the mailbox and archived documents. Archived documents are a copy of the documents in the mailbox with the address information embedded. When accessing this tab, a search is automatically performed on the database returning the current documents.

You have three options for searching the mailbox:

- **Get All:** Uses no filters and returns all documents, including invalid documents.
- **Today's Documents:** Returns the documents entered into Mail Management System today, including the documents that are invalid.
- **Search:** Returns the documents based on the criteria entered in the filter criteria. The filters are described below.

Field	Description
Functional Type	Select a functional type from the drop-down list to filter on a particular document type, e.g. Valuation, Statement, Confirmation, etc.
From Date	Select a date from the calendar for when the documents have been produced.
To Date	Select the end date from the calendar for when the documents have been produced.
Document Reference	This parameter filters on the name of the document purpose.
Document Content	Enter a word or set of words to search for in the documents.
Hold Mail Documents	Tick this check box to filter Hold Mail documents only.

Click on the **Open** button to view the customer's documents. This opens a pop-up window showing the document as presented below: **(Note that all documents are first viewed as duplicates)**




Customer document view

Click on the buttons at the bottom of the screen to view other characteristics of the document, such as its audit history or its meta-data:

- The **History Entries** button shows all actions and events taken on this document. For example, when it was integrated into the Mail Management System, when it was produced, or each time it has been viewed.
- The **Properties** button shows the meta-data linked to this document. The meta-data linked to a document can be used when defining distribution rules.
- The **Original** button retrieves the original document from the client's mailbox without the word 'Duplicate' embedded on the document. For this action you need the necessary access rights.

4 Searching the client's mailbox history

The Mailbox History is the repository of all productions performed by the Mail Management System. Click on the **Overview** menu item to get to the **Mailbox History** tab.



Mailbox History tab

This mailbox contains all documents that have been produced (print, email, fax) by the Send Mail production or by a Hold Mail print. The difference between the Mailbox History and the Mailbox is that the Mailbox History contains documents with the address embedded in it, while the Mailbox does not.

The document in the Mailbox History represents the legal copy of the document.

To search documents fill in the searchable fields in **Mailbox History** tab:


Field	Description
Functional Type	Select a functional type from the drop-down list to filter on a particular document type, e.g. Valuation, Statement, Confirmation, etc.
From Date	Select a date from the calendar, for when the documents has been produced.
To Date	Select the end date from the calendar, for when the documents have been produced.
Document Reference	This parameter filters on the name of the document purpose.
Document Content	Enter a word or set of words to search for in the document.
Hold Mail Documents	Tick this check box to filter Hold Mail documents only.

5 Hold Mail rule

A Hold Mail rule is used when the client's documents are kept in the mailbox. Documents are produced when the client requests for the documents upon the client's visit. A client relation can have a Hold Mail rule set; the documents kept in the mailbox are **not** processed by the Mail Manager's production engine. With a Hold Mail rule, you can run a Hold Mail production that will print all the documents since the client's last visit date.

5.1 Defining a Hold Mail rule

1. On the **Distribution Rule** tab, click on the **HoldMail** button to create a new Hold Mail rule. This opens the window shown below:



Hold Mail rule

2. Enter the necessary data for creating the Hold Mail rule:

Field	Description
Enabled	A distribution rule can be enabled or disabled. If it is disabled, the production will not consider this distribution rule.
Extra Copies	Number of copies to be produced with the original document. The document will be printed with a 'Copy' stamp on the top right corner of the page.
Distribution Language	This is the language in which the document will be sent. If documents (associated to this correspondent) are not available in this language, the production will produce the document in the default language (see Mail Management Production for more details).
Primary Document	Indicates that all documents that belong to this distribution rule and correspondent are considered as original. An original document is free of any 'Copy' and/or 'Duplicate' flag embedded in the document.
Functional Type Selection	Defines the type of information to be dispatched. Examples are account extracts, order confirmations, or portfolio reports. Functional type is used to "group" all the functional types for a certain group of information. A functional type group is for example "all portfolio reports". These functional types are set up during the implementation of the Mail Management System. Activate the required radio button: All Functional Type: If set, the rule will apply to all documents that are in the mailbox. Functional Type: Documents belonging to this functional type will be processed. Functional types are set in the Integrator menu. Functional Type Group: Documents belonging to this functional type group will be processed. Functional type groups are set in the Integrator menu.
Last visit date	Last time the customer came to the bank to retrieve his documents.

3. Click the **Next** button to open the window for defining an address. On that window, click **Select** to get to the list of available addresses for your client.

Add Document Address			
Contact Type	Qualifier	Contact Details	
DOMICILE_ADDRESS	Miss Zoe Beaulah	E5 7GZ GB : UNITED KINGDOM	Pick Up
DOMICILE_ADDRESS		L-2722 LU : LUXEMBOURG Lux	Pick Up
EMAIL_ADDRESS		Zoe@gmail.com	Pick Up
EMAIL_ADDRESS		Aries@yahoo.com	Pick Up

Results 1 to 4 of 4

Add Document Address

- Use the **Pick Up** button to select the address you want to use for the document.
The document address is optional and will be placed on the document if available.
- Click **Next** to get to the final screen where you can create and save your Hold Mail distribution rule. To do so, click **Save**.

5.2 Viewing Hold Mail rules

On the **Distribution Rule** tab, click on the **View** button of the Hold Mail rule you want to see. See section [Distribution Rules](#) for details on that tab.

Click on the **View** button to open the window containing the information on the Hold Mail distribution rule. See section [Defining a Hold Mail rule](#) for details on that screen.

To print the documents for this Hold Mail rule, click on the **Print** button. This sends the document to a secured printer defined on the production module.

5.3 Modifying Hold Mail rules

- On the **Distribution Rule** tab, click on the **Modify** button of the Hold Mail rule you want to change. See section [Distribution Rules](#) for details on that tab.
- Click on the **Modify** button to open the window containing the information on the Hold Mail distribution rule. See section [Defining a Hold Mail rule](#) for details on that screen.
- Modify the necessary data, then click the **Save** button to save changes.

Field	Description
Enabled	A distribution rule can be enabled or disabled. If it is disabled, the production will not consider this distribution rule.
Extra Copies	Number of copies to be produced with the original document. The document will be printed with a 'Copy' stamp on the top right corner of the page.
Distribution Language	This is the language in which the document will be sent. If documents (associated to this correspondent) are not available in this language, the production will produce the document in the default language (see Mail management Production for more details).
Primary Document	Indicates that all documents that belong to this distribution rule and correspondent are considered as original. An original document is free of any 'Copy' and/or 'Duplicate' flag embedded in the document.

Field	Description
Functional Type Selection	Defines the type of information to be dispatched. Examples are account extracts, order confirmations, or portfolio reports. Functional type is used to "group" all the functional types for a certain group of information. A functional type group is for example "all portfolio reports". These functional types are set up during the implementation of the Mail Management System. Activate the required radio button: All Functional Type: If set, the rule will apply to all documents that are in the mailbox. Functional Type: Documents belonging to this functional type will be processed. Functional types are set in the Integrator menu. Functional Type Group: Documents belonging to this functional type group will be processed. Functional type groups are set in the Integrator menu.

4. Modify the necessary data, then click on the **Save** button to save changes.

5.4 Deleting Hold Mail rules

On the **Distribution Rule** tab, click on the **Remove** button of the Hold Mail rule you want to delete. A confirmation screen pops up. On this, click the **Remove** button to confirm that you want to remove the distribution rule. Click **Cancel** to abort the deletion.

5.5 Hold Mail productions

In the Mail Management System, there are two ways of printing documents for Hold Mail clients. They can either be printed from the distribution rule screen or from the mailbox.

5.5.1 Hold Mail printing from the Distribution Rule screen

When printing from the Distribution Rule screen, the documents will be printed according to the filters set up on the Distribution Rule. It is only possible to print documents on the day of visit or after the last day the client visited.


1. To run a Hold Mail production from a distribution rule, click on the **Distribution Rules** tab.
2. Click on the **View** button to open the window containing the information on the Hold Mail distribution rule. See section [Defining a Hold Mail rule](#) for details on that screen.
3. To print the documents for this Hold Mail rule, click on the **Print** button. A screen opens showing the documents that are going to be printed.
4. You can change the order of the documents by clicking on the column header. The order of the documents in this window is the order in which the documents will be printed.
5. Click again the **Print** button. If you want to abort the process, click on **Cancel**.

When the Hold Mail print process is completed, the Mail Management System will inform you about the printer to which the documents were sent.

5.5.2 Hold Mail printing from the mailbox

When printing from the mailbox, you can choose which documents you want to print.

1. To run a Hold Mail production from the mailbox, click on the **Mailbox** tab.




The screenshot shows the 'Mailbox Items' window. It has a 'Filters' section on the left with fields for Functional Type, From Date, To Date, Document Reference, Document Content, and Hold Mail Documents. The main area is a table with columns: Selected, Document Reference, Document Type, Submitted Date, Document Language, and Open. Four items are listed, with the first three having their 'Selected' checkboxes checked. At the bottom right, there are buttons for 'Select All', 'Un Select All', and 'Print' (which is highlighted with a red box). The status bar at the bottom right says 'Results 1 to 4 of 4'.

Selected	Document Reference	Document Type	Submitted Date	Document Language	Open
☐	1503_Valuation_FR_05052006.pdf	JOL_Sub-Type_Valuation	Feb 5, 2008 11:03 AM	French	Open
☒	1503_Valuation_EN_05052006.pdf	JOL_Sub-Type_Valuation	Feb 5, 2008 11:03 AM	English	Open
☒	1503_Statement_FR_05052006.pdf	Statement	Feb 5, 2008 11:03 AM	French	Open
☒	1503_Statement_EN_05052006.pdf	Statement	Feb 5, 2008 11:03 AM	English	Open

Mailbox Items

2. Tick the check box for each document you want print or click the **Select All** button. Then click the **Print** button.

A window showing all the Hold Mail rules set up for the client relation pops up:



The screenshot shows the 'Choose Document Address' window. It has a table with columns: Select, Delivery, Paper Address, and Original. There are three rows, each with a radio button in the 'Select' column and a checkbox in the 'Original' column. The first row is selected. At the bottom right, it says 'Results 1 to 3 of 3'.

Select	Delivery	Paper Address	Original
☒	HOLD	L-2722 LU : LUXEMBOURG Lux	☒
☐	HOLD		☐
☐	HOLD	E5 7GZ GB : UNITED KINGDOM	☐

Choose Document Address

3. Select which Hold Mail rule you want to use for this Hold Mail production, because that rule determines the address to be added to the document. An address consists of the following information:

Field	Description
Qualifiers	Additional information that will be printed on the envelope. (“To the attention of ...”, “Doctor”, etc.). This is a 3 lines free text.
Street number	Street number of the domicile address.
Street	Street name of the domicile address.
Postal code	Postal code of the domicile address.
City	City of the domicile address.
Region	Region of the domicile address.
Country code	Country of the domicile address.
P.B.	Postal box of the domicile address.
Address Line 1..7	Use these fields in the case the address is not formatted.

4. Click on the **Next** button to open the Printing Options screen. Here you can override some options of the distribution rule, like deciding to print extra copies.

Printing Options	
Hold Mail Options	
Original Document	☒
Extra Copies	1
Last Visite Date	21.02.2008
Printer Choice	
Local Printer	☒
Network Printer	☐

Printing Options for Hold Mail


5. You also can choose printing the documents on the Hold Mail printer defined in the production module (Network Printer) or to have the documents merged and displayed on your screen (Local Printer). If you select the local printer, you can decide whether to print the merged document from your machine. Click on the **Print** button to print the documents.

6 Send Mail rule

A client relation can also have a Send Mail rule. With this type of rule, the production process takes charge of the printing of document for this client according the distribution rule.

6.1 Defining Send Mail rules

1. On the **Distribution Rule** tab, click on the **SendMail** button to create a new Send Mail rule. This opens the window:




Distribution Rule Send Mail

2. Enter the necessary data for creating the Send Mail rule:

Field	Description
Enabled	A distribution rule can be enabled or disabled. If it is disabled, the production will not consider this distribution rule. Note: This is the status information. A rule can be disabled only by the system. You as a user are not allowed to disable a rule.
Extra Copies	Number of copies to be produced with the original document. The document will be printed with a 'Copy' stamp on the top right corner of the page.
Distribution Language	Select a language from the drop-down list. Only languages available on your system can be selected. If documents (associated to this correspondent) are not available in this language, the production will use the default language (see Mail Management Production for more details).
Primary Document	If this check box is ticked, 'Duplicate' or 'Copy' will not be mentioned on the document (Note: This applies only if the document has already been printed and you do not have the right to reprint an original.)
Custom Filter	This option activates the Custom Filter tab. It is used to refine (exclude/include) documents to be considered by the distribution rule.

Field	Description
Functional Type Selection	Defines the type of information to be dispatched. Examples are account extracts, order confirmations, or portfolio reports. Functional type is used to "group" all the functional types for a certain group of information. A functional type group is for example "all portfolio reports". These functional types are set up during the implementation of the Mail Management System. Activate the required radio button: All Functional Type: If set, the rule will apply to all documents that are in the mailbox. Functional Type: Documents belonging to this functional type will be processed. Functional types are set in the Integrator menu. Functional Type Group: Documents belonging to this functional type group will be processed. Functional type groups are set in the Integrator menu.
Activation Date	The date to which the integration (submitted date of the file) distribution rule should apply.
Category	Freely defined field on which a production run could be sorted.
Frequency Type	Different frequencies that determines when the rule will be applied. (Available only when "Send Mail" is selected).
Day of Month	If the chosen frequency is "Monthly", this option allows the selecting of the day for when the mailing will be sent (or printed). By default, the first day is selected. Current values will be for example 15 or 25.
Next Production Date	Defines the next date for which the documents of the mailbox must be produced.
Last Production Date	The last time the document was sent (or printed). This is set by the system.

- Click the **Next** button to open the window for defining an address. On that window, click **Select** to get to the list of available addresses for your client.



Contact Type	Qualifier	Contact Details	
DOMICILE_ADDRESS	Miss Zoe Beaulah	E5 7GZ GB : UNITED KINGDOM	Pick Up
DOMICILE_ADDRESS		L-2722 LU : LUXEMBOURG Lux	Pick Up
EMAIL_ADDRESS		Zoe@gmail.com	Pick Up
EMAIL_ADDRESS		Aries@yahoo.com	Pick Up

Results 1 to 4 of 4

Add Document Address

- Use the **Pick Up** button to select the address you want to use for the document.
- An address consists of the following information:

Field	Description
Qualifiers	Additional information that will be printed on the envelope. ("To the attention of ...", "Doctor", etc.). This is a 3 lines free text.
Street number	Street number of the domicile address.
Street	Street name of the domicile address.
Postal code	Postal code of the domicile address.
City	City of the domicile address.

Field	Description
Region	Region of the domicile address.
Country code	Country of the domicile address.
P.B.	Postal box of the domicile address.
Address Line 1..7	Use these fields in the case the address is not formatted.

The mailing address is mandatory for the Send Mail rule. The document address is optional and will be placed on the document if available.

- Click **Next** to get to the final screen where you can create and save your Send Mail distribution rule. To do so, click **Save**.

6.2 Viewing Send Mail rules

- On the **Distribution Rule** tab, click on the **View** button of the Send Mail rule you want to see. See section [Distribution Rules](#) for details on that tab.
- Click on the **View** button to open the window containing the information on the Send Mail distribution rule. See section [Defining Send Mail rule](#) for details on that screen.
- To print the documents for this Send Mail rule, click on the **Print** button. This sends the document to a secured printer defined on the production module.

6.3 Modifying Send Mail rules

- On the **Distribution Rule** tab, click on the **Modify** button of the Send Mail rule you want to change. See section [Distribution Rules](#) for details on that tab.
- Click on the **Modify** button to open the window containing the information on the Send Mail distribution rule. See section [Defining Send Mail rule](#) for details on that screen.
- Modify the necessary data, then click the **Save** button to save changes.

Field	Description
Enabled	A distribution rule can be enabled or disabled. If it is disabled, the production will not consider this distribution rule.
Extra Copies	Number of copies to be produced with the original document. The document will be printed with a 'Copy' stamp on the top right corner of the page.
Distribution Language	This is the language in which the document will be sent. If documents (associated to this correspondent) are not available in this language, the production will produce the document in the default language (see Mail management Production for more details).
Primary Document	Indicates that all documents that belong to this distribution rule and correspondent are considered as original. An original document is free of any 'Copy' and/or 'Duplicate' flag embedded in the document.
Custom Filter	This option activates the Custom Filter tab. It is used to refine (exclude/include) documents to be considered by the distribution rule.

Field	Description
Functional Type Selection	Defines the type of information to be dispatched. Examples are account extracts, order confirmations, or portfolio reports. Functional type is used to "group" all the functional types for a certain group of information. A functional type group is for example "all portfolio reports". These functional types are set up during the implementation of the Mail Management System. Activate the required radio button: All Functional Type: If set, the rule will apply to all documents that are in the mailbox. Functional Type: Documents belonging to this functional type will be processed. Functional types are set in the Integrator menu. Functional Type Group: Documents belonging to this functional type group will be processed. Functional type groups are set in the Integrator menu.

4. Modify the necessary data, then click on the **Save** button to save changes.

6.4 Deleting Send Mail rules

1. On the **Distribution Rule** tab, click on the **Remove** button of the Send Mail rule you want to delete.
2. On the confirmation screen that pops up, click the **Remove** button to confirm that you want to remove the distribution rule. Click **Cancel** to abort the deletion.

7 Subscription rule


A Subscription rule defines the policy applying to the mailbox content while exporting documents. This type of rule is typically used if you provide a portal for the clients to access their documents. In this case, a Subscription rule is created in the Mail Management System and the export process will place the targeted documents into a dedicated folder.

It is usually defined by:

- Related correspondent (root),
- Document functional type, and
- An output resource.

7.1 Defining Subscription rules

1. On the **Distribution Rule** tab, click on the **Subscription** button to create a new Subscription rule. This opens the **Distribution Rule** window:



The screenshot shows the 'Distribution Rule' window with the 'Subscription Rule' tab selected. The window contains the following fields and controls:

- Description:** A text input field.
- Enabled:** A checkbox that is checked.
- Opening/Reachability start date (dd.mm.yyyy):** A date picker showing '27.02.2008'.
- Close/Reachability Stop date (dd.mm.yyyy):** A date picker.
- Distribution Language:** A list box showing 'French', 'German', 'Italian', 'English', and 'Spanish'. To the right are '>>' and '<<' buttons. Further right is a box containing 'English'.
- Retro Active Days:** A text input field showing '360'.
- Functional Type Selection:** A section with three radio buttons: 'All Functional Type', 'Functional Type' (which is selected), and 'Functional Type Group'. To the right of these is a dropdown menu showing 'Valuation - JOL_Sub-Type_Valuation'.
- Output:** A dropdown menu showing 'Standard Output'.

Distribution Rule Subscription

2. Enter the necessary data for creating the Subscription rule:

Field	Description
Description	Information about the rule. It is usually filled by the interface that creates the subscription rule.
Enabled	A subscription rule can be enabled or disabled. If it is disabled, the document export process will not be considered for this client distribution. The rule is also disabled when the stop date is reached.
Opening/Reachability Start Date	Rule activation date.
Opening/Reachability Stop Date	Expiry date for subscription rules. Correspondent will not receive any more documents via the Web.

Field	Description
Distribution language	Select one or more languages. When documents (associated to this correspondent) are not available in this language, production will use the default language.
Retro active day(s)	Retro active days are the number of days before the start date of the rule. The export process will take into account mailbox documents since the start date minus the retro active days.
Functional Type Selection	Defines the type of information to be dispatched. Examples are account extracts, order confirmations, or portfolio reports. Functional type "groups" hold all the functional types for a certain category of information. A functional type group is for example "all portfolio reports". These functional types are set up during the implementation of the Mail Management System. Activate the required radio button: All Functional Type: If set, the rule will apply to all documents that are in the mailbox. Functional Type: Documents belonging to this functional type will be processed. Functional types are set in the Integrator menu. Functional Type Group: Documents belonging to this functional type group will be processed. Functional type groups are set in the Integrator menu.
Output	This is the output description where are exported the mailbox documents

Note: In case a subscription rule has no related address defined, the mailbox export will not add an address on the documents.

- Click on the **Save** button to create the Subscription distribution rule.

7.2 Viewing Subscription rules

- On the **Distribution Rule** tab, click on the **View** button of the Subscription rule you want to see. See section [Distribution Rules](#) for details on that tab.
- Click on the **View** button to open the window containing the information on the Subscription distribution rule. See section [Defining Subscription rule](#) for details on that screen.

7.3 Modifying Subscription rules

- On the **Distribution Rule** tab, click on the **Modify** button of the Subscription rule you want to change. See section [Distribution Rules](#) for details on that tab.
- Click on the **Modify** button to open the window containing the information on the Subscription distribution rule. See section [Defining Subscription rule](#) for details on that screen.
- Modify the necessary data, then click the **Save** button to save changes.

Field	Description
Description	Information about the rule. It is usually filled by the interface that creates the subscription rule.
Enabled	A subscription rule can be enabled or disabled. If it is disabled, the document export process will not be considered for this client distribution. The rule is also disabled when the stop date is reached.

Field	Description
Opening/ Reachability Start Date	Rule activation date.
Opening/ Reachability Stop Date	Expiry date for subscription rules. Correspondent will not receive any more documents via the Web.
Distribution language	Select one or more languages. When documents (associated to this correspondent) are not available in this language, production will use the default language.
Retroactive day(s)	Retroactive days are the number of days before the start date of the rule. The export process will take into account mailbox documents since the start date minus the retroactive days.
Output	This is the output description where are exported the mailbox documents.

Note: In case a subscription rule has no related address defined, the mailbox export will not add an address on the documents.

7.4 Deleting Subscription rules

1. On the **Distribution Rule** tab, click on the **Remove** button of the Subscription rule you want to delete.
2. On the confirmation screen that pops up, click the **Remove** button to confirm that you want to remove the distribution rule. Click **Cancel** to abort the deletion.