



TEMENOS
The Banking Software Company

Triple'A Plus™ Web

Release 14.03

Task and Contact Management User Guide



TA
Triple'A Plus™

© 2014 Odyssey Financial Technologies SA

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Odyssey Financial Technologies.

Odyssey Triple'A Plus™ is a registered trademark of TEMENOS Group. All other trademarks referenced herein are the property of their respective owners.

The Odyssey product suites use a number of third-party software products that are distributed under free or other open source licence agreements. These products are the copyright of their respective owners and are governed by their own licensing terms as indicated in the applicable licence, copying, read-me and/or help files for such products. Copies of the relevant licence agreements for these products can be found in the *Triple'A Plus Open Source Software Licences Reference Guide*.

In its continuous concern for customer satisfaction, Odyssey welcomes your opinion of the contents of this manual. Please send any comments to manuals@odyssey-group.com, including, if necessary, the manual title and page references.

Document Revision History

Version	Date	Description
1.30.2	20071218	"Copying a Contact" added
1.30.4	20080218	Update of section "Viewing Contact History" "Filtering on Tasks" added Moved all customisation descriptions to the CACM Customisation Guide
1.30.5	20080416	Add <Reminder> explanations on Tasks and Work Items
	20080422	Disclaimer updated
	20080425	"Delete" is replaced by "Send task to bin" in the Task History
	20080428	Update of many screenshots
	20080909	Removed description for field "Reminder" in section "Creating an assigned task"
1.30.6	20090515	Changed title page only to reflect new version. No revisions to other sections of document.
	20090603	MCQ: It is now possible to query contact reports on HEART and to display them as HEART query result. Workitems view: The workitems view is now the renderer based view that is used everywhere else. Views on processes: The views on processes are now the renderer based views.
1.30.6 SP1	20090907	Added chapter dedicated to "Multi-Criteria Query (MCQ) Engine" (previously in Monitoring User Guide) and moved part dedicated to monitoring (such as daily outlook) into the Monitoring User Guide
1.30.6SP2	20100108	PCC-14530 Added limitation for reason description
11	20110728	OCS-38756: Changed document name from <i>Triple'A Plus CACM User Guide</i> to <i>Triple'A Plus Web TCM User Guide</i> , to reflect replacement of the term Collaborative Advice and Contact Management (CACM) with Task and Contact Management (TCM).
	20110728	OCS-38759: Removed all references to Multi-Criteria Query (MCQ), HEART, workflows and interactive documents from sections Creating simple tasks , Creating assigned tasks , Assigning simple tasks , Client and Portfolio tasks , Client and Portfolio contacts , and Notifications .
	20110728	OCS-38738: Updated all screenshots to be consistent with release 11.
	20110728	OCS-38791: Moved section "Rich Text Format Tool for free text fields" to <i>Triple'A Plus Web User Guide</i> .
	20110818	OCS-38817: Updated sections Client and Portfolio tasks and Client and Portfolio contacts regarding the access of tasks and contacts from the Portfolio Analysis tab.
	20120802	OCS-40373: Updated chapter Notifications to describe the new notification infrastructure
	20120803	OCS-40354: Added section TCM data available in TSL searches to explain queries on CDM/TCM.
12	20120820	Updated title page to reflect new version.

Version	Date	Description
13	20130628	Updated title page to reflect new version.
14.03	20140328	Updated title page to reflect new version.

Contents

1	Introduction	7
2	Tasks.....	8
2.1	Definitions.....	8
2.1.1	Single tasks	8
2.1.2	Assigned tasks	9
2.2	Administrating tasks	10
2.2.1	Creating simple tasks	11
2.2.2	Creating assigned tasks	12
2.2.3	Assigning simple tasks.....	14
2.2.4	Viewing tasks from Assigner's view.....	15
2.2.5	Viewing tasks from Assignee's view	15
2.2.6	Accepting / refusing / reassigning assigned tasks	16
2.2.7	Tracking and editing tasks.....	16
2.2.8	Retrieving task history	16
2.2.9	Deleting simple tasks.....	20
2.2.10	Cancelling simple tasks	20
2.2.11	Deleting and cancelling assigned tasks.....	21
2.3	Client and Portfolio tasks	21
2.3.1	Assessing Client tasks.....	22
2.3.2	Assessing Portfolio tasks	22
2.4	Task reminders	22
2.4.1	Reminder rules for simple tasks	22
2.4.2	Reminder rules for assigned tasks	23
3	Contacts	25
3.1	Definition	25
3.2	Business security, settings and standard behaviour.....	26
3.3	Administrating Contacts	26
3.3.1	Creating Contacts	26
3.3.2	Retrieving Contact history	29
3.3.3	Editing Contacts.....	31
3.3.4	Deleting Contacts.....	31
3.3.5	Copying Contacts	31
3.3.6	Modelling Contacts	32
3.4	Client and Portfolio contacts.....	33

3.4.1	Assessing Client contacts	33
3.4.2	Assessing Portfolio contacts.....	34
3.5	Automatic Contact creation after task completion	34
4	Notifications	36
4.1	Managing Notifications	37
5	TCM data available in TSL searches	38

1 Introduction

This user guide describes how to use the Task and Contact Management (TCM) component and its processes. This guide provides an overview of the business scenarios that can be covered with TCM. The target audience is bank representatives and end users.

The chapters related to Tasks and Contacts describe the functional coverage of the two key functions of the Triple'A Plus Web tasks and contacts module. This information is primarily intended for end users and business consultants. Some sections might be of interest to system administrators.

In former versions of Triple'A Plus Web, TCM was known as Collaborative Advice and Contact Management (CACM) and previously as Collaborative Investment Management System (CIMS). The acronym CIMS still is used in various technical parts of the software. If you want to learn more about the technical aspects of TCM, refer to the *Triple'A Plus Web TCM Configuration Guide*, *Triple'A Plus Web TCM Customisation Guide*, *Triple'A Plus Advanced Customisation Guide*, and *Triple'A Plus Web Workflow Engine Customisation Guide*.

2 Tasks

This section covers Tasks Administration functions (e.g., Task History, Create Task and Assign Task) and Tasks Views (e.g., Daily Outlook, Client and Portfolio Tasks) in different business contexts.

A Task is a job that you must do in your daily work. Task and Contact Management (TCM) lets you view these must-do tasks and to view them in your browser.

Apart from the task description, a task is associated with a status, a completion percentage and a priority. Tasks can be created by the Relationship Manager (RM), assigned to the RM-creator, or assigned to other users. In the case of assigned tasks, the user that assigns the task is called Assigner and the user that is assigned to a task is called the Assignee.


2.1 Definitions

With TCM, you can administrate the following types of tasks:


- [Single tasks](#) – create tasks for yourself or for a specific user
- [Assigned tasks](#) – tasks to assign to other users (including the creator of the task).

2.1.1 Single tasks

Single tasks are owned either by the user who created them or by another user as defined by the task's creator. In either case, only the owner is allowed to modify the task. If portfolios and/or clients are referenced, each portfolio and client is linked to one individual task:



Single task created by a user (creator) and owned by same user



Single task created by a user (creator) and owned by another user (assignee)


2.1.2 Assigned tasks

After a task is created, the system creates as many individual tasks as there are assignees. These tasks are called slave tasks, and are grouped together into one master task that is managed by the creator.


To assign tasks, the creator can:

- select the recipients directly
- search for portfolios and then, select the portfolio's commercial managers as recipients. As described in the *Triple'A Plus Web TCM Configuration Guide*, it is possible to configure the system to exchange commercial managers with administrative managers.

The following diagrams illustrate this concept:



Assigned task created and defined by the same user



Assigned task defined by a user but created by another user

The actors in the diagrams above are:

Actor	Description
Creator	Person who entered and saved the task in the system.
Definer	Person on behalf of whom the task was created (equivalent to the Assigner).
Owner	Person who must perform the task. Several Owners can be defined and are assigned by another user, the Assigner. The Assigner can also assign himself/herself as the Owner.
Assigner	Person who assigned the task to the Owner (equivalent to the Definer).

2.2 Administrating tasks

This section describes how to administrate task.

- [Creating simple tasks.](#)
- [Creating assigned tasks](#)
- [Assigning simple tasks](#)
- [Viewing tasks from Assigner's view](#)
- [Viewing tasks from Assignee's view](#)
- [Accepting / refusing / reassigning assigned tasks](#)
- [Tracking and editing tasks](#)
- [Retrieving task history](#)
- [Deleting simple tasks](#)
- [Cancelling simple tasks](#)
- [Deleting and cancelling assigned tasks.](#)

2.2.1 Creating simple tasks

To create a simple task,

1. From the Tasks and Contacts tab, choose **Tasks > Create Task** from the left-side menu.

The **Create Task** screen is displayed with information in the Task tab.

2. Complete the following fields:

Field	Description
Subject	Text zone summarising your task content (mandatory).
Owner	Drop-down list field, whose default value must be the current end user (otherwise you assign a simple task as described under Assigning simple tasks)
Status	Enumeration; indicates the Task's progress (mandatory).
Completion	Task progress as a percentage (mandatory).
Due Date	Deadline.
Start Date	Date on which the Task must be started.
Priority	Indicates the Task's priority level (mandatory).
Reminders	Radio button for reminder option selection.
Category	Classifies the Task in one or more categories.
Client	Search zone; links the task to a client. Note: This field must be completed before completing the Client Party and Portfolio fields.
Client Party	Search zone; links the task to a person. Note: The values available in this field are dependent on the value that you selected in the Client field. Therefore, complete the Client field first.
Portfolio	Search zone; links the task to a portfolio. Note: The values available in this field are dependent on the values that you selected in the Client and Client Party fields. Therefore, complete the Client and Client Party fields first.
Description	Free text box in which you can comment the Task details.
Product/service	Drop-down list field to select the related product or service.

3. (Optional) In the Related To section, you can create the task for a particular client. To search for the client, key a value in the Client, Client Party, or Portfolio field, and click on the magnifying glass.

Related To

Client



Client Party



Portfolio



Reset fields

The Search Results window displays the search results. Do **one** of the following:

- If the search results do not produce the desired results, perform the search again by typing another value in the same field as the original search. If you want to use another field to perform the search, click **Reset Fields** button.
- Choose one of the search results and then, complete the remaining fields in the section by choosing values from the drop-down list.

Note: The search results for the Client, Client Party and Portfolio fields are provided by the *ORGA* component and are data for which you have been granted access rights.


4. (Optional) You can attach a document to your task (e.g., marketing document, company brochure, etc.). This document must be available on your local disk or a network that you have access to. To attach a document, do the following:
 - a. On the Create Task screen, click the Attachments tab.
 - b. In the Attachments section, click the **Browse** button to search for the file. The standard Windows Explorer Choose File window will display.
 - c. Search the directories and select the file that you want to add, and then click **Open**.
 - d. Click **Attach** button to attach the file to your task.
 - e. (Optional) Repeat the last few substeps to add more attachments.
 - f. Click **Save** button to return to the Task tab.
5. Click **Save** button to save your task. By default, the Tasks that you create are always marked as read.

2.2.2 Creating assigned tasks

The principal features of task assignment are:

- Collaborative task assignment
- Notification capabilities
- Monitoring

Task assignment implies a collaborative process between various actors. The following figure describes the process used for task assignment:




Process used for task assignment

To create an assigned task,

1. From the Tasks and Contacts tab, choose **Tasks > Assign Task** from the left-side menu.
The Assign Task screen is displayed.
2. Complete the following fields:

Field	Description
Subject	Text zone summarising your task content (mandatory).
Entered by	Non-editable field completed automatically by the system (mandatory).
Defined by	Person who has overall responsibility for the task. It is usually the person who defined the task. The drop-down list (click the little down arrow on the right) contains the names of all the people in the same group as the person in the Entered by field.
Assigned to	Shows the people assigned to the task.
Status	Non-editable at this stage. Indicates the Task's progress.
Completion	Non-editable at this stage. Shows the Task's progress as a percentage.
Due Date	Task deadline.
Start Date	Date on which the Task must be started.
Priority	Indicates the Task's priority level (mandatory).
Category	Classifies the Task in one or more categories.
Description	Free text box in which you can comment the Task details. The formatting of the text is allowed using the rich text tool (for more information, see <i>Triple'A Plus Web User Guide</i>)
Product/service	Drop-down list field to select the related product or service.
Notifications	Receive a notification at due date: Sends an automatic notification to the creator (assigner) of the task at the due date if it is not completed or cancelled. Send a notification to the owner at due date: Sends an automatic notification to the owner(s) (assignee(s)) of the task at the due date if it is not completed or cancelled. Receive a notification "xx" day's prior the due date: Sends an automatic notification to the creator (assigner) of the task at the specified number of days before the due date if the task is not completed or cancelled. Send a notification "xx" day's prior the due date to the owner: Sends an automatic notification to the owner(s) (assignee(s)) at the specified number of days before the due date if the task is not completed or cancelled.

3. Define the owner(s) of the task. Use the following method to select the owner(s):
 - Click **Assigned To** button and the **Basic Recipients Selection** screen is displayed. In the **Entity Selection** field, select the bank group from the drop-down list. The list displayed is dependent on the ORGA implementation in your bank.




2.2.3 Assigning simple tasks

Simple task assignment allows the Assigner of the task (e.g., Relationship Manager) to quickly assign the ownership of the task to another user (e.g., an assistant). The new owner must be a member of the same working groups (also known as desks, teams, or offices) as the current user.

To assign a simple task,

1. From the Tasks and Contacts tab, choose **Tasks > Create Task** from the left-side menu.
The **Create Task** screen is displayed with information in the Task tab.
2. In the **Owner** field, select the name of the new owner (in the image below, the new owner of the task is Janine Dehog). The definition of the other Task's attributes and attachments are exactly the same as already described under [Creating simple tasks](#).



Simple task assignment

3. Click **Save** button to save your change.

2.2.4 Viewing tasks from Assigner's view

The following steps retrieves tasks that you assigned to other users.

1. From the Tasks and Contacts tab, choose **Tasks > Task History > My Assigned Tasks** from the left-side menu.
2. Select the task that you want to view. To quickly retrieve a task from a long list, you can click on the tabs (e.g., Active, Overdue, By creator, etc.) to filter the tasks according to the tab name.

2.2.5 Viewing tasks from Assignee's view

The following steps retrieve tasks that were assigned to you by other users.

1. From the Tasks and Contacts tab, choose **Tasks > Task History > My Assigned Tasks** from the left-side menu.
2. Select the task that you want to view. To quickly retrieve a task from a long list, you can click on the tabs (e.g., Active, Overdue, By creator, etc.) to filter the tasks according to the tab name.

Note: This view is also possible using the Monitoring component. For more information about the Monitoring component and its views, refer to the *Triple'A Plus Web Monitoring User Guide*.

2.2.6 Accepting / refusing / reassigning assigned tasks

To interact with an assigned task, you must first make a decision about the assigned task. The decision panel has the following options:

Option	Description
Accept	The user accepts the task and the task's status changes from Waiting to Not Started.
Refused	The user refused the task and the task status is changed to decline and disappears from the assigned user's list.
Reassign	The user can reassign the tasks to another user in his team/group (as defined in ORGA). As soon as you submit a reassignment, the task disappears from the user's list and the new assigned user is notified.

2.2.7 Tracking and editing tasks

The Assigner can track and make changes to an assigned task at any time.

- From the Tasks and Contacts tab, choose **Tasks > Task History > My Assigned Tasks** from the left-side menu.

The Task History screen is displayed.

- Click on the desired task.


The Task Edition screen is displayed.

- Edit the fields, as required.
- To track the status of the task, click the Recipients Availability tab.

2.2.8 Retrieving task history

- From the Tasks and Contacts tab, choose **Tasks > Task History** from the left-side menu.

The **Task History** screen of the My Own Tasks tab is displayed.



Read	Reminder	Subject	Client	Portfolio	Client Party	Assigner	Categories	Status	Completed	Priority	Due date	Product / Service	Attachments
☐		R Complete analysis	T_AI_Client36 - Pierre Bepres	T_AI_PTF51	Bepres, Pierre	Van Kaufenbergh, Luc	Check document, Prepare general advice	In progress	25%	High	Jul 26, 2011	Investment	
☐		R Call client			Duval, Jean	Van Kaufenbergh, Luc	Call client	Waiting	25%	Low	Jul 26, 2011		
☐		R Send information				Van Kaufenbergh, Luc	Send info to client	In progress	75%	Normal	Jul 29, 2011	Credit/Financing	
☐		R Send reporting		AOU_PTF_1		Van Kaufenbergh, Luc	Send reporting to client	Not started	0%	Normal	Jul 31, 2011	Structuring	

Task History

- Click on one of the following tabs:

- My own Tasks (default tab). In this tab, you can view:
 - Assigned slave tasks (including history) for which the connected user is the Owner (the person responsible for executing the task).
 - Single tasks (including history)
 - System assigned tasks
- My assigned Tasks. In this tab, you can view:
 - Assigned master tasks (including history), which were assigned by the connected user (to other persons)

- My clients Tasks. In this tab, you can view:
 - All tasks (including history) that are related to Client Relationships/Clients directly placed under your responsibility. It means that you act for these clients either with the commercial role Commercial Manager (if CDM is installed with or without Triple'A Plus Core) or Administrative Manager (if only Triple'A Plus Core is installed without CDM). The commercial role(s) can be configured as described in the *Triple'A Plus Web TCM Configuration Guide*
- My group Tasks. In this tab, you can view:
 - All tasks (including history) that are related to Client Relationships/Clients of your managing group (or part of it) whose members act with the commercial role Commercial Manager (if CDM is installed with or without Triple'A Plus Core) or Administrative Manager (if only Triple'A Plus Core is installed without CDM). The commercial role(s) can be configured as described in the *Triple'A Plus Web TCM Configuration Guide*.

In the **Task History** screen of the tabs described above, the tasks are sorted in ascending order by Due Date. You can modify this display by clicking any column header. Clicking the same column header again reverses the order.

Furthermore, on the **Task History** screen, you can sort the tasks by using the following subtabs:

Subtab	Description
Active	Every Task that is not complete.
Overdue	Every Task which Due Date has passed the current date.
By client	Tree view sorted by Client.
By creator	Tree view sorted by Creator. This option appears only when tasks are viewed via the My assigned Tasks filter.
By owner	Tree view sorted by Owner. This option is only available when tasks are viewed via the My clients Tasks or My group Tasks filters.
By assigner	Tree view sorted by Assigner. Note that the Assigner field is only completed if the Task was assigned to another person. Non-assigned tasks appear in the Others category.
By category	Tree view by Task Category. Note that a Task can belong to more than one category. For that reason, the same Task can appear several times in different branches of the tree view.
By priority	Tree view sorted by Task Priority.
By status	Tree view sorted by Task Status

3. (Optional) You can expand and collapse the Tree View branches by clicking the corresponding header symbol (⊕ / ⊖).

Although the **Task History** screen provides the full panel of administrative actions, you can perform the same actions from all other Task Lists in the application.

2.2.8.1 Filtering tasks

For each view in the **Task History** screen, the system applies a default filter to retrieve only the corresponding tasks. But each time you change the view, the filter is then reset with its default values. You can change some of them by clicking on the icon  at the top-right of the screen.

The following pop-up will be displayed


Filter			
Due date	Jul 21, 2011	and	Jul 31, 2011
Start date	Jul 16, 2011	and	Jul 26, 2011
Creation date	Jul 16, 2011	and	Jul 26, 2011
Last Tasks	10		
Submit		Cancel	

Filter

The covered search period can be modified through the following parameters:

- Due date, between two dates
- Start date, between two dates
- Creation date, between two dates

The system will first look for all the tasks that match these defined periods. Then, the parameter Last Tasks will retrieve only the "n" last tasks from the Due date (To) to Due date (From) until this number is reached. It can be less than "n" last tasks if there are fewer tasks matching the defined periods.



Filter example

This image illustrates 12 tasks between the From and To due dates that match the two other periods (starting dates and creation dates). The system will retrieve the 12 tasks if Last Tasks is equal to 20 (or higher or all) and only task 7 to 16 tasks if Last Tasks is equal to 10.

2.2.8.2 Marking tasks as read/unread

For the tasks displayed in the **Task History** screen, you can mark each task as read or unread by clicking the envelope icon (✉/✉) in the Read column. You can change between read and unread at any time.

2.2.8.3 Marking tasks as completed

For the tasks displayed in the **Task History** screen, you can mark one or more tasks as completed by placing a checkmark in the task's checkbox, then clicking the **Mark as Completed** button. The status in the Completed column on the **Task History** screen changes to 100%.

2.2.9 Deleting simple tasks

You can delete one or more tasks at a time. Only the user who created the task can perform the deletion.

1. From the Tasks and Contacts tab, choose **Tasks > Task History** from the left-side menu.
The **Task History** screen of the My own Tasks tab is displayed.
2. (Optional) Click other tabs (e.g., My assigned Tasks, My clients Tasks, My group Tasks) if the tasks that you want to delete are not displayed in the default My own Tasks tab.
3. Place a checkmark in the task's checkbox.
4. Directly above the list of tasks, you will see a field with the actions Send Task to Bin or Cancel. Ensure that the action Send Task to Bin is displayed, and then, click the **Ok** button next to this field.
Note: The tasks are not deleted at this point, only copied to the Tasks Bin, in the event that you no longer want to delete the task.
5. Click on the Tasks Bin tab.
6. Place a checkmark in the checkbox of the tasks that you want to delete.
7. Click **Delete** button.

At this point, the tasks are completely deleted from the system.

2.2.10 Cancelling simple tasks

Cancelling a task means that you want to stop the task, which was previously defined. Only the user who created the task can perform the cancellation.

1. From the Tasks and Contacts tab, choose **Tasks > Task History** from the left-side menu.
The **Task History** screen of the My own Tasks tab is displayed.
2. (Optional) Click other tabs (e.g., My assigned Tasks, My clients Tasks, My group Tasks) if the tasks that you want to delete are not displayed in the default My own Tasks tab.
3. Place a checkmark in the task's checkbox.
4. Directly above the list of tasks, you will see a field with the actions Send Task to Bin or Cancel. Ensure that the action Cancel is displayed, and then, click the **Ok** button next to this field.

2.2.11 Deleting and cancelling assigned tasks

An assigned task is a task which has been assigned to one or several users.

Basically, you use the same actions as simple tasks to delete or cancel assigned tasks. For more details about these actions, go to:

- Section [Deleting simple tasks](#) for deleting tasks.
- Section [Cancelling simple tasks](#) for cancelling tasks.

However, cancelling and deleting assigned tasks are subject to security rules to avoid business inconsistency. For example, let us consider what happens if the Assigner decides to cancel a task which is not completed by all Assignees. Can the Assigner still perform this action? What are the consequences for Assignees regarding their ongoing tasks?

The business security rule is as follows:

- Cancelling tasks (task stopped)
 - An Assigner can cancel task(s) at any time if the current status of the task is not Completed or Refused. This rule also applies to the owner of a simple task. When the Assigner initiates the cancellation of an assigned task, there are two possible behaviours:
 - Every assigned task status is automatically updated from Current status to Cancelled status without any notification sent to the assignee. This is known as a direct cancellation.
 - Every concerned assignee automatically receives a notification informing them that they must cancel the related task. This is known as an indirect cancellation.

These behaviours (direct or indirect cancellation) are set through the application system parameter described in the *Triple'A Plus Web TCM Customisation Guide*. In the standard product packaging, the cancellation is defined as *indirect*.
 - An Assignee can cancel task(s) only if a notification is received from the Assigner (as described by the indirect behaviour described above).
- Sending tasks to Task Bin
 - An Assigner can send tasks to the Task Bin at any time only if the status of the task is Completed, Refused, Overdue, or Cancelled. This rule also applies to the owner of a simple task. Note that this action by the Assigner automatically leads to an Assignee related task.
 - An Assignee can send tasks to the Task Bin only if the status of the tasks is Completed, Refused, Overdue, or Cancelled.
- Deleting tasks
 - An Assigner can perform a deletion at any time. This rule also applies to the owner of a simple task. Note that this action by the Assigner automatically leads to an Assignee related task.
 - An Assignee can perform a deletion at any time.

More information about the application parameter that governs assigned task cancellation/deletion can be found in the *Triple'A Plus Web TCM Configuration Guide*.

2.3 Client and Portfolio tasks

Client and Portfolio tasks give you access to any tasks related to a specific Client or Portfolio.

2.3.1 Assessing Client tasks

1. From the Portfolio Analysis tab, define the client context (for information about context, refer to the *Triple'A Plus Web Packaging Reference Guide*).
2. From the **Analysis** menu, choose **Identification**.
The identification screen for the client is displayed.
3. In the Tasks section, click on the desired task.
Tasks are displayed in ascending order by Due Date for tasks that are due today and in the next ten days.

2.3.2 Assessing Portfolio tasks

1. From the Portfolio Analysis tab, define the portfolio context (for information about context, refer to the *Triple'A Plus Web Packaging Reference Guide*).
2. From the **Analysis** menu, choose **Identification**.
The identification screen for the portfolio is displayed.
3. In the Tasks section, click on the desired task.
Tasks are displayed in ascending order by Due Date for tasks that are due today and in the next ten days.

2.4 Task reminders

Reminders are used to keep users informed that certain tasks are still waiting to be completed or are in pending status. An R value is displayed in the column Reminder in the **Task History** screen.

An important point to note is that a reminder is not a notification. A reminder that is triggered does not mean that a notification will be sent. For more information about notifications, see section [Notifications](#).

2.4.1 Reminder rules for simple tasks

When creating or editing a simple task (assigned or not) in which no reminders were created and the user is defined as the owner, it is possible to define a reminder. The available reminder rules are:

Reminder Rule	Description
No reminder	When this rule is selected, no reminder will be triggered in any case. This is the default selection.
Remind owner at due date	When this rule is selected, the system will trigger a reminder only when the current date is equal to the Task's due date. In that case, an R value will be displayed in the column 'Reminder' under My own Tasks of the Task History of the Task's owner. For example, if the due date is set to April 15th, 2008 then the reminder will be triggered when the current date reaches April 15th, 2008.

Reminder Rule	Description
Remind owner N days prior the due date	When this rule is selected, the system will trigger a reminder only when the current date is equal to the Task's due date less N days. In that case, an R value will be displayed in the column 'Reminder' under My own Tasks of the Task History of the Task's owner. For example, if the due date is set to April 15th, 2008 and N = 5, then the reminder will be triggered when the current date reaches April 10th, 2008.
Remind owner in M days	When this rule is selected, the system will trigger a reminder only when the current date is equal to the Task's creation date plus M days. In that case, an R value will be displayed in the column 'Reminder' under My own Tasks of the Task History of the Task's owner. For example, if the Task was created in April 10th, 2008 and M = 5, then the reminder will be triggered when the current date reaches April 15th, 2008.

When a reminder was triggered on a simple task and the owner decides afterwards to edit the task, the owner will be able to redefine the reminder rules, but only if the task is saved. The available possibilities are:

Reminder Rule	Description
Do not remind me again	When this rule is selected, no reminder will be triggered in any case and if a reminder was triggered previously it will be removed. This is the default selection.
Remind me again at due date	When this rule is selected, the system will trig a reminder only when the current date is equal to the Task's due date. In that case, an R value will be displayed in the column 'Reminder' under My own Tasks of the Task History of the Task's owner. For example, if the due date is set to April 15th, 2008 then the reminder will be triggered when the current date reaches April 15th, 2008.
Remind me again N days prior the due date	When this rule is selected, the system will trig a reminder only when the current date is equal to the Task's due date less N days. In that case, a, R value will be displayed in the column 'Reminder' under My own Tasks of the Task History of the Task's owner. For example, if the due date is set to April 15th, 2008 and N = 5, then the reminder will be triggered when the current date reaches April 10th, 2008.
Remind me again in M days	When this rule is selected, the system will trig a reminder only when the current date is equal to the Task's creation date plus M days. In that case, an R value will be displayed in the column 'Reminder' under My own Tasks of the Task History of the Task's owner. For example, if the Task was created in April 10th, 2008 and M = 5, then the reminder will be triggered when the current date reaches April 15th, 2008.

2.4.2 Reminder rules for assigned tasks

When a user creates an Assigned Task, it is not possible to define a reminder rule at the time of creation, only a notification rule. The available notification rules are:

Notification Rule	Description
Receive a notification at due date	When this rule is selected, the system will send a notification to the assigner only when the current date is equal to the Task's due date and the task is not 100% completed or cancelled. For example, if the due date is set to April 15th, 2008 then the notification will be sent to the task's assigner when the current date reaches April 15th, 2008.

Notification Rule	Description
Send a notification to the owner at due date	When this rule is selected, the system will send a notification to the assignees (owners of the corresponding slave task) only when the current date is equal to the Task's due date and the task is not 100% completed or cancelled. For example, if the due date is set to April 15th, 2008 then the notification will be sent to the task's assignees when the current date reaches April 15th, 2008.
Receive a notification N days prior the due date	When this rule is selected, the system will send a notification to the assigner only when the current date is equal to the Task's due date less N days and the task is not 100% completed or cancelled. For example, if the due date is set to April 15th, 2008 and N = 5 then the notification will be sent to the task's assigner when the current date reach April 10th, 2008.
Send a notification to the owner M days prior the due date	When this rule is selected, the system will send a notification to the assignees (owners of the corresponding slave task) only when the current date is equal to the Task's due date less M days and the task is not 100% completed or cancelled. For example, if the due date is set to April 15th, 2008 and M = 5 then the notification will be sent to the task's assignees when the current date reaches April 10th, 2008.

After the assigned task is created, the owner can no longer define the notification rule, only a reminder rule on the corresponding master task. Then, if a reminder is triggered on the master task, it will be reported to its related slave tasks (managed by the assignees). However, it is impossible to directly define a reminder on slave tasks.

The available reminder rules are exactly the same as the ones used on simple tasks (see section [Reminder rules for simple tasks](#)). And the behaviour regarding the master task edition, with or without triggered reminders, is also the same.

3 Contacts

This chapter describes the administration and views of one of the key functions of the Triple'A Plus Web Tasks and Contacts Management (TCM) component – Contacts. The aim of Contacts is to log business interactions between the bank and the client. The associated functionality allows banks to track all Contacts with clients and prospects.

3.1 Definition


From the Triple'A Plus Web perspective, a Contact is an interaction between the Relationship Manager and his/her customers and prospects.

Parties that can be involved in a contact are the Bank party and the Client party:

- The Bank party designates any physical person that is authorised to log on as a RM, PM and/or an assistant.
- The Client party designates any physical or moral person who is involved in one or more client relationships.


The Client party designates the legal Client relationship definition of the link between the client or prospect and the bank. In the context of this relationship, the bank can offer services to its customer such as portfolios, for example.

Existing direct links between Client parties (CP), Client-relationships (CR) and portfolios (P) are stored as follows:



Direct links between CR, CP and P

The legal Client relationship is the core of the relationship between the bank and its client. Indirect links between Bank parties (BP), Client parties (CP), Client-relationships (CR) and portfolios (P) are also seen by the system as follows:



Indirect links between CR, CP and P

3.2 Business security, settings and standard behaviour

The actors involved in a contact creation are the creator, the owner-bank party and the other bank parties that can be mentioned into the contact. All the items (Client-relationships, Client parties, Portfolios) that are involved in the contact definition (by searching and adding elements) are filtered according to the creator's rights. As a result, when creating or editing a contact, users can only select the elements that they are authorised to access.

When displaying elements such as Portfolios and Client parties, you may want to use either direct links or both direct and indirect links. The standard behaviour is such that both kinds of links are enabled with a restriction for Client party entries, in which case, an indirect link (the display of related Portfolios) is not used.

Example:

- Adding a Client party automatically leads to the display of linked Client-relationships but not linked Portfolios.
- Adding a Portfolio automatically leads to the display of linked Client-relationship and Client parties.

For more information about direct and indirect links, see section [Modelling](#).

3.3 Administrating Contacts

This section describes how to administrate Contacts.

- [Creating Contacts](#)
- [Retrieving Contact history](#)
- [Editing Contacts](#)
- [Deleting Contacts](#)
- [Copying Contacts](#)
- [Modelling Contacts](#).

3.3.1 Creating Contacts

To create a Contact,

1. From the Tasks and Contacts tab, choose **Contacts > Create Contact** from the left-side menu.


The **Create Contact** screen is displayed.

- Complete the following fields:

Field	Description
Subject	Text zone summarising your contact content (mandatory).
Date	Your contact date; the default is the current date (mandatory).
Time	Your contact hour and minutes, the default is the current time (mandatory).
Bank Parties	Search zone; represents the bank's side of the contact; the default is the current person (mandatory).
Client-relationships	Search zone; represents the client's side of the contact; the manager can choose from among the clients to whom he has access (mandatory).
Client Parties	Search zone; link between the contact and a client.
Portfolios	Search zone, link between the contact and a portfolio.
Direction	Enumeration; indicates whether the bank or the client has initiated the contact (mandatory).
Channel	Enumeration; the channel used for the contact (mandatory).
Client Mood	Enumeration; the client's mood during the contact.
Duration	Enumeration; represents the total duration of the contact (mandatory).

Note: The owner of the contact is displayed in the Owner field by default.

- (Optional) In the Bank section and the Client section, you can enter information about the contact you had with a particular client. To search for the bank parties, key a value in the Bank Parties field, and click on the magnifying glass. To search for a client, key a value in the Bank Parties, Client Relationships, Client Parties, or Portfolio field, and click the magnifying glass.




The purpose of the Bank and Client sections is to provide a tool for you (as Relationship Managers) to model the description of your contacts. From this point of view, the physical persons that are part of the contact can involve a Bank party, a Client party and underlying Client relationships and Portfolios. For information and an example about Contact modelling, see section [Modelling](#).

The Search Results window displays the search results. Do **one** of the following:

- If the search results do not produce the desired results, perform the search again by typing another value in the same field as the original search. Or, if you have several items in your search results, you can use the **Remove** or **Remove All** button to narrow the results. If you want to use another field to perform the search, click **Reset** button.
- Choose one of the search results and then, complete the remaining fields in the section by choosing values from the drop-down list.


Note: The search results for the Client, Client Party and Portfolio fields are provided by the ORGA component and are data for which you have been granted access rights.

4. In the Reasons section, complete the **Reason** field by selecting a value from the drop-down list. Then, add a description (optional) about the reason in the **Description** field. The description can be formatted using the rich text tool, as described in *Triple'A Plus Web User Guide*. To save the information in the Reasons section, click **Create Reason** button. Repeat this step to add more reasons. You can add as many reasons as you want for the same contact.



Reasons screen

5. (Optional) You can attach a document to your reason (e.g., marketing document, company brochure, etc.). This document must be available on your local disk or a network that you have access to. To attach a document, do the following:
 - a. From the list of reasons (below the **Reason** and **Description** fields), click on the desired reason. The Reason Edition screen will display.
 - b. Click the Attachments tab.
 - c. Click the **Browse** button to search for the file. The standard Windows Explorer Choose File window will display.
 - d. Search the directories and select the file that you want to add, and then click **Open**.
 - e. Click **Attach** button to attach the file to your task.
 - f. (Optional) Repeat the last few substeps to add more attachments.
 - g. Click **Ok** button to return to the Create Contact screen.



Reason with attachment

6. (Optional) To add an associated task, click **Create Task** in the Tasks section. For more information about how to create a task, see section [Creating simple tasks](#). You can associate one or more tasks with a contact. The selection of Client, Client Party and Portfolio in the associated tasks depends directly of the values in the fields Client-relationships, Client Parties and Portfolios of the contact. To return to the Create Contact screen, click the **Ok** button.
7. On the Create Contact screen, do one of the following:
 - To save the new contact and remain on the Create Contact screen, click **Save** button.
 - To save the new contact and close the Create Contact screen, click **Save and Close** button.
 - To cancel the creation, click **Cancel** button.
 - To make copies of this new contact, click **Copy** button (see section [Copying Contacts](#)).

3.3.2 Retrieving Contact history

1. From the Tasks and Contacts tab, choose **Contacts > Contact History** from the left-side menu.

The **Contact List** screen is displayed with a list of contacts for the current user over the last three months.

2. Click on one of the following tabs:
 - My Contacts (default tab). In this tab, you can view:
 - All contacts (including history) for which the connected user is the Bank Party.
 - My clients Contacts. In this tab, you can view:
 - All contacts (including history) that are related to Client Relationships/Clients directly placed under your responsibility. It means that you act for these clients either with the commercial role Commercial Manager (if CDM is installed with or without Triple'A Plus Core) or Administrative Manager (if only Triple'A Plus Core is installed without CDM). The commercial role(s) can be configured as described in the *Triple'A Plus Web TCM Configuration Guide*.
 - My group Contacts. In this tab, you can view:
 - All contacts (including history) that are related to Client Relationships/Clients of your managing group (or part of it) whose members act with the commercial role Commercial Manager (if CDM is installed with or without Triple'A Plus Core) or Administrative Manager (if only Triple'A Plus Core is installed without CDM). The commercial role(s) can be configured as described in the *Triple'A Plus Web TCM Customisation Guide*.

In the **Contact History** screen of the tabs described above, the contacts are sorted in descending order by Contact Date. You can modify this arrangement by clicking any column header. Clicking the same header a second time reverses the sorting order.

Furthermore, on the **Contact History** screen, you can sort the contacts by using the following subtabs:

Subtab	Description
Chronological	Listed by contact date.


Subtab	Description
By Client-relationship	Tree view by Client.
By Bank Party	Tree view by Bank Party (i.e. by manager).
By Reason	Tree view by Reason; note that a contact has one to many reasons. This is why the same contact can appear several times in different branches of the tree view.

- You can collapse and expand Tree View branches by clicking the corresponding node symbol (⊕ / ⊖).

3.3.2.1 Filtering Contacts

For each view in the **Contact History** screen, the system applies a default filter to retrieve only the corresponding contacts. But each time the view is changed, the filter is then reset with its default values. You can change some of them by clicking on the icon  at the top-right of the screen.

The following pop-up will be displayed




The dialog box titled "Filter" contains the following fields and controls:

- From:** A date field set to "Jul 22, 2011" with a calendar icon.
- To:** A date field set to "Jul 27, 2011" with a calendar icon.
- Last Contacts:** A numeric field set to "10" with a dropdown arrow and a refresh icon.
- Buttons:** "Submit" and "Cancel".

Filter for Contacts

The covered search period can be modified through the parameters From and To. The parameter Last Contacts will retrieve only the "n" last Contacts from the To date until this number is reached. The From and To dates filter the date and time specified by you when creating or modifying the contact (not on the ones generated by the system when you click on the **Save** button).



Filtering Contacts

The example in the figure above shows 14 contacts between the From and To dates, the system will retrieve the 14 contacts if Last Contacts is equal to 20 (or higher or all) and only contact 5 to 14 if Last Contacts is equal to 10.

3.3.3 Editing Contacts

You can modify the selected contact only if its date of creation is between a period starting from the current date minus "N" days until the current date. N is defined in the XML configuration file "otf-security.xml" and is by default equal to 5.

1. From the Tasks and Contacts tab, choose **Contacts > Contact History** from the left-side menu.

The Contact List screen is displayed.

2. Select the desired contact by clicking on the contact's subject in the Subject column.

The Contact Edition screen is displayed.

3. Edit the fields, as required.

4. Do one of the following:

- Click **Save**. The changes are saved but the Contact Edition screen does not close.
- Click **Save and Close**. The changes are saved and the Contact Edition screen closes. The Contact List screen is re-displayed.

3.3.4 Deleting Contacts

You can delete the selected Contact only if its date of creation is between a period starting from the current date minus "M" days until the current date. M is defined in the XML configuration file "otf-security.xml" and is by default equal to 2.

1. From the Tasks and Contacts tab, choose **Contacts > Contact History** from the left-side menu.

The Contact List screen is displayed.

2. Select the desired Contact by clicking on the Contact's subject in the Subject column.

The Contact Edition screen is displayed.

3. Click **Delete** button at the bottom of the screen.

The Contact is deleted and removed from the Contact List screen.

3.3.5 Copying Contacts

The copy contact functionality lets you create contacts more efficiently. Most of the time, you will need to create similar kinds of contact for the same set of Client Relationship (CR), Client Parties (CP), or portfolios (P).

1. From the Tasks and Contacts tab, choose **Contacts > Contact History** from the left-side menu.

The Contact List screen is displayed.

2. Select the desired contact by clicking on the Contact's subject in the Subject column.

The Contact Edition screen is displayed.

3. Click **Copy** button to create a copy of the Contact.

The New Contact screen is displayed with all details copied except the Subject and Reason fields.

4. Fill in the required fields (as described in section [Creating Contacts](#)).

5. Do one of the following:

- Click **Save**. The copied Contact is saved and added to the Contact History screen but the New Contact screen does not close.
- Click **Save and Close**. The copied Contact is saved and added to the Contact History screen. The New Contact screen closes and the Contact History screen is re-displayed.

3.3.6 Modelling Contacts

Modelling a Contact starts with the parties involved in the Contact. To create a Contact description, you can add either a Bank party, a Client relationship, a Client party or a Portfolio using the appropriate search box. The following example illustrates how to model a Contact using the Bank section and the Client section in the **Create Contact** screen.

1. From the Tasks and Contacts tab, choose **Contacts > Create Contact** from the left-side menu.

The **Create Contact** screen is displayed.

2. In the **Client-relationships** field, click the magnifying glass to search for the party involved in the Contact. Then, select the name from the Search Results page. (In the example below, it is *518237 - Jean & /or Anne Duval*).

Triple'A Plus™ R11 (Create Contact) - Van Kaufenbergh, Luc *** Search Results ***

Search Results

Search Pattern: %

Display Name	Client Relationship Name	Root Id
518237 - Jean & /or Anne Duval	Jean & /or Anne Duval	518237
533456 - --Nm Test 12--	--Nm Test 12--	533456
533467 - --Nm Test 22--	--Nm Test 22--	533467
ABC-Corp - ABC Corporation	ABC Corporation	ABC-Corp
Berg GmbH	Berg GmbH	
Bloggs	Bloggs	
ELB Investments	ELB Investments	
GCL_AP_CR1	GCL_AP_CR1	
Get Rich Quick Corporation	Get Rich Quick Corporation	
N/A - N/A	N/A	N/A

Results 1 to 10 of 45 page 1 of 5

Close

Client relationship Search Results

As a result, the display is updated as follows:

Bank	Client		
Bank Parties Van Kaufenbergh, Luc Remove all Remove	Client-relationships 518237 - Jean & /or Anne Duval Remove all Remove	Client Parties Duval, Jean Duval, Thomas Duval Vanieux, Anne Remove all Remove	Portfolios 518237-001 518237-002 Remove all Remove

Reset

Contact modelling example 1

Notes: Direct links are used in the display process. Client Party *Duval, Jean, Duval, Thomas* and *Duval Vanieux, Anne* and Portfolios *518237-01* and *518237-2* are directly linked to the Client-relationships *518237 - Jean & /or Anne Duval*. Therefore, they are also displayed.

3. Suppose the client (*Duval, Jean*) has a power of attorney over the portfolio. In the **Portfolios** field, click on the magnifying glass to search for the portfolio *D_AI_PTF21*.

As a result, the display is updated as follows:

Bank	Client		
Bank Parties Van Kaufenbergh, Luc Remove all Remove	Client-relationships 518237 - Jean & /or Anne Duval Jean & /or Anne Bergh Remove all Remove	Client Parties Bergh, Anne Bergh, Jean Bergh, Thomas Duval, Jean Duval, Thomas Duval Vanieux, Anne Remove all Remove	Portfolios 518237-001 518237-002 D_AI_PTF21 Remove all Remove

Contact modelling example 2

Notes: Indirect links are used in the display process. *D_AI_PTF21* is indirectly linked to the Client party *Bergh, Anne* and the Client-relationship *Jean & /or Anne Bergh*. Therefore, they are also displayed.

- Suppose the Client *Bergh, Jean* is absent during the contact meeting. Under the **Client Parties** field, select *Bergh, Jean* and click the Client Parties **Remove** button. As a result, the display is updated as follows:

Bank	Client		
Bank Parties Van Kaufenbergh, Luc Remove all Remove	Client-relationships 518237 - Jean & /or Anne Duval Jean & /or Anne Bergh Remove all Remove	Client Parties Bergh, Anne Bergh, Thomas Duval, Jean Duval, Thomas Duval Vanieux, Anne Remove all Remove	Portfolios 518237-001 518237-002 D_AI_PTF21 Remove all Remove

Contact modelling example 3

Adding (by using the search fields) and removing contact elements lets you model the description of your contact. At any time, you can reset all the elements (except the default Bank party owner) or empty a specific contact element type (using the **Remove All** and **Remove** buttons).

- (Optional) If other Bank parties are involved in the contact meeting, you can include them by using the Bank parties search box and selecting the appropriate Bank party element.

3.4 Client and Portfolio contacts

Client and Portfolio contacts give you access to any contacts related to a specific Client or Portfolio.

3.4.1 Assessing Client contacts

- From the Portfolio Analysis tab, define the client context (for information about context, refer to the *Triple'A Plus Web Packaging Reference Guide*).
- From the **Analysis** menu, choose **Identification**.
The identification screen for the client is displayed.
- In the Contact List section, click on the desired contact.
The last ten contacts are displayed in descending order.

3.4.2 Assessing Portfolio contacts

1. From the Portfolio Analysis tab, define the portfolio context (for information about context, refer to the *Triple'A Plus Web Packaging Reference Guide*).
2. From the **Analysis** menu, choose **Identification**.
The identification screen for the portfolio is displayed.
3. In the Contact List section, click on the desired contact.
The last ten contacts are displayed in descending order.

3.5 Automatic Contact creation after task completion

Tasks can be related to one or more categories (e.g., Call client, Send info to client, Send reporting to client, Analyse portfolio, etc.). For specific categories, you can define an automatic contact creation, using the category as criteria, when a task is completed.

The definitions of the task's categories are fully customisable. In the standard packaging, there are only four categories that are defined to generate a contact after the completion of a task:

- Call client
- Send info to client
- Send reporting to client
- Analyse portfolio

To gain time in the contact creation, there is a mapping between the fields of the completed task and the contact to create, summarised in the following table:

Field name in the Contact	Value of the field	Description/comments
Subject	Created from task - subject of the task	Concatenation between the string "Created from task - " with the string contained in the subject's field of the task.
Owner	Name of the user who completes the task	The same principle for a single task or an assigned task completion
Date	Date when the task was completed	The same principle for a single task or an assigned task completion
Time	Time when the task was completed	The same principle for a single task or an assigned task completion
Duration	15 minutes	Default value
Direction	Bank to Client	Default value
Channel	• If the task's category is Call client, then the value is Phone • If the task's category is Send info to client or Send reporting to client, then the value is Postal mail • If the task's category is Analyse portfolio, then the value is Other	If more than one category was specified in the task definition, the priority for the value are the following: Phone Postal mail Other
Mood	Satisfied	Default value

Field name in the Contact	Value of the field	Description/comments
Product/service	It takes the value of the Service/product field of the completed task	For information, this field (both in Task and Contact) is a custom field added for the standard packaging
Bank Parties	Name of the user who completes the task	The same principle for a single task or an assigned task completion
Client-relationships	Take the value of the Client field of the completed task	The same principle for a single task or an assigned task completion. If the Client field in the completed task was empty, the current user will have to fill the Client-relationships field in the contact creation himself before saving.
Client Parties	Take the value of the Client Party field of the completed task	The same principle for a single task or an assigned task completion
Portfolios	Take the value of the Portfolio field of the completed task	The same principle for a single task or an assigned task completion
Reason	- If the task's category is Call client, then the value is Phone - If the task's category is Send info to client or Send reporting to client, then the value is Information - If the task's category is Analyse portfolio, then the value is Other	TCM adds as many reasons as necessary. The number of reasons depend of the selected task's categories in the completed task
(Reason) Description	- If the task's category is Call client, the value is Client contacted - If the task's category is Send info to client, the value is Information sent to client - If the task's category is Send reporting to client, the value is Report sent to client - If the task's category is Analyse portfolio, the value is Portfolio analysed and results communicated to the client	A description is added for each reason, described below
Task	The completed task	Shows the links between the completed task and the current contact creation

4 Notifications

The Task and Contact Management (TCM) component of Triple'A Plus Web uses the Notification infrastructure. Notifications are messages sent to dedicated users to inform them of a specific event and are linked to another object (a task or a contact).

Notifications enable the system to notify the current user if one of the following events occurs:

You receive a notification when...	Notification Nature	Notification subject
Another user has created a task or contact linked to a client for which you are the administration/commercial manager. The other user is not the administration/commercial manager	Task Creation or Contact Creation	New task related to your client <name of client> or New contact related to your client <name of client>
Another user assigned a single task to a third user related to a client relationship of which you are the administration/commercial manager.	Task Creation	New task related to your client <name of client>
You have been assigned a simple task.	Task Creation	New task related to your client <name of client>
You are one of the assignees of an assigned task.	Task Assignment	Task <subject of task> has been assigned to you
Someone else has assigned a task but defined you as the assigner.	Task Assignment	Task <subject of task> has been assigned to you
You have assigned a task and defined that you want to receive a notification when the due date arrives. The due date has arrived.	Task Reminder	Assigned task <subject of task> is due
You are the assignee of a task. The assigner defined that all assignees should receive a notification when the task's due date arrives. The due date has arrived.	Task Reminder	Assigned task <subject of task> is due
An assignee of a task has re-assigned the task to you.	Task Assignment	Assigned task <subject of task> was re-assigned
You assigned a task to other users and one of them re-assigned the task or refused it.	Task Assignment	Assigned task <subject of task> was re-assigned Or Assigned task <subject of task> was refused with reason <reason entered during refusal>
You are the assignee of an assigned task and the assigner has performed an indirect cancellation of the assigned task.	Task Assignment	You are requested to cancel the task <subject of task>

You receive a notification when...	Notification Nature	Notification subject
You are the assignee of an assigned task and the assigner has performed a direct cancellation of the assigned task	Task Assignment	Assigned Task <subject of task> has been cancelled

4.1 Managing Notifications

Notifications are displayed under **Monitoring > Daily Outlook**.

For information about how to read and follow up on notifications, refer to the *Triple'A Plus Web Monitoring User Guide*.

5 TCM data available in TSL searches

Since Triple'A Plus Release 12, a subset of TCM data are searchable in Triple'A Service Layer (TSL). The following table outlines the TCM attributes that can be searched:

TSL Target Entity	Search Attribute	Description
Portfolio	Number of days since last contact	Returns all portfolios for which there have been contacts in the past, but no contact has been made for the last <n> days. The system checks the dates on all contact reports that are either directly linked to the portfolio (because the portfolio has been defined as a product/service) or indirectly linked (because the contact report is linked to a client that has the portfolio as one of his/her portfolios)
Portfolio	Mood during last contact	Returns all portfolios for which, during the last contact, the client had a certain mood. The contacts checked are determined in the same fashion as for the 'Number of days since last contact'.
Client	Number of days since last contact	Returns all clients for which there have been contacts in the past, but no contact has been made for the last <n> days.
Client	Mood during last contact	Returns all clients for which, during the last contact, the client had a certain mood.

For information about how to carry out search operations on TSL, refer to the chapter about Transversal Functions/Searching Tool in the *Triple'A Plus Web User Guide*.