

### Section 1: Identification

**PRODUCT IDENTIFIER:** MAXCUT Rubber Bonded Abrasive Blades

**EMERGENCY PHONE:** CHEMTREC 800-424-9300 (US) Day or night  
 Customer No. 16568

**MANUFACTURER:** PACE Technologies  
 3601 E. 34<sup>th</sup> St., Tucson, AZ 85718  
 Tucson, Arizona USA  
 Phone: +1 520-882-6598  
 FAX: +1 520-882-6598

### Section 2: Hazard(s) Identification

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>GHS CLASIFICATION:</b>        | Eye Irritant (Category 2)<br>Specific Target Organ Toxicity – Single Exposure (Category 3)<br>Specific Target Organ Toxicity – Repeat Exposure (Category 1)<br>Suspected of causing cancer (Category 12)                                                                                                                                                                                               |
| <b>PICTOGRAM(s):</b>             |                                                                                                                                                                                                                                                                                                                    |
| <b>SIGNAL WORD:</b>              | Danger                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>HAZARD STATEMENTS:</b>        | <b>Hazard Statement(s):</b><br>H319 - Causes serious eye irritation<br>H335 - May cause respiratory irritation<br>H372 - Causes damage to respiratory tract through prolonged or repeated inhalation.<br>H351 -Suspected of causing cancer                                                                                                                                                             |
| <b>PRECAUTIONARY STATEMENTS:</b> | <b>Precautionary Statement(s):</b><br><b>Preventions:</b><br>P201 Obtain special instructions before use.<br>P202 Do not handle until all safety precautions have been read and understood<br>S38 Wear approved respirator/PPD devices that meets exposure conditions<br>P260 Do not breathe dust.<br>P264 Wash thoroughly after handling.<br>P270 Do not eat, drink or smoke when using this product. |

P271 Use only outdoors or in a well-ventilated area  
P280 Wear eye protection

**Response:**  
P314 Get medical attention if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P312 Call a POISON CENTER or doctor if you feel unwell  
P308-P313 IF exposed or concerned: Get medical attention

**Storage:**  
P403+P233 Store in a well-ventilated place.

**Disposal:**  
P501- Dispose of contents/container to Federal, State and Local Regulations.

### Section 3: Composition/Information on Ingredients

| CHEMICAL NAME               | Formula                        | CAS #     | Wt%* |
|-----------------------------|--------------------------------|-----------|------|
| Aluminum Oxide, Non-fibrous | Al <sub>2</sub> O <sub>3</sub> | 1344-28-1 | 0-92 |
| Silicon Carbide             | SiC                            | 409-21-2  | 0-92 |
| Sulfur                      | S <sub>8</sub>                 | 7704-34-9 | 0-6  |
| Natural Rubber              | NA                             | NA        | 0-9  |

\* Exact percentage not disclosed due to trade secrets

### Section 4: First-Aid Measures

**INHALATION:** Move to fresh air. If breathing is difficult, have qualified personnel administer oxygen. Seek medical attention if irritation or other symptoms persist.

**SKIN CONTACT:** Wash skin with soap and water. If irritation or other symptoms develop, seek medical attention.

**EYE CONTACT:** Remove contact lenses if present. Flush eyes thoroughly with large amounts of water, holding eyelids open. If irritation persists, seek medical attention.

**INGESTION:** Do not induce vomiting. Rinse mouth with water. Seek medical attention if large amount is swallowed or if you feel unwell.

**SYMPTOMS  
Effects, Acute  
Delayed:** Dust may cause eye and respiratory irritation. Prolonged inhalation of high concentration of dust may cause adverse effects on the lungs. Contains titanium dioxide. Prolonged overexposure to respirable dust may increase the risk of lung cancer. Risk of cancer depends on duration and level of exposure. Exposure to dust generated from processing the base material or coatings may present additional health hazards.

---

## Section 5: Fire-Fighting Measures

### SUITABLE EXTINGUISHING MEDIA:

Use suitable media for the surrounding fire. Do not use water on fires involving metals dusts. Use an appropriate dry powder. Firefighters should wear full emergency equipment and NIOSH approved positive pressure self-contained breathing equipment.

### SPECIFIC HAZARDS DURING FIRE FIGHTING:

These products are not flammable or combustible; however, consideration must be given to the potential fire/explosion hazards from the base material being processed. Many materials create flammable/explosive dusts or turnings when machined or ground.

---

## Section 6: Accidental Release Measures

### EMERGENCY PROCEDURES:

Avoid contamination of water supplies and environmental releases. Report spills as required by authorities.

### METHODS OF CONTAINMENT AND CLEAN-UP:

Collect dry material, avoiding creating airborne dust. Place in a suitable container for disposal.

### ADDITIONAL ADVICE:

Notify authorities if any exposures to the general public or environment occurs or is likely to occur.  
See Section 13 for information on disposal.

### PROTECTIVE EQUIPMENT:

Wear appropriate respirator and protective clothing as needed to avoid eye contact and inhalation of dust.

---

## Section 7: Handling and Storage

### HANDLING:

Inspect wheel prior to mounting on machine for damage. Do not use at speeds greater than product maximum rates per minute (rpm) as indicated. Use with adequate ventilation. Avoid breathing dust. Avoid eye and skin contact with grinding dust. Wear suitable eye protection, gloves and appropriate protective clothing. Wash thoroughly after handling. Consider potential exposure to components of the base materials or coatings being ground or cut. Refer to OSHA substance specific standards for additional work practice requirements where applicable.

### STORAGE:

No special storage required. Avoid excessive temperatures in storage. Store in a dry area

## Section 8: Exposure Controls/ Personal Protection

| CHEMICAL NAME               | OSHA (PEL)<br>respirable (mg/m3) | OSHA (PEL) respirable<br>(mg/m3) | OSHA (PEL)<br>respirable (mg/m3) |
|-----------------------------|----------------------------------|----------------------------------|----------------------------------|
| Aluminum Oxide, Non-fibrous | 5                                | 15                               | 10                               |
| Silicon Carbide             |                                  |                                  |                                  |
| Sulfur                      | 2.5                              | 10                               | 10                               |
| Natural Rubber              | none                             | none                             | none                             |

|                                          |                                                                                                                                                                                                                                                                                                                |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>VENTILATION:</b>                      | Engineering controls recommended. See ANSI Z43.1. Refer to OSHA 29 CFR 1910.94. Respiratory: OSHA/NIOSH approved respirator. See OSHA 29 CFR 1910.134<br>Engineering controls recommended. See ANSI Z43.1. Refer to OSHA 29 CFR 1910.94. Respiratory: OSHA/NIOSH approved respirator. See OSHA 29 CFR 1910.134 |
| <b>EYE PROTECTION:</b>                   | Protective eyewear such as safety goggles, safety glasses or face shield is recommended. See OSHA 29 CF1910.133.                                                                                                                                                                                               |
| <b>PROTECTIVE GLOVES:</b>                | Leather gloves.                                                                                                                                                                                                                                                                                                |
| <b>HEARING PROTECTION:</b>               | Hearing protection such as earplugs or approved earmuffs. Refer to OSHA 29 CFR 1910.95.                                                                                                                                                                                                                        |
| <b>BODY/SKIN PROTECTION:</b>             | Leather apron, fire retardant jacket/shirt/lab coat to shield from heavy spark showers in operation.                                                                                                                                                                                                           |
| <b>OTHER PROTECTION/<br/>RECAUTIONS:</b> | Visually inspect all wheels before mounting for possible damage. Do not operate above maximum operating speed. Always use a guard. Refer to ANSI B7.1 for Safety Requirements for the Use, Care and Protection of Abrasive Wheels.                                                                             |

## Section 9: Physical and Chemical Properties

**Appearance:** Various shades of brown and black color solid bonded wheel.

**Solubility in water:** Insoluble

**Odor:** None, faint phenolic odor

**Boiling Point:** N/A

**Flammability or Explosive Limits:** Not flammable

**Flash Point:** Not flammable

**Vapor Pressure:** N/A

**Evaporation Rate:** N/A

**Odor Threshold:** N/A

**Flammability (solid, gas):** Not flammable

**Vapor Density:** N/A

**Auto-ignition Temperature:** N/A

PH: N/A  
Decomposition Temperature: 800 °F (425 °C)  
Relative Density: N/A  
Viscosity: N/A  
Melting Point/Freezing Point: N/A

---

## Section 10: Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use and storage.

**CHEMICAL STABILITY:** Stable

**HAZARDOUS POLYMERIZATION:** Will not occur

**OTHER:** Dust from grinding and cutting could contain potentially hazardous components of the base material being ground or coatings applied to the base material.

---

## Section 11: Toxicological Information

**INHALATION:** Alumina and Silicon Carbide dust may irritate throat and respiratory system, may cause coughing..

**SKIN CONTACT:** Alumina and Silicon Carbide dust may irritate skin.

**EYE CONTACT:** Alumina and Silicon Carbide dust may cause irritation.

### Potential Health Effects:

**LOCAL EFFECTS:** N/A

**SENSITIZATION:** N/A

**CHRONIC TOXICITY:** N/A

**LONG TERM TOXICITY:** N/A

**SPECIFIC EFFECTS:** N/A

---

## Section 12: Ecological Information

Data from Toxicity Tests: No adverse effects on aquatic organisms are expected.

---

## Section 13: Disposal Considerations

Proper Disposal Practices: Disposal practices are in accordance with local, state and national regulations.

---

## Section 14: Transportation Information

Proper Transport of Hazard Material: Not regulated as a hazardous material for transport.

---

## Section 15: Regulatory Information

**OSHA:** Non-hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

**CERCLA-SARA  
HAZARD CATEGORY:** This product has been reviewed, and is considered, under applicable definitions, to meet the following categories: NONE

**SARA SECTION 313:** This production contains the following substances subject to the reporting requirements of Section 313 and 40 CFR part 372: NONE

**TOXIC CONTROL  
SUBSTANCES  
CONTROL ACT:** The chemical substances in this product are on the TSCA Section 8 Inventory:  
NO COMPONENTS FOUND.

**NEW JERSEY RIGHT-  
TO-KNOW:** The following materials are non-hazardous, but are among the top five component in this product:

Chemical Name: fillers and backing (non-hazardous)  
CAS No. : none – mix

**PENNSYLVANIA  
RIGHT-TO-KNOW:** The following non-hazardous ingredients are present in the product at greater than 3%:

Chemical Name: fillers and backing (non-hazardous)  
CAS No. : none – mix

**CALIFORNIA** No Proposition 65 chemicals known to exist in this product.

**PROPOSITION 65:**

**VOLATILE ORGANIC COMPOUNDS (VOCS):** 0 grams/liter

**CANADIAN WHMIS:** This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings. CANADIAN WHMIS CLASS: NONE

**COMPONENT RCRA CLASSIFICATIONS:** Not regulated


**COMPONENT RCRA CODES:** No information

**CERCLA RQ VALUE (MINIMUM):** None known

---

**Section 16: Other Information**

**16.1 NFPA 704**



**Top, Flammability: 1 – Severe Hazard**

**Left, Health Hazard: 1 – Moderate Hazard**

**Right, Reactivity: 1 – Minimal Hazard**

**Bottom, Special Notice: 0 - None**

**Disclaimer:**

**PACE Technologies, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular**

**purpose. PACE TECHNOLOGIES, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, PACE TECHNOLOGIES, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.**

DATE REVISED: 7/21/2025 DZ

---