



## SQL code smells rules

### Code

- [APX1086 – Check syntax errors](#)
- [APX1095 – GOTO Usage](#)
- [APX1112 – Semi-colons statement terminator](#)
- [APX1113 – Uninitialized variable](#)
- [APX1114 – Unused parameter](#)
- [APX1123 – SET NOCOUNT OFF Usage](#)
- [APX1131 – Un-closed cursor](#)
- [APX1132 – Cursor not deallocated](#)
- [APX1133 – RAISERROR with severity above 18 missing WITH LOG clause](#)
- [APX1136 – Direct use of Date-Time functions](#)
- [APX1139 – WAITFOR delay statement](#)
- [APX1154 – Unpaired sp\\_xml\\_preparedocument](#)
- [APX1162 – Cyclomatic complexity](#)
- [APX1191 – Reserved word used as identifier](#)
- [APX1206 – Invalid cursor operation](#)
- [APX1207 – Missing SET NOCOUNT ON before Unattended DML execution](#)
- [APX1209 – INSERT EXEC statement](#)
- [APX1212 – Printing from a trigger](#)
- [APX1220 – No TRY...CATCH](#)
- [APX1233 – Undocumented stored procedure usage](#)
- [APX1235 – Non-recommended settings](#)
- [APX1241 – Cannot roll back THROW](#)
- [APX1281 – Permission is granted in procedure body](#)
- [APX1284 – Duplicate Cursor name](#)
- [APX1285 – Cursor with no specified scope](#)
- [APX1287 – Hardcoded database name](#)
- [APX1288 – Statement outside of begin..end block](#)
- [APX1308 – Trigger should be enabled](#)

# Deprecated features

- APX1094 – Non-ANSI outer join
- APX1119 – String = expression\_alias
- APX1125 – Constants in ORDER BY
- APX1128 – Table hint without WITH keyword
- APX1152 – Deprecated data types: TEXT, NTEXT and IMAGE
- APX1182 – Returning results from triggers
- APX1236 – Use of CREATE/DROP DEFAULT
- APX1237 – ANSI\_NULLS or QUOTED\_IDENTIFIER OFF
- APX1242 – Use of @, @@, or @@ as Transact-SQL identifiers
- APX1270 – SET CONCAT\_NULL\_YIELDS\_NULL OFF
- APX1271 – SET ANSI\_PADDING OFF
- APX1272 – Space separator for table hints
- APX1282 – SET REMOTE\_PROC\_TRANSACTIONS
- APX1283 – Numbered procedures
- APX1289 – Three-part and four-part column references
- APX1291 – Timestamp syntax
- APX1292 – Table option "text in row"
- APX1293 – CREATE/DROP RULE
- APX1294 – sp\_bindrule and sp\_unbindrule usage
- APX1295 – fn\_get\_sql function usage
- APX1296 – sp\_estimated\_rowsize\_reduction\_for\_vardecimal usage
- APX1297 – data types sp\_addtype and sp\_droptype usage
- APX1298 – GROUP BY ALL clause usage
- APX1299 – ROWGUIDCOL as a column name in DML statements
- APX1300 – IDENTITYCOL as a column name in DML statements
- APX1301 – DEFAULT keyword usage as default value
- APX1302 – Deprecated stored procedure

# Design

- APX1129 – Index type not specified explicitly
- APX1165 – Unspecific DECIMAL or NUMERIC data types
- APX1171 – (N)VARCHAR data type size not specified
- APX1195 – Identity Column usage
- APX1213 – Nullability not specified
- APX1222 – Small (N)VARCHAR columns
- APX1223 – Small (N)VARCHAR variables

APX1229 – Missing primary key

APX1303 – Disabled foreign key

APX1304 – ON DELETE CASCADE action Usage

APX1305 – Identity column should not be used in the Primary Key

APX1307 – Use Integer data types for primary key when possible

APX1309 – Enable cascading updates

## Maintenance

APX1109 – QUOTED\_IDENTIFIERS or ANSI\_NULLS in a programmability object

APX1118 – Unassigned variable

APX1143 – Potential “unfinished” development

APX1146 – Unused variable

APX1190 – Output parameter never assigned

APX1203 – Duplicate identifier

APX1224 – Comment header

## Naming convention

APX1088 – Parameters names not specified explicitly

APX1110 – Special chars in name

APX1155 – Naming convention prefix

## Performance

APX1092 – HAVING with non-aggregate functions

APX1096 – Comparison with NULL

APX1120 – Temporary table

APX1130 – Not equal operator in WHERE

APX1135 – DML and DDL mixed

APX1145 – “%” first in LIKE

APX1173 – NOT IN in a WHERE clause

APX1186 – Cursor

APX1225 – Missing clustered index

APX1234 – WITH RECOMPILE

APX1273 – Stored procedure calls from a trigger

APX1274 – Transactions in a stored procedure

APX1277 – Do not use SET FORCEPLAN OFF

[APX1278 – Incorrect usage of COUNT\(\)](#)  
[APX1280 – Cursor not declared as readonly](#)

## Query

[APX1090 – Avoid Select\(\\*\)](#)  
[APX1091 – TOP without ORDER BY](#)  
[APX1093 – Non-ANSI join](#)  
[APX1137 – Missing table aliases](#)  
[APX1141 – Subquery join with TOP clause](#)  
[APX1144 – Missing WHERE/JOIN clause](#)  
[APX1170 – Column numbers in ORDER BY clause](#)  
[APX1176 – Missing join predicate](#)  
[APX1180 – SELECT INTO](#)  
[APX1184 – ISNUMERIC function](#)  
[APX1185 – CHARINDEX in Where clause](#)  
[APX1193 – IN predicate](#)  
[APX1197 – OR operator in WHERE clause](#)  
[APX1210 – Missing columns in insert](#)  
[APX1230 – SET ROWCOUNT](#)  
[APX1243 – MERGE](#)  
[APX1276 – Statement without TRY...CATCH](#)  
[APX1286 – Database context change](#)

## Security

[APX1102 – SUSER\\_SNAME\(\) and SYSTEM\\_USER](#)

**ALSO ON SQL SHACK****Importing data from  
OData APIs using ...**

7 months ago • 1 comment

This article will show how to use Azure Data Factory to import data from OData ...

**An overview of  
PGAdmin – ...**

9 months ago • 1 comment

This articles will describe the overview of PGAdmin4 – a Postgres Management ...

**Embedding Power  
reports in Jupyter**

7 months ago • 2 comments

This article will describe how to embed Power Report in Jupyter ...