



SQL code smells rules

Code

- [APX1086 – Check syntax errors](#)
- [APX1095 – GOTO Usage](#)
- [APX1112 – Semi-colons statement terminator](#)
- [APX1113 – Uninitialized variable](#)
- [APX1114 – Unused parameter](#)
- [APX1123 – SET NOCOUNT OFF Usage](#)
- [APX1131 – Un-closed cursor](#)
- [APX1132 – Cursor not deallocated](#)
- [APX1133 – RAISERROR with severity above 18 missing WITH LOG clause](#)
- [APX1136 – Direct use of Date-Time functions](#)
- [APX1139 – WAITFOR delay statement](#)
- [APX1154 – Unpaired sp_xml_preparedocument](#)
- [APX1162 – Cyclomatic complexity](#)
- [APX1191 – Reserved word used as identifier](#)
- [APX1206 – Invalid cursor operation](#)
- [APX1207 – Missing SET NOCOUNT ON before Unattended DML execution](#)
- [APX1209 – INSERT EXEC statement](#)
- [APX1212 – Printing from a trigger](#)
- [APX1220 – No TRY...CATCH](#)
- [APX1233 – Undocumented stored procedure usage](#)
- [APX1235 – Non-recommended settings](#)
- [APX1241 – Cannot roll back THROW](#)
- [APX1281 – Permission is granted in procedure body](#)
- [APX1284 – Duplicate Cursor name](#)
- [APX1285 – Cursor with no specified scope](#)
- [APX1287 – Hardcoded database name](#)
- [APX1288 – Statement outside of begin..end block](#)
- [APX1308 – Trigger should be enabled](#)

Deprecated features

- APX1094 – Non-ANSI outer join
- APX1119 – String = expression_alias
- APX1125 – Constants in ORDER BY
- APX1128 – Table hint without WITH keyword
- APX1152 – Deprecated data types: TEXT, NTEXT and IMAGE
- APX1182 – Returning results from triggers
- APX1236 – Use of CREATE/DROP DEFAULT
- APX1237 – ANSI_NULLS or QUOTED_IDENTIFIER OFF
- APX1242 – Use of @, @@, or @@ as Transact-SQL identifiers
- APX1270 – SET CONCAT_NULL_YIELDS_NULL OFF
- APX1271 – SET ANSI_PADDING OFF
- APX1272 – Space separator for table hints
- APX1282 – SET REMOTE_PROC_TRANSACTIONS
- APX1283 – Numbered procedures
- APX1289 – Three-part and four-part column references
- APX1291 – Timestamp syntax
- APX1292 – Table option "text in row"
- APX1293 – CREATE/DROP RULE
- APX1294 – sp_bindrule and sp_unbindrule usage
- APX1295 – fn_get_sql function usage
- APX1296 – sp_estimated_rowsize_reduction_for_vardecimal usage
- APX1297 – data types sp_addtype and sp_droptype usage
- APX1298 – GROUP BY ALL clause usage
- APX1299 – ROWGUIDCOL as a column name in DML statements
- APX1300 – IDENTITYCOL as a column name in DML statements
- APX1301 – DEFAULT keyword usage as default value
- APX1302 – Deprecated stored procedure

Design

- APX1129 – Index type not specified explicitly
- APX1165 – Unspecific DECIMAL or NUMERIC data types
- APX1171 – (N)VARCHAR data type size not specified
- APX1195 – Identity Column usage
- APX1213 – Nullability not specified
- APX1222 – Small (N)VARCHAR columns
- APX1223 – Small (N)VARCHAR variables

- APX1229 – Missing primary key
- APX1303 – Disabled foreign key
- APX1304 – ON DELETE CASCADE action Usage
- APX1305 – Identity column should not be used in the Primary Key
- APX1307 – Use Integer data types for primary key when possible
- APX1309 – Enable cascading updates

Maintenance

- APX1109 – QUOTED_IDENTIFIERS or ANSI_NULLS in a programmability object
- APX1118 – Unassigned variable
- APX1143 – Potential “unfinished” development
- APX1146 – Unused variable
- APX1190 – Output parameter never assigned
- APX1203 – Duplicate identifier
- APX1224 – Comment header

Naming convention

- APX1088 – Parameters names not specified explicitly
- APX1110 – Special chars in name
- APX1155 – Naming convention prefix

Performance

- APX1092 – HAVING with non-aggregate functions
- APX1096 – Comparison with NULL
- APX1120 – Temporary table
- APX1130 – Not equal operator in WHERE
- APX1135 – DML and DDL mixed
- APX1145 – “%” first in LIKE
- APX1173 – NOT IN in a WHERE clause
- APX1186 – Cursor
- APX1225 – Missing clustered index
- APX1234 – WITH RECOMPILE
- APX1273 – Stored procedure calls from a trigger
- APX1274 – Transactions in a stored procedure
- APX1277 – Do not use SET FORCEPLAN OFF

[APX1278 – Incorrect usage of COUNT\(\)](#)

[APX1280 – Cursor not declared as readonly](#)

Query

[APX1090 – Avoid Select\(*\)](#)

[APX1091 – TOP without ORDER BY](#)

[APX1093 – Non-ANSI join](#)

[APX1137 – Missing table aliases](#)

[APX1141 – Subquery join with TOP clause](#)

[APX1144 – Missing WHERE/JOIN clause](#)

[APX1170 – Column numbers in ORDER BY clause](#)

[APX1176 – Missing join predicate](#)

[APX1180 – SELECT INTO](#)

[APX1184 – ISNUMERIC function](#)

[APX1185 – CHARINDEX in Where clause](#)

[APX1193 – IN predicate](#)

[APX1197 – OR operator in WHERE clause](#)

[APX1210 – Missing columns in insert](#)

[APX1230 – SET ROWCOUNT](#)

[APX1243 – MERGE](#)

[APX1276 – Statement without TRY...CATCH](#)

[APX1286 – Database context change](#)

Security

[APX1102 – SUSER_SNAME\(\) and SYSTEM_USER](#)

ALSO ON SQL SHACK**Importing data from
OData APIs using ...**

7 months ago • 1 comment

This article will show how to use Azure Data Factory to import data from OData ...

**An overview of
PGAdmin – ...**

9 months ago • 1 comment

This articles will describe the overview of PGAdmin4 – a Postgres Management ...

**Embedding Power
reports in Jupyter**

7 months ago • 2 comments

This article will describe how to embed Power Report in Jupyter ...