


Dashboard > ejercicio-calculator >		
Configuration	Terminate a build if it's stuck With Ant ?	
General Source Code Management	Build Steps	
☼ Build Triggers	≡ Execute Windows batch command ?	×
Build Environment	Command	
Build Steps	See the list of available environment variables	
Post-build Actions	cd src echo %cd% javac Calculator.java fsutil file createnew Manifest.txt 0 echo Main-class: Calculator > Manifest.txt jar cfm CalculatorJar.jar Manifest.txt Calculator.class Add build step ▼	

- Back to Project
- Status
- </>
 Changes
- Console Output
 - View as plain text
- [Edit Build Information
- ा। Delete build '#4'
- Git Build Data
- ← Previous Build



```
Started by user Jordan Alfredo González Olaves
Running as SYSTEM
Building in workspace C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/vero0311/calculator # timeout=10
Fetching upstream changes from https://github.com/vero0311/calculator
> git --version # timeout=10
> git --version # 'git version 2.38.0.windows.1'
> git fetch --tags --force --progress -- https://github.com/vero0311/calculator +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse "refs/remotes/origin/master^{commit}" # timeout=10
Checking out Revision b2ec49664e0aa02b087274ba23f09bd99629c530 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f b2ec49664e0aa02b087274ba23f09bd99629c530 # timeout=10
Commit message: "Calculator project"
> git rev-list --no-walk b2ec49664e0aa02b087274ba23f09bd99629c530 # timeout=10
[ejercicio-calculator] $ cmd /c call C:\windows\TEMP\jenkins16144496137485844707.bat
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator>cd src
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>echo C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>javac Calculator.java
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>fsutil file createnew Manifest.txt 0
Error: The file exists.
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>echo Main-class: Calculator 1>Manifest.txt
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>jar cfm CalculatorJar.jar Manifest.txt Calculator.class
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>exit 0
Finished: SUCCESS
```



Dashboard > ejercicio-calculator-exe >	
Configuration	Inspect build log for published build scans
Configuration	Terminate a build if it's stuck
	With Ant ?
Source Code Management	Build Steps
Suild Triggers	, <u>-</u>
Build Environment	■ Execute Windows batch command ? ×
Build Steps	Command See the list of available environment variables
Post-build Actions	cd C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src
	java -jar CalculatorJar.jar
	Advanced
	Add build step ▼

Dashboard > ejercicio-calculator-exe > #12

- ↑ Back to Project
- Status
- </>
 Changes
- Console Output
 - View as plain text
- Edit Build Information
- Delete build '#12'
- Git Build Data
- ← Previous Build



```
Started by user Jordan Alfredo González Olaves
Running as SYSTEM
Building in workspace C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator-exe
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator-exe\.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/vero0311/calculator # timeout=10
Fetching upstream changes from https://github.com/vero0311/calculator
> git --version # timeout=10
> git --version # 'git version 2.38.0.windows.1'
> git fetch --tags --force --progress -- https://github.com/vero0311/calculator +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse "refs/remotes/origin/master^{commit}" # timeout=10
Checking out Revision b2ec49664e0aa02b087274ba23f09bd99629c530 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f b2ec49664e0aa02b087274ba23f09bd99629c530 # timeout=10
Commit message: "Calculator project"
> git rev-list --no-walk b2ec49664e0aa02b087274ba23f09bd99629c530 # timeout=10
[ejercicio-calculator-exe] $ cmd /c call C:\windows\TEMP\jenkins6295433138507506406.bat
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator-exe>cd C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>java -jar CalculatorJar.jar
El resultado de la suma es: 11
El resultado de la resta es: 15
El resultado de la suma es: 30
El resultado de la resta es: 4
C:\ProgramData\Jenkins\.jenkins\workspace\ejercicio-calculator\src>exit 0
Finished: SUCCESS
```