Functional Requirements Document – TFA Assistant

TaskFlow – Intelligent Task Allocation & Tracking System

> **Document:** Functional Requirements Document (sub-module 08.1 Assistant, code `TFA`) · **Version:** 1.0 · **Status:** Draft
> **Project type:** Personal Project (Skill Development) · **Date:** 31-Oct-2026
> **Author:** Jojo George (jojogeorge3344@gmail.com)
> **Based on:** BRD-Assistant.md v1.0
> © 2026 Jojo George. All rights reserved.

Document Control

Revision History

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version: TFA Panel, how-to help, Action Card, voice controls and background safeguards, traced to BRD-Assistant v1.0

Related Documents

Document	Purpose	Location
BRD – TFA Assistant	Business needs this FRD details (`REQ-TFA-nn`, `BR-TFA-nn`)	`../../../BRD/08-TFA-Assistant/08.1-Assistant/BRD-Assistant.md`
BRD / FRD – Overall	Roles, global rules `BR-nn`, global NFRs	`../../../BRD/00-Overall/BRD-TaskFlow-Overall.md`, `../../00-Overall/FRD-TaskFlow-Overall.md`
FRD – TFA Settings	AI provider, model and API key configuration	`../../06-Settings/06.3-TFA-Settings/FRD-TFA-Settings.md`
FRD – Mail	Mail rules applied to mail drafts	`../../04-Communication/04.1-Mail/FRD-Mail.md`
FRD – My Profile	Profile rules applied to own-profile changes	`../../07-My-Profile/07.1-My-Profile/FRD-My-Profile.md`
FRD – Task Management	Task access rules used by task answers	`../../02-TaskFlow-Monitoring/02.1-Task-Management/FRD-Task-Management.md`
FRD – Employee Management	Role change of a user	`../../03-TaskFlow-Management/03.1-Employee-Management/FRD-Employee-Management.md`
HLD / LLD / TDD	Technical design	`../../../HLD/08-TFA-Assistant/08.1-Assistant/HLD-Assistant.md`, `../../../LLD/08-TFA-Assistant/08.1-Assistant/LLD-Assistant.md`, `TF - Documents/TF - TDD/TDD-TaskFlow.md` (section 16)

1. Introduction

1.1 Purpose

This FRD specifies the detailed, testable behaviour of TFA (TaskFlow Assistant): the chat panel on every signed-in screen, task answers and the ranked work order, how-to help from built-in topics, Action Cards that run only after confirmation, voice input, and the background safeguards (message limit and action audit). It turns every `REQ-TFA-nn` and `BR-TFA-nn` of the TFA BRD into functional requirements `FR-TFA-nn`.

1.2 Scope

In scope: TFA Panel (conversation, model selector, cloud notice, new chat, provider failures); task answers and ranked list; Action Cards for mail drafts, own-profile changes and role changes; user lookup, password guidance, administrator guidance; how-to help from 19 topics; secret screen, 20-messages-per-minute limit, action audit; voice input in Chrome and Edge.

Out of scope (BRD §3.2): AI provider, model and API key setup (TFA Settings); creating, editing or reassigning tasks through TFA; password changes through TFA; a screen to view the audit log; deleting one's own conversation history.

1.3 Audience

Developer and tester of TaskFlow, reviewers, and the product owner (Jojo George).

1.4 Conventions

- Requirement IDs: `FR-TFA-nn`. Use cases: `UC-TFA-nn`. Business rules: `BR-TFA-nn` (sub-module BRD) and `BR-nn` (overall BRD).
- BRD trace: `REQ-TFA-nn` (sub-module BRD §5).
- Priority: **Must / Should / Could** (MoSCoW).
- "The system shall ..." = mandatory behaviour.
- Text in `{braces}` inside backticks is a value filled in at run time.

1.5 Definitions & Abbreviations

Term	Meaning
TFA	TaskFlow Assistant, the built-in AI assistant
AI provider	Service that writes TFA's answers: Ollama (local), Google Gemini or OpenAI GPT (cloud)
Lookup	A read TFA makes while answering (help topics, own tasks, user directory)
Action Card	Card in the conversation showing a prepared action that runs only on the user's Confirm click
Pending action	Prepared action waiting for Confirm or Cancel; expires 10 minutes after it is created
Work order	System-ranked list of the user's open assigned tasks
Secret screen	Check that stops messages that look like a password or API key
Wake phrase	"Hey TF assistant"


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2. System Overview

2.1 Module Map

Code	Module	Child modules / screens	Primary roles
TFA	TFA Assistant (08.1)	TFA Panel (chat), How-to help, Action Card, Voice controls, Background safeguards (no screen)	Administrator, Manager, Employee; Custom role if granted
TFAS	TFA Settings – interface only	Provider, model and API key configuration	Administrator
MAIL	Mail – interface only	Sends confirmed mail drafts	All users with Mail
PROF	My Profile – interface only	Applies confirmed own-profile changes	All users
EMP	Employee Management – interface only	Applies confirmed role changes	Administrator
TASK	Task Management – interface only	Task access rules and task pages linked from answers	All users

2.2 Context Diagram



3. User Roles & Permissions

3.1 Roles

Role	Description	Data scope
Administrator	Full system user; chat, mail drafts, own profile change, change another user's role	Own conversation and actions; role change across the organisation
Manager	Leads teams and projects; chat, mail drafts, own profile change	Own conversation and actions; task answers follow own task access
Employee	Works on assigned tasks; chat, mail drafts, own profile change	Own conversation and actions; task answers follow own task access
Custom role	Role created in Role Configuration	As granted

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

3.2 Permission Matrix (functional view)

Module › Function	Permission key	Administrator	Manager	Employee	Custom role
TFA › Chat with the assistant (panel, messages, new chat, models)	`assistant.chat`	Granted	Granted	Granted	Configurable
TFA › Confirm, edit or cancel prepared actions	`assistant.actions.confirm`	Granted	Granted	Granted	Configurable
TFA › Prepare and confirm a role change (Role Configuration key)	`roles.manage`	Granted	Denied	Denied	Configurable

Mail, profile and task answers additionally follow the user's own rights in those modules (BR-TFA-01). Background safeguards apply to everyone and need no permission.

---

4. Functional Requirements by Module

4.1 Module: TFA Assistant (TFA)

Purpose: An AI assistant on every signed-in screen that answers questions about TaskFlow and the user's work and prepares actions that run only after the user confirms. · **BRD reference:** BRD-Assistant §5 SCREEN 1–5, `BR-TFA-01` – `BR-TFA-14`; overall `BR-04`, `BR-20`, `BR-27`, `BR-28`

4.1.1 Screen: TFA Panel (chat)

Field	Value
Route / location	Panel on the right of every signed-in screen; opened from the floating **TFA** button (bottom right) or the wake phrase
Access	Administrator, Manager, Employee (default); Custom role with `assistant.chat`
Entry points	Floating **TFA** button; "Hey TF assistant" (see 4.1.4)

Screen elements

Element	Type	Description	Mandatory	Visible to
TFA button	Floating button + voice hint	Opens/closes the panel	–	Users with `assistant.chat`
Header	Title + buttons	"TFA – TaskFlow Assistant", **New chat** (+), **Close** (×)	–	Users with `assistant.chat`
Model selector	Menu	Chosen provider and model with **Local**/**Cloud** tag; menu opens only with 2 or more configured providers	–	Users with `assistant.chat`
Cloud notice	Inline notice	"`{Provider}` is a cloud provider. Your message and related task details are sent to it." with **I understand**, **Cancel**	–	Users with `assistant.chat`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Element	Type	Description	Mandatory	Visible to
Conversation feed	List	User messages, TFA answers with provider name (e.g. "TFA · Gemini"), "Permission required" bubble, notices, numbered ranked task list with tags, screen link buttons, Action Cards	–	Users with `assistant.chat`
Welcome bubble + suggestions	Text + chips	"Hi, I'm TFA. I can explain how TaskFlow works, tell you what is coming up and what to do first, and draft mail for you to review."; *What are my upcoming tasks?*, *What should I prioritise?*, *How do I change a task status?*, *Send a mail to my manager*	–	Users with `assistant.chat` (empty chat only)
Message box	Text area	"Ask TFA anything about TaskFlow..."; Enter sends, Shift+Enter new line	Yes (to send)	Users with `assistant.chat`
Microphone, Send	Buttons	Dictate (4.1.4); send the message	–	Users with `assistant.chat`
Footer	Text	"TFA can make mistakes. Actions always need your confirmation."	–	Users with `assistant.chat`
Provider failure card	Card	Plain failure text with **Retry** and **Use** `{other provider}`	–	Users with `assistant.chat`

Functional requirements

ID	Requirement	Priority	Permission	BRD trace
FR-TFA-01	The system shall show the TFA button and panel on every signed-in screen only to users holding `assistant.chat`, and refuse every chat request from other users.	Must	`assistant.chat`	REQ-TFA-01, BR-TFA-01
FR-TFA-02	The system shall open and close the panel from the TFA button and the **Close** (×) button.	Must	`assistant.chat`	REQ-TFA-01
FR-TFA-03	The system shall, when the panel opens, load the configured providers and the user's own latest conversation with up to the last 100 messages.	Must	`assistant.chat`	REQ-TFA-02, BR-TFA-04
FR-TFA-04	The system shall show the welcome bubble and the four starter suggestions when the conversation is empty, and send a suggestion like a typed message when it is clicked.	Should	`assistant.chat`	REQ-TFA-01, REQ-TFA-12
FR-TFA-05	The system shall send the message on **Send** or Enter and insert a new line on Shift+Enter.	Must	`assistant.chat`	REQ-TFA-04
FR-TFA-06	The system shall report another user's conversation or prepared action as "not found" to everyone, Administrators included.	Must	`assistant.chat`	REQ-TFA-03, BR-TFA-04, BR-20

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-TFA-07	The system shall accept messages of 1 to 2000 characters and refuse others with "A message must be between 1 and 2000 characters."	Must	`assistant.chat`	REQ-TFA-04
FR-TFA-08	The system shall neither send to any provider nor store a message that looks like it contains a password or API key/token, and shall show "For your safety I did not send or keep that message: it looks like it contains a password or an API key. Please never type passwords into chat. To change your password, open My Profile and use the Change password form."	Must	`assistant.chat`	REQ-TFA-05, BR-TFA-03, BR-28
FR-TFA-09	The system shall answer questions about upcoming, due-today, overdue and all open tasks using the same access rules as Task Management – the user's own tasks by default and every task the user may see on request – each task linking to its task page.	Must	`assistant.chat`	REQ-TFA-06, BR-TFA-05
FR-TFA-10	The system shall rank the user's open assigned tasks (To Do, In Progress, In QA, Blocked): overdue first (longest overdue first), then due today, then nearest due date, higher priority first on the same day; Completed and Cancelled excluded; blocked tasks kept and tagged **Blocked**.	Must	`assistant.chat`	REQ-TFA-07, BR-TFA-06
FR-TFA-11	The system shall show the top 5 ranked tasks (up to 10 when asked) as a numbered list with tags Overdue, Today, Tomorrow, `{n}` days or Blocked, each linking to its task page; the order shall be calculated by the system and be identical for every provider.	Must	`assistant.chat`	REQ-TFA-08, BR-TFA-06
FR-TFA-12	The system shall list in the model selector only providers configured by an administrator, with a Local or Cloud tag, open the menu only when 2 or more are configured, remember the choice in the browser, and keep the same conversation when the model is switched.	Must	`assistant.chat`	REQ-TFA-09, BR-TFA-11
FR-TFA-13	The system shall show "TFA is not available yet. An administrator needs to choose an AI model in TFA Settings." when no provider is configured, and "`{Provider}` is not configured. Choose another model, or ask an administrator to set it up." when the chosen provider was removed.	Must	`assistant.chat`	REQ-TFA-09, BR-TFA-11
FR-TFA-14	The system shall show the name of the provider that answered under each TFA answer.	Could	`assistant.chat`	REQ-TFA-09
FR-TFA-15	The system shall hold the first message to each cloud provider and show the cloud notice; **I understand** sends it and is remembered in that browser, **Cancel** puts the text back into the message box.	Must	`assistant.chat`	REQ-TFA-10, BR-TFA-11
FR-TFA-16	The system shall save nothing when a provider fails (rate limit, rejected key, timeout, unreachable, model missing, unexpected error), show the matching plain message, and offer **Retry** (same text) and **Use** `{other provider}` for each other configured provider.	Must	`assistant.chat`	REQ-TFA-11
FR-TFA-17	The system shall start a new conversation on **New chat**, empty the panel and show the welcome bubble; earlier messages stay stored but are no longer used as context. On failure it shall show "Could not start a new chat."	Should	`assistant.chat`	REQ-TFA-12
FR-TFA-18	The system shall use at most the last 12 messages, about 6000 characters, of the current conversation as context, excluding notices.	Should	`assistant.chat`	REQ-TFA-13


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-TFA-19	The system shall allow at most 4 rounds of lookups per answer, after which TFA shall answer in words.	Should	`assistant.chat`	REQ-TFA-14
FR-TFA-20	The system shall treat task, comment and mail text that TFA reads as data, never as an instruction.	Must	`assistant.chat`	REQ-TFA-15, BR-TFA-02
FR-TFA-21	The system shall clear the panel and load the new person's own conversation when a different user signs in on the same browser.	Must	`assistant.chat`	REQ-TFA-16, BR-TFA-04
FR-TFA-22	The system shall use the application name and time zone from Application Settings in answers and when deciding which tasks are due today.	Should	`assistant.chat`	REQ-TFA-17, BR-17
FR-TFA-23	The system shall show a refused request as a "Permission required" bubble with "You do not have the required permission to perform this action. `{Action}` can only be performed by `{who}`. Please contact your system administrator for assistance."	Must	`assistant.chat`	REQ-TFA-01, REQ-TFA-23, BR-TFA-01
FR-TFA-24	The system shall show the footer "TFA can make mistakes. Actions always need your confirmation." at all times in the panel.	Should	`assistant.chat`	REQ-TFA-22, BR-TFA-02

Use case: UC-TFA-01 – Ask TFA a question

Item	Detail
Actor	Any user with `assistant.chat`
Preconditions	Signed in; at least one provider configured
Trigger	Opens the panel, types a question (or clicks a suggestion) and presses **Send**
Main flow	1. System loads providers and the latest conversation. 2. User sends a message. 3. If the chosen provider is Cloud and not yet acknowledged, the cloud notice is shown; user clicks **I understand**. 4. System checks length (1–2000) and the secret screen. 5. System checks the 20-per-minute limit (FR-TFA-53). 6. TFA answers using up to 4 rounds of lookups. 7. System saves the question and answer and shows them with task links, ranked list or screen links.
Alternate flows	A1: **Cancel** on the cloud notice → text returned to the box, nothing sent. A2: user switches model → same conversation continues.
Exceptions	E1: length outside 1–2000 → "A message must be between 1 and 2000 characters.". E2: password/key detected → safety notice, nothing sent or stored. E3: over the limit → "You are sending messages too quickly. Please wait about `{n}` seconds and try again.". E4: provider failure → plain message, **Retry**, **Use** `{other provider}`, nothing saved. E5: no provider → "TFA is not available yet. An administrator needs to configure an AI provider." E6: no answer → "I could not come up with an answer. Please try again, or ask in a different way."
Postconditions	Question and answer stored in the user's own conversation

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Use case: UC-TFA-02 – What should I work on first?

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Actor	Any user with `assistant.chat`
Preconditions	Signed in; provider available
Trigger	Asks "What should I prioritise?"
Main flow	1. System loads the user's open assigned tasks. 2. System ranks them (FR-TFA-10). 3. System shows the top 5 as a numbered list with tags and task links. 4. TFA explains the order in words.
Alternate flows	A1: user asks for more → up to 10 tasks.
Exceptions	E1: no open tasks → TFA says so in words.
Postconditions	Same order for every provider; nothing changed



Use case: UC-TFA-03 – Start a new chat

Item	Detail
Actor	Any user with `assistant.chat`
Preconditions	Panel open
Trigger	Clicks **New chat** (+)
Main flow	1. System creates a new conversation for the user. 2. Panel empties and shows the welcome bubble and suggestions.
Alternate flows	–
Exceptions	E1: failure → "Could not start a new chat."
Postconditions	Earlier messages stored but no longer used as context

Field validations

Field	Rule	Error message
Message	1 to 2000 characters	"A message must be between 1 and 2000 characters."
Message	Must not look like a password or API key/token	"For your safety I did not send or keep that message: it looks like it contains a password or an API key. ..."
Message	At most 20 per user per minute	"You are sending messages too quickly. Please wait about `{n}` seconds and try again."

Business rules applied: BR-TFA-01, BR-TFA-03, BR-TFA-04, BR-TFA-05, BR-TFA-06, BR-TFA-11; overall BR-04, BR-17, BR-20, BR-28.

Notifications / side effects

Event	Who is notified	Channel
Message sent to a cloud provider	The provider receives the message and related task details (after the cloud notice)	Provider

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Event	Who is notified	Channel
Answer received	The user only	TFA Panel

Messages

Situation	Message
Provider rate limit	"`{Provider}`'s free limit or rate limit has been reached. Try again in about `{n}` seconds, or choose another model."
Provider rejected key	"`{Provider}` did not accept the API key. Ask an administrator to check the key in TFA Settings, or choose another model."
Provider timeout	"`{Provider}` took too long to answer. You can retry, or choose another model."
Ollama not running	"Ollama is not running or cannot be reached. Ask an administrator to start it, or choose another model."
Cloud provider unreachable	"`{Provider}` cannot be reached right now. Check the connection and retry, or choose another model."
Model not installed (Ollama)	"The configured model is not available on Ollama. Ask an administrator to install it, or choose another model."
Model not available (cloud)	"The configured model is not available on `{Provider}`. Ask an administrator to check the model name, or choose another model."
Other provider error	"`{Provider}` returned an unexpected error. Please try again, or choose another model."
Any other send error	"TFA could not answer. Please try again."
No permission	"You do not have the required permission to perform this action. `{Action}` can only be performed by `{who}`. Please contact your system administrator for assistance."

4.1.2 Screen: How-to Help (inside the TFA Panel)

Field	Value
Route / location	TFA Panel – answers to "how do I...?" questions
Access	Administrator, Manager, Employee (default); Custom role with `assistant.chat`
Entry points	Any how-to question; starter suggestion *How do I change a task status?*

Screen elements

Element	Type	Description	Mandatory	Visible to
Answer	Text	Steps from the matching help topic, or "who can do it" note	–	Users with `assistant.chat`
Screen link	Button	Opens the screen named in the topic (e.g. **My Profile**, **Board**, **Mail**)	–	Users with `assistant.chat`

Functional requirements


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-TFA-25	The system shall answer how-to questions only from the 19 built-in help topics, matching a topic only when its keywords and title score high enough, and using at most the 3 best matches.	Must	`assistant.chat`	REQ-TFA-18, BR-TFA-07
FR-TFA-26	The system shall add a link button to the screen named in the matching topic.	Should	`assistant.chat`	REQ-TFA-19
FR-TFA-27	The system shall, for the 5 Administrator-only topics and the 4 Manager-and-Administrator topics, give users of other roles only who can do it, without steps (default "`{Topic}` is not available to your role.").	Must	`assistant.chat`	REQ-TFA-20
FR-TFA-28	The system shall say it does not have the information when no topic matches, and never describe screens or features that are not in the help topics.	Must	`assistant.chat`	REQ-TFA-21, BR-TFA-07

Help topics (19): What TFA can do; Application settings; Use the Board; Change your password; Change a user's role; Change a task's status; Send a mail; Create a task; Project management; Edit your profile; Employee management; Read and organise mail; Notifications; Reassign a task; Deadline reminder settings; Reports and employee workload; Comment on a task and see its history; Find tasks with the task list and filters; TFA settings and AI models.

Use case: UC-TFA-04 – Get how-to help

Item	Detail
Actor	Any user with `assistant.chat`
Preconditions	Signed in; provider available
Trigger	Asks, e.g., "How do I change a task status?"
Main flow	1. System searches the help topics and picks up to 3 best matches. 2. Topic is for the user's role → TFA answers from its steps. 3. System shows the screen link.
Alternate flows	A1: topic not for the user's role → only who can do it, e.g. "Tasks are created by Managers and Administrators. If you need a new task, ask your manager to create and assign it to you."
Exceptions	E1: no topic matches → TFA says it does not have that information.
Postconditions	Nothing changed



Field validations: *Not applicable – the chat field rules of 4.1.1 apply.*

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Business rules applied: BR-TFA-07.

Notifications / side effects

Event	Who is notified	Channel
How-to answer	The user only	TFA Panel

Messages

Situation	Message
Restricted topic (default)	"`{Topic}` is not available to your role."
Restricted topic (example)	"Application settings are managed by an Administrator. Please contact your system administrator."
No matching topic	TFA says it does not have that information (wording by the AI model)

4.1.3 Screen: Action Card (inside the TFA Panel)

Field	Value
Route / location	TFA Panel – card in the conversation feed
Access	Card shown to holders of `assistant.chat`; Confirm, Edit and Cancel need `assistant.actions.confirm`; role change also needs `roles.manage` (Administrator by default)
Entry points	A request such as "Send a mail to my manager about TSK-12", "Change my email to ...", "Make Ravi a Manager"

Screen elements

Element	Type	Description	Mandatory	Visible to
Title + expiry	Text	**Mail draft**, **Update your profile** or **Change role**; "Expires in 10 minutes" while pending	–	Users with `assistant.chat`
Fields	Read-only list	To, Subject and message (mail); Name/Email old → new (profile); User and Role old → new (role)	–	Users with `assistant.chat`
Confirm button	Button	**Send mail** / **Save changes** / **Change role**	–	Users with `assistant.actions.confirm`
Edit	Button	Opens the edit form (mail only)	–	Users with `assistant.actions.confirm`
Cancel	Button	Discards the action	–	Users with `assistant.actions.confirm`
Hint	Text	"Nothing happens until you confirm."	–	Users with `assistant.chat`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Element	Type	Description	Mandatory	Visible to
Edit form	Form	**To (email addresses)**, **Subject**, **Message**, **Save changes**, **Back**	To: Yes	Users with `assistant.actions.confirm`
Final status	Label	**Done**, **Cancelled**, **Expired. Ask TFA again.**, **Not allowed**, **Not done**	–	Users with `assistant.chat`

Functional requirements

ID	Requirement	Priority	Permission	BRD trace
FR-TFA-29	The system shall let TFA only prepare an action and show it as an Action Card with "I have prepared this for you. Please review it. Nothing happens until you confirm."; only the user's own click on the confirm button shall run it.	Must	`assistant.chat` (prepare), `assistant.actions.confirm` (run)	REQ-TFA-22, BR-TFA-02, BR-27
FR-TFA-30	The system shall check the user's permission when the action is prepared and again, with the user's current sign-in, when it is confirmed, and mark a refused confirm **Not allowed**.	Must	`assistant.actions.confirm`	REQ-TFA-23, BR-TFA-01
FR-TFA-31	The system shall expire a pending action 10 minutes after it is created; a confirm after that shall show "This request has expired. Please ask TFA again." and the status **Expired. Ask TFA again.**	Must	`assistant.actions.confirm`	REQ-TFA-24, BR-TFA-08
FR-TFA-32	The system shall run an action at most once, even when confirm is clicked several times at the same moment; a later confirm shall show "This action has already been done." and an action no longer pending "This action can no longer be confirmed (`{status}`). Please ask TFA again."	Must	`assistant.actions.confirm`	REQ-TFA-25, BR-TFA-08
FR-TFA-33	The system shall discard a pending action on **Cancel** and show **Cancelled**; nothing is sent or changed.	Must	`assistant.actions.confirm`	REQ-TFA-22
FR-TFA-34	The system shall prepare internal TaskFlow mail drafts that pass the Mail rules (subject or message required; 1–50 recipients; subject max 200, message max 20,000 characters) and, on **Send mail**, send them from the user's own mailbox with "Done. Your mail " `{subject}` " was sent to `{names}` ."	Must	`assistant.chat` , `assistant.actions.confirm`	REQ-TFA-26, BR-TFA-09
FR-TFA-35	The system shall, for a mail to "my manager", use the task's creator when that is another active user, otherwise the single active Manager of the user's departments, and ask the user which person is meant when none or several match.	Should	`assistant.chat`	REQ-TFA-27
FR-TFA-36	The system shall refuse a mail draft about a task the user cannot open with "That task was not found, or you do not have access to it."	Must	`assistant.chat`	REQ-TFA-26, BR-TFA-05

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


ID	Requirement	Priority	Permission	BRD trace
FR-TFA-37	The system shall allow **Edit** only on mail drafts ("Only a mail can be edited." otherwise), accept as recipients only email addresses of active TaskFlow users, and name unknown addresses with "These are not active TaskFlow users: `{addresses}`."	Must	`assistant.actions.confirm`	REQ-TFA-28
FR-TFA-38	The system shall refuse to edit an action that is no longer pending with "This action can no longer be changed. Please ask TFA again."	Must	`assistant.actions.confirm`	REQ-TFA-28, BR-TFA-08
FR-TFA-39	The system shall prepare an "Update your profile" card only for the signed-in user's own full name and/or email, checked with the My Profile rules (name required, max 200; valid `@taskflow.com` email, max 256; not used by another account); on **Save changes** it shall apply the change and reply "Done. Your profile was updated."	Should	`assistant.chat`, `assistant.actions.confirm`	REQ-TFA-29, BR-TFA-09
FR-TFA-40	The system shall prepare a "Change role" card only for holders of `roles.manage`, for an existing role named exactly and an active user, never for the requester's own role ("For safety I do not change your own role. Please ask another administrator to do it."), and shall say nothing needs to change when the user already has that role.	Should	`roles.manage`, `assistant.actions.confirm`	REQ-TFA-30, BR-TFA-10
FR-TFA-41	The system shall, after a confirmed role change, end the target user's sessions and reply "Done. `{name}` is now a `{role}`. They were signed out and will use the new role the next time they sign in."	Should	`roles.manage`	REQ-TFA-31
FR-TFA-42	The system shall find active users by name or email (at most 10 matches) to address a mail.	Should	`assistant.chat`	REQ-TFA-32
FR-TFA-43	The system shall answer password questions with fixed guidance and a link to My Profile, never ask for or accept a password, and never change a password.	Must	`assistant.chat`	REQ-TFA-33, BR-TFA-10, BR-28
FR-TFA-44	The system shall answer requests that need an administrator with "This needs an administrator. Please contact your system administrator for assistance."	Could	`assistant.chat`	REQ-TFA-34
FR-TFA-45	The system shall mark a failed action **Not done** and reply "I could not do that: `{reason}`. Nothing was sent." (mail) or "... Nothing was changed." (profile, role), with nothing sent or changed.	Must	`assistant.actions.confirm`	REQ-TFA-35
FR-TFA-46	The system shall show "Could not confirm that action.", "Could not cancel that action." or "Could not save your changes." when the request fails for network reasons, leaving the card pending.	Should	`assistant.actions.confirm`	REQ-TFA-35

Use case: UC-TFA-05 – Send a mail with TFA

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Actor	Any user with `assistant.chat` and `assistant.actions.confirm`
Preconditions	Signed in; provider available
Trigger	Asks, e.g., "Send a mail to my manager about TSK-12"
Main flow	1. TFA resolves the recipient ("my manager" or named users). 2. System checks the Mail rules and shows a **Mail draft** card. 3. User optionally clicks **Edit**, changes To/Subject/Message, clicks **Save changes**. 4. User clicks **Send mail**. 5. System re-checks permission and expiry, sends from the user's mailbox and replies "Done. Your mail "`{subject}`" was sent to `{names}`." 6. Outcome recorded in the audit.
Alternate flows	A1: no or several matching managers → TFA asks who is meant. A2: **Cancel** → **Cancelled**.
Exceptions	E1: unknown recipient in edit → "These are not active TaskFlow users: `{addresses}`.". E2: Mail rule broken → "Write a subject or a message before sending." / "Add between 1 and 50 recipients." / "'`{value}`' is not an email address.". E3: expired → "This request has expired. Please ask TFA again.". E4: failure → **Not done**, "Nothing was sent."
Postconditions	Mail in the recipients' TaskFlow inboxes and the user's sent items; audit record written

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Use case: UC-TFA-06 – Update my profile with TFA


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Actor	Any user with `assistant.chat` and `assistant.actions.confirm`
Preconditions	Signed in
Trigger	Asks, e.g., "Change my email to asha.menon@taskflow.com"
Main flow	1. TFA checks the new name/email with the My Profile rules. 2. System shows **Update your profile** with old → new. 3. User clicks **Save changes**. 4. System applies the change (mobile number unchanged) and replies "Done. Your profile was updated."
Alternate flows	A1: **Cancel** → nothing changes.
Exceptions	E1: invalid or taken email → TFA explains the problem, no card. E2: failure at confirm → **Not done**, "Nothing was changed."
Postconditions	Own name/email updated (see FRD-My-Profile FR-PROF-16)

Use case: UC-TFA-07 – Change a user's role (Administrator)

Item	Detail
Actor	Administrator (or custom role with `roles.manage`)
Preconditions	Signed in; `roles.manage`, `assistant.actions.confirm`
Trigger	Asks, e.g., "Make Ravi a Manager"
Main flow	1. System checks `roles.manage`. 2. TFA finds the role by exact name and the person among active users. 3. System shows **Change role** (User, Role old → new). 4. Administrator clicks **Change role**. 5. System re-checks the permission, changes the role, ends the user's sessions and replies with the "Done. … signed out …" text.
Alternate flows	A1: person already has the role → TFA says nothing needs to change.
Exceptions	E1: no `roles.manage` → "Permission required" bubble "You do not have the required permission to perform this action. Changing a user's role can only be performed by an authorized administrator. Please contact your system administrator for assistance." (refusal recorded). E2: own role → "For safety I do not change your own role. Please ask another administrator to do it."
Postconditions	Target user has the new role at next sign-in; audit record written

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Field validations

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Field	Rule	Error message
To (email addresses)	1–50 addresses; each an email of an active TaskFlow user	"Add between 1 and 50 recipients." / "'`{value}`' is not an email address." / "These are not active TaskFlow users: `{addresses}`."
Subject, Message	At least one filled; subject max 200, message max 20,000 characters	"Write a subject or a message before sending."
Profile name / email	My Profile rules (FRD-My-Profile 4.1.1)	Reason shown in "I could not do that: `{reason}`. Nothing was changed."
Role	Existing role, named exactly; not the requester's own role	"For safety I do not change your own role. Please ask another administrator to do it."

Business rules applied: BR-TFA-01, BR-TFA-02, BR-TFA-04, BR-TFA-08, BR-TFA-09, BR-TFA-10; overall BR-24, BR-27, BR-28.

Notifications / side effects

Event	Who is notified	Channel
Mail confirmed	Recipients	TaskFlow Mail (Mail rules apply)
Profile confirmed	Nobody (BR-PROF-12)	–
Role change confirmed	Target user: sessions ended, new role at next sign-in	–
Any action outcome	Nobody; audit record written (4.1.5)	–

Messages

Situation	Message
Prepared	"I have prepared this for you. Please review it. Nothing happens until you confirm."
Done	"Done. Your mail "`{subject}`" was sent to `{names}`." / "Done. Your profile was updated." / "Done. `{name}` is now a `{role}`. They were signed out and will use the new role the next time they sign in."
Failed	"I could not do that: `{reason}`. Nothing was sent." / "Nothing was changed."
Expired	"This request has expired. Please ask TFA again."
Already done	"This action has already been done."
Password question	Fixed guidance with a **My Profile** link (see open issue in §10)
No permission	"You do not have the required permission to perform this action. Changing a user's role can only be performed by an authorized administrator. Please contact your system administrator for assistance."

4.1.4 Screen: Voice Controls (inside the TFA Panel)

Field	Value
Route / location	TFA Panel message box, listening bar, TFA button hint
Access	Administrator, Manager, Employee (default); Custom role with `assistant.chat`; Chrome or Edge

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Field	Value
Entry points	Wake phrase "Hey TF assistant"; microphone button

Screen elements

Element	Type	Description	Mandatory	Visible to
Microphone	Button	"Speak a command (Chrome or Edge)" – dictates one command	–	Users with `assistant.chat`
Listening bar	Status + buttons	Waiting for "Hey TF assistant", Listening... say your command, Hands-free is off, Voice is paused; **Turn on "Hey TF assistant"** / **Turn on hands-free** / **Turn off**	–	Users with `assistant.chat`
Heard text	Text	Heard: "..." under the TFA button	–	Users with `assistant.chat`
Voice hint	Text	say "Hey TF assistant", Listening... say your command, or voice is off	–	Users with `assistant.chat`

Functional requirements


ID	Requirement	Priority	Permission	BRD trace
FR-TFA-47	The system shall, when "Hey TF assistant" is heard, open the panel and say "Hi `{first name}`, how can I help you?"	Could	`assistant.chat`	REQ-TFA-36
FR-TFA-48	The system shall show the spoken words in the message box while the user speaks and send the question after about 2 seconds of silence, applying every chat rule of 4.1.1.	Could	`assistant.chat`	REQ-TFA-37
FR-TFA-49	The system shall let the microphone button listen once and fill the message box with a single command.	Could	`assistant.chat`	REQ-TFA-38
FR-TFA-50	The system shall read aloud only answers to spoken questions, up to 500 characters, and pause the microphone while speaking; typed questions get text only.	Could	`assistant.chat`	REQ-TFA-39
FR-TFA-51	The system shall remember a deliberate **Turn off** in the browser, offer **Turn on "Hey TF assistant"** / **Turn on hands-free**, and never turn voice off permanently because of an error.	Could	`assistant.chat`	REQ-TFA-40
FR-TFA-52	The system shall use the browser's own speech service, keep no recording, and show the matching message when voice is unavailable so the user can type instead.	Must	`assistant.chat`	REQ-TFA-41, BR-TFA-14

Use case: UC-TFA-08 – Ask by voice

Item	Detail
Actor	Any user with `assistant.chat` in Chrome or Edge
Preconditions	Hands-free on; microphone allowed

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Trigger	Says "Hey TF assistant"
Main flow	1. System opens the panel and greets the user by first name. 2. User speaks; words appear in the message box. 3. After about 2 seconds of silence the question is sent (UC-TFA-01). 4. The answer is shown and read aloud; the microphone rests meanwhile.
Alternate flows	A1: user clicks the microphone instead → one command dictated into the box, sent by the user.
Exceptions	E1: unsupported browser, blocked or missing microphone, no internet → matching message, typing works.
Postconditions	Same as UC-TFA-01; no recording kept



Field validations: *Not applicable – the chat field rules of 4.1.1 apply to spoken questions.*

Business rules applied: BR-TFA-14.

Notifications / side effects

Event	Who is notified	Channel
Spoken answer	The user	Browser speech output

Messages

Situation	Message
Browser without voice	"Voice input is not supported in this browser. Try Chrome or Edge, or type your question."
Microphone blocked	"Microphone access was denied. Allow it in your browser to use voice, or type your question."
No microphone	"No microphone was found. You can type your question instead."
No internet for voice	"Voice needs an internet connection in this browser. You can type your question instead."
Auto start blocked	"Click anywhere on the page to turn "Hey TF assistant" back on."
No permission	*Not applicable – without* `assistant.chat` *the panel and voice controls are not shown.*

4.1.5 Screen: Background Safeguards (no screen)

Field	Value
Route / location	None – applied automatically
Access	Applies to every TFA user (Administrator, Manager, Employee, Custom role); nobody can view the audit
Entry points	Every message and every action outcome

Screen elements: *Not applicable – the user only sees the "too quickly" message.*


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Functional requirements

ID	Requirement	Priority	Permission	BRD trace
FR-TFA-53	The system shall allow at most 20 messages per user in any one-minute window, counting only messages that passed the length and secret checks, and reply "You are sending messages too quickly. Please wait about `{n}` seconds and try again."	Must	– (always)	REQ-TFA-42, BR-TFA-12
FR-TFA-54	The system shall record every action outcome – prepared, confirmed, cancelled, expired, refused, failed – with user, action kind (Send mail, Update own profile, Change user role) and time.	Must	– (always)	REQ-TFA-43, BR-TFA-13, BR-27
FR-TFA-55	The system shall never store message bodies, passwords or API keys in the audit record.	Must	– (always)	REQ-TFA-44, BR-TFA-13
FR-TFA-56	The system shall record a refusal both when TFA refuses to prepare an action and when a confirm is refused.	Should	– (always)	REQ-TFA-45

Use case: UC-TFA-09 – Message limit reached

Item	Detail
Actor	System (on behalf of any TFA user)
Preconditions	User has sent 20 messages in the last minute
Trigger	User sends another message
Main flow	1. System counts the user's messages of the last minute. 2. At 20, it replies with the "too quickly" message and does not call the provider.
Alternate flows	A1: under 20 → message continues (UC-TFA-01).
Exceptions	–
Postconditions	Provider quota protected



Field validations: *Not applicable for this screen.*

Business rules applied: BR-TFA-12, BR-TFA-13; overall BR-27.

Notifications / side effects

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Event	Who is notified	Channel
Action outcome	Nobody; audit record stored	–

Messages

Situation	Message
Over the limit	"You are sending messages too quickly. Please wait about `{n}` seconds and try again."
No permission	*Not applicable – safeguards need no permission.*


---

5. Cross-Module Workflows

5.1 Mail draft confirmed (TFA → MAIL)

Step	Module	Actor / System	Action	FR reference
1	TFA	User	Asks TFA to mail "my manager" about a task	FR-TFA-35, FR-TFA-36
2	TFA	System	Checks the Mail rules, shows **Mail draft**	FR-TFA-29, FR-TFA-34
3	TFA	User	Clicks **Send mail**	FR-TFA-30 – FR-TFA-32
4	MAIL	System	Sends from the user's own mailbox	FR-TFA-34, FRD-Mail (`FR-MAIL-nn`)
5	TFA	System	Records the outcome	FR-TFA-54


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



5.2 Role change confirmed (TFA → EMP → AUTH)


Step	Module	Actor / System	Action	FR reference
1	TFA	Administrator	Asks "Make Ravi a Manager"	FR-TFA-40
2	TFA	Administrator	Clicks **Change role**	FR-TFA-30
3	EMP	System	Changes the user's role	FRD-Employee-Management (`FR-EMP-nn`)
4	AUTH	System	Ends the target user's sessions	FR-TFA-41
5	TFA	System	Records the outcome	FR-TFA-54

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



5.3 Provider configuration used by the panel (TFAS → TFA)

Step	Module	Actor / System	Action	FR reference
1	TFAS	Administrator	Configures providers and models	FRD-TFA-Settings (`FR-TFAS-nn`)
2	TFA	System	Lists only configured providers in the selector	FR-TFA-12, FR-TFA-13
3	TFA	User	Sends a message; cloud notice for a cloud provider	FR-TFA-15



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

6. Reports & Exports

Not applicable for this sub-module. The audit log has no report or screen in this release.

7. Notifications & Messages Catalogue

TFA sends no in-app notification of its own; a confirmed mail is delivered through TaskFlow Mail. Main user-facing messages:

Code	Trigger	Recipients	Channel	Text
M-TFA-01	No provider configured	Requesting user	TFA Panel	"TFA is not available yet. An administrator needs to choose an AI model in TFA Settings."
M-TFA-02	Password or key detected	Requesting user	TFA Panel	"For your safety I did not send or keep that message: ..."
M-TFA-03	First message to a cloud provider	Requesting user	TFA Panel	"`{Provider}` is a cloud provider. Your message and related task details are sent to it."
M-TFA-04	Message limit reached	Requesting user	TFA Panel	"You are sending messages too quickly. Please wait about `{n}` seconds and try again."
M-TFA-05	Action prepared	Requesting user	Action Card	"I have prepared this for you. Please review it. Nothing happens until you confirm."
M-TFA-06	Mail sent	Requesting user; recipients get the mail	TFA Panel; TaskFlow Mail	"Done. Your mail "`{subject}`" was sent to `{names}`."
M-TFA-07	Role changed	Administrator; target user signed out	TFA Panel	"Done. `{name}` is now a `{role}`. They were signed out and will use the new role the next time they sign in."
M-TFA-08	Action expired	Requesting user	Action Card	"This request has expired. Please ask TFA again."
M-TFA-09	Wake phrase	Requesting user	Speech	"Hi `{first name}`, how can I help you?"

8. Data Requirements (functional view)

Data item	Description	Created by	Rules
Conversation	A user's chat thread	System on first message / New chat	Own only; kept indefinitely (see §10)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Data item	Description	Created by	Rules
Message	Question, answer, lookup result or notice, with provider used and time	System	Last 100 shown; detected secrets never stored; nothing stored on provider failure
Pending action	Prepared action (Send mail, Update own profile, Change user role) with details and status	System	Status Pending, Confirmed, Cancelled, Expired, Refused, Failed; expires 10 minutes after creation; resolved once
Audit record	Action outcome: user, kind, outcome, time	System	No message bodies, passwords or keys
Help topics	19 how-to topics with title, roles, keywords, screen link, steps	Shipped with the application	Read only
Browser settings	Chosen model, cloud acknowledgement per provider, hands-free off	User's browser	Not stored on the server

9. Non-Functional Requirements (functional impact)

ID	Requirement	Affects
NFR-TFA-01	Secret screen on every message before any provider call	FR-TFA-08
NFR-TFA-02	Permission re-checked at confirm time	FR-TFA-30
NFR-TFA-03	Local provider option (Ollama) where nothing leaves the machine	FR-TFA-12
NFR-TFA-04	Provider failures lose nothing; Retry resends the same text	FR-TFA-16
NFR-TFA-05	Concurrent confirms never run an action twice	FR-TFA-32
NFR-TFA-06	20 messages per user per minute	FR-TFA-53
NFR-TFA-07	Voice in Chrome and Edge; typing works in every supported browser	FR-TFA-47 – FR-TFA-52
NFR-TFA-08	Every provider problem has a plain message and a next step	FR-TFA-13, FR-TFA-16

10. Assumptions & Open Issues

Type	Description	Owner
Assumption	An administrator configures at least one AI provider before users rely on TFA	Jojo George
Assumption	Users understand that AI answers can be wrong (footer FR-TFA-24)	Jojo George
Assumption	The message limit is held in memory; a server restart resets it	Jojo George
Open issue	⚠️ To be confirmed: the fixed password guidance and the "Change your password" topic mention the current password and say only other sessions end; the Change Password screen uses an authenticator code and ends every session (FRD-My-Profile FR-PROF-22, FR-PROF-26)	Jojo George

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Type	Description	Owner
Open issue	⚠️ To be confirmed: role-restricted help topics are matched by role name, so a custom role always gets the "who can do it" note even when it holds the needed permissions (FR-TFA-27)	Jojo George
Open issue	⚠️ To be confirmed: the Confirm, Edit and Cancel buttons are shown to users without `assistant.actions.confirm`; the click is then refused. Decide whether to hide them	Jojo George
Open issue	⚠️ To be confirmed: a TFA role change checks only `roles.manage`, while Employee Management also requires `employees.role.assign` (and `roles.administrator.assign` for the Administrator role); BR-TFA-09 says role changes follow Employee Management rules	Jojo George
Open issue	⚠️ To be confirmed: "my manager" finds only users with the system Manager role who manage one of the user's departments; department managers in custom roles are ignored (FR-TFA-35)	Jojo George
Open issue	⚠️ To be confirmed: retention period or "delete my history" for conversations (BRD R-TFA-04)	Jojo George
Open issue	The card shows a fixed "Expires in 10 minutes" label, not a countdown; expiry is applied when the card is read or confirmed	Jojo George

11. Requirements Traceability Matrix

Test cases are the automated test files whose names match the behaviour; coverage is inferred from the file names only.

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-TFA-01	FR-TFA-01, FR-TFA-02, FR-TFA-04, FR-TFA-23	TFA Panel	UC-TFA-01	`AssistantEndpointsTests`
REQ-TFA-02	FR-TFA-03	TFA Panel	UC-TFA-01	`AssistantEndpointsTests`
REQ-TFA-03	FR-TFA-06	TFA Panel	UC-TFA-01	`AssistantEndpointsTests`
REQ-TFA-04	FR-TFA-05, FR-TFA-07	TFA Panel	UC-TFA-01	`AssistantServiceTests`
REQ-TFA-05	FR-TFA-08	TFA Panel	UC-TFA-01	`SecretScreenTests`
REQ-TFA-06	FR-TFA-09	TFA Panel	UC-TFA-01	`AssistantReadToolsTests`
REQ-TFA-07	FR-TFA-10	TFA Panel	UC-TFA-02	`TaskPrioritiserTests`
REQ-TFA-08	FR-TFA-11	TFA Panel	UC-TFA-02	`TaskPrioritiserTests`, `AssistantReadToolsTests`
REQ-TFA-09	FR-TFA-12, FR-TFA-13, FR-TFA-14	TFA Panel	UC-TFA-01	`ChatModelGatewayTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-TFA-10	FR-TFA-15	TFA Panel	UC-TFA-01	⚠️ To be confirmed (no frontend spec)
REQ-TFA-11	FR-TFA-16	TFA Panel	UC-TFA-01	`ProviderFailureHandlingTests`
REQ-TFA-12	FR-TFA-04, FR-TFA-17	TFA Panel	UC-TFA-03	`AssistantEndpointsTests`
REQ-TFA-13	FR-TFA-18	TFA Panel	UC-TFA-01	`AssistantServiceTests`
REQ-TFA-14	FR-TFA-19	TFA Panel	UC-TFA-01	`AssistantServiceTests`
REQ-TFA-15	FR-TFA-20	TFA Panel	UC-TFA-01	`AssistantServiceTests`
REQ-TFA-16	FR-TFA-21	TFA Panel	UC-TFA-01	⚠️ To be confirmed (no frontend spec)
REQ-TFA-17	FR-TFA-22	TFA Panel	UC-TFA-01, UC-TFA-02	`AssistantReadToolsTests`
REQ-TFA-18	FR-TFA-25	How-to Help	UC-TFA-04	`HelpKnowledgeBaseTests`
REQ-TFA-19	FR-TFA-26	How-to Help	UC-TFA-04	`HelpKnowledgeBaseTests`
REQ-TFA-20	FR-TFA-27	How-to Help	UC-TFA-04	`HelpKnowledgeBaseTests`
REQ-TFA-21	FR-TFA-28	How-to Help	UC-TFA-04	`HelpKnowledgeBaseTests`
REQ-TFA-22	FR-TFA-24, FR-TFA-29, FR-TFA-33	Action Card	UC-TFA-05 – UC-TFA-07	`AssistantActionServiceTests`
REQ-TFA-23	FR-TFA-23, FR-TFA-30	Action Card	UC-TFA-05 – UC-TFA-07	`AssistantToolGateTests`, `AssistantActionServiceTests`
REQ-TFA-24	FR-TFA-31	Action Card	UC-TFA-05	`AssistantActionServiceTests`
REQ-TFA-25	FR-TFA-32	Action Card	UC-TFA-05	`AssistantActionConcurrencyTests`
REQ-TFA-26	FR-TFA-34, FR-TFA-36	Action Card	UC-TFA-05	`AssistantActionToolsTests`
REQ-TFA-27	FR-TFA-35	Action Card	UC-TFA-05	`AssistantActionToolsTests`
REQ-TFA-28	FR-TFA-37, FR-TFA-38	Action Card	UC-TFA-05	`AssistantActionServiceTests`
REQ-TFA-29	FR-TFA-39	Action Card	UC-TFA-06	`AssistantActionToolsTests`
REQ-TFA-30	FR-TFA-40	Action Card	UC-TFA-07	`AssistantActionToolsTests`, `AssistantToolGateTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-TFA-31	FR-TFA-41	Action Card	UC-TFA-07	`AssistantActionServiceTests`
REQ-TFA-32	FR-TFA-42	Action Card	UC-TFA-05	`AssistantReadToolsTests`
REQ-TFA-33	FR-TFA-43	Action Card	–	`AssistantReadToolsTests`
REQ-TFA-34	FR-TFA-44	Action Card	–	`AssistantReadToolsTests`
REQ-TFA-35	FR-TFA-45, FR-TFA-46	Action Card	UC-TFA-05, UC-TFA-06	`AssistantActionServiceTests`
REQ-TFA-36	FR-TFA-47	Voice Controls	UC-TFA-08	⚠️ To be confirmed (no frontend spec)
REQ-TFA-37	FR-TFA-48	Voice Controls	UC-TFA-08	⚠️ To be confirmed (no frontend spec)
REQ-TFA-38	FR-TFA-49	Voice Controls	UC-TFA-08	⚠️ To be confirmed (no frontend spec)
REQ-TFA-39	FR-TFA-50	Voice Controls	UC-TFA-08	⚠️ To be confirmed (no frontend spec)
REQ-TFA-40	FR-TFA-51	Voice Controls	UC-TFA-08	⚠️ To be confirmed (no frontend spec)
REQ-TFA-41	FR-TFA-52	Voice Controls	UC-TFA-08	⚠️ To be confirmed (no frontend spec)
REQ-TFA-42	FR-TFA-53	Background Safeguards	UC-TFA-09	⚠️ To be confirmed (no dedicated test file name)
REQ-TFA-43	FR-TFA-54	Background Safeguards	UC-TFA-05 – UC-TFA-07	⚠️ To be confirmed (no dedicated test file name)
REQ-TFA-44	FR-TFA-55	Background Safeguards	–	⚠️ To be confirmed (no dedicated test file name)
REQ-TFA-45	FR-TFA-56	Background Safeguards	UC-TFA-07	⚠️ To be confirmed (no dedicated test file name)
BR-TFA-01	FR-TFA-01, FR-TFA-23, FR-TFA-30	TFA Panel, Action Card	UC-TFA-07	`AssistantToolGateTests`
BR-TFA-02	FR-TFA-20, FR-TFA-24, FR-TFA-29	Action Card	UC-TFA-05	`AssistantActionServiceTests`
BR-TFA-03	FR-TFA-08	TFA Panel	UC-TFA-01	`SecretScreenTests`
BR-TFA-04	FR-TFA-03, FR-TFA-06, FR-TFA-21	TFA Panel, Action Card	UC-TFA-01	`AssistantEndpointsTests`
BR-TFA-05	FR-TFA-09, FR-TFA-36	TFA Panel	UC-TFA-01	`AssistantReadToolsTests`
BR-TFA-06	FR-TFA-10, FR-TFA-11	TFA Panel	UC-TFA-02	`TaskPrioritiserTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
BR-TFA-07	FR-TFA-25, FR-TFA-28	How-to Help	UC-TFA-04	`HelpKnowledgeBaseTests`
BR-TFA-08	FR-TFA-31, FR-TFA-32, FR-TFA-38	Action Card	UC-TFA-05	`AssistantActionConcurrencyTests`
BR-TFA-09	FR-TFA-34, FR-TFA-39	Action Card	UC-TFA-05, UC-TFA-06	`AssistantActionToolsTests`
BR-TFA-10	FR-TFA-40, FR-TFA-43	Action Card	UC-TFA-07	`AssistantActionToolsTests`
BR-TFA-11	FR-TFA-12, FR-TFA-13, FR-TFA-15	TFA Panel	UC-TFA-01	`ChatModelGatewayTests`
BR-TFA-12	FR-TFA-53	Background Safeguards	UC-TFA-09	⚠️ To be confirmed
BR-TFA-13	FR-TFA-54, FR-TFA-55	Background Safeguards	–	⚠️ To be confirmed
BR-TFA-14	FR-TFA-52	Voice Controls	UC-TFA-08	⚠️ To be confirmed

Untraced BRD items: 0 (45 of 45 `REQ-TFA-nn`, 14 of 14 `BR-TFA-nn`).

12. Approvals

Role	Name	Decision	Date
Product owner	Jojo George	Pending	–
Reviewer	Jojo George	Pending	–

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.