High-Level Design – Task Management

TaskFlow – Intelligent Task Allocation & Tracking System

Document: High-Level Design (sub-module 02.1 Task Management, code `TASK`) · **Version:** 1.0 · **Status:** Draft
Project type: Personal Project (Skill Development) · **Date:** 31-Oct-2026
Author: Jojo George (jojogeorge3344@gmail.com)
Based on: BRD-Task-Management v1.0, FRD-Task-Management v1.0
© 2026 Jojo George. All rights reserved.

Document Control

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version, derived from BRD/FRD-Task-Management v1.0, the verified Task Management and Comments & Activity History technical docs, TDD v2.0 and the code

Related documents:

Document	Location
Overall HLD (stack, deployment, cross-cutting design, Auth)	`../../00-Overall/HLD-TaskFlow-Overall.md`
BRD / FRD – Task Management	`../../../BRD/02-TaskFlow-Monitoring/02.1-Task-Management/BRD-Task-Management.md`, `../../../FRD/02-TaskFlow-Monitoring/02.1-Task-Management/FRD-Task-Management.md`
LLD – Task Management	`../../../LLD/02-TaskFlow-Monitoring/02.1-Task-Management/LLD-Task-Management.md`
Sibling HLDs – Employee Workload, Board	`../02.2-Employee-Workload/HLD-Employee-Workload.md`, `../02.3-Board/HLD-Board.md`
Related HLDs – Notification, Mail, Dashboard	`../../04-Communication/04.2-Notification/HLD-Notification.md`, `../../04-Communication/04.1-Mail/HLD-Mail.md`, `../../01-Dashboard/01.1-Dashboard/HLD-Dashboard.md`
TDD	`TDD-TaskFlow.md` (v2.0) §6, §7, §10, §11

1. Introduction

1.1 Purpose

This HLD describes how the Task Management sub-module of TaskFlow Monitoring is built: its place in the system, its frontend and backend components, the sub-modules and shared services it talks to, the data it owns, its key flows, security and the design decisions behind them. Class-, column- and endpoint-level detail is in the LLD.

1.2 Scope

In scope: the Task List, Create / Copy Task, Task Details (edit, status, worked hours, delete), Reassign Task, Task Discussion (comments) and Activity History, and the server components behind them. Out of scope (own HLDs): the Board and Employee Workload, which reuse this sub-module's task scope and status rules; the reminder engine and Notification Center (Notification); internal mail (Mail); Authentication (overall HLD).

Change from original BRD

Original BRD	As built (this design)
Statuses To Do, In Progress, Blocked, Completed, Cancelled	**In QA** added; one shared transition table (D-TASK-2)
"Initial status" on create	Every task starts as To Do
Screen 14 SMTP email for task messages	Internal Mail and in-app notifications (no SMTP)
Not in original	Copy task, worked-hours tracking with Administrator correction, soft delete, edit/delete own comments, dashboard drill-down

1.3 Audience

Developer, reviewer and tester of TaskFlow (Jojo George); anyone maintaining the Monitoring module.


1.4 Definitions & Abbreviations

Term	Meaning
SPA	Single Page Application (Angular frontend)
Task scope	Own (assigned, created or recipient), Team (Manager) or Organization – the tasks a caller may see
Manager-scoped	A role holding `tasks.view.all` plus the team dashboard key but not the organization dashboard key; sees team tasks plus own
Recipient	A user notified about a task; the assignee is always one
Stage	Upcoming, Due today, Overdue or Completed, computed when a task is read
Activity history	Append-only audit trail of a task (`TaskActivityLog`)
Best effort	A side effect (notification, mail) whose failure is logged and never undoes the main change
`perm:<key>`	The server authorization policy for one permission key

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2. System Context

2.1 Context Diagram



2.2 Actors & External Systems

Actor / system	Interaction	Protocol
Administrator, Manager, Employee, Custom role	Use the six task screens in the browser	HTTPS / JSON (Bearer JWT)
Dashboard (DASH)	Opens the Task List with drill-down criteria; shares the counting rules	In-process (shared rule classes), SPA navigation
Employee Workload (WORK)	**Tasks** → opens the Task List for one employee	SPA navigation
Board (BOARD)	Uses the board, status and assignee endpoints of this sub-module	HTTPS / JSON
Notification (NOTIF)	Receives event notifications; the reminder engine reads task data	In-process service calls, shared database
Mail (MAIL)	Receives reassignment, worked-hours and comment mail	In-process service / repository calls
Management (EMP, PROJ, DEPT)	Supplies assignees, recipients, projects and a Manager's team	In-process repository calls
Settings (APP, REM, ROLE)	Default priority, time zone, notification switches, reminder defaults, permissions	In-process service calls
TFA Assistant (TFA)	Reads the caller's tasks through the same task service	In-process service calls

No external (third-party) system is called by this sub-module.

3. Architecture Goals, Constraints & Principles

3.1 Quality Goals

Goal	How the architecture supports it
Security	Task scope and every action permission are checked on the server (policy + resource check + service re-check), not only by hiding buttons (NFR-TASK-02)
Data integrity	One transaction for create; optimistic concurrency on worked hours (NFR-TASK-05); soft delete keeps history

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Goal	How the architecture supports it
Auditability	Every change goes through one history writer; history is append-only except the recorded Administrator correction
Consistency	One status transition table for Task Details and Board (NFR-TASK-06); stage and overdue rules shared with Dashboard, Reports and reminders
Reliability	Notifications and mail after a change are best effort (NFR-TASK-04)
Maintainability	Layered Controller → Service → Repository, rules in small static classes, structure enforced by architecture tests

3.2 Constraints

- Single API process and a single SQLite file (overall HLD); no message broker, so side effects run in-process.
- No SMTP: all task mail is internal Mail.
- Reminder intervals and additional recipients are fixed after creation (no edit screen).
- The frontend page files for the full Discussion and Activity pages are not in the reviewed snapshot (⚠️ To be confirmed, §14).

3.3 Architecture Principles

- Thin controllers: HTTP, claims and policies only; business rules live in services.
- Defence in depth: route guard (UX) → `perm:<key>` policy → `TaskAccess` resource policy → service scope and permission re-check.
- Derived values (stage, overdue, remaining hours) are computed at read time and never stored.
- History and comments are never physically deleted with the task (soft delete).
- Cross-module side effects go through the owning module's service (`NotificationPublisher`, `MailService`) or repository, never by duplicating its logic.

---


4. Architecture Overview

4.1 Architecture Style

Task Management follows the system-wide style – Angular SPA + REST API, layered backend, SQLite via EF Core – described in the overall HLD (`../../00-Overall/HLD-TaskFlow-Overall.md`). Inside that style it is a vertical slice: three controllers, three services, three repositories, a set of rule classes and one resource-authorization handler, all under the `Monitoring` / `TaskManagement` folders of each layer.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

4.2 Logical Architecture



4.3 Layers & Responsibilities

Layer	Responsibility (this sub-module)	May call
Presentation	Six task screens, route guards on create / reassign / activity, permission-gated buttons, debounced search, return URLs (back to list, board or project)	API
API / Controllers	`TasksController` (12 actions), `TaskCommentsController` (4), `TaskActivityController` (3): read caller id and role from the JWT, apply policies, call services	Services, `IAuthorizationService`
Authorization	`perm:<key>` policies; `TaskAccess` resource policy (`TaskAccessHandler` → `TaskAccessService`)	Repositories (read)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Layer	Responsibility (this sub-module)	May call
Services	Task scope, create / edit / status / hours / reassign / delete rules, comments, history, notifications and mail	Repositories, rule classes, Notification, Mail, Settings, Management repositories
Rules	Pure functions: transition table, access scope, display stage, reminder interval order, drill-down buckets	–
Repositories	Task, comment and history queries; visibility filter; paging; drill-down filters	Database (EF Core)
Integrations	None of its own; mail and notifications go through the Communication module	–

5. Component / Module Design


Component	Responsibility	Key components (high level)	Depends on
Task List (frontend)	Paged, filtered, searched list; drill-down banner; copy and delete actions	`TaskListComponent`, Angular `TaskService`	Tasks API, Projects API (filter)
Create / Copy Task (frontend)	Create form with recipients and reminders; copy prefill	`TaskCreateComponent`	Tasks API, Employees API, Projects API, Reminder Settings API, Application Settings (default priority)
Task Details (frontend)	Details, edit form, Move to, Time tracking, delete, Discussion and Activity summary tabs	`TaskDetailsComponent`	Tasks, comments and activity APIs
Reassign Task (frontend)	People picker, reason, "What happens next", confirmation	`ReassignComponent`	Tasks API, Employees API
Discussion / Activity pages (frontend)	Full comment thread; filtered history; Administrator hours correction	`TaskDiscussionComponent`, `ActivityComponent` (⚠️ To be confirmed – not in the snapshot)	Comments and activity APIs
Tasks API + task service	Task scope, list and drill-down, create, edit, status, worked hours, reassign, recipients, soft delete	`TasksController`, `TaskService`, `TaskRepository`	Management repositories, `IReminderSettingsService`, `IAppClock`, Notification, Mail, history
Comments API + comment service	Add, edit, soft-delete own comments; notify members; system mail	`TaskCommentsController`, `TaskCommentService`, `TaskCommentRepository`	`TaskRepository`, Notification, Mail repository, Application Settings
Activity API + history service	Single writer of the history; filtered read; Administrator worked-hours correction	`TaskActivityController`, `TaskActivityService`, `TaskActivityRepository`	`TaskRepository`
Task access	Resource check: view-all holder, assignee, creator or recipient of a live task	`TaskAccessRequirement`, `TaskAccessHandler`, `TaskAccessService`	`TaskRepository`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Component	Responsibility	Key components (high level)	Depends on
Rules	Transition table, access scope, stage, interval order, bucket rules	`TaskStatusTransitions`, `TaskAccessScope`, `TaskStageCalculator`, `ReminderIntervals`, `TaskBucketRules`, `DeadlineBucketRules`	–

API surface (high level): `/api/v1/tasks` and its sub-resources for status, hours, reassign, recipients, comments and activity – 19 controller actions in total (12 + 4 + 3); the full list is in the LLD.

5.1 Module Interaction



Partner	Direction	What is exchanged
Notification	Out	`TaskAssigned`, `Reassigned`, `System` (worked hours) and `TaskComment` notifications via `NotificationPublisher`
Mail	Out	"Task reassigned", "Worked hours changed" (through `MailService`); "Comment added / edited / deleted" system mail (through the mail repository)
Reminder engine (Notification)	In (reads)	Open tasks, deadlines, per-task intervals, recipients and creator
Management	Out (reads)	Live and active users, active projects, a Manager's team (department managers, project-manager flags)
Settings	Out (reads)	Reminder defaults, application time zone, in-app and mail switches, default priority (frontend)
Dashboard	In	Drill-down criteria; shared bucket and date-range rules so the list equals the chart count
Board, Workload, Reports, TFA	In	Reuse task data, scope and status rules (Board, TFA) or read the `Tasks` table (Workload, Reports)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


6. Data Architecture (high level)

6.1 Data Stores

Store	Technology	Holds (this sub-module)	Notes
Main database	SQLite `taskflow.db` (EF Core migrations)	Tasks, task recipients, task comments, task activity history	Shared file with all modules; backup policy in the overall HLD
File storage	–	–	Task Management stores no files

Data domain	Owned / used
`Task`, `TaskRecipient`	Owned (Task core)
`TaskComment`, `TaskActivityLog`	Owned (Comments & Activity)
`User`, `Project`, `DepartmentManager`, `UserProjectAllocation`	Used (Management)
`Role`, `Permission`, `RolePermission`	Used (Role Configuration)
`Notification`, `MailMessage`, `MailRecipient`, `MailboxItem`	Written through Communication
`ApplicationSetting`	Used (Settings)
`ReminderHistory`	Read and written by the reminder engine for these tasks

6.2 Main Data Domains



6.3 Data Flow

1. **Create:** the form posts a task → one transaction inserts the task, assigns the `TSK-` code, adds recipients (assignee always), writes two history entries and the assignee's notification.
2. **Work:** status changes and worked hours update the task and append history; worked-hours changes also write notifications and internal mail for the assignee and recipients.
3. **Remind:** the reminder engine (Notification) reads open, live tasks and their intervals on every pass and writes reminder history, notifications and Inbox mail; completed, cancelled or deleted tasks are no longer candidates.
4. **Discuss / audit:** comments are stored with the task; each change appends history and notifies members.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

5. **Read:** list, board, details, dashboard drill-down, workload, reports and the assistant all read the same `Tasks` rows, each adding `!IsDeleted` and its own scope.

7. Integration Design

Integration	Direction	Purpose	Failure behaviour
`NotificationPublisher` (Notification)	Outbound, in-process	Task assigned, reassigned, worked hours changed, comment events	Create: inside the transaction (a failure rolls the create back). Others: best effort, logged. Skipped while in-app notifications are off
`MailService` (Mail)	Outbound, in-process	"Task reassigned: ...", "Worked hours changed: ..." internal mail	Best effort, logged, never rolls back the change
Mail repository (Mail)	Outbound, in-process	System mail "Comment ...: ..." with Inbox items	Skipped when mail is switched off; on failure the staged mail is discarded and a warning logged
Reminder engine (Notification)	Inbound, shared database	Reads open tasks and per-task intervals	Engine re-checks the task is still open with the same deadline before delivering
Management repositories	Outbound, in-process	Active assignee / recipients / project checks; Manager team	Validation error (400) when a person or project is not active
Reminder Settings / `IAppClock`	Outbound, in-process	Reminder defaults on create; time zone for stage and drill-down bounds	Unknown time zone falls back to UTC (logged)
Dashboard rules	Inbound, in-process	`TaskBucketRules`, `DeadlineBucketRules`, date-range and entity filters	Reversed dates → 400 "The end date cannot be before the start date."
TFA Assistant	Inbound, in-process	`get_my_tasks`, `prioritise_tasks`, creator lookup for mail drafts	Same scope as the caller; no extra access


There are no external (HTTP) integrations in this sub-module.

8. Key Flows (high level)

Sign-in, token refresh and the MFA gate are shared flows described in the overall HLD.


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.1 Create and assign a task (main business flow)




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.2 Log worked hours (concurrency and side effects)




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.3 Reassign a task (integration with Notification and Mail)




8.4 Post a comment




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.5 Reminder engine reads task data (background job)



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.6 Administrator worked-hours correction



9. Security Architecture

Concern	Approach
Authentication	Shared: JWT bearer with session validation and mandatory MFA (overall HLD). Every task controller is `[Authorize]`
Authorization – endpoint	`perm:<key>` policies: `tasks.create`, `tasks.update`, `tasks.delete`, `tasks.status.change`, `tasks.reassign`, `tasks.recipients.manage`, `tasks.comment.create`, `tasks.comment.edit`, `tasks.comment.delete`, `tasks.activity.view`; `board.view` on the board read
Authorization – resource	`TaskAccess` policy: live task and caller holds `tasks.view.all`, or is assignee, creator or recipient (`tasks.view.own` is always on)
Authorization – service	`TaskService` re-checks the permission and applies the Manager team scope on details, edit, status, hours and reassign; author-only rule for comments; worked-hours correction limited to the Administrator role

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Concern	Approach
Frontend	`permissionGuard` on `/tasks/new` (`tasks.create`), `/tasks/:id/reassign` (`tasks.reassign`), `/tasks/:id/activity` (`tasks.activity.view`); buttons and tabs gated by the same keys (UX only)
Data protection	No secrets or personal data beyond names; request bodies are not logged; comment text kept only in the database
Transport	HTTPS and CORS as the overall HLD
Auditing	Activity history records every change with actor and UTC time; refused authorizations are logged by `DeniedActionAuditHandler`
Known gaps	Delete and set-recipients have no task-scope check; `TaskAccess` lacks the Manager team scope (comments, activity); "Move to" buttons not gated (§14)

10. Technology Stack

The sub-module uses the system stack unchanged (ASP.NET Core / .NET 10, EF Core 10.0.12 with SQLite, FluentValidation 12.2.0, Angular ^19.2.0, RxJS ~7.8.0); versions and reasons are in the overall HLD (`../../00-Overall/HLD-TaskFlow-Overall.md`). Parts that matter most here:

Area	Technology	Version	Reason
Validation	`FluentValidation`	12.2.0	Create, update, status, reassign, recipients and comment request validators
Data access	`Microsoft.EntityFrameworkCore.Sqlite`	10.0.12	Task queries, transactions, concurrency token on worked hours
Frontend	Angular standalone components, `@angular/forms`	^19.2.0	Task screens and reactive forms

11. Deployment Architecture

Task Management has no deployment unit of its own: it runs inside the single `TaskFlow.Api` process and the Angular SPA, with its data in the shared `taskflow.db`. Hosting, environments, ports and the data folder are described once in the overall HLD (`../../00-Overall/HLD-TaskFlow-Overall.md`).

12. Non-Functional Design

Area	Design decision
Performance	List paged on the server (20 per page, at most 100), ordered by deadline with indexes on `Deadline` and `AssignedToUserId`; search debounced 300 ms in the SPA (NFR-TASK-01)
Scalability	Single instance; board and assignee reads are unpaged (accepted for current volumes)
Reliability	Create is one transaction; worked hours use optimistic concurrency (409, NFR-TASK-05); side effects best effort (NFR-TASK-04)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Area	Design decision
Availability	As the overall system (single process)
Maintainability	One transition table (NFR-TASK-06); rule classes unit-tested; architecture tests enforce layer and folder rules
Usability	Confirmation for delete and reassign; field messages from validators (NFR-TASK-03)
Observability	Request log per call; warnings for failed notifications / mail; denied-action audit
Backup & Recovery	Part of the database backup (overall HLD); soft delete means a deleted task can be recovered from the row

13. Design Decisions

ID	Decision	Alternatives considered	Rationale
D-TASK-1	Task scope is computed in the service (`TaskVisibility`: Own / Team plus own / Organization) and checked again by the `TaskAccess` resource policy	Policy only; filtering in the SPA	One rule set for list, board, details, assistant; the policy guards task-scoped endpoints that do not load the task through the service
D-TASK-2	One static transition table (`TaskStatusTransitions`) used by Task Details and the Board	Free status change; per-screen rules	Same rules everywhere (NFR-TASK-06); In QA added in one place
D-TASK-3	Stage and overdue are derived at read time in the application time zone (`TaskStageCalculator`), never stored	Stored stage updated by a job	Cannot go stale; no extra job; matches the reminder engine's day logic
D-TASK-4	Soft delete for tasks and comments, with explicit `!IsDeleted` in every task query (no global filter)	Hard delete; global query filter	Keeps comments, history and reminder history (BR-TASK-08); explicit filter lets history and names still load deleted parents
D-TASK-5	Task code `TSK-` + 6-digit id, set inside the create transaction after the insert (placeholder first)	Separate sequence table; GUID codes	Unique, readable, never reused, no extra table; unique index guards it
D-TASK-6	`TaskActivityService` is the single writer of an append-only history; the caller owns the transaction	Each service writes its own log rows; database triggers	One format and event list; history saved with the change it describes
D-TASK-7	Worked total (`ActualHours`) is an optimistic concurrency token	Locking; last write wins	Two simultaneous saves never lose hours; the loser gets 409 "Please try again"
D-TASK-8	The assignment notification is written inside the create transaction; reassign, hours and comment notifications and mail are best effort after the save	All inside the transaction; all best effort; a message queue	A task is never created without telling the assignee; later side effects must not undo a valid change (NFR-TASK-04); no broker in a single-process design
D-TASK-9	Per-task reminder intervals are stored on the task; nothing is pre-scheduled	Pre-generated reminder rows	Completion, cancellation, deadline or recipient changes take effect on the next pass with nothing to cancel

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Decision	Alternatives considered	Rationale
D-TASK-10	Dashboard drill-down reuses the dashboard's bucket and date-range rules inside the task repository	Separate list query per chart	The list holds exactly the tasks the chart counted (BR-22)
D-TASK-11	Worked-hours correction replays all entries and is limited to the Administrator role, recorded as an `Administrative` entry	Edit the total only; a permission key	Keeps every running total consistent; the correction itself stays auditable
D-TASK-12	Comment notifications go to assignee, recipients and author; comment mail is a system message (no sender) placed in Inbox	Personal mail from the author; no mail	Everyone on the task sees the change; system mail can be switched off with the mail setting

14. Risks, Assumptions & Open Issues

Type	Description	Mitigation / owner
Risk	R-TASK-01: delete has no task-scope check; any `tasks.delete` holder can delete any live task	Only Administrators hold the key by default; add the scope check – Jojo George
Risk	R-TASK-02: `TaskAccess` lacks the Manager team scope, so a Manager can read and write comments and history of another team's task by direct request	Add the team check to the handler – Jojo George
Risk	R-TASK-03: "Move to" buttons are shown without `tasks.status.change`; the API refuses	Gate the buttons – Jojo George
Risk	Set-recipients endpoint has no task-scope check and no user-existence check (no UI caller)	Add both checks before a screen uses it – Jojo George
Risk	R-TASK-04: Create lists only Employee-role users as assignees; the API accepts any active user	Widen the list in a later release – Jojo George
Risk	Board and assignee reads are unpaged	Acceptable for current volumes; revisit with paging – Jojo George
Assumption	Creators also hold `employees.view`, `projects.view` and Reminder Settings read access (true for Administrator and Manager)	Role defaults – Jojo George
Open issue	R-TASK-05 / R-TASK-06: reminder intervals not editable after create; clearing worked hours on edit records a change to 0	Later release; Administrator correction – Jojo George
Open issue	Picking a Project in the normal list filter is treated as a drill-down, so a Manager loses own non-team tasks	Separate the two filters – Jojo George
Open issue	The Task List "Board view" button is not gated by `board.view`	Gate the button – Jojo George
Open issue	Two overdue rules: instant rule (board, dashboard, reports) vs day rule (list stage) differ on the deadline day	Documented in TDD §7.5 – Jojo George
Open issue	⚠️ To be confirmed: `TaskDiscussionComponent`, `ActivityComponent` and the activity metadata util are referenced by the routes but not in the reviewed snapshot	Verify the frontend files – Jojo George

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

15. Traceability (requirements → components)

BRD/FRD item	Module / component	Section
FR-TASK-01, FR-TASK-02, FR-TASK-09	Tasks API › `TaskService` task scope (`TaskVisibility`, Manager team from Management) › `TaskRepository`	§5, §9, D-TASK-1
FR-TASK-03, FR-TASK-04, FR-TASK-05, FR-TASK-06, FR-TASK-12, FR-TASK-13	`TaskListComponent` › Tasks API list › `TaskRepository` paging and filters	§5, §12
FR-TASK-07, FR-TASK-33	`TaskStageCalculator` with `IAppClock` time zone	§5, D-TASK-3
FR-TASK-08	Tasks API list with dashboard bucket rules (`TaskBucketRules`, `DeadlineBucketRules`)	§7, D-TASK-10
FR-TASK-10, FR-TASK-11	`TaskListComponent` navigation and permission-gated actions	§5, §9
FR-TASK-14, FR-TASK-15, FR-TASK-16, FR-TASK-17, FR-TASK-18, FR-TASK-19, FR-TASK-20, FR-TASK-21	`TaskCreateComponent` › `TasksController` › create validator › `TaskService` create transaction	§8.1, D-TASK-5
FR-TASK-22, FR-TASK-23, FR-TASK-24, FR-TASK-25	`TaskService` checks via Management repositories, `IReminderSettingsService`, `ReminderIntervals`	§7, §8.1
FR-TASK-26, FR-TASK-27, FR-TASK-28	`TaskService` › `TaskActivityService` › `NotificationPublisher` (inside the create transaction)	§8.1, D-TASK-8
FR-TASK-29, FR-TASK-30	`TaskCreateComponent` copy prefill (reads task details)	§5
FR-TASK-31, FR-TASK-32	`TaskDetailsComponent` › Tasks API details › `TaskService` scope and team check	§5, §9
FR-TASK-34, FR-TASK-35, FR-TASK-36	`TaskDetailsComponent` edit form › update validator › `TaskService` edit › history	§5, D-TASK-6
FR-TASK-37, FR-TASK-38, FR-TASK-39, FR-TASK-40	`TaskDetailsComponent` Move to › Tasks API status › `TaskStatusTransitions` › history	§5, D-TASK-2
FR-TASK-41, FR-TASK-42, FR-TASK-43, FR-TASK-44	Time tracking › Tasks API hours › `TaskService` (concurrency token) › Notification and `MailService`	§8.2, D-TASK-7
FR-TASK-45	`TaskDetailsComponent` Discussion and Activity tabs › comments and activity APIs	§5
FR-TASK-46	Tasks API delete › `TaskService` soft delete › history	§5, D-TASK-4
FR-TASK-47	Reminder engine (Notification) – open-task candidate rule	§8.5, D-TASK-9
FR-TASK-48, FR-TASK-49, FR-TASK-50, FR-TASK-51, FR-TASK-52, FR-TASK-53, FR-TASK-54, FR-TASK-55, FR-TASK-56	`ReassignComponent` › Tasks API reassign › reassign validator › `TaskService` › history › Notification and `MailService`	§8.3

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD/FRD item	Module / component	Section
FR-TASK-57, FR-TASK-58, FR-TASK-59, FR-TASK-60, FR-TASK-61, FR-TASK-62	Discussion page › `TaskCommentsController` › `TaskAccess` › `TaskCommentService` › `TaskCommentRepository`, Notification, Mail repository	§8.4, D-TASK-12
FR-TASK-63, FR-TASK-64, FR-TASK-65, FR-TASK-66, FR-TASK-67, FR-TASK-69	`TaskActivityService` (single writer) › `TaskActivityController` › `TaskActivityRepository` filters; Activity page	§5, D-TASK-6
FR-TASK-68	`TaskActivityController` Administrator check › `TaskActivityService` replay	§8.6, D-TASK-11
FR-TASK-70, FR-TASK-71	`NotificationPublisher` switch, live-user filter, best-effort side effects	§7, D-TASK-8
FR-TASK-72, FR-TASK-73	`perm:<key>` policies, `TaskAccessHandler`, service re-checks; `permissionGuard` on routes	§9
NFR-TASK-01 … NFR-TASK-08	See §12	§12

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.