High-Level Design – Project Management

TaskFlow – Intelligent Task Allocation & Tracking System

Document: High-Level Design (sub-module PROJ) · **Version:** 1.0 · **Status:** Draft
Project type: Personal Project (Skill Development) · **Date:** 31-Oct-2026
Author: Jojo George (jojogeorge3344@gmail.com)
Module: TaskFlow Management · **Sub-module:** 03.2 Project Management, including Positions (code `PROJ`)
Based on: BRD-Project-Management v1.0, FRD-Project-Management v1.0, TaskFlow as built
© 2026 Jojo George. All rights reserved.

Document Control

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version, derived from the Project Management BRD/FRD and the code

Related documents:

Document	Location
Overall HLD (stack, deployment, cross-cutting design)	`../../00-Overall/HLD-TaskFlow-Overall.md`
BRD – Project Management	`../../../BRD/03-TaskFlow-Management/03.2-Project-Management/BRD-Project-Management.md`
FRD – Project Management	`../../../FRD/03-TaskFlow-Management/03.2-Project-Management/FRD-Project-Management.md`
LLD – Project Management	`../../../LLD/03-TaskFlow-Management/03.2-Project-Management/LLD-Project-Management.md`
Sibling HLDs	`../03.1-Employee-Management/HLD-Employee-Management.md`, `../03.3-Department-Management/HLD-Department-Management.md`
TDD	`TF - Documents/TF - TDD/TDD-TaskFlow.md` (§3 architecture, §7.2.2 organisation data)

1. Introduction

1.1 Purpose

This HLD describes how Project Management is built: its place in TaskFlow, its frontend and backend components, how project teams, allocations, project managers and positions work with the other

sub-modules, the data it owns, its key flows, security and design decisions. Classes, methods, columns and the full endpoint list are in the LLD.

1.2 Scope

In scope: the project list, add / edit project, delete project, the project team dialog (people, position, percentage, project-manager flag, 100% cap), positions (pick or create), and Project Details (summary figures, team, filtered task list).

Out of scope: creating and editing tasks (Task Management HLD); people and their accounts (Employee Management HLD); workload and reports that read allocations (their own HLDs).

Change from original BRD: the original BRD has no Project Management screen; projects, teams, allocations, project managers and positions were added during development and are the current requirement (BRD-Project-Management §1.2).

1.3 Audience


Developer, reviewer and tester of TaskFlow (Jojo George); anyone maintaining staffing and allocation logic.

1.4 Definitions & Abbreviations

Term	Meaning
SPA	Single Page Application (Angular frontend)
Team	The allocation rows of one project
Allocation	A person's whole percentage (1–100) on one project, with a position and a project-manager flag
100% cap	A person's allocations across all projects never total more than 100
Project manager	A team member with the Manager system role, flagged as manager of the project
Manager link	A row stating that a Manager manages a project, kept in step with the project-manager flag
Position	A shared label (for example Developer) for a person's job on a project; grants no access

2. System Context

2.1 Context Diagram



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2.2 Actors & External Systems

Actor / system	Interaction	Protocol
Administrator	Manages projects, teams and positions	HTTPS (JSON REST, Bearer JWT)
Manager	Views the list, Project Details, teams and positions read only; may be flagged as project manager	HTTPS
Custom role user	As granted; needs `projects.view` for any screen	HTTPS
Other sub-modules	Read projects, allocations and manager links (task forms, workload, reports, dashboards)	In-process (shared database)
External systems	None – no email, no notifications, no third-party service	–

---

3. Architecture Goals, Constraints & Principles

3.1 Quality Goals

Goal	How the architecture supports it
Data integrity – cap	The team save checks every member's totals on other projects inside one database transaction, so two concurrent saves cannot both pass the 100% cap (NFR-PROJ-01)
Data integrity – atomic team	The whole team is replaced in one call; any rule failure changes nothing (NFR-PROJ-02)
Data integrity – storage	Composite key (one row per person per project), check constraint 1–100 on the percentage, unique filtered index on live project names, unique NOCASE index on position names
Security	One permission policy per endpoint (NFR-PROJ-03)
History preservation	Projects are soft-deleted; tasks are never touched by a project delete
Consistency	Allocation rules live in the shared `UserAllocationService`, also used by Employee Management on create

3.2 Constraints

- Single API process and one SQLite file; project and position lists are not paged.
- Only the Manager system role (`SystemRoles` id 2) can be a project manager.
- Positions can only be listed or got-or-created; no rename or delete.
- Shared cross-cutting pipeline (JWT, MFA gate, validation, error mapping) – see the overall HLD.

3.3 Architecture Principles

- Controller → Service → Repository; the service commits through `IUnitOfWork`.
- PROJ owns `Project`, `Position`, `UserProjectAllocation` and `ManagerProject`; Employee Management writes allocation rows only on employee create and clears manager duties on demotion or delete.
- Whole-team replacement instead of row-by-row edits, so every rule can be checked against the final state.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

- The server decides access; the SPA only hides what the user cannot do.

---


4. Architecture Overview

4.1 Architecture Style

Part of the TaskFlow three-tier design: Angular SPA → ASP.NET Core REST API (`/api/v1/projects`, `/api/v1/positions`) → SQLite through EF Core. The sub-module is a vertical slice with two lazy SPA routes (list and details), two dialogs, two controllers, two domain services plus the shared allocation service, and repositories.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

4.2 Logical Architecture



4.3 Layers & Responsibilities

Layer	Responsibility in PROJ	May call
Presentation	Routes and menu gated by `projects.view`, card list with client-side search, dialogs, remaining-percentage hints, summary figures, task filters	API
API / Controllers	Permission policies, 404 when a project is not live, HTTP status mapping	Services
Services	Name uniqueness, team rules (percent, duplicates, project manager, Manager role, active people, 100% cap) in one transaction, manager-link sync, position get-or-create, delete clean-up	Repositories

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


Layer	Responsibility in PROJ	May call
Repositories	Projects with counts and managers, team rows, totals on other projects, filtered project tasks, positions by name	Database
Integrations	None	–

5. Component / Module Design

Component	Responsibility	Key parts (high level)	Depends on
Routes and menu	Open `/projects` and `/projects/:id` only with `projects.view`; others go to their dashboard	`management.routes.ts` with `permissionGuard`, menu item in `nav-items.ts`	`AuthService` permission claims
Project list page	Cards with team size and manager names, search over name and description, Team / Edit / Delete, **View employees** link	`ProjectListComponent`	Angular `ProjectService`
Project form dialog	Add or edit name and description; after create, opens the team dialog as **Assign team**	`ProjectFormDialogComponent`	Angular `ProjectService`
Project team dialog	Rows of person, position, percentage, project-manager flag; remaining-percentage hints; one save for the team	`ProjectTeamDialogComponent`, `EmployeePickerComponent`, `PositionComboboxComponent`	Angular `ProjectService`, positions API, EMP `UserService` (people list)
Project details page	Summary figures, team, task list with combined filters	`ProjectDetailComponent`	Angular `ProjectService`
Project API	Nine actions on `/api/v1/projects`: list, one project, employees, members, tasks, replace members, create, update, delete	`ProjectsController` with `[RequirePermission]`	`ProjectService`
Position API	Two actions on `/api/v1/positions`: list and get-or-create	`PositionsController`	`PositionService`
Request validation	Name required (≤ 200), description ≤ 500	FluentValidation validators run by `ValidationFilter`	–
Project domain service	Create / update with unique names, read team and tasks, delete with team clean-up, delegate team replacement	`ProjectService`	`ProjectRepository`, `UserAllocationService`, `IUnitOfWork`
Allocation service (shared)	All team rules and the 100% cap inside a transaction; diff of allocation rows and manager links	`UserAllocationService`, `UserAllocationRepository`	`EmployeeRepository` (active people), `PositionRepository`
Position service	Normalise the name, reuse a match ignoring case, otherwise create	`PositionService`, `PositionRepository`	`IUnitOfWork`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

5.1 Module Interaction



Interaction	Direction	What flows
Employee Management	both ways	PROJ reads active people and their role for the picker and the Manager-role rule; EMP writes the first allocations when an employee is created and clears project-manager flags and manager links when a Manager is demoted or deleted; EMP's form uses PROJ's position combobox
Department Management	combined	A Manager's team = members of departments they manage + members of projects they are flagged on (computed by `EmployeeRepository`)
Task Management	both ways	Every task belongs to a project; Project Details reads a project's tasks; task visibility uses the manager team
Dashboard / Workload / Reports	PROJ → readers	Projects, allocations and manager flags are read for analytics, workload and report filters
TaskFlow Assistant	–	No tools for projects or positions


6. Data Architecture (high level)

6.1 Data Stores

Store	Technology	Holds (for PROJ)	Notes
Main database	SQLite `taskflow.db` (EF Core)	`Project`, `Position`, `UserProjectAllocation`, `ManagerProject` (owned); `User`, `Task` (read)	Single file in the TaskFlow data folder; six positions are seeded
File storage	–	Nothing	PROJ stores no files

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

6.2 Main Data Domains



Entity	Owner	PROJ use
`Project`	PROJ	Create, update, soft delete; unique live name
`Position`	PROJ	List, get-or-create; seeded Member, Manager, QA, Developer, DevOps, System Admin
`UserProjectAllocation`	PROJ	Team rows with percentage, position and project-manager flag; replaced as a whole
`ManagerProject`	PROJ	Kept in step with the project-manager flags
`User`, `Role`	EMP, Role Configuration	Read: active check, Manager role, names
`Task`	Task Management	Read for Project Details; never changed by PROJ

6.3 Data Flow

1. **Create project:** dialog → validated request → unique-name check among live projects → save → the SPA opens the team dialog.
2. **Replace team:** dialog sends the complete team → simple row rules → transaction: active people, Manager role for flagged rows, totals on other projects vs. the 100% cap → diff of allocation rows and manager links → commit.
3. **Read:** list query adds team size and project-manager names; Project Details loads the project, its team and all its tasks; the SPA computes the summary figures from the unfiltered task list and re-queries the server when task filters change.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

4. **Delete project:** remove all allocation rows and manager links of the project, mark the project deleted; tasks keep their project reference.


7. Integration Design

Integration	Direction	Purpose	Failure behaviour
Employee people list	Internal, inbound	People for the team picker	Needs `employees.view`; without it the picker stays empty
Position get-or-create	Internal (SPA → own API)	Typed positions in the team dialog and the employee form	"The position could not be created." in the SPA
Task data	Internal, inbound	Project Details task list	"Could not load the project tasks." / "Could not load the tasks."
External systems	–	None (no email, no notification)	–

8. Key Flows (high level)


Sign-in and the request pipeline are shown in the overall HLD. PROJ has no background job (*not applicable for this sub-module*).

8.1 Add a project and assign its team




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.2 Replace a project team (main business flow)




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.3 Pick or create a position




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.4 View Project Details



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

8.5 Delete a project



9. Security Architecture

Concern	Approach
Authentication	Shared JWT + refresh cookie and mandatory MFA (overall HLD); endpoints sit behind the MFA set-up gate
Authorization	One permission policy per endpoint: `projects.view` (all reads, incl. positions), `projects.create`, `projects.edit`, `projects.delete`, `projects.members.manage`, `positions.create`; no inline checks. Legacy `projects.manage` expands to the finer keys
Business guards	Only active people on a team; only Manager-role people as project managers – enforced in `UserAllocationService`, not in the UI
Data scope	None – projects, teams and project tasks are organisation-wide for any holder of `projects.view`; the project task list does not apply the task-view scope (see §14)
Data protection	No secrets or personal data beyond names and emails of team members
Transport	HTTPS and the `SpaClient` CORS policy (overall HLD)
Auditing	Refused requests are audited by the shared denied-action handler; request logging records each call; no change history for projects or teams

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

10. Technology Stack

PROJ uses the shared TaskFlow stack without additions – ASP.NET Core on .NET 10 (`net10.0`) with EF Core SQLite 10.0.12 (transactions, check constraint, NOCASE collation) and FluentValidation 12.2.0 on the server, and Angular 19.2 standalone components with signals in the browser. Versions and reasons are in the overall HLD (`../../00-Overall/HLD-TaskFlow-Overall.md`, §10).

11. Deployment Architecture

PROJ has no deployment unit of its own: it ships inside the single `TaskFlow.Api` process and the Angular bundle, and its data lives in `taskflow.db` in the TaskFlow data folder. See the overall HLD (`../../00-Overall/HLD-TaskFlow-Overall.md`, §11) for hosts, environments and ports.

12. Non-Functional Design

Area	Design decision
Performance	Team size and manager names are returned with the project list in one call; search runs on the client; project tasks are filtered on the server and ordered by deadline
Scalability	No paging; sized for one organisation on one server
Reliability	Team replacement runs in a transaction (cap holds under concurrency); unique-index races end in 409 "That value is already in use."
Availability	Same as the API process (overall HLD)
Usability	Remaining-percentage hints and over-capacity flags before saving (NFR-PROJ-04); plain-language refusals (NFR-PROJ-05)
Maintainability	Shared allocation service for EMP and PROJ; layer and folder structure enforced by architecture tests
Observability	Shared request logging; no audit trail
Backup & Recovery	Covered by the data-folder backup in the overall HLD

13. Design Decisions

ID	Decision	Alternatives considered	Rationale
D-PROJ-1	Replace the whole team in one PUT, all-or-nothing	Add / remove / update one member at a time	Every rule (one manager at least, no duplicates, cap) is checked against the final team; no half-saved team (BR-PROJ-07)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Decision	Alternatives considered	Rationale
D-PROJ-2	Check the 100% cap inside a database transaction against totals on other projects; a check constraint keeps each row 1–100	Check only in the SPA; check without a transaction	Two administrators saving at the same time cannot over-book a person (NFR-PROJ-01)
D-PROJ-3	One shared `UserAllocationService` for team saves and for allocations given when an employee is created	Separate rule code in EMP and PROJ	The cap and row rules cannot diverge (BR-PROJ-03 shared with BR-EMP-10)
D-PROJ-4	Keep the manager link table in step with the project-manager flag on every team save	Flag only	Readers of the link (a Manager's projects in Employee details) and readers of the flag (manager team) always agree
D-PROJ-5	Only the Manager system role can be a project manager	Any role; a configurable "can manage" permission	Matches the manager-team model and the manager dashboard (BR-PROJ-05); see §14
D-PROJ-6	Positions are get-or-create by name under a NOCASE unique index; no rename or delete	A full position administration screen	Fast team building with no duplicates by case; labels grant no access (BR-PROJ-08)
D-PROJ-7	Soft-delete projects, remove their team and manager links, leave tasks unchanged	Hard delete; block delete while tasks exist	Frees people's percentages at once and keeps task history (BR-PROJ-09)
D-PROJ-8	Project Details summary is computed in the SPA from the unfiltered task list; filters query the server	A summary endpoint	No extra endpoint; figures stay stable while filters change
D-PROJ-9	Project data is organisation-wide for `projects.view`, with no team scope	Team-scoped project views	Managers plan across projects (BR-PROJ-11)

14. Risks, Assumptions & Open Issues

Type	Description	Mitigation / owner
Risk	⚠️ To be confirmed: Project Details shows every task of a project to anyone with `projects.view`, regardless of their task-view scope (R-PROJ-02)	Decide whether the project task list must apply the task-view scope – Jojo George
Risk	⚠️ To be confirmed: tasks of a deleted project keep a reference to a hidden project (R-PROJ-03)	Decide how such tasks are shown – Jojo George
Risk	⚠️ To be confirmed: the team dialog opens after create and the position combobox always offers creation, without checking `projects.members.manage` / `positions.create`; `positions.create` has no frontend reference (R-PROJ-04)	The server refuses; hide the options in the SPA if wanted
Risk	Duplicate or misspelt positions cannot be renamed or deleted (R-PROJ-06)	Case-insensitive reuse and space collapsing

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Type	Description	Mitigation / owner
Risk	The team picker silently needs `employees.view`	Grant it with `projects.members.manage`
Open issue	⚠️ To be confirmed: the delete confirmation says "permanently deleted" although it is a soft delete (R-PROJ-05)	Jojo George
Open issue	`/api/v1/projects/{id}/employees` has no SPA caller and returns 200 with an empty list for an unknown project	Keep or remove – Jojo George
Open issue	⚠️ To be confirmed: the Angular positions service file imported by the combobox, team dialog and employee form is missing from the source snapshot	Jojo George
Assumption	100% means a person's full working time; only Manager-role people manage projects	–

15. Traceability (requirements → components)

FRD items	Module / component	Section
FR-PROJ-01 – FR-PROJ-03, FR-PROJ-12, FR-PROJ-13 (list, count, search, empty states, organisation-wide)	`ProjectListComponent` › Angular `ProjectService` › `ProjectsController` › `ProjectService` › `ProjectRepository`	§5, §6.3, D-PROJ-9
FR-PROJ-04, FR-PROJ-05, FR-PROJ-07 (menu, routes, buttons, View employees)	Routes with `permissionGuard`, menu item, permission-driven buttons in `ProjectListComponent`	§5, §9
FR-PROJ-06 (server-side refusal)	`[RequirePermission]` policies on `ProjectsController` and `PositionsController`	§9
FR-PROJ-08 – FR-PROJ-11 (delete)	`ProjectListComponent` › `ProjectsController` › `ProjectService` › `ProjectRepository` (team clean-up, soft delete)	§8.5, D-PROJ-7
FR-PROJ-14 – FR-PROJ-18 (add / edit, unique name, Assign team)	`ProjectFormDialogComponent` › validators › `ProjectService`; unique filtered index	§8.1
FR-PROJ-19 – FR-PROJ-21 (team load, remaining hints)	`ProjectTeamDialogComponent`, `EmployeePickerComponent` › EMP `UserService`	§5, §7
FR-PROJ-22 – FR-PROJ-29 (row rules, manager, Manager role, active people, cap, atomic save)	`ProjectTeamDialogComponent` › `ProjectsController` › `ProjectService` › `UserAllocationService` (transaction) › `UserAllocationRepository`, `EmployeeRepository`	§8.2, D-PROJ-1, D-PROJ-2, D-PROJ-3
FR-PROJ-30 (manager links and manager team)	`UserAllocationService` (link sync) › `EmployeeRepository` team derivation used by Task Management and Dashboard	§5.1, D-PROJ-4
FR-PROJ-31 – FR-PROJ-36 (positions)	`PositionComboboxComponent` › `PositionsController` › `PositionService` › `PositionRepository`; seeded positions	§8.3, D-PROJ-6

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

FRD items	Module / component	Section
FR-PROJ-37 – FR-PROJ-45 (Project Details)	`ProjectDetailComponent` › `ProjectsController` › `ProjectService` › `ProjectRepository` (filtered project tasks)	§8.4, D-PROJ-8

Coverage: FR-PROJ-01 – FR-PROJ-45 (45 of 45) map to at least one component.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.