Low-Level Design – Employee Management

TaskFlow – Intelligent Task Allocation & Tracking System

Document: Low-Level Design (sub-module EMP) · **Version:** 1.0 · **Status:** Draft
Project type: Personal Project (Skill Development) · **Date:** 31-Oct-2026
Author: Jojo George (jojogeorge3344@gmail.com)
Module: TaskFlow Management · **Sub-module:** 03.1 Employee Management (code `EMP`)
Based on: HLD – Employee Management v1.0, FRD – Employee Management v1.0, TaskFlow as built
© 2026 Jojo George. All rights reserved.

Document Control

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version, derived from the code and verified against the code fact sheet

Related documents:

Document	Location
BRD – Employee Management	`../../../BRD/03-TaskFlow-Management/03.1-Employee-Management/BRD-Employee-Management.md`
FRD – Employee Management (`FR-EMP-nn`, traced in section 11)	`../../../FRD/03-TaskFlow-Management/03.1-Employee-Management/FRD-Employee-Management.md`
HLD – Employee Management	`../../../HLD/03-TaskFlow-Management/03.1-Employee-Management/HLD-Employee-Management.md`
LLD – Overall (shared stack, cross-cutting design, Authentication)	`../../00-Overall/LLD-TaskFlow-Overall.md`
Related LLDs	`../03.2-Project-Management/LLD-Project-Management.md`, `../03.3-Department-Management/LLD-Department-Management.md`
TDD	`TF - Documents/TF - TDD/TDD-TaskFlow.md`

1. Introduction

1.1 Purpose

Detailed design of the Employee Management sub-module: the `EmployeesController` actions on `/api/v1/users`, the `EmployeeService` business rules, the allocation and department staging done

through `UserAllocationService` when an employee is created, the `EmployeeRepository` queries, the `Users` table, and the Angular screen that calls them – enough to implement or maintain the code.

1.2 Scope & Conventions

- Covers: employee list, details, create, edit (incl. role change), activate / deactivate, soft delete, administrator MFA reset, and the role options list for the employee form.
- Not covered here: project teams and positions (Project Management LLD), department members (Department Management LLD), sign-in, session validation and MFA enrolment (overall LLD, Authentication).
- Naming: `*Controller`, `I*Service` / `*Service`, `I*Repository` / `*Repository`, DTOs `*Dto` / `*Request`, validators `*RequestValidator`.
- API base path `/api/v1`; JSON camelCase; enums serialised as strings (`JsonStringEnumConverter`); errors as RFC 7807 ProblemDetails (`ValidationProblemDetails` for field errors).
- **Endpoint count:** `EmployeesController` has **8** actions in the code fact sheet (section 3); all 8 are documented in 4.1.1.

---

2. Code Structure

2.1 Backend Folder Layout

```
backend/src/TaskFlow.Api/
  Controllers/Management/EmployeesController.cs
  Services/Management/EmployeeManagement/Employees/        IEmployeeService.cs,
EmployeeService.cs
  Services/Management/EmployeeManagement/Allocations/      IUserAllocationService.cs,
UserAllocationService.cs (shared with PROJ)
  Repositories/Management/EmployeeManagement/Employees/    IEmployeeRepository.cs,
EmployeeRepository.cs
  Repositories/Management/EmployeeManagement/Allocations/  IUserAllocationRepository.cs,
UserAllocationRepository.cs (shared with PROJ)
  Dtos/Management/EmployeeManagement/                      UserDto.cs (all records)
  Dtos/Management/EmployeeManagement/Validators/           CreateUserRequestValidator.cs,
UpdateUserRequestValidator.cs, UserStatusRequestValidator.cs
  Models/Entities/                                         User.cs (UserProjectAllocation.cs,
UserDepartment.cs staged on create)
  Common/Rules/EmailPolicy.cs
  Common/Security/                                         PermissionKeys.cs,
PermissionCatalog.cs, EffectivePermissions.cs, SystemRoles.cs
  Services/Auth/Mfa/                                       IMfaService.cs, MfaService.cs
(ResetAsync, owned by Authentication)
```

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2.2 Frontend Folder Layout

```
frontend/src/app/modules/management/
  management.routes.ts                                  path 'employees' (permissionGuard,
EmployeeScreenPermissions)
  employee-management/pages/                            employee-list.component.ts/.html,
employee-list.model.ts
  employee-management/components/                       employee-form-
panel.component.ts/.html, employee-form-panel.model.ts,
                                                        employee-details-panel.component.ts
  employee-management/services/user.service.ts
  employee-management/models/user.model.ts
  components/position-combobox.component.ts             (owned by PROJ, used in allocation
rows)
frontend/src/app/shared/auth/permissions.ts             EmployeeScreenPermissions
frontend/src/app/layouts/nav-items.ts                   Employee Management menu item
```

2.3 Layer Rules

Rule	Enforced by
Controller → Service → Repository; controllers never touch `AppDbContext`	`ArchitectureTests` (`TaskFlow.UnitTests/Architecture/ArchitectureTests.cs`)
Repositories stage changes; the service commits through `IUnitOfWork.SaveChangesAsync`	Code convention (`EmployeeService`, `UserAllocationService`)
Frontend module folder shape (`pages`, `components`, `services`, `models`)	`npm run check:structure` (`scripts/check-frontend-structure.mjs`)

3. Cross-Cutting Design

Shared mechanisms are described once in the overall LLD (`../../00-Overall/LLD-TaskFlow-Overall.md`); this table lists how they apply to Employee Management.

Concern	Design
Validation	`ValidationFilter` (registered globally in `CrossCuttingRegistration`) runs the FluentValidation validator of each bound argument; failure → 400 `ValidationProblemDetails`. Business checks run in `EmployeeService` / `UserAllocationService`
Error handling	`GlobalExceptionHandler` maps `AppException` subclasses to ProblemDetails (3.1)
Transactions	One `IUnitOfWork.SaveChangesAsync` per write; user row, allocations, memberships, manager-link removals and refresh-token revocations commit together
Authorization	`[RequirePermission(PermissionKeys.X)]` policy per action, plus inline claim checks `CanManageRoles()` (`employees.role.assign`) and `CanAssignAdministrator()` (`roles.administrator.assign`); permission claims are refreshed from the database on every request; legacy `employees.manage` expands to create / edit / status / MFA reset (`EffectivePermissions.LegacyChildren`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Concern	Design
Sessions	`EndSessionsAsync` rotates `User.SecurityStamp` and sets `RefreshToken.RevokedAt`; the session validation in Authentication rejects tokens carrying the old stamp
Soft delete	Global query filter `!IsDeleted` on `Users`; dependent filters on `UserProjectAllocations`, `UserDepartments`, `RefreshTokens`
Time	`DateTime.UtcNow` for `CreatedAt` / `UpdatedAt`; `MfaService` uses `TimeProvider`
Logging	No module-specific logging; unhandled exceptions logged by `GlobalExceptionHandler`

3.1 Exception → HTTP Status

Exception	Status	When (this sub-module)
`BusinessRuleException`	400	Invalid / duplicate email or username, unknown role / department / project / position, allocation rules, last active Administrator, self-delete, unfinished tasks
`RequestValidationException` / validator failure	400	Field rules of `CreateUserRequestValidator`, `UpdateUserRequestValidator` (field-error map)
`Forbid()` from the controller	403	Role change without `employees.role.assign`; Administrator role without `roles.administrator.assign`; `GET /api/v1/users/roles` without `employees.role.assign` or `roles.manage`; `GET /api/v1/users/{id}` for another person without `employees.edit`
Policy failure	403	Missing `employees.*` permission on the action
`NotFound()`	404	Unknown or deleted user (service returns `null` / `false`)
`UniqueConstraintException`	409	Two saves race past the uniqueness checks and hit `IX_Users_Username` / `IX_Users_Email` ("That value is already in use.")
`ConcurrencyConflictException` / `DbUpdateConcurrencyException`	409	Concurrent change of the MFA concurrency tokens (`MfaLastUsedStep`, `MfaFailedAttempts`) during an edit
`Unauthorized()`	401	Missing or non-numeric `NameIdentifier` claim in `GetById` / `Delete`

4. Module Designs

4.1 Module: TaskFlow Management

4.1.1 Child module: Employee Management

Class / file inventory

Layer	Type	File	Responsibility
Controller	`EmployeesController`	`Controllers/Management/EmployeesController.cs`	Route `api/v1/users`; 8 actions; inline role-assignment checks


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Layer	Type	File	Responsibility
Service	`IEmployeeService` / `EmployeeService`	`Services/Management/EmployeeManagement/Employees/`	List, get, create, update, status, soft delete; email / username uniqueness; last-Administrator guard; session end
Service (shared)	`IUserAllocationService` / `UserAllocationService`	`Services/Management/EmployeeManagement/Allocations/`	`ValidateForUserAsync`, `ValidateDepartmentsAsync`, `StageForUserAsync` (create); `MaxTotalPercent = 100`
Service (Auth)	`IMfaService` / `MfaService`	`Services/Auth/Mfa/`	`ResetAsync(userId)` for the administrator MFA reset
Service (Settings)	`IRoleService`	`Services/Settings/RoleConfiguration/`	`GetRolesAsync` for the role options
Repository	`IEmployeeRepository` / `EmployeeRepository`	`Repositories/Management/EmployeeManagement/Employees/`	`Users` queries, DTO projection, uniqueness, manager-duty clean-up, team ids
Repository (shared)	`IUserAllocationRepository` / `UserAllocationRepository`	`Repositories/Management/EmployeeManagement/Allocations/`	Tracked allocation rows and `ManagerProjects` links
Repository (other)	`IRoleRepository`, `IRefreshTokenRepository`, `ITaskRepository`, `IUnitOfWork`	`Repositories/Settings/…`, `Repositories/Auth/RefreshTokens/`, `Repositories/Monitoring/TaskManagement/Tasks/`, `Repositories/Base/`	Role lookup, active refresh tokens, unfinished-task count, commit
DTOs	`UserDto`, `ProjectAllocationDto`, `UserDepartmentDto`, `UserManagerDto`, `ManagerProjectDto`, `ManagerReportDto`, `ProjectAllocationInput`, `CreateUserRequest`, `UpdateUserRequest`, `UserStatusRequest`, `UserListFilter`; `RoleOptionDto`	`Dtos/Management/EmployeeManagement/UserDto.cs`; `Dtos/Settings/RoleConfiguration/RoleDtos.cs`	Contracts
Validators	`CreateUserRequestValidator`, `UpdateUserRequestValidator`, `UserStatusRequestValidator`	`Dtos/Management/EmployeeManagement/Validators/`	Field rules (status validator has no rules)
Rule	`EmailPolicy`	`Common/Rules/EmailPolicy.cs`	Fixed domain `taskflow.com`, local-part pattern, normalisation

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Layer	Type	File	Responsibility
Constants	`SystemRoles` (`AdministratorId = 1`, `ManagerId = 2`, `EmployeeId = 3`), `PermissionKeys`	`Common/Security/`	Role ids, permission keys
Entity	`User`	`Models/Entities/User.cs`	`Users` table
Frontend page	`EmployeeListComponent`	`modules/management/employee-management/pages/employee-list.component.ts`	List, filters, row actions, confirm dialogs, drawer host
Frontend components	`EmployeeFormPanelComponent`, `EmployeeDetailsPanelComponent`	`modules/management/employee-management/components/`	Add / edit drawer; read-only details drawer with **Reset MFA**
Frontend models	`User`, `ProjectAllocation`, `ProjectAllocationInput`, `CreateUserRequest`, `UpdateUserRequest`, `UserStatusRequest`, `MAX_TOTAL_PERCENT`; `StatusFilter`, `Panel`; `AllocationRow`	`models/user.model.ts`, `pages/employee-list.model.ts`, `components/employee-form-panel.model.ts`	Client contracts and view state
Frontend service	`UserService`	`modules/management/employee-management/services/user.service.ts`	`getAll`, `getById`, `create`, `update`, `updateStatus`, `resetMfa`, `delete` on `/api/v1/users`
Frontend (other)	`RoleService.assignable()`, `ProjectService.getAll()`, `DepartmentService.getAll()`, `PositionService`	`modules/settings/role-configuration/services/role.service.ts`, `modules/management/…/services/`	Role, project, department and position option lists

Class diagram



`EmployeeService` also depends on `IRoleRepository` (role lookup) and `IPasswordHasher<User>` (hashing).

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

API contracts

#	Method	Route	Permission / policy	Request	Response	Status codes
1	GET	`/api/v1/users`	`employees.view`	Query `search`, `projectId`, `role`, `isActive`, `departmentId` → `UserListFilter`	`IReadOnlyCollection<UserDto>`	200, 401, 403
2	GET	`/api/v1/users/roles`	`[Authorize]` + inline: `employees.role.assign` or `roles.manage`; role id 1 listed only with `roles.administrator.assign`	–	`IReadOnlyList<RoleOptionDto>`	200, 401, 403
3	GET	`/api/v1/users/{id}`	`[Authorize]` + inline: caller's own id, or the `employees.edit` claim	–	`UserDto`	200, 401, 403, 404
4	POST	`/api/v1/users`	`employees.create`; inline: `RoleId != 3` needs `employees.role.assign`; `RoleId == 1` needs `roles.administrator.assign`	`CreateUserRequest`	`UserDto` (+ `Location` via `CreatedAtAction(GetById)`)	201, 400, 401, 403, 409
5	PUT	`/api/v1/users/{id}`	`employees.edit`; inline when `RoleId` changes: `employees.role.assign`, plus `roles.administrator.assign` if the old or new role is Administrator	`UpdateUserRequest`	`UserDto`	200, 400, 401, 403, 404, 409
6	PATCH	`/api/v1/users/{id}/status`	`employees.status.change`	`UserStatusRequest`	`UserDto`	200, 400, 401, 403, 404
7	DELETE	`/api/v1/users/{id}`	`employees.delete`	–	–	204, 400, 401, 403, 404
8	POST	`/api/v1/users/{id}/mfa/reset` (route constraint `{id:int}`)	`employees.mfa.reset`	–	–	204, 401, 403, 404

DTO shapes

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

DTO	Fields
`UserDto`	`Id`, `EmployeeCode?`, `FullName`, `Username`, `Email`, `RoleId`, `Role`, `IsActive`, `CreatedAt`, `UpdatedAt?`, `LastLoginAt?`, `ProjectAllocations` (`ProjectAllocationDto[]`), `Departments` (`UserDepartmentDto[]`), `Managers` (`UserManagerDto[]`), `ManagerProjects?`, `Reports?`, `MfaEnabled`, `BackupCodesRemaining`, `MobileNumber?`; computed `TotalAllocatedPercent`, `RemainingPercent` (= 100 − total)
`ProjectAllocationDto`	`ProjectId`, `ProjectName`, `PositionId`, `PositionName`, `Percent`
`UserDepartmentDto` / `UserManagerDto` / `ManagerProjectDto` / `ManagerReportDto`	`Id` + `Name` / `FullName`
`ProjectAllocationInput`	`ProjectId`, `PositionId`, `Percent`
`CreateUserRequest`	`EmployeeCode?`, `FullName`, `Username`, `Email`, `Password`, `RoleId`, `IsActive`, `ProjectAllocations?`, `DepartmentIds?`
`UpdateUserRequest`	`EmployeeCode?`, `FullName`, `Username`, `Email`, `RoleId`, `ProjectAllocations?`, `DepartmentIds?`, `Password?` (ignored)
`UserStatusRequest`	`IsActive`
`UserListFilter`	`Search?`, `ProjectId?`, `Role?`, `IsActive?`, `DepartmentId?`
`RoleOptionDto`	`Id`, `Name`, `IsSystem`

Request / response examples

`POST /api/v1/users`

```
{
  "employeeCode": "EMP-050",
  "fullName": "Anu Thomas",
  "username": "anu",
  "email": "anu.thomas@taskflow.com",
  "password": "Temp#123",
  "roleId": 3,
  "isActive": true,
  "projectAllocations": [ { "projectId": 2, "positionId": 4, "percent": 60 } ],
  "departmentIds": [1]
}
```

201 Created (`UserDto`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

```
{
  "id": 14, "employeeCode": "EMP-050", "fullName": "Anu Thomas", "username": "anu",
  "email": "anu.thomas@taskflow.com", "roleId": 3, "role": "Employee", "isActive": true,
  "createdAt": "2026-10-31T10:00:00Z", "updatedAt": "2026-10-31T10:00:00Z", "lastLoginAt":
null,
  "projectAllocations": [ { "projectId": 2, "projectName": "Website", "positionId": 4,
"positionName": "Developer", "percent": 60 } ],
  "departments": [ { "id": 1, "name": "Engineering" } ],
  "managers": [ { "id": 5, "fullName": "Ravi Menon" } ],
  "managerProjects": [], "reports": [],
  "mfaEnabled": false, "backupCodesRemaining": 0, "mobileNumber": null,
  "totalAllocatedPercent": 60, "remainingPercent": 40
}
```

`PUT /api/v1/users/{id}` (role change Employee → Manager; allocations and departments omitted = unchanged)

```
{ "employeeCode": "EMP-050", "fullName": "Anu Thomas", "username": "anu", "email":
"anu.thomas@taskflow.com", "roleId": 2 }
```

`PATCH /api/v1/users/{id}/status`

```
{ "isActive": false }
```

400 Bad Request (`BusinessRuleException` as ProblemDetails)

```
{ "status": 400, "title": "Bad Request", "detail": "The only active Administrator cannot be
deactivated." }
```

`DELETE /api/v1/users/{id}` and `POST /api/v1/users/{id}/mfa/reset` have no body and return 204.

Service logic – `EmployeeService.CreateAsync(request)`

1. `ValidationFilter` has run `CreateUserRequestValidator`; the controller has checked `employees.role.assign` (role ≠ Employee) and `roles.administrator.assign` (role = Administrator).
2. `RequireValidEmail`: `EmailPolicy.Normalize` (trim, lower-case); `EmailPolicy.IsValid` else `BusinessRuleException(EmailPolicy.InvalidMessage)`.
3. `EmailTakenAsync` → `EmailPrefixTakenAsync(LocalPart(email) + "@", null)` (deleted users included) → "Email already exists.".
4. `UsernameTakenAsync(username.Trim(), null)` (case-insensitive, deleted users included) → "Email or username already exists.".
5. When `ProjectAllocations` is not null → `UserAllocationService.ValidateForUserAsync`; when `DepartmentIds` is not null → `ValidateDepartmentsAsync`.
6. `RequireRoleAsync(RoleId)` via `IRoleRepository.FindAsync` → "Role does not exist.".
7. Build `User` (trimmed `EmployeeCode`, `FullName`, `Username`; normalised `Email`; `IsActive` from the request; `SecurityStamp = Guid.NewGuid().ToString("N")`; `CreatedAt = UpdatedAt = DateTime.UtcNow`); `PasswordHash = IPasswordHasher<User>.HashPassword`.
8. `StageForUserAsync(user, allocations, departmentIds)` adds `UserProjectAllocation` (`IsProjectManager = false`) and `UserDepartment` rows to the new user's collections.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

9. `_employees.Add(user)`; `IUnitOfWork.SaveChangesAsync` (one INSERT batch).
10. Return `GetByIdAsync(user.Id)` (full `UserDto`).

Service logic – `EmployeeService.UpdateAsync(id, request)`

1. The controller loads the current `UserDto`; if `RoleId` differs it enforces `employees.role.assign` and, when the old or new role is Administrator (id 1), `roles.administrator.assign` → 403.
2. `GetActiveWithRoleForUpdateAsync(id)` → `null` (404) if missing or deleted.
3. Email and username checks as in create, excluding `id`; optional allocation / department validation when the lists are sent.
4. Password is ignored (`const bool passwordChanged = false`).
5. `RequireRoleAsync`; `usernameChanged` (ordinal compare) and `roleChanged` computed.
6. If `roleChanged` → `EnsureAnotherActiveAdministratorAsync` ("The only active Administrator cannot be moved to another role."); if the old role is Manager → `ClearManagerDutiesAsync(user.Id)`.
7. Apply `EmployeeCode`, `FullName`, `Username`, `Email`, `RoleId`; `StageForUserAsync` (null list = unchanged, empty = cleared); `UpdatedAt = now`.
8. If `usernameChanged || roleChanged` → `EndSessionsAsync` (new `SecurityStamp`, `RevokedAt = now` on active refresh tokens).
9. `SaveChangesAsync`; return `GetByIdAsync`.

Service logic – `EmployeeService.UpdateStatusAsync(id, request)`

1. `GetActiveWithRoleForUpdateAsync(id)` → `null` (404).
2. Only on Active → Inactive: `EnsureAnotherActiveAdministratorAsync` ("The only active Administrator cannot be deactivated.") then `EndSessionsAsync`.
3. Set `IsActive`, `UpdatedAt`; `SaveChangesAsync`; return `GetByIdAsync`. Activation needs no guard and keeps old sessions ended.

Service logic – `EmployeeService.DeleteAsync(id, currentUserId)`

1. Controller parses `ClaimTypes.NameIdentifier` → 401 if not an int.
2. `GetForUpdateAsync(id)` → `false` (404).
3. `user.Id == currentUserId` → "You cannot delete your own account.".
4. `EnsureAnotherActiveAdministratorAsync` → "The only active Administrator cannot be deleted.".
5. `ITaskRepository.CountUnfinishedAssignedToAsync(id)` (status not `Completed` / `Cancelled`, task not deleted) > 0 → "{FullName} still has {n} unfinished task(s). Reassign it/them before deleting this employee." (singular "task … it" when n = 1).
6. `ClearManagerDutiesAsync(id)`; `EndSessionsAsync`; `IsActive = false`, `IsDeleted = true`, `UpdatedAt = now`; `SaveChangesAsync`; return `true` (204).
7. Allocation and membership rows stay; the query filters hide them. Email and username stay on the row and stay reserved.

Service logic – `EmployeesController.GetRoleOptions()` and `MfaService.ResetAsync(userId)`

- Role options: 403 unless `employees.role.assign` or `roles.manage`; `IRoleService.GetRolesAsync`; drop `SystemRoles.AdministratorId` unless `roles.administrator.assign`; map to `RoleOptionDto`.
- MFA reset: `FindLiveForUpdateAsync` → `false` (404); `ClearAsync` (`MfaSecretProtected`, `MfaEnabledAt`, `MfaLockedUntil` = null, `MfaLastUsedStep` = 0, `MfaFailedAttempts` = 0, backup codes removed); new `SecurityStamp`; revoke active refresh tokens; `SaveChangesAsync`;

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


`NotificationPublisher.PublishAsync(userId, null, NotificationType.System, "An administrator reset your authenticator MFA. Sign in with your password and set it up again from Profile.")`.

Private helpers of `EmployeeService`

Helper	Logic
`RequireValidEmail(email)`	Normalise, validate with `EmailPolicy`, throw `EmailPolicy.InvalidMessage`
`EmailTakenAsync(email, exceptUserId)`	Local part + "@" prefix search, deleted users included
`EnsureAnotherActiveAdministratorAsync(user, message)`	Only when `user.RoleId == 1 && user.IsActive`; `CountOtherActiveAdministratorsAsync == 0` → throw `message`
`RequireRoleAsync(roleId)`	`IRoleRepository.FindAsync` or "Role does not exist."
`EndSessionsAsync(user, now)`	New stamp; `GetActiveForUsersForUpdateAsync([user.Id])` → `RevokedAt = now` (saved by caller)


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – create an employee




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – change role (sessions end)



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – delete an employee



Repository methods – `EmployeeRepository`

Method	Query / purpose	Notes
`GetListAsync(filter)`	Live users matching the filter, ordered by `FullName`, projected by `LoadDtosAsync`	`AsNoTracking`; `Search` = lower-case `Contains` on `FullName`, `Email`, `Username`; `ProjectId` / `DepartmentId` via `Any()` on the link collections; `Role` = exact `Role.Name`; `IsActive` exact
`GetDtoAsync(id)`	One live user as `UserDto`	`LoadDtosAsync`
`LoadDtosAsync` (private)	Projects users with allocations, departments, `ManagerProjects`, MFA state, unused backup-code count	Managers and reports loaded in separate batched join queries (department-manager links plus `IsProjectManager` flags), because correlated subqueries are not translatable on SQLite
`GetActiveWithRoleForUpdateAsync(id)`	Tracked live user with `Role`	`Include(u => u.Role)`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Method	Query / purpose	Notes
`GetForUpdateAsync(id)`	Tracked user	Deleted rows hidden by the filter
`EmailPrefixTakenAsync(prefix, exceptUserId)`	Email uniqueness by local part	`IgnoreQueryFilters()`; `Email.ToLower().StartsWith(prefix)`
`UsernameTakenAsync(username, exceptUserId)`	Username uniqueness	`IgnoreQueryFilters()`; `Username.ToLower() == username.ToLower()`
`CountOtherActiveAdministratorsAsync(userId)`	Last-Administrator guard	`Id != userId && !IsDeleted && IsActive && RoleId == SystemRoles.AdministratorId`
`ClearManagerDutiesAsync(managerUserId)`	Stage removal of `ManagerProjects` and `DepartmentManagers` links; `IsProjectManager = false` on the user's allocations	Saved by the caller
`GetDepartmentMembershipsForUpdateAsync(userId)` / `RemoveDepartmentMemberships`	Department diff in `StageForUserAsync`	Tracked
`GetByIdsAsync(ids)` / `GetActiveByIdsAsync(ids)`	Bulk lookups (used by PROJ and DEPT)	`AsNoTracking`
`GetTeamMemberIdsAsync(managerId)`	A manager's team: active users (not the manager) in a managed department or on a project where the manager has `IsProjectManager`	Consumed by Task Management and the manager dashboard
`CountHoldingRoleAsync`, `GetHoldingRoleForUpdateAsync`, `EmailAndMobileTakenAsync`, `GetLiveAsync`, `CountLiveAsync`, `GetFullNameAsync`, `GetFullNameIncludingDeletedAsync`, `GetActiveEmailsAsync`, `GetLiveIdsAsync`	Lookups for other sub-modules (Role Configuration, My Profile, Task Management, Notification, Mail)	Not called by `EmployeeService`

Repository methods – shared, used by this sub-module

Method	Query / purpose	Notes
`UserAllocationRepository.GetForUserForUpdateAsync(userId)`	Tracked allocation rows of the user (empty for a new user)	Used by `StageForUserAsync`
`UserAllocationRepository.GetManagerLinksForUserForUpdateAsync(userId, projectIds)` / `RemoveManagerLinks`	Remove `ManagerProjects` links for removed flagged rows	Tracked

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Method	Query / purpose	Notes
`IProjectRepository.CountActiveAsync(ids)` / `IPositionRepository.CountAsync(ids)` / `IDepartmentRepository.CountActiveAsync(ids)`	Existence checks for allocations and departments	Count must equal the distinct id count
`IRefreshTokenRepository.GetActiveForUsersForUpdateAsync(userIds)`	Active refresh tokens (`RevokedAt == null`)	Revoked by `EndSessionsAsync`
`ITaskRepository.CountUnfinishedAssignedToAsync(userId)`	Unfinished assigned tasks	`!IsDeleted`, status not `Completed` / `Cancelled`
`IRoleRepository.FindAsync(roleId)`	Role exists	–

Validation rules

Field	Rule	Message
`FullName`	`NotEmpty`, `MaximumLength(200)` (create and update)	FluentValidation default ("'Full Name' must not be empty." / length message)
`Username`	`NotEmpty`, `MaximumLength(100)`; unique ignoring case incl. deleted (service)	Default messages · "Email or username already exists."
`Email`	`NotEmpty`, `Must(EmailPolicy.IsValid)`, `MaximumLength(256)`; local part ≤ 64 chars, pattern `^[a-z0-9_-]+(\.[a-z0-9_-]+)*$`, suffix `@taskflow.com`; unique by local part incl. deleted (service)	"Email must be a name using letters, digits, dot, underscore or hyphen followed by @taskflow.com." · "Email already exists."
`Password` (create)	`NotEmpty`, `MinimumLength(6)`; ignored on update	Default messages
`RoleId`	Must exist (service); assignment rights (controller, 403)	"Role does not exist."
`DepartmentIds`	Distinct ids must all be live departments	"Department does not exist."
`ProjectAllocations[].Percent`	Whole number 1–100	"Allocation percentage must be a whole number from 1 to 100."
`ProjectAllocations[].ProjectId`	No duplicates; live project	"A project can only appear once for a person." · "Project does not exist."
`ProjectAllocations[].PositionId`	Position exists	"Position does not exist."
`ProjectAllocations` total	Sum ≤ 100	"Allocations total {n}%, which is over 100%. A person can be allocated at most 100% in total."
`UserStatusRequest`	No rules (`UserStatusRequestValidator` is empty)	–

Client-side messages (form) are listed in the FRD section 4.1.3; the server messages above are authoritative.


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Error cases

Case	Exception / result	Status
User not found or deleted (get, update, status, delete, MFA reset)	`null` / `false` → `NotFound()`	404
Duplicate email / username	`BusinessRuleException`	400
Unique index race on `Username` / `Email`	`UniqueConstraintException`	409
Last active Administrator moved, deactivated or deleted	`BusinessRuleException`	400
Self-delete	`BusinessRuleException`	400
Unfinished assigned tasks on delete	`BusinessRuleException`	400
Role change / Administrator role without the key	`Forbid()`	403
Another person's record without `employees.edit`	`Forbid()`	403
Missing caller id claim	`Unauthorized()`	401

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

State machine – employee account



`Deleted` is terminal (`IsDeleted = true`, `IsActive = false`); there is no restore endpoint.

Frontend design


Item	Design
Route	`/employees` in `MANAGEMENT_ROUTES`, `canActivate: [permissionGuard]`, `data.permissions = EmployeeScreenPermissions` (any of create, edit, status, delete, role.assign, mfa.reset); lazy `EmployeeListComponent`
List	`EmployeeListComponent` debounces search (`Subject` + `debounceTime`) and calls `UserService.getAll({ search, projectId, role, isActive })`; reads a `projectId` query parameter when opened from a project card; loads `ProjectService.getAll()`, `DepartmentService.getAll()` and, with `employees.role.assign`, `RoleService.assignable()` (falls back to Employee / Manager / Administrator)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Design
Drawer state	`Panel` = `{ mode: 'create' }` / `{ mode: 'edit', employee }` / `{ mode: 'details', employee }` in a `DrawerComponent`
Row actions	`ConfirmDialogComponent` for Deactivate and Delete; delete icon hidden on the signed-in user's row; `ToastService` messages
Form	`EmployeeFormPanelComponent` (reactive form, `EmailLocalPartDirective`, `EMAIL_SUFFIX`, `PositionComboboxComponent` per `AllocationRow`, `MAX_TOTAL_PERCENT` bar); on edit, allocations and departments are read only; when the saved user is the signed-in user and the username or role changed, `AuthService.clearSession()` and navigate to login with `LOGIN_REASON_CREDENTIALS_CHANGED`
Details	`EmployeeDetailsPanelComponent` (inputs `User`, outputs edit / reset MFA); **Reset MFA** shown when `mfaEnabled` and `employees.mfa.reset`

5. Database Design

5.1 ER Diagram



5.2 Tables

`Users` (`User`) – owned by this sub-module

SQLite storage: `int` / `long` / `bool` → INTEGER, `string` / `DateTime` → TEXT.

Column	Type	Null	Key / index	Default	Description
Id	int	No	PK (`PK_Users`), identity	identity	User id
EmployeeCode	string(32)	Yes	–	–	Optional HR code
FullName	string(200)	No	–	–	Display name
Username	string(100)	No	Unique `IX_Users_Username`	–	Sign-in name; kept on soft delete
Email	string(256)	No	Unique `IX_Users_Email`	–	`@taskflow.com` address, lower case; kept on soft delete
MobileNumber	string(20)	Yes	–	–	Set from My Profile
MfaSecretProtected	string(512)	Yes	–	–	Protected TOTP secret (Authentication)
MfaEnabledAt	DateTime	Yes	–	–	MFA enrolment time

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Column	Type	Null	Key / index	Default	Description
MfaLastUsedStep	long	No	Concurrency token	0	Last accepted TOTP step
MfaFailedAttempts	int	No	Concurrency token	0	Failed MFA attempts
MfaLockedUntil	DateTime	Yes	–	–	MFA lock-out end
PasswordHash	string	No	–	–	`PasswordHasher<User>` hash
SecurityStamp	string(64)	No	–	GUID "N"	Rotated to end sessions
RoleId	int	No	FK → `Roles.Id` (Restrict); `IX_Users_RoleId`	–	Role
IsActive	bool	No	–	`true` (CLR initialiser)	Can sign in
CreatedAt	DateTime	No	–	–	UTC
UpdatedAt	DateTime	No	–	–	UTC
LastLoginAt	DateTime	Yes	–	–	Set by Authentication
IsDeleted	bool	No	Global query filter `!IsDeleted`	`false`	Soft delete

Navigation collections: `ProjectAllocations`, `DepartmentMemberships`, `ManagerProjects`, `ManagedDepartments`, `RefreshTokens`, `MfaBackupCodes`.

Tables read or written but owned elsewhere

Table (entity)	Owner LLD	Use in this sub-module
`UserProjectAllocations` (`UserProjectAllocation`)	PROJ	Rows added on create; `IsProjectManager` cleared by `ClearManagerDutiesAsync`; read into `projectAllocations`
`ManagerProjects` (`ManagerProject`)	PROJ	Removed by `ClearManagerDutiesAsync` and by `StageForUserAsync` for removed flagged rows; read into `managerProjects`
`UserDepartments` (`UserDepartment`)	DEPT	Rows added on create; read into `departments`
`DepartmentManagers` (`DepartmentManager`)	DEPT	Removed by `ClearManagerDutiesAsync`; read to derive `managers` and `reports`
`Roles` (`Role`)	ROLE	FK target; `GetRolesAsync` for role options
`RefreshTokens` (`RefreshToken`)	Overall (Authentication)	`RevokedAt` set by `EndSessionsAsync` and `MfaService.ResetAsync`
`MfaBackupCodes` (`MfaBackupCode`)	Overall (Authentication)	Removed by `MfaService.ResetAsync`; unused count read into `backupCodesRemaining`
`Tasks` (`Task`)	TASK	Unfinished count before delete
`Notifications` (`Notification`)	NOTIF	One `System` notification on MFA reset

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

5.3 Indexes, Constraints & Triggers

Object	Definition	Purpose
`IX_Users_Username`	Unique (`Username`)	Username uniqueness incl. deleted rows; backstop for the service check
`IX_Users_Email`	Unique (`Email`)	Email uniqueness incl. deleted rows; the service also blocks the same local part
`IX_Users_RoleId`	(`RoleId`)	FK lookup
FK `Users.RoleId → Roles.Id`	`OnDelete(Restrict)`	A role in use cannot be deleted
FKs `UserProjectAllocations.UserId`, `UserDepartments.UserId`, `ManagerProjects.ManagerUserId`, `DepartmentManagers.ManagerUserId → Users.Id`	`OnDelete(Cascade)`	Rarely fires (users are soft-deleted)
Query filter on `Users`	`!IsDeleted`	Hides deleted users; `IgnoreQueryFilters()` only in uniqueness checks
Triggers	None	–

5.4 Enumerations

Enum	Values	Stored as
`TaskStatus` (read only, delete guard)	ToDo, InProgress, Blocked, Completed, Cancelled, InQA – "unfinished" = not Completed and not Cancelled	Defined in the Task Management LLD
`NotificationType` (MFA reset)	`System` is used here; full list in the Notification LLD	Text

Roles are table rows, not an enum; fixed ids are constants in `SystemRoles`.

5.5 Migrations

Migration	Change relevant to this sub-module
`20261011171611_InitialAuth`	Creates `Users` and `RefreshTokens`
`20261012173144_AddUserSecurityStamp`	Adds `Users.SecurityStamp`
`20261019133820_AddRolesAndPermissions`	Roles and permissions; `Users.RoleId` FK
`20261019173718_NormalizeEmailDomain`	Rewrites emails to the fixed domain in two steps to avoid unique-index collisions
`20261019174259_AddManagerAssignments`	Manager links (later `ManagerProjects`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Migration	Change relevant to this sub-module
`20261023101938_AddMfaAndAccountRecovery`	MFA columns on `Users`, backup codes, reset grants
`20261023160825_UserProjectAllocationsAndDepartments`	Moves single project / department / manager columns off `Users` into `UserProjectAllocations` and `UserDepartments`; drops `Users.ProjectId`, `DepartmentId`, `ManagerId`

6. Algorithms & Background Jobs

Job / algorithm	Trigger / schedule	Steps	Idempotency
Session end (`EndSessionsAsync`)	Username or role change, deactivation, delete; same steps in `MfaService.ResetAsync`	New `SecurityStamp`; revoke active refresh tokens; saved with the change	Repeat is harmless (new stamp, already-revoked tokens skipped)
Allocation staging (`StageForUserAsync`)	Create (and update when lists are sent)	Diff existing vs input: remove missing rows (+ their `ManagerProjects` link if flagged), update kept rows, add new rows; same diff for `UserDepartment`	Same input gives the same rows
Derived managers (`LoadDtosAsync`)	Every list / get	Managers = managers of the user's departments + flagged project managers of the user's projects; reports = inverse	Read only
Last-Administrator guard	Role change, deactivate, delete	Only for an active Administrator; count other live active Administrators	Read only
Background jobs	–	*Not applicable for this sub-module.*	–

7. Security Design (detailed)

Item	Implementation
Password hashing	`PasswordHasher<User>` (`IPasswordHasher<User>`, registered in `IntegrationRegistration`); temporary password on create only; never returned in any DTO; ignored on update
Tokens	Rotating `SecurityStamp` invalidates access tokens; refresh tokens revoked (`RevokedAt`); lifetimes from `Jwt:AccessTokenMinutes` / `Jwt:RefreshTokenDays`
Permission checks	Policy per action (table in 4.1.1); inline `CanManageRoles()` / `CanAssignAdministrator()`; `roles.administrator.assign` is not assignable (Administrator role only)
Data scope	None – list and details are organisation-wide for holders of `employees.view`
MFA data	`MfaSecretProtected` never leaves the server; `UserDto` carries only `MfaEnabled` and `BackupCodesRemaining`
Frontend gating	Menu and route via `EmployeeScreenPermissions`; buttons per key (`employees.create`, `employees.edit`, `employees.status.change`, `employees.delete`, `employees.mfa.reset`); server remains authoritative

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Implementation
Secrets	None owned by this sub-module

Permission keys used

Key	Default (Admin / Manager / Employee / Custom)	Endpoint(s)
`employees.view`	Granted / Granted / Not granted / Configurable	`GET /api/v1/users`
`employees.create`	Granted / Not granted / Not granted / Configurable	`POST /api/v1/users`
`employees.edit`	Granted / Not granted / Not granted / Configurable	`PUT /api/v1/users/{id}`; `GET /api/v1/users/{id}` for others
`employees.status.change`	Granted / Not granted / Not granted / Configurable	`PATCH /api/v1/users/{id}/status`
`employees.delete`	Granted / Not granted / Not granted / Configurable	`DELETE /api/v1/users/{id}`
`employees.role.assign`	Granted / Not granted / Not granted / Configurable	Role on POST / PUT; `GET /api/v1/users/roles`
`employees.mfa.reset`	Granted / Not granted / Not granted / Configurable	`POST /api/v1/users/{id}/mfa/reset`
`employees.manage` (legacy)	Expands to create, edit, status.change, mfa.reset	–
`roles.administrator.assign`	Granted / Not granted / Not granted / Not assignable	Role id 1 on POST / PUT; Administrator in role options
`roles.manage`	Granted / Not granted / Not granted / Configurable	Alternative key for `GET /api/v1/users/roles`

All `employees.*` keys except `employees.view` require `employees.view` (`PermissionCatalog`).

---

8. Configuration

Key	Default	Purpose
`Jwt:AccessTokenMinutes`	30	Lifetime of the access tokens that a stamp rotation invalidates
`Jwt:RefreshTokenDays`	7	Lifetime of the refresh tokens revoked by `EndSessionsAsync`
`Mfa:Required`	true	New users must set up MFA after sign-in (setup gate); affects the post-reset flow
`ConnectionStrings:Default`	`<secret>`	SQLite database (shared)
Code constant `EmailPolicy.Domain`	`taskflow.com`	Fixed employee email domain (`MaxLocalPartLength = 64`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Key	Default	Purpose
Code constant `IUserAllocationService.MaxTotalPercent`	100	Allocation cap per person
Code constants `SystemRoles.AdministratorId` / `ManagerId` / `EmployeeId`	1 / 2 / 3	Role checks

9. Testing Design

Test file names come from the test file list; their contents were not available, so "Covers" is inferred from the names (⚠️ To be confirmed).

Area	Test class / file	Type	Covers
Endpoints	`TaskFlow.IntegrationTests/Management/EmployeeManagement/UsersEndpointsTests.cs`	Integration	`/api/v1/users` actions, authorization, uniqueness, role rules
Delete	`TaskFlow.IntegrationTests/Management/EmployeeManagement/AdminDeleteEndpointsTests.cs`	Integration	`DELETE /api/v1/users/{id}`, self-delete
Last Administrator	`TaskFlow.IntegrationTests/Management/EmployeeManagement/LastAdministratorTests.cs`	Integration	Role-change and delete guard
Last Administrator	`TaskFlow.IntegrationTests/Management/EmployeeManagement/LastAdministratorStatusTests.cs`	Integration	Deactivation guard
Manager links	`TaskFlow.IntegrationTests/Management/EmployeeManagement/ManagerAssignmentEndpointsTests.cs`	Integration	Derived managers, clean-up on role change
MFA reset	`TaskFlow.IntegrationTests/Auth/Mfa/MfaAdminResetEndpointsTests.cs`	Integration	`POST /api/v1/users/{id}/mfa/reset`
Manager derivation	`TaskFlow.UnitTests/Management/EmployeeManagement/Employees/ManagerAssignmentTests.cs`	Unit	Managers and reports
Soft delete	`TaskFlow.UnitTests/Management/EmployeeManagement/Employees/UserDeletionTests.cs`	Unit	Delete rules, reserved email / username
Password ignored	`TaskFlow.UnitTests/Management/EmployeeManagement/Employees/UserServiceSelfServiceTests.cs`	Unit	Update paths
Allocations	`TaskFlow.UnitTests/Management/EmployeeManagement/Allocations/UserAllocationServiceTests.cs`	Unit	1–100, duplicates, 100% cap (shared with PROJ)
MFA service	`TaskFlow.UnitTests/Auth/Mfa/MfaServiceTests.cs`	Unit	`ResetAsync` clears MFA state

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Area	Test class / file	Type	Covers
Email policy	`TaskFlow.UnitTests/Common/EmailDomainTests.cs`, `TaskFlow.UnitTests/Persistence/EmailDomainMigrationTests.cs`	Unit	`EmailPolicy`; domain migration
Allocation migration	`TaskFlow.UnitTests/Persistence/UserProjectAllocationsMigrationTests.cs`	Unit	Column-to-table migration
Permissions	`TaskFlow.UnitTests/Settings/RoleConfiguration/PermissionCatalogTests.cs`, `TaskFlow.IntegrationTests/Common/PermissionAuthorizationTests.cs`	Unit / Integration	Catalogue, policy wiring
Frontend	–	–	No frontend spec files in the snapshot (fact sheet section 11)

10. Known Limitations & Open Issues

- The details drawer always shows **Edit**, even without `employees.edit` (the save is refused by the server).
- `GET /api/v1/users/{id}` is gated by `employees.edit` (or own id), while the list returns the same data with `employees.view`.
- The screen needs `projects.view` and `departments.view` silently for its option lists; failures leave the lists empty.
- Allocations and departments given on create need only `employees.create`, not `projects.members.manage` / `departments.members.manage`.
- The frontend still sends `password` on update (`newPassword`); the server ignores it.
- The employee form imports `PositionService` from `project-management/positions/services/position.service`, which is not in the frontend snapshot. ⚠️ To be confirmed.
- The API supports `departmentId` on the list, but the screen offers only Project, Role and Status filters.
- Search placeholder says "Name or email" but the query also matches `Username`.
- ⚠️ To be confirmed: the Assistant tool `propose_role_change` (policy `roles.manage`) reaches `EmployeeService.UpdateAsync` without the controller's `employees.role.assign` / `roles.administrator.assign` checks.
- ⚠️ To be confirmed: `PermissionCatalog` describes `employees.delete` as "Permanently remove an employee account", but the delete is soft.
- `IEmployeeService.DeleteAsync` XML comment mentions `InvalidOperationException`; the code throws `BusinessRuleException`.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

11. Traceability (FRD → code)

FRD requirement	Endpoint / class	Test
FR-EMP-01, FR-EMP-02, FR-EMP-03, FR-EMP-04	`GET /api/v1/users` · `EmployeeRepository.GetListAsync`, `LoadDtosAsync`, `UserDto.TotalAllocatedPercent` · `EmployeeListComponent`	`UsersEndpointsTests`
FR-EMP-05, FR-EMP-06, FR-EMP-09, FR-EMP-10	`GET /api/v1/users` (`search`, `projectId`, `isActive`) · `UserListFilter` · `UserService.getAll`	`UsersEndpointsTests`
FR-EMP-07, FR-EMP-08	`GET /api/v1/users` (`role`); `GET /api/v1/users/roles` · `EmployeesController.GetRoleOptions`, `RoleService.assignable`	`UsersEndpointsTests`; manual UI (fallback message)
FR-EMP-11	`EmployeeListComponent` empty / error states	Manual UI
FR-EMP-12, FR-EMP-13	`management.routes.ts` `permissionGuard` + `EmployeeScreenPermissions`; `nav-items.ts`; button bindings	Manual UI
FR-EMP-14	`[RequirePermission]` on every action; `PermissionPolicy`	`UsersEndpointsTests`, `PermissionAuthorizationTests`
FR-EMP-15, FR-EMP-21	Own-row check in `EmployeeListComponent`; `EmployeeService.DeleteAsync` self check	`AdminDeleteEndpointsTests`, `UserDeletionTests`
FR-EMP-16, FR-EMP-19	`ConfirmDialogComponent`, `ToastService` · `PATCH /api/v1/users/{id}/status`	Manual UI
FR-EMP-17	`EmployeeService.UpdateStatusAsync` → `EnsureAnotherActiveAdministratorAsync`	`LastAdministratorStatusTests`
FR-EMP-18	`PATCH /api/v1/users/{id}/status` · `EndSessionsAsync`	`LastAdministratorStatusTests`, `UsersEndpointsTests`
FR-EMP-20, FR-EMP-27	Delete confirm and toast · `DELETE /api/v1/users/{id}`	Manual UI
FR-EMP-22	`EmployeeService.DeleteAsync` → `EnsureAnotherActiveAdministratorAsync`	`LastAdministratorTests`
FR-EMP-23	`ITaskRepository.CountUnfinishedAssignedToAsync`	`UserDeletionTests`
FR-EMP-24, FR-EMP-26	`DeleteAsync` (`IsDeleted`, `IsActive`); query filter; `EmailPrefixTakenAsync` / `UsernameTakenAsync` with `IgnoreQueryFilters()`	`UserDeletionTests`, `AdminDeleteEndpointsTests`
FR-EMP-25	`ClearManagerDutiesAsync`, `EndSessionsAsync`	`UserDeletionTests`, `ManagerAssignmentTests`
FR-EMP-28, FR-EMP-29, FR-EMP-30, FR-EMP-31	`EmployeeDetailsPanelComponent` · `UserDto` (`Managers`, `ManagerProjects`, `Reports`, `MfaEnabled`, `LastLoginAt`)	`UsersEndpointsTests`, `ManagerAssignmentTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

FRD requirement	Endpoint / class	Test
FR-EMP-32	`EmployeeRepository.LoadDtosAsync` (derived managers)	`ManagerAssignmentTests`, `ManagerAssignmentEndpointsTests`
FR-EMP-33	Details **Edit** → `Panel { mode: 'edit' }`	Manual UI
FR-EMP-34, FR-EMP-35, FR-EMP-38	Details **Reset MFA** button, confirm, toast · `UserService.resetMfa`	Manual UI
FR-EMP-36, FR-EMP-37	`POST /api/v1/users/{id}/mfa/reset` · `MfaService.ResetAsync`, `NotificationPublisher.PublishAsync`	`MfaAdminResetEndpointsTests`, `MfaServiceTests`
FR-EMP-39, FR-EMP-44, FR-EMP-45	`POST /api/v1/users` · `CreateUserRequestValidator`, `EmployeeService.CreateAsync`, `IPasswordHasher<User>`	`UsersEndpointsTests`
FR-EMP-40	`EmailPolicy`, `RequireValidEmail`	`UsersEndpointsTests`, `EmailDomainTests`
FR-EMP-41, FR-EMP-42	`EmailPrefixTakenAsync`, `UsernameTakenAsync`	`UsersEndpointsTests`
FR-EMP-43	`IX_Users_Username`, `IX_Users_Email` · `UnitOfWork` → `UniqueConstraintException` (409)	`UsersEndpointsTests` (⚠️ To be confirmed)
FR-EMP-46, FR-EMP-47	`EmployeesController.Create` / `Update` inline checks `CanManageRoles()`, `CanAssignAdministrator()`	`UsersEndpointsTests`, `RoleAssignmentSafeguardTests`
FR-EMP-48, FR-EMP-50	`UserAllocationService.ValidateDepartmentsAsync`, `ValidateForUserAsync`, `RequireRoleAsync`	`UserAllocationServiceTests`, `UsersEndpointsTests`
FR-EMP-49, FR-EMP-51, FR-EMP-52	`ValidateForUserAsync`, `StageForUserAsync`; form allocation bar (`MAX_TOTAL_PERCENT`)	`UserAllocationServiceTests`
FR-EMP-53, FR-EMP-55	`EmployeeFormPanelComponent` edit mode (read-only lists, notice)	Manual UI
FR-EMP-54	`EmployeeService.UpdateAsync` (`passwordChanged = false`); `UpdateUserRequestValidator` has no password rule	`UserServiceSelfServiceTests`
FR-EMP-56	`UpdateAsync` → `EndSessionsAsync` on username / role change	`UsersEndpointsTests`
FR-EMP-57	`EmployeeFormPanelComponent` → `AuthService.clearSession()`, `LOGIN_REASON_CREDENTIALS_CHANGED`	Manual UI
FR-EMP-58	`UpdateAsync` → `EnsureAnotherActiveAdministratorAsync`	`LastAdministratorTests`
FR-EMP-59	`UpdateAsync` → `ClearManagerDutiesAsync` when the old role is Manager	`ManagerAssignmentTests`, `ManagerAssignmentEndpointsTests`
FR-EMP-60	Form toasts; `apiErrorMessage`	Manual UI

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Coverage: FR-EMP-01 – FR-EMP-60 (60 of 60) trace to an endpoint or class; 8 of 8 endpoints documented.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.