Low-Level Design – Project Management

TaskFlow – Intelligent Task Allocation & Tracking System

> **Document:** Low-Level Design (sub-module PROJ) · **Version:** 1.0 · **Status:** Draft
> **Project type:** Personal Project (Skill Development) · **Date:** 31-Oct-2026
> **Author:** Jojo George (jojogeorge3344@gmail.com)
> **Module:** TaskFlow Management · **Sub-module:** 03.2 Project Management (code `PROJ`, incl. positions)
> **Based on:** HLD – Project Management v1.0, FRD – Project Management v1.0, TaskFlow as built
> © 2026 Jojo George. All rights reserved.

Document Control

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version, derived from the code and verified against the code fact sheet

Related documents:

Document	Location
BRD – Project Management	`../../../BRD/03-TaskFlow-Management/03.2-Project-Management/BRD-Project-Management.md`
FRD – Project Management (`FR-PROJ-nn`, traced in section 11)	`../../../FRD/03-TaskFlow-Management/03.2-Project-Management/FRD-Project-Management.md`
HLD – Project Management	`../../../HLD/03-TaskFlow-Management/03.2-Project-Management/HLD-Project-Management.md`
LLD – Overall (shared stack, cross-cutting design)	`../../00-Overall/LLD-TaskFlow-Overall.md`
Related LLDs	`../03.1-Employee-Management/LLD-Employee-Management.md` (owns `UserAllocationService`), `../03.3-Department-Management/LLD-Department-Management.md`
TDD	`TF - Documents/TF - TDD/TDD-TaskFlow.md`

1. Introduction

1.1 Purpose

Detailed design of the Project Management sub-module: projects (list, details, create, edit, soft delete), project teams (allocations with position, percentage and project-manager flag, under the

100% cap per person), project tasks for the Project Details screen, and positions (list, get-or-create) – enough to implement or maintain the code.

1.2 Scope & Conventions

- Covers `ProjectsController` (route `api/v1/projects`), `PositionsController` (route `api/v1/positions`), `ProjectService`, `PositionService`, the team logic `UserAllocationService.ReplaceProjectMembersAsync`, and the tables `Projects`, `Positions`, `UserProjectAllocations`, `ManagerProjects`.
- Not covered: allocations given when an employee is created (Employee Management LLD), task CRUD (Task Management LLD).
- Naming: `*Controller`, `I*Service` / `*Service`, `I*Repository` / `*Repository`, DTOs `*Dto` / `*Request` / `*Input`.
- API base path `/api/v1`; JSON camelCase; enums as strings; errors as ProblemDetails.
- **Endpoint count:** `ProjectsController` **9** + `PositionsController` **2** = **11** actions (code fact sheet section 3); all 11 are documented in 4.1.1.

---

2. Code Structure

2.1 Backend Folder Layout

```
backend/src/TaskFlow.Api/
  Controllers/Management/ProjectsController.cs, PositionsController.cs
  Services/Management/ProjectManagement/Projects/          IProjectService.cs,
ProjectService.cs
  Services/Management/ProjectManagement/Positions/         IPositionService.cs,
PositionService.cs
  Services/Management/EmployeeManagement/Allocations/      IUserAllocationService.cs,
UserAllocationService.cs (ReplaceProjectMembersAsync)
  Repositories/Management/ProjectManagement/Projects/      IProjectRepository.cs,
ProjectRepository.cs
  Repositories/Management/ProjectManagement/Positions/     IPositionRepository.cs,
PositionRepository.cs
  Repositories/Management/EmployeeManagement/Allocations/  IUserAllocationRepository.cs,
UserAllocationRepository.cs
  Dtos/Management/ProjectManagement/                       ProjectDto.cs, ProjectMemberDtos.cs,
ProjectMemberInput.cs
  Dtos/Management/ProjectManagement/Positions/             PositionDtos.cs
  Dtos/Management/ProjectManagement/Validators/            CreateProjectRequestValidator.cs,
UpdateProjectRequestValidator.cs
  Models/Entities/                                         Project.cs, Position.cs,
UserProjectAllocation.cs, ManagerProject.cs
```

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2.2 Frontend Folder Layout

```
frontend/src/app/modules/management/
  management.routes.ts                                  paths 'projects', 'projects/:id'
(permissionGuard, projects.view)
  project-management/pages/                             project-list.component.ts/.html,
project-detail.component.ts/.html, project-detail.model.ts
  project-management/components/                        project-form-dialog.component.ts,
project-team-dialog.component.ts,
                                                        project-team-dialog.model.ts,
employee-picker.component.ts
  project-management/services/project.service.ts
  project-management/models/project.model.ts
  project-management/positions/services/position.service.ts   (imported; not in the snapshot –
see section 10)
  components/position-combobox.component.ts             (shared with Employee Management)
```

2.3 Layer Rules

Rule	Enforced by
Controller → Service → Repository	`ArchitectureTests`
Team writes go only through `UserAllocationService` (the single owner of the allocation rules)	Code convention (`ProjectService.ReplaceMembersAsync` delegates)
Frontend module folder shape	`npm run check:structure`

---

3. Cross-Cutting Design

Shared mechanisms are in the overall LLD (`../../00-Overall/LLD-TaskFlow-Overall.md`); how they apply here:

Concern	Design
Validation	`ValidationFilter` runs `CreateProjectRequestValidator` / `UpdateProjectRequestValidator`; team and position rules are checked in the services (no validator for `ReplaceProjectMembersRequest` or `CreatePositionRequest`)
Error handling	`GlobalExceptionHandler` (3.1)
Transactions	Project create / update / delete: one `SaveChangesAsync`. Team replace: `IUnitOfWork.ExecuteInTransactionAsync` wraps the capacity check and the write, so two concurrent saves cannot both pass the 100% cap
Authorization	`[RequirePermission]` per action; `projects.manage` (legacy) expands to create, edit, delete, members.manage and `positions.create`
Soft delete	Global filter `!IsDeleted` on `Projects`; `UserProjectAllocations` filter hides rows of deleted users or projects
Time	`CreatedAt = DateTime.UtcNow`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Concern	Design
Logging	None specific

3.1 Exception → HTTP Status

Exception	Status	When (this sub-module)
`BusinessRuleException`	400	Duplicate project name; team rules (percent, duplicates, no manager, non-Manager flagged, inactive person, 100% cap, unknown position); position name empty / too long
Validator failure	400	`Name` empty or > 200, `Description` > 500
Policy failure	403	Missing `projects.*` / `positions.create`
`NotFound()`	404	Unknown or deleted project (get, members, tasks, update, delete, replace team)
`UniqueConstraintException`	409	Race on `IX_Projects_Name` or `IX_Positions_Name` ("That value is already in use.")

---

4. Module Designs

4.1 Module: TaskFlow Management

4.1.1 Child module: Project Management

Class / file inventory

Layer	Type	File	Responsibility
Controller	`ProjectsController`	`Controllers/Management/ProjectsController.cs`	9 actions on `api/v1/projects`
Controller	`PositionsController`	`Controllers/Management/PositionsController.cs`	2 actions on `api/v1/positions`
Service	`IProjectService` / `ProjectService`	`Services/Management/ProjectManagement/Projects/`	Project CRUD, existence checks, team replace delegation, tasks
Service	`IPositionService` / `PositionService`	`Services/Management/ProjectManagement/Positions/`	List; get-or-create by name (`MaxNameLength = 100`)


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Layer	Type	File	Responsibility
Service (shared)	`IUserAllocationService` / `UserAllocationService`	`Services/Management/EmployeeManagement/Allocations/`	`ReplaceProjectMembersAsync` – all team rules
Repository	`IProjectRepository` / `ProjectRepository`	`Repositories/Management/ProjectManagement/Projects/`	Projects, counts, members, employees, tasks, `RemoveTeamAsync`
Repository	`IPositionRepository` / `PositionRepository`	`Repositories/Management/ProjectManagement/Positions/`	`GetAllAsync`, `GetByNameAsync`, `CountAsync`
Repository (shared)	`IUserAllocationRepository` / `UserAllocationRepository`; `IEmployeeRepository`	`Repositories/Management/EmployeeManagement/…`	Tracked allocations, totals on other projects, `ManagerProjects` links; active users
DTOs	`ProjectDto`, `ProjectWithCountDto`, `ProjectEmployeeDto`, `CreateProjectRequest`, `UpdateProjectRequest`, `ProjectTaskDto`, `ProjectTaskFilter`, `ProjectMemberDto`, `ReplaceProjectMembersRequest`, `ProjectMemberInput`, `PositionDto`, `CreatePositionRequest`	`Dtos/Management/ProjectManagement/…`	Contracts
Validators	`CreateProjectRequestValidator`, `UpdateProjectRequestValidator`	`Dtos/Management/ProjectManagement/Validators/`	Name and description length
Entities	`Project`, `Position`, `UserProjectAllocation`, `ManagerProject`	`Models/Entities/`	Tables in section 5
Frontend pages	`ProjectListComponent`, `ProjectDetailComponent` (+ `Filters`)	`project-management/pages/`	Cards, delete confirm; details summary, team, filtered tasks
Frontend components	`ProjectFormDialogComponent`, `ProjectTeamDialogComponent` (+ `TeamRow`), `EmployeePickerComponent` (`EMPLOYEE_SEARCH_DEBOUNCE_MS = 250`), `PositionComboboxComponent`	`project-management/components/`, `management/components/`	Add / edit dialog; team dialog; person picker (`UserService.getAll({ search, isActive: true })`); position pick-or-type

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Layer	Type	File	Responsibility
Frontend service	`ProjectService`	`project-management/services/project.service.ts`	`getAll`, `getById`, `getEmployees`, `getMembers`, `getTasks`, `replaceMembers`, `create`, `update`, `delete`
Frontend service	`PositionService`	`project-management/positions/services/position.service.ts`	`getAll`, `getOrCreate` on `/api/v1/positions` (file missing from the snapshot)
Frontend models	`Project`, `ProjectWithCount`, `CreateProjectRequest`, `UpdateProjectRequest`, `Position`, `ProjectMember`, `ProjectMemberInput`, `ProjectTask`, `ProjectTaskFilter`	`project-management/models/project.model.ts`	Client contracts

Class diagram



`UserAllocationService` also uses `IEmployeeRepository`, `IProjectRepository`, `IPositionRepository`, `IDepartmentRepository` and `IUnitOfWork`.

API contracts

#	Method	Route	Permission / policy	Request	Response	Status codes
1	GET	`/api/v1/projects`	`projects.view`	–	`IReadOnlyCollection<ProjectWithCountDto>`	200, 401, 403
2	GET	`/api/v1/projects/{id}`	`projects.view`	–	`ProjectDto`	200, 401, 403, 404
3	GET	`/api/v1/projects/{id}/employees`	`projects.view`	–	`IReadOnlyCollection<ProjectEmployeeDto>` (empty list for an unknown project)	200, 401, 403

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

#	Method	Route	Permission / policy	Request	Response	Status codes
4	GET	`/api/v1/projects/{id}/members`	`projects.view`	–	`IReadOnlyCollection<ProjectMemberDto>`	200, 401, 403, 404
5	GET	`/api/v1/projects/{id}/tasks`	`projects.view`	Query `status`, `priority`, `deadlineFrom`, `deadlineTo`, `assignedToUserId`, `positionId` → `ProjectTaskFilter`	`IReadOnlyCollection<ProjectTaskDto>`	200, 400 (bad enum / date), 401, 403, 404
6	PUT	`/api/v1/projects/{id}/members`	`projects.members.manage`	`ReplaceProjectMembersRequest`	`IReadOnlyCollection<ProjectMemberDto>`	200, 400, 401, 403, 404
7	POST	`/api/v1/projects`	`projects.create`	`CreateProjectRequest`	`ProjectDto` (+ `Location` via `CreatedAtAction(GetById)`)	201, 400, 401, 403, 409
8	PUT	`/api/v1/projects/{id}`	`projects.edit`	`UpdateProjectRequest`	`ProjectDto`	200, 400, 401, 403, 404, 409
9	DELETE	`/api/v1/projects/{id}`	`projects.delete`	–	–	204, 401, 403, 404
10	GET	`/api/v1/positions`	`projects.view`	–	`IReadOnlyCollection<PositionDto>`	200, 401, 403
11	POST	`/api/v1/positions`	`positions.create`	`CreatePositionRequest`	`PositionDto` (existing or new; 200 in both cases)	200, 400, 401, 403, 409

DTO shapes

DTO	Fields
`ProjectDto`	`Id`, `Name`, `Description?`, `CreatedAt`
`ProjectWithCountDto`	`Id`, `Name`, `Description?`, `CreatedAt`, `EmployeeCount`, `Managers` (names of flagged project managers, by name)
`ProjectEmployeeDto`	`Id`, `EmployeeCode?`, `FullName`, `Username`, `Email`, `MobileNumber?`, `RoleId`, `IsActive`, `CreatedAt`, `UpdatedAt`, `LastLoginAt?` (no credentials or MFA state)
`ProjectMemberDto`	`UserId`, `FullName`, `Email`, `PositionId`, `PositionName`, `Percent`, `IsManager`, `IsManagerRole`
`ProjectMemberInput`	`UserId`, `PositionId`, `Percent`, `IsManager` (default false)
`ReplaceProjectMembersRequest`	`Members?` (`null` treated as empty – removes everyone)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

DTO	Fields
`ProjectTaskDto`	`Id`, `TaskCode`, `Title`, `Status`, `Priority`, `StartDate`, `Deadline`, `AssignedToUserId`, `AssignedToName`, `AssigneePositionId?`, `AssigneePositionName?`
`ProjectTaskFilter`	`Status?`, `Priority?`, `DeadlineFrom?`, `DeadlineTo?`, `AssignedToUserId?`, `PositionId?`
`CreateProjectRequest` / `UpdateProjectRequest`	`Name`, `Description?`
`PositionDto` / `CreatePositionRequest`	`Id`, `Name` / `Name`

Request / response examples

`POST /api/v1/projects`

```
{ "name": "Website Revamp", "description": "Public site redesign" }
```

201 Created (`ProjectDto`)

```
{ "id": 7, "name": "Website Revamp", "description": "Public site redesign", "createdAt": "2026-10-31T09:30:00Z" }
```

`PUT /api/v1/projects/{id}` uses the same body as create and returns `ProjectDto` with 200.

`PUT /api/v1/projects/{id}/members`

```
{
  "members": [
    { "userId": 5,  "positionId": 2, "percent": 30, "isManager": true },
    { "userId": 14, "positionId": 4, "percent": 60, "isManager": false }
  ]
}
```

200 OK (`ProjectMemberDto[]`, ordered by name)

```
[
  { "userId": 14, "fullName": "Anu Thomas", "email": "anu.thomas@taskflow.com", "positionId": 4, "positionName": "Developer", "percent": 60, "isManager": false, "isManagerRole": false },
  { "userId": 5, "fullName": "Ravi Menon", "email": "ravi@taskflow.com", "positionId": 2, "positionName": "Manager", "percent": 30, "isManager": true, "isManagerRole": true }
]
```

400 Bad Request (capacity)

```
{ "status": 400, "title": "Bad Request", "detail": "Anu Thomas would be allocated 110% in total. They already have 50% on other projects, so 50% remains." }
```

`POST /api/v1/positions` – "qa" matches the seeded "QA" under the NOCASE collation

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

```
{ "name": "qa" }
```

```
{ "id": 3, "name": "QA" }
```

Service logic – `ProjectService.CreateAsync` / `UpdateAsync`

1. Validator has checked `Name` (required, ≤ 200) and `Description` (≤ 500).
2. Update only: `GetActiveForUpdateAsync(id)` → `null` (404).
3. `name = request.Name.Trim()`; `NameTakenAsync(name, exceptId)` (live projects, `ToLower()` compare) → "Project name already exists.".
4. Set `Name`, `Description?.Trim()`; create also sets `CreatedAt = DateTime.UtcNow` and `_projects.Add`.
5. `SaveChangesAsync`; return `ToDto(project)`.

Service logic – `ProjectService.DeleteAsync(id)`

1. `GetActiveForUpdateAsync(id)` → `false` (404).
2. `RemoveTeamAsync(id)`: remove all `UserProjectAllocations` of the project with `IgnoreQueryFilters()` (also rows of deleted users) and all `ManagerProjects` links.
3. `IsDeleted = true`; `SaveChangesAsync`; return `true` (204). Tasks with this `ProjectId` are not checked or changed.

Service logic – `ProjectService.ReplaceMembersAsync` → `UserAllocationService.ReplaceProjectMembersAsync(projectId, members)`

1. `ExistsActiveAsync(projectId)` → `null` (404).
2. Any `Percent` < 1 or > 100 → "Allocation percentage must be a whole number from 1 to 100.".
3. Duplicate `UserId` → "A person can only appear once on a project.".
4. Non-empty list with no `IsManager` → "Mark at least one person on the team as the project's manager.".
5. `RequirePositionsAsync` (distinct ids; `IPositionRepository.CountAsync`) → "Position does not exist.".
6. Inside `ExecuteInTransactionAsync`:
    1. `IEmployeeRepository.GetActiveByIdsAsync(userIds)`; count mismatch → "One or more people do not exist or are not active.".
    2. Flagged members whose `RoleId != SystemRoles.ManagerId` → "Only a person with the Manager role can manage a project: {names}.".
    3. `GetTotalsOnOtherProjectsAsync(userIds, projectId)`; for each member `other + percent > 100` → "{name} would be allocated {total}% in total. They already have {other}% on other projects, so {100 − other}% remains.".
    4. Diff `GetForProjectForUpdateAsync(projectId)`: remove rows of people not in the list; update `PositionId`, `AllocationPercent`, `IsProjectManager` on kept rows; add new rows.
    5. Sync `ManagerProjects` to the flagged ids (remove unflagged links, add missing links).
    6. `SaveChangesAsync`; commit.
7. Return `GetMembersAsync(projectId)`.

Service logic – `ProjectService` reads

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


- `GetAllAsync` → `GetAllWithCountsAsync` (no `ORDER BY` in the query; the UI shows the order returned).
- `GetByIdAsync` → `GetAsync` (query filter hides deleted) → `ToDto` or `null`.
- `GetEmployeesAsync` → `GetEmployeesAsync` without an existence check.
- `GetMembersAsync`, `GetTasksAsync` → `ExistsActiveAsync` first, else `null` (404).

Service logic – `PositionService.GetOrCreateAsync(name)`

1. Collapse repeated spaces and trim (`Split(' ', RemoveEmptyEntries)` + `Join(' ')`).
2. Empty → "Position name is required."; longer than 100 → "Position name must be 100 characters or fewer.".
3. `GetByNameAsync(trimmed)` (NOCASE column) → return the existing `PositionDto`.
4. Else add `Position { Name = trimmed }`, `SaveChangesAsync`, return the new `PositionDto`.


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – replace a project team




© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – delete a project



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – type a new position



Repository methods

Method	Query / purpose	Notes
`ProjectRepository.GetAllWithCountsAsync()`	All live projects with `EmployeeCount` (count of filtered `UserProjectAllocations`) and `Managers` (names of rows with `IsProjectManager`, by `FullName`)	`AsNoTracking`; correlated sub-queries
`GetAsync(id)`	One live project	`AsNoTracking`
`GetActiveForUpdateAsync(id)`	Tracked live project	`!IsDeleted`
`ExistsActiveAsync(id)` / `CountActiveAsync(ids)`	Existence	`!IsDeleted`; `CountActiveAsync` also used by Employee Management allocations

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Method	Query / purpose	Notes
`NameTakenAsync(name, exceptProjectId)`	Unique live name	`p.Name.ToLower() == name.ToLower() && !p.IsDeleted`
`GetEmployeesAsync(projectId)`	Live users with an allocation on the project → `ProjectEmployeeDto`	`AsNoTracking`; no UI caller
`GetMembersAsync(projectId)`	Allocations → `ProjectMemberDto`, by `User.FullName`; `IsManagerRole = User.RoleId == SystemRoles.ManagerId`	`AsNoTracking`
`GetTasksAsync(projectId, filter)`	`Tasks` with `ProjectId` and `!IsDeleted`; each set filter ANDed; `PositionId` via the assignee's allocation on this project; ordered by `Deadline`, then `Id`; assignee position projected per row	`AsNoTracking`; uses `IX_Tasks_ProjectId`
`RemoveTeamAsync(projectId)`	Stage removal of all allocations (`IgnoreQueryFilters()`) and `ManagerProjects` links	Saved by the caller
`PositionRepository.GetAllAsync()`	All positions → `PositionDto`, by `Name`	–
`PositionRepository.GetByNameAsync(name)`	Exact match under NOCASE	–
`PositionRepository.CountAsync(ids)`	Existence of positions	–
`UserAllocationRepository.GetForProjectForUpdateAsync(projectId)`	Tracked team rows	–
`UserAllocationRepository.GetTotalsOnOtherProjectsAsync(userIds, projectId)`	`GroupBy(UserId)`, `Sum(AllocationPercent)` for other projects	Inside the transaction
`UserAllocationRepository.GetManagerLinksForProjectForUpdateAsync`, `AddManagerLink`, `RemoveManagerLinks`, `Add`, `RemoveRange`	`ManagerProjects` and allocation staging	Tracked
`EmployeeRepository.GetActiveByIdsAsync(ids)`	Live active users	`AsNoTracking`

Validation rules

Field	Rule	Message
`Name` (project)	`NotEmpty`, `MaximumLength(200)`; unique among live projects ignoring case (service)	Default FluentValidation messages · "Project name already exists."
`Description` (project)	`MaximumLength(500)` when not null	Default message

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Field	Rule	Message
`Members[].Percent`	Whole 1–100	"Allocation percentage must be a whole number from 1 to 100."
`Members[].UserId`	Once per project; live and active	"A person can only appear once on a project." · "One or more people do not exist or are not active."
`Members[].IsManager`	At least one on a non-empty team; only `RoleId == 2`	"Mark at least one person on the team as the project's manager." · "Only a person with the Manager role can manage a project: {names}."
`Members[].PositionId`	Position exists	"Position does not exist."
Person total	Other projects + this row ≤ 100	"{name} would be allocated {total}% in total. They already have {other}% on other projects, so {left}% remains."
`Name` (position)	Required after space collapse; ≤ 100; unique NOCASE (get-or-create)	"Position name is required." · "Position name must be 100 characters or fewer."


Client-side messages are in the FRD (sections 4.1.2 – 4.1.4).

Error cases

Case	Exception / result	Status
Project unknown or deleted	`null` / `false` → `NotFound()`	404
Duplicate project name	`BusinessRuleException`	400
Any team rule fails	`BusinessRuleException`; transaction rolled back, nothing saved	400
Name race on unique index	`UniqueConstraintException`	409
Invalid position name	`BusinessRuleException`	400

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

State machine – project



A deleted project keeps its row (`IsDeleted = true`); its name becomes free for a new project (filtered unique index).

Frontend design


Item	Design
Routes	`/projects` → `ProjectListComponent`, `/projects/:id` → `ProjectDetailComponent`; both `permissionGuard` with `Permissions.ProjectsView`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Design
List	Cards from `ProjectService.getAll()`; client-side search on name / description; buttons by `Permissions.ProjectsCreate`, `ProjectsMembers`, `ProjectsEdit`, `ProjectsDelete`; **View employees** opens `/employees` with the project filter
Create flow	`ProjectFormDialogComponent` → `create`; on success opens `ProjectTeamDialogComponent` titled **Assign team: {name}** with **Skip for now**
Team dialog	Loads `PositionService.getAll()` and `ProjectService.getMembers(id)`; rows are `TeamRow`; `EmployeePickerComponent` searches `UserService.getAll({ search, isActive: true })` (needs `employees.view`); new rows default to position **Member**; save → `replaceMembers(id, members)`
Details	`getById`, then `getMembers` and `getTasks`; `Filters` (status, priority, assignee, position, deadline range) → `getTasks(id, filter)` with only non-empty params

5. Database Design

5.1 ER Diagram



5.2 Tables

SQLite storage: `int` / `bool` → INTEGER, `string` / `DateTime` → TEXT.

`Projects` (`Project`)

Column	Type	Null	Key / index	Default	Description
Id	int	No	PK, identity	identity	Project id
Name	string(200)	No	Unique filtered `IX_Projects_Name` (`"IsDeleted" = 0`)	–	Project name
Description	string(500)	Yes	–	–	Optional text
CreatedAt	DateTime	No	–	–	UTC
IsDeleted	bool	No	Global query filter `!IsDeleted`	`false`	Soft delete

Navigation: `Allocations` (`UserProjectAllocation`).

`Positions` (`Position`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Column	Type	Null	Key / index	Default	Description
Id	int	No	PK, identity	identity	Position id
Name	string(100), collation NOCASE	No	Unique `IX_Positions_Name`	–	Label; seeded (`HasData`) 1 Member, 2 Manager, 3 QA, 4 Developer, 5 DevOps, 6 System Admin

`UserProjectAllocations` (`UserProjectAllocation`)

Column	Type	Null	Key / index	Default	Description
UserId	int	No	PK part; FK → `Users.Id` (Cascade)	–	Person
ProjectId	int	No	PK part; FK → `Projects.Id` (Cascade); `IX_UserProjectAllocations_ProjectId`	–	Project
AllocationPercent	int	No	Check `CK_UserProjectAllocations_AllocationPercent`	–	`BETWEEN 1 AND 100`
IsProjectManager	bool	No	–	`false`	Project-manager flag
PositionId	int	No	FK → `Positions.Id` (Restrict); `IX_UserProjectAllocations_PositionId`	–	Position on this project

Query filter: `!User.IsDeleted && !Project.IsDeleted`.

`ManagerProjects` (`ManagerProject`)

Column	Type	Null	Key / index	Default	Description
ManagerUserId	int	No	PK part; FK → `Users.Id` (Cascade)	–	Manager
ProjectId	int	No	PK part; FK → `Projects.Id` (Cascade); `IX_ManagerProjects_ProjectId`	–	Project overseen; kept in step with `IsProjectManager`

Tables read but owned elsewhere

Table (entity)	Owner LLD	Use
`Users` (`User`)	EMP	Team members must be active; `RoleId == 2` for project managers; names and emails
`Tasks` (`Task`)	TASK	Read by `GetTasksAsync`; not changed on project delete

5.3 Indexes, Constraints & Triggers

Object	Definition	Purpose
`IX_Projects_Name`	Unique (`Name`) filtered `"IsDeleted" = 0`	Live names unique; a deleted project's name can be reused

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Object	Definition	Purpose
`IX_Positions_Name`	Unique (`Name`), NOCASE column	"qa" cannot be added when "QA" exists
PK `UserProjectAllocations`	(`UserId`, `ProjectId`)	One row per person per project
`CK_UserProjectAllocations_AllocationPercent`	`"AllocationPercent" BETWEEN 1 AND 100`	Row-level percent rule
`IX_UserProjectAllocations_ProjectId`, `IX_UserProjectAllocations_PositionId`	Single-column	Team and position lookups
PK `ManagerProjects`	(`ManagerUserId`, `ProjectId`)	One link per manager per project
`IX_ManagerProjects_ProjectId`	(`ProjectId`)	Links of a project
FK `UserProjectAllocations.PositionId → Positions.Id`	Restrict	A used position cannot be deleted
FK `Tasks.ProjectId → Projects.Id`	Restrict (Task Management)	Tasks keep their project
100% total per person	Not a database constraint; enforced in `UserAllocationService` inside a transaction	Cross-row rule
Triggers	None	–

5.4 Enumerations

Enum	Values	Stored as
`TaskStatus` (task filter and `ProjectTaskDto.Status`)	ToDo, InProgress, Blocked, Completed, Cancelled, InQA	As defined in the Task Management LLD; string in JSON
`TaskPriority` (task filter and `ProjectTaskDto.Priority`)	Low, Medium, High, Critical	As defined in the Task Management LLD; string in JSON

5.5 Migrations

Migration	Change relevant to this sub-module
`20261012104823_AddDepartmentsAndUserDepartment`	First "Departments" table and `Users.DepartmentId` (renamed to Projects later)
`20261019174259_AddManagerAssignments`	`ManagerDepartments` link table and `Users.ManagerId`
`20261020173455_RenameDepartmentsToProjectsAndAddDepartments`	Renames `Departments` → `Projects`, `ManagerDepartments` → `ManagerProjects`, `DepartmentId` → `ProjectId` (Users, Tasks, links) without data loss
`20261021070943_FixDepartmentFollowUps`	Re-creates `IX_Projects_Name`; gives roles that held `departments.*` the `projects.*` keys too

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Migration	Change relevant to this sub-module
`20261023160825_UserProjectAllocationsAndDepartments`	Creates `Positions` and `UserProjectAllocations`; moves each user's single project into one 100% allocation with position Member; drops `Users.ProjectId`
`20261023173211_AddProjectManagerFlag`	Adds `UserProjectAllocations.IsProjectManager` (default false)

6. Algorithms & Background Jobs

Job / algorithm	Trigger / schedule	Steps	Idempotency
Team replace with capacity check	`PUT /api/v1/projects/{id}/members`	Pre-checks → transaction: active users → Manager role → totals on other projects → diff rows → sync `ManagerProjects` → save	Same request gives the same team; whole-or-nothing
Manager link sync	Inside team replace	`ManagerProjects` = set of flagged user ids for the project	Set semantics
Team removal on delete	`DELETE /api/v1/projects/{id}`	Remove all allocations (incl. filtered rows) and links, flag project	Second call → 404
Position get-or-create	`POST /api/v1/positions`	Normalise, look up NOCASE, insert if missing	Same name returns the same row
Background jobs	–	*Not applicable for this sub-module.*	–

7. Security Design (detailed)

Item	Implementation
Password hashing / tokens	*Not applicable for this sub-module.*
Permission checks	Policy per action (4.1.1); `GET /api/v1/positions` needs only `projects.view`
Data scope	None – every holder of `projects.view` sees all projects, teams and project tasks (task-view scope is not applied to `GET /api/v1/projects/{id}/tasks`)
Data minimisation	`ProjectEmployeeDto` and `ProjectMemberDto` carry no credentials or MFA state
Frontend gating	Route and menu by `projects.view`; buttons by `projects.create`, `projects.members.manage`, `projects.edit`, `projects.delete`
Secrets	None

Permission keys used

Key	Default (Admin / Manager / Employee / Custom)	Endpoint(s)
`projects.view`	Granted / Granted / Not granted / Configurable	GET project routes; `GET /api/v1/positions`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Key	Default (Admin / Manager / Employee / Custom)	Endpoint(s)
`projects.create`	Granted / Not granted / Not granted / Configurable	`POST /api/v1/projects`
`projects.edit`	Granted / Not granted / Not granted / Configurable	`PUT /api/v1/projects/{id}`
`projects.delete`	Granted / Not granted / Not granted / Configurable	`DELETE /api/v1/projects/{id}`
`projects.members.manage`	Granted / Not granted / Not granted / Configurable	`PUT /api/v1/projects/{id}/members`
`positions.create`	Granted / Not granted / Not granted / Configurable	`POST /api/v1/positions`
`projects.manage` (legacy)	Expands to create, edit, delete, members.manage, `positions.create`	–
`employees.view` (supporting)	Granted / Granted / Not granted / Configurable	Person picker in the team dialog (`GET /api/v1/users`)

All keys except `projects.view` require `projects.view` (`PermissionCatalog`).

8. Configuration

Key	Default	Purpose
`ConnectionStrings:Default`	`<secret>`	SQLite database (shared)
Code constant `IUserAllocationService.MaxTotalPercent`	100	Cap on one person's allocations across projects
Code constant `PositionService.MaxNameLength`	100	Position name length
Code constant `SystemRoles.ManagerId`	2	Only this role may be a project manager
Code constant `EMPLOYEE_SEARCH_DEBOUNCE_MS` (frontend)	250	Person picker search debounce

9. Testing Design

Test contents were not available (file names only); "Covers" is inferred (⚠️ To be confirmed).

Area	Test class / file	Type	Covers
Team endpoints	`TaskFlow.IntegrationTests/Management/ProjectManagement/ProjectTeamEndpointsTests.cs`	Integration	`PUT /api/v1/projects/{id}/members`, authorization, all-or-nothing
Allocation rules	`TaskFlow.UnitTests/Management/EmployeeManagement/Allocations/UserAllocationServiceTests.cs`	Unit	Percent range, duplicates, manager flag, 100% cap

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Area	Test class / file	Type	Covers
Project tasks	`TaskFlow.UnitTests/Monitoring/TaskManagement/Tasks/ProjectTaskTests.cs`	Unit	Tasks mapped to projects, filters
Manager links	`TaskFlow.UnitTests/Management/EmployeeManagement/Employees/ManagerAssignmentTests.cs`	Unit	Project managers in a manager's team
Migrations	`TaskFlow.UnitTests/Persistence/UserProjectAllocationsMigrationTests.cs`, `TaskFlow.UnitTests/Persistence/DepartmentFollowUpMigrationTests.cs`	Unit	Allocation data move; `projects.*` key follow-up
Permissions	`TaskFlow.UnitTests/Settings/RoleConfiguration/PermissionCatalogTests.cs`, `TaskFlow.IntegrationTests/Common/ModuleBasedPermissionEndpointsTests.cs`	Unit / Integration	Catalogue and policy wiring
Project CRUD and positions	–	–	⚠️ To be confirmed: no project or position test file is listed
Frontend	–	–	No frontend spec files in the snapshot

10. Known Limitations & Open Issues

- Positions can be neither renamed nor deleted (only get-or-create).
- The team dialog opens after creation without checking `projects.members.manage`; the position combobox calls create without checking `positions.create` (the server refuses).
- `positions.create` has no frontend reference.
- The team picker needs `employees.view` silently.
- `GET /api/v1/projects/{id}/tasks` ignores the task-view scope (`tasks.view.all`). ⚠️ To be confirmed whether intended.
- `GET /api/v1/projects/{id}/employees` has no UI caller and returns 200 with an empty list for an unknown project.
- The delete confirmation says "permanently deleted" but the delete is soft; tasks of a deleted project are not changed. ⚠️ To be confirmed how they should be shown.
- `position.service.ts` (imported from `project-management/positions/services/`) is missing from the frontend snapshot. ⚠️ To be confirmed.
- `GetAllWithCountsAsync` has no explicit ordering.
- Only the Manager system role (id 2) can be a project manager; custom roles cannot.

11. Traceability (FRD → code)

FRD requirement	Endpoint / class	Test
FR-PROJ-01, FR-PROJ-02, FR-PROJ-03, FR-PROJ-12, FR-PROJ-13	`GET /api/v1/projects` · `ProjectRepository.GetAllWithCountsAsync` · `ProjectListComponent`	Manual UI

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

FRD requirement	Endpoint / class	Test
FR-PROJ-04	`management.routes.ts` (`projects`, `projects/:id`, `Permissions.ProjectsView`)	Manual UI
FR-PROJ-05, FR-PROJ-06	`[RequirePermission]` on every action; list button bindings	`ProjectTeamEndpointsTests`, `ModuleBasedPermissionEndpointsTests`
FR-PROJ-07	**View employees** → `/employees` with project filter (`EmployeeScreenPermissions`)	Manual UI
FR-PROJ-08, FR-PROJ-11	Delete confirm and toast · `ProjectService.delete`	Manual UI
FR-PROJ-09, FR-PROJ-10	`DELETE /api/v1/projects/{id}` · `ProjectService.DeleteAsync`, `ProjectRepository.RemoveTeamAsync`	⚠️ To be confirmed
FR-PROJ-14, FR-PROJ-15, FR-PROJ-16	`POST /api/v1/projects`, `PUT /api/v1/projects/{id}` · `CreateProjectRequestValidator`, `UpdateProjectRequestValidator`, `NameTakenAsync`, `IX_Projects_Name`	⚠️ To be confirmed
FR-PROJ-17, FR-PROJ-18	`ProjectFormDialogComponent` → `ProjectTeamDialogComponent` (**Assign team**, **Skip for now**)	Manual UI
FR-PROJ-19	`GET /api/v1/projects/{id}/members` · `ProjectRepository.GetMembersAsync`	`ProjectTeamEndpointsTests`
FR-PROJ-20, FR-PROJ-21	`EmployeePickerComponent` (`GET /api/v1/users`, `remainingPercent`); team dialog row check	Manual UI
FR-PROJ-22, FR-PROJ-23, FR-PROJ-24, FR-PROJ-25, FR-PROJ-26	`PUT /api/v1/projects/{id}/members` · `UserAllocationService.ReplaceProjectMembersAsync`	`ProjectTeamEndpointsTests`, `UserAllocationServiceTests`
FR-PROJ-27	`GetTotalsOnOtherProjectsAsync` + cap check	`UserAllocationServiceTests`
FR-PROJ-28	`IUnitOfWork.ExecuteInTransactionAsync` around check and write	`ProjectTeamEndpointsTests`, `UserAllocationServiceTests`
FR-PROJ-29	Diff of `UserProjectAllocations`; toasts "Team saved" / "Team cleared"	`ProjectTeamEndpointsTests`
FR-PROJ-30	`ManagerProjects` sync; `EmployeeRepository.GetTeamMemberIdsAsync`	`ManagerAssignmentTests`
FR-PROJ-31	Team dialog default position **Member**	Manual UI
FR-PROJ-32, FR-PROJ-33, FR-PROJ-34	`GET /api/v1/positions`, `POST /api/v1/positions` · `PositionService.GetOrCreateAsync`, `PositionRepository.GetByNameAsync`, `PositionComboboxComponent`	⚠️ To be confirmed

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

FRD requirement	Endpoint / class	Test
FR-PROJ-35	`Position` seed (`HasData`) in `AppDbContext`	Manual check
FR-PROJ-36	No position rename / delete endpoint; positions not in the permission model	Manual check
FR-PROJ-37, FR-PROJ-39, FR-PROJ-43	`GET /api/v1/projects/{id}`, `GET /api/v1/projects/{id}/members` · `ProjectDetailComponent`	Manual UI
FR-PROJ-38, FR-PROJ-40, FR-PROJ-41, FR-PROJ-45	`GET /api/v1/projects/{id}/tasks` · `ProjectRepository.GetTasksAsync`, `ProjectTaskFilter`	`ProjectTaskTests`
FR-PROJ-42, FR-PROJ-44	`ProjectDetailComponent` (`Filters` reset, empty / error states)	Manual UI

`GET /api/v1/projects/{id}/employees` traces to no FR (no UI caller).

Coverage: FR-PROJ-01 – FR-PROJ-45 (45 of 45) trace to an endpoint or class; 11 of 11 endpoints documented.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.