Low-Level Design – Department Management

TaskFlow – Intelligent Task Allocation & Tracking System

> **Document:** Low-Level Design (sub-module DEPT) · **Version:** 1.0 · **Status:** Draft
> **Project type:** Personal Project (Skill Development) · **Date:** 31-Oct-2026
> **Author:** Jojo George (jojogeorge3344@gmail.com)
> **Module:** TaskFlow Management · **Sub-module:** 03.3 Department Management (code `DEPT`)
> **Based on:** HLD – Department Management v1.0, FRD – Department Management v1.0, TaskFlow as built
> © 2026 Jojo George. All rights reserved.

Document Control

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version, derived from the code and verified against the code fact sheet

Related documents:

Document	Location
BRD – Department Management	`../../../BRD/03-TaskFlow-Management/03.3-Department-Management/BRD-Department-Management.md`
FRD – Department Management (`FR-DEPT-nn`, traced in section 11)	`../../../FRD/03-TaskFlow-Management/03.3-Department-Management/FRD-Department-Management.md`
HLD – Department Management	`../../../HLD/03-TaskFlow-Management/03.3-Department-Management/HLD-Department-Management.md`
LLD – Overall (shared stack, cross-cutting design)	`../../00-Overall/LLD-TaskFlow-Overall.md`
Related LLDs	`../03.1-Employee-Management/LLD-Employee-Management.md`, `../03.2-Project-Management/LLD-Project-Management.md`
TDD	`TF - Documents/TF - TDD/TDD-TaskFlow.md`

1. Introduction

1.1 Purpose

Detailed design of the Department Management sub-module: departments (list with counts, get, create, edit, soft delete when empty) and their membership – department managers

(`DepartmentManagers`) and department employees (`UserDepartments`) replaced in one request – enough to implement or maintain the code.

1.2 Scope & Conventions

- Covers `DepartmentsController` (route `api/v1/departments`), `DepartmentService`, `DepartmentRepository` and the tables `Departments`, `DepartmentManagers`, `UserDepartments`.
- Not covered: departments ticked when an employee is created (staged by `UserAllocationService.StageForUserAsync`, Employee Management LLD) and manager-duty clean-up on role change or delete (`EmployeeRepository.ClearManagerDutiesAsync`).
- Naming: `*Controller`, `I*Service` / `*Service`, `I*Repository` / `*Repository`, DTOs `*Dto` / `*Request`.
- API base path `/api/v1`; JSON camelCase; errors as ProblemDetails.
- **Endpoint count:** `DepartmentsController` has **7** actions (code fact sheet section 3); all 7 are documented in 4.1.1.

---

2. Code Structure

2.1 Backend Folder Layout

```
backend/src/TaskFlow.Api/
  Controllers/Management/DepartmentsController.cs
  Services/Management/DepartmentManagement/            IDepartmentService.cs,
DepartmentService.cs
  Repositories/Management/DepartmentManagement/        IDepartmentRepository.cs,
DepartmentRepository.cs
  Dtos/Management/DepartmentManagement/                DepartmentDto.cs (all records)
  Dtos/Management/DepartmentManagement/Validators/     CreateDepartmentRequestValidator.cs,
UpdateDepartmentRequestValidator.cs
  Models/Entities/                                     Department.cs, DepartmentManager.cs,
UserDepartment.cs
```

2.2 Frontend Folder Layout

```
frontend/src/app/modules/management/
  management.routes.ts                                 path 'departments' (permissionGuard,
DepartmentScreenPermissions)
  department-management/pages/                         department-list.component.ts/.html
  department-management/components/                    department-form-dialog.component.ts,
                                                       department-members-
dialog.component.ts/.html, department-members-dialog.model.ts
  department-management/services/department.service.ts
  department-management/models/department.model.ts
frontend/src/app/shared/auth/permissions.ts            DepartmentScreenPermissions
```

2.3 Layer Rules

Rule	Enforced by
Controller → Service → Repository	`ArchitectureTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Rule	Enforced by
Repository methods only stage; `DepartmentService` commits through `IUnitOfWork.SaveChangesAsync`	Code convention
Frontend module folder shape	`npm run check:structure`

3. Cross-Cutting Design

Shared mechanisms are in the overall LLD (`../../00-Overall/LLD-TaskFlow-Overall.md`); how they apply here:

Concern	Design
Validation	`ValidationFilter` runs `CreateDepartmentRequestValidator` / `UpdateDepartmentRequestValidator`; member rules checked in `DepartmentService.ReplaceMembersAsync` (no validator for `UpdateDepartmentMembersRequest`)
Error handling	`GlobalExceptionHandler` (3.1)
Transactions	Every write is one `SaveChangesAsync`; the member replace validates every id before staging, so one bad id changes nothing
Authorization	`[RequirePermission]` per action; `departments.manage` (legacy) expands to create, edit, delete, members.manage
Soft delete	Global filter `!IsDeleted` on `Departments`; `UserDepartments` filter hides rows of deleted users or departments; deleted users are excluded from manager counts by the `Users` filter
Time	`CreatedAt = DateTime.UtcNow`
Logging	None specific

3.1 Exception → HTTP Status

Exception	Status	When (this sub-module)
`BusinessRuleException`	400	Duplicate name; delete with members; picked manager not an active Manager; picked employee not active
Validator failure	400	`Name` empty or > 200; `Description` > 500
Policy failure	403	Missing `departments.*` permission
`NotFound()`	404	Unknown or deleted department
`UniqueConstraintException`	409	Race on `IX_Departments_Name` ("That value is already in use.")

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

4. Module Designs

4.1 Module: TaskFlow Management

4.1.1 Child module: Department Management


Class / file inventory

Layer	Type	File	Responsibility
Controller	`DepartmentsController`	`Controllers/Management/DepartmentsController.cs`	7 actions on `api/v1/departments`
Service	`IDepartmentService` / `DepartmentService`	`Services/Management/DepartmentManagement/`	CRUD, delete guard, member replace with validation
Repository	`IDepartmentRepository` / `DepartmentRepository`	`Repositories/Management/DepartmentManagement/`	Departments, counts, members, link staging
Repository (shared)	`IEmployeeRepository` (`GetByIdsAsync`), `IUnitOfWork`	`Repositories/Management/EmployeeManagement/Employees/`, `Repositories/Base/`	Look up picked people; commit
DTOs	`DepartmentDto`, `DepartmentWithCountsDto`, `CreateDepartmentRequest`, `UpdateDepartmentRequest`, `MemberRefDto`, `DepartmentMembersDto`, `UpdateDepartmentMembersRequest`	`Dtos/Management/DepartmentManagement/DepartmentDto.cs`	Contracts
Validators	`CreateDepartmentRequestValidator`, `UpdateDepartmentRequestValidator`	`Dtos/Management/DepartmentManagement/Validators/`	Name and description length
Entities	`Department`, `DepartmentManager`, `UserDepartment`	`Models/Entities/`	Tables in section 5
Constants	`SystemRoles.ManagerId = 2`	`Common/Security/SystemRoles.cs`	Only Managers may manage a department
Frontend page	`DepartmentListComponent`	`department-management/pages/department-list.component.ts`	Cards, client-side search, delete guard and confirm; `canCreate`, `canEdit`, `canDelete`, `canMembers` computed from permissions

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Layer	Type	File	Responsibility
Frontend components	`DepartmentFormDialogComponent`, `DepartmentMembersDialogComponent` (+ `MemberSort`, `MemberOption`)	`department-management/components/`	Add / edit dialog; members dialog with search, sort, select all / clear
Frontend service	`DepartmentService`	`department-management/services/department.service.ts`	`getAll`, `getById`, `create`, `update`, `remove`, `getMembers`, `replaceMembers`
Frontend models	`Department`, `DepartmentWithCount`, `CreateDepartmentRequest`, `UpdateDepartmentRequest`, `MemberRef`, `DepartmentMembers`, `UpdateDepartmentMembersRequest`	`department-management/models/department.model.ts`	Client contracts

Class diagram



API contracts

#	Method	Route	Permission / policy	Request	Response	Status codes
1	GET	`/api/v1/departments`	`departments.view`	–	`IReadOnlyCollection<DepartmentWithCountsDto>`	200, 401, 403
2	GET	`/api/v1/departments/{id}`	`departments.view`	–	`DepartmentDto`	200, 401, 403, 404
3	GET	`/api/v1/departments/{id}/members`	`departments.view`	–	`DepartmentMembersDto`	200, 401, 403, 404

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

#	Method	Route	Permission / policy	Request	Response	Status codes
4	POST	`/api/v1/departments`	`departments.create`	`CreateDepartmentRequest`	`DepartmentDto` (+ `Location` via `CreatedAtAction(GetById)`)	201, 400, 401, 403, 409
5	PUT	`/api/v1/departments/{id}`	`departments.edit`	`UpdateDepartmentRequest`	`DepartmentDto`	200, 400, 401, 403, 404, 409
6	PUT	`/api/v1/departments/{id}/members`	`departments.members.manage`	`UpdateDepartmentMembersRequest`	`DepartmentMembersDto`	200, 400, 401, 403, 404
7	DELETE	`/api/v1/departments/{id}`	`departments.delete`	–	–	204, 400, 401, 403, 404

DTO shapes

DTO	Fields
`DepartmentDto`	`Id`, `Name`, `Description?`, `CreatedAt`
`DepartmentWithCountsDto`	`Id`, `Name`, `Description?`, `CreatedAt`, `ManagerCount`, `EmployeeCount`
`CreateDepartmentRequest` / `UpdateDepartmentRequest`	`Name`, `Description?`
`MemberRefDto`	`Id`, `FullName`, `Username`, `Email?`, `IsActive` (inactive current members stay selectable for removal)
`DepartmentMembersDto`	`DepartmentId`, `Managers` (`MemberRefDto[]`), `Employees` (`MemberRefDto[]`)
`UpdateDepartmentMembersRequest`	`ManagerIds` (int collection), `EmployeeIds` (int collection) – full replacement

Request / response examples

`POST /api/v1/departments`

```
{ "name": "Engineering", "description": "Product engineering teams" }
```

201 Created (`DepartmentDto`)

```
{ "id": 3, "name": "Engineering", "description": "Product engineering teams", "createdAt":
"2026-10-31T09:00:00Z" }
```

`PUT /api/v1/departments/{id}` uses the same body and returns `DepartmentDto` with 200.

`PUT /api/v1/departments/{id}/members`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

```
{ "managerIds": [5], "employeeIds": [14, 21] }
```

200 OK (`DepartmentMembersDto`)

```
{
  "departmentId": 3,
  "managers":  [ { "id": 5,  "fullName": "Ravi Menon", "username": "ravi", "email":
"ravi@taskflow.com", "isActive": true } ],
  "employees": [ { "id": 14, "fullName": "Anu Thomas", "username": "anu", "email":
"anu.thomas@taskflow.com", "isActive": true },
                 { "id": 21, "fullName": "Sanjay Nair", "username": "sanjay", "email":
"sanjay@taskflow.com", "isActive": true } ]
}
```

400 Bad Request

```
{ "status": 400, "title": "Bad Request", "detail": "User 14 is not an active manager." }
```

Service logic – `DepartmentService.CreateAsync` / `UpdateAsync`

1. Validator has checked `Name` (required, ≤ 200) and `Description` (≤ 500 when given).
2. Update only: `GetActiveForUpdateAsync(id)` → `null` (404).
3. `name = request.Name.Trim()`; `NameTakenAsync(name, exceptId)` (live departments, `ToLower()` compare) → "Department name already exists.".
4. Set `Name`, `Description?.Trim()`; create sets `CreatedAt = DateTime.UtcNow` and `_departments.Add`.
5. `SaveChangesAsync`; return `ToDto`.

Service logic – `DepartmentService.DeleteAsync(id)`

1. `GetActiveForUpdateAsync(id)` → `false` (404).
2. `HasMembersAsync(id)` (any manager link whose user is live, or any membership) → "Department cannot be deleted because it still has members. Remove them first.".
3. Remove the remaining manager links (`GetManagerLinksForUpdateAsync` – also links to deleted users) so they do not linger on a flagged row.
4. `IsDeleted = true`; `SaveChangesAsync`; return `true` (204).

Service logic – `DepartmentService.GetMembersAsync(departmentId)`

1. `ExistsActiveAsync` → `null` (404).
2. `GetManagersAsync` (users with a `DepartmentManagers` link) and `GetEmployeesAsync` (users with a `UserDepartments` row), both ordered by `FullName`, as `MemberRefDto`.
3. Return `DepartmentMembersDto(departmentId, managers, employees)`.


Service logic – `DepartmentService.ReplaceMembersAsync(departmentId, request)`

1. `GetActiveForUpdateAsync` → `null` (404).
2. `managerIds = ManagerIds.Distinct()`, `employeeIds = EmployeeIds.Distinct()`.
3. `IEmployeeRepository.GetByIdsAsync(managerIds)`: each id must be live, `IsActive` and `RoleId == SystemRoles.ManagerId`, else "User {id} is not an active manager.".

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


4. `GetByIdsAsync(employeeIds)`: each id must be live and `IsActive`, else "User {id} is not an active user.".
5. Diff manager links: remove links not in `managerIds`; add `DepartmentManager` for new ids.
6. Diff memberships of this department only: remove rows not in `employeeIds`; add `UserDepartment` for new ids (other departments' rows are untouched, so a person may belong to several departments).
7. `SaveChangesAsync`; return `GetMembersAsync(departmentId)`.

Sequence diagram – replace department members



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Sequence diagram – delete a department



Repository methods

Method	Query / purpose	Notes
`GetAllWithCountsAsync()`	Live departments with `ManagerCount` (links whose user is live) and `EmployeeCount` (filtered `UserDepartments`)	`AsNoTracking`; correlated counts
`GetAsync(id)`	One live department	`AsNoTracking`
`GetActiveForUpdateAsync(id)`	Tracked live department	`!IsDeleted`
`ExistsActiveAsync(id)` / `CountActiveAsync(ids)`	Existence	`CountActiveAsync` used by Employee Management (`ValidateDepartmentsAsync`)
`NameTakenAsync(name, exceptDepartmentId)`	Unique live name	`d.Name.ToLower() == name.ToLower() && !d.IsDeleted`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Method	Query / purpose	Notes
`HasMembersAsync(id)`	Delete guard	Live manager link or any membership
`GetManagersAsync(id)` / `GetEmployeesAsync(id)`	Users → `MemberRefDto`, by `FullName`	`AsNoTracking`; `IsActive` included
`GetManagerLinksForUpdateAsync(id)` / `GetMembershipsForUpdateAsync(id)`	Tracked rows for the diff	–
`AddManagerLink` / `RemoveManagerLinks` / `AddMembership` / `RemoveMemberships`	Stage changes	Saved by the service
`EmployeeRepository.GetByIdsAsync(ids)`	Live users keyed by id	`AsNoTracking`; deleted ids absent

Validation rules

Field	Rule	Message
`Name`	`NotEmpty`, `MaximumLength(200)`; unique among live departments ignoring case (service)	Default FluentValidation messages · "Department name already exists."
`Description`	`MaximumLength(500)` when not null	Default message
`ManagerIds[]`	Live, active, `RoleId == 2`	"User {id} is not an active manager."
`EmployeeIds[]`	Live, active	"User {id} is not an active user."
Delete	No live manager link and no membership	"Department cannot be deleted because it still has members. Remove them first."


Client-side messages are in the FRD (sections 4.1.1 – 4.1.3).

Error cases

Case	Exception / result	Status
Department unknown or deleted	`null` / `false` → `NotFound()`	404
Duplicate name	`BusinessRuleException`	400
Delete with members	`BusinessRuleException`	400
Invalid manager or employee id	`BusinessRuleException`; nothing staged	400
Name race on unique index	`UniqueConstraintException`	409

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

State machine – department



`HasMembers` → `Deleted` is refused (400). A deleted department's name can be reused (filtered unique index).

Frontend design


Item	Design
Route	`/departments` → `DepartmentListComponent`, `permissionGuard` with `DepartmentScreenPermissions` (any of `departments.create`, `departments.edit`, `departments.delete`, `departments.members.manage`)
List	`DepartmentService.getAll()`; client-side name search; Delete disabled with tooltip when `managerCount + employeeCount > 0`; confirm dialog; toasts
Form	`DepartmentFormDialogComponent` → `create` / `update`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Design
Members dialog	Loads `getMembers(id)` and `UserService.getAll({ role: 'Manager', isActive: true })` and `UserService.getAll({ role: 'Employee', isActive: true })` (needs `employees.view`); inactive current members kept with an "Inactive" badge; `MemberSort` = `name-asc`, `name-desc`, `selected`, `role`; save sends `managerIds` (options of kind `manager`) and `employeeIds` (kind `employee`), sorted

5. Database Design

5.1 ER Diagram



5.2 Tables

SQLite storage: `int` / `bool` → INTEGER, `string` / `DateTime` → TEXT.

`Departments` (`Department`)

Column	Type	Null	Key / index	Default	Description
Id	int	No	PK, identity	identity	Department id
Name	string(200)	No	Unique filtered `IX_Departments_Name` (`"IsDeleted" = 0`)	–	Department name
Description	string(500)	Yes	–	–	Optional text
CreatedAt	DateTime	No	–	–	UTC
IsDeleted	bool	No	Global query filter `!IsDeleted`	`false`	Soft delete

Navigation: `ManagerLinks` (`DepartmentManager`), `Memberships` (`UserDepartment`).

`DepartmentManagers` (`DepartmentManager`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Column	Type	Null	Key / index	Default	Description
ManagerUserId	int	No	PK part; FK → `Users.Id` (Cascade)	–	Manager
DepartmentId	int	No	PK part; FK → `Departments.Id` (Cascade); `IX_DepartmentManagers_DepartmentId`	–	Department managed

`UserDepartments` (`UserDepartment`)

Column	Type	Null	Key / index	Default	Description
UserId	int	No	PK part; FK → `Users.Id` (Cascade)	–	Employee
DepartmentId	int	No	PK part; FK → `Departments.Id` (Cascade); `IX_UserDepartments_DepartmentId`	–	Department

Query filter: `!User.IsDeleted && !Department.IsDeleted`.

Tables read but owned elsewhere

Table (entity)	Owner LLD	Use
`Users` (`User`)	EMP	Picked people checked for `IsActive` and, for managers, `RoleId == 2`; names, usernames, emails into `MemberRefDto`

5.3 Indexes, Constraints & Triggers

Object	Definition	Purpose
`IX_Departments_Name`	Unique (`Name`) filtered `"IsDeleted" = 0`	Live names unique; deleted names reusable
PK `DepartmentManagers`	(`ManagerUserId`, `DepartmentId`)	One link per manager per department
`IX_DepartmentManagers_DepartmentId`	(`DepartmentId`)	Managers of a department
PK `UserDepartments`	(`UserId`, `DepartmentId`)	One membership per person per department; several departments per person allowed
`IX_UserDepartments_DepartmentId`	(`DepartmentId`)	Members of a department
FKs to `Users` and `Departments`	Cascade	Rarely fires (both soft-deleted); `DeleteAsync` removes manager links itself
Triggers	None	–

5.4 Enumerations

Not applicable for this sub-module. Roles are rows; the Manager role is the constant `SystemRoles.ManagerId = 2`.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

5.5 Migrations

Migration	Change relevant to this sub-module
`20261012104823_AddDepartmentsAndUserDepartment`	First `Departments` table (later renamed to Projects)
`20261020173455_RenameDepartmentsToProjectsAndAddDepartments`	Old Departments become Projects; new `Departments` and `DepartmentManagers` tables created
`20261021070943_FixDepartmentFollowUps`	Re-creates `IX_Departments_Name` / `IX_Projects_Name`; copies `departments.*` grants to `projects.*`
`20261023160825_UserProjectAllocationsAndDepartments`	Creates `UserDepartments`; each user's single department becomes one membership; drops `Users.DepartmentId`

6. Algorithms & Background Jobs

Job / algorithm	Trigger / schedule	Steps	Idempotency
Member replace	`PUT /api/v1/departments/{id}/members`	Validate all ids → diff manager links → diff this department's memberships → save	Same request gives the same members
Derived managers and manager team	Read by Employee Management (`LoadDtosAsync`) and `EmployeeRepository.GetTeamMemberIdsAsync`	Department managers manage every employee of the department	Read only
Delete guard	`DELETE /api/v1/departments/{id}`	Members present → refuse; else remove links and flag	Second call → 404
Background jobs	–	*Not applicable for this sub-module.*	–

7. Security Design (detailed)

Item	Implementation
Password hashing / tokens	*Not applicable for this sub-module.*
Permission checks	Policy per action (4.1.1)
Data scope	None – holders of `departments.view` see all departments and members
Frontend gating	Route and menu by `DepartmentScreenPermissions`; buttons by `canCreate`, `canEdit`, `canDelete`, `canMembers`; `departments.view` has no frontend reference
Secrets	None

Permission keys used

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Key	Default (Admin / Manager / Employee / Custom)	Endpoint(s)
`departments.view`	Granted / Granted / Not granted / Configurable	GET department routes
`departments.create`	Granted / Not granted / Not granted / Configurable	`POST /api/v1/departments`
`departments.edit`	Granted / Not granted / Not granted / Configurable	`PUT /api/v1/departments/{id}`
`departments.delete`	Granted / Not granted / Not granted / Configurable	`DELETE /api/v1/departments/{id}`
`departments.members.manage`	Granted / Not granted / Not granted / Configurable	`PUT /api/v1/departments/{id}/members`
`departments.manage` (legacy)	Expands to create, edit, delete, members.manage	–
`employees.view` (supporting)	Granted / Granted / Not granted / Configurable	People lists in the members dialog (`GET /api/v1/users`)

All keys except `departments.view` require `departments.view` (`PermissionCatalog`).

8. Configuration

Key	Default	Purpose
`ConnectionStrings:Default`	`<secret>`	SQLite database (shared)
Code constant `SystemRoles.ManagerId`	2	Only this role may be a department manager

Department Management has no settings of its own.

9. Testing Design

Test contents were not available (file names only); "Covers" is inferred (⚠️ To be confirmed).

Area	Test class / file	Type	Covers
Endpoints	`TaskFlow.IntegrationTests/Management/DepartmentManagement/DepartmentsEndpointsTests.cs`	Integration	All 7 actions, authorization, delete guard, member rules, name reuse
Validators	`TaskFlow.UnitTests/Management/DepartmentManagement/DepartmentRequestValidatorsTests.cs`	Unit	`CreateDepartmentRequestValidator`, `UpdateDepartmentRequestValidator`
Manager derivation	`TaskFlow.UnitTests/Management/EmployeeManagement/Employees/ManagerAssignmentTests.cs`	Unit	Department managers as managers and team

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Area	Test class / file	Type	Covers
Migration	`TaskFlow.UnitTests/Persistence/DepartmentFollowUpMigrationTests.cs`	Unit	`FixDepartmentFollowUps`
Frontend	–	–	No frontend spec files in the snapshot

10. Known Limitations & Open Issues

- No read-only member view for users without `departments.members.manage`.
- The empty-state **Add department** button is shown without checking `departments.create` (the server refuses). ⚠️ To be confirmed.
- The members dialog lists only Manager and Employee roles, so Administrators and custom-role users can never be picked, although the API accepts any active user as an employee. ⚠️ To be confirmed.
- The members dialog needs `employees.view` silently.
- Search is client-side; the list is not paged.
- The delete confirmation says "permanently deleted" but the delete is soft. ⚠️ To be confirmed.
- `UpdateDepartmentMembersRequest` has no validator; the same id in both lists is not rejected. ⚠️ To be confirmed.
- The help topic `Services/Assistant/Knowledge/department-management.md` is titled "Project management".

11. Traceability (FRD → code)

FRD requirement	Endpoint / class	Test
FR-DEPT-01, FR-DEPT-02, FR-DEPT-03, FR-DEPT-12	`GET /api/v1/departments` · `DepartmentRepository.GetAllWithCountsAsync` · `DepartmentListComponent`	`DepartmentsEndpointsTests`
FR-DEPT-04	`DepartmentListComponent` client-side search	Manual UI
FR-DEPT-05	`management.routes.ts` (`departments`, `DepartmentScreenPermissions`); `nav-items.ts`	Manual UI
FR-DEPT-06, FR-DEPT-07	`canCreate` / `canEdit` / `canDelete` / `canMembers`; `[RequirePermission]` per action	`DepartmentsEndpointsTests`
FR-DEPT-08	Delete disabled with tooltip when counts > 0	Manual UI
FR-DEPT-09, FR-DEPT-10	`DELETE /api/v1/departments/{id}` · `DepartmentService.DeleteAsync`, `HasMembersAsync`	`DepartmentsEndpointsTests`
FR-DEPT-11	`IX_Departments_Name` filtered `"IsDeleted" = 0`; `NameTakenAsync` live only	`DepartmentsEndpointsTests`
FR-DEPT-13	`POST /api/v1/departments` · `CreateDepartmentRequestValidator`	`DepartmentRequestValidatorsTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

FRD requirement	Endpoint / class	Test
FR-DEPT-14, FR-DEPT-15	`NameTakenAsync`; `PUT /api/v1/departments/{id}` · `UpdateDepartmentRequestValidator`	`DepartmentsEndpointsTests`, `DepartmentRequestValidatorsTests`
FR-DEPT-16	`DepartmentFormDialogComponent` toasts	Manual UI
FR-DEPT-17, FR-DEPT-18	`GET /api/v1/departments/{id}/members` · `GetManagersAsync`, `GetEmployeesAsync` (`MemberRefDto.IsActive`); dialog people lists	Manual UI
FR-DEPT-19, FR-DEPT-20, FR-DEPT-21, FR-DEPT-22	`DepartmentMembersDialogComponent` (`MemberSort`, `MemberOption`)	Manual UI
FR-DEPT-23	Dialog split by option kind into `managerIds` / `employeeIds`	`DepartmentsEndpointsTests`
FR-DEPT-24, FR-DEPT-25, FR-DEPT-26	`PUT /api/v1/departments/{id}/members` · `DepartmentService.ReplaceMembersAsync` checks	`DepartmentsEndpointsTests`
FR-DEPT-27, FR-DEPT-28	Diff of this department's `DepartmentManagers` and `UserDepartments` only	`DepartmentsEndpointsTests`
FR-DEPT-29, FR-DEPT-30	`EmployeeRepository.LoadDtosAsync` (managers), `GetTeamMemberIdsAsync`	`ManagerAssignmentTests`
FR-DEPT-31	Members dialog toast	Manual UI
FR-DEPT-32	`UserAllocationService.StageForUserAsync` (Employee Management create)	Manual UI
FR-DEPT-33	`EmployeeRepository.ClearManagerDutiesAsync` (role change away from Manager, delete)	`ManagerAssignmentTests`

Coverage: FR-DEPT-01 – FR-DEPT-33 (33 of 33) trace to an endpoint or class; 7 of 7 endpoints documented.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.