Management Module – Technical Documentation

Project: TaskFlow – Intelligent Task Allocation & Tracking System
Module: Management · **Child Modules:** Employee Management, Department Management, Project Management (incl. Positions)
Version: 1.0 · **Last Updated:** 31-Oct-2026
Backend: ASP.NET Core Web API (.NET 10) · **Frontend:** Angular 19 (standalone) · **Database:** SQLite (EF Core)
Author: Jojo George (jojogeorge3344@gmail.com)
© 2026 Jojo George. All rights reserved.


✅ Target framework confirmed: `net10.0` (.NET 10), from `backend/src/TaskFlow.Api/TaskFlow.Api.csproj`.

1. Technical Overview

The Management module owns the master data that every other module reads: user accounts (`Users`), departments, projects, positions, and the link tables between them. These are `UserDepartments`, `DepartmentManagers`, `UserProjectAllocations` and `ManagerProjects`.

- **Backend:** four controllers under `Controllers/Management` (`EmployeesController`, `DepartmentsController`, `ProjectsController`, `PositionsController`) on the routes `api/v1/users`, `api/v1/departments`, `api/v1/projects` and `api/v1/positions`. Every endpoint is protected by `[RequirePermission(PermissionKeys.X)]` or `[Authorize]` plus inline claim checks.
- **Services:** `EmployeeService`, `UserAllocationService` (the single place that enforces the allocation rules: 1–100 per row, at most 100% per user, one row per project, at least one project manager), `DepartmentService`, `ProjectService` and `PositionService`.
- **Persistence:** repositories built on `BaseRepository<T>`, with saves through `IUnitOfWork`. A project-team replacement runs inside `ExecuteInTransactionAsync`. Users, departments and projects are **soft-deleted** (`IsDeleted`), and global query filters hide them, along with the link rows that point at them.
- **Frontend:** lazy routes in `modules/management/management.routes.ts`. Pages use Angular signals, `AuthService.hasPermission` computed flags to show or hide actions, and HTTP services under each child folder.

2. Architecture Flow



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

3. Backend File Structure

Child-specific controllers, services, repositories, DTOs and validators are listed in each child document. The files below are shared by the whole module.

Layer	Path	Files
Controller	`TaskFlow.Api/Controllers/Management/`	`EmployeesController.cs` (03.1), `DepartmentsController.cs` (03.2), `ProjectsController.cs` and `PositionsController.cs` (03.3)
Service	`TaskFlow.Api/Services/Management/`	`EmployeeManagement/Employees/` (03.1), `EmployeeManagement/Allocations/` (shared by 03.1 and 03.3), `DepartmentManagement/` (03.2), `ProjectManagement/Projects/` and `ProjectManagement/Positions/` (03.3)
Repository	`TaskFlow.Api/Repositories/Management/`	Same folder split as the services
DTOs / Validators	`TaskFlow.Api/Dtos/Management/`	`EmployeeManagement/`, `DepartmentManagement/`, `ProjectManagement/` (each with a `Validators/` folder)
Entities	`TaskFlow.Api/Models/Entities/`	`User.cs`, `Department.cs`, `DepartmentManager.cs`, `UserDepartment.cs`, `Project.cs`, `ManagerProject.cs`, `UserProjectAllocation.cs`, `Position.cs`
Security	`TaskFlow.Api/Common/Security/`	`PermissionKeys.cs`, `PermissionCatalog.cs`, `EffectivePermissions.cs` (legacy key expansion), `SystemRoles.cs` (`AdministratorId = 1`, `ManagerId = 2`, `EmployeeId = 3`)
Authorization	`TaskFlow.Api/Authorization/Policies/`	`RequirePermissionAttribute.cs`, `AuthPolicies.cs`
Cross-cutting	`TaskFlow.Api/Filters/`, `TaskFlow.Api/Middleware/`	`ValidationFilter.cs`, `GlobalExceptionHandler.cs`, `MfaSetupGateMiddleware.cs`
Persistence	`TaskFlow.Api/Persistence/`	`AppDbContext.cs`. Migrations: `20261012104823_AddDepartmentsAndUserDepartment`, `20261019174259_AddManagerAssignments`, `20261020173455_RenameDepartmentsToProjectsAndAddDepartments`, `20261021070943_FixDepartmentFollowUps`, `20261023160825_UserProjectAllocationsAndDepartments`, `20261023173211_AddProjectManagerFlag`

4. Frontend File Structure

Each child's pages, components, services and models are listed in its child document. Shared files:

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Type	Path	Purpose
Routes	`src/app/modules/management/management.routes.ts`	`/projects`, `/projects/:id`, `/departments`, `/employees`, each with `permissionGuard`. Mounted from `src/app/routes/app.routes.ts`
Menu	`src/app/layouts/nav-items.ts`	"TaskFlow Management" group: Employee Management (`EmployeeScreenPermissions.some(has)`), Project Management (`projects.view`), Department Management (`DepartmentScreenPermissions.some(has)`)
Permission constants	`src/app/shared/auth/permissions.ts`	`Permissions.*`, `EmployeeScreenPermissions` (create, edit, status, delete, role.assign, mfa.reset), `DepartmentScreenPermissions` (create, edit, delete, members)
Route guard	`src/app/shared/auth/auth.guard.ts`	`permissionGuard`: passes when the user holds any listed key, otherwise redirects to the role's dashboard
Shared component	`src/app/modules/management/components/position-combobox.component.ts`	Pick or type a position, calling `PositionService.getOrCreate`. Used by the employee form (03.1) and the project team dialog (03.3)
Child folders	`src/app/modules/management/employee-management/`, `department-management/`, `project-management/`	One folder per child, each with `pages/`, `components/`, `services/` and `models/`

5. Child Modules

#	Child Module	Main endpoints (count)	Key permissions	Document
03.1	Employee Management	`/api/v1/users` (8)	`employees.view`, `employees.create`, `employees.edit`, `employees.status.change`, `employees.role.assign`, `employees.mfa.reset`, `employees.delete`, `roles.administrator.assign`	`03.1-Employee-Management.md`
03.2	Department Management	`/api/v1/departments` (7)	`departments.view`, `departments.create`, `departments.edit`, `departments.delete`, `departments.members.manage`	`03.2-Department-Management.md`
03.3	Project Management (incl. Positions)	`/api/v1/projects` (9), `/api/v1/positions` (2)	`projects.view`, `projects.create`, `projects.edit`, `projects.delete`, `projects.members.manage`, `positions.create`	`03.3-Project-Management.md`


The child documents are in the folder `03-Management/`. Module total: 26 endpoints and 19 permission keys (18 Management keys plus the Settings key `roles.administrator.assign`).

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

6. Database Design

Column-level detail for each table is in the child document that owns it.

Table	Owning child	Also written by	Purpose
`Users`	03.1 Employee Management	–	Accounts, role, status, soft delete, MFA state
`Departments`	03.2 Department Management	–	Departments
`DepartmentManagers`	03.2 Department Management	03.1 (`ClearManagerDutiesAsync`)	Who manages a department
`UserDepartments`	03.2 Department Management	03.1 (on create, `StageForUserAsync`)	Department membership
`Projects`	03.3 Project Management	–	Projects
`Positions`	03.3 Project Management	–	Position labels
`UserProjectAllocations`	03.3 Project Management	03.1 (on create, `StageForUserAsync` ; `ClearManagerDutiesAsync` clears `IsProjectManager`)	Person, project, position, percent and project-manager flag
`ManagerProjects`	03.3 Project Management	03.1 (`StageForUserAsync` , `ClearManagerDutiesAsync`)	Kept in step with `IsProjectManager`



Relationships

- `Users.RoleId → Roles.Id` (FK, Restrict)
- `DepartmentManagers.ManagerUserId → Users.Id` (FK, Cascade) and `DepartmentManagers.DepartmentId → Departments.Id` (FK, Cascade)
- `UserDepartments.UserId → Users.Id` (FK, Cascade) and `UserDepartments.DepartmentId → Departments.Id` (FK, Cascade)
- `UserProjectAllocations.UserId → Users.Id` (FK, Cascade), `.ProjectId → Projects.Id` (FK, Cascade), `.PositionId → Positions.Id` (FK, Restrict)
- `ManagerProjects.ManagerUserId → Users.Id` (FK, Cascade) and `ManagerProjects.ProjectId → Projects.Id` (FK, Cascade)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

- `Tasks.ProjectId → Projects.Id` (FK, Restrict; Monitoring module)
- Because rows are soft-deleted, the Cascade rules rarely fire. The services remove the link rows themselves: `DepartmentService.DeleteAsync` removes the manager links, `ProjectRepository.RemoveTeamAsync` removes the team, and `ClearManagerDutiesAsync` removes manager duties.

7. Security & Authorization

- **Authentication:** JWT bearer access token plus a refresh-token cookie. `SessionValidation` rejects tokens whose `SecurityStamp` no longer matches, which is how `EndSessionsAsync` and the MFA reset sign people out. `MfaSetupGateMiddleware` returns 403 (`mfa_setup_required`) on these endpoints until the caller has set up MFA.
- **Authorization:** `[RequirePermission(PermissionKeys.X)]` maps to the policy `PermissionPolicy.NameFor(key)`. Permission claims are refreshed from the database on every request. The keys and role defaults are in `Common/Security/PermissionCatalog.cs` (module "TaskFlow Management", screens "Employee Management", "Project Management" and "Department Management"). The legacy keys `employees.manage`, `projects.manage` and `departments.manage` expand to their finer keys through `EffectivePermissions.LegacyChildren`.
- **Data scope:** none. Every Management endpoint returns **Organization**-wide data to anyone holding the key. There is no Own or Team selector.
- **Frontend:** `permissionGuard` on the routes. The menu is built in `nav-items.ts`. Buttons are shown or hidden through `computed(() => authService.hasPermission(...))` flags in each page. No permission directive is used.
- **Key → endpoint → UI tables:** see section 7 of each child document.

8. Validations & Error Handling

Shared rules only. Child-specific validation rows are in each child document.

Rule	Layer	HTTP Code	Error Message
Unique index race	`UnitOfWork.SaveChangesAsync`, `UniqueConstraintException`	409	That value is already in use.
Concurrent update	`UnitOfWork`, `ConcurrencyConflictException`	409	Someone else changed this record while you were saving. Reload it and try again.
No permission	Policy / inline `Forbid()`	403	Empty body (the frontend shows its fallback, for example "Could not add the employee.")
MFA not set up	`MfaSetupGateMiddleware`	403	Set up two-step verification to continue. (`code: mfa_setup_required`)
Record not found / soft-deleted	Controller (null or false from service)	404	Empty body
Unhandled fault	`GlobalExceptionHandler`	500	Something went wrong. Please try again.

`BusinessRuleException` (an `AppException` with status 400) and the conflict exceptions are written by `GlobalExceptionHandler` as `application/problem+json`, with the message in `detail`. The Angular

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

helper `apiErrorMessage` reads `detail` first.

9. Integrations / Side Effects

- **Email:** none.
- **Activity Log:** none. Management changes are not written to the task activity history or an audit table. ⚠️ To be confirmed whether request logging (`RequestLoggingMiddleware`) is meant to serve as the audit trail.
- **Manager oversight:** spans all three children. `ClearManagerDutiesAsync` (03.1) runs on a role change away from Manager and on delete. Project deletion (03.3) removes the `ManagerProjects` links, and department deletion (03.2) removes the `DepartmentManagers` links.
- **Manager's team:** `IEmployeeRepository.GetTeamMemberIdsAsync` combines department managers (03.2) and project-manager flags (03.3). It is used by `TaskService` (task visibility) and `ManagerDashboardScope`.
- **Sessions, notifications and the AI Assistant:** only Employee Management has these side effects (session ending, the MFA reset notification, `propose_role_change`). See 03.1 section 9.

10. Configuration

Key (`appsettings.json`)	Purpose	Default
`ConnectionStrings:Default`	SQLite database holding every Management table	`<secret>`
Code constant `IUserAllocationService.MaxTotalPercent`	Allocation cap per person (used by 03.1 and 03.3)	100

Child-specific settings (JWT, MFA, seed accounts, email domain) are in 03.1 section 10.

11. Testing

Shared tests (used by more than one child):

Test Type	File / Location	Covers
Unit	`tests/TaskFlow.UnitTests/Management/EmployeeManagement/Allocations/UserAllocationServiceTests.cs`	Allocation rules and the 100% cap (employee create and project team)
Unit	`tests/TaskFlow.UnitTests/Persistence/UserProjectAllocationsMigrationTests.cs`	Allocation migration (allocation and department tables)

Other tests are listed in each child document.

⚠️ To be confirmed: the test contents were not available (file names only). The "Covers" column is inferred from the file names. No project or position validator unit tests are listed.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

12. Known Limitations / Future Enhancements

- There is no audit or activity log for employee, department, project or position changes.
- Lists are not paged. `GET /api/v1/users`, `/departments` and `/projects` return every row. Department and project search happens on the client.
- Management endpoints have no Team scope, so a Manager with `employees.view` or `projects.view` sees organization-wide data.
- **BRD 05/06 vs matrix – access:** the BRD lists access as "Administrator". The matrix and catalog grant `employees.view`, `departments.view` and `projects.view` to Manager. Managers cannot open the Employee or Department screens, because the routes need action keys (`EmployeeScreenPermissions` / `DepartmentScreenPermissions`), but they can call the APIs.
- **Hard-coded manager role:** only the Manager system role (`ManagerId = 2`) can be a project or department manager.

Child-specific gaps are listed in each child document.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.