Project Management (incl. Positions) – Technical Documentation


> **Project:** TaskFlow – Intelligent Task Allocation & Tracking System **Parent Module:** Management · **Child Module:** 03.3 Project Management (incl. Positions) **Version:** 1.0 · **Last Updated:** 31-Oct-2026 **Backend:** ASP.NET Core Web API (.NET 10) · **Frontend:** Angular · **Database:** SQLite (EF Core) **Author:** Jojo George (jojogeorge3344@gmail.com) © 2026 Jojo George. All rights reserved.

1. Technical Overview

Project Management owns the `Projects`, `Positions`, `UserProjectAllocations` and `ManagerProjects` tables. It is served by `ProjectsController` on `api/v1/projects` and `PositionsController` on `api/v1/positions`, and implemented by `ProjectService`, `PositionService` and `UserAllocationService.ReplaceProjectMembersAsync` (the team replacement).

- Every endpoint is protected by `[RequirePermission(PermissionKeys.X)]`.
- A project-team replacement is all-or-nothing and runs inside `ExecuteInTransactionAsync`, so two assigners cannot both pass the 100% cap.
- Projects are soft-deleted (`IsDeleted`). Deleting a project removes its allocation and manager-link rows. Tasks are not touched.
- Positions are get-or-create by name (NOCASE). They cannot be renamed or deleted.
- The frontend is the lazy routes `/projects` and `/projects/:id` with `ProjectListComponent`, `ProjectDetailComponent`, `ProjectFormDialogComponent`, `ProjectTeamDialogComponent`, `EmployeePickerComponent` and the shared `PositionComboboxComponent`.

2. Architecture Flow



3. Backend File Structure

Layer	Path	Files
Controller	`TaskFlow.Api/Controllers/Management/`	`ProjectsController.cs`, `PositionsController.cs`
Service	`TaskFlow.Api/Services/Management/ProjectManagement/Projects/`	`IProjectService.cs`, `ProjectService.cs`
Service	`TaskFlow.Api/Services/Management/ProjectManagement/Positions/`	`IPositionService.cs`, `PositionService.cs`

Layer	Path	Files
Service	`TaskFlow.Api/Services/Management/EmployeeManagement/Allocations/`	`IUserAllocationService.cs`, `UserAllocationService.cs` (shared with 03.1)
Repository	`TaskFlow.Api/Repositories/Management/ProjectManagement/Projects/`	`IProjectRepository.cs`, `ProjectRepository.cs`
Repository	`TaskFlow.Api/Repositories/Management/ProjectManagement/Positions/`	`IPositionRepository.cs`, `PositionRepository.cs`
Repository	`TaskFlow.Api/Repositories/Management/EmployeeManagement/Allocations/`	`IUserAllocationRepository.cs`, `UserAllocationRepository.cs` (shared with 03.1)
DTOs	`TaskFlow.Api/Dtos/Management/ProjectManagement/`	`ProjectDto.cs` (`ProjectDto`, `ProjectWithCountDto`, `ProjectEmployeeDto`, `CreateProjectRequest`, `UpdateProjectRequest`, `ProjectTaskDto`, `ProjectTaskFilter`), `ProjectMemberDtos.cs` (`ProjectMemberDto`, `ReplaceProjectMembersRequest`), `ProjectMemberInput.cs`
DTOs	`TaskFlow.Api/Dtos/Management/ProjectManagement/Positions/`	`PositionDtos.cs` (`PositionDto`, `CreatePositionRequest`)
Validators	`TaskFlow.Api/Dtos/Management/ProjectManagement/Validators/`	`CreateProjectRequestValidator.cs`, `UpdateProjectRequestValidator.cs`
Entities	`TaskFlow.Api/Models/Entities/`	`Project.cs`, `ManagerProject.cs`, `UserProjectAllocation.cs`, `Position.cs`
Migrations	`TaskFlow.Api/Persistence/`	`20261020173455_RenameDepartmentsToProjectsAndAddDepartments`, `20261023160825_UserProjectAllocationsAndDepartments`, `20261023173211_AddProjectManagerFlag` (full list in the parent document)

4. Frontend File Structure

Type	Path	Purpose
Route / Guard	`src/app/modules/management/management.routes.ts`, `src/app/shared/auth/auth.guard.ts`	`/projects` and `/projects/:id` with `permissionGuard` on `projects.view`
Menu	`src/app/layouts/nav-items.ts`	Project Management item, shown with `projects.view`
Page component	`src/app/modules/management/project-management/pages/`	`project-list.component.ts/.html`, `project-detail.component.ts/.html`, `project-detail.model.ts` (`Filters`)

Type	Path	Purpose
Child components	`src/app/modules/management/project-management/components/`	`project-form-dialog.component.ts`, `project-team-dialog.component.ts`, `project-team-dialog.model.ts` (`TeamRow`), `employee-picker.component.ts`
Shared component	`src/app/modules/management/components/position-combobox.component.ts`	Pick or type a position, calling `PositionService.getOrCreate` (also used by the 03.1 employee form)
API service	`src/app/modules/management/project-management/services/project.service.ts`	`/api/v1/projects` calls
API service	`.../project-management/positions/services/position.service.ts` (import path)	`getAll`, `getOrCreate` on `/api/v1/positions`. ⚠️ To be confirmed: this file is imported by the combobox, form panel and team dialog but is missing from the source snapshot
API service (used)	`src/app/modules/management/employee-management/services/user.service.ts`	People list for `EmployeePickerComponent` (03.1)

5. API & Logic

5.1 API Endpoints

#	Method	Endpoint	Description	Permission (Policy)	Request DTO	Response DTO
1	GET	`/api/v1/projects`	All live projects with team size and manager names	`projects.view`	–	`IReadOnlyCollection<ProjectWithCountDto>`
2	GET	`/api/v1/projects/{id}`	One project	`projects.view`	–	`ProjectDto`
3	GET	`/api/v1/projects/{id}/employees`	Live users allocated to the project	`projects.view`	–	`IReadOnlyCollection<ProjectEmployeeDto>`
4	GET	`/api/v1/projects/{id}/members`	Team with position, percent and manager flag	`projects.view`	–	`IReadOnlyCollection<ProjectMemberDto>`
5	GET	`/api/v1/projects/{id}/tasks`	Project tasks, soonest deadline first. Query: `status`, `priority`, `deadlineFrom`, `deadlineTo`, `assignedToUserId`, `positionId`	`projects.view`	Query params (`ProjectTaskFilter`)	`IReadOnlyCollection<ProjectTaskDto>`
6	PUT	`/api/v1/projects/{id}/members`	Replace the team (all-or-nothing)	`projects.members.manage`	`ReplaceProjectMembersRequest`	`IReadOnlyCollection<ProjectMemberDto>`

#	Method	Endpoint	Description	Permission (Policy)	Request DTO	Response DTO
7	POST	`/api/v1/projects`	Create (201 + Location)	`projects.create`	`CreateProjectRequest`	`ProjectDto`
8	PUT	`/api/v1/projects/{id}`	Rename / change description	`projects.edit`	`UpdateProjectRequest`	`ProjectDto`
9	DELETE	`/api/v1/projects/{id}`	Soft delete and remove the team	`projects.delete`	–	`204 No Content`
10	GET	`/api/v1/positions`	All positions, by name	`projects.view`	–	`IReadOnlyCollection<PositionDto>`
11	POST	`/api/v1/positions`	Get or create a position by name (200 OK in both cases)	`positions.create`	`CreatePositionRequest`	`PositionDto`

5.2 Request / Response Samples

```
// PUT /api/v1/projects/2/members
{
  "members": [
    { "userId": 5,  "positionId": 2, "percent": 30, "isManager": true },
    { "userId": 14, "positionId": 4, "percent": 60, "isManager": false }
  ]
}
```

```
// 200 OK (ProjectMemberDto[])
[
  { "userId": 14, "fullName": "Anu Thomas", "email": "anu.thomas@taskflow.com", "positionId": 4, "positionName": "Developer", "percent": 60, "isManager": false, "isManagerRole": false },
  { "userId": 5, "fullName": "Ravi Menon", "email": "ravi@taskflow.com", "positionId": 2, "positionName": "Manager", "percent": 30, "isManager": true, "isManagerRole": true }
]
```

```
// 400 Bad Request
{ "status": 400, "detail": "Anu Thomas would be allocated 110% in total. They already have 50% on other projects, so 50% remains." }
```

```
// POST /api/v1/positions
{ "name": "qa" }
// 200 OK (existing row matched NOCASE)
{ "id": 3, "name": "QA" }
```

5.3 Service Layer Logic

Class: `ProjectService` (`IProjectRepository`, `IUserAllocationService`, `IUnitOfWork`)

- `CreateAsync` and `UpdateAsync` follow the department pattern: trim, `NameTakenAsync` ("Project name already exists."), save, and `ToDto`.
- `GetMembersAsync`, `GetTasksAsync` and `ReplaceMembersAsync` return null (404) when `ExistsActiveAsync` is false.
- `DeleteAsync(id)`: `RemoveTeamAsync` removes all `UserProjectAllocations` (`IgnoreQueryFilters`) and the `ManagerProjects` links. It then sets `IsDeleted = true` and saves. **Tasks are not checked or changed.**

Method: `UserAllocationService.ReplaceProjectMembersAsync(int projectId, IReadOnlyList<ProjectMemberInput> members, ...)`

1. Checks each percent is from 1 to 100, else "Allocation percentage must be a whole number from 1 to 100.".
2. Checks for duplicate `UserId`, else "A person can only appear once on a project.".
3. If the list is not empty and nobody has `IsManager`, throws "Mark at least one person on the team as the project's manager.".
4. Checks the positions exist ("Position does not exist.").
5. **Inside `ExecuteInTransactionAsync`**, so two assigners cannot both pass the cap:
    - `GetActiveByIdsAsync`, and a count mismatch throws "One or more people do not exist or are not active.".
    - A flagged manager without `RoleId == ManagerId` throws "Only a person with the Manager role can manage a project: {names}.".
    - Runs `GetTotalsOnOtherProjectsAsync`. If `other + percent > 100` it throws "{name} would be allocated {total}% in total. They already have {other}% on other projects, so {100-other}% remains.".
    - Diffs the allocation rows (remove, update, add, including `IsProjectManager`). It then syncs `ManagerProjects` to the flagged managers and saves.

Class: `PositionService`


- `GetOrCreateAsync(name)` collapses repeated spaces. An empty name throws "Position name is required.", and one over 100 characters throws "Position name must be 100 characters or fewer.". `GetByNameAsync` (NOCASE collation) returns the existing row, otherwise the service adds a `Position` and saves.

5.4 Repository Layer

Method	Description	Query Notes
`ProjectRepository.GetAllWithCountsAsync()`	List with `EmployeeCount` and `Managers`	Counts `UserProjectAllocations` (filtered). Managers are allocation rows with `IsProjectManager`, ordered by user name
`GetAsync` / `GetActiveForUpdateAsync` / `ExistsActiveAsync` / `CountActiveAsync` / `NameTakenAsync`	Same pattern as departments	`!IsDeleted`, case-insensitive name
`GetEmployeesAsync(projectId)`	`ProjectEmployeeDto` list	Live users with an allocation on the project
`GetMembersAsync(projectId)`	`ProjectMemberDto` list	Ordered by user name. `IsManagerRole = User.RoleId == ManagerId`

Method	Description	Query Notes
`GetTasksAsync(projectId, filter)`	Filtered tasks	`Tasks` where `ProjectId` matches and `!IsDeleted`. Every filter is ANDed. The `PositionId` filter uses the assignee's allocation on this project. Ordered by `Deadline`, then `Id`
`RemoveTeamAsync(projectId)`	Removes allocations and manager links	`IgnoreQueryFilters()` on allocations
`PositionRepository.GetAllAsync()` / `GetByNameAsync(name)` / `CountAsync(ids)`	Positions	Ordered by Name. Name compared under the NOCASE collation
`UserAllocationRepository.GetForProjectForUpdateAsync` (shared with 03.1)	Tracked allocation rows of the project	–
`UserAllocationRepository.GetTotalsOnOtherProjectsAsync(userIds, projectId)` (shared with 03.1)	Sum of percents on other projects	`GroupBy(UserId)`, `Sum(AllocationPercent)`
`UserAllocationRepository.GetManagerLinksForProjectForUpdateAsync` / `AddManagerLink` / `RemoveManagerLinks` (shared with 03.1)	`ManagerProjects` sync	Tracked
`EmployeeRepository.GetActiveByIdsAsync(ids)` (03.1)	Check the team members are active	`AsNoTracking`

5.5 Sequence Diagram



6. Database Design

This child owns `Projects`, `Positions`, `UserProjectAllocations` and `ManagerProjects`.

Table	Column	Type	Constraints	Description
`Projects`	`Id`	int	PK, Identity	–
`Projects`	`Name`	string (200)	Not Null, Unique filtered index (`"IsDeleted" = 0`)	Project name
`Projects`	`Description`	string (500)	Nullable	–
`Projects`	`CreatedAt`	Date Time	–	–
`Projects`	`IsDeleted`	bool	Global query filter	Soft delete
`Positions`	`Id`	int	PK	Seeded 1 Member, 2 Manager, 3 QA, 4 Developer, 5 DevOps, 6 System Admin
`Positions`	`Name`	string (100)	Not Null, NOCASE collation, Unique index	Position label
`UserProjectAllocations`	`UserId`, `ProjectId`	int, int	Composite PK (one row per project per user). Index on `ProjectId`	Allocation
`UserProjectAllocations`	`AllocationPercent`	int	Check `CK_UserProjectAllocations_AllocationPercent` : BETWEEN 1 AND 100	Percent of time
`UserProjectAllocations`	`PositionId`	int	FK → `Positions.Id` (Restrict). Index	Position on the project
`UserProjectAllocations`	`IsProjectManager`	bool	–	Project-manager flag
`ManagerProjects`	`ManagerUserId`, `ProjectId`	int, int	Composite PK. FKs Cascade. Index on `ProjectId`	Kept in step with `IsProjectManager`

Other tables this child reads

Table	Owner	How this child uses it
`Users`	03.1	Team members must be active. `RoleId == ManagerId` is required for a project manager and shown as `IsManagerRole`
`Tasks`	Monitoring	Read by `GetTasksAsync` for Project Details. Not changed when a project is deleted

Relationships

- `UserProjectAllocations.UserId → Users.Id` (FK, Cascade), `.ProjectId → Projects.Id` (FK, Cascade), `.PositionId → Positions.Id` (FK, Restrict)
- `ManagerProjects.ManagerUserId → Users.Id` (FK, Cascade) and `ManagerProjects.ProjectId → Projects.Id` (FK, Cascade)
- `Tasks.ProjectId → Projects.Id` (FK, Restrict; Monitoring module)
- Because projects are soft-deleted, the cascade rarely fires. `ProjectRepository.RemoveTeamAsync` removes the team and manager links itself.

7. Security & Authorization

- Every endpoint uses `[RequirePermission(PermissionKeys.X)]`. There are no inline checks.
- **Data scope:** none. Project lists, members and tasks are Organization-wide for anyone holding `projects.view`. The task list does not apply the task view scope.
- Authentication, the permission policy, the MFA setup gate and legacy key expansion (`projects.manage`) are described in the parent document, section 7.

Permission Key	Endpoint(s)	UI Element Controlled
`projects.view`	`GET /api/v1/projects*`, `GET /api/v1/positions`	Project Management menu, `/projects` and `/projects/:id` routes, project filters in other screens
`projects.create`	`POST /api/v1/projects`	"Add project" button (`canManage`)
`projects.edit`	`PUT /api/v1/projects/{id}`	Card "Edit"
`projects.delete`	`DELETE /api/v1/projects/{id}`	Card "Delete"
`projects.members.manage`	`PUT /api/v1/projects/{id}/members`	Card "Team"
`positions.create`	`POST /api/v1/positions`	None (the combobox always offers creation)

8. Validations & Error Handling

Rule	Layer	HTTP Code	Error Message
Project `Name` empty or over 200, `Description` over 500	`CreateProjectRequestValidator`, `UpdateProjectRequestValidator` via `ValidationFilter`	400	FluentValidation default messages
Duplicate project name	`ProjectService`	400	Project name already exists.
Team rules	`UserAllocationService.ReplaceProjectMembersAsync`	400	A person can only appear once on a project. / Mark at least one person on the team as the project's manager. / One or more people do not exist or are not active. / Only a person with the Manager role can manage a project: {names}. / {name} would be allocated {t}% in total. They already have {o}% on other projects, so {r}% remains.
Bad percentage / unknown position	`UserAllocationService.ReplaceProjectMembersAsync`	400	Allocation percentage must be a whole number from 1 to 100. / Position does not exist.
Position name	`PositionService`	400	Position name is required. / Position name must be 100 characters or fewer.
Project not live	Controller (null from service)	404	Empty body

Shared errors (409 unique race and concurrency, 403 policy and MFA gate, 500) are in the parent document, section 8.

9. Integrations / Side Effects

- **Notifications / Email:** none.
- **Activity Log:** none (see the parent document).
- **Manager oversight:** project deletion removes the `ManagerProjects` links. The project-manager flags feed `IEmployeeRepository.GetTeamMemberIdsAsync` (manager's team for task visibility and the manager dashboard).
- **Monitoring:** tasks belong to projects (`Tasks.ProjectId`), and workload uses the allocation rows.
- **AI Assistant:** no tools for projects or positions.

10. Configuration

Key (`appsettings.json`)	Purpose	Default
Code constant `IUserAllocationService.MaxTotalPercent`	Allocation cap per person	100

`ConnectionStrings:Default` is shared by the whole module (see the parent document).

11. Testing

Test Type	File / Location	Covers
Integration	`tests/TaskFlow.IntegrationTests/Management/ProjectManagement/ProjectTeamEndpointsTests.cs`	Project team replacement endpoints
Unit	`tests/TaskFlow.UnitTests/Management/EmployeeManagement/Allocations/UserAllocationServiceTests.cs`	Allocation rules and the 100% cap (shared with 03.1)
Unit	`tests/TaskFlow.UnitTests/Persistence/UserProjectAllocationsMigrationTests.cs`	Allocation migration

⚠️ To be confirmed: the test contents were not available (file names only). The "Covers" column is inferred from the file names. No project or position validator unit tests are listed.

12. Known Limitations / Gaps found

- No positions can be renamed or deleted (there is only get-or-create).
- **BRD vs code – Project Management:** there is no BRD screen for Project Management, project teams, allocations or positions. These exist only in code.
- **Frontend gating gaps (confirmed in code):**
  - The project team dialog opens automatically after a project is created, without checking `projects.members.manage`.
  - The position combobox always creates positions, without checking `positions.create`. `positions.create` has no frontend reference.
- **Hard-coded roles:** only the Manager system role (`ManagerId = 2`) can be a project manager (see the parent document).
- **Extra permission needed silently:** the project team picker needs `employees.view`.

- **`GET /api/v1/projects/{id}/tasks`** needs only `projects.view` and ignores the task view scope (`tasks.view.all`). Anyone with `projects.view` sees every task in the project.
- **`GET /api/v1/projects/{id}/employees`** has no UI caller. The audit says it returned the raw `User` entity, but the code now returns `ProjectEmployeeDto`. It also returns 200 with an empty list, not 404, for an unknown project.
- **Project delete wording:** the confirm dialog says "will be permanently deleted", but it is a soft delete. Tasks linked to the project are not checked or changed. ⚠️ To be confirmed how tasks of a deleted project should be shown.
- **Missing source file:** `position.service.ts` (imported from `project-management/positions/services/`) is not in the frontend snapshot.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.