Functional Requirements Document – Role Configuration

TaskFlow – Intelligent Task Allocation & Tracking System

Document: Functional Requirements Document · **Version:** 1.0 · **Status:** Draft
Project type: Personal Project (Skill Development) · **Date:** 31-Oct-2026
Author: Jojo George (jojogeorge3344@gmail.com)
Based on: BRD-Role-Configuration.md v1.0
Module: Settings · **Sub-module:** 06.4 Role Configuration · **Code:** ROLE
© 2026 Jojo George. All rights reserved.

Document Control

Revision History

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version

Related Documents

Document	Purpose	Location
BRD – Role Configuration	Business needs this FRD details (REQ-ROLE-nn, BR-ROLE-nn, AC-ROLE-nn)	`../../../BRD/06-Settings/06.4-Role-Configuration/BRD-Role-Configuration.md`
Overall FRD	Roles, access model, Authentication (sign-in again after sign-out)	`../../00-Overall/FRD-TaskFlow-Overall.md`
FRD – Employee Management	Gives roles to users; users must be moved before a role is deleted	`../../03-TaskFlow-Management/03.1-Employee-Management/FRD-Employee-Management.md`
Development Plan	Screen-wise build plan	*Not applicable – not in the original 20-screen plan.*
HLD / LLD	Technical design	`../../../HLD/06-Settings/06.4-Role-Configuration/HLD-Role-Configuration.md`, `../../../LLD/06-Settings/06.4-Role-Configuration/LLD-Role-Configuration.md`

1. Introduction

1.1 Purpose

This FRD specifies the detailed, testable behaviour of the Role Configuration screen: listing roles, viewing and comparing their permissions, creating, duplicating, editing and deleting custom roles, the rules that protect the system roles and the fixed permission catalogue, and the sign-out of role holders after a permission change.

1.2 Scope

In scope: role list with user counts and search; permission tree and compare view; permission search and filter; create, duplicate, copy permissions from, edit and delete custom roles; prerequisites, scope levels, always-on and Administrator-only permissions; read-only modes driven by `roles.view.all` and `roles.modify.access`; sign-out of holders.

Out of scope (BRD §3.2): giving a role to a user (Employee Management FRD); changing the permission catalogue; changing the system roles; a history of role changes; per-user permissions outside a role.

1.3 Audience

Developer, tester, reviewer and product owner of TaskFlow.

1.4 Conventions

- Requirement IDs: `FR-ROLE-nn`. Use cases: `UC-ROLE-nn`. Business rules: `BR-ROLE-nn` (sub-module BRD) and `BR-nn` (overall BRD).
- Priority: **Must / Should / Could** (MoSCoW).
- "The system shall ..." = mandatory behaviour; "should" = recommended.
- In messages, `Role name`, `name`, `permission`, `needed permission`, `keys` and `n` are filled in by the system.

1.5 Definitions & Abbreviations

Term	Meaning
System role	Administrator, Manager or Employee; built in and read-only
Custom role	A role created by the organization on this screen
Permission	One screen or action a role may use, for example `settings.reminders.manage`
Permission catalogue	The fixed list of all permissions (64 entries, grouped by module, screen and section)
Prerequisite	A permission another permission needs (normally the screen's View)
Scope level	How far a permission reaches: Own, Team or Organization (or own / all tasks)
Always on	A feature every user has (own profile, own dashboard, own tasks); not stored as a grant
Administrator only	A permission only the Administrator role can hold (`roles.administrator.assign`)
Holder	A user who has been given a role


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2. System Overview

2.1 Module Map

Code	Module	Child modules	Primary roles
ROLE	Settings → Role Configuration	Role Configuration (one screen: Tree and Compare roles views)	Administrator, Custom role with `roles.manage`
EMP	Management → Employee Management (related)	Assign role to a user	Administrator
AUTH	Authentication (related)	Sign-in after sign-out	All users

2.2 Context Diagram



3. User Roles & Permissions

3.1 Roles

Role	Description	Data scope
Administrator	Views all roles; creates, edits, duplicates and deletes custom roles; always holds every permission	Organization
Manager	System role, read-only; no access to the screen by default	–
Employee	System role, read-only; no access to the screen by default	–
Custom role	`roles.manage` opens the screen; `roles.view.all` shows all roles; `roles.modify.access` allows changes	Organization (own role only without `roles.view.all`)

3.2 Permission Matrix (functional view)

Module › Function	Permission key	Administrator	Manager	Employee	Custom role
Settings › Role Configuration › Open the screen, view roles and the catalogue	`roles.manage`	Granted	Denied	Denied	Configurable

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Module › Function	Permission key	Administrator	Manager	Employee	Custom role
Settings › Role Configuration › See all roles (otherwise only one's own)	`roles.view.all`	Granted	Denied	Denied	Configurable
Settings › Role Configuration › Create, edit, duplicate, delete custom roles (otherwise view mode)	`roles.modify.access`	Granted	Denied	Denied	Configurable
Employee Management › Give or take away the Administrator role	`roles.administrator.assign`	Granted	Denied	Denied	Denied (Administrator only, not assignable)

> Manager and Employee values are the defaults given when the permission is first created; both are system roles and cannot be changed here. The Administrator role is given every permission again each time the application starts.

---

4. Functional Requirements by Module

4.1 Module: Role Configuration (ROLE)

Purpose: Choose exactly what each role can see and do, and manage custom roles. · **BRD reference:** BRD-Role-Configuration SCREEN 1, BR-ROLE-01…BR-ROLE-10

4.1.1 Screen: Role Configuration

Field	Value
Route / location	`/settings/permissions` (menu **Settings → Role Configuration**)
Access	Administrator; Custom role with `roles.manage` (+ `roles.view.all` to see all roles, + `roles.modify.access` to change)
Entry points	Sidebar menu item **Role Configuration**

Screen elements

Element	Type	Description	Mandatory	Visible to
Role Configuration	Page title	"Choose exactly what each role can see and do. Administrator, Manager and Employee are protected; create your own roles for anyone else."	–	`roles.manage`
New role	Button	Starts an empty custom role draft	–	`roles.manage` + `roles.modify.access`
Find a role	Search box	Filters the role list	–	`roles.manage`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Element	Type	Description	Mandatory	Visible to
Role list	List	Roles, system roles first, each with its number of holders	–	`roles.manage` (all roles with `roles.view.all`, else own role)
Role name	Text input	Name of a custom role	Yes	`roles.manage` (editable with `roles.modify.access`)
System role badge and note	Badge + text	"... is a system role. Its permissions are read-only and it cannot be changed or deleted. Duplicate it to start a custom role from the same permissions."	–	`roles.manage`
Duplicate as custom role	Button	Creates a draft "... copy" with the role's permissions	–	`roles.manage`
Copy permissions from...	Drop-down	Copies another role's permissions into the draft	–	`roles.manage` + `roles.modify.access` (editable roles)
Delete role	Button	Deletes the custom role after confirmation	–	`roles.manage` + `roles.modify.access` (custom roles)
Progress	Bar + text	"N of M permissions", "x% enabled"	–	`roles.manage`
Search permissions	Search box	Filters the permission tree	–	`roles.manage`
All / Enabled / Disabled	Filter	Shows all, granted or not granted permissions	–	`roles.manage`
Tree / **Compare roles**	View switch	Tree of the selected role, or matrix of every permission against every role	–	`roles.manage`
Tree	Tree with tick boxes	Module list, **Expand all / Collapse all**, **Select all / Deselect all**, tick boxes per module, screen and permission, scope selectors (for example Dashboard Own / Team / Organization, Tasks own / all), tags **Always on** and **Administrator only**	–	`roles.manage` (editable with `roles.modify.access`)
Save bar	Bar	"N unsaved changes", **Discard**, **Create role** / **Save changes**	–	`roles.manage` + `roles.modify.access`
Discard dialog	Confirmation	"Discard unsaved changes?" – "The changes you made to this role have not been saved and will be lost."	–	Same

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Element	Type	Description	Mandatory	Visible to
Delete dialog	Confirmation	"Delete `Role name`?" – "The role and its permissions are removed. This cannot be undone." with **Delete role**	–	Same

Functional requirements

ID	Requirement	Priority	Permission	BRD trace
FR-ROLE-01	The system shall list the roles, system roles first, each with the number of users holding it, and filter the list by the text typed in **Find a role**.	Must	`roles.manage`	REQ-ROLE-01
FR-ROLE-02	The system shall list only the user's own role when the user does not hold `roles.view.all`.	Must	`roles.manage`	REQ-ROLE-02
FR-ROLE-03	The system shall show the selected role's permissions as a tree grouped by module and screen, with tick boxes per module, screen and permission, **Expand all / Collapse all** and **Select all / Deselect all**.	Must	`roles.manage`	REQ-ROLE-03
FR-ROLE-04	The system shall show in **Compare roles** a matrix of every permission against every listed role.	Should	`roles.manage`	REQ-ROLE-04
FR-ROLE-05	The system shall filter the permissions by the text in **Search permissions** and by **All**, **Enabled** or **Disabled**.	Should	`roles.manage`	REQ-ROLE-05
FR-ROLE-06	The system shall show Administrator, Manager and Employee with a **System role** badge and read-only permissions, and refuse any rename, permission change or deletion of them with "`Role name` is a system role and is read-only: it cannot be changed or deleted."	Must	`roles.manage`	REQ-ROLE-06, BR-ROLE-01
FR-ROLE-07	The system shall let the user start a new custom role with **New role**, enter a name, tick permissions and save it with **Create role**, showing "`Role name` created".	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-07
FR-ROLE-08	The system shall let the user duplicate any role with **Duplicate as custom role**, creating a draft named "`Role name` copy" with the same permissions.	Should	`roles.manage` + `roles.modify.access` (to save)	REQ-ROLE-08
FR-ROLE-09	The system shall let the user copy the permissions of another role, chosen in **Copy permissions from…**, into the role being edited.	Should	`roles.manage` + `roles.modify.access`	REQ-ROLE-09
FR-ROLE-10	The system shall require a role name of 1–100 characters after trimming, unique regardless of letter case, refusing with "Enter a name for the role.", "The role name can be at most 100 characters." or "A role named "`name`" already exists."	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-10, BR-ROLE-03
FR-ROLE-11	The system shall tick a permission's prerequisite automatically when the permission is ticked, and refuse to save a permission without its prerequisite with ""`permission`" also needs "`needed permission`"."	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-11, BR-ROLE-04

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-ROLE-12	The system shall refuse to save an unknown permission with "Unknown permission: `keys`."	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-11, REQ-ROLE-20
FR-ROLE-13	The system shall tag `roles.administrator.assign` **Administrator only** and refuse to give it to any role other than Administrator with "`permission` can only be held by the Administrator role and cannot be given to another role."	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-12, BR-ROLE-05
FR-ROLE-14	The system shall show own profile, own dashboard and own tasks as **Always on** for every role, not let them be unticked, and not store them as grants.	Must	– (all roles)	REQ-ROLE-13, BR-ROLE-06
FR-ROLE-15	The system shall offer scope levels as selectors where choosing a higher level includes the lower ones (Organization includes Team and Own; View all tasks includes View my tasks).	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-14, BR-ROLE-07
FR-ROLE-16	The system shall let the user rename a custom role and change its permissions and save with **Save changes**, showing "`Role name` saved".	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-15
FR-ROLE-17	The system shall count the unsaved changes in the save bar ("N unsaved changes"), undo them with **Discard**, and ask "Discard unsaved changes?" before another role is selected while changes are unsaved.	Should	`roles.manage` + `roles.modify.access`	REQ-ROLE-16
FR-ROLE-18	The system shall sign out every holder of a custom role when its permissions change, so that they sign in again with the new access, and shall not sign anyone out when only the name changes.	Must	– (system)	REQ-ROLE-17, BR-ROLE-09
FR-ROLE-19	The system shall delete a custom role only after the user confirms "Delete `Role name`?", remove its permission grants with it, and show "`Role name` deleted".	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-18
FR-ROLE-20	The system shall refuse to delete a role that any user holds, with "1 user still holds this role. Move them to another role first." or "`n` users still hold this role. Move them to another role first."	Must	`roles.manage` + `roles.modify.access`	REQ-ROLE-19, BR-ROLE-08
FR-ROLE-21	The system shall keep the permission catalogue fixed and refuse every attempt to add, change or remove a permission with "The permission list is fixed and cannot be changed."	Must	`roles.manage`	REQ-ROLE-20, BR-ROLE-02
FR-ROLE-22	The system shall give the Administrator role every permission of the catalogue, including new ones, each time the application starts.	Must	– (system)	REQ-ROLE-21, BR-ROLE-10
FR-ROLE-23	The system shall show the role name, tree and save bar read-only, hide **New role**, and refuse create, save and delete when the user does not hold `roles.modify.access`.	Must	`roles.modify.access`	REQ-ROLE-22


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-ROLE-24	The system shall show for the selected role "N of M permissions" and "x% enabled".	Could	`roles.manage`	REQ-ROLE-23
FR-ROLE-25	The system shall hide the **Role Configuration** menu item from users without `roles.manage`, return them to their dashboard when they open `/settings/permissions`, and refuse their requests.	Must	`roles.manage`	REQ-ROLE-24
FR-ROLE-26	The system shall confirm actions with "`Role name` created", "`Role name` saved" and "`Role name` deleted", and show "Could not load roles and permissions.", "Could not save the role." or "Could not delete the role." when these fail, and "That role does not exist." for an unknown role.	Should	`roles.manage`	REQ-ROLE-25

Use case: UC-ROLE-01 – Create a custom role

Item	Detail
Actor	Administrator or Custom role user
Preconditions	Signed in; holds `roles.manage` and `roles.modify.access`
Trigger	Clicks **New role**, or selects a role and clicks **Duplicate as custom role**
Main flow	1. System opens an empty draft, or a draft "`Role name` copy" with that role's permissions (FR-ROLE-07, FR-ROLE-08). 2. User types the **Role name**. 3. User ticks permissions; prerequisites are ticked automatically (FR-ROLE-11); optionally **Copy permissions from…** (FR-ROLE-09). 4. Save bar counts the changes (FR-ROLE-17). 5. User clicks **Create role**. 6. System checks name and permissions (FR-ROLE-10…FR-ROLE-13). 7. System saves; toast "`Role name` created".
Alternate flows	A1: User clicks **Discard** → draft cleared. A2: User selects another role → "Discard unsaved changes?" first.
Exceptions	E1: Name blank → "Enter a name for the role." E2: Name over 100 characters → "The role name can be at most 100 characters." E3: Name used (any letter case) → "A role named "`name`" already exists." E4: Missing prerequisite → ""`permission`" also needs "`needed permission`"." E5: Administrator-only permission → refused (FR-ROLE-13). E6: Unknown permission → "Unknown permission: `keys`." E7: Save fails → "Could not save the role."
Postconditions	Custom role exists with its grants and 0 holders; can be given to users in Employee Management.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com




Use case: UC-ROLE-02 – Edit a custom role

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Actor	Administrator or Custom role user; holders of the role
Preconditions	Signed in; holds `roles.manage` and `roles.modify.access`; a custom role exists
Trigger	Selects the custom role in the role list
Main flow	1. System shows the role's permissions (FR-ROLE-03). 2. User renames it and/or ticks and unticks permissions; "N unsaved changes" shown. 3. User clicks **Save changes**. 4. System checks as in UC-ROLE-01 step 6. 5. If permissions changed, system signs out every holder (FR-ROLE-18). 6. System saves; toast "`Role name` saved" (FR-ROLE-16).
Alternate flows	A1: Name-only change → nobody signed out. A2: User selects another role first → "Discard unsaved changes?" (FR-ROLE-17).
Exceptions	E1: Role is a system role → read-only message (FR-ROLE-06). E2: Validation errors as UC-ROLE-01 E1–E6. E3: Role no longer exists → "That role does not exist."
Postconditions	Role updated; holders sign in again with the new access.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Use case: UC-ROLE-03 – Delete a custom role

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Actor	Administrator or Custom role user
Preconditions	Signed in; holds `roles.manage` and `roles.modify.access`; a custom role is selected
Trigger	Clicks **Delete role**
Main flow	1. System asks "Delete `Role name`?" – "The role and its permissions are removed. This cannot be undone." 2. User clicks **Delete role**. 3. System checks that nobody holds the role (FR-ROLE-20). 4. System deletes the role and its grants; toast "`Role name` deleted" (FR-ROLE-19).
Alternate flows	A1: User cancels → nothing changes.
Exceptions	E1: Role held → "`n` users still hold this role. Move them to another role first." E2: System role → read-only message. E3: Failure → "Could not delete the role."
Postconditions	Role and its grants removed.

Use case: UC-ROLE-04 – Review access across roles

Item	Detail
Actor	Administrator or Custom role user
Preconditions	Signed in; holds `roles.manage` (and `roles.view.all` to see every role)
Trigger	Switches to **Compare roles**, or searches/filters permissions
Main flow	1. System shows every permission against every listed role (FR-ROLE-04). 2. User types in **Search permissions** and/or chooses **Enabled** (FR-ROLE-05). 3. System narrows the list.
Alternate flows	A1: Without `roles.view.all`, only the user's own role is listed (FR-ROLE-02). A2: Without `roles.modify.access`, everything stays read-only (FR-ROLE-23).
Exceptions	E1: Loading fails → "Could not load roles and permissions."
Postconditions	No data changed.

Field validations

Field	Rule	Error message
Role name	Required; 1–100 characters after trimming	"Enter a name for the role." / "The role name can be at most 100 characters."
Role name	Unique regardless of letter case	"A role named "`name`" already exists."
Permissions	Every key in the catalogue	"Unknown permission: `keys`."
Permissions	Prerequisite present	""`permission`" also needs "`needed permission`"."
Permissions	No Administrator-only permission on a custom role	"`permission` can only be held by the Administrator role and cannot be given to another role."
Role	Not a system role (save, delete)	"`Role name` is a system role and is read-only: it cannot be changed or deleted."
Role (delete)	No holders	"1 user still holds this role. Move them to another role first." / "`n` users still hold this role. Move them to another role first."

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Business rules applied: BR-ROLE-01 … BR-ROLE-10; global rules of the overall BRD: only authorized users may create, change or manage records (authorization is decided by the permissions defined here); records with dependent data are not deleted in a way that damages history (a role in use cannot be deleted).

Notifications / side effects

Event	Who is notified	Channel
Role created / saved / deleted	Acting user	Toast
Permissions of a custom role changed	Every holder of the role	Signed out; must sign in again
Name-only change	–	No sign-out

Messages

Situation	Message
Created / saved / deleted	"`Role name` created" / "`Role name` saved" / "`Role name` deleted"
Validation	See field validations
Role not found	"That role does not exist."
Catalogue change attempt	"The permission list is fixed and cannot be changed."
Leaving with unsaved changes	"Discard unsaved changes?" – "The changes you made to this role have not been saved and will be lost."
Load failed	"Could not load roles and permissions."
Save / delete failed	"Could not save the role." / "Could not delete the role."
No permission	Menu item hidden; opening `/settings/permissions` returns the user to their dashboard


---

5. Cross-Module Workflows

5.1 New custom role from creation to use

Step	Module	Actor / System	Action	FR reference
1	ROLE	Administrator	Duplicates Manager as "Team Lead", unticks Employee Management, creates it	FR-ROLE-08, FR-ROLE-07
2	EMP	Administrator	Gives Rahul the role Team Lead	Employee Management FRD
3	ROLE	Administrator	Adds Reports to Team Lead and saves	FR-ROLE-16
4	AUTH	System	Signs Rahul out	FR-ROLE-18
5	AUTH	Rahul	Signs in again and sees the Reports menu	Overall FRD (FR-AUTH)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



5.2 Delete a role in use

Step	Module	Actor / System	Action	FR reference
1	ROLE	Administrator	Tries to delete Team Lead (held by Rahul and Priya)	FR-ROLE-20
2	ROLE	System	Refuses: "2 users still hold this role. Move them to another role first."	FR-ROLE-20
3	EMP	Administrator	Moves both users to Manager	Employee Management FRD
4	ROLE	Administrator	Deletes Team Lead after confirmation	FR-ROLE-19

6. Reports & Exports

Not applicable for this sub-module. The **Compare roles** view (FR-ROLE-04) gives an on-screen overview of permissions per role.

7. Notifications & Messages Catalogue

Code	Trigger	Recipients	Channel	Text
N-ROLE-01	Role created	Acting user	Toast	"`Role name` created"
N-ROLE-02	Role saved	Acting user	Toast	"`Role name` saved"

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Code	Trigger	Recipients	Channel	Text
N-ROLE-03	Role deleted	Acting user	Toast	"`Role name` deleted"
N-ROLE-04	Delete requested	Acting user	Dialog	"Delete `Role name`?" – "The role and its permissions are removed. This cannot be undone."
N-ROLE-05	Leaving with unsaved changes	Acting user	Dialog	"Discard unsaved changes?" – "The changes you made to this role have not been saved and will be lost."
N-ROLE-06	Role in use	Acting user	Error	"`n` users still hold this role. Move them to another role first."
N-ROLE-07	System role change	Acting user	Error	"`Role name` is a system role and is read-only: it cannot be changed or deleted."
N-ROLE-08	Catalogue change attempt	Caller	Error	"The permission list is fixed and cannot be changed."
N-ROLE-09	Permissions of a role changed	Role holders	Session ended	Signed out; must sign in again

8. Data Requirements (functional view)

Data item	Description	Created by	Rules
Role	System or custom role: name, system flag, created at, number of holders	System (system roles at start-up); user (custom)	Name unique ignoring case, at most 100 characters; system roles never changed; a role in use cannot be deleted
Permission catalogue	Key, name, description, module, screen, section, action, prerequisite, scope level, assignable, always on	Application (fixed)	Never changed from the screen
Role permission grant	Which permissions a role holds	User (custom roles); system (Administrator gets all at start-up)	Removed with the role; always-on features not stored
User session	Signed-in holder of a role	Authentication	Ended when the role's permissions change

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

9. Non-Functional Requirements (functional impact)

ID	Requirement	Affects
NFR-ROLE-01	Access is checked on the server for every request, not only by hiding the menu	FR-ROLE-23, FR-ROLE-25
NFR-ROLE-02	New permissions apply without waiting for users to sign out	FR-ROLE-18
NFR-ROLE-03	System roles are protected at every level, also by the stored data	FR-ROLE-06, FR-ROLE-21
NFR-ROLE-04	Large permission lists stay manageable (search, filter, expand/collapse, select all, compare)	FR-ROLE-03, FR-ROLE-04, FR-ROLE-05
NFR-ROLE-05	No accidental loss of edits	FR-ROLE-17
NFR-ROLE-06	The screen loads and saves without noticeable delay	Role Configuration
NFR-ROLE-07	Works in current desktop browsers, responsive layout	Role Configuration

10. Assumptions & Open Issues

Type	Description	Owner
Assumption	Each user holds exactly one role.	Jojo George
Assumption	Only Administrators normally hold `roles.manage`.	Jojo George
Open issue	⚠️ To be confirmed: `roles.manage` can be given to a custom role; a custom role holding `roles.manage` and `roles.modify.access` can create a role that may assign roles to users. Whether `roles.manage` should be Administrator-only.	Jojo George
Open issue	⚠️ To be confirmed: a user with `roles.manage` but without `roles.view.all` sees only their own role in the list but can still open another role directly; whether that should be refused.	Jojo George
Open issue	⚠️ To be confirmed: **Duplicate as custom role** is shown to users without `roles.modify.access`, but the draft cannot be saved; whether the button should be hidden.	Jojo George
Open issue	⚠️ To be confirmed: a refusal for missing `roles.modify.access` shows only "Could not save the role."; whether a specific message is wanted.	Jojo George
Open issue	⚠️ To be confirmed: the holder count used for the list and for the delete check also counts soft-deleted (removed) user accounts; whether such accounts should block deletion of a role.	Jojo George

Change from original BRD

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Original BRD item	Current requirement
Section 1.4: three fixed roles	Kept as protected system roles (FR-ROLE-06); custom roles added (FR-ROLE-07).
Screen 5 FR-5 "Assign appropriate roles"	Roles are given in Employee Management; making someone an Administrator needs `roles.administrator.assign` (FR-ROLE-13).
Not in original BRD	Role Configuration is a new screen; access is decided by permissions, not role names.

11. Requirements Traceability Matrix

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-ROLE-01	FR-ROLE-01	Role Configuration	UC-ROLE-04	AC-ROLE-01
REQ-ROLE-02	FR-ROLE-02	Role Configuration	UC-ROLE-04	AC-ROLE-02
REQ-ROLE-03	FR-ROLE-03	Role Configuration (Tree)	UC-ROLE-02	AC-ROLE-03
REQ-ROLE-04	FR-ROLE-04	Role Configuration (Compare roles)	UC-ROLE-04	AC-ROLE-03
REQ-ROLE-05	FR-ROLE-05	Role Configuration	UC-ROLE-04	AC-ROLE-03
REQ-ROLE-06	FR-ROLE-06	Role Configuration	UC-ROLE-02	AC-ROLE-04
REQ-ROLE-07	FR-ROLE-07	Role Configuration	UC-ROLE-01	AC-ROLE-05
REQ-ROLE-08	FR-ROLE-08	Role Configuration	UC-ROLE-01	AC-ROLE-05
REQ-ROLE-09	FR-ROLE-09	Role Configuration	UC-ROLE-01	AC-ROLE-05
REQ-ROLE-10	FR-ROLE-10	Role Configuration	UC-ROLE-01	AC-ROLE-06
REQ-ROLE-11	FR-ROLE-11, FR-ROLE-12	Role Configuration	UC-ROLE-01	AC-ROLE-07
REQ-ROLE-12	FR-ROLE-13	Role Configuration	UC-ROLE-01	AC-ROLE-08
REQ-ROLE-13	FR-ROLE-14	Role Configuration	UC-ROLE-01	AC-ROLE-09
REQ-ROLE-14	FR-ROLE-15	Role Configuration	UC-ROLE-01	AC-ROLE-09
REQ-ROLE-15	FR-ROLE-16	Role Configuration	UC-ROLE-02	AC-ROLE-10
REQ-ROLE-16	FR-ROLE-17	Role Configuration	UC-ROLE-02	AC-ROLE-10

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-ROLE-17	FR-ROLE-18	Role Configuration / Authentication	UC-ROLE-02	AC-ROLE-11
REQ-ROLE-18	FR-ROLE-19	Role Configuration	UC-ROLE-03	AC-ROLE-12
REQ-ROLE-19	FR-ROLE-20	Role Configuration	UC-ROLE-03	AC-ROLE-12
REQ-ROLE-20	FR-ROLE-21, FR-ROLE-12	Role Configuration	–	AC-ROLE-13
REQ-ROLE-21	FR-ROLE-22	– (application start)	–	AC-ROLE-14
REQ-ROLE-22	FR-ROLE-23	Role Configuration	UC-ROLE-04	AC-ROLE-15
REQ-ROLE-23	FR-ROLE-24	Role Configuration	UC-ROLE-04	AC-ROLE-03
REQ-ROLE-24	FR-ROLE-25	Role Configuration	–	AC-ROLE-15
REQ-ROLE-25	FR-ROLE-26	Role Configuration	UC-ROLE-01, UC-ROLE-02, UC-ROLE-03	AC-ROLE-05
BR-ROLE-01	FR-ROLE-06	Role Configuration	UC-ROLE-02	AC-ROLE-04
BR-ROLE-02	FR-ROLE-21	Role Configuration	–	AC-ROLE-13
BR-ROLE-03	FR-ROLE-10	Role Configuration	UC-ROLE-01	AC-ROLE-06
BR-ROLE-04	FR-ROLE-11	Role Configuration	UC-ROLE-01	AC-ROLE-07
BR-ROLE-05	FR-ROLE-13	Role Configuration	UC-ROLE-01	AC-ROLE-08
BR-ROLE-06	FR-ROLE-14	Role Configuration	UC-ROLE-01	AC-ROLE-09
BR-ROLE-07	FR-ROLE-15	Role Configuration	UC-ROLE-01	AC-ROLE-09
BR-ROLE-08	FR-ROLE-20	Role Configuration	UC-ROLE-03	AC-ROLE-12
BR-ROLE-09	FR-ROLE-18	Role Configuration / Authentication	UC-ROLE-02	AC-ROLE-11
BR-ROLE-10	FR-ROLE-22	– (application start)	–	AC-ROLE-14

Untraced BRD items: **0**.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

12. Approvals

Role	Name	Decision	Date
Product owner	Jojo George	Pending	–
Reviewer	Jojo George	Pending	–

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.