Business Requirements Document – Application Settings

TaskFlow – Intelligent Task Allocation & Tracking System

> **Document:** Business Requirements Document · **Version:** 1.0 · **Status:** Approved
> **Project type:** Personal Project (Skill Development) · **Date:** 31-Oct-2026
> **Author:** Jojo George (jojogeorge3344@gmail.com)
> **Module:** Settings · **Sub-module:** 06.2 Application Settings · **Code:** APP
> © 2026 Jojo George. All rights reserved.

Document Control

Revision History

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version
1.0	31-Oct-2026	Jojo George	Approved and signed off; baselined as the agreed business requirements.
1.0	31-Oct-2026	Jojo George	Editorial only: Related Documents paths updated to the `TF - Documents` folder layout; no requirement changed, sign-off unchanged.

Approvals / Sign-off

Role	Name	Decision	Date
Product owner	Jojo George	Approved	31-Oct-2026
Reviewer	Jojo George	Approved	31-Oct-2026

Related Documents

Document	Location
Overall BRD (roles, global rules, global NFRs)	`../../00-Overall/BRD-TaskFlow-Overall.md`
Development Plan (screen-wise)	`TF - Documents/Screens Wise Feature Development Plan/20-application-settings-screen.md`
Original BRD (Screen 20)	`BRD for Task management.docx` (v1.0)
Reminder Settings BRD	`../06.1-Reminder-Settings/BRD-Reminder-Settings.md`

Document	Location
FRD	`../../../FRD/06-Settings/06.2-Application-Settings/FRD-Application-Settings.md`
HLD / LLD	`../../../HLD/06-Settings/06.2-Application-Settings/HLD-Application-Settings.md`, `../../../LLD/06-Settings/06.2-Application-Settings/LLD-Application-Settings.md`

Index

1. Project Overview
2. Stakeholders & User Roles
3. Scope
4. Business Process / Workflows
5. Screen-by-Screen Requirements
6. Business Rules
7. Non-Functional Requirements
8. Data Requirements
9. Integrations & External Dependencies
10. Reporting Requirements
11. Recommended Technology Stack (optional)
12. Assumptions, Constraints & Dependencies
13. Risks
14. Acceptance Criteria
15. Requirements Traceability Matrix
16. Project Deliverables
17. Glossary
18. Project Summary

1. Project Overview

1.1 Introduction

Application Settings is the screen where an authorized user maintains TaskFlow's basic organization-wide configuration: the application name shown in the sidebar and header, the single application timezone, the default task priority, and whether in-app (bell) notifications are created at all. It is Screen 20 "System Settings" of the original BRD.

1.2 Business Problem / Current Situation

If these values are fixed in the program, the organization cannot rename the product, cannot move to another timezone and cannot choose which priority new tasks start with, without a developer. When users in different places compute "due today" with their own clocks, dashboards, reports and reminders disagree about which tasks are due or overdue.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

1.3 Project Objectives

ID	Objective	Success measure
OBJ-APP-01	Let an Administrator maintain basic application settings from the screen	Name, timezone, default priority and the in-app switch are changed and saved without code changes or restart
OBJ-APP-02	Use one timezone for every deadline calculation	Reminders, dashboards, workload, reports and tasks use the saved timezone straight after saving
OBJ-APP-03	Keep configuration valid and free of secrets	Invalid values are refused; the settings every user can read contain nothing secret

1.4 Expected Benefits

- The organization brands TaskFlow with its own name.
- "Due today" and "overdue" mean the same thing on every screen and for every user.
- New tasks start with the priority the organization uses most.
- Bell notifications can be paused for the whole organization with one switch.

---

2. Stakeholders & User Roles

2.1 Stakeholders

Stakeholder	Interest / responsibility
Project owner (Jojo George)	Defines priorities, approves this BRD
Administrator	Maintains the application settings
All signed-in users	See the brand name; get the default priority on Create Task; receive bell notifications

2.2 User Roles

Role	Description	Main responsibilities	Access level
Administrator	Manages the whole system	View and change application settings	Organization (full screen)
Manager	Assigns and monitors tasks	Uses the brand name and default priority	None on the screen; reads the values behind the scenes
Employee	Works on assigned tasks	Uses the brand name	None on the screen; reads the values behind the scenes
Custom role	Role defined on Role Configuration	As granted	Full screen when `settings.application.manage` is granted, otherwise none

---

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

3. Scope

3.1 In Scope

- Application name (brand name) shown in the sidebar and header.
- Application (default) timezone used for all deadline-day calculations.
- Default task priority pre-selected on Create Task.
- Switching in-app (bell) notifications on or off for the whole organization.
- A link to Reminder Settings for reminder defaults.
- Reading of the non-secret settings by every signed-in user.

3.2 Out of Scope (this release)

- Reminder intervals and Mail delivery – Reminder Settings.
- AI provider configuration – TFA Settings.
- A full history (audit trail) of earlier setting values – only the last editor and time are kept.
- Reset to factory defaults – not requested.
- Outbound SMTP email settings – superseded by internal Mail (original Screen 14).

3.3 Modules Overview

#	Module	Purpose	Screens
1	Settings → Application Settings	Organization-wide basic configuration	Application Settings

Change from original BRD

Original BRD item	Current requirement
Screen 20 "Default task reminder intervals" / FR-3	Maintained on Reminder Settings; this screen shows a link to it.
Screen 20 "Notification preferences"	One organization-wide switch: **Enable in-app notifications**. Mail delivery of reminders is on Reminder Settings.
Screen 20 FR-6 "Record significant configuration changes"	The system records who last changed the settings and when; no history of earlier values.
Screen 20 access "Administrator"	Access is by the permission `settings.application.manage` (Administrator by default, grantable to a custom role).

> ⚠️ To be confirmed: whether a full change history of settings (original Screen 20 FR-6) is still required.

4. Business Process / Workflows


4.1 Save Application Settings

Trigger: The Administrator wants to change a basic setting · **Actors:** Administrator, Custom role, System

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Step	Actor / System	Action	Result
1	Administrator	Opens **Settings → Application Settings**	Current values shown
2	Administrator	Changes name, timezone, default priority or the in-app switch	Form shows the new values
3	Administrator	Clicks **Save settings**	Button shows "Saving..."
4	System	Checks the fields on the screen, then again when saving	Field errors shown if invalid
5	System	Saves all four values and records who changed them and when	Toast "Application settings saved" and **Saved** tick
6	System	Shows the new name in sidebar and header; applies the new timezone	No page reload, no restart

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Example: The Administrator renames the application from "TaskFlow" to "Acme TaskFlow", sets the timezone to `Asia/Dubai` and the default priority to High, and saves. Every user sees "Acme TaskFlow" in the header at once, and Rahul's next new task on Create Task starts with priority High.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Exceptions / alternate flows:


- Name blank or longer than 100 characters: "Application name is required and must be 100 characters or fewer."
- Timezone not recognised: "Unknown timezone."
- Settings cannot be loaded: "Could not load the application settings." with **Retry**.

4.2 Use of the Application Timezone

Trigger: Any calculation that needs "today" · **Actors:** System

Step	Actor / System	Action	Result
1	System	Reads the saved application timezone	Timezone known
2	System	If the saved timezone is not recognised, records the problem and uses UTC	Reminders and dashboards keep working
3	System	Converts the current time into that timezone	Local calendar day
4	System	Decides "due today" and "overdue" by this day	Same answer on every screen

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Example: The timezone is `Asia/Kolkata`. At 23:30 UTC on 14 October it is already 05:00 on 15 October in Kolkata, so "Prepare Monthly Report", due 15 October 5:00 PM, appears as due today on the dashboards and receives the deadline-day reminder.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Exceptions / alternate flows:

- The saved timezone becomes unknown on the server: UTC is used until the Administrator saves a valid timezone.

---

5. Screen-by-Screen Requirements

SCREEN 1: Application Settings

Field	Value
Screen name	Application Settings (original BRD Screen 20 "System Settings")
Module	Settings
Access	Administrator; Custom role with `settings.application.manage`. Manager and Employee: no access to the screen (they only read the brand name and default priority)
Priority	Must

Purpose Maintain the organization-wide basic configuration of TaskFlow.

Screen Elements

- Page title **Application settings** and the line "Application-wide configuration: the brand name, timezone, default task priority and in-app notifications."
- **General** group: **Application name** (required); **Default timezone** (required, text box with suggestions such as UTC, Asia/Kolkata, Asia/Dubai, Europe/London, America/New_York, Australia/Sydney); **Default task priority** (Low, Medium, High, Critical). Each with a hint.
- **Notifications** group: **Enable in-app notifications** switch.
- **Reminder defaults** group: link to **Reminder Settings**.
- **Save settings** button ("Saving..." while saving), **Saved** tick, loading placeholder, error card with **Retry**.

Functional Requirements

ID	Requirement	Priority
REQ-APP-01	The system shall display the current application settings when the screen opens.	Must
REQ-APP-02	The system shall let the user change the application name.	Must
REQ-APP-03	The system shall require an application name of at most 100 characters and remove spaces before and after it.	Must
REQ-APP-04	The system shall show the saved application name in the sidebar and header for every user, straight after saving and without a page reload.	Must
REQ-APP-05	The system shall let the user choose the default timezone from suggestions or type any valid timezone name.	Must
REQ-APP-06	The system shall refuse a blank or unrecognised timezone.	Must

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority
REQ-APP-07	The system shall use the saved timezone for reminders, dashboards, workload, reports and task deadline checks straight after saving, without a restart.	Must
REQ-APP-08	The system shall use UTC, and record the problem, when the saved timezone cannot be recognised at run time.	Must
REQ-APP-09	The system shall let the user choose the default task priority as Low, Medium, High or Critical.	Must
REQ-APP-10	The system shall pre-select the default task priority on the Create Task form.	Must
REQ-APP-11	The system shall let the user switch in-app (bell) notifications on or off for the whole organization.	Must
REQ-APP-12	The system shall create no new bell notifications for any event while in-app notifications are off, and shall keep existing notifications.	Must
REQ-APP-13	The system shall show a link to Reminder Settings for the reminder defaults.	Should
REQ-APP-14	The system shall check every value again when saving, independently of the screen.	Must
REQ-APP-15	The system shall refuse a save in which any of the four values is missing.	Must
REQ-APP-16	The system shall use the defaults name "TaskFlow", priority Medium, in-app notifications on and the server's configured timezone (or UTC) when a value is missing or unreadable.	Must
REQ-APP-17	The system shall let every signed-in user read the application name and default priority.	Must
REQ-APP-18	The system shall include no secret or sensitive configuration in the settings every user can read.	Must
REQ-APP-19	The system shall record which user last changed the application settings and when.	Should
REQ-APP-20	The system shall confirm a successful save with "Application settings saved" and a **Saved** tick.	Should
REQ-APP-21	The system shall hide the menu item from, and redirect to their dashboard, users without `settings.application.manage`.	Must
REQ-APP-22	The system shall refuse any change of application settings by a user without `settings.application.manage`.	Must

Validations & Messages

Situation	Rule / message
Name blank or too long (screen)	"Application name is required and must be 100 characters or fewer."
Name blank (when saving)	"Application name cannot be blank."
Timezone blank (screen)	"Timezone is required."
Timezone blank (when saving)	"Timezone cannot be blank."
Timezone not recognised	"Unknown timezone."

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Situation	Rule / message
Priority invalid / value missing	Save refused
Success	"Application settings saved"
Load failed	"Could not load the application settings." with **Retry**
Save failed	"Could not save the application settings."
No permission	Menu item hidden; opening the address returns the user to their dashboard; a direct save is refused

Expected Result The Administrator maintains the application name, timezone, default priority and in-app notifications from the interface. Every user sees the new brand name at once, and every deadline calculation uses the one application timezone.

6. Business Rules

ID	Rule	Applies to
BR-APP-01	Application settings are organization-wide.	SCREEN 1
BR-APP-02	Exactly one application timezone is used for every "today", "due today" and "overdue" decision.	All modules
BR-APP-03	All four values are saved together; a partial save is refused rather than filled with defaults.	SCREEN 1
BR-APP-04	Reading the settings needs only a signed-in user; changing them needs `settings.application.manage`.	SCREEN 1, header, Create Task
BR-APP-05	Switching in-app notifications off never deletes existing notifications.	Notification Center
BR-APP-06	Reminder intervals and Mail delivery are not changed here.	SCREEN 1

Global rules that apply (see overall BRD section 6): one consistent timezone for deadline comparisons; consistent calculation rules for dashboards and reports; in-app notifications keep working independently of other delivery channels.

7. Non-Functional Requirements

ID	Category	Requirement	Measure / target
NFR-APP-01	Performance	The screen loads and saves without noticeable delay	As the global performance NFR in the overall BRD
NFR-APP-02	Security	Readable settings never contain secrets	The readable values are only name, timezone, default priority and the in-app switch
NFR-APP-03	Security	Changes are checked on every request	Requests without `settings.application.manage` are refused

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Category	Requirement	Measure / target
NFR-APP-04	Reliability	A bad or missing value never stops the application	Defaults and the UTC fallback are used
NFR-APP-05	Usability	Changes are visible immediately	New name shown without reload; new timezone used without restart
NFR-APP-06	Compatibility	Works in current desktop browsers, responsive layout	As the global compatibility NFR
NFR-APP-07	Accessibility	Every field has a label and hint; errors appear next to the field	All controls labelled

8. Data Requirements

Entity / data set	Purpose	Key fields	Retention / rules
Application settings (organization-wide)	Basic configuration	Application name, timezone, default task priority, in-app notifications on/off	One value per setting; last changed by and at are kept; missing values are created at start with defaults, saved values never overwritten
Server configuration (timezone)	First value and fallback for the timezone	Configured timezone	Set by whoever installs the application

9. Integrations & External Dependencies

System / service	Purpose	Required?	Notes
Notification (bell)	Checks the in-app switch before creating any notification	Required	Missing or unreadable value counts as on
Reminders, Dashboard, Workload, Reports, Tasks, Assistant	Use the application timezone for "today"	Required	UTC fallback when the timezone is unknown
Task Management (Create Task)	Pre-selects the default priority	Required	–
Application shell and TFA	Show the application name	Required	–

No external system is involved.

10. Reporting Requirements

Not applicable for this sub-module. Reports use the application timezone (see the Reports BRD).

11. Recommended Technology Stack (optional)

Not applicable for this sub-module. The technology stack is given in the overall BRD.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

12. Assumptions, Constraints & Dependencies

Type	Description
Assumption	One organization per installation, so one set of application settings.
Assumption	The server knows standard timezone names such as `Asia/Kolkata` and `UTC`.
Constraint	Only the four listed settings are editable on this screen.
Dependency	Reminder Settings shows this timezone read-only.
Dependency	Role Configuration grants `settings.application.manage`.

13. Risks

ID	Risk	Impact	Likelihood	Mitigation
R-APP-01	Wrong timezone saved, so tasks appear due a day early or late	High	Low	Only recognised timezones accepted; hint explains the effect
R-APP-02	In-app notifications switched off by mistake, users miss notifications	High	Low	Hint "When off, no new bell notifications are created for any event."; restricted permission
R-APP-03	No history of earlier values	Low	Medium	Last editor and time recorded; see To be confirmed in section 3

14. Acceptance Criteria

ID	Criterion	Verified by
AC-APP-01	The Administrator opens Application Settings and sees the current four values.	SCREEN 1, REQ-APP-01
AC-APP-02	After renaming to "Acme TaskFlow" and saving, every user sees the new name in the header without reload.	REQ-APP-02, REQ-APP-04
AC-APP-03	A blank name or one of 101 characters is refused with the name message.	REQ-APP-03, REQ-APP-14
AC-APP-04	A timezone such as "Mars/Base" is refused with "Unknown timezone."; `Asia/Dubai` is accepted.	REQ-APP-05, REQ-APP-06
AC-APP-05	After the timezone is saved, the next reminder run and the dashboards use it without restart.	REQ-APP-07
AC-APP-06	When the stored timezone is unknown, reminders still run, using UTC.	REQ-APP-08
AC-APP-07	With default priority High, Create Task opens with High selected.	REQ-APP-09, REQ-APP-10

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Criterion	Verified by
AC-APP-08	With in-app notifications off, no new bell notification is created and existing ones stay.	REQ-APP-11, REQ-APP-12
AC-APP-09	The screen shows a working link to Reminder Settings.	REQ-APP-13
AC-APP-10	A save with a value missing is refused.	REQ-APP-15
AC-APP-11	On a new installation the screen shows "TaskFlow", Medium, notifications on and the configured timezone.	REQ-APP-16
AC-APP-12	An Employee's screens show the brand name, and the values readable by everyone contain no secret.	REQ-APP-17, REQ-APP-18
AC-APP-13	A successful save shows "Application settings saved" and records editor and time.	REQ-APP-19, REQ-APP-20
AC-APP-14	A Manager does not see the menu item, is redirected from the address, and a direct save is refused.	REQ-APP-21, REQ-APP-22

15. Requirements Traceability Matrix

Objective	Business rule(s)	Screen(s)	Functional requirement(s)	Acceptance criterion
OBJ-APP-01	BR-APP-01, BR-APP-05, BR-APP-06	SCREEN 1	REQ-APP-01, REQ-APP-02, REQ-APP-04, REQ-APP-09, REQ-APP-10, REQ-APP-11, REQ-APP-12, REQ-APP-13, REQ-APP-19, REQ-APP-20	AC-APP-01, AC-APP-02, AC-APP-07, AC-APP-08, AC-APP-09, AC-APP-13
OBJ-APP-02	BR-APP-02, global rules	SCREEN 1	REQ-APP-05, REQ-APP-07, REQ-APP-08	AC-APP-04, AC-APP-05, AC-APP-06
OBJ-APP-03	BR-APP-03, BR-APP-04	SCREEN 1	REQ-APP-03, REQ-APP-06, REQ-APP-14, REQ-APP-15, REQ-APP-16, REQ-APP-17, REQ-APP-18, REQ-APP-21, REQ-APP-22	AC-APP-03, AC-APP-04, AC-APP-10, AC-APP-11, AC-APP-12, AC-APP-14

16. Project Deliverables

#	Deliverable	Format
1	Application Settings screen and its saving logic	Source code in the repository
2	Default application settings created on first start	Initialization at application start
3	BRD, FRD, HLD and LLD for Application Settings	Markdown
4	Unit and integration tests for application settings and the timezone fallback	Automated tests

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

17. Glossary

Term	Meaning
Application name	The brand name shown in the sidebar, header and TFA
Application timezone	The one timezone that decides which calendar day a deadline belongs to
Default task priority	The priority pre-selected on Create Task
In-app notification	A bell notification shown in the Notification Center
UTC	Coordinated Universal Time; the fallback timezone

18. Project Summary

Application Settings lets the Administrator keep TaskFlow's name, timezone, default task priority and in-app notifications in one organization-wide place. Values are checked twice, apply at once without restart, and contain nothing secret, so every user can read them while only authorized users can change them. The single application timezone makes "due today" and "overdue" consistent across reminders, dashboards, workload and reports.

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.