Functional Requirements Document – Reports

TaskFlow – Intelligent Task Allocation & Tracking System

> **Document:** Functional Requirements Document (sub-module 10 – RPT) · **Version:** 1.0 · **Status:** Draft
> **Project type:** Personal Project (Skill Development) · **Date:** 31-Oct-2026
> **Author:** Jojo George (jojogeorge3344@gmail.com)
> **Based on:** BRD – Reports (`BRD-Reports.md` v1.0)
> © 2026 Jojo George. All rights reserved.

Document Control

Revision History

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version of the Reports FRD (Task Reports screen, filters, count cards, completion summary and CSV export), detailed from BRD – Reports v1.0 and TaskFlow as built

Related Documents

Document	Purpose	Location
BRD – Reports	Business needs this FRD details (REQ-RPT-01 – REQ-RPT-39, BR-RPT-01 – BR-RPT-10)	`../../../BRD/05-Reports/05.1-Reports/BRD-Reports.md`
BRD – Overall	Roles, global rules `BR-nn`, global NFRs	`../../../BRD/00-Overall/BRD-TaskFlow-Overall.md`
FRD – Overall	Shared roles, permission model, cross-cutting behaviour	`../../00-Overall/FRD-TaskFlow-Overall.md`
FRD – Dashboard	Charts and team / organisation analytics	`../../01-Dashboard/01.1-Dashboard/FRD-Dashboard.md`
Development Plan	Screen-wise build plan (Screen 17)	`TF - Documents/Screens Wise Feature Development Plan/17-reports-screen.md`
HLD / LLD – Reports	Technical design	`../../../HLD/05-Reports/05.1-Reports/HLD-Reports.md`, `../../../LLD/05-Reports/05.1-Reports/LLD-Reports.md`
TDD	System-wide technical design	`TF - Documents/TF - TDD/TDD-TaskFlow.md` (v2.0)

1. Introduction

1.1 Purpose

This FRD specifies the detailed, testable behaviour of the Reports sub-module of TaskFlow: who can open the Task Reports screen, how each filter narrows the tasks, how the Total, Completed, Pending and Overdue counts and the completion summary are calculated, and exactly what the CSV export contains.

1.2 Scope

In scope: the **Reports** menu item, the Task Reports screen (`/reports`), its filters, count cards, completion summary and CSV export (`taskflow-report.csv`). Out of scope (BRD §3.2): a Department filter, per-status / per-employee breakdowns and charts, per-user data scope, PDF / Excel export, scheduled or emailed reports, and workload reports (Employee Workload sub-module).

1.3 Audience

Developer and tester (Jojo George), reviewers, and the product owner.

1.4 Conventions

- Requirement IDs: `FR-RPT-nn`. Use cases: `UC-RPT-nn`. Messages: `MSG-RPT-nn`. BRD items: `REQ-RPT-nn`, sub-module rules `BR-RPT-nn`, global rules `BR-nn` (overall BRD §6).
- Priority: **Must / Should / Could** (MoSCoW), taken from the traced BRD requirement.
- "The system shall ..." = mandatory behaviour.

1.5 Definitions & Abbreviations

Term	Meaning
Scope	Data visibility; Reports are organisation-wide for every holder of `reports.view`
Matching task	A non-deleted task that satisfies every selected filter
Pending (Reports)	A task that is neither Completed nor Cancelled (ToDo, InProgress, InQA, Blocked)
Overdue	A pending task whose deadline has passed at the moment the report runs
Allocation	The link between an employee and a project they work on
CSV	Comma-separated values file that spreadsheet tools open
Formula protection	Writing a leading `'` before a cell that starts with `=`, `+`, `-` or `@`


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2. System Overview

2.1 Module Map

Code	Module	Child modules	Primary roles
RPT	Reports	Task Reports (summary, filters, CSV export)	Administrator, Manager, Custom Role with `reports.view`
TASK	Task Management (related)	Source of the Employee filter list (assignees)	All signed-in users
PROJ	Project Management (related)	Source of the Project filter list	Users with `projects.view`
ROLE	Role Configuration (related)	Grants `reports.view` and `reports.export`	Administrator

2.2 Context Diagram



3. User Roles & Permissions

3.1 Roles

Role	Description	Data scope in Reports
Administrator	Runs the system and its settings; views and exports reports	Organisation
Manager	Leads departments or projects; views and exports reports	Organisation (not limited to the team)
Employee	Works on assigned tasks; no report access by default	None, unless an Administrator grants `reports.view` (then Organisation)
Custom Role	Role created by an Administrator	Organisation, if `reports.view` is granted

3.2 Permission Matrix (functional view)

Module › Function	Permission key	Administrator	Manager	Employee	Custom role
Reports › Open Task Reports, see totals, filter	`reports.view`	Granted	Granted	Denied	Configurable
Reports › Export CSV (requires `reports.view`)	`reports.export`	Granted	Granted	Denied	Configurable

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Module › Function	Permission key	Administrator	Manager	Employee	Custom role
Project Management › Fill the Project filter list	`projects.view`	Granted	Granted	Denied	Configurable

The Administrator is re-granted every permission on each application start; Manager and Employee values are seed defaults that an Administrator can change in Role Configuration; a custom role starts with no permissions. Permissions are checked by the server on every request (BR-04).

---

4. Functional Requirements by Module

4.1 Module: Reports (RPT)

Purpose: Give authorised users filtered task totals with a completion summary and a safe CSV export of the same tasks. · **BRD reference:** BRD – Reports §5 SCREEN 1, BR-RPT-01 – BR-RPT-10; global BR-04, BR-06, BR-12, BR-21, BR-22.

4.1.1 Screen: Task Reports

Field	Value
Route / location	`/reports` (side menu → **Reports**)
Access	Users holding `reports.view`; **Export CSV** also needs `reports.export`; Project list needs `projects.view`
Entry points	Side menu **Reports**, direct address

Screen elements

Element	Type	Description	Mandatory	Visible to
Header	Text	"Task Reports"; subtitle "Task allocation and completion for the selected filters." ("Loading report..." on first load)	–	Users with `reports.view`
Export CSV	Button (top right)	Downloads the filtered tasks; label "Exporting..." while running	–	Users with `reports.export`
Deadline from	Date picker	Start of the deadline range	No	Users with `reports.view`
Deadline to	Date picker	End of the deadline range; cannot be earlier than Deadline from	No	Users with `reports.view`
Employee	Drop-down	"All employees" or one employee	No	Users with `reports.view`
Project	Drop-down	"All projects" or one project	No	Users with `reports.view` (list filled with `projects.view`)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Element	Type	Description	Mandatory	Visible to
Status	Drop-down	"All statuses", ToDo, InProgress, InQA, Blocked, Completed, Cancelled	No	Users with `reports.view`
Priority	Drop-down	"All priorities", Low, Medium, High, Critical	No	Users with `reports.view`
Reset	Button	Clears every filter	–	Users with `reports.view`
Count cards	4 cards	Total Tasks, Completed, Pending, Overdue (Overdue highlighted)	–	Users with `reports.view`
Completion summary	Progress bar + text	"X of Y completed · Z%"	–	Users with `reports.view`
Error panel	Panel with **Retry**	"Something went wrong" when the report cannot be loaded	–	Users with `reports.view`

Functional requirements – access and loading

ID	Requirement	Priority	Permission	BRD trace
FR-RPT-01	The system shall show the **Reports** side-menu item only to users holding `reports.view`.	Must	`reports.view`	REQ-RPT-01
FR-RPT-02	The system shall send a user without `reports.view` who opens `/reports` to their own dashboard without a message.	Must	`reports.view`	REQ-RPT-02
FR-RPT-03	The system shall refuse report totals and export data to a user without `reports.view`, independently of the screen, and record the refused request.	Must	`reports.view`	REQ-RPT-03, NFR-RPT-01
FR-RPT-04	The system shall load, when the screen opens, the report totals with no filter applied, together with the Employee and Project lists.	Must	`reports.view`	REQ-RPT-04
FR-RPT-05	The system shall show the subtitle "Loading report..." during the first load and "Task allocation and completion for the selected filters." once loaded.	Could	`reports.view`	REQ-RPT-05
FR-RPT-06	The system shall show an error panel "Something went wrong" with MSG-RPT-01 and a **Retry** button when the report cannot be loaded; **Retry** shall load it again with the current filters.	Must	`reports.view`	REQ-RPT-27

Functional requirements – counts and completion summary

ID	Requirement	Priority	Permission	BRD trace
FR-RPT-07	The system shall show four count cards – Total Tasks, Completed, Pending and Overdue – with the Overdue card highlighted.	Must	`reports.view`	REQ-RPT-06
FR-RPT-08	The system shall count in **Total** every non-deleted task that matches the filters, including Cancelled tasks.	Must	`reports.view`	REQ-RPT-07, BR-RPT-02

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-RPT-09	The system shall count in **Completed** the matching tasks with status Completed.	Must	`reports.view`	REQ-RPT-08, BR-RPT-02
FR-RPT-10	The system shall count in **Pending** the matching tasks that are neither Completed nor Cancelled (ToDo, InProgress, InQA, Blocked).	Must	`reports.view`	REQ-RPT-09, BR-RPT-02
FR-RPT-11	The system shall count in **Overdue** the pending tasks whose deadline is earlier than the current time when the report runs.	Must	`reports.view`	REQ-RPT-10, BR-RPT-02, BR-RPT-10, BR-12
FR-RPT-12	The system shall count Cancelled tasks only in Total, not in Completed, Pending or Overdue.	Must	`reports.view`	REQ-RPT-07, BR-RPT-02
FR-RPT-13	The system shall show a completion bar and the text "X of Y completed · Z%", where X = Completed, Y = Total and Z = Completed ÷ Total rounded to a whole number, and 0 % when Total is 0.	Must	`reports.view`	REQ-RPT-11, BR-RPT-03
FR-RPT-14	The system shall return all four counts as 0 when no task matches the filters.	Must	`reports.view`	REQ-RPT-11, REQ-RPT-21

Functional requirements – filters and data rules

ID	Requirement	Priority	Permission	BRD trace
FR-RPT-15	The system shall keep, when **Deadline from** is set, only tasks whose deadline is on or after the start of that day.	Must	`reports.view`	REQ-RPT-12, BR-RPT-04
FR-RPT-16	The system shall keep, when **Deadline to** is set, only tasks whose deadline is on or before the end of that day (its last millisecond).	Must	`reports.view`	REQ-RPT-12, BR-RPT-04
FR-RPT-17	The system shall stop the **Deadline to** picker from accepting a date earlier than **Deadline from**.	Must	`reports.view`	REQ-RPT-13
FR-RPT-18	The system shall refuse a request whose "to" deadline is before its "from" deadline with MSG-RPT-02.	Must	`reports.view`	REQ-RPT-14
FR-RPT-19	The system shall keep, when an **Employee** is chosen, only tasks assigned to that employee.	Must	`reports.view`	REQ-RPT-15
FR-RPT-20	The system shall fill the Employee list with the assignees the user can see in the Task List.	Should	`reports.view`	REQ-RPT-16
FR-RPT-21	The system shall keep, when a **Project** is chosen, only tasks whose assignee is allocated to that project (the task's own project is not used).	Should	`reports.view`	REQ-RPT-17, BR-RPT-05
FR-RPT-22	The system shall fill the Project list only for users holding `projects.view`; for other users the list stays empty and the report still works.	Should	`projects.view`	REQ-RPT-18

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-RPT-23	The system shall keep, when a **Status** is chosen, only tasks with that status, accepting only ToDo, InProgress, InQA, Blocked, Completed or Cancelled.	Must	`reports.view`	REQ-RPT-19
FR-RPT-24	The system shall keep, when a **Priority** is chosen, only tasks with that priority, accepting only Low, Medium, High or Critical.	Must	`reports.view`	REQ-RPT-20
FR-RPT-25	The system shall treat every filter as optional (an empty filter does not restrict its field) and combine all selected filters.	Must	`reports.view`	REQ-RPT-21
FR-RPT-26	The system shall reload the totals immediately when any filter changes, without an "Apply" button.	Should	`reports.view`	REQ-RPT-22, NFR-RPT-05
FR-RPT-27	The system shall clear every filter and reload the full report when **Reset** is clicked.	Should	`reports.view`	REQ-RPT-23
FR-RPT-28	The system shall leave deleted tasks out of the totals and the export.	Must	`reports.view`	REQ-RPT-24, BR-RPT-06, BR-21
FR-RPT-29	The system shall keep the tasks of removed employees in the totals and the export, with that person's name.	Must	`reports.view`	REQ-RPT-25, BR-RPT-06
FR-RPT-30	The system shall report over the whole organisation for every holder of `reports.view`, with no team or own-records limit.	Must	`reports.view`	REQ-RPT-26, BR-RPT-07

Functional requirements – CSV export

ID	Requirement	Priority	Permission	BRD trace
FR-RPT-31	The system shall show the **Export CSV** button only to users holding `reports.export`.	Must	`reports.export`	REQ-RPT-28
FR-RPT-32	The system shall refuse an export to a user who does not hold both `reports.view` and `reports.export`, and record the refused request.	Must	`reports.export` + `reports.view`	REQ-RPT-29, BR-RPT-01, NFR-RPT-01
FR-RPT-33	The system shall export the tasks that match the current filters (same rules as FR-RPT-15 – FR-RPT-30), ordered by deadline, earliest first.	Must	`reports.export`	REQ-RPT-30, BR-RPT-08
FR-RPT-34	The system shall export at most 50,000 rows per file; beyond that only the first 50,000 by deadline are included.	Must	`reports.export`	REQ-RPT-31, BR-RPT-08, NFR-RPT-04
FR-RPT-35	The system shall deliver the file as `taskflow-report.csv` for the browser to save.	Should	`reports.export`	REQ-RPT-32

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com


ID	Requirement	Priority	Permission	BRD trace
FR-RPT-36	The system shall write a header row and the columns TaskCode, Title, Assignee, Project, Priority, Status, StartDate, Deadline, EstimatedHours and CompletedAt, in that order.	Must	`reports.export`	REQ-RPT-33, NFR-RPT-03
FR-RPT-37	The system shall list in the Project column every project the assignee is allocated to, comma-separated and sorted by name.	Should	`reports.export`	REQ-RPT-34, BR-RPT-05
FR-RPT-38	The system shall write StartDate, Deadline and CompletedAt as `yyyy-MM-dd` and leave CompletedAt empty for tasks that are not finished.	Should	`reports.export`	REQ-RPT-35, NFR-RPT-03
FR-RPT-39	The system shall write a leading `'` before any cell value that starts with `=`, `+`, `-` or `@`.	Must	`reports.export`	REQ-RPT-36, BR-RPT-09, NFR-RPT-02
FR-RPT-40	The system shall change the button label to "Exporting..." and disable it while an export runs, and restore it when the export ends.	Should	`reports.export`	REQ-RPT-37
FR-RPT-41	The system shall show the toast MSG-RPT-03 when an export fails.	Must	`reports.export`	REQ-RPT-38
FR-RPT-42	The system shall create no notification, mail or activity entry when a report is viewed, filtered or exported.	Must	`reports.view`	REQ-RPT-39

Use case: UC-RPT-01 – View the report

Item	Detail
Actor	Administrator, Manager, Custom Role with `reports.view`
Preconditions	Signed in; holds `reports.view`
Trigger	Clicks **Reports** in the side menu or opens `/reports`
Main flow	1. The system checks `reports.view`. 2. The subtitle shows "Loading report...". 3. The system loads the Employee and Project lists and the unfiltered totals. 4. The system shows the four count cards and the completion summary.
Alternate flows	A1: the user lacks `projects.view` → the Project list stays empty; the rest of the screen works.
Exceptions	E1: no `reports.view` → taken to own dashboard, no message (menu item hidden). E2: load fails → "Something went wrong" + MSG-RPT-01 with **Retry**.
Postconditions	Totals shown; no data changed (FR-RPT-42).

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Example (BRD §4.1): 40 tasks – 12 Completed, 2 Cancelled, 26 pending of which 5 have a passed deadline → Total 40, Completed 12, Pending 26, Overdue 5, "12 of 40 completed · 30%".




Use case: UC-RPT-02 – Filter the report

Item	Detail
Actor	Administrator, Manager, Custom Role with `reports.view`
Preconditions	On Task Reports
Trigger	Changes Deadline from, Deadline to, Employee, Project, Status or Priority

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Main flow	1. The system combines all selected filters. 2. The system checks the date range. 3. The system reloads the totals at once. 4. The cards and completion summary update.
Alternate flows	A1: the user clears one filter (sets "All ...") → that field no longer restricts the report.
Exceptions	E1: a "to" deadline before "from" reaches the server → refused with MSG-RPT-02. E2: an invalid status or priority value → refused. E3: load fails → MSG-RPT-01 with **Retry**.
Postconditions	Totals match the filters.

Example (BRD §4.2): Deadline 01-Oct-2026 – 31-Oct-2026, Employee "Arun Kumar", Priority "High" → Total 6, Completed 2, Pending 4, Overdue 1, "2 of 6 completed · 33%".



Use case: UC-RPT-03 – Reset filters


Item	Detail
Actor	Administrator, Manager, Custom Role with `reports.view`
Preconditions	On Task Reports with one or more filters set
Trigger	Clicks **Reset**
Main flow	1. The system clears every filter. 2. The system reloads the unfiltered totals.
Alternate flows	*None.*
Exceptions	E1: load fails → MSG-RPT-01 with **Retry**.
Postconditions	The full organisation report is shown.

Use case: UC-RPT-04 – Export CSV

Item	Detail
Actor	Administrator, Manager, Custom Role with `reports.export`
Preconditions	On Task Reports; holds `reports.view` and `reports.export`
Trigger	Clicks **Export CSV**
Main flow	1. The button shows "Exporting..." and is disabled. 2. The system checks both permissions. 3. The system collects the matching tasks, earliest deadline first, at most 50,000. 4. The system writes the header and rows with formula protection. 5. The browser saves `taskflow-report.csv`. 6. The button is restored.
Alternate flows	A1: more than 50,000 matching tasks → only the first 50,000 by deadline are exported.
Exceptions	E1: permission missing or export fails → toast MSG-RPT-03.
Postconditions	File saved; no notification, mail or activity entry.

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Example (BRD §4.3): with the October filter, 6 rows are exported; a task of Arun Kumar (allocated to "Portal" and "Website") shows `Portal, Website` in Project; CompletedAt is empty for an unfinished task; a title `=SUM(A1)` is written as `'=SUM(A1)`.



© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Field validations

Field	Rule	Error message
Deadline from / Deadline to	Optional; each is a valid date	Refused by the server (request not processed)
Deadline to	On or after Deadline from (picker blocks earlier dates; server re-checks)	"The report 'to' deadline must be on or after the 'from' deadline."
Employee	Optional; one employee	–
Project	Optional; one project	–
Status	Optional; ToDo, InProgress, InQA, Blocked, Completed or Cancelled	Refused; only the listed values are accepted
Priority	Optional; Low, Medium, High or Critical	Refused; only the listed values are accepted

Business rules applied: BR-RPT-01 – BR-RPT-10; BR-04, BR-06, BR-12, BR-21, BR-22.

Notifications / side effects

Event	Who is notified	Channel
Report viewed, filtered or exported	Nobody (FR-RPT-42)	–
Request refused for a missing permission	Nobody; the refusal is recorded for audit	Server log

Messages

Situation	Message
First load	"Loading report..."
Loaded	"Task allocation and completion for the selected filters."
Completion summary	"X of Y completed · Z%"
Load failed (MSG-RPT-01)	"Something went wrong" – "Could not load the report. Check your connection and try again." (**Retry**)
Invalid date range (MSG-RPT-02)	"The report 'to' deadline must be on or after the 'from' deadline."
Export failed (MSG-RPT-03)	"Could not export the report. Please try again."
Export running	"Exporting..." (button)
No permission to open the screen	No message – user sent to own dashboard; **Reports** menu item hidden
No permission to export	No message – **Export CSV** button hidden

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

5. Cross-Module Workflows


5.1 Report filter lists from other modules

Step	Module	Actor / System	Action	FR reference
1	RPT	User	Opens Task Reports	FR-RPT-04
2	TASK	System	Supplies the assignees the user can see in the Task List	FR-RPT-20
3	PROJ	System	Supplies the project list if the user holds `projects.view`	FR-RPT-22
4	RPT	System	Loads the unfiltered organisation totals	FR-RPT-04, FR-RPT-30

5.2 Grant report access (Role Configuration → Reports)

Step	Module	Actor / System	Action	FR reference
1	ROLE	Administrator	Grants `reports.view` (and optionally `reports.export`) to a role	Role Configuration FRD
2	RPT	System	Shows the **Reports** menu item and, with `reports.export`, the **Export CSV** button on the user's next action	FR-RPT-01, FR-RPT-31
3	RPT	User	Opens and exports the report	FR-RPT-04, FR-RPT-33

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



6. Reports & Exports

Report	Module	Filters	Columns	Export	Access
Task Reports summary	RPT	Deadline from / to, employee, project, status, priority	Total Tasks, Completed, Pending, Overdue; "X of Y completed · Z%"	– (screen)	`reports.view`
Task Reports export	RPT	Same as the summary	TaskCode, Title, Assignee, Project, Priority, Status, StartDate, Deadline, EstimatedHours, CompletedAt	CSV `taskflow-report.csv`, at most 50,000 rows, earliest deadline first	`reports.view` + `reports.export`

Charts and team / organisation analytics: Dashboard FRD (`../../01-Dashboard/01.1-Dashboard/FRD-Dashboard.md`).

7. Notifications & Messages Catalogue

Reports sends no notification or mail (FR-RPT-42). On-screen messages:

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Code	Trigger	Recipients	Channel	Text
MSG-RPT-01	Report could not be loaded	Current user	On screen (error panel + **Retry**)	"Something went wrong" – "Could not load the report. Check your connection and try again."
MSG-RPT-02	"To" deadline before "from" deadline reaches the server	Current user	Validation response	"The report 'to' deadline must be on or after the 'from' deadline."
MSG-RPT-03	Export failed or refused	Current user	Toast	"Could not export the report. Please try again."
MSG-RPT-04	First load running	Current user	Subtitle	"Loading report..."
MSG-RPT-05	Export running	Current user	Button label	"Exporting..."

8. Data Requirements (functional view)

Reports store no data of their own; they read:

Data item	Description	Created by	Rules
Task code, title, priority, status, start date, deadline, estimated hours, completed date	Counts and export rows	Task Management	Deleted tasks excluded (FR-RPT-28)
Assignee name	Employee filter and Assignee column	Employee Management	Removed employees' names are kept on their tasks (FR-RPT-29)
Project allocations	Project filter and Project column	Project Management	Assignee's allocations decide the project (FR-RPT-21, FR-RPT-37)
Project names	Project list and column	Project Management	Sorted by name in the Project column

9. Non-Functional Requirements (functional impact)

ID	Requirement	Affects
NFR-RPT-01	View and export permissions are enforced by the server; refused requests are recorded (FR-RPT-03, FR-RPT-32)	Task Reports, export
NFR-RPT-02	No exported cell starts with `=`, `+`, `-` or `@` without a leading `'` (FR-RPT-39)	Export
NFR-RPT-03	Standard comma-separated format with a header row; dates `yyyy-MM-dd` (FR-RPT-36, FR-RPT-38)	Export
NFR-RPT-04	At most 50,000 rows per file (FR-RPT-34)	Export

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Affects
NFR-RPT-05	Filters apply at once; every failure shows a plain-language message (FR-RPT-26, §7)	Task Reports
NFR-RPT-06	Totals reload after each filter change. > ⚠️ To be confirmed: a measured response-time target.	Task Reports

Global NFRs of the overall BRD / FRD apply.

10. Assumptions & Open Issues

Type	Description	Owner
Assumption	Managers may see organisation-wide report figures (same choice as the dashboards).	Jojo George
Assumption	A task's project for reporting is the set of projects its assignee is allocated to.	Jojo George
Assumption	The 50,000-row limit is fixed; only CSV is offered.	Jojo George
Assumption	The test suites in §11 are named from the project's test file list; individual test cases are not listed.	Jojo George
Open issue	> ⚠️ To be confirmed: whether reports must be limited to the records each user may access (original BRD FR6) instead of organisation-wide (R-RPT-01).	Jojo George
Open issue	> ⚠️ To be confirmed: whether to warn the user when an export is cut at 50,000 rows (R-RPT-02).	Jojo George
Open issue	> ⚠️ To be confirmed: the deadline-day bounds use the browser's time zone, not the application timezone of BR-17 (R-RPT-03).	Jojo George
Open issue	> ⚠️ To be confirmed: show a message when the Project or Employee list is empty because of a missing permission or a load failure (R-RPT-04).	Jojo George
Open issue	> ⚠️ To be confirmed: align the Employee list (Task List access) with the organisation-wide report scope for custom roles (R-RPT-05).	Jojo George
Open issue	> ⚠️ To be confirmed: use the task's own project instead of the assignee's allocations for the Project filter and column (R-RPT-06).	Jojo George
Open issue	> ⚠️ To be confirmed: the dashboards leave Cancelled tasks out of their totals and split open tasks into Pending and In progress, while Reports counts Cancelled in Total and all open tasks as Pending (BR-RPT-10).	Jojo George
Open issue	> ⚠️ To be confirmed: the server's validation message MSG-RPT-02 is not shown on the screen, which shows MSG-RPT-01 instead; normally the date picker prevents this case.	Jojo George

11. Requirements Traceability Matrix

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-RPT-01	FR-RPT-01	Task Reports	UC-RPT-01	AC-RPT-01 (manual UI check)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-RPT-02	FR-RPT-02	Task Reports	UC-RPT-01	AC-RPT-01 (manual UI check)
REQ-RPT-03	FR-RPT-03	Task Reports	UC-RPT-01	AC-RPT-01 · `ReportEndpointsTests`
REQ-RPT-04	FR-RPT-04	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportEndpointsTests`
REQ-RPT-05	FR-RPT-05	Task Reports	UC-RPT-01	AC-RPT-02 (manual UI check)
REQ-RPT-06	FR-RPT-07	Task Reports	UC-RPT-01	AC-RPT-02 (manual UI check)
REQ-RPT-07	FR-RPT-08, FR-RPT-12	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportServiceTests`
REQ-RPT-08	FR-RPT-09	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportServiceTests`
REQ-RPT-09	FR-RPT-10	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportServiceTests`
REQ-RPT-10	FR-RPT-11	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportServiceTests`
REQ-RPT-11	FR-RPT-13, FR-RPT-14	Task Reports	UC-RPT-01	AC-RPT-03 (manual UI check)
REQ-RPT-12	FR-RPT-15, FR-RPT-16	Task Reports	UC-RPT-02	AC-RPT-04 · `ReportServiceTests`
REQ-RPT-13	FR-RPT-17	Task Reports	UC-RPT-02	AC-RPT-04 (manual UI check)
REQ-RPT-14	FR-RPT-18	Task Reports	UC-RPT-02	AC-RPT-04 · `ReportEndpointsTests`
REQ-RPT-15	FR-RPT-19	Task Reports	UC-RPT-02	AC-RPT-05 · `ReportServiceTests`
REQ-RPT-16	FR-RPT-20	Task Reports	UC-RPT-01	AC-RPT-05 (manual UI check)
REQ-RPT-17	FR-RPT-21	Task Reports	UC-RPT-02	AC-RPT-05 · `ReportServiceTests`
REQ-RPT-18	FR-RPT-22	Task Reports	UC-RPT-01	AC-RPT-05 (manual UI check)
REQ-RPT-19	FR-RPT-23	Task Reports	UC-RPT-02	AC-RPT-05 · `ReportEndpointsTests`
REQ-RPT-20	FR-RPT-24	Task Reports	UC-RPT-02	AC-RPT-05 · `ReportEndpointsTests`
REQ-RPT-21	FR-RPT-25, FR-RPT-14	Task Reports	UC-RPT-02	AC-RPT-05 · `ReportServiceTests`
REQ-RPT-22	FR-RPT-26	Task Reports	UC-RPT-02	AC-RPT-05 (manual UI check)

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-RPT-23	FR-RPT-27	Task Reports	UC-RPT-03	AC-RPT-06 (manual UI check)
REQ-RPT-24	FR-RPT-28	Task Reports	UC-RPT-01, UC-RPT-04	AC-RPT-07 · `ReportServiceTests`
REQ-RPT-25	FR-RPT-29	Task Reports	UC-RPT-01, UC-RPT-04	AC-RPT-07 · `ReportServiceTests`
REQ-RPT-26	FR-RPT-30	Task Reports	UC-RPT-01	AC-RPT-08 · `ReportEndpointsTests`
REQ-RPT-27	FR-RPT-06	Task Reports	UC-RPT-01	AC-RPT-09 (manual UI check)
REQ-RPT-28	FR-RPT-31	Task Reports	UC-RPT-04	AC-RPT-10 (manual UI check)
REQ-RPT-29	FR-RPT-32	Task Reports	UC-RPT-04	AC-RPT-10 · `ReportEndpointsTests`
REQ-RPT-30	FR-RPT-33	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportServiceTests`
REQ-RPT-31	FR-RPT-34	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportServiceTests`
REQ-RPT-32	FR-RPT-35	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportEndpointsTests`
REQ-RPT-33	FR-RPT-36	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportCsvTests`
REQ-RPT-34	FR-RPT-37	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportCsvTests`
REQ-RPT-35	FR-RPT-38	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportCsvTests`
REQ-RPT-36	FR-RPT-39	Task Reports	UC-RPT-04	AC-RPT-12 · `ReportCsvTests`
REQ-RPT-37	FR-RPT-40	Task Reports	UC-RPT-04	AC-RPT-13 (manual UI check)
REQ-RPT-38	FR-RPT-41	Task Reports	UC-RPT-04	AC-RPT-13 (manual UI check)
REQ-RPT-39	FR-RPT-42	Task Reports	UC-RPT-01, UC-RPT-04	AC-RPT-13 (manual check – no data change)
BR-RPT-01	FR-RPT-01, FR-RPT-03, FR-RPT-31, FR-RPT-32	Task Reports	UC-RPT-01, UC-RPT-04	AC-RPT-01, AC-RPT-10 · `ReportEndpointsTests`
BR-RPT-02	FR-RPT-08 – FR-RPT-12	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportServiceTests`
BR-RPT-03	FR-RPT-13	Task Reports	UC-RPT-01	AC-RPT-03 (manual UI check)
BR-RPT-04	FR-RPT-15, FR-RPT-16	Task Reports	UC-RPT-02	AC-RPT-04 · `ReportServiceTests`

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
BR-RPT-05	FR-RPT-21, FR-RPT-37	Task Reports	UC-RPT-02, UC-RPT-04	AC-RPT-05, AC-RPT-11 · `ReportServiceTests`
BR-RPT-06	FR-RPT-28, FR-RPT-29	Task Reports	UC-RPT-01	AC-RPT-07 · `ReportServiceTests`
BR-RPT-07	FR-RPT-30	Task Reports	UC-RPT-01	AC-RPT-08 · `ReportEndpointsTests`
BR-RPT-08	FR-RPT-33, FR-RPT-34	Task Reports	UC-RPT-04	AC-RPT-11 · `ReportServiceTests`
BR-RPT-09	FR-RPT-39	Task Reports	UC-RPT-04	AC-RPT-12 · `ReportCsvTests`
BR-RPT-10	FR-RPT-11	Task Reports	UC-RPT-01	AC-RPT-02 · `ReportServiceTests`

Untraced BRD items: 0 (REQ-RPT-01 – REQ-RPT-39 and BR-RPT-01 – BR-RPT-10 all map to at least one FR).

12. Approvals

Role	Name	Decision	Date
Product owner	Jojo George	Pending	–
Reviewer	Jojo George	Pending	–

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.