Functional Requirements Document – Reminder Settings

TaskFlow – Intelligent Task Allocation & Tracking System

> **Document:** Functional Requirements Document · **Version:** 1.0 · **Status:** Draft
> **Project type:** Personal Project (Skill Development) · **Date:** 31-Oct-2026
> **Author:** Jojo George (jojogeorge3344@gmail.com)
> **Based on:** BRD-Reminder-Settings.md v1.0
> **Module:** Settings · **Sub-module:** 06.1 Reminder Settings · **Code:** REM
> © 2026 Jojo George. All rights reserved.

Document Control

Revision History

Version	Date	Author	Summary of changes
1.0	31-Oct-2026	Jojo George	Initial version

Related Documents

Document	Purpose	Location
BRD – Reminder Settings	Business needs this FRD details (REQ-REM-nn, BR-REM-nn, AC-REM-nn)	`../../../BRD/06-Settings/06.1-Reminder-Settings/BRD-Reminder-Settings.md`
Overall FRD	Roles, global rules, Authentication, cross-cutting behaviour	`../../00-Overall/FRD-TaskFlow-Overall.md`
FRD – Notification	Reminder engine that reads this configuration	`../../04-Communication/04.2-Notification/FRD-Notification.md`
FRD – Application Settings	Application timezone and in-app notifications switch	`../06.2-Application-Settings/FRD-Application-Settings.md`
FRD – Task Management	Create Task, which starts with the default reminder days	`../../02-TaskFlow-Monitoring/02.1-Task-Management/FRD-Task-Management.md`
Development Plan	Screen-wise build plan (Screen 13)	`TF - Documents/Screens Wise Feature Development Plan/13-deadline-reminder-settings-screen.md`
HLD / LLD	Technical design	`../../../HLD/06-Settings/06.1-Reminder-Settings/HLD-Reminder-Settings.md`, `../../../LLD/06-Settings/06.1-Reminder-Settings/LLD-Reminder-Settings.md`

1. Introduction

1.1 Purpose

This FRD specifies the detailed, testable behaviour of the Reminder Settings screen: what it shows, which values can be changed, how they are validated and saved, who may use it, and how the saved values are used by the reminder engine and by Create Task.

1.2 Scope

In scope: viewing and changing the organization-wide reminder configuration – the reminders on/off switch, the deadline-day reminder switch, the default first and second reminder and overdue frequency for new tasks, Mail delivery of reminder copies, and the read-only application timezone.

Out of scope (BRD §3.2): generating, scheduling and de-duplicating reminders (Notification FRD); changing the timezone or the in-app notifications switch (Application Settings FRD); per-task reminder days (Task Management FRD); outbound SMTP email (superseded by internal Mail); a one-click reset to defaults.

1.3 Audience

Developer, tester, reviewer and product owner of TaskFlow.

1.4 Conventions

- Requirement IDs: `FR-REM-nn`. Use cases: `UC-REM-nn`. Business rules: `BR-REM-nn` (sub-module BRD) and `BR-nn` (overall BRD).
- Priority: **Must / Should / Could** (MoSCoW).
- "The system shall ..." = mandatory behaviour; "should" = recommended.
- "BRD trace" refers to `REQ-REM-nn` in the Reminder Settings BRD.

1.5 Definitions & Abbreviations

Term	Meaning
First reminder	Reminder sent a number of days before the deadline (default 2)
Second reminder	Later reminder, 1 day before or on the deadline day (default 1 day before)
Deadline-day reminder	"Due today" reminder on the deadline day while the task is open
Overdue frequency	How often reminders repeat after the deadline: Every day or Every week
Bell notification	In-app notification shown in the Notification Center
TaskFlow Mail	Internal mailbox inside TaskFlow; reminder copies arrive from "TaskFlow"
Reminder run	One pass of the reminder engine (every 60 seconds by default)
Recipient	Assignee, task creator or additional recipient of a task


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

2. System Overview

2.1 Module Map

Code	Module	Child modules	Primary roles
REM	Settings → Reminder Settings	Reminder Settings (one screen)	Administrator, Manager, Custom role with `settings.reminders.manage`
NOTIF	Communication → Notification (related)	Reminder engine, Notification Center	System; all users as recipients
APP	Settings → Application Settings (related)	Application timezone, in-app switch	Administrator
TASK	Monitoring → Task Management (related)	Create Task	Manager, Administrator

2.2 Context Diagram



3. User Roles & Permissions

3.1 Roles

Role	Description	Data scope
Administrator	Manages the whole system; views and changes reminder settings	Organization
Manager	Assigns and monitors tasks; views and changes reminder settings (granted by default)	Organization
Employee	Works on assigned tasks; only receives reminders, no access to the screen by default	–

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Role	Description	Data scope
Custom role	Role defined on Role Configuration; full screen when `settings.reminders.manage` is granted	Organization

3.2 Permission Matrix (functional view)

Module › Function	Permission key	Administrator	Manager	Employee	Custom role
Settings › Reminder Settings › View and change reminder settings	`settings.reminders.manage`	Granted	Granted	Denied	Configurable

> Manager and Employee values are the defaults given when the permission is first created. The Administrator role is given every permission again each time the application starts. All functions of the screen are controlled by this one key.

---

4. Functional Requirements by Module

4.1 Module: Reminder Settings (REM)

Purpose: Let authorized users configure the automatic deadline reminders for the whole organization. · **BRD reference:** BRD-Reminder-Settings SCREEN 1, BR-REM-01…BR-REM-07 (original BRD Screen 13 "Deadline Reminder Settings")

4.1.1 Screen: Reminder Settings

Field	Value
Route / location	`/settings/reminders` (menu **Settings → Reminder Settings**)
Access	Administrator, Manager; Custom role with `settings.reminders.manage`
Entry points	Sidebar menu item **Reminder Settings**; link in the **Reminder defaults** group of Application Settings

Screen elements

Element	Type	Description	Mandatory	Visible to
Reminder settings	Page title	With the line "Control the automatic deadline reminders sent to assignees, task creators and selected recipients."	–	Holders of `settings.reminders.manage`
Send deadline reminders	Switch	Organization-wide on/off. Hint: "When off, no reminders are generated for any task."	Yes	Same
Remind on the deadline day	Switch	"Due today" reminder on/off. Hint: "Sends a "due today" reminder while the task is still open."	Yes	Same

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Element	Type	Description	Mandatory	Visible to
Defaults for new tasks	Group hint	"Create Task starts with these values. Existing tasks keep the intervals they were created with."	–	Same
First reminder	Drop-down	3, 2 or 1 days before the deadline	Yes	Same
Second reminder	Drop-down	1 day before the deadline, or on the deadline day	Yes	Same
After the deadline	Drop-down	Every day or Every week	Yes	Same
Also deliver reminders to Mail	Switch	Hint: "Each reminder also arrives in the recipient's Mail inbox from "TaskFlow". Bell notifications are always sent."	Yes	Same
Application timezone	Read-only text	Hint: "Decides which calendar day a reminder belongs to. Changed in Application Settings."	–	Same
Save settings	Button	Saves all six values	–	Same
Saved	Tick	Shown after a successful save	–	Same
Loading placeholder	Placeholder	Shown while the settings load	–	Same
Error card with **Retry**	Card + button	Shown when the settings cannot be loaded	–	Same

Functional requirements

ID	Requirement	Priority	Permission	BRD trace
FR-REM-01	The system shall load and display the current values of all six reminder settings and the application timezone when the screen opens.	Must	`settings.reminders.manage`	REQ-REM-01
FR-REM-02	The system shall show a loading placeholder while loading and, if loading fails, the error card "Could not load the reminder settings." with a **Retry** button that loads again.	Should	`settings.reminders.manage`	REQ-REM-01
FR-REM-03	The system shall let the user switch **Send deadline reminders** on or off; the value applies to the whole organization.	Must	`settings.reminders.manage`	REQ-REM-02, BR-REM-01
FR-REM-04	The system shall generate no deadline reminder of any kind, for any task, on any reminder run while **Send deadline reminders** is off.	Must	– (system)	REQ-REM-03
FR-REM-05	The system shall let the user switch **Remind on the deadline day** on or off; while it is off, the reminder engine shall skip only the "due today" reminder and still create the first, second and overdue reminders.	Must	`settings.reminders.manage`	REQ-REM-04
FR-REM-06	The system shall offer **First reminder** as 3, 2 or 1 days before the deadline.	Must	`settings.reminders.manage`	REQ-REM-05, BR-REM-03

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-REM-07	The system shall offer **Second reminder** as "1 day before the deadline" (1) or "on the deadline day" (0).	Must	`settings.reminders.manage`	REQ-REM-06, BR-REM-03
FR-REM-08	The system shall offer **After the deadline** as Every day or Every week.	Must	`settings.reminders.manage`	REQ-REM-07
FR-REM-09	The system shall let the user switch **Also deliver reminders to Mail** on or off; while it is on, each reminder shall also be placed in each recipient's TaskFlow Mail inbox, sent by "TaskFlow".	Should	`settings.reminders.manage`	REQ-REM-08
FR-REM-10	The system shall always create the bell notification for each reminder recipient when a reminder is generated, whether Mail delivery is on or off.	Must	– (system)	REQ-REM-09, BR-REM-06
FR-REM-11	The system shall display the application timezone read-only with its hint, and shall never change the timezone from this screen.	Should	`settings.reminders.manage`	REQ-REM-10, BR-REM-07
FR-REM-12	The system shall show "The first reminder must come earlier than the second reminder." under **Second reminder**, and shall not save, when the first reminder is not more days before the deadline than the second.	Must	`settings.reminders.manage`	REQ-REM-11, BR-REM-02
FR-REM-13	The system shall check every value again when a save is received, independently of the screen: first reminder 1–30 days, second reminder 0–30 days, first greater than second, overdue frequency Every day or Every week.	Must	`settings.reminders.manage`	REQ-REM-12, BR-REM-02, BR-REM-03
FR-REM-14	The system shall refuse a save in which any of the six values (two switches, first, second, overdue frequency, Mail delivery) is missing, without filling it with a default.	Must	`settings.reminders.manage`	REQ-REM-13
FR-REM-15	The system shall use reminders on, deadline-day reminder on, first 2 days, second 1 day, overdue Every day and Mail delivery on for any value that has never been saved, and shall create missing values with these defaults at start-up without overwriting saved values.	Must	– (system)	REQ-REM-14, BR-REM-04
FR-REM-16	The system shall pre-select the saved default first reminder, second reminder and overdue frequency on the Create Task form.	Must	– (Create Task)	REQ-REM-15, BR-REM-05
FR-REM-17	The system shall leave the reminder days and overdue frequency of existing tasks unchanged when the defaults are changed.	Must	– (system)	REQ-REM-16, BR-REM-05
FR-REM-18	The system shall apply the saved switches and Mail choice from the next reminder run, without a restart.	Must	– (system)	REQ-REM-17
FR-REM-19	The system shall record the user who last saved the reminder settings and the date and time of the save.	Should	`settings.reminders.manage`	REQ-REM-18


© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

ID	Requirement	Priority	Permission	BRD trace
FR-REM-20	The system shall confirm a successful save with the toast "Reminder settings saved" and the **Saved** tick, and show "Could not save the reminder settings." when the save fails.	Should	`settings.reminders.manage`	REQ-REM-19
FR-REM-21	The system shall hide the **Reminder Settings** menu item from users without `settings.reminders.manage` and return such users to their dashboard when they open `/settings/reminders`.	Must	`settings.reminders.manage`	REQ-REM-20
FR-REM-22	The system shall refuse every read and every save of reminder settings requested by a user without `settings.reminders.manage`, whatever the screen shows.	Must	`settings.reminders.manage`	REQ-REM-21
FR-REM-23	The system shall still display a saved first or second reminder value that is not one of the screen's fixed choices (for example 5 days), as an extra entry in the list.	Could	`settings.reminders.manage`	REQ-REM-22

Use case: UC-REM-01 – Change and save reminder settings

Item	Detail
Actor	Administrator, Manager or Custom role user
Preconditions	Signed in; holds `settings.reminders.manage`
Trigger	Opens **Settings → Reminder Settings**
Main flow	1. System loads and shows the current six values and the application timezone (FR-REM-01). 2. User changes switches and/or the first reminder, second reminder and **After the deadline**. 3. System checks that the first reminder is earlier than the second (FR-REM-12). 4. User clicks **Save settings**. 5. System checks all values again (FR-REM-13, FR-REM-14). 6. System saves, records editor and time (FR-REM-19) and shows "Reminder settings saved" with the **Saved** tick (FR-REM-20). 7. The next reminder run uses the new switches; new tasks start with the new defaults (FR-REM-16, FR-REM-18).
Alternate flows	A1: Loading fails → error card "Could not load the reminder settings." → user clicks **Retry** → step 1. A2: User only views the values and leaves without saving → nothing changes.
Exceptions	E1: First reminder not earlier than second → "The first reminder must come earlier than the second reminder." under **Second reminder**; save refused. E2: Value missing or out of range in the request → save refused. E3: Save fails → "Could not save the reminder settings."; values remain as before.
Postconditions	Six values saved organization-wide; last editor and time recorded; existing tasks unchanged (FR-REM-17).

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com



Use case: UC-REM-02 – Stop all reminders for a period

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Item	Detail
Actor	Administrator or Manager
Preconditions	Signed in; holds `settings.reminders.manage`; **Send deadline reminders** is on
Trigger	The organization wants no reminders, for example during a holiday period
Main flow	1. User switches **Send deadline reminders** off. 2. User clicks **Save settings**. 3. System saves (UC-REM-01 steps 5–6). 4. From the next reminder run, no reminder is generated for any task (FR-REM-04). 5. Later the user switches it on again and saves; reminders resume from the next run (FR-REM-18).
Alternate flows	A1: Only the "due today" reminder is unwanted → user switches **Remind on the deadline day** off instead; other reminders continue (FR-REM-05).
Exceptions	E1: Save refused or failed → as UC-REM-01 E2/E3; reminders continue with the old values.
Postconditions	Reminder generation stopped (or resumed) organization-wide; task reminder days unchanged.

Use case: UC-REM-03 – Choose Mail delivery of reminders

Item	Detail
Actor	Administrator or Manager; System (reminder engine)
Preconditions	Signed in; holds `settings.reminders.manage`
Trigger	User wants reminders also (or no longer) to arrive in TaskFlow Mail
Main flow	1. User switches **Also deliver reminders to Mail** on. 2. User saves. 3. When a reminder is next due, the system creates the bell notification for each recipient (FR-REM-10) and a Mail copy from "TaskFlow" in each recipient's inbox (FR-REM-09).
Alternate flows	A1: Switch off → only the bell notification is created.
Exceptions	E1: In-app notifications are switched off on Application Settings → no new bell notification is created (Application Settings FRD); the Mail copy still follows this switch.
Postconditions	Delivery choice saved and used from the next reminder run.

Field validations

Field	Rule	Error message
First reminder	Required; whole number 1–30 days before the deadline; screen offers 3, 2, 1	Save refused (out-of-range values are refused by the server check)
Second reminder	Required; whole number 0–30 (0 = on the deadline day); screen offers 1, 0	Save refused
First vs second	First must be greater than second (more days before the deadline)	"The first reminder must come earlier than the second reminder." (under **Second reminder**)
After the deadline	Required; Every day or Every week	Save refused

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Field	Rule	Error message
Send deadline reminders, Remind on the deadline day, Also deliver reminders to Mail	Required; on or off	Save refused when missing
Application timezone	Not editable on this screen	–

> ⚠️ To be confirmed: the exact wording returned for a missing or out-of-range value (the server uses standard validation wording); the screen shows these next to the matching field.

Business rules applied: BR-REM-01, BR-REM-02, BR-REM-03, BR-REM-04, BR-REM-05, BR-REM-06, BR-REM-07; global rules of the overall BRD: reminder settings are configurable, completed and cancelled tasks receive no further reminders, duplicate reminders are prevented, one application timezone is used for deadline comparisons (applied by the reminder engine, Notification FRD).

Notifications / side effects

Event	Who is notified	Channel
Reminder settings saved	The saving user	Toast "Reminder settings saved"
Reminder due (engine, using these settings)	Assignee, task creator, additional recipients	Bell notification always; Mail copy from "TaskFlow" when Mail delivery is on
Defaults changed	– (new tasks only)	Create Task pre-selection

Messages

Situation	Message
Success	"Reminder settings saved" (toast) and **Saved** tick
First reminder not earlier than second	"The first reminder must come earlier than the second reminder."
Load failed	"Could not load the reminder settings." with **Retry**
Save failed	"Could not save the reminder settings."
No permission	Menu item hidden; opening `/settings/reminders` returns the user to their dashboard; a direct request is refused

---


5. Cross-Module Workflows

5.1 From saved settings to delivered reminders

Step	Module	Actor / System	Action	FR reference
1	REM	Manager	Saves first 3 days, second 1 day, Every week, Mail delivery on	FR-REM-06…FR-REM-09, FR-REM-13
2	TASK	Manager	Creates a task; Create Task starts with 3 / 1 / Every week	FR-REM-16

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Step	Module	Actor / System	Action	FR reference
3	NOTIF	System	On each reminder run, checks **Send deadline reminders** and **Remind on the deadline day**	FR-REM-04, FR-REM-05, FR-REM-18
4	NOTIF	System	Creates the bell notification for each recipient	FR-REM-10
5	MAIL	System	Places a copy from "TaskFlow" in each recipient's Mail inbox	FR-REM-09



Example: Manager Anita saves 3 days / 1 day / Every week on 1 October. On 2 October she creates "Prepare Monthly Report" for Rahul, due 15 October 5:00 PM (Asia/Kolkata). Rahul, Anita and the additional recipient Priya receive reminders on 12 and 14 October, a "due today" reminder on 15 October, then one overdue reminder a week. A task created on 30 September keeps 2 days / 1 day / Every day.

5.2 Timezone ownership

Step	Module	Actor / System	Action	FR reference
1	APP	Administrator	Changes the application timezone on Application Settings	Application Settings FRD
2	REM	Authorized user	Sees the new timezone read-only on Reminder Settings	FR-REM-11
3	NOTIF	System	Uses that timezone to decide the reminder calendar day	Notification FRD

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

6. Reports & Exports

Not applicable for this sub-module.

7. Notifications & Messages Catalogue

Code	Trigger	Recipients	Channel	Text
N-REM-01	Successful save	Saving user	Toast	"Reminder settings saved"
N-REM-02	Ordering rule broken	Saving user	Inline under **Second reminder**	"The first reminder must come earlier than the second reminder."
N-REM-03	Load failed	Current user	Error card	"Could not load the reminder settings."
N-REM-04	Save failed	Saving user	Toast / inline	"Could not save the reminder settings."
N-REM-05	Reminder due (generated by the reminder engine using these settings)	Assignee, task creator, additional recipients	Bell; Mail copy from "TaskFlow" when Mail delivery is on	Reminder texts are specified in the Notification FRD

8. Data Requirements (functional view)

Data item	Description	Created by	Rules
Send deadline reminders	Organization-wide on/off	System at start-up (default on); changed by user	One value; missing value treated as on
Remind on the deadline day	"Due today" reminder on/off	System at start-up (default on); changed by user	One value
Default first reminder	Days before the deadline for new tasks	System at start-up (default 2)	1–30; greater than the second reminder
Default second reminder	Days before the deadline for new tasks	System at start-up (default 1)	0–30; 0 = deadline day
Default overdue frequency	Repeat after the deadline for new tasks	System at start-up (default Every day)	Every day or Every week
Mail delivery	Copy reminders into TaskFlow Mail	System at start-up (default on)	One value
Last changed by / at	Editor and time of the last save	System on save	Kept per value; no history of earlier values
Application timezone	Shown read-only	Application Settings	Never written here

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Data item	Description	Created by	Rules
Task reminder days	Values actually used for a task	Create Task (copied from the defaults)	Not changed when the defaults change

9. Non-Functional Requirements (functional impact)

ID	Requirement	Affects
NFR-REM-01	The screen loads and saves without noticeable delay (global performance NFR)	Reminder Settings
NFR-REM-02	Access is checked on every request, not only by hiding the menu	FR-REM-21, FR-REM-22
NFR-REM-03	Every switch and list has a plain hint; errors appear next to the field	Screen elements, FR-REM-12
NFR-REM-04	Saved settings take effect without restart (next reminder run, every 60 seconds by default) and survive restarts	FR-REM-18
NFR-REM-05	Missing settings never stop reminders; defaults are used and created at start-up without overwriting saved ones	FR-REM-15
NFR-REM-06	Configuration is kept apart from the reminder engine; the screen never generates reminders	FR-REM-04, FR-REM-10
NFR-REM-07	Works in current desktop browsers with a responsive layout	Reminder Settings
NFR-REM-08	Switches and lists are usable by keyboard and labelled	Screen elements

10. Assumptions & Open Issues

Type	Description	Owner
Assumption	One organization per installation, so one set of reminder settings.	Jojo George
Assumption	Managers keep `settings.reminders.manage` as granted by default; an organization may change this on Role Configuration.	Jojo George
Assumption	The screen offers only fixed choices (3/2/1, 1/0, Every day/Every week); wider values (up to 30) can only arrive outside the screen and are still displayed (FR-REM-23).	Jojo George
Open issue	⚠️ To be confirmed: exact wording of the server messages for a missing or out-of-range value (standard validation wording is used).	Jojo George
Open issue	⚠️ To be confirmed: whether any outbound SMTP email channel should be tied to **Also deliver reminders to Mail** (original Screen 13 "Email notification setting"); currently it controls internal Mail only.	Jojo George
Open issue	No history of earlier values is kept; only the last editor and time (BRD R-REM-04).	Jojo George

Change from original BRD

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

Original BRD item	Current requirement
Screen 13 "Email notification setting"	**Also deliver reminders to Mail** copies each reminder into the internal TaskFlow Mail inbox (FR-REM-09); SMTP (Screen 14) superseded.
Screen 13 FR-5, FR-6, FR-8	Reminder engine behaviour, specified in the Notification FRD.
Screen 13 FR-7 (consistent timezone)	Timezone shown read-only (FR-REM-11); changed on Application Settings.
Not in original BRD	Overdue frequency Every week; separate deadline-day switch (FR-REM-05, FR-REM-08).

11. Requirements Traceability Matrix

BRD item	FRD requirement(s)	Screen	Use case	Test case
REQ-REM-01	FR-REM-01, FR-REM-02	Reminder Settings	UC-REM-01	AC-REM-01
REQ-REM-02	FR-REM-03	Reminder Settings	UC-REM-02	AC-REM-02
REQ-REM-03	FR-REM-04	Reminder Settings (engine)	UC-REM-02	AC-REM-02
REQ-REM-04	FR-REM-05	Reminder Settings	UC-REM-02	AC-REM-03
REQ-REM-05	FR-REM-06	Reminder Settings	UC-REM-01	AC-REM-04
REQ-REM-06	FR-REM-07	Reminder Settings	UC-REM-01	AC-REM-04
REQ-REM-07	FR-REM-08	Reminder Settings	UC-REM-01	AC-REM-04
REQ-REM-08	FR-REM-09	Reminder Settings	UC-REM-03	AC-REM-05
REQ-REM-09	FR-REM-10	Reminder Settings (engine)	UC-REM-03	AC-REM-05
REQ-REM-10	FR-REM-11	Reminder Settings	UC-REM-01	AC-REM-01
REQ-REM-11	FR-REM-12	Reminder Settings	UC-REM-01	AC-REM-06
REQ-REM-12	FR-REM-13	Reminder Settings	UC-REM-01	AC-REM-06
REQ-REM-13	FR-REM-14	Reminder Settings	UC-REM-01	AC-REM-07
REQ-REM-14	FR-REM-15	Reminder Settings	UC-REM-01	AC-REM-08
REQ-REM-15	FR-REM-16	Create Task	UC-REM-01	AC-REM-04
REQ-REM-16	FR-REM-17	Create Task	UC-REM-01	AC-REM-04
REQ-REM-17	FR-REM-18	Reminder Settings (engine)	UC-REM-02	AC-REM-09
REQ-REM-18	FR-REM-19	Reminder Settings	UC-REM-01	AC-REM-10
REQ-REM-19	FR-REM-20	Reminder Settings	UC-REM-01	AC-REM-10
REQ-REM-20	FR-REM-21	Reminder Settings	–	AC-REM-11
REQ-REM-21	FR-REM-22	Reminder Settings	–	AC-REM-11
REQ-REM-22	FR-REM-23	Reminder Settings	UC-REM-01	AC-REM-12
BR-REM-01	FR-REM-03	Reminder Settings	UC-REM-02	AC-REM-02
BR-REM-02	FR-REM-12, FR-REM-13	Reminder Settings	UC-REM-01	AC-REM-06
BR-REM-03	FR-REM-06, FR-REM-07, FR-REM-13	Reminder Settings	UC-REM-01	AC-REM-06

© 2026 Jojo George. All rights reserved. · jojogeorge3344@gmail.com

BRD item	FRD requirement(s)	Screen	Use case	Test case
BR-REM-04	FR-REM-15	Reminder Settings	UC-REM-01	AC-REM-08
BR-REM-05	FR-REM-16, FR-REM-17	Create Task	UC-REM-01	AC-REM-04
BR-REM-06	FR-REM-10	Reminder Settings (engine)	UC-REM-03	AC-REM-05
BR-REM-07	FR-REM-11	Reminder Settings	UC-REM-01	AC-REM-01

Untraced BRD items: **0**.

12. Approvals

Role	Name	Decision	Date
Product owner	Jojo George	Pending	–
Reviewer	Jojo George	Pending	–

© 2026 Jojo George. All rights reserved. Unauthorized copying or distribution of this document is prohibited.