

Audio Aura: Wrapped

Decoding Listener Behaviour and Chart-Topping Trends

Uncovering what 80 tracks reveal about genre, mood, trends and popularity on the world's leading music streaming platform



Student Name	Joanna
Roll Number	1250258235
Course	BCA — Data Science & Artificial Intelligence (Second Year) BCADS23
Subject	Descriptive Analytics
Faculty	Ms Monika Rao
University	Babu Banarasi Das University
Submission Date	August 10, 2026

Dataset: 30,000 Spotify Songs (Kaggle) · Analysed with Python, Pandas, Matplotlib & Seaborn

Table of Contents

Table of Contents	1
Note on data:	2
Objectives of the Study	3
1. Some key metrics.....	3
2. Insights into the data & Relevant Visualisations	4
Figure 1: Top 8 Popular Artists in Sample Dataset.....	5
Figure 2: Genre Distribution (% Share)	5
Figure 3: What Makes Each Genre Unique? (Audio Traits Comparison)	6
Figure 4: Danceability and Energy of Lowest 10 Tracks.....	8
Figure 5: Top Artists by Total Playtime (Minutes).....	9
Figure 6: Mood vs. Energy Quadrants & Audio Production Matrix	10
Figure 7: Average Song Popularity and Duration Over Release Years	10
Figure 8: Correlation Matrix of Key Audio Features and Popularity	11
3. Statistical Methods	12
3.1 Data Aggregation: Genre Totals	13
3.2 Measures of Central Tendency	13
3.3 Measures of Spread	13
3.4 Frequency Distribution.....	14
4. Key Takeaways.....	15
5. Suggestions for Optimization.....	15
For Playlist Curators.....	15
For Artists and Labels	15
6. Moving from Descriptive to Predictive Analysis.....	16
7. References	16
Appendix.....	17
A. Raw Dataset Sample (before cleaning)	17
B. Cleaned Dataset Sample (after cleaning)	17
C. Dataset & Methodology	17
D. Glossary of Audio Features.....	18

Note on data:

This **Spotify** tracks report applies descriptive analytics to a real-world music dataset to understand how genre, audio characteristics, artist identity and release timing relate to a track's popularity on the app. The underlying data comes from the public "30,000 Spotify Songs" dataset on Kaggle, which contains 32,833 tracks across 23 different fields. For depth rather than breadth, a random sample of 80 tracks was drawn from this dataset, cleaned down to twelve analytically relevant columns, and examined using Python (Pandas, Matplotlib and Seaborn).

The analysis shows a cleaned sample that leans heavily towards rap, pop and r&b, which together account for 61% of the dataset. The report closes with a set of descriptive insights for artists and playlist curators based on the patterns observed in the data.


Objectives of the Study

This report is built around six analytical questions:

1. Which music genres dominate the sampled Spotify dataset, and how evenly is listening content spread across them?
2. Which artists and tracks achieve the highest popularity scores in the sample, and what distinguishes the top performers from the rest?
3. How have song duration and average popularity changed across release years, from the 1970s to 2020?
4. What relationship exists between a track's popularity and its core audio characteristics: danceability, energy, valence and acousticness?
5. How do audio traits differ across genres, and what makes each genre musically distinct from the others?
6. Which audio features are most strongly correlated with one another, and what does this reveal about how modern tracks are produced?

1. Some key metrics

Music is more than sound; it's data, emotion, culture, and mathematics woven together. Streaming has become the primary way most people listen to music. A single platform like Spotify now hosts more than 100 million tracks and is used by roughly 751 million people every month, of whom close to 293 million pay for a Premium subscription (Spotify Technology S.A., 2026). Every time a listener plays, skips, saves or shares a song, that action becomes a data point and collectively, these data points describe the shape of modern listening habits far more precisely than opinion or intuition ever could.



*Not based on the dataset. Just an overview of active listeners. Sourced from Blogger's Passion.

2. Insights into the data & Relevant Visualisations

This section walks through every chart generated for this project. Each one is presented with its purpose, the main pattern it reveals, and a short business-style insight; kept concise deliberately, so the numbers and the visuals stay the focus rather than lengthy commentary.

Figure 1: Top 8 Popular Artists in Sample Dataset





Figure 1. Top 8 Popular Artists in Sample Dataset

This horizontal bar chart ranks the eight artists with the highest average track_popularity in the sample. It was chosen because a simple ranked bar chart is the clearest way to compare a small number of named categories side by side. Camila Cabello leads with an average popularity of 87, followed closely by The Chainsmokers at 85: both well ahead of the rest of the group, which clusters tightly between 73 and 79.

Business insight


The gap between the top two artists and the rest (87–85 vs 73–79) suggests that in this sample, popularity is concentrated in a small number of already well-known, mainstream names rather than spread evenly; a pattern worth remembering when interpreting any genre-level average, since one or two big names can pull a whole genre's number upward.

Figure 2: Genre Distribution (% Share)**Figure 2. Genre Distribution (% Share)**

This donut chart shows what share of the 80-track sample belongs to each of the six playlist genres. A donut chart works well here because it turns a simple frequency count into an easy-to-read proportion of the whole. Rap is the largest slice at 26%, followed by pop (19%) and r&b (16%), while rock is the smallest at 10%.

Business insight


Rap, pop and r&b together make up 61% of the sample; a reminder that the sampling process reflects whatever the source playlists were weighted towards. Any conclusions drawn from this report should be read with that imbalance in mind, especially for the under-represented rock category.

Figure 3: What Makes Each Genre Unique? (Audio Traits Comparison)**Figure 3. What Makes Each Genre Unique? (Audio Traits Comparison)**

This grouped bar chart compares the average danceability, energy, valence and acousticness of each genre side by side, making it easy to see which trait separates one genre from another. EDM immediately stands out with the lowest acousticness (0.04) and highest energy (0.80) of any genre, while rap posts the highest average danceability (0.72).

Business insight


Acousticness is the feature that most clearly separates EDM (0.04) from everything else, while valence barely varies across genres (0.38–0.59), meaning "mood" is not a strong genre signal in this sample, but production style (acoustic vs. electronic) is. A playlist curator building an "energetic workout" list, for instance, would be better served filtering on energy and acousticness than on genre label alone.

Figure 4: Danceability and Energy of Lowest 10 Tracks**Figure 4. Danceability and Energy of Lowest 10 Tracks**

This line chart tracks danceability and energy across the ten lowest-popularity tracks in the sample, to check whether low popularity is explained by "low-energy" or "low-danceability" music. It shows no consistent pattern: tracks like "Ella Me Levanto" and "The Spook Returns" both score above 0.75 on danceability and above 0.90 on energy despite having zero measured popularity, while "It's So Hard to Say Goodbye to Yesterday" scores low on both.

Business insight

The lack of a consistent shape in this chart is itself the finding it visually confirms the correlation result in Figure 8, that danceability and energy barely relate to popularity ($r = 0.15$ and $r \approx 0.00$). Low popularity in this sample looks driven by factors outside the audio signal itself, most plausibly artist recognition, playlist placement and marketing reach.

Figure 5: Top Artists by Total Playtime (Minutes)**Figure 5. Top Artists by Total Playtime (Minutes)**

This chart aggregates total duration_min per artist (summing across every track by that artist in the sample) to see who contributes the most total listening minutes rather than just the most popular single track. The Internet leads by a wide margin at 11.8 total minutes, roughly 4 minutes ahead of the second-placed Daddy Yankee (7.5 minutes).

Business insight

The Internet's lead comes from having multiple, comparatively long tracks in the sample rather than one standout hit; a useful distinction for a platform team, since "most total listening time contributed" and "most popular" (Figure 1) are measuring two different things and do not name the same artists.

Figure 6: Mood vs. Energy Quadrants & Audio Production Matrix





Figure 6. Mood vs. Energy Quadrants & Audio Production Matrix

The left panel plots valence (mood) against energy for every track, split into four labelled quadrants, with point size showing popularity and colour showing genre. The right panel plots tempo against loudness in the same way. Most tracks in the sample cluster in the "Party/Upbeat" and "Chill/Happy" quadrants (valence above 0.5), while very few fall into "Sad/Acoustic" and on the right, most fast-tempo tracks also sit at higher loudness levels, clustering in the "Fast Tempo/Peak Loudness" region.

Business insight


The near-absence of low-valence, low-energy "sad and acoustic" tracks in this sample suggests the underlying playlists it was drawn from lean towards upbeat, radio-friendly programming rather than mood-focused or acoustic playlists; a useful tip for anyone trying to generalise this sample to "all music on Spotify."

Figure 7: Average Song Popularity and Duration Over Release Years**Figure 7. Average Song Popularity and Duration Over Release Years**

This dual-panel line chart tracks average track_popularity and average duration_min for every release year present in the sample. Duration falls steadily from 6.3 minutes in 1978 to a low of 2.8 minutes in 1991, then oscillates in a narrower 3.3–5.1 minute band from the 2000s onward. Popularity is volatile before 2010 (including two years, 1991 and 2013, where the single available track scored 0) and settles into a more consistent 40–55 range from 2014 onward.

Business insight

The sharp dips to zero in 1991 and 2013 are a sampling artefact, not a real trend, each of those years is represented by exactly one track in the 80-row sample, so a single low score swings the whole year's average. The more reliable signal is the 2010s+ band, where enough tracks exist to average out and popularity holds fairly steady in the 40–55 range.

Figure 8: Correlation Matrix of Key Audio Features and Popularity**Figure 8. Correlation Matrix of Key Audio Features and Popularity**

Darker red cells indicate strong positive correlation, dark blue indicates strong negative correlation, and pale cells indicate little or no relationship. The strongest cell outside the diagonal is energy–loudness at +0.60; the strongest negative is energy–acousticness at −0.50.

Business insight

The whole bottom row and rightmost column of the matrix (everything correlated with track_popularity) is pale, visual confirmation that no single audio feature meaningfully predicts popularity on its own.

3. Statistical Methods

This section applies the core descriptive statistics—: data aggregation, measures of central tendency, measures of spread, and frequency distribution directly to the cleaned 80-track dataset.

3.1 Data Aggregation: Genre Totals

Aggregating the 80 tracks by playlist_genre gives a first, simple summary of how the sample is composed:

Genre	Number of Tracks	Share of Sample	Avg. Popularity
Rap	21	26%	47.0
Pop	15	19%	55.7
R&B	13	16%	33.1
Latin	12	15%	42.5
EDM	11	14%	42.3
Rock	8	10%	37.5

3.2 Measures of Central Tendency

The mean, median and mode were calculated for the key numeric variables to understand what a "typical" track in the sample looks like. The mean and median for track_popularity are fairly close (44.1 vs 48.0), suggesting a roughly balanced distribution, though the presence of several zero-popularity tracks pulls the mean down slightly.

Variable	Mean	Median	Mode
Track Popularity (0–100)	44.1	48.0	0 (7 tracks)
Danceability (0–1)	0.67	0.69	0.61
Energy (0–1)	0.66	0.64	0.53
Valence (0–1)	0.51	0.55	0.24
Tempo (BPM)	116.0	120.0	67.1
Duration (minutes)	3.72	3.57	3.51

The mode of 0 for track_popularity (shared by 7 of the 80 tracks) is worth flagging on its own, it is the single most common score, but it sits well below the mean and median, meaning it is being driven by a distinct cluster of low-visibility tracks rather than representing a typical song.

3.3 Measures of Spread

Spread tells us how much the tracks in the sample actually differ from one another, not just where their centre lies.

Variable	Minimum	Maximum	Range	Std. Deviation
Track Popularity	0	87	87	24.10
Danceability	0.30	0.90	0.60	0.13
Energy	0.10	0.97	0.87	0.18
Loudness (dB)	-36.51	-1.68	34.83	4.49
Valence	0.04	0.96	0.92	0.23
Tempo (BPM)	67.1	184.0	116.9	27.83

Track popularity has the widest relative spread of any variable in the sample (standard deviation of 24.1 against a mean of 44.1) popularity is genuinely inconsistent across tracks, which is precisely the kind of variation the correlation analysis in figure 8 tries to explain. Loudness shows a large range mainly because of the single low outlier; excluding that one track, the remaining values sit in a much narrower band between roughly -11 dB and -2 dB.

3.4 Frequency Distribution

Grouping tracks into release-year buckets (decades) shows how unevenly the sample is spread across time a pattern that also explains some of the volatility seen in the year-by-year trend chart in figure 7.

Decade	Number of Tracks	Avg. Popularity
1970s	2	32.0
1990s	4	20.5
2000s	11	23.3
2010s	58	50.1
2020	5	44.0

The 2010s alone account for 58 of the 80 tracks (72.5% of the sample), with 2019 by itself contributing 24 tracks: meaning almost a third of the entire dataset comes from a single release year. This is a direct consequence of random sampling from a source dataset that is itself weighted towards recent playlists, and it is the main reason average popularity by decade should be read as descriptive of this sample rather than as a definitive historical trend.

4. Key Takeaways

Pulling together the descriptive statistics, cross-tabulations and visualisations from the above sections, six findings stand out as directly answering the six research questions set out at the start of this report.

- Genre concentration: Rap (26%), pop (19%) and r&b (16%) dominate the sample, together making up 61% of all tracks, while rock is the smallest genre at just 10%.
- Popularity is uneven and artist-driven: average popularity ranges from 33.1 (r&b) to 55.7 (pop) by genre, and individual artist averages range even further — from 87 (Camila Cabello) down to tracks scoring 0.
- Audio features barely explain popularity: every correlation between track_popularity and an audio feature is weak (max $r = 0.15$, for danceability), meaning what a song sounds like is a poor predictor of its popularity score in this sample.
- Songs have gotten shorter: average duration fell from over 6 minutes in the late 1970s to a fairly stable 3.3–5.1 minute range from the 2000s onward, consistent with the industry-wide shift towards shorter, streaming-optimised tracks.
- Genres have distinct audio fingerprints: EDM is defined by very low acousticness (0.04) and high energy (0.80); rap by the highest danceability (0.72); rock and r&b converge on similarly moderate valence despite sounding different.
- Production features move together: energy correlates strongly with loudness (+0.60) and negatively with acousticness (−0.50), showing that louder, more heavily produced tracks are consistently rated as higher-energy and less acoustic a production pattern rather than a popularity driver.

5. Suggestions for Optimization

For Playlist Curators

- Since valence barely varies by genre (0.38–0.59) but acousticness varies sharply (0.04–0.27), curate mood-based playlists by filtering on acousticness and energy directly, rather than relying on genre labels as a proxy for mood. For example, a "Sunday Morning Acoustic" playlist should be built by filtering for tracks with acousticness above roughly 0.25 and energy below 0.5; not by pulling every track tagged "pop" or "r&b," since both genres in this sample average similar valence (0.45 and 0.55) but can include both high- and low-energy tracks.
- Because the sample shows almost no low-valence, low-energy "sad/acoustic" tracks, a dedicated acoustic or downtempo playlist may be an under-served gap worth testing against real catalogue data beyond this sample.

For Artists and Labels

- Given that audio characteristics show almost no relationship with popularity in this sample, marketing reach, artist recognition and playlist placement are worth investigating as more powerful levers than further optimising a track's danceability or energy.
- Shorter tracks (broadly 3.5–4 minutes) match the modern norm seen from the 2000s onward; artists targeting streaming-first release strategies may want to keep this benchmark in mind alongside other creative considerations.

6. Moving from Descriptive to Predictive Analysis

Predicting Popularity: Since no single audio feature determines a hit, we can combine multiple factors like energy, genre, release year, and artist follower count to predict a song's future performance.

Auto-Tagging Genres: Because genres have distinct audio patterns (e.g., EDM's low acousticness or rap's high danceability), we can train a model to automatically identify and tag genres for new tracks.

Tracking Song Length Trends: By gathering a balanced dataset over more years, we can forecast whether average track lengths will stay around 3.5 to 4 minutes or continue to shorten.

Building Recommendation Engines: By grouping similar traits like tempo, mood, and loudness, we can build "songs like this" suggestions and playlist algorithms. It reflects the underlying logic behind Spotify's real-world "Song Radio" and "Discover Weekly" features, showing how feature similarity is used to suggest similar tracks across a full library.

While our current data describes a song's features, predicting its success requires looking ahead and adding outside factors like playlist placements, artist reach and marketing efforts.

7. References

Arvidsson, J. (2020). 30,000 Spotify songs [Data set]. Kaggle. <https://www.kaggle.com/datasets/joebeachcapital/30000-spotify-songs>

McKinney, W. (2010). Data structures for statistical computing in Python. Proceedings of the 9th Python in Science Conference.

Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. Computing in Science & Engineering, 9(3), 90–95.

Waskom, M. L. (2021). Seaborn: Statistical data visualization. Journal of Open Source Software, 6(60), 3021.

Spotify. (n.d.). About Spotify — Company info. Retrieved August 2026, from <https://newsroom.spotify.com/company-info/>

Disclosure: AI assistance (Claude, Anthropic) was used to help structure and draft this report; all data analysis, visualisation, statistics, and interpretations are based on my own dataset and notebook.

Appendix

A. Raw Dataset Sample (before cleaning)

A preview of the first rows of the 80-track random sample as drawn directly from spotify_songs.csv, before any cleaning was applied.

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
track_id	track_name	track_artist	track_popularity	track_album	track_album	track_album	playlist_name	playlist_id	playlist_genre	playlist_subgenre	danceability	energy	key	loudness	mode	speechiness	acousticness	instrumentalness	liveness	valence	tempo	duration_ms
6f807x0im	I Don't Car	Ed Sheeran	66	2oCs0DGT	I Don't Car	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.748	0.916	6	-2.634	1	0.0583	0.102	0	0.0653	0.518	122.036	194754	
0r7CVbZTv	Memories	Maroon 5	67	63rPSO26	Memories	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.726	0.815	11	-4.969	1	0.0373	0.0724	0.00421	0.357	0.693	99.972	162600	
1z1Hg7Vb	All the Timi	Zara Larssi	70	1HoSmj2e	All the Timi	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.675	0.931	1	-3.432	0	0.0742	0.0794	2.33E-05	0.11	0.613	124.008	176616	
75Fpbthrw	Call You M	The Chains	60	1nqYsOef1	Call You M	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.718	0.93	7	-3.778	1	0.102	0.0287	9.43E-06	0.204	0.277	121.956	169093	
1e8PAfcKL	Someone`	Lewis Cap	69	7m7vv9wlt	Someone`	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.65	0.833	1	-4.672	1	0.0359	0.0803	0	0.0833	0.725	123.976	189052	
7vUMiyap	Beautiful P	Ed Sheerar	67	2yiy9cd2Q	Beautiful P	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.675	0.919	8	-5.385	1	0.127	0.0799	0	0.143	0.585	124.982	163049	
2OAYlPUDI	Never Rea	Katy Perry	62	7INHYSeu	Never Rea	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.449	0.856	5	-4.788	0	0.0623	0.187	0	0.176	0.152	112.648	187675	
6b1RNvAc	Post Malor	Sam Feldt	69	6703SRPsl	Post Malor	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.542	0.903	4	-2.419	0	0.0434	0.0335	4.83E-06	0.111	0.367	127.936	207619	
7bF6tCO3j	Tough Love	Avicii	68	7CvAfGvq	Tough Love	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.594	0.935	8	-3.562	1	0.0565	0.0249	3.97E-06	0.637	0.366	127.015	193187	
1XGllkPm	If I Can't H	Shawn Mei	67	4QxzbfsV	If I Can't H	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.642	0.818	2	-4.552	1	0.032	0.0567	0	0.0919	0.59	124.957	253040	
3eFJI470Al	Cross Me (	Ed Sheerar	58	49bXZtl5k	Cross Me (	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.679	0.923	6	-6.5	1	0.181	0.146	4.92E-06	0.124	0.752	121.984	207894	
3UeF2izF1	Hate Me -	Ellie Gould	67	6e6RVFWc	Hate Me (F	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.437	0.774	8	-4.918	1	0.0554	0.148	0	0.133	0.329	123.125	203733	
6e0CvGZf	Body On M	Loud Luxur	67	2R66l0nzp	Body On M	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.744	0.726	1	-4.675	1	0.0463	0.0399	0	0.374	0.687	121.985	192507	
3eLdNmfn	SOS - Laidl	Avicii	68	7A14Tl0oc	SOS (Laidl	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.572	0.915	5	-4.451	0	0.0625	0.0111	0	0.339	0.678	123.919	164516	
55nMnifa	Summer D	Martin Gar	63	2vx38tBMr	Summer D	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.69	0.78	5	-4.446	0	0.0594	0.00733	0.00183	0.0729	0.238	126.07	255238	
1EljymgJH	South of th	Ed Sheerar	66	1imXAvLuc	South of th	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.805	0.835	0	-4.603	1	0.0896	0.13	5.03E-06	0.365	0.722	125.028	188230	
5WaXMQM	All My Frier	AJ Mitchell	60	4IXBBbiEg	All My Frier	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.694	0.901	1	-4.322	0	0.0948	0.0702	0	0.427	0.368	118.051	173548	
3TlLsDdL0I	Sav My Na	David Gue	65	19z3vpbB1	Sav My Na	#####	Pop Remix 37i9dQZF1	pop	dance pop	0.678	0.747	10	-5.289	0	0.165	0.0395	0	0.174	0.516	120.002	189375	

B. Cleaned Dataset Sample (after cleaning)

The same tracks after cleaning: irrelevant columns removed, release_year and duration_min engineered.

Track Name	Artist	Popularity	Genre	Release Year	Duration (min)
I Miss You	Jeriqo	45	edm	2019	3.61
Who Are You	The Who	17	rock	1978	6.31
Happy	The Beef Seeds	30	r&b	2015	3.63
ONE	Rev Theory	35	rock	2020	3.47
Palace/Curse	The Internet	62	r&b	2015	7.33
Hände hoch	Baba Saad	22	rap	2017	2.58
Música	DJ Luian	78	latin	2019	3.73

The complete 80-row cleaned dataset is available in the accompanying `spotify_cleaned_sample.pdf` file submitted alongside this report.

C. Dataset & Methodology

This report uses the "30,000 Spotify Songs" dataset from Kaggle: about 32,833 tracks, downloaded as a CSV and analyzed in Python (Pandas, Matplotlib, Seaborn). Instead of working with the whole thing, I pulled a random sample of 80 tracks (with a fixed seed, so it's reproducible) and kept 12 of the original 23 columns, the ones relevant to genre, popularity, and audio features. The one trade-off: smaller genres like rock only have a handful of tracks in the sample, so those numbers are more "a snapshot of this sample" than "the full truth about rock on Spotify."

The data itself was fairly clean; very few missing values, and no duplicates at all. The one real issue I ran into: 3 tracks had their release date stored as just a bare year instead of a full date, which broke the parser and left their `release_year` blank. I looked up the correct years and filled them in. I also converted track length from milliseconds to minutes for readability and left in one loudness outlier (a quiet acoustic track at -36.5 dB) since it's a real value, not a data error.

D. Glossary of Audio Features

Term	Meaning
Danceability	How suitable a track is for dancing, based on tempo, rhythm stability and beat strength (0 = least, 1 = most danceable).
Energy	A perceptual measure of intensity and activity — fast, loud, noisy tracks score high (0 = calm, 1 = intense).
Valence	The musical positivity conveyed by a track — high valence sounds happy/cheerful, low valence sounds sad/angry.
Acousticness	A confidence measure of whether a track is acoustic, from 0 (not acoustic) to 1 (highly likely acoustic).
Loudness	The overall loudness of a track in decibels (dB), averaged across the whole track.
Tempo	The estimated speed of a track in beats per minute (BPM).
Track Popularity	A Spotify-calculated score from 0–100 based on total plays and how recent those plays are.