

Assignment 1 - Vision and Scope Document

Team [25]

September 7, 2025

1 Project Vision

1.1 1.3 Business Objectives

- Users can create, delete and name their playlists, as well as set their visibility to others.
- Users can add start and end markers to individual tracks, allowing them to play only the parts they want, skipping unwanted sections.
- The order of tracks in each playlist remains stable after edits or deletion of the actual tracks.
- Playlists can be tagged, searched and filtered, helping users find the content they want.
- Users can share their playlists via visibility setting and save playlists made by others.
- No one other than the playlist owner can modify their original playlist.
- A user can make a copy of another user's playlist if they want to add their own modifications without manually rebuilding the said playlist.
- The playlist system should be smooth and support all presented use cases.

1.2 1.5 Vision Statement

For music enthusiasts who seek hassle-free playlist creation, searching and sharing, with precise control over which parts of songs are heard in a playlist. Our playlist manager supports track start/end markers as metadata and allows building playlists that play only the track parts you want. Unlike other media player vendors, it lets you set start/end markers for each individual track and combine them into quick playlists, skipping the undesired parts of your music library altogether.

1.3 2.2 Scope of the Initial Release

- Accounts: creation, deletion, profile customisation, the ability to sign in.
- Playlists: creation, deletion, naming, renaming, visibility setting (public/private).
- Default track catalogue containing full metadata (e.g., artist, title, album, tags).
- Start/end marker metadata, stored per track and applied within a playlist.
- Track search with result filtering and paginated results.
- Stable ordering rules within a playlist.
- Adding and removing playlists from favourites.
- Playlist copying for personal modifications.
- The ability to set or remove a playlist image.

2 Use Case Document

2.1 Add Songs to a Playlist [UC1]

Primary Actor: User

Preconditions:

- The user must be logged into the system.
- The user must have a playlist that has already been created.

Success Guarantee: The song selected by the user is added to the playlist.

Main Success Scenario: The user opens a playlist that already exists. They select the “add song” option. They search for a song (see UC2) and select it. The system adds the song to the playlist and gives a confirmation that the song has successfully been added to the playlist.

Extensions / Alternate Scenarios: If a song has already been added to the playlist, the system displays “This song has already been added to the playlist.”

Miscellaneous / Open Issues: The ability to add multiple songs at once.

2.2 Search Tracks [UC2]

Primary Actor: User

Preconditions:

- None.

Trigger: User selects the “search” option.

Main Success Scenario:

1. The user selects the “search” option.
2. The user enters a search query (song name, artist, album, etc.).
3. The system searches the music database.
4. The system displays a list of matching songs.
5. The user can view details of a selected song.

Success Guarantee: The system returns relevant songs that match the search criteria.

Extensions / Alternate Scenarios:

- If no results are found, the system displays “No songs found.”
- If the search query is empty, the system prompts the user to enter a valid search term.

2.3 Set Start/End Times for Tracks in a Playlist [UC3]

Primary Actor: User who is a playlist owner

Preconditions:

- User is signed in.
- User owns the playlist.
- The playlist contains at least one track.

Main Success Scenario:

1. The user selects a track inside their playlist.
2. The user provides start and end times (e.g., 00:50–01:35).
3. The system checks and confirms the times.
4. The system saves the metadata and confirms the operation.
5. The user sees the updated track in the playlist with correct time markers.

Success Guarantee: The system stores the marker data for a given track in the context of the playlist.

Extensions / Alternate Scenarios:

- The provided start/end times are invalid (e.g., exceed the song length or are negative).
- The user cancels the operation; the time markers are not updated.
- The track is removed during the operation; the system detects the change and aborts the operation.

2.4 Brief Use Cases

- **Brief Use Case 1 [UC4] – Delete Playlist:** The user is able to permanently delete a playlist.
- **Brief Use Case 2 [UC5] – Share Playlists:** The user is able to generate a link to share their playlist with friends, family and the community.
- **Brief Use Case 3 [UC6] – Save Playlists:** The user is able to save any public playlist to their favourites, or remove it from favourites.
- **Brief Use Case 4 [UC7] – Remove Song from a Playlist:** The user can remove a song from their playlist.

3 Project Estimation and Prioritization

Below is a table with prioritized use cases. (Fill in time estimates and priorities as needed.)

| Use Case | Time Estimation | Priority |
|----------|-----------------|----------|
| UC1 | 2 weeks | 1 |
| UC2 | 2 weeks | 1 |
| UC3 | 2 weeks | 2 |

4 Project Plan and Schedule

Inception: Use cases and vision scope

Elaboration: UC2

Construction: UC1, UC4, UC5

Transition:

| Week | Use Cases | Expected Hours | P.O. (Initials) | Sprint | Consultation |
|------|-----------------------|----------------|-----------------|--------|------------------------|
| 1 | None | | | 1 | A1 Presentation |
| 2 | UC1, Android skeleton | | | 1 | Model Drafts |
| 3 | UC2, UC3 | | | 2 | A2 Presentation |
| 4 | UC4, UC5, UC6 | | | 2 | Dev support |
| 5 | UC7, UC8 | | | 2 | Dev support |
| 6 | UC9, UC10 | | | 3 | A3 Presentation |

5 Project skeleton

https://github.com/jok10/HBV501G_Hopur25

- jok90, jok10 – Jóhann Kjartansson
- Loftur5 – Loftur Páll Eiríksson
- masderni – Andri Már Sigurðsson
- MountResonance – Valentin Grechikhin