
Johannes Visintini, Philip Bell, Moritz Nöltner

Vorlesung: Einführung in Software Engineering Institut für Informatik Universität Heidelberg

3. Februar 2014

GUI - Entwurf



GUI - Show Loaned Movies Dialog



GUI - Add Performer Dialog

Create Performer

Step 1: Creat a new Performer

Name:	
Gender: O Female	
O Male	
Rating: 0 ▼	

GUI - Movie Wizard

Create Movie

Step 1: Create a new Movie

Name: r Karibik	Suchergebnisse	Fluch der Karibik
Title:		Fluch der
Orig. Title:		Pirates of
Time: 0		0
Rating: 0		0
Category: Action		Action

Implementation - Query-Funktion

```
suggestionDropDown.removeAll();
suggestionDropDown.select(0);
final String nearMovieName = textSearchName.getText();
Thread t = new Thread()
    private void search Near Movies (String title)
        MovieQueryService mgs = new MovieQueryService();
        if (mqs.getListOfNearMovies(title) != null)
            nearMovies = mqs.getListOfNearMovies(title);
    public void run()
        searchNearMovies (nearMovieName);
        try {
            this.ioin():
        } catch (InterruptedException e) {
            e.printStackTrace();
};
t.start():
updateSuggestionDropDown();
setPageComplete(true);
```

ENDE