Livrables Projet Linux

Réaliser par
Allen Jolan
Cherreau Marino

Table des matières

Introduction 3

Prérequis

1. Matériels 4
2. Logiciels 5

Préparation du Raspberry

1. installation de Raspbian 6
2. configurations accès en ssh au Pi 7
3. Sécurisation du Raspberry Pi 8-9

Réseaux, infrastructure

1. installation physique du Raspberry 10
2. Configuration routeur, Box 11
3. Pare-feux Raspberry Pi 12
4. Accès au cloud depuis internet (VPN, DMZ) 13

Installation du cloud

1. Match Words 12
2. Match Words 13

INTRODUCTION

We will learn how we can use ffuf, which states for “Fuzz Faster U Fool”, which is an interesting open-source web fuzzing tool. Since its release, many people have gravitated towards ffuf, particularly in the bug bounty scenario. So, let’s dive into this learning process.

It is a professional command-line method for web fuzzing on a web server and the credit goes to the author **(@joohoi)**. Many people have gravitated towards ffuf since its release, especially in the bug bounty scene. While the bulk of this shift is possibly attributable to the herd mentality, a significant portion of the group has made the switch due to FFUF’s tempo, versatility, and capacity to easily merge with external tooling.

Les prérequis Matériels :



Les prérequis Matériels :

Installation de Raspbian

```
go get -u github.com/ffuf/ffuf
```

Due to the fact we are using Kali Linux, we'll find ffuf in the apt repositories, allowing us to install by running the simple command.



After installing this tool, to get its working parameters and options all we need is just to use [-h] parameter for the help option.

Configurations accès en ssh au Pi

It is a professional command-line method for web fuzzing on a web server and the credit goes to the author (**@joohoi)**. Many people have gravitated towards ffuf since its release, especially in the bug bounty scene. While the bulk of this shift is possibly attributable to the herd mentality, a significant portion of the group has made the switch due to FFUF's tempo, versatility, and capacity to easily merge with external tooling.

Sécurisation du Raspberry Pi

Dans cette partie nous allons voir comment sécuriser le mieux possibles Notre Raspberry Pi. Nous verrons 5 chose indispensables a mettre en Place pour sécuriser notre Raspberry pi car il seras exposer au danger de Internet.

1. Mise en places d'un par-feux (UFW) par

Un par-feux pourquoi faire ?

Tout d'abord ici on parlera d'un Par-feux logiciels et non matériels.

Dans notre cas nous allons installer UFW (Uncomplicated Firewall) C'est un par feux local pour Linux

Ici il vas nous permettre de gérer les Accès a notre PI pour laisser uniquement Ce qui est nécessaire

---

```
PI@Raspberry-Pi : ~    Sudo apt install ufw
```

Sécurisation du Raspberry Pi

2. CERTIFICAT AUTO SIGNÉ HTTPS PROTOCOLE SSL TLS

Un par-feux pourquoi faire ?

Tout d'abord ici on parlera d'un
Par-feux logiciels et non matériels.

Dans notre cas nous allons installer
UFW (Uncomplicated Firewall)
C'est un par feux local pour Linux

Ici il vas nous permettre de gérer les
Accès a notre PI pour laisser uniquement
Ce qui est nécessaire

```
PI@Raspberry-Pi : ~    Sudo apt install ufw
```

Installation physique du PI



```
ffuf -u http://testphp.vulnweb.com/FUZZ/ -w
dict.txt
```

we can clearly see some comments are listed in the result when we have run above the command and after using [-s] & [-ic] parameters in the next command the comments and banner are removed.

```
ffuf -u http://testphp.vulnweb.com/FUZZ/

-w dict.txt -ic -s
```

Input Options

1. Simple Attack

For the default attack, we need to use parameters [-u] for the target URL and [-w] to load a wordlist as shown in the image.

Input Options

1. Simple Attack

For the default attack, we need to use parameters [-u] for the target URL and [-w] to load a wordlist as shown in the image.

Input Options

1. Simple Attack

For the default attack, we need to use parameters [-u] for the target URL and [-w] to load a wordlist as shown in the image.

Conclusion

Blabal…...

Sources

https:·…….