10 ALYTICS

ASSIGNMENT# I

LINUX FUNDAMENTALS

STUDENT ID: CS -26-08-NA-002

GOVERNANCE, REGULATION AND COMPLIANCE (GRC)

STEP 1.

Find out Information About Your Kali Linux system.

USERNAME: KALI

HOSTNAME: KALI

DIRECTORY:/HOME/ KALI/LINUX



STEP 2

Operating System & Hardware Info

TOTAL RAM; 1.9 GIG,

AVAILABLE I.IGIG

VERSION : KALI 6.19.1

```
┌──(kali㉿kali)-[~]
└─$ uname -a
Linux kali 6.19.14+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.19.14-1+kali1 (2026-05-05) x86_64 GNU/Linux

┌──(kali㉿kali)-[~]
└─$ df -h
Filesystem      Size  Used Avail Use% Mounted on
udev            889M     0  889M   0% /dev
tmpfs           197M  964K  196M   1% /run
/dev/sda1        79G   16G   59G  22% /
tmpfs           985M  4.0K  985M   1% /dev/shm
none            1.0M     0  1.0M   0% /run/credentials/systemd-journald.service
tmpfs           985M   56K  985M   1% /tmp
none            1.0M     0  1.0M   0% /run/credentials/getty@tty1.service
tmpfs           197M  108K  197M   1% /run/user/1000

┌──(kali㉿kali)-[~]
└─$ uptime
 15:18:08 up 23 min,  1 user,  load average: 0.08, 0.09, 0.09

┌──(kali㉿kali)-[~]
└─$ df -h
Filesystem      Size  Used Avail Use% Mounted on
udev            889M     0  889M   0% /dev
tmpfs           197M  964K  196M   1% /run
/dev/sda1        79G   16G   59G  22% /
tmpfs           985M  4.0K  985M   1% /dev/shm
none            1.0M     0  1.0M   0% /run/credentials/systemd-journald.service
tmpfs           985M   56K  985M   1% /tmp
none            1.0M     0  1.0M   0% /run/credentials/getty@tty1.service
tmpfs           197M  108K  197M   1% /run/user/1000
```

PART 2

STEP 1.

PING A KNOWN IP ADDRESS

AVERAGE ROUNDTIME TRIP –1002MS

PACKET LOSSES - NO PACKET LOSS

```
┌──(kali㉿kali)-[~]
└─$ ping -c 2 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=64 time=21.7 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=64 time=23.3 ms

── 8.8.8.8 ping statistics ──
2 packets transmitted, 2 received, 0% packet loss, time 1002ms
rtt min/avg/max/mdev = 21.685/22.479/23.274/0.794 ms
```


PART 2

STEP 2

24.636/29.654/34.672/5.018 ms

IP ADDRESS: googte.com 142.251.35.238

AVERAGE ROUNDTIME TRIP 3006MS-



I believe the reason that more packets are used because more users are accessing Google's IP address in word form rather than the IP address using numerical input. It's much easier for us all to remember the name of the website rather than the IP address.