

EJERCICIO SOBRE INSTALACIÓN DE LIBRO EN LOCAL // JOSÉ MANUEL SANZ //

16.09.26

Para comenzar, debemos comprobar si contamos con **git** y **node.js**:

```
C:\Users\diurno>git --version
git version 2.54.0.windows.1

C:\Users\diurno>node --version
v26.8.2
```

Una vez comprobado, lanzaremos el siguiente comando en el cmd de Windows:

```
C:\Users\diurno>npm install -g bunyan gulp@4
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerful.
npm warn deprecated glob@7.2.3: Old versions of glob are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me
npm warn deprecated urix@0.1.0: Please see https://github.com/lydell/urix#deprecated
npm warn deprecated source-map-url@0.4.1: See https://github.com/lydell/source-map-url#deprecated
npm warn deprecated resolve-url@0.2.1: https://github.com/lydell/resolve-url#deprecated
npm warn deprecated source-map-resolve@0.5.3: See https://github.com/lydell/source-map-resolve#deprecated
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerful.
npm warn deprecated rimraf@2.4.5: Rimraf versions prior to v4 are no longer supported
npm warn deprecated glob@6.0.4: Old versions of glob are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me

added 360 packages in 7s

18 packages are looking for funding
  run 'npm fund' for details
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn install-scripts dtrace-provider@0.8.8 (install: node-gyp rebuild || node suppress-error.js)
npm warn install-scripts es5-ext@0.10.64 (postinstall: node -e "try{require('./_postinstall')}{catch(e)}" || exit 0)
npm warn install-scripts Run 'npm install -g --allow-scripts=dtrace-provider,es5-ext' to allow these scripts once, or 'npm config set allow-scripts=dtrace-provider,es5-ext --location=user' to allow them for all global installs.
npm notice
npm notice New major version of npm available! 11.19.1 -> 12.0.2
npm notice Changelog: https://github.com/npm/cli/releases/tag/v12.0.2
npm notice To update run: npm install -g npm@12.0.2
npm notice
```

Después, crearemos una carpeta llamada **js** en el escritorio, donde instalaremos el libro. Abrimos el cmd en la ruta del escritorio y pegaremos los dos siguientes comandos:

```
C:\Users\diurno\Desktop>git clone https://github.com/javascript-tutorial/server
Cloning into 'server'...
remote: Enumerating objects: 3245, done.
remote: Counting objects: 100% (218/218), done.
remote: Compressing objects: 100% (58/58), done.
remote: Total 3245 (delta 185), reused 160 (delta 160), pack-reused 3027 (from 2)
Receiving objects: 100% (3245/3245), 3.66 MiB | 12.66 MiB/s, done.
Resolving deltas: 100% (1446/1446), done.

C:\Users\diurno\Desktop>git clone https://github.com/javascript-tutorial/engine server/modules/engine
Cloning into 'server/modules/engine'...
remote: Enumerating objects: 4117, done.
remote: Counting objects: 100% (423/423), done.
remote: Compressing objects: 100% (267/267), done.
remote: Total 4117 (delta 211), reused 230 (delta 148), pack-reused 3694 (from 2)
Receiving objects: 100% (4117/4117), 3.21 MiB | 12.40 MiB/s, done.
Resolving deltas: 100% (2465/2465), done.

C:\Users\diurno\Desktop>
```

El siguiente paso es entrar en una de las carpetas que hemos creado, para descargar el libro en español. Lo haremos pegando los siguientes comandos:

```
C:\Users\diurno\Desktop>cd server/repo

C:\Users\diurno\Desktop\server\repo>git clone https://github.com/javascript-tutorial/es.javascript.info
Cloning into 'es.javascript.info'...
remote: Enumerating objects: 81384, done.
remote: Counting objects: 100% (611/611), done.
remote: Compressing objects: 100% (285/285), done.
remote: Total 81384 (delta 405), reused 405 (delta 318), pack-reused 80773 (from 3)
Receiving objects: 100% (81384/81384), 717.16 MiB | 30.88 MiB/s, done.
Resolving deltas: 100% (48173/48173), done.

C:\Users\diurno\Desktop\server\repo>
```

Ahora volvemos un nivel hacia atrás a la carpeta **server** e instalamos las dependencias:

[illegible]

Después lanzaremos el siguiente comando para arrancar el servidor con el libro en español. Este comando lo usaremos siempre para poder acceder al libro, si el servidor no está arrancado, no podremos acceder:


```
C:\Users\diurno\Desktop\server>edit es

C:\Users\diurno\Desktop\server>call gulp edit | bunyan
[10:16:21] Using gulpfile ~\Desktop\server\gulpfile.js
[10:16:21] Starting 'edit'...
[10:16:21] Starting 'webpack'...
[10:16:21] Starting 'engine:koa:tutorial:importWatch'...
[10:16:21] Starting 'livereload'...
[10:16:21] Starting 'server'...
Livereload server listening
[2026-09-16T08:16:21.784Z] INFO: application/17036 on ALUMNO14_AULAB3: Boot complete
[2026-09-16T08:16:21.806Z] INFO: tutorialImporter/17036 on ALUMNO14_AULAB3: sync PLNKR_ENABLED=
[2026-09-16T08:16:21.806Z] INFO: tutorialImporter/17036 on ALUMNO14_AULAB3: sync C:\Users\diurno\Desktop\server\repo\es
.javascript.info\1-js
C:\Users\diurno\Desktop\server\repo\es.javascript.info\1-js C:\Users\diurno\Desktop\server\repo\es.javascript.info
[2026-09-16T08:16:21.806Z] INFO: tutorialImporter/17036 on ALUMNO14_AULAB3: syncFolder C:\Users\diurno\Desktop\server\re
po\es.javascript.info\1-js
[2026-09-16T08:16:21.807Z] INFO: tutorialImporter/17036 on ALUMNO14_AULAB3: syncFolder C:\Users\diurno\Desktop\server\re
po\es.javascript.info\1-js\01-getting-started
[2026-09-16T08:16:21.807Z] INFO: tutorialImporter/17036 on ALUMNO14_AULAB3: syncArticle C:\Users\diurno\Desktop\server\
```


Al final podemos ver que la importación está completa:

```
[2026-09-16T08:16:29.060Z] INFO: importWatch/17036 on ALUMNO14_AULAB3: Import complete
```

Por defecto usaremos el puerto 3000 y accederemos al libro mediante el enlace <http://localhost:3000/>. Nos pide un permiso y lo aceptamos:



Una vez aceptado, tenemos acceso al libro:



RESUMEN

Siempre que queramos consultar el libro, debemos llegar a la ruta del servidor “C:\Users\diurno\Desktop\server>” desde el cmd y lanzar el comando “edit es”.

Después, podremos acceder al libro siguiendo el enlace <http://localhost:3000/>.

En caso contrario, si no lanzamos el servidor y accedemos al enlace, no podríamos acceder:

