

SE INSTALA OPEN SSL EN EL SERVIDOR PARA DESPUÉS CONFIGURAR EL CERTIFICADO AUTOFIRMADO CON LOS SIGUIENTES COMANDOS:

```
PS C:\Windows\system32> openssl --version
```

OpenSSL 3.3.2 3 Sep 2024 (Library: OpenSSL 3.3.2 3 Sep 2024)

```
PS C:\Windows\system32> openssl genrsa -out private.key 2048
```

```
PS C:\Windows\system32> openssl req -new -key private.key -out request.csr
```

You are about to be asked to enter information that will be incorporated into your certificate request.

What you are about to enter is what is called a Distinguished Name or a DN.

There are quite a few fields but you can leave some blank

For some fields there will be a default value,

If you enter '.', the field will be left blank.

Country Name (2 letter code) [AU]:MX

State or Province Name (full name) [Some-State]:CIUDAD DE MEXICO

Locality Name (eg, city) []:CIUDAD DE MEXICO

Organization Name (eg, company) [Internet Widgits Pty Ltd]:COMISION FEDERAL DE ELECTRICIDAD

Organizational Unit Name (eg, section) []:SSB

Common Name (e.g. server FQDN or YOUR name) []:sisq.cfe.mx

Email Address []:raul.sosa@cfex.mx

Please enter the following 'extra' attributes

to be sent with your certificate request

A challenge password []:pxv: XXXX <- se pone la contraseña


An optional company name []:

```
PS C:\Windows\system32> openssl x509 -req -days 365 -in request.csr -signkey private.key -out certificate.crt
```

Certificate request self-signature ok

subject=C=MX, ST=CIUDAD DE MEXICO, L=CIUDAD DE MEXICO, O=COMISION FEDERAL DE ELECTRICIDAD, OU=SSB, CN=sisq.cfe.mx,
emailAddress=raul.sosa@cfe.mx

```
PS C:\Windows\system32>
```



```
Administrator: Windows PowerShell
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Windows\system32> openssl --version
OpenSSL 3.3.2 3 Sep 2024 (Library: OpenSSL 3.3.2 3 Sep 2024)
PS C:\Windows\system32> openssl genrsa -out private.key 2048
PS C:\Windows\system32> openssl req -new -key private.key -out request.csr
You are about to be asked to enter information that will be incorporated
into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank
For some fields there will be a default value,
If you enter '.', the field will be left blank.
-----
Country Name (2 letter code) [AU]:MX
State or Province Name (full name) [Some-State]:CIUDAD DE MEXICO
Locality Name (eg, city) []:CIUDAD DE MEXICO
Organization Name (eg, company) [Internet Widgits Pty Ltd]:COMISION FEDERAL DE ELECTRICIDAD
Organizational Unit Name (eg, section) []:SSB
Common Name (e.g. server FQDN or YOUR name) []:sisq.cfe.mx
Email Address []:marco.delgado@cfe.mx


Please enter the following 'extra' attributes
to be sent with your certificate request
A challenge password []:pxv:M6A3a60i
An optional company name []:
PS C:\Windows\system32> openssl x509 -req -days 365 -in request.csr -signkey private.key -out certificate.crt
Certificate request self-signature ok
subject=C=MX, ST=CIUDAD DE MEXICO, L=CIUDAD DE MEXICO, O=COMISION FEDERAL DE ELECTRICIDAD, OU=SSB, CN=sisq.cfe.mx, email
Address=marco.delgado@cfe.mx
PS C:\Windows\system32>
```

```
PS E:\cert> openssl pkcs12 -export -out certificate.pfx -inkey private.key -in certificate.crt
```

Enter Export Password: <- se ingresa la contraseña asignada en pasos anteriores

Verifying - Enter Export Password:

```
PS E:\cert>
```




```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Windows\system32> cd E:\cert
PS E:\cert> openssl pkcs12 -export -out certificate.pfx -inkey private.key -in certificate.crt -certfile [optional_intermediate_cert.crt]
Could not open file or uri for loading extra certificates from -certfile from [optional_intermediate_cert.crt]: No such file or directory
PS E:\cert> openssl pkcs12 -export -out certificate.pfx -inkey private.key -in certificate.crt
Enter Export Password:
Verifying - Enter Export Password:
PS E:\cert>
```

CONFIGURAR EN IIS:


En IIS al nivel del servidor en la opción de Server Certificates.




Accesamos a la opción de “Import...”




Seleccionamos el certificado generado, ingresamos la contraseña que se le asignó, las demás opciones se quedan como están.




Nos aparecerá el certificado agregado.



En el sitio default, ingresamos a la opción “Bindings...”



En la pantalla que abre seleccionamos “Add...”, luego Type=https, IP=All Unassigned, Port=443, SSL certificate=seleccionamos nuestro certificado.



El registro de http lo eliminamos para que únicamente quede el https.

