Applicant_WPU
Source Code Export

Generated: 2026-07-01 15:28:05

Files included: 112

Root: C:\xampp\htdocs\Applicant_WPU

Table of Contents

1. .gitignore
2. admin/pages/application_history.php
3. admin/pages/applications.php
4. admin/pages/chat.php
5. admin/pages/dashboard.php
6. admin/pages/notifications.php
7. admin/pages/positions.php
8. admin/pages/register.php
9. admin/pages/reports.php
10. admin/pages/settings.php
11. admin/pages/users.php
12. admin/pages/view_document.php
13. admin/pages/view_resume.php
14. api/.htaccess
15. api/applications.php
16. api/controllers/ApiController.php
17. api/index.php
18. api/messages.php
19. api/messages_sse.php
20. api/notifications.php
21. api/notifications_sse.php
22. api/positions.php
23. api/pwa-config.php
24. api/users.php
25. applicant/actions/accept_privacy_waiver.php
26. applicant/actions/delete-application-document.php
27. applicant/actions/delete-training-certificate.php
28. applicant/pages/add-experience.php
29. applicant/pages/application-details.php
30. applicant/pages/apply.php
31. applicant/pages/chat.php
32. applicant/pages/dashboard.php
33. applicant/pages/delete-experience.php
34. applicant/pages/edit-experience.php
35. applicant/pages/my-applications.php
36. applicant/pages/position-details.php
37. applicant/pages/positions.php
38. applicant/pages/profile.php
39. assets/css/office-theme.css
40. assets/js/form-submission-manager.js
41. assets/js/notifications.js
42. assets/js/office-theme.js
43. assets/js/pwa.js
44. assets/js/toast.js
45. assets/pwa/generate-icons.php
46. auth/google_oauth.php
47. auth/login_process.php
48. auth/logout.php
49. check_columns.php

50. composer.json
51. config/check_oauth.php
52. config/config.php
53. config/database.php
54. config/email.example.php
55. config/migration/add_application_archive_columns.sql
56. config/migration/add_documents_table.sql
57. config/migration/add_email_verification_columns.sql
58. config/migration/add_employment_types_table.sql
59. config/migration/add_reviewed_at_column.sql
60. config/migration/oauth_migration.sql
61. config/migrations/add_archive_to_applications.sql
62. config/migrations/add_data_privacy_waiver.sql
63. config/migrations/add_recipient_to_messages.sql
64. config/migrations/create_messages_table.sql
65. config/migrations/create_notifications_table.sql
66. config/migrations/README.md
67. config/migrations/run_notifications_migration.php
68. config/migrations/setup_messages_table_complete.sql
69. config/oauth.example.php
70. DEBUG_ADMIN_ACCOUNT_CREATION.md
71. includes/bootstrap.php
72. includes/confirmation.js
73. includes/exceptions/Exceptions.php
74. includes/helpers/FormTokenManager.php
75. includes/helpers/InterviewScheduler.php
76. includes/helpers/Response.php
77. includes/helpers/Validator.php
78. includes/models.php
79. includes/pwa-header.php
80. includes/pwa-scripts.php
81. includes/services/ApplicationService.php
82. includes/services/Cache.php
83. includes/services/EmailService.php
84. includes/services/FileUploadService.php
85. includes/services/Logger.php
86. includes/services/PositionService.php
87. includes/services/RequirementValidator.php
88. includes/services/UserService.php
89. index.php
90. manifest.json
91. manifest.php
92. migrations/add_age_sex_to_users.sql
93. migrations/add_interview_columns.sql
94. migrations/add_ipcr_pe_file_columns.sql
95. migrations/add_position_fields.sql
96. migrations/add_profile_fields.sql
97. migrations/add_training_certificates_table.sql
98. migrations/add_user_application_documents_table.sql
99. migrations/README.md
100. migrations/run_migrations.php
101. mobile/dashboard.php

102. offline.html
103. README.md
104. run_position_fields_migration.php
105. SCHEMA_FULL.sql
106. seed_positions.php
107. shared/login.php
108. shared/register.php
109. shared/verify-email.php
110. start.php
111. sw.js
112. wpu_applicant_system.sql

.gitignore

```
# Email configuration with SMTP credentials
config/email.php

# Vendor directory
vendor/

# Composer files
composer.lock

# Log files
logs/*.log

# Uploaded files
applicant/pages/uploads/resumes/*
applicant/pages/uploads/documents/*
!applicant/pages/uploads/resumes/.htaccess
!applicant/pages/uploads/documents/.htaccess

# Cache files
cache/*
!cache/.htaccess

# Environment files
.env
.env.local

# OAuth configuration
config/oauth.php

# IDE and editor files
.vscode/
.idea/
*.swp
*.swo
*~
.DS_Store

# PHPMailer zip
phpmailer.zip

# Backup files
*_backup.php
*_old.php
*.bak
```

admin/pages/application_history.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

requireAdmin();

$applicationModel = new Application();
$userModel = new User();
$positionModel = new Position();
$documentModel = new ApplicationDocument();

// Handle restore application
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['restore_application'])) {
    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            $_SESSION['info_message'] = 'Application already restored.';
        } else {
            $_SESSION['error_message'] = $validation['error'];
        }
        header('Location: application_history.php');
        exit();
    }

    $applicationId = (int)$_POST['application_id'];

    $application = $applicationModel->findById($applicationId);

    if (!$application) {
        $_SESSION['error_message'] = 'Application not found.';
        header('Location: application_history.php');
        exit();
    }

    // Restore the application
    $restored = $applicationModel->unarchive($applicationId);

    if ($restored) {
        // Log activity
        $userModel->logActivity(
            $_SESSION['user_id'],
            'restore_application',
            "Restored application #{$applicationId} for user {$application['user_id']}"
        );

        $_SESSION['success_message'] = 'Application has been restored to active applications.';
    } else {
        $_SESSION['error_message'] = 'Failed to restore application. Please try again.';
    }

    header('Location: application_history.php');
    exit();
}

// Get all archived applications with details
$applications = $applicationModel->getArchivedApplicationsWithDetails();

// Get filter parameters
$filterStatus = $_GET['status'] ?? 'all';
$filterPosition = $_GET['position'] ?? 'all';
$searchQuery = trim($_GET['q'] ?? '');

// Apply filters
if ($filterStatus !== 'all') {
```

```
    $applications = array_filter($applications, function($app) use ($filterStatus) {
        return $app['status'] === $filterStatus;
    });
}

if ($filterPosition !== 'all') {
    $applications = array_filter($applications, function($app) use ($filterPosition) {
        return $app['position_id'] == $filterPosition;
    });
}

if ($searchQuery !== '') {
    $applications = array_filter($applications, function($app) use ($searchQuery) {
        $haystacks = [
            $app['applicant_name'] ?? '',
            $app['applicant_email'] ?? '',
            $app['position_title'] ?? '',
            $app['cover_letter'] ?? ''
        ];
        foreach ($haystacks as $haystack) {
            if (stripos($haystack, $searchQuery) !== false) {
                return true;
            }
        }
        return false;
    });
}

// Pagination setup
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 5;
$offset = ($page - 1) * $perPage;

// Calculate pagination
$totalApplications_filtered = count($applications);
$totalPages = ceil($totalApplications_filtered / $perPage);
$applications = array_slice($applications, $offset, $perPage);

// Get all positions for filter dropdown
$positions = $positionModel->findAll('is_active = 1');

if (!function_exists('formatFileSize')) {
    function formatFileSize($bytes, $precision = 1)
    {
        if (!is_numeric($bytes) || $bytes <= 0) {
            return null;
        }

        $units = ['B', 'KB', 'MB', 'GB', 'TB'];
        $pow = (int) floor(log($bytes, 1024));
        $pow = max(0, min($pow, count($units) - 1));
        $bytes /= pow(1024, $pow);

        return round($bytes, $precision) . ' ' . $units[$pow];
    }
}

$documentTypeIcons = [
    'resume' => 'fa-id-card',
    'cover_letter' => 'fa-file-lines',
    'certificate' => 'fa-certificate',
    'portfolio' => 'fa-folder-open',
    'other' => 'fa-file'
];

$documentExtensionIcons = [
    'pdf' => 'fa-file-pdf',
    'doc' => 'fa-file-word',
```

```
    'docx' => 'fa-file-word',
    'txt' => 'fa-file-lines',
    'jpg' => 'fa-file-image',
    'jpeg' => 'fa-file-image',
    'png' => 'fa-file-image',
    'gif' => 'fa-file-image',
    'zip' => 'fa-file-archive',
    'ppt' => 'fa-file-powerpoint',
    'pptx' => 'fa-file-powerpoint',
    'xls' => 'fa-file-excel',
    'xlsx' => 'fa-file-excel'
];?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Application History - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        .application-item {
            padding: 20px;
            margin-bottom: 16px;
            border: 1px solid var(--gray-200);
            border-radius: 12px;
            background: #fff;
            transition: box-shadow 0.2s ease, transform 0.2s ease;
            opacity: 0.95;
        }

        body.modal-open {
            overflow: hidden;
        }

        .application-item:hover {
            box-shadow: 0 14px 30px -18px rgba(20, 57, 99, 0.35);
            transform: translateY(-2px);
            opacity: 1;
        }

        .application-item:last-child {
            margin-bottom: 0;
        }

        .application-header {
            display: flex;
            flex-wrap: wrap;
            align-items: flex-start;
            justify-content: space-between;
            gap: 20px;
        }

        .application-meta {
            flex: 1 1 320px;
        }

        .application-name {
            margin: 0;
            font-size: 1.125rem;
            font-weight: 600;
            color: var(--gray-900);
        }

        .application-tags {
```

```
            display: flex;
            flex-wrap: wrap;
            gap: 12px;
            margin: 6px 0 12px;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .application-tag {
            display: inline-flex;
            align-items: center;
            gap: 6px;
        }

        .application-summary {
            font-size: 0.92rem;
            line-height: 1.6;
            color: var(--gray-700);
            max-width: 60ch;
        }

        .documents-section {
            margin-top: 14px;
            padding: 14px;
            border-radius: 8px;
            background: var(--gray-50);
        }

        .documents-section.collapsed {
            display: none;
        }

        .documents-header {
            display: flex;
            align-items: center;
            justify-content: space-between;
            flex-wrap: wrap;
            gap: 8px;
            margin-bottom: 8px;
            font-size: 0.875rem;
            font-weight: 600;
            color: var(--gray-700);
        }

        .document-badges {
            display: flex;
            flex-wrap: wrap;
            gap: 8px;
        }

        .document-badges .badge {
            text-decoration: none;
            padding: 6px 10px;
            font-size: 0.8rem;
        }
        .documents-section.empty {
            background: var(--gray-100);
            border: 1px dashed var(--gray-200);
        }

        .documents-title {
            display: inline-flex;
            align-items: center;
            gap: 8px;
        }

        .documents-count {
            font-size: 0.8rem;
```

```
            font-weight: 500;
            color: var(--gray-500);
        }

        .document-list {
            display: flex;
            flex-direction: column;
            gap: 10px;
        }

        .document-item {
            display: flex;
            flex-wrap: wrap;
            justify-content: space-between;
            align-items: center;
            gap: 12px;
            padding: 12px;
            border-radius: 8px;
            background: #fff;
            border: 1px solid var(--gray-200);
        }

        .document-meta {
            display: flex;
            align-items: center;
            gap: 12px;
            min-width: 200px;
        }

        .document-meta i {
            font-size: 1.2rem;
            color: var(--primary-blue);
        }

        .document-name {
            font-weight: 600;
            font-size: 0.9rem;
            color: var(--gray-800);
        }

        .document-ext {
            font-weight: 500;
            color: var(--gray-500);
            margin-left: 4px;
        }

        .document-extra {
            font-size: 0.8rem;
            color: var(--gray-500);
        }

        .document-actions {
            display: flex;
            flex-wrap: wrap;
            gap: 8px;
        }

        .document-actions .btn {
            min-width: 110px;
        }

        .documents-empty-message {
            margin: 0;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .badge-primary {
```

```
            background: var(--primary-blue);
            color: #fff;
            transition: transform 0.2s ease, box-shadow 0.2s ease, background 0.2s ease;
        }

        .badge-primary:hover {
            background: var(--secondary-blue);
            transform: translateY(-1px);
            box-shadow: 0 2px 8px rgba(33, 150, 243, 0.3);
        }

        .status-badge {
            flex: 0 0 auto;
            padding: 8px 16px;
            border-radius: 6px;
            font-weight: 600;
            font-size: 0.875rem;
        }

        .quick-actions {
            display: flex;
            flex-wrap: wrap;
            gap: 8px;
            margin-top: 18px;
        }

        .quick-actions .btn {
            min-width: 140px;
        }

        .filter-section {
            display: flex;
            flex-wrap: wrap;
            align-items: center;
            gap: 12px;
            width: 100%;
        }

        .filter-select {
            flex: 0 0 auto;
            min-width: 180px;
            width: auto;
        }

        .filter-search {
            flex: 1 1 260px;
            display: flex;
            align-items: center;
            gap: 10px;
            padding: 10px 12px;
            border-radius: 8px;
            border: 1px solid var(--gray-300);
            background: #fff;
            transition: border-color 0.2s ease, box-shadow 0.2s ease;
        }

        .filter-section .btn {
            flex: 0 0 auto;
        }

        .filter-section .form-select {
            width: auto;
        }

        .filter-search input {
            flex: 1;
            border: none;
            outline: none;
```

```
            font-size: 0.95rem;
            background: transparent;
            color: var(--gray-800);
        }

        .filter-search:focus-within {
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.12);
        }

        .filter-search i {
            color: var(--gray-500);
        }

        .applications-toolbar {
            display: flex;
            flex-wrap: wrap;
            align-items: center;
            justify-content: space-between;
            gap: 16px;
            padding: 16px 24px;
            border-bottom: 1px solid var(--gray-200);
        }

        .applications-toolbar h3 {
            margin: 0;
            display: flex;
            align-items: center;
            gap: 10px;
            font-size: 1.05rem;
            font-weight: 600;
            color: var(--gray-800);
        }

        .applications-count {
            display: flex;
            align-items: center;
            gap: 8px;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .empty-state {
            padding: 48px 24px;
            text-align: center;
            color: var(--gray-600);
        }

        .empty-state i {
            display: block;
            font-size: 2.5rem;
            margin-bottom: 16px;
            color: var(--gray-300);
        }

        .empty-state h3 {
            margin: 0 0 8px;
            color: var(--gray-800);
        }

        .modal {
            display: none;
            position: fixed;
            z-index: 1000;
            inset: 0;
            width: 100%;
            height: 100%;
            overflow: auto;
```

```
            background-color: rgba(0, 0, 0, 0.5);
        }

        .modal-content {
            background-color: #fff;
            margin: 5% auto;
            padding: 0;
            border-radius: 10px;
            width: 90%;
            max-width: 600px;
            box-shadow: 0 14px 30px -18px rgba(20, 57, 99, 0.35);
        }

        .modal-header {
            padding: 20px 24px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            justify-content: space-between;
            align-items: center;
        }

        .modal-title {
            font-size: 1.25rem;
            font-weight: 600;
            color: var(--gray-800);
            margin: 0;
        }

        .close {
            color: var(--gray-500);
            font-size: 28px;
            font-weight: bold;
            cursor: pointer;
            border: none;
            background: none;
            padding: 0;
            width: 32px;
            height: 32px;
            display: flex;
            align-items: center;
            justify-content: center;
            border-radius: 4px;
        }

        .close:hover {
            color: var(--gray-800);
            background: var(--gray-100);
        }

        .modal-body {
            padding: 24px;
            max-height: calc(100vh - 250px);
            overflow-y: auto;
        }

        .modal-footer {
            padding: 16px 24px;
            border-top: 1px solid var(--gray-200);
            display: flex;
            justify-content: flex-end;
            gap: 12px;
        }

        .form-group {
            margin-bottom: 20px;
        }

        .form-label {
```

```
            display: block;
            margin-bottom: 6px;
            font-weight: 600;
            color: var(--gray-700);
            font-size: 0.875rem;
        }

        .form-control,
        .form-select {
            width: 100%;
            padding: 10px 12px;
            border: 1px solid var(--gray-300);
            border-radius: 6px;
            font-size: 0.95rem;
            transition: border-color 0.2s ease, box-shadow 0.2s ease;
        }

        .form-control:focus,
        .form-select:focus {
            outline: none;
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.1);
        }

        .btn[disabled] {
            opacity: 0.6;
            cursor: not-allowed;
            pointer-events: none;
        }

        .archived-badge {
            background: var(--gray-500);
            color: #fff;
            padding: 4px 8px;
            border-radius: 4px;
            font-size: 0.75rem;
            font-weight: 600;
            text-transform: uppercase;
        }

        @media (max-width: 768px) {
            .modal-content {
                width: 95%;
                margin: 20px auto;
            }

            .modal-body {
                padding: 18px;
                max-height: calc(100vh - 180px);
            }

            .application-item {
                padding: 16px;
            }

            .applications-toolbar {
                padding: 16px;
            }

            .filter-section {
                gap: 8px;
                flex-wrap: nowrap;
                align-items: center;
                overflow-x: auto;
                padding-bottom: 4px;
            }

            .filter-section .filter-search,
```

```
            .filter-section .form-select,
            .filter-section .btn {
                flex: 0 0 auto;
                width: auto;
            }

            .filter-section .filter-search {
                flex: 1 0 240px;
                min-width: 200px;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($_SESSION['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($_SESSION['full_name'] ?? 'A
dmin') ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
```

```
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Application History</h1>
            <div class="topbar-actions">
                <a href="applications.php" class="topbar-btn" title="Active Applications">
                    <i class="fas fa-file-alt"></i>
                </a>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if (isset($_SESSION['success_message'])): ?>
            <script>
                document.addEventListener('DOMContentLoaded', function() {
                    showSuccess('<?= addslashes($_SESSION['success_message']) ?>', 5000, 'Success');
                });
            </script>
            <?php
                unset($_SESSION['success_message']);
            ?>
            <?php endif; ?>

            <?php if (isset($_SESSION['error_message'])): ?>
            <script>
                document.addEventListener('DOMContentLoaded', function() {
                    showError('<?= addslashes($_SESSION['error_message']) ?>', 5000, 'Error');
                });
            </script>
            <?php
                unset($_SESSION['error_message']);
            ?>
            <?php endif; ?>

            <?php if (isset($_SESSION['info_message'])): ?>
            <script>
                document.addEventListener('DOMContentLoaded', function() {
                    showInfo('<?= addslashes($_SESSION['info_message']) ?>', 5000, 'Info');
                });
            </script>
            <?php
                unset($_SESSION['info_message']);
            ?>
            <?php endif; ?>

            <!-- Info Alert -->
            <div class="card" style="margin-bottom: 24px; border-left: 4px solid var(--primary-blue)
;">
                <div class="card-body">
                    <div style="display: flex; align-items: center; gap: 12px;">
                        <i class="fas fa-info-circle" style="color: var(--primary-blue); font-size:
1.5rem;"></i>
                        <div>
```

```
                            <h3 style="margin: 0 0 4px 0; font-size: 1rem; color: var(--gray-800);">
Application History</h3>
                            <p style="margin: 0; color: var(--gray-600); font-size: 0.9rem;">
                                This page shows all archived applications that have been removed fro
m the active applications list.
                                You can restore applications back to the active list if needed.
                            </p>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Filters -->
            <div class="card" style="margin-bottom: 24px;">
                <div class="card-body">
                    <form method="GET" action="">
                        <div class="filter-section">
                            <label class="filter-search" for="searchQuery">
                                <i class="fas fa-search"></i>
                                <input
                                    id="searchQuery"
                                    type="search"
                                    name="q"
                                    value="<?= htmlspecialchars($searchQuery) ?>"
                                    placeholder="Search by name, email, position or keywords..."
                                >
                            </label>
                            <select name="status" class="form-select filter-select" onchange="this.f
orm.submit()">
                                <option value="all" <?= $filterStatus === 'all' ? 'selected' : '' ?>
>All Status</option>
                                <option value="<?= STATUS_PENDING ?>" <?= $filterStatus === STATUS_P
ENDING ? 'selected' : '' ?>>Pending</option>
                                <option value="<?= STATUS_APPROVED ?>" <?= $filterStatus === STATUS_
APPROVED ? 'selected' : '' ?>>Approved</option>
                                <option value="<?= STATUS_REJECTED ?>" <?= $filterStatus === STATUS_
REJECTED ? 'selected' : '' ?>>Rejected</option>
                            </select>
                            <select name="position" class="form-select filter-select" onchange="this
.form.submit()">
                                <option value="all" <?= $filterPosition === 'all' ? 'selected' : ''
?>>All Positions</option>
                                <?php foreach ($positions as $position): ?>
                                    <option value="<?= $position['id'] ?>" <?= $filterPosition == $p
osition['id'] ? 'selected' : '' ?>>
                                        <?= htmlspecialchars($position['title']) ?>
                                    </option>
                                <?php endforeach; ?>
                            </select>
                            <button type="submit" class="btn btn-primary">
                                <i class="fas fa-filter"></i> Apply
                            </button>
                            <?php if ($filterStatus !== 'all' || $filterPosition !== 'all' || $searc
hQuery !== ''): ?>
                                <a href="application_history.php" class="btn btn-outline">
                                    <i class="fas fa-times"></i> Clear
                                </a>
                            <?php endif; ?>
                        </div>
                    </form>
                </div>
            </div>

            <!-- Applications List -->
            <div class="card">
                <div class="applications-toolbar">
                    <h3 class="card-title">
                        <i class="fas fa-history"></i>
```

```
                        Archived Applications
                    </h3>
                    <div class="applications-count">
                        <span class="badge badge-primary"><?= $totalApplications_filtered ?> result<
?= $totalApplications_filtered === 1 ? '' : 's' ?></span>
                        <span>(<?= count($applications) ?> showing)</span>
                    </div>
                </div>
                <div class="card-body">
                    <?php if (empty($applications)): ?>
                        <div class="empty-state">
                            <i class="fas fa-history"></i>
                            <h3>No Archived Applications</h3>
                            <p>There are no archived applications in the history.</p>
                            <a href="applications.php" class="btn btn-primary">
                                <i class="fas fa-arrow-left"></i> Back to Applications
                            </a>
                        </div>
                    <?php else: ?>
                        <?php foreach ($applications as $app): ?>
                            <?php
                            $documents = $documentModel->getApplicationDocuments($app['id']);
                            $documentEntries = [];

                            if (!empty($app['resume_file'])) {
                                $resumePath = __DIR__ . '/../../applicant/pages/uploads/resumes/' .
$app['resume_file'];
                                $resumeExt = strtolower(pathinfo($app['resume_file'], PATHINFO_EXTEN
SION));
                                $resumeSize = file_exists($resumePath) ? formatFileSize(filesize($re
sumePath)) : null;

                                $documentEntries[] = [
                                    'label' => 'Primary Resume',
                                    'filename' => basename($app['resume_file']),
                                    'type' => 'resume',
                                    'extension' => $resumeExt,
                                    'view_url' => 'view_resume.php?id=' . $app['id'],
                                    'download_url' => 'view_resume.php?id=' . $app['id'] . '&downloa
d=1',
                                    'size' => $resumeSize
                                ];
                            }

                            foreach ($documents as $doc) {
                                $docExt = strtolower(pathinfo($doc['file_name'], PATHINFO_EXTENSION)
);
                                $docSize = !empty($doc['file_size']) ? formatFileSize((int) $doc['fi
le_size']) : null;

                                if (!$docSize) {
                                    $docPath = __DIR__ . '/../../applicant/pages/uploads/documents/'
 . $doc['file_path'];

                                    if (file_exists($docPath)) {
                                        $docSize = formatFileSize(filesize($docPath));
                                    }
                                }

                                $documentEntries[] = [
                                    'label' => ucfirst($doc['document_type']),
                                    'filename' => $doc['file_name'],
                                    'type' => $doc['document_type'],
                                    'extension' => $docExt,
                                    'view_url' => 'view_document.php?id=' . $doc['id'],
                                    'download_url' => 'view_document.php?id=' . $doc['id'] . '&downl
oad=1',
                                    'size' => $docSize
```

```
                                ];
                            }

                            $totalDocuments = count($documentEntries);
                            $hasDocuments = $totalDocuments > 0;
                            ?>
                            <div class="application-item" data-app-id="<?= $app['id'] ?>" data-appli
cation-id="<?= $app['id'] ?>" data-status="<?= htmlspecialchars($app['status']) ?>">
                                <div class="application-header">
                                    <div class="application-meta">
                                        <h4 class="application-name">
                                            <?= htmlspecialchars($app['applicant_name']) ?>
                                            <span class="archived-badge">ARCHIVED</span>
                                        </h4>
                                        <div class="application-tags">
                                            <span class="application-tag">
                                                <i class="fas fa-envelope"></i>
                                                <?= htmlspecialchars($app['applicant_email']) ?>
                                            </span>
                                            <span class="application-tag">
                                                <i class="fas fa-briefcase"></i>
                                                <?= htmlspecialchars($app['position_title']) ?>
                                            </span>
                                            <span class="application-tag">
                                                <i class="fas fa-clock"></i>
                                                <?= $app['total_experience_years'] ?>y exp
                                            </span>
                                            <span class="application-tag">
                                                <i class="fas fa-calendar"></i>
                                                Applied: <?= date('M j, Y', strtotime($app['applied_
at'])) ?>
                                            </span>
                                            <?php if (!empty($app['archived_at'])): ?>
                                            <span class="application-tag">
                                                <i class="fas fa-archive"></i>
                                                Archived: <?= date('M j, Y', strtotime($app['archive
d_at'])) ?>
                                            </span>
                                            <?php endif; ?>
                                            <span class="application-tag" style="color: <?= $hasDocu
ments ? 'var(--success-green)' : 'var(--danger-red)' ?>;">
                                                <i class="fas fa-<?= $hasDocuments ? 'check-circle'
: 'times-circle' ?>"></i>
                                                <?= $totalDocuments ?> File<?= $totalDocuments === 1
 ? '' : 's' ?>
                                            </span>
                                        </div>
                                        <div class="application-summary">
                                            <?= htmlspecialchars(substr($app['cover_letter'], 0, 160
)) ?><?= strlen($app['cover_letter']) > 160 ? '...' : '' ?>
                                        </div>
                                    </div>

                                    <div style="flex: 0 0 auto; display: flex; align-items: center;"
>
                                        <span class="badge badge-<?= $app['status'] === STATUS_PENDI
NG ? 'warning' : ($app['status'] === STATUS_APPROVED ? 'success' : 'danger') ?>">
                                            <?= ucfirst($app['status']) ?>
                                        </span>
                                    </div>
                                </div>
                                <div class="quick-actions">
                                    <button class="btn btn-sm btn-outline" type="button" onclick='vi
ewCoverLetter(<?= json_encode($app) ?>)'>
                                        <i class="fas fa-eye"></i> Cover Letter
                                    </button>
                                    <?php if (!empty($app['resume_file'])): ?>
                                        <a href="view_resume.php?id=<?= $app['id'] ?>" target="_blan
```

```
k" class="btn btn-sm btn-outline" style="text-decoration: none;">
                                            <i class="fas fa-file-pdf"></i> Primary Resume
                                        </a>
                                    <?php endif; ?>
                                    <button
                                        class="btn btn-sm btn-outline"
                                        type="button"
                                        data-action="toggle-details"
                                        data-target="application-details-<?= $app['id'] ?>"
                                        aria-expanded="false"
                                    >
                                        <i class="fas fa-eye"></i> View Details
                                    </button>
                                    <a href="mailto:<?= htmlspecialchars($app['applicant_email']) ?>
" class="btn btn-sm btn-outline" style="text-decoration: none;">
                                        <i class="fas fa-comments"></i> Email Applicant
                                    </a>
                                    <form method="POST" action="application_history.php" id="restore
-form-<?= $app['id'] ?>" style="display: none;">
                                        <input type="hidden" name="csrf_token" value="<?= generateCS
RFToken() ?>">
                                        <?php FormTokenManager::renderFormTokenInput('restore_applic
ation_' . (int) $app['id']); ?>
                                        <input type="hidden" name="application_id" value="<?= $app['
id'] ?>">
                                        <input type="hidden" name="restore_application" value="1">
                                    </form>
                                    <button
                                        type="button"
                                        class="btn btn-sm btn-primary"
                                        onclick="showRestoreConfirmation(<?= $app['id'] ?>, '<?= htm
lspecialchars(addslashes($app['applicant_name'])) ?>', '<?= htmlspecialchars(addslashes($app['positi
on_title'])) ?>')"
                                    >
                                        <i class="fas fa-undo"></i> Restore
                                    </button>
                                </div>

                                <div
                                    id="application-details-<?= $app['id'] ?>"
                                    class="application-details-panel"
                                    style="display: none; margin-top: 16px;"
                                >
                                    <div class="documents-section <?= $hasDocuments ? '' : 'empty' ?
>">
                                        <div class="documents-header">
                                            <div class="documents-title">
                                                <i class="fas fa-paperclip"></i>
                                                Applicant Files
                                            </div>
                                            <span class="documents-count">
                                                <?= $hasDocuments ? ($totalDocuments === 1 ? '1 file
' : $totalDocuments . ' files') : 'No files uploaded' ?>
                                            </span>
                                        </div>
                                        <?php if ($hasDocuments): ?>
                                            <div class="document-list">
                                                <?php foreach ($documentEntries as $entry):
                                                    $extension = $entry['extension'] ?? '';
                                                    $extensionLabel = $extension ? strtoupper($exten
sion) : '';

                                                    $icon = $documentExtensionIcons[$extension] ?? (
$documentTypeIcons[$entry['type']] ?? 'fa-file');
                                                    $sizeLabel = $entry['size'] ?? null;
                                                ?>
                                                <div class="document-item">
                                                    <div class="document-meta">
                                                        <i class="fas <?= $icon ?>"></i>
```

```
                                                    <div>
                                                        <div class="document-name">
                                                            <?= htmlspecialchars($entry['label']
) ?>
                                                            <?php if ($extensionLabel): ?>
                                                                <span class="document-ext">(.<?=
 htmlspecialchars($extensionLabel) ?>)</span>
                                                            <?php endif; ?>
                                                        </div>
                                                        <div class="document-extra">
                                                            <?= htmlspecialchars($entry['filenam
e']) ?>
                                                            <?php if ($sizeLabel): ?>
                                                                &bull; <?= htmlspecialchars($siz
eLabel) ?>
                                                            <?php endif; ?>
                                                        </div>
                                                    </div>
                                                </div>
                                                <div class="document-actions">
                                                    <a href="<?= htmlspecialchars($entry['view_u
rl']) ?>" target="_blank" rel="noopener" class="btn btn-sm btn-outline">
                                                        <i class="fas fa-eye"></i> View
                                                    </a>
                                                    <a href="<?= htmlspecialchars($entry['downlo
ad_url']) ?>" class="btn btn-sm btn-primary" download="<?= htmlspecialchars($entry['filename']) ?>">
                                                        <i class="fas fa-download"></i> Download
                                                    </a>
                                                </div>
                                            </div>
                                            <?php endforeach; ?>
                                        </div>
                                    <?php else: ?>
                                        <p class="documents-empty-message">
                                            Applicant did not upload any supporting files.
                                        </p>
                                    <?php endif; ?>
                                </div>

                                <div style="display: flex; justify-content: flex-end; gap: 10px;
 margin-top: 12px;">
                                    <button
                                        type="button"
                                        class="btn btn-sm btn-outline"
                                        data-action="close-details"
                                        data-target="application-details-<?= $app['id'] ?>"
                                    >
                                        Close
                                    </button>
                                </div>
                            </div>
                        </div>
                    <?php endforeach; ?>
                <?php endif; ?>
            </div>

            <!-- Pagination -->
            <?php if ($totalPages > 1): ?>
            <div class="card-footer" style="display: flex; justify-content: center; align-items:
 center; padding: 16px; border-top: 1px solid var(--gray-200);">
                <div class="pagination">
                    <?php if ($page > 1): ?>
                        <a href="?page=<?= $page - 1 ?>&status=<?= urlencode($filterStatus) ?>&p
osition=<?= urlencode($filterPosition) ?>&q=<?= urlencode($searchQuery) ?>" class="pagination-btn">
                            <i class="fas fa-chevron-left"></i> Previous
                        </a>
                    <?php endif; ?>
```

```
                        <div class="pagination-info">
                            Page <?= $page ?> of <?= $totalPages ?> (<?= $totalApplications_filtered
 ?> total)
                        </div>

                        <?php if ($page < $totalPages): ?>
                            <a href="?page=<?= $page + 1 ?>&status=<?= urlencode($filterStatus) ?>&p
osition=<?= urlencode($filterPosition) ?>&q=<?= urlencode($searchQuery) ?>" class="pagination-btn">
                                Next <i class="fas fa-chevron-right"></i>
                            </a>
                        <?php endif; ?>
                    </div>
                </div>
                <?php endif; ?>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Positions</span>
            </a>
            <a href="applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="mobile-nav-item active">
                <i class="fas fa-history"></i>
                <span>History</span>
            </a>
        </div>
    </nav>

    <!-- Cover Letter Modal -->
    <div class="modal" id="coverLetterModal">
        <div class="modal-content">
            <div class="modal-header">
                <h3 class="modal-title" id="coverLetterTitle">Cover Letter</h3>
                <button class="close" onclick="closeCoverLetterModal()">&times;</button>
            </div>
            <div class="modal-body">
                <div class="form-group">
                    <label class="form-label">Applicant</label>
                    <p style="font-weight: 600; color: var(--gray-800);" id="coverLetterApplicant"><
/p>
                </div>
                <div class="form-group">
                    <label class="form-label">Position</label>
                    <p style="font-weight: 600; color: var(--gray-800);" id="coverLetterPosition"></
p>
                </div>
                <div class="form-group">
                    <label class="form-label">Cover Letter</label>
                    <div style="padding: 16px; background: var(--gray-50); border-radius: 6px; line-
height: 1.6;" id="coverLetterText"></div>
                </div>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-outline" onclick="closeCoverLetterModal()">Clos
e</button>
            </div>
```

```
        </div>
    </div>

    <!-- Restore Confirmation Modal -->
    <div class="modal" id="restoreConfirmModal">
        <div class="modal-content" style="max-width: 500px;">
            <div class="modal-header" style="border-bottom: 2px solid var(--primary-blue); backgroun
d: linear-gradient(135deg, rgba(33, 150, 243, 0.1) 0%, rgba(33, 150, 243, 0.05) 100%);">
                <div style="display: flex; align-items: center; gap: 12px;">
                    <div style="width: 48px; height: 48px; border-radius: 50%; background: var(--pri
mary-blue); display: flex; align-items: center; justify-content: center; color: #fff; font-size: 1.5
rem;">
                        <i class="fas fa-undo"></i>
                    </div>
                    <h3 class="modal-title" style="margin: 0; color: var(--gray-800);">Confirm Resto
re</h3>
                </div>
                <button class="close" onclick="closeRestoreConfirmModal()">&times;</button>
            </div>
            <div class="modal-body" style="padding: 24px;">
                <div style="margin-bottom: 20px;">
                    <p style="font-size: 1rem; color: var(--gray-700); margin: 0 0 16px 0; line-heig
ht: 1.6;">
                        Are you sure you want to restore this application? It will be moved back to
<strong>Active Applications</strong>.
                    </p>
                </div>
                <div style="background: var(--gray-50); border-left: 4px solid var(--primary-blue);
padding: 16px; border-radius: 6px; margin-bottom: 20px;">
                    <div style="display: flex; align-items: center; gap: 12px; margin-bottom: 8px;">
                        <i class="fas fa-user" style="color: var(--gray-600);"></i>
                        <strong style="color: var(--gray-800);">Applicant:</strong>
                        <span style="color: var(--gray-700);" id="restoreConfirmApplicant"></span>
                    </div>
                    <div style="display: flex; align-items: center; gap: 12px;">
                        <i class="fas fa-briefcase" style="color: var(--gray-600);"></i>
                        <strong style="color: var(--gray-800);">Position:</strong>
                        <span style="color: var(--gray-700);" id="restoreConfirmPosition"></span>
                    </div>
                </div>
                <div style="background: #d1ecf1; border: 1px solid #0dcaf0; border-radius: 6px; padd
ing: 12px; display: flex; align-items: start; gap: 10px;">
                    <i class="fas fa-info-circle" style="color: #0c5460; margin-top: 2px;"></i>
                    <p style="margin: 0; font-size: 0.875rem; color: #0c5460; line-height: 1.5;">
                        Once restored, this application will appear in the <strong>Applications</str
ong> page and can be managed normally.
                    </p>
                </div>
            </div>
            <div class="modal-footer" style="border-top: 1px solid var(--gray-200); padding: 16px 24
px; display: flex; justify-content: flex-end; gap: 12px;">
                <button type="button" class="btn btn-outline" onclick="closeRestoreConfirmModal()" s
tyle="min-width: 100px;">
                    <i class="fas fa-times"></i> Cancel
                </button>
                <button type="button" class="btn btn-primary" onclick="confirmRestore()" style="min-
width: 100px;">
                    <i class="fas fa-undo"></i> Restore Application
                </button>
            </div>
        </div>
    </div>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script>
        function viewCoverLetter(app) {
            document.getElementById('coverLetterApplicant').textContent = app.applicant_name;
```

```
            document.getElementById('coverLetterPosition').textContent = app.position_title;
            document.getElementById('coverLetterText').innerHTML = app.cover_letter.replace(/\n/g, '
<br>');
            document.getElementById('coverLetterModal').style.display = 'block';
            document.body.classList.add('modal-open');
        }

        function closeCoverLetterModal() {
            document.getElementById('coverLetterModal').style.display = 'none';
            document.body.classList.remove('modal-open');
        }

        let pendingRestoreFormId = null;

        function showRestoreConfirmation(applicationId, applicantName, positionTitle) {
            pendingRestoreFormId = applicationId;
            document.getElementById('restoreConfirmApplicant').textContent = applicantName;
            document.getElementById('restoreConfirmPosition').textContent = positionTitle;
            document.getElementById('restoreConfirmModal').style.display = 'block';
            document.body.classList.add('modal-open');
        }

        function closeRestoreConfirmModal() {
            document.getElementById('restoreConfirmModal').style.display = 'none';
            document.body.classList.remove('modal-open');
            pendingRestoreFormId = null;
        }

        function confirmRestore() {
            if (pendingRestoreFormId) {
                const form = document.getElementById('restore-form-' + pendingRestoreFormId);
                if (form) {
                    form.submit();
                }
            }
        }

        function toggleDetails(button, panel, show) {
            panel.style.display = show ? 'block' : 'none';
            button.setAttribute('aria-expanded', show ? 'true' : 'false');
            button.innerHTML = show
                ? '<i class="fas fa-eye-slash"></i> Hide Details'
                : '<i class="fas fa-eye"></i> View Details';
        }

        function initializeApplicationDetails() {
            document.querySelectorAll('[data-action="toggle-details"]').forEach(function(button) {
                const targetId = button.getAttribute('data-target');
                const panel = document.getElementById(targetId);
                if (!panel) {
                    return;
                }

                panel.querySelectorAll('[data-action="close-details"]').forEach(function(closeButton
) {
                    closeButton.addEventListener('click', function() {
                        toggleDetails(button, panel, false);
                    });
                });

                button.addEventListener('click', function() {
                    const isOpen = panel.style.display === 'block';
                    toggleDetails(button, panel, !isOpen);
                });

                toggleDetails(button, panel, false);
            });
        }
```

```
        document.addEventListener('DOMContentLoaded', function() {
            initializeApplicationDetails();
        });

        window.addEventListener('click', function(event) {
            const coverLetterModal = document.getElementById('coverLetterModal');
            const restoreModal = document.getElementById('restoreConfirmModal');
            if (event.target === coverLetterModal) {
                closeCoverLetterModal();
            }
            if (event.target === restoreModal) {
                closeRestoreConfirmModal();
            }
        });

        window.addEventListener('keydown', function(event) {
            if (event.key === 'Escape') {
                closeCoverLetterModal();
                closeRestoreConfirmModal();
            }
        });
    </script>
    <script src="../../assets/js/form-submission-manager.js"></script>
</body>
</html>
```

admin/pages/applications.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';
require_once '../../includes/services/EmailService.php';
require_once '../../includes/services/RequirementValidator.php';
require_once '../../includes/helpers/InterviewScheduler.php';

requireAdmin();

$applicationModel = new Application();
$userModel = new User();
$positionModel = new Position();
$documentModel = new ApplicationDocument();
$emailService = new EmailService();

// Handle application archive (remove)
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['archive_application'])) {
    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            $_SESSION['info_message'] = 'Application already archived.';
        } else {
            $_SESSION['error_message'] = $validation['error'];
        }
        header('Location: applications.php');
        exit();
    }

    $applicationId = (int)$_POST['application_id'];

    $application = $applicationModel->findById($applicationId);

    if (!$application) {
        $_SESSION['error_message'] = 'Application not found.';
        header('Location: applications.php');
        exit();
    }

    // Archive the application
    $archived = $applicationModel->archive($applicationId);

    if ($archived) {
        // Log activity
        $userModel->logActivity(
            $_SESSION['user_id'],
            'archive_application',
            "Archived application #{$applicationId} for {$application['user_id']}"
        );

        $_SESSION['success_message'] = 'Application has been moved to history.';
    } else {
        $_SESSION['error_message'] = 'Failed to archive application. Please try again.';
    }

    header('Location: applications.php');
    exit();
}

// Handle user profile data fetch (for modal)
if ($_SERVER['REQUEST_METHOD'] === 'GET' && isset($_GET['action']) && $_GET['action'] === 'get_user_
profile') {
    header('Content-Type: application/json');

    $userId = isset($_GET['user_id']) ? (int)$_GET['user_id'] : 0;
```

```
    if ($userId <= 0) {
        echo json_encode(['success' => false, 'error' => 'Invalid user ID']);
        exit();
    }

    try {
        $user = $userModel->findById($userId);

        if (!$user) {
            echo json_encode(['success' => false, 'error' => 'User not found']);
            exit();
        }

        // Remove password from user data
        unset($user['password']);

        // Fetch related data
        $experienceModel = new Experience();
        $trainingCertificateModel = new TrainingCertificate();
        $applicationDocumentModel = new UserApplicationDocument();

        $allExperiences = $experienceModel->getUserExperience($userId);
        $trainingCertificates = [];
        $applicationDocuments = [];

        try {
            $trainingCertificates = $trainingCertificateModel->getUserCertificates($userId);
            // Ensure we have an array
            if (!is_array($trainingCertificates)) {
                $trainingCertificates = [];
            }
        } catch (\Exception $e) {
            // Table might not exist
            error_log("Error fetching training certificates: " . $e->getMessage());
            $trainingCertificates = [];
        }

        try {
            $applicationDocuments = $applicationDocumentModel->getUserDocuments($userId);
            // Ensure we have an array
            if (!is_array($applicationDocuments)) {
                $applicationDocuments = [];
            }
        } catch (\Exception $e) {
            // Table might not exist
            error_log("Error fetching application documents: " . $e->getMessage());
            $applicationDocuments = [];
        }

        // Log for debugging
        error_log("User ID: $userId, Training Certificates: " . count($trainingCertificates) . ", Ap
plication Documents: " . count($applicationDocuments));
        error_log("Training Certificates data: " . print_r($trainingCertificates, true));
        error_log("Application Documents data: " . print_r($applicationDocuments, true));

        // Ensure arrays are properly formatted
        $response = [
            'success' => true,
            'user' => $user,
            'experiences' => is_array($allExperiences) ? $allExperiences : [],
            'trainingCertificates' => is_array($trainingCertificates) ? $trainingCertificates : [],
            'applicationDocuments' => is_array($applicationDocuments) ? $applicationDocuments : []
        ];

        echo json_encode($response, JSON_UNESCAPED_SLASHES);
    } catch (\Exception $e) {
        echo json_encode(['success' => false, 'error' => 'Failed to fetch user data: ' . $e->getMess
```

```
age()]);
    }

    exit();
}

// Handle status update
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['update_status'])) {
    // Debug logging
    error_log("=== STATUS UPDATE REQUEST ===");
    error_log("POST data: " . print_r($_POST, true));

    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        error_log("Form validation failed: " . $validation['error']);
        if ($validation['error'] === 'duplicate') {
            // Duplicate submission detected
            $_SESSION['info_message'] = 'Status update already processed.';
        } else {
            $_SESSION['error_message'] = $validation['error'];
        }
        header('Location: applications.php');
        exit();
    }

    $applicationId = (int)$_POST['application_id'];
    $newStatus = $_POST['status'];

    error_log("Application ID: " . $applicationId);
    error_log("New Status: " . $newStatus);

    if (in_array($newStatus, [STATUS_PENDING, STATUS_APPROVED, STATUS_REJECTED])) {
        // Get application details before updating
        $application = $applicationModel->findById($applicationId);

        if (!$application) {
            $_SESSION['error_message'] = 'Application not found.';
            header('Location: applications.php');
            exit();
        }

        // Update status (reviewed_at is handled automatically by the model if column exists)
        $updateData = [
            'status' => $newStatus
        ];

        // If status is being approved, schedule interview automatically
        if ($newStatus === STATUS_APPROVED) {
            try {
                // Get database connection from the model
                $db = $applicationModel->getConnection();

                // Get next available interview slot
                $interviewSlot = InterviewScheduler::getNextAvailableSlot($db);

                // Add interview date and time to update data
                $updateData['interview_date'] = $interviewSlot['date'];
                $updateData['interview_time'] = $interviewSlot['time'];

                error_log("Scheduled interview for: " . $interviewSlot['date'] . " at " . $interview
Slot['time']);
            } catch (Exception $e) {
                error_log("Failed to schedule interview: " . $e->getMessage());
                // Continue without interview scheduling if it fails
            }
        }
```

```
        $updated = $applicationModel->update($applicationId, $updateData);

        error_log("Update result: " . ($updated ? 'SUCCESS' : 'FAILED'));
        error_log("Update data: " . print_r($updateData, true));

        if (!$updated) {
            error_log("Update failed - stopping execution");
            $_SESSION['error_message'] = 'Failed to update application status. Please try again.';
            header('Location: applications.php');
            exit();
        }

        error_log("Update successful, proceeding with email...");

        // Automatically archive applications when approved or rejected
        if ($newStatus === STATUS_APPROVED || $newStatus === STATUS_REJECTED) {
            // Archive the application to move it to history
            $archived = $applicationModel->archive($applicationId);
            if ($archived) {
                error_log("Application #{$applicationId} automatically archived after status change
to {$newStatus}");

                // Log activity
                $userModel->logActivity(
                    $_SESSION['user_id'],
                    'auto_archive_application',
                    "Application #{$applicationId} automatically archived after being {$newStatus}"
                );
            } else {
                error_log("Warning: Failed to auto-archive application #{$applicationId}");
            }
        }

        // Send email notification if status is approved or rejected
        if ($newStatus === STATUS_APPROVED || $newStatus === STATUS_REJECTED) {
            try {
                $user = $userModel->findById($application['user_id']);
                $position = $positionModel->findById($application['position_id']);

                if (!$user || !$position) {
                    throw new Exception('User or position not found');
                }

                // Get updated application
                $updatedApp = $applicationModel->findById($applicationId);

                // If approved, send congratulation email
                if ($newStatus === STATUS_APPROVED) {
                    $emailSent = $emailService->sendApplicationApproved($user, $position, $updatedAp
p);
                } else {
                    // For rejected, send regular status update
                    $emailSent = $emailService->sendApplicationStatusUpdate($user, $position, $updat
edApp);
                }

                if ($emailSent) {
                    // Success message with email confirmation
                    $statusText = $newStatus === STATUS_APPROVED ? 'approved' : 'rejected';
                    $_SESSION['success_message'] = "Application status updated to {$statusText} and
moved to history. Confirmation email has been sent to {$user['email']}!";
                    $_SESSION['email_sent'] = true;
                } else {
                    throw new Exception('Email sending failed');
                }
            } catch (Exception $e) {
                // Log error but still show success for status update
```

```
                error_log("Failed to send status update email: " . $e->getMessage());
                error_log("Stack trace: " . $e->getTraceAsString());

                $statusText = $newStatus === STATUS_APPROVED ? 'approved' : 'rejected';
                $_SESSION['success_message'] = "Application status updated to {$statusText} and move
d to history, but email notification failed: " . $e->getMessage();
                $_SESSION['email_sent'] = false;
            }
        } else {
            $_SESSION['success_message'] = 'Application status updated to pending.';
        }

        header('Location: applications.php');
        exit();
    }
}

// Get filter parameters
$filterStatus = $_GET['status'] ?? 'all';
$filterPosition = $_GET['position'] ?? 'all';
$searchQuery = trim($_GET['q'] ?? '');

// Get all applications with details (include archived so approved/rejected applications remain visi
ble)
$applications = $applicationModel->getApplicationsWithDetails('', [], true);

// Apply status filter
if ($filterStatus !== 'all') {
    $applications = array_filter($applications, function($app) use ($filterStatus) {
        return $app['status'] === $filterStatus;
    });
}

if ($filterPosition !== 'all') {
    $applications = array_filter($applications, function($app) use ($filterPosition) {
        return $app['position_id'] == $filterPosition;
    });
}

if ($searchQuery !== '') {
    $applications = array_filter($applications, function($app) use ($searchQuery) {
        $haystacks = [
            $app['applicant_name'] ?? '',
            $app['applicant_email'] ?? '',
            $app['position_title'] ?? '',
            $app['cover_letter'] ?? ''
        ];
        foreach ($haystacks as $haystack) {
            if (stripos($haystack, $searchQuery) !== false) {
                return true;
            }
        }
        return false;
    });
}

// Pagination setup
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 5;
$offset = ($page - 1) * $perPage;

// Calculate pagination
$totalApplications_filtered = count($applications);
$totalPages = ceil($totalApplications_filtered / $perPage);
$applications = array_slice($applications, $offset, $perPage);

// Get all positions for filter dropdown
$positions = $positionModel->findAll('is_active = 1');
```

```
if (!function_exists('formatFileSize')) {
    function formatFileSize($bytes, $precision = 1)
    {
        if (!is_numeric($bytes) || $bytes <= 0) {
            return null;
        }

        $units = ['B', 'KB', 'MB', 'GB', 'TB'];
        $pow = (int) floor(log($bytes, 1024));
        $pow = max(0, min($pow, count($units) - 1));
        $bytes /= pow(1024, $pow);

        return round($bytes, $precision) . ' ' . $units[$pow];
    }
}

$documentTypeIcons = [
    'resume' => 'fa-id-card',
    'cover_letter' => 'fa-file-lines',
    'certificate' => 'fa-certificate',
    'portfolio' => 'fa-folder-open',
    'other' => 'fa-file'
];

$documentExtensionIcons = [
    'pdf' => 'fa-file-pdf',
    'doc' => 'fa-file-word',
    'docx' => 'fa-file-word',
    'txt' => 'fa-file-lines',
    'jpg' => 'fa-file-image',
    'jpeg' => 'fa-file-image',
    'png' => 'fa-file-image',
    'gif' => 'fa-file-image',
    'zip' => 'fa-file-archive',
    'ppt' => 'fa-file-powerpoint',
    'pptx' => 'fa-file-powerpoint',
    'xls' => 'fa-file-excel',
    'xlsx' => 'fa-file-excel'
];?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Applications Management - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        .application-item {
            padding: 20px;
            margin-bottom: 16px;
            border: 1px solid var(--gray-200);
            border-radius: 12px;
            background: #fff;
            transition: box-shadow 0.2s ease, transform 0.2s ease;
        }

        body.modal-open {
            overflow: hidden;
        }

        .application-item:hover {
            box-shadow: 0 14px 30px -18px rgba(20, 57, 99, 0.35);
            transform: translateY(-2px);
```

```
        }

        .application-item:last-child {
            margin-bottom: 0;
        }

        .application-header {
            display: flex;
            flex-wrap: wrap;
            align-items: flex-start;
            justify-content: space-between;
            gap: 20px;
        }

        .application-meta {
            flex: 1 1 320px;
        }

        .application-name {
            margin: 0;
            font-size: 1.125rem;
            font-weight: 600;
            color: var(--gray-900);
        }

        .application-tags {
            display: flex;
            flex-wrap: wrap;
            gap: 12px;
            margin: 6px 0 12px;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .application-tag {
            display: inline-flex;
            align-items: center;
            gap: 6px;
        }

        .application-summary {
            font-size: 0.92rem;
            line-height: 1.6;
            color: var(--gray-700);
            max-width: 60ch;
        }

        .documents-section {
            margin-top: 14px;
            padding: 14px;
            border-radius: 8px;
            background: var(--gray-50);
        }

        .documents-section.collapsed {
            display: none;
        }

        .documents-header {
            display: flex;
            align-items: center;
            justify-content: space-between;
            flex-wrap: wrap;
            gap: 8px;
            margin-bottom: 8px;
            font-size: 0.875rem;
            font-weight: 600;
            color: var(--gray-700);
```

```
        }

        .document-badges {
            display: flex;
            flex-wrap: wrap;
            gap: 8px;
        }

        .document-badges .badge {
            text-decoration: none;
            padding: 6px 10px;
            font-size: 0.8rem;
        }
        .documents-section.empty {
            background: var(--gray-100);
            border: 1px dashed var(--gray-200);
        }

        .documents-title {
            display: inline-flex;
            align-items: center;
            gap: 8px;
        }

        .documents-count {
            font-size: 0.8rem;
            font-weight: 500;
            color: var(--gray-500);
        }

        .document-list {
            display: flex;
            flex-direction: column;
            gap: 10px;
        }

        .document-item {
            display: flex;
            flex-wrap: wrap;
            justify-content: space-between;
            align-items: center;
            gap: 12px;
            padding: 12px;
            border-radius: 8px;
            background: #fff;
            border: 1px solid var(--gray-200);
        }

        .document-meta {
            display: flex;
            align-items: center;
            gap: 12px;
            min-width: 200px;
        }

        .document-meta i {
            font-size: 1.2rem;
            color: var(--primary-blue);
        }

        .document-name {
            font-weight: 600;
            font-size: 0.9rem;
            color: var(--gray-800);
        }

        .document-ext {
            font-weight: 500;
```

```
            color: var(--gray-500);
            margin-left: 4px;
        }

        .document-extra {
            font-size: 0.8rem;
            color: var(--gray-500);
        }

        .document-actions {
            display: flex;
            flex-wrap: wrap;
            gap: 8px;
        }

        .document-actions .btn {
            min-width: 110px;
        }

        .documents-empty-message {
            margin: 0;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .badge-primary {
            background: var(--primary-blue);
            color: #fff;
            transition: transform 0.2s ease, box-shadow 0.2s ease, background 0.2s ease;
        }

        .badge-primary:hover {
            background: var(--secondary-blue);
            transform: translateY(-1px);
            box-shadow: 0 2px 8px rgba(33, 150, 243, 0.3);
        }

        .status-control {
            flex: 0 0 220px;
            display: flex;
            flex-direction: column;
            align-items: flex-end;
            gap: 12px;
        }

        .status-select {
            width: 100%;
            min-width: 180px;
            padding: 10px 12px;
            border-radius: 8px;
            border: 1px solid var(--gray-300);
            font-weight: 600;
            text-transform: capitalize;
            background-color: #fff;
            transition: border-color 0.2s ease, box-shadow 0.2s ease;
        }

        .status-select:focus {
            outline: none;
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.15);
        }

        .status-feedback {
            font-size: 0.8rem;
            color: var(--gray-500);
        }
```

```
        .quick-actions {
            display: flex;
            flex-wrap: wrap;
            gap: 8px;
            margin-top: 18px;
        }

        .quick-actions .btn {
            min-width: 140px;
        }

        .filter-section {
            display: flex;
            flex-wrap: wrap;
            align-items: center;
            gap: 12px;
            width: 100%;
        }

        .filter-select {
            flex: 0 0 auto;
            min-width: 180px;
            width: auto;
        }

        .filter-search {
            flex: 1 1 260px;
            display: flex;
            align-items: center;
            gap: 10px;
            padding: 10px 12px;
            border-radius: 8px;
            border: 1px solid var(--gray-300);
            background: #fff;
            transition: border-color 0.2s ease, box-shadow 0.2s ease;
        }

        .filter-section .btn {
            flex: 0 0 auto;
        }

        .filter-section .form-select {
            width: auto;
        }

        .filter-search input {
            flex: 1;
            border: none;
            outline: none;
            font-size: 0.95rem;
            background: transparent;
            color: var(--gray-800);
        }

        .filter-search:focus-within {
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.12);
        }

        .filter-search i {
            color: var(--gray-500);
        }

        .applications-toolbar {
            display: flex;
            flex-wrap: wrap;
            align-items: center;
            justify-content: space-between;
```

```
            gap: 16px;
            padding: 16px 24px;
            border-bottom: 1px solid var(--gray-200);
        }

        .applications-toolbar h3 {
            margin: 0;
            display: flex;
            align-items: center;
            gap: 10px;
            font-size: 1.05rem;
            font-weight: 600;
            color: var(--gray-800);
        }

        .applications-count {
            display: flex;
            align-items: center;
            gap: 8px;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .empty-state {
            padding: 48px 24px;
            text-align: center;
            color: var(--gray-600);
        }

        .empty-state i {
            display: block;
            font-size: 2.5rem;
            margin-bottom: 16px;
            color: var(--gray-300);
        }

        .empty-state h3 {
            margin: 0 0 8px;
            color: var(--gray-800);
        }

        .modal {
            display: none;
            position: fixed;
            z-index: 1000;
            inset: 0;
            width: 100%;
            height: 100%;
            overflow: auto;
            background-color: rgba(0, 0, 0, 0.5);
        }

        .modal-content {
            background-color: #fff;
            margin: 5% auto;
            padding: 0;
            border-radius: 10px;
            width: 90%;
            max-width: 600px;
            box-shadow: 0 14px 30px -18px rgba(20, 57, 99, 0.35);
        }

        .modal-header {
            padding: 20px 24px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            justify-content: space-between;
            align-items: center;
```

```
        }

        .modal-title {
            font-size: 1.25rem;
            font-weight: 600;
            color: var(--gray-800);
            margin: 0;
        }

        .close {
            color: var(--gray-500);
            font-size: 28px;
            font-weight: bold;
            cursor: pointer;
            border: none;
            background: none;
            padding: 0;
            width: 32px;
            height: 32px;
            display: flex;
            align-items: center;
            justify-content: center;
            border-radius: 4px;
        }

        .close:hover {
            color: var(--gray-800);
            background: var(--gray-100);
        }

        .modal-body {
            padding: 24px;
            max-height: calc(100vh - 250px);
            overflow-y: auto;
        }

        .modal-footer {
            padding: 16px 24px;
            border-top: 1px solid var(--gray-200);
            display: flex;
            justify-content: flex-end;
            gap: 12px;
        }

        .form-group {
            margin-bottom: 20px;
        }

        .form-label {
            display: block;
            margin-bottom: 6px;
            font-weight: 600;
            color: var(--gray-700);
            font-size: 0.875rem;
        }

        .form-control,
        .form-select {
            width: 100%;
            padding: 10px 12px;
            border: 1px solid var(--gray-300);
            border-radius: 6px;
            font-size: 0.95rem;
            transition: border-color 0.2s ease, box-shadow 0.2s ease;
        }

        .form-control:focus,
        .form-select:focus {
```

```
            outline: none;
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.1);
        }

        .btn[disabled] {
            opacity: 0.6;
            cursor: not-allowed;
            pointer-events: none;
        }

        #statusConfirmModal .modal-content {
            animation: modalSlideIn 0.3s ease-out;
        }

        @keyframes modalSlideIn {
            from {
                opacity: 0;
                transform: translateY(-20px);
            }
            to {
                opacity: 1;
                transform: translateY(0);
            }
        }

        #statusConfirmButton:hover {
            transform: translateY(-2px);
            box-shadow: 0 6px 16px rgba(16, 185, 129, 0.4) !important;
        }

        #statusConfirmButton:active {
            transform: translateY(0);
        }

        @media (max-width: 1024px) {
            .status-control {
                flex-basis: 100%;
                align-items: flex-start;
            }

            .status-select {
                max-width: 100%;
            }
        }

        .info-section {
            padding: 16px;
            background: #fff;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
        }

        .info-section h4 {
            font-size: 1.125rem;
            font-weight: 600;
            margin-bottom: 16px;
            color: var(--gray-800);
        }

        @media (max-width: 768px) {
            .modal-content {
                width: 95%;
                margin: 20px auto;
            }

            .modal-body {
                padding: 18px;
```

```
                max-height: calc(100vh - 180px);
            }

            .application-item {
                padding: 16px;
            }

            .applications-toolbar {
                padding: 16px;
            }

            .filter-section {
                gap: 8px;
                flex-wrap: nowrap;
                align-items: center;
                overflow-x: auto;
                padding-bottom: 4px;
            }

            .filter-section .filter-search,
            .filter-section .form-select,
            .filter-section .btn {
                flex: 0 0 auto;
                width: auto;
            }

            .filter-section .filter-search {
                flex: 1 0 240px;
                min-width: 200px;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
```

```
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($_SESSION['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($_SESSION['full_name'] ?? 'A
dmin') ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Applications</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
                        <a href="notifications.php">View all notifications</a>
                    </div>
                </div>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if (isset($_SESSION['success_message'])): ?>
            <script>
                document.addEventListener('DOMContentLoaded', function() {
                    <?php if (isset($_SESSION['email_sent']) && $_SESSION['email_sent']): ?>
                        showSuccess('<?= addslashes($_SESSION['success_message']) ?>', 5000, 'Status
 Updated');
```

```
                    <?php else: ?>
                        showWarning('<?= addslashes($_SESSION['success_message']) ?>', 5000, 'Status
 Updated');
                    <?php endif; ?>
                });
            </script>
            <?php
                unset($_SESSION['success_message']);
                unset($_SESSION['email_sent']);
            ?>
            <?php endif; ?>

            <?php if (isset($_SESSION['error_message'])): ?>
            <script>
                document.addEventListener('DOMContentLoaded', function() {
                    showError('<?= addslashes($_SESSION['error_message']) ?>', 5000, 'Error');
                });
            </script>
            <?php
                unset($_SESSION['error_message']);
            ?>
            <?php endif; ?>

            <!-- Statistics Cards -->
            <div class="stats-grid" style="margin-bottom: 24px;">
                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($applicationModel->findAll()) ?><
/div>
                            <div class="stat-card-label">Total Applications</div>
                        </div>
                        <div class="stat-card-icon purple">
                            <i class="fas fa-file-alt"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($applicationModel->findAll('statu
s = ?', [STATUS_PENDING])) ?></div>
                            <div class="stat-card-label">Pending</div>
                        </div>
                        <div class="stat-card-icon yellow">
                            <i class="fas fa-clock"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($applicationModel->findAll('statu
s = ?', [STATUS_APPROVED])) ?></div>
                            <div class="stat-card-label">Approved</div>
                        </div>
                        <div class="stat-card-icon green">
                            <i class="fas fa-check-circle"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($applicationModel->findAll('statu
```

```
s = ?', [STATUS_REJECTED])) ?></div>
                            <div class="stat-card-label">Rejected</div>
                        </div>
                        <div class="stat-card-icon" style="background: var(--danger-red);">
                            <i class="fas fa-times-circle"></i>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Filters -->
            <div class="card" style="margin-bottom: 24px;">
                <div class="card-body">
                    <form method="GET" action="">
                        <div class="filter-section">
                            <label class="filter-search" for="searchQuery">
                                <i class="fas fa-search"></i>
                                <input
                                    id="searchQuery"
                                    type="search"
                                    name="q"
                                    value="<?= htmlspecialchars($searchQuery) ?>"
                                    placeholder="Search by name, email, position or keywords..."
                                >
                            </label>
                            <select name="status" class="form-select filter-select" onchange="this.f
orm.submit()">
                                <option value="all" <?= $filterStatus === 'all' ? 'selected' : '' ?>
>All Status</option>
                                <option value="<?= STATUS_PENDING ?>" <?= $filterStatus === STATUS_P
ENDING ? 'selected' : '' ?>>Pending</option>
                                <option value="<?= STATUS_APPROVED ?>" <?= $filterStatus === STATUS_
APPROVED ? 'selected' : '' ?>>Approved</option>
                                <option value="<?= STATUS_REJECTED ?>" <?= $filterStatus === STATUS_
REJECTED ? 'selected' : '' ?>>Rejected</option>
                            </select>
                            <select name="position" class="form-select filter-select" onchange="this
.form.submit()">
                                <option value="all" <?= $filterPosition === 'all' ? 'selected' : ''
?>>All Positions</option>
                                <?php foreach ($positions as $position): ?>
                                    <option value="<?= $position['id'] ?>" <?= $filterPosition == $p
osition['id'] ? 'selected' : '' ?>>
                                        <?= htmlspecialchars($position['title']) ?>
                                    </option>
                                <?php endforeach; ?>
                            </select>
                            <button type="submit" class="btn btn-primary">
                                <i class="fas fa-filter"></i> Apply
                            </button>
                            <?php if ($filterStatus !== 'all' || $filterPosition !== 'all' || $searc
hQuery !== ''): ?>
                                <a href="applications.php" class="btn btn-outline">
                                    <i class="fas fa-times"></i> Clear
                                </a>
                            <?php endif; ?>
                        </div>
                    </form>
                </div>
            </div>

            <!-- Applications List -->
            <div class="card">
                <div class="applications-toolbar">
                    <h3 class="card-title">
                        <i class="fas fa-file-alt"></i>
                        Applications
                    </h3>
```

```
                    <div class="applications-count">
                        <span class="badge badge-primary"><?= $totalApplications_filtered ?> result<
?= $totalApplications_filtered === 1 ? '' : 's' ?></span>
                        <span>(<?= count($applications) ?> showing)</span>
                    </div>
                </div>
                <div class="card-body">
                    <?php if (empty($applications)): ?>
                        <div class="empty-state">
                            <i class="fas fa-file-alt"></i>
                            <h3>No Applications Found</h3>
                            <p>No applications match your current filters.</p>
                            <a href="applications.php" class="btn btn-primary">
                                <i class="fas fa-refresh"></i> Clear Filters
                            </a>
                        </div>
                    <?php else: ?>
                        <?php foreach ($applications as $app): ?>
                            <?php
                            $documents = $documentModel->getApplicationDocuments($app['id']);
                            $documentEntries = [];

                            // Get comprehensive requirement validation
                            $requirementValidator = new RequirementValidator();
                            $requirementValidation = $requirementValidator->validateRequirements($ap
p['user_id'], $app['position_id']);

                            if (!empty($app['resume_file'])) {
                                $resumePath = __DIR__ . '/../../applicant/pages/uploads/resumes/' .
$app['resume_file'];
                                $resumeExt = strtolower(pathinfo($app['resume_file'], PATHINFO_EXTEN
SION));
                                $resumeSize = file_exists($resumePath) ? formatFileSize(filesize($re
sumePath)) : null;

                                $documentEntries[] = [
                                    'label' => 'Primary Resume',
                                    'filename' => basename($app['resume_file']),
                                    'type' => 'resume',
                                    'extension' => $resumeExt,
                                    'view_url' => 'view_resume.php?id=' . $app['id'],
                                    'download_url' => 'view_resume.php?id=' . $app['id'] . '&downloa
d=1',
                                    'size' => $resumeSize
                                ];
                            }

                            foreach ($documents as $doc) {
                                $docExt = strtolower(pathinfo($doc['file_name'], PATHINFO_EXTENSION)
);
                                $docSize = !empty($doc['file_size']) ? formatFileSize((int) $doc['fi
le_size']) : null;

                                if (!$docSize) {
                                    $docPath = __DIR__ . '/../../applicant/pages/uploads/documents/'
 . $doc['file_path'];

                                    if (file_exists($docPath)) {
                                        $docSize = formatFileSize(filesize($docPath));
                                    }
                                }

                                $documentEntries[] = [
                                    'label' => ucfirst($doc['document_type']),
                                    'filename' => $doc['file_name'],
                                    'type' => $doc['document_type'],
                                    'extension' => $docExt,
                                    'view_url' => 'view_document.php?id=' . $doc['id'],
```

```
                                    'download_url' => 'view_document.php?id=' . $doc['id'] . '&downl
oad=1',
                                    'size' => $docSize
                                ];
                            }

                            $totalDocuments = count($documentEntries);
                            $hasDocuments = $totalDocuments > 0;
                            ?>
                            <div class="application-item" data-app-id="<?= $app['id'] ?>" data-appli
cation-id="<?= $app['id'] ?>" data-status="<?= htmlspecialchars($app['status']) ?>">
                                <div class="application-header">
                                    <div class="application-meta">
                                        <h4 class="application-name">
                                            <?= htmlspecialchars($app['applicant_name']) ?>
                                        </h4>
                                        <div class="application-tags">
                                            <span class="application-tag">
                                                <i class="fas fa-envelope"></i>
                                                <?= htmlspecialchars($app['applicant_email']) ?>
                                            </span>
                                            <span class="application-tag">
                                                <i class="fas fa-briefcase"></i>
                                                <?= htmlspecialchars($app['position_title']) ?>
                                            </span>
                                            <span class="application-tag">
                                                <i class="fas fa-clock"></i>
                                                <?= $app['total_experience_years'] ?>y exp
                                            </span>
                                            <span class="application-tag">
                                                <i class="fas fa-calendar"></i>
                                                <?= date('M j, Y', strtotime($app['applied_at'])) ?>
                                            </span>
                                            <span class="application-tag" style="color: <?= $hasDocu
ments ? 'var(--success-green)' : 'var(--danger-red)' ?>;">
                                                <i class="fas fa-<?= $hasDocuments ? 'check-circle'
: 'times-circle' ?>"></i>
                                                <?= $totalDocuments ?> File<?= $totalDocuments === 1
 ? '' : 's' ?>
                                            </span>
                                        </div>
                                        <div class="application-summary">
                                            <?= htmlspecialchars(substr($app['cover_letter'], 0, 160
)) ?><?= strlen($app['cover_letter']) > 160 ? '...' : '' ?>
                                        </div>
                                    </div>

                                    <div class="status-control">
                                        <span class="badge badge-<?= $app['status'] === STATUS_PENDI
NG ? 'warning' : ($app['status'] === STATUS_APPROVED ? 'success' : 'danger') ?>">
                                            <?= ucfirst($app['status']) ?>
                                        </span>
                                        <form method="POST" action="applications.php" class="status-
inline-form" id="status-form-<?= $app['id'] ?>">
                                            <input type="hidden" name="csrf_token" value="<?= genera
teCSRFToken() ?>">
                                            <?php FormTokenManager::renderFormTokenInput('update_app
lication_status_' . (int) $app['id']); ?>
                                            <input type="hidden" name="application_id" value="<?= $a
pp['id'] ?>">
                                            <input type="hidden" name="update_status" value="1">
                                            <input type="hidden" name="status" id="status-input-<?=
$app['id'] ?>" value="<?= htmlspecialchars($app['status']) ?>">
                                            <select
                                                class="status-select"
                                                data-original-status="<?= htmlspecialchars($app['sta
tus']) ?>"
                                                data-applicant-email="<?= htmlspecialchars($app['app
```

```
licant_email']) ?>"
                                                data-form-id="status-form-<?= $app['id'] ?>"
                                            >
                                                <option value="<?= STATUS_PENDING ?>" <?= $app['stat
us'] === STATUS_PENDING ? 'selected' : '' ?>>Pending</option>
                                                <option value="<?= STATUS_APPROVED ?>" <?= $app['sta
tus'] === STATUS_APPROVED ? 'selected' : '' ?>>Approved</option>
                                                <option value="<?= STATUS_REJECTED ?>" <?= $app['sta
tus'] === STATUS_REJECTED ? 'selected' : '' ?>>Rejected</option>
                                            </select>
                                        </form>
                                    </div>
                                </div>
                                <div class="quick-actions">
                                    <button class="btn btn-sm btn-outline" type="button" onclick='vi
ewCoverLetter(<?= json_encode($app) ?>)'>
                                        <i class="fas fa-eye"></i> Cover Letter
                                    </button>
                                    <button class="btn btn-sm btn-primary" type="button" onclick='vi
ewUserInformation(<?= $app['user_id'] ?>)'>
                                        <i class="fas fa-user-circle"></i> View Information
                                    </button>
                                    <?php if (!empty($app['resume_file'])): ?>
                                        <a href="view_resume.php?id=<?= $app['id'] ?>" target="_blan
k" class="btn btn-sm btn-outline" style="text-decoration: none;">
                                            <i class="fas fa-file-pdf"></i> Primary Resume
                                        </a>
                                    <?php endif; ?>
                                    <button
                                        class="btn btn-sm btn-outline"
                                        type="button"
                                        data-action="toggle-details"
                                        data-target="application-details-<?= $app['id'] ?>"
                                        aria-expanded="false"
                                    >
                                        <i class="fas fa-eye"></i> View Details
                                    </button>
                                    <a href="mailto:<?= htmlspecialchars($app['applicant_email']) ?>
" class="btn btn-sm btn-outline" style="text-decoration: none;">
                                        <i class="fas fa-comments"></i> Email Applicant
                                    </a>
                                    <form method="POST" action="applications.php" id="archive-form-<
?= $app['id'] ?>" style="display: none;">
                                        <input type="hidden" name="csrf_token" value="<?= generateCS
RFToken() ?>">
                                        <?php FormTokenManager::renderFormTokenInput('archive_applic
ation_' . (int) $app['id']); ?>
                                        <input type="hidden" name="application_id" value="<?= $app['
id'] ?>">
                                        <input type="hidden" name="archive_application" value="1">
                                    </form>
                                    <button
                                        type="button"
                                        class="btn btn-sm btn-outline"
                                        style="color: var(--danger-red); border-color: var(--danger-
red);"
                                        onclick="showArchiveConfirmation(<?= $app['id'] ?>, '<?= htm
lspecialchars(addslashes($app['applicant_name'])) ?>', '<?= htmlspecialchars(addslashes($app['positi
on_title'])) ?>')"
                                    >
                                        <i class="fas fa-trash"></i> Remove
                                    </button>
                                </div>

                                <div
                                    id="application-details-<?= $app['id'] ?>"
                                    class="application-details-panel"
                                    style="display: none; margin-top: 16px;"
```

```
                                >
                                    <div class="documents-section <?= $hasDocuments ? '' : 'empty' ?
>">
                                        <div class="documents-header">
                                            <div class="documents-title">
                                                <i class="fas fa-paperclip"></i>
                                                Applicant Files
                                            </div>
                                            <span class="documents-count">
                                                <?= $hasDocuments ? ($totalDocuments === 1 ? '1 file
' : $totalDocuments . ' files') : 'No files uploaded' ?>
                                            </span>
                                        </div>
                                        <?php if ($hasDocuments): ?>
                                            <div class="document-list">
                                                <?php foreach ($documentEntries as $entry):
                                                    $extension = $entry['extension'] ?? '';
                                                    $extensionLabel = $extension ? strtoupper($exten
sion) : '';
                                                    $icon = $documentExtensionIcons[$extension] ?? (
$documentTypeIcons[$entry['type']] ?? 'fa-file');
                                                    $sizeLabel = $entry['size'] ?? null;
                                                ?>
                                                <div class="document-item">
                                                    <div class="document-meta">
                                                        <i class="fas <?= $icon ?>"></i>
                                                        <div>
                                                            <div class="document-name">
                                                                <?= htmlspecialchars($entry['label']
) ?>
                                                                <?php if ($extensionLabel): ?>
                                                                    <span class="document-ext">(.<?=
 htmlspecialchars($extensionLabel) ?>)</span>
                                                                <?php endif; ?>
                                                            </div>
                                                            <div class="document-extra">
                                                                <?= htmlspecialchars($entry['filenam
e']) ?>
                                                                <?php if ($sizeLabel): ?>
                                                                    &bull; <?= htmlspecialchars($siz
eLabel) ?>
                                                                <?php endif; ?>
                                                            </div>
                                                        </div>
                                                    </div>
                                                    <div class="document-actions">
                                                        <a href="<?= htmlspecialchars($entry['view_u
rl']) ?>" target="_blank" rel="noopener" class="btn btn-sm btn-outline">
                                                            <i class="fas fa-eye"></i> View
                                                        </a>
                                                        <a href="<?= htmlspecialchars($entry['downlo
ad_url']) ?>" class="btn btn-sm btn-primary" download="<?= htmlspecialchars($entry['filename']) ?>">
                                                            <i class="fas fa-download"></i> Download
                                                        </a>
                                                    </div>
                                                </div>
                                                <?php endforeach; ?>
                                            </div>
                                        <?php else: ?>
                                            <p class="documents-empty-message">
                                                Applicant did not upload any supporting files.
                                            </p>
                                        <?php endif; ?>
                                    </div>

                                    <!-- Requirement Validation Section -->
                                    <div style="margin-top: 20px; padding: 16px; background: var(--g
ray-50); border-radius: 8px; border: 1px solid var(--gray-200);">
```

```
                                        <div style="display: flex; align-items: center; justify-cont
ent: space-between; margin-bottom: 12px;">
                                            <h5 style="margin: 0; font-size: 1rem; font-weight: 600;
 color: var(--gray-800);">
                                                <i class="fas fa-check-circle" style="margin-right:
8px; color: <?= $requirementValidation['meets_requirements'] ? '#28a745' : '#ffc107' ?>;"></i>
                                                Requirement Validation
                                            </h5>
                                            <span class="badge badge-<?= $requirementValidation['mee
ts_requirements'] ? 'success' : 'warning' ?>" style="font-size: 0.85rem;">
                                                <?= $requirementValidation['meets_requirements'] ? '
Meets All' : 'Partial' ?>
                                            </span>
                                        </div>

                                        <?php foreach ($requirementValidation['details'] as $key =>
$detail): ?>
                                            <?php if (isset($detail['meets'])): ?>
                                                <div style="margin-bottom: 10px; padding: 10px; back
ground: white; border-radius: 6px; border-left: 3px solid <?= $detail['meets'] ? '#28a745' : '#ffc10
7' ?>;">
                                                    <div style="display: flex; align-items: start; g
ap: 8px;">
                                                        <i class="fas fa-<?= $detail['meets'] ? 'che
ck-circle' : 'times-circle' ?>" style="color: <?= $detail['meets'] ? '#28a745' : '#ffc107' ?>; margi
n-top: 2px; font-size: 0.9rem;"></i>
                                                        <div style="flex: 1;">
                                                            <strong style="display: block; margin-bo
ttom: 4px; font-size: 0.9rem; text-transform: capitalize; color: var(--gray-800);">
                                                                <?= str_replace('_', ' ', $key) ?>
                                                            </strong>
                                                            <div style="font-size: 0.85rem; color: v
ar(--gray-600); line-height: 1.4;">
                                                                <?= htmlspecialchars($detail['messag
e']) ?>
                                                            </div>
                                                        </div>
                                                    </div>
                                                </div>
                                            <?php elseif (isset($detail['info'])): ?>
                                                <div style="margin-bottom: 8px; padding: 8px; backgr
ound: white; border-radius: 6px;">
                                                    <small style="font-size: 0.85rem; color: var(--g
ray-600);">
                                                        <i class="fas fa-info-circle" style="margin-
right: 4px;"></i> <?= htmlspecialchars($detail['info']) ?>
                                                    </small>
                                                </div>
                                            <?php endif; ?>
                                        <?php endforeach; ?>
                                    </div>

                                    <div style="display: flex; justify-content: flex-end; gap: 10px;
 margin-top: 12px;">
                                        <button
                                            type="button"
                                            class="btn btn-sm btn-outline"
                                            data-action="close-details"
                                            data-target="application-details-<?= $app['id'] ?>"
                                        >
                                            Close
                                        </button>
                                    </div>
                                </div>
                            </div>
                        <?php endforeach; ?>
                    <?php endif; ?>
                </div>
```

```
                <!-- Pagination -->
                <?php if ($totalPages > 1): ?>
                <div class="card-footer" style="display: flex; justify-content: center; align-items:
 center; padding: 16px; border-top: 1px solid var(--gray-200);">
                    <div class="pagination">
                        <?php if ($page > 1): ?>
                            <a href="?page=<?= $page - 1 ?>&status=<?= urlencode($filterStatus) ?>&p
osition=<?= urlencode($filterPosition) ?>" class="pagination-btn">
                                <i class="fas fa-chevron-left"></i> Previous
                            </a>
                        <?php endif; ?>

                        <div class="pagination-info">
                            Page <?= $page ?> of <?= $totalPages ?> (<?= $totalApplications_filtered
 ?> total)
                        </div>

                        <?php if ($page < $totalPages): ?>
                            <a href="?page=<?= $page + 1 ?>&status=<?= urlencode($filterStatus) ?>&p
osition=<?= urlencode($filterPosition) ?>" class="pagination-btn">
                                Next <i class="fas fa-chevron-right"></i>
                            </a>
                        <?php endif; ?>
                    </div>
                </div>
                <?php endif; ?>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Positions</span>
            </a>
            <a href="applications.php" class="mobile-nav-item active">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="users.php" class="mobile-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
        </div>
    </nav>

    <!-- Cover Letter Modal -->
    <div class="modal" id="coverLetterModal">
        <div class="modal-content">
            <div class="modal-header">
                <h3 class="modal-title" id="coverLetterTitle">Cover Letter</h3>
                <button class="close" onclick="closeCoverLetterModal()">&times;</button>
            </div>
            <div class="modal-body">
                <div class="form-group">
                    <label class="form-label">Applicant</label>
                    <p style="font-weight: 600; color: var(--gray-800);" id="coverLetterApplicant"><
/p>
                </div>
                <div class="form-group">
                    <label class="form-label">Position</label>
```

```
                    <p style="font-weight: 600; color: var(--gray-800);" id="coverLetterPosition"></
p>
                </div>
                <div class="form-group">
                    <label class="form-label">Cover Letter</label>
                    <div style="padding: 16px; background: var(--gray-50); border-radius: 6px; line-
height: 1.6;" id="coverLetterText"></div>
                </div>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-outline" onclick="closeCoverLetterModal()">Clos
e</button>
            </div>
        </div>
    </div>

    <!-- Status Update Confirmation Modal -->
    <div class="modal" id="statusConfirmModal">
        <div class="modal-content" style="max-width: 550px;">
            <div class="modal-header" id="statusModalHeader" style="border-bottom: 2px solid #10b981
; background: linear-gradient(135deg, rgba(16, 185, 129, 0.1) 0%, rgba(16, 185, 129, 0.05) 100%);">
                <div style="display: flex; align-items: center; gap: 12px;">
                    <div id="statusModalIcon" style="width: 56px; height: 56px; border-radius: 50%;
background: linear-gradient(135deg, #10b981 0%, #059669 100%); display: flex; align-items: center; j
ustify-content: center; color: #fff; font-size: 1.75rem; box-shadow: 0 4px 12px rgba(16, 185, 129, 0
.3);">
                        <i class="fas fa-check-circle"></i>
                    </div>
                    <div>
                        <h3 class="modal-title" id="statusModalTitle" style="margin: 0; color: var(-
-gray-800); font-size: 1.35rem;">Approve Application</h3>
                        <p id="statusModalSubtitle" style="margin: 4px 0 0 0; color: var(--gray-600)
; font-size: 0.875rem; font-weight: 400;">Confirm status change</p>
                    </div>
                </div>
                <button class="close" onclick="closeStatusConfirmModal()">&times;</button>
            </div>
            <div class="modal-body" style="padding: 28px;">
                <div style="margin-bottom: 24px;">
                    <p id="statusModalMessage" style="font-size: 1.05rem; color: var(--gray-700); ma
rgin: 0 0 20px 0; line-height: 1.7; font-weight: 500;">
                        Mark this application as <strong style="color: #10b981;">APPROVED</strong>?
                    </p>
                </div>

                <div id="statusModalInfoBox" style="background: linear-gradient(135deg, #d1fae5 0%,
#ecfdf5 100%); border-left: 4px solid #10b981; padding: 20px; border-radius: 8px; margin-bottom: 20p
x; box-shadow: 0 2px 8px rgba(16, 185, 129, 0.1);">
                    <div style="display: flex; align-items: center; gap: 12px; margin-bottom: 12px;"
>
                        <i class="fas fa-envelope" style="color: #059669; font-size: 1.1rem;"></i>
                        <strong style="color: #065f46; font-size: 0.95rem;">Email Notification:</str
ong>
                    </div>
                    <div style="padding-left: 28px;">
                        <p id="statusModalEmail" style="margin: 0; color: #047857; font-size: 1rem;
font-weight: 600; word-break: break-all;">
                            Loading...
                        </p>
                        <p style="margin: 8px 0 0 0; color: #065f46; font-size: 0.875rem; line-heigh
t: 1.5;">
                            An email notification will be sent to the applicant informing them of th
is status change.
                        </p>
                    </div>
                </div>

                <div id="statusModalDetails" style="background: var(--gray-50); border: 1px solid va
```

```
r(--gray-200); padding: 16px; border-radius: 8px; margin-bottom: 20px;">
                    <div style="display: flex; align-items: center; gap: 12px; margin-bottom: 10px;"
>
                        <i class="fas fa-user" style="color: var(--gray-600);"></i>
                        <strong style="color: var(--gray-800); font-size: 0.9rem;">Applicant:</stron
g>
                        <span id="statusModalApplicant" style="color: var(--gray-700); font-size: 0.
9rem;"></span>
                    </div>
                    <div style="display: flex; align-items: center; gap: 12px;">
                        <i class="fas fa-briefcase" style="color: var(--gray-600);"></i>
                        <strong style="color: var(--gray-800); font-size: 0.9rem;">Position:</strong
>
                        <span id="statusModalPosition" style="color: var(--gray-700); font-size: 0.9
rem;"></span>
                    </div>
                </div>

                <div id="statusModalNote" style="background: #eff6ff; border: 1px solid #3b82f6; bor
der-radius: 8px; padding: 14px; display: flex; align-items: start; gap: 12px;">
                    <i class="fas fa-info-circle" style="color: #2563eb; margin-top: 2px; font-size:
 1.1rem;"></i>
                    <div>
                        <p style="margin: 0; font-size: 0.9rem; color: #1e40af; line-height: 1.6; fo
nt-weight: 500;">
                            <strong>What happens next?</strong>
                        </p>
                        <ul style="margin: 8px 0 0 0; padding-left: 20px; color: #1e3a8a; font-size:
 0.875rem; line-height: 1.8;">
                            <li id="statusModalNextStep">An interview will be automatically schedule
d</li>
                            <li>The applicant will receive a congratulatory email</li>
                            <li>Application status will be updated in the system</li>
                            <li>Application will be moved to Application History</li>
                        </ul>
                    </div>
                </div>
            </div>
            <div class="modal-footer" style="border-top: 1px solid var(--gray-200); padding: 20px 24
px; display: flex; justify-content: flex-end; gap: 12px; background: var(--gray-50);">
                <button type="button" class="btn btn-outline" onclick="closeStatusConfirmModal()" st
yle="min-width: 120px; font-weight: 600;">
                    <i class="fas fa-times"></i> Cancel
                </button>
                <button type="button" id="statusConfirmButton" class="btn" onclick="confirmStatusUpd
ate()" style="background: linear-gradient(135deg, #10b981 0%, #059669 100%); color: #fff; border: no
ne; min-width: 140px; font-weight: 600; box-shadow: 0 4px 12px rgba(16, 185, 129, 0.3);">
                    <i class="fas fa-check-circle"></i> <span id="statusConfirmButtonText">Approve A
pplication</span>
                </button>
            </div>
        </div>
    </div>

    <!-- Archive Confirmation Modal -->
    <div class="modal" id="archiveConfirmModal">
        <div class="modal-content" style="max-width: 500px;">
            <div class="modal-header" style="border-bottom: 2px solid red; background: linear-gradie
nt(135deg, rgb(255 0 24 / 55%) 0%, rgba(220, 53, 69, 0.05) 100%);">
                <div style="display: flex; align-items: center; gap: 12px;">
                    <div style="width: 48px; height: 48px; border-radius: 50%; background: red; disp
lay: flex; align-items: center; justify-content: center; color: #fff; font-size: 1.5rem;">
                        <i class="fas fa-exclamation-triangle"></i>
                    </div>
                    <h3 class="modal-title" style="margin: 0; color: var(--gray-800);">Confirm Archi
ve</h3>
                </div>
                <button class="close" onclick="closeArchiveConfirmModal()">&times;</button>
```

```
            </div>
            <div class="modal-body" style="padding: 24px;">
                <div style="margin-bottom: 20px;">
                    <p style="font-size: 1rem; color: var(--gray-700); margin: 0 0 16px 0; line-heig
ht: 1.6;">
                        Are you sure you want to remove this application? It will be moved to <stron
g>Application History</strong>.
                    </p>
                </div>
                <div style="background: var(--gray-50); border-left: 4px solid var(--danger-red); pa
dding: 16px; border-radius: 6px; margin-bottom: 20px;">
                    <div style="display: flex; align-items: center; gap: 12px; margin-bottom: 8px;">
                        <i class="fas fa-user" style="color: var(--gray-600);"></i>
                        <strong style="color: var(--gray-800);">Applicant:</strong>
                        <span style="color: var(--gray-700);" id="archiveConfirmApplicant"></span>
                    </div>
                    <div style="display: flex; align-items: center; gap: 12px;">
                        <i class="fas fa-briefcase" style="color: var(--gray-600);"></i>
                        <strong style="color: var(--gray-800);">Position:</strong>
                        <span style="color: var(--gray-700);" id="archiveConfirmPosition"></span>
                    </div>
                </div>
                <div style="background: #fff3cd; border: 1px solid #ffc107; border-radius: 6px; padd
ing: 12px; display: flex; align-items: start; gap: 10px;">
                    <i class="fas fa-info-circle" style="color: #856404; margin-top: 2px;"></i>
                    <p style="margin: 0; font-size: 0.875rem; color: #856404; line-height: 1.5;">
                        This action can be undone. You can restore this application from the <strong
>Application History</strong> page at any time.
                    </p>
                </div>
            </div>
            <div class="modal-footer" style="border-top: 1px solid var(--gray-200); padding: 16px 24
px; display: flex; justify-content: flex-end; gap: 12px;">
                <button type="button" class="btn btn-outline" onclick="closeArchiveConfirmModal()" s
tyle="min-width: 100px;">
                    <i class="fas fa-times"></i> Cancel
                </button>
                <button type="button" class="btn" onclick="confirmArchive()" style="background: red;
 color: #fff; border-color: var(--danger-red); min-width: 100px;">
                    <i class="fas fa-archive"></i> Archive Application
                </button>
            </div>
        </div>
    </div>

    <!-- User Information Modal -->
    <div class="modal" id="userInfoModal">
        <div class="modal-content" style="max-width: 900px; width: 95%;">
            <div class="modal-header">
                <h3 class="modal-title">Applicant Profile Information</h3>
                <button class="close" onclick="closeUserInfoModal()">&times;</button>
            </div>
            <div class="modal-body" style="max-height: calc(100vh - 200px); overflow-y: auto;">
                <div id="userInfoLoading" style="text-align: center; padding: 40px;">
                    <i class="fas fa-spinner fa-spin" style="font-size: 2rem; color: var(--primary-b
lue);"></i>
                    <p style="margin-top: 16px; color: var(--gray-600);">Loading profile information
...</p>
                </div>
                <div id="userInfoContent" style="display: none;">
                    <!-- Content will be populated by JavaScript -->
                </div>
                <div id="userInfoError" style="display: none; text-align: center; padding: 40px; col
or: var(--danger-red);">
                    <i class="fas fa-exclamation-circle" style="font-size: 2rem; margin-bottom: 16px
;"></i>
                    <p id="userInfoErrorText"></p>
                </div>
```

```
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-outline" onclick="closeUserInfoModal()">Close</
button>
            </div>
        </div>
    </div>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        if (typeof BASE_URL === 'undefined') {
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
    <script>
        function viewCoverLetter(app) {
            document.getElementById('coverLetterApplicant').textContent = app.applicant_name;
            document.getElementById('coverLetterPosition').textContent = app.position_title;
            document.getElementById('coverLetterText').innerHTML = app.cover_letter.replace(/\n/g, '
<br>');
            document.getElementById('coverLetterModal').style.display = 'block';
            document.body.classList.add('modal-open');
        }

        function closeCoverLetterModal() {
            document.getElementById('coverLetterModal').style.display = 'none';
            document.body.classList.remove('modal-open');
        }

        function viewUserInformation(userId) {
            const modal = document.getElementById('userInfoModal');
            const loading = document.getElementById('userInfoLoading');
            const content = document.getElementById('userInfoContent');
            const error = document.getElementById('userInfoError');

            // Reset modal state
            loading.style.display = 'block';
            content.style.display = 'none';
            error.style.display = 'none';
            modal.style.display = 'block';
            document.body.classList.add('modal-open');

            // Fetch user profile data
            fetch(`applications.php?action=get_user_profile&user_id=${userId}`)
                .then(response => {
                    if (!response.ok) {
                        throw new Error('Network response was not ok');
                    }
                    return response.json();
                })
                .then(data => {
                    loading.style.display = 'none';

                    if (data.success) {
                        console.log('=== USER DATA LOADED ===');
                        console.log('Full data object:', data);
                        console.log('User:', data.user);
                        console.log('Training Certificates count:', data.trainingCertificates ? data
.trainingCertificates.length : 0);
                        console.log('Training Certificates:', JSON.stringify(data.trainingCertificat
es, null, 2));
                        console.log('Application Documents count:', data.applicationDocuments ? data
.applicationDocuments.length : 0);
                        console.log('Application Documents:', JSON.stringify(data.applicationDocumen
ts, null, 2));
                        console.log('IPCR file path:', data.user.ipcr_file_path);
```

```
                        console.log('PE file path:', data.user.pe_file_path);
                        console.log('========================');

                        // Ensure we have arrays
                        const trainingCerts = Array.isArray(data.trainingCertificates) ? data.traini
ngCertificates : [];
                        const appDocs = Array.isArray(data.applicationDocuments) ? data.applicationD
ocuments : [];
                        const experiences = Array.isArray(data.experiences) ? data.experiences : [];

                        content.innerHTML = formatUserInfo(data.user, experiences, trainingCerts, ap
pDocs);
                        content.style.display = 'block';
                    } else {
                        document.getElementById('userInfoErrorText').textContent = data.error || 'Fa
iled to load user information';
                        error.style.display = 'block';
                    }
                })
                .catch(err => {
                    console.error('Error fetching user data:', err);
                    loading.style.display = 'none';
                    document.getElementById('userInfoErrorText').textContent = 'Error loading user i
nformation: ' + err.message;
                    error.style.display = 'block';
                });
        }

        function closeUserInfoModal() {
            document.getElementById('userInfoModal').style.display = 'none';
            document.body.classList.remove('modal-open');
        }

        function formatUserInfo(user, experiences, trainingCertificates, applicationDocuments) {
            let html = '<div style="display: flex; flex-direction: column; gap: 24px;">';

            // Personal Information Section
            html += '<div class="info-section">';
            html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px solid va
r(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-user" style="margi
n-right: 8px;"></i>Personal Information</h4>';
            html += '<div style="display: grid; grid-template-columns: repeat(auto-fit, minmax(250px
, 1fr)); gap: 16px;">';

            if (user.full_name) html += `<div><strong>Name:</strong><br>${escapeHtml(user.full_name)
}</div>`;
            if (user.age) html += `<div><strong>Age:</strong><br>${escapeHtml(user.age)}</div>`;
            if (user.sex) html += `<div><strong>Sex:</strong><br>${escapeHtml(user.sex)}</div>`;
            if (user.civil_status) html += `<div><strong>Civil Status:</strong><br>${escapeHtml(user
.civil_status)}</div>`;
            if (user.address) html += `<div style="grid-column: 1 / -1;"><strong>Address:</strong><b
r>${escapeHtml(user.address)}</div>`;
            if (user.phone) html += `<div><strong>Phone:</strong><br>${escapeHtml(user.phone)}</div>
`;
            if (user.email) html += `<div><strong>Email:</strong><br>${escapeHtml(user.email)}</div>
`;

            html += '</div></div>';

            // Educational Background Section
            html += '<div class="info-section">';
            html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px solid va
r(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-graduation-cap" st
yle="margin-right: 8px;"></i>Educational Background</h4>';
            html += '<div style="display: flex; flex-direction: column; gap: 12px;">';

            if (user.highest_educational_attainment) html += `<div><strong>Highest Educational Attai
nment:</strong><br>${escapeHtml(user.highest_educational_attainment)}</div>`;
```

```
            if (user.bachelors_degree) html += `<div><strong>Bachelor\'s Degree:</strong><br>${escap
eHtml(user.bachelors_degree) || 'N/A'}</div>`;
            if (user.masters_degree) html += `<div><strong>Master\'s Degree:</strong><br>${escapeHtm
l(user.masters_degree) || 'N/A'}</div>`;
            if (user.doctorate_degree) html += `<div><strong>Doctorate Degree:</strong><br>${escapeH
tml(user.doctorate_degree) || 'N/A'}</div>`;

            html += '</div></div>';

            // Application Type Section
            if (user.application_type) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-briefcase" sty
le="margin-right: 8px;"></i>Application Type</h4>';
                html += `<div>${escapeHtml(user.application_type)}</div>`;
                html += '</div>';
            }

            // Work Experience Section
            if (experiences && experiences.length > 0) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-briefcase" sty
le="margin-right: 8px;"></i>Work Experience</h4>';
                html += '<div style="display: flex; flex-direction: column; gap: 12px;">';
                experiences.forEach(exp => {
                    const startDate = new Date(exp.start_date).toLocaleDateString();
                    const endDate = exp.is_current ? 'Present' : new Date(exp.end_date).toLocaleDate
String();
                    html += `<div style="padding: 12px; background: var(--gray-50); border-radius: 6
px; border-left: 3px solid var(--primary-blue);">`;
                    html += `<strong>${escapeHtml(exp.position_title)}</strong><br>`;
                    html += `${escapeHtml(exp.company_name)}<br>`;
                    html += `<small style="color: var(--gray-600);">${startDate} to ${endDate}</smal
l>`;
                    html += `</div>`;
                });
                html += '</div></div>';
            }

            // Training Programs Section
            if (user.training_programs) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-certificate" s
tyle="margin-right: 8px;"></i>Training Programs Attended</h4>';
                html += `<div style="white-space: pre-line;">${escapeHtml(user.training_programs)}</
div>`;
                html += '</div>';
            }

            // Training Certificates Section
            html += '<div class="info-section">';
            html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px solid va
r(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-file-certificate"
style="margin-right: 8px;"></i>Training/Seminar Certificates</h4>';
            if (trainingCertificates && trainingCertificates.length > 0) {
                html += '<div style="display: flex; flex-direction: column; gap: 8px;">';
                trainingCertificates.forEach(cert => {
                    if (!cert || !cert.file_path) {
                        console.warn('Skipping certificate with no file_path:', cert);
                        return; // Skip if no file path
                    }
                    const isPdf = cert.file_path.toLowerCase().endsWith('.pdf');
                    const filePath = `../../applicant/pages/uploads/documents/${encodeURIComponent(c
ert.file_path)}`;
                    const fileName = cert.file_name || cert.file_path || 'Unknown file';
```

```
                    html += `<div style="display: flex; align-items: center; gap: 12px; padding: 10p
x; background: var(--gray-50); border-radius: 6px;">`;
                    html += `<i class="fas fa-${isPdf ? 'file-pdf' : 'file-image'}" style="color: ${
isPdf ? 'var(--danger-red)' : 'var(--success-green)'}; font-size: 1.5rem;"></i>`;
                    html += `<div style="flex: 1;"><strong>${escapeHtml(fileName)}</strong></div>`;
                    html += `<a href="${filePath}" target="_blank" class="btn btn-sm btn-outline" st
yle="text-decoration: none;"><i class="fas fa-external-link-alt"></i> View</a>`;
                    html += `</div>`;
                });
                html += '</div>';
            } else {
                html += '<p style="color: var(--gray-600); font-style: italic; margin: 0;">No traini
ng certificates uploaded.</p>';
            }
            html += '</div>';

            // Career Service Eligibilities Section
            if (user.career_service_eligibilities) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-id-card" style
="margin-right: 8px;"></i>Career Service Eligibilities</h4>';
                html += `<div>${escapeHtml(user.career_service_eligibilities)}</div>`;
                if (user.career_service_eligibilities_other) {
                    html += `<div style="margin-top: 8px;"><strong>Other:</strong> ${escapeHtml(user
.career_service_eligibilities_other)}</div>`;
                }
                html += '</div>';
            }

            // Application Documents Section
            html += '<div class="info-section">';
            html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px solid va
r(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-folder-open" style
="margin-right: 8px;"></i>Application Documents</h4>';
            if (applicationDocuments && applicationDocuments.length > 0) {
                html += '<div style="display: flex; flex-direction: column; gap: 8px;">';
                applicationDocuments.forEach(doc => {
                    if (!doc || !doc.file_path) {
                        console.warn('Skipping document with no file_path:', doc);
                        return; // Skip if no file path
                    }
                    const isPdf = doc.file_path.toLowerCase().endsWith('.pdf');
                    const filePath = `../../applicant/pages/uploads/documents/${encodeURIComponent(d
oc.file_path)}`;
                    const docType = doc.document_type || 'Document';
                    const fileName = doc.file_name || doc.file_path || 'Unknown file';
                    html += `<div style="display: flex; align-items: center; gap: 12px; padding: 10p
x; background: var(--gray-50); border-radius: 6px;">`;
                    html += `<i class="fas fa-${isPdf ? 'file-pdf' : 'file-image'}" style="color: ${
isPdf ? 'var(--danger-red)' : 'var(--success-green)'}; font-size: 1.5rem;"></i>`;
                    html += `<div style="flex: 1;"><strong>${escapeHtml(docType)}</strong><br><small
 style="color: var(--gray-600);">${escapeHtml(fileName)}</small></div>`;
                    html += `<a href="${filePath}" target="_blank" class="btn btn-sm btn-outline" st
yle="text-decoration: none;"><i class="fas fa-external-link-alt"></i> View</a>`;
                    html += `</div>`;
                });
                html += '</div>';
            } else {
                html += '<p style="color: var(--gray-600); font-style: italic; margin: 0;">No applic
ation documents uploaded.</p>';
            }
            html += '</div>';

            // Special Needs Section
            if (user.special_needs) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
```

```
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-heart" style="
margin-right: 8px;"></i>Special Needs</h4>';
                html += `<div>${escapeHtml(user.special_needs)}</div>`;
                html += '</div>';
            }

            // Promotion/Entry Level Files
            if (user.ipcr_file_path) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-file-pdf" styl
e="margin-right: 8px;"></i>IPCR Document (Promotion)</h4>';
                const ipcrPath = `../../applicant/pages/uploads/documents/${encodeURIComponent(user.
ipcr_file_path)}`;
                html += `<div style="display: flex; align-items: center; gap: 12px; padding: 10px; b
ackground: var(--gray-50); border-radius: 6px;">`;
                html += `<i class="fas fa-file-pdf" style="color: var(--danger-red); font-size: 1.5r
em;"></i>`;
                html += `<div style="flex: 1;"><strong>${escapeHtml(user.ipcr_file_path)}</strong></
div>`;
                html += `<a href="${ipcrPath}" target="_blank" class="btn btn-sm btn-outline" style=
"text-decoration: none;"><i class="fas fa-external-link-alt"></i> View</a>`;
                html += `</div></div>`;
            }

            if (user.pe_file_path) {
                html += '<div class="info-section">';
                html += '<h4 style="margin: 0 0 16px 0; padding-bottom: 8px; border-bottom: 2px soli
d var(--primary-blue); color: var(--gray-800); font-size: 1.125rem;"><i class="fas fa-file-pdf" styl
e="margin-right: 8px;"></i>PE Document (Entry Level)</h4>';
                const pePath = `../../applicant/pages/uploads/documents/${encodeURIComponent(user.pe
_file_path)}`;
                html += `<div style="display: flex; align-items: center; gap: 12px; padding: 10px; b
ackground: var(--gray-50); border-radius: 6px;">`;
                html += `<i class="fas fa-file-pdf" style="color: var(--danger-red); font-size: 1.5r
em;"></i>`;
                html += `<div style="flex: 1;"><strong>${escapeHtml(user.pe_file_path)}</strong></di
v>`;
                html += `<a href="${pePath}" target="_blank" class="btn btn-sm btn-outline" style="t
ext-decoration: none;"><i class="fas fa-external-link-alt"></i> View</a>`;
                html += `</div></div>`;
            }

            html += '</div>';
            return html;
        }

        function escapeHtml(text) {
            if (!text) return '';
            const div = document.createElement('div');
            div.textContent = text;
            return div.innerHTML;
        }

        let pendingArchiveFormId = null;
        let pendingStatusUpdate = null;

        function showStatusConfirmation(status, applicantEmail, applicantName, positionTitle, form)
{
            const isApproved = status === '<?= STATUS_APPROVED ?>';
            const isRejected = status === '<?= STATUS_REJECTED ?>';

            // Store the form for later submission
            pendingStatusUpdate = {
                form: form,
                status: status,
                originalValue: form.querySelector('.status-select').dataset.originalStatus
            };
```

```
            // Update modal header
            const header = document.getElementById('statusModalHeader');
            const icon = document.getElementById('statusModalIcon');
            const title = document.getElementById('statusModalTitle');
            const subtitle = document.getElementById('statusModalSubtitle');
            const message = document.getElementById('statusModalMessage');
            const infoBox = document.getElementById('statusModalInfoBox');
            const note = document.getElementById('statusModalNote');
            const nextStep = document.getElementById('statusModalNextStep');
            const confirmButton = document.getElementById('statusConfirmButton');
            const confirmButtonText = document.getElementById('statusConfirmButtonText');

            if (isApproved) {
                // Approved styling (green)
                header.style.borderBottomColor = '#10b981';
                header.style.background = 'linear-gradient(135deg, rgba(16, 185, 129, 0.1) 0%, rgba(
16, 185, 129, 0.05) 100%)';
                icon.style.background = 'linear-gradient(135deg, #10b981 0%, #059669 100%)';
                icon.style.boxShadow = '0 4px 12px rgba(16, 185, 129, 0.3)';
                icon.innerHTML = '<i class="fas fa-check-circle"></i>';
                title.textContent = 'Approve Application';
                subtitle.textContent = 'Confirm status change';
                message.innerHTML = 'Mark this application as <strong style="color: #10b981;">APPROV
ED</strong>?';
                infoBox.style.background = 'linear-gradient(135deg, #d1fae5 0%, #ecfdf5 100%)';
                infoBox.style.borderLeftColor = '#10b981';
                infoBox.querySelector('i').style.color = '#059669';
                infoBox.querySelector('strong').style.color = '#065f46';
                const emailEl = document.getElementById('statusModalEmail');
                emailEl.style.color = '#047857';
                const emailNote = emailEl.nextElementSibling;
                if (emailNote) emailNote.style.color = '#065f46';
                nextStep.textContent = 'An interview will be automatically scheduled';
                confirmButton.style.background = 'linear-gradient(135deg, #10b981 0%, #059669 100%)'
;
                confirmButton.style.boxShadow = '0 4px 12px rgba(16, 185, 129, 0.3)';
                confirmButtonText.textContent = 'Approve Application';
            } else if (isRejected) {
                // Rejected styling (red)
                header.style.borderBottomColor = '#ef4444';
                header.style.background = 'linear-gradient(135deg, rgba(239, 68, 68, 0.1) 0%, rgba(2
39, 68, 68, 0.05) 100%)';
                icon.style.background = 'linear-gradient(135deg, #ef4444 0%, #dc2626 100%)';
                icon.style.boxShadow = '0 4px 12px rgba(239, 68, 68, 0.3)';
                icon.innerHTML = '<i class="fas fa-times-circle"></i>';
                title.textContent = 'Reject Application';
                subtitle.textContent = 'Confirm status change';
                message.innerHTML = 'Mark this application as <strong style="color: #ef4444;">REJECT
ED</strong>?';
                infoBox.style.background = 'linear-gradient(135deg, #fee2e2 0%, #fef2f2 100%)';
                infoBox.style.borderLeftColor = '#ef4444';
                infoBox.querySelector('i').style.color = '#dc2626';
                infoBox.querySelector('strong').style.color = '#991b1b';
                const emailEl = document.getElementById('statusModalEmail');
                emailEl.style.color = '#b91c1c';
                const emailNote = emailEl.nextElementSibling;
                if (emailNote) emailNote.style.color = '#991b1b';
                nextStep.textContent = 'The applicant will be notified of the rejection';
                confirmButton.style.background = 'linear-gradient(135deg, #ef4444 0%, #dc2626 100%)'
;
                confirmButton.style.boxShadow = '0 4px 12px rgba(239, 68, 68, 0.3)';
                confirmButtonText.textContent = 'Reject Application';
            }

            // Update the history note for both approved and rejected
            const historyNote = document.querySelector('#statusModalNote ul li:last-child');
            if (historyNote) {
```

```
                historyNote.textContent = 'Application will be moved to Application History';
            }

            // Update content
            document.getElementById('statusModalEmail').textContent = applicantEmail;
            document.getElementById('statusModalApplicant').textContent = applicantName;
            document.getElementById('statusModalPosition').textContent = positionTitle;

            // Show modal
            document.getElementById('statusConfirmModal').style.display = 'block';
            document.body.classList.add('modal-open');
        }

        function closeStatusConfirmModal() {
            document.getElementById('statusConfirmModal').style.display = 'none';
            document.body.classList.remove('modal-open');
            if (pendingStatusUpdate) {
                // Reset the select to original value
                const select = pendingStatusUpdate.form.querySelector('.status-select');
                if (select) {
                    select.value = pendingStatusUpdate.originalValue;
                }
            }
            pendingStatusUpdate = null;
        }

        function confirmStatusUpdate() {
            if (pendingStatusUpdate && pendingStatusUpdate.form) {
                const form = pendingStatusUpdate.form;
                const select = form.querySelector('.status-select');
                const statusValue = pendingStatusUpdate.status;

                // Update the hidden status input (this is what gets submitted)
                const statusInput = form.querySelector('input[name="status"][type="hidden"]');
                if (statusInput) {
                    statusInput.value = statusValue;
                } else {
                    // Fallback: create the input if it doesn't exist
                    const newInput = document.createElement('input');
                    newInput.type = 'hidden';
                    newInput.name = 'status';
                    newInput.value = statusValue;
                    form.appendChild(newInput);
                }

                // Update select value for display
                if (select) {
                    select.value = statusValue;
                    select.disabled = true;
                }

                // Close the modal
                closeStatusConfirmModal();

                // Submit the form using requestSubmit (triggers all events properly)
                // This ensures form token validation works correctly
                if (form.requestSubmit) {
                    form.requestSubmit();
                } else {
                    // Fallback for older browsers: create a submit button and click it
                    const submitButton = document.createElement('button');
                    submitButton.type = 'submit';
                    submitButton.style.display = 'none';
                    form.appendChild(submitButton);
                    submitButton.click();
                    setTimeout(() => {
                        if (submitButton.parentNode) {
                            submitButton.parentNode.removeChild(submitButton);
```

```
                    }
                }, 100);
            }
        }
    }

    function showArchiveConfirmation(applicationId, applicantName, positionTitle) {
        pendingArchiveFormId = applicationId;
        document.getElementById('archiveConfirmApplicant').textContent = applicantName;
        document.getElementById('archiveConfirmPosition').textContent = positionTitle;
        document.getElementById('archiveConfirmModal').style.display = 'block';
        document.body.classList.add('modal-open');
    }

    function closeArchiveConfirmModal() {
        document.getElementById('archiveConfirmModal').style.display = 'none';
        document.body.classList.remove('modal-open');
        pendingArchiveFormId = null;
    }

    function confirmArchive() {
        if (pendingArchiveFormId) {
            const form = document.getElementById('archive-form-' + pendingArchiveFormId);
            if (form) {
                form.submit();
            }
        }
    }

    function toggleDetails(button, panel, show) {
        panel.style.display = show ? 'block' : 'none';
        button.setAttribute('aria-expanded', show ? 'true' : 'false');
        button.innerHTML = show
            ? '<i class="fas fa-eye-slash"></i> Hide Details'
            : '<i class="fas fa-eye"></i> View Details';
    }

    function initializeApplicationDetails() {
        document.querySelectorAll('[data-action="toggle-details"]').forEach(function(button) {
            const targetId = button.getAttribute('data-target');
            const panel = document.getElementById(targetId);
            if (!panel) {
                return;
            }

            panel.querySelectorAll('[data-action="close-details"]').forEach(function(closeButton
) {
                closeButton.addEventListener('click', function() {
                    toggleDetails(button, panel, false);
                });
            });

            button.addEventListener('click', function() {
                const isOpen = panel.style.display === 'block';
                toggleDetails(button, panel, !isOpen);
            });

            toggleDetails(button, panel, false);
        });
    }

    function attachStatusHandlers() {
        document.querySelectorAll('.status-inline-form').forEach(function(form) {
            if (form.dataset.inlineStatusInit === 'true') {
                return;
            }

            const select = form.querySelector('.status-select');
```

```
                if (!select) {
                    return;
                }

                const feedback = form.parentElement.querySelector('.status-feedback');
                let isSubmitting = false;

                select.addEventListener('change', function(event) {
                    if (isSubmitting) {
                        // Reset to original value if already submitting
                        event.target.value = event.target.dataset.originalStatus;
                        return;
                    }

                    const selectedStatus = event.target.value;
                    const originalStatus = event.target.dataset.originalStatus;

                    if (selectedStatus === originalStatus) {
                        return;
                    }

                    const applicantEmail = event.target.dataset.applicantEmail;

                    const submitForm = function() {
                        isSubmitting = true;
                        // Update the hidden status input
                        const statusInput = form.querySelector('input[name="status"][type="hidden"]'
);
                        if (statusInput) {
                            statusInput.value = selectedStatus;
                        }
                        event.target.disabled = true;
                        if (feedback) {
                            feedback.textContent = 'Updating status?';
                        }
                        // Use requestSubmit if available, otherwise submit directly
                        if (form.requestSubmit) {
                            form.requestSubmit();
                        } else {
                            form.submit();
                        }
                    };

                    if (selectedStatus === '<?= STATUS_PENDING ?>') {
                        submitForm();
                        return;
                    }

                    // Get applicant name and position from the application item
                    const applicationItem = form.closest('.application-item');
                    let applicantName = 'Applicant';
                    let positionTitle = 'Position';

                    if (applicationItem) {
                        const nameEl = applicationItem.querySelector('.application-name');
                        if (nameEl) {
                            applicantName = nameEl.textContent.trim();
                        }

                        // Position is in the second application-tag (index 1)
                        const positionTags = applicationItem.querySelectorAll('.application-tags .ap
plication-tag');
                        if (positionTags.length >= 2) {
                            // Get text content and remove the icon text
                            let positionText = positionTags[1].textContent.trim();
                            // Remove common icon prefixes if present
                            positionText = positionText.replace(/^[^\w]*/, '').trim();
                            positionTitle = positionText || 'Position';
```

```
                        }
                    }

                    // Show the beautiful confirmation modal
                    showStatusConfirmation(selectedStatus, applicantEmail, applicantName, positionTi
tle, form);
                });

                form.dataset.inlineStatusInit = 'true';
            });
        }



        document.addEventListener('DOMContentLoaded', function() {
            attachStatusHandlers();
            initializeApplicationDetails();
        });

        window.addEventListener('click', function(event) {
            const coverLetterModal = document.getElementById('coverLetterModal');
            const archiveModal = document.getElementById('archiveConfirmModal');
            const statusModal = document.getElementById('statusConfirmModal');
            const userInfoModal = document.getElementById('userInfoModal');
            if (event.target === coverLetterModal) {
                closeCoverLetterModal();
            }
            if (event.target === archiveModal) {
                closeArchiveConfirmModal();
            }
            if (event.target === statusModal) {
                closeStatusConfirmModal();
            }
            if (event.target === userInfoModal) {
                closeUserInfoModal();
            }
        });

        window.addEventListener('keydown', function(event) {
            if (event.key === 'Escape') {
                closeCoverLetterModal();
                closeArchiveConfirmModal();
                closeStatusConfirmModal();
                closeUserInfoModal();
            }
        });
    </script>
    <script src="../../assets/js/form-submission-manager.js"></script>
</body>
</html>
```

admin/pages/chat.php

```
<?php
require_once '../../config/config.php';

requireAdmin();

$userId = $_SESSION['user_id'];
$user = ['full_name' => $_SESSION['full_name'] ?? 'Admin', 'email' => $_SESSION['email'] ?? ''];
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Chat - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        .chat-container {
            display: flex;
            height: calc(100vh - 80px);
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            overflow: hidden;
            background: white;
        }

        .chat-sidebar {
            width: 350px;
            border-right: 1px solid var(--gray-200);
            display: flex;
            flex-direction: column;
            background: var(--gray-50);
        }

        .chat-sidebar-header {
            padding: 16px;
            border-bottom: 1px solid var(--gray-200);
            background: white;
        }

        .chat-sidebar-header h3 {
            margin: 0 0 12px 0;
            font-size: 1.25rem;
            font-weight: 600;
        }

        .new-chat-btn {
            width: 100%;
            padding: 10px;
            background: var(--primary-blue);
            color: white;
            border: none;
            border-radius: 6px;
            font-weight: 600;
            cursor: pointer;
            transition: background 0.2s;
        }

        .new-chat-btn:hover {
            background: var(--secondary-blue);
        }

        .search-box {
```

```
            margin-top: 12px;
            position: relative;
        }

        .search-box input {
            width: 100%;
            padding: 10px 12px 10px 36px;
            border: 1px solid var(--gray-300);
            border-radius: 6px;
            font-size: 0.9rem;
        }

        .search-box i {
            position: absolute;
            left: 12px;
            top: 50%;
            transform: translateY(-50%);
            color: var(--gray-500);
        }

        .conversations-list {
            flex: 1;
            overflow-y: auto;
            padding: 8px;
        }

        .loading-indicator {
            padding: 12px;
            text-align: center;
            color: var(--gray-500);
            font-size: 0.85rem;
        }

        .conversation-item {
            padding: 12px;
            margin-bottom: 8px;
            background: white;
            border-radius: 8px;
            cursor: pointer;
            transition: background 0.2s;
            border: 1px solid var(--gray-200);
        }

        .conversation-item:hover {
            background: var(--gray-50);
        }

        .conversation-item.active {
            background: var(--primary-blue);
            color: white;
            border-color: var(--primary-blue);
        }

        .conversation-item.active .conversation-name,
        .conversation-item.active .conversation-preview {
            color: white;
        }

        .conversation-header {
            display: flex;
            justify-content: space-between;
            align-items: center;
            margin-bottom: 6px;
        }

        .conversation-name {
            font-weight: 600;
            font-size: 0.95rem;
```

```
            color: var(--gray-900);
        }

        .conversation-time {
            font-size: 0.75rem;
            color: var(--gray-500);
        }

        .conversation-item.active .conversation-time {
            color: rgba(255, 255, 255, 0.8);
        }

        .conversation-preview {
            font-size: 0.85rem;
            color: var(--gray-600);
            overflow: hidden;
            text-overflow: ellipsis;
            white-space: nowrap;
        }

        .unread-badge {
            background: var(--danger-red);
            color: white;
            border-radius: 12px;
            padding: 2px 8px;
            font-size: 0.75rem;
            font-weight: 600;
            margin-left: 8px;
        }

        .chat-main {
            flex: 1;
            display: flex;
            flex-direction: column;
            background: white;
        }

        .chat-header {
            padding: 16px 20px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            align-items: center;
            justify-content: space-between;
        }

        .chat-header-info h4 {
            margin: 0;
            font-size: 1.1rem;
            font-weight: 600;
        }

        .chat-header-info p {
            margin: 4px 0 0 0;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .chat-messages {
            flex: 1;
            overflow-y: auto;
            padding: 20px;
            display: flex;
            flex-direction: column;
            gap: 12px;
        }

        .message {
            display: flex;
```

```
            gap: 10px;
            max-width: 70%;
        }

        .message.sent {
            align-self: flex-end;
            flex-direction: row-reverse;
        }

        .message-avatar {
            width: 36px;
            height: 36px;
            border-radius: 50%;
            background: var(--primary-blue);
            color: white;
            display: flex;
            align-items: center;
            justify-content: center;
            font-weight: 600;
            font-size: 0.9rem;
            flex-shrink: 0;
        }

        .message-content {
            background: var(--gray-100);
            padding: 10px 14px;
            border-radius: 12px;
            word-wrap: break-word;
        }

        .message.sent .message-content {
            background: var(--primary-blue);
            color: white;
        }

        .message-time {
            font-size: 0.75rem;
            color: var(--gray-500);
            margin-top: 4px;
            padding: 0 4px;
        }

        .message.sent .message-time {
            text-align: right;
        }

        .chat-input-area {
            padding: 16px 20px;
            border-top: 1px solid var(--gray-200);
            display: flex;
            gap: 12px;
        }

        .chat-input-area input {
            flex: 1;
            padding: 12px 16px;
            border: 1px solid var(--gray-300);
            border-radius: 24px;
            font-size: 0.95rem;
        }

        .chat-input-area button {
            padding: 12px 24px;
            background: var(--primary-blue);
            color: white;
            border: none;
            border-radius: 24px;
            font-weight: 600;
```

```
            cursor: pointer;
            cursor: pointer;
        }

        .chat-input-area button:hover {
            background: var(--secondary-blue);
        }

        .chat-input-area button:disabled {
            background: var(--gray-400);
            cursor: not-allowed;
        }

        .empty-chat {
            flex: 1;
            display: flex;
            flex-direction: column;
            align-items: center;
            justify-content: center;
            color: var(--gray-500);
        }

        .empty-chat i {
            font-size: 4rem;
            margin-bottom: 16px;
            opacity: 0.5;
        }

        .users-modal {
            display: none;
            position: fixed;
            z-index: 1000;
            left: 0;
            top: 0;
            width: 100%;
            height: 100%;
            background: rgba(0, 0, 0, 0.5);
        }

        .users-modal-content {
            background: white;
            margin: 5% auto;
            padding: 0;
            border-radius: 8px;
            width: 90%;
            max-width: 500px;
            max-height: 80vh;
            display: flex;
            flex-direction: column;
        }

        .users-modal-header {
            padding: 20px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            justify-content: space-between;
            align-items: center;
        }

        .users-modal-header h3 {
            margin: 0;
        }

        .users-modal-close {
            background: none;
            border: none;
            font-size: 1.5rem;
            cursor: pointer;
```

```
            color: var(--gray-500);
        }

        .users-modal-body {
            flex: 1;
            overflow-y: auto;
            padding: 16px;
        }

        .user-item {
            padding: 12px;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            margin-bottom: 8px;
            cursor: pointer;
            transition: background 0.2s;
        }

        .user-item:hover {
            background: var(--gray-50);
        }

        .user-item-name {
            font-weight: 600;
            margin-bottom: 4px;
        }

        .user-item-email {
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .user-item-status {
            margin-top: 8px;
            font-size: 0.8rem;
        }

        .user-item-status.can-chat {
            color: var(--success-green);
        }

        .user-item-status.cannot-chat {
            color: var(--danger-red);
        }

        @media (max-width: 768px) {
            .chat-container {
                flex-direction: column;
                height: calc(100vh - 60px);
            }

            .chat-sidebar {
                width: 100%;
                height: 40%;
            }

            .chat-main {
                height: 60%;
            }

            .message {
                max-width: 85%;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
```

```
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Positions</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="chat.php" class="sidebar-nav-item active">
                <i class="fas fa-comments"></i>
                <span>Chat</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Chat</h1>
```

```
            <div class="topbar-actions">
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <div class="chat-container">
                <!-- Chat Sidebar -->
                <div class="chat-sidebar">
                    <div class="chat-sidebar-header">
                        <h3>Conversations</h3>
                        <button class="new-chat-btn" onclick="openNewChatModal()">
                            <i class="fas fa-plus"></i> New Chat
                        </button>
                        <div class="search-box">
                            <i class="fas fa-search"></i>
                            <input type="text" id="conversationSearch" placeholder="Search conversat
ions..." onkeyup="filterConversations()">
                        </div>
                    </div>
                    <div class="conversations-list" id="conversationsList">
                        <!-- Conversations will be loaded here -->
                    </div>
                </div>

                <!-- Chat Main Area -->
                <div class="chat-main">
                    <div id="emptyChat" class="empty-chat">
                        <i class="fas fa-comments"></i>
                        <h3>Select a conversation to start chatting</h3>
                    </div>
                    <div id="chatArea" style="display: none;">
                        <div class="chat-header">
                            <div class="chat-header-info">
                                <h4 id="chatUserName">User Name</h4>
                                <p id="chatUserEmail">user@example.com</p>
                            </div>
                        </div>
                        <div class="chat-messages" id="chatMessages">
                            <!-- Messages will be loaded here -->
                        </div>
                        <div class="chat-input-area">
                            <input type="text" id="messageInput" placeholder="Type a message..." onk
eypress="handleMessageKeyPress(event)">
                            <button onclick="sendMessage()" id="sendBtn">
                                <i class="fas fa-paper-plane"></i> Send
                            </button>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <!-- New Chat Modal -->
    <div id="usersModal" class="users-modal">
        <div class="users-modal-content">
            <div class="users-modal-header">
                <h3>New Chat</h3>
                <button class="users-modal-close" onclick="closeNewChatModal()">&times;</button>
            </div>
            <div class="users-modal-body">
```

```
                <div class="search-box" style="margin-bottom: 16px;">
                    <i class="fas fa-search"></i>
                    <input type="text" id="userSearch" placeholder="Search users..." onkeyup="search
Users()">
                </div>
                <div id="usersList">
                    <!-- Users will be loaded here -->
                </div>
            </div>
        </div>
    </div>

    <script src="../../assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <script>
        const BASE_URL = '<?= BASE_URL ?>';
        const CSRF_TOKEN = '<?= generateCSRFToken() ?>';
        let currentRecipientId = null;
        let eventSource = null;
        let conversations = [];
        let allUsers = [];

        let isLoadingConversations = false;
        let conversationOffset = 0;
        const conversationLimit = 20;

        // Load conversations on page load
        document.addEventListener('DOMContentLoaded', function() {
            loadConversations(true);
        });

        async function loadConversations(reset = false) {
            if (isLoadingConversations) return;

            if (reset) {
                conversationOffset = 0;
                conversations = [];
            }

            isLoadingConversations = true;
            const list = document.getElementById('conversationsList');
            if (reset) {
                list.innerHTML = '<div style="padding: 20px; text-align: center; color: var(--gray-5
00);">Loading...</div>';
            }

            try {
                const response = await fetch(`${BASE_URL}api/messages.php?action=conversations&limit
=${conversationLimit}&offset=${conversationOffset}`, {
                    headers: {
                        'X-CSRF-Token': CSRF_TOKEN
                    }
                });
                const data = await response.json();

                if (data.success) {
                    if (reset) {
                        conversations = data.data;
                    } else {
                        conversations = conversations.concat(data.data);
                    }
                    renderConversations();
                    conversationOffset += data.data.length;

                    // Remove loading indicator if exists
                    const loadingIndicator = list.querySelector('.loading-indicator');
                    if (loadingIndicator) {
                        loadingIndicator.remove();
                    }
```

```
                }
            } catch (error) {
                console.error('Error loading conversations:', error);
                if (reset) {
                    list.innerHTML = '<div style="padding: 20px; text-align: center; color: var(--da
nger-red);">Error loading conversations</div>';
                }
            } finally {
                isLoadingConversations = false;
            }
        }

        function renderConversations() {
            const list = document.getElementById('conversationsList');
            if (conversations.length === 0) {
                list.innerHTML = '<div style="padding: 20px; text-align: center; color: var(--gray-5
00);">No conversations yet</div>';
                return;
            }

            // Use DocumentFragment for better performance
            const fragment = document.createDocumentFragment();
            const tempDiv = document.createElement('div');

            tempDiv.innerHTML = conversations.map(conv => {
                const time = conv.last_message_at ? formatTime(conv.last_message_at) : '';
                const unread = conv.unread_count > 0 ? `<span class="unread-badge">${conv.unread_cou
nt}</span>` : '';
                const isActive = currentRecipientId == conv.user_id ? 'active' : '';
                return `
                    <div class="conversation-item ${isActive}"
                         onclick="selectConversation(${conv.user_id}, '${escapeHtml(conv.full_name)}
', '${escapeHtml(conv.email)}')">
                        <div class="conversation-header">
                            <span class="conversation-name">${escapeHtml(conv.full_name)}${unread}</
span>
                            <span class="conversation-time">${time}</span>
                        </div>
                        <div class="conversation-preview">${escapeHtml(conv.last_message || 'No mess
ages yet')}</div>
                    </div>
                `;
            }).join('');

            while (tempDiv.firstChild) {
                fragment.appendChild(tempDiv.firstChild);
            }

            list.innerHTML = '';
            list.appendChild(fragment);

            // Add scroll listener for infinite scroll
            if (!list.dataset.scrollListenerAdded) {
                list.addEventListener('scroll', function() {
                    if (list.scrollTop + list.clientHeight >= list.scrollHeight - 100) {
                        // Load more when near bottom
                        loadConversations(false);
                    }
                });
                list.dataset.scrollListenerAdded = 'true';
            }
        }

        let searchTimeout = null;
        function filterConversations() {
            // Debounce search to improve performance
            clearTimeout(searchTimeout);
            searchTimeout = setTimeout(() => {
```

```
                const search = document.getElementById('conversationSearch').value.toLowerCase();
                const items = document.querySelectorAll('.conversation-item');

                // Use requestAnimationFrame for smooth rendering
                requestAnimationFrame(() => {
                    items.forEach(item => {
                        const text = item.textContent.toLowerCase();
                        item.style.display = text.includes(search) ? 'block' : 'none';
                    });
                });
            }, 150);
        }

        function selectConversation(userId, userName, userEmail) {
            currentRecipientId = userId;
            document.getElementById('chatUserName').textContent = userName;
            document.getElementById('chatUserEmail').textContent = userEmail;
            document.getElementById('emptyChat').style.display = 'none';
            document.getElementById('chatArea').style.display = 'flex';
            document.getElementById('chatArea').style.flexDirection = 'column';

            // Update active conversation
            document.querySelectorAll('.conversation-item').forEach(item => {
                item.classList.remove('active');
                if (item.getAttribute('onclick') && item.getAttribute('onclick').includes(`selectCon
versation(${userId},`)) {
                    item.classList.add('active');
                }
            });

            loadMessages();
            startSSE();
        }

        async function loadMessages() {
            if (!currentRecipientId) return;

            try {
                const response = await fetch(`${BASE_URL}api/messages.php?action=index&recipient_id=
${currentRecipientId}`, {
                    headers: {
                        'X-CSRF-Token': CSRF_TOKEN
                    }
                });
                const data = await response.json();

                if (data.success) {
                    renderMessages(data.data);
                }
            } catch (error) {
                console.error('Error loading messages:', error);
            }
        }

        function renderMessages(messages) {
            const container = document.getElementById('chatMessages');
            container.innerHTML = messages.map(msg => {
                const isSent = msg.sender_id == <?= $userId ?>;
                const time = formatTime(msg.created_at);
                const avatar = msg.sender_name ? msg.sender_name.charAt(0).toUpperCase() : 'U';
                return `
                    <div class="message ${isSent ? 'sent' : ''}">
                        <div class="message-avatar">${avatar}</div>
                        <div>
                            <div class="message-content">${escapeHtml(msg.message)}</div>
                            <div class="message-time">${time}</div>
                        </div>
                    </div>
```

```
                `;
            }).join('');

            container.scrollTop = container.scrollHeight;
        }

        async function sendMessage() {
            const input = document.getElementById('messageInput');
            const message = input.value.trim();

            if (!message || !currentRecipientId) return;

            const sendBtn = document.getElementById('sendBtn');
            const originalText = sendBtn.innerHTML;
            sendBtn.disabled = true;
            sendBtn.innerHTML = '<i class="fas fa-spinner fa-spin"></i> Sending...';

            let controller = null;
            let timeoutId = null;

            try {
                // Create abort controller for timeout
                controller = new AbortController();
                timeoutId = setTimeout(() => {
                    console.warn('Request timeout - aborting fetch');
                    controller.abort();
                }, 30000); // 30 second timeout

                const response = await fetch(`${BASE_URL}api/messages.php?action=send`, {
                    method: 'POST',
                    headers: {
                        'Content-Type': 'application/json',
                        'X-CSRF-Token': CSRF_TOKEN
                    },
                    body: JSON.stringify({
                        recipient_id: currentRecipientId,
                        message: message
                    }),
                    signal: controller.signal
                });

                // Clear timeout on successful response
                if (timeoutId) {
                    clearTimeout(timeoutId);
                    timeoutId = null;
                }

                // Check if response is OK
                if (!response.ok) {
                    let errorText = '';
                    try {
                        errorText = await response.text();
                        console.error('Server error response:', errorText);
                    } catch (e) {
                        console.error('Could not read error response:', e);
                    }
                    throw new Error(`Server error: ${response.status} ${response.statusText}`);
                }

                // Check content type
                const contentType = response.headers.get('content-type');
                if (!contentType || !contentType.includes('application/json')) {
                    let text = '';
                    try {
                        text = await response.text();
                        console.error('Non-JSON response:', text);
                    } catch (e) {
                        console.error('Could not read non-JSON response:', e);
```

```
                    }
                    throw new Error('Server returned invalid response. Please check the console for
details.');
                }

                const data = await response.json();

                if (data.success) {
                    input.value = '';
                    loadMessages();
                    loadConversations();
                } else {
                    alert('Failed to send message: ' + (data.message || 'Unknown error'));
                }
            } catch (error) {
                // Always clear timeout in catch block
                if (timeoutId) {
                    clearTimeout(timeoutId);
                    timeoutId = null;
                }

                console.error('Error sending message:', error);
                console.error('Error name:', error.name);
                console.error('Error message:', error.message);

                let errorMessage = 'Failed to send message';
                if (error.name === 'AbortError') {
                    errorMessage = 'Request timed out or was cancelled. The server may be taking too
 long to respond. Please check your connection and try again.';
                } else if (error instanceof TypeError && error.message.includes('fetch')) {
                    errorMessage = 'Network error: Could not connect to the server. Please check you
r internet connection.';
                } else if (error instanceof SyntaxError) {
                    errorMessage = 'Server returned invalid response. Please check the console for d
etails.';
                } else if (error.message) {
                    errorMessage = error.message;
                }

                alert(errorMessage);
            } finally {
                // Ensure timeout is always cleared
                if (timeoutId) {
                    clearTimeout(timeoutId);
                }
                sendBtn.disabled = false;
                sendBtn.innerHTML = originalText;
            }
        }

        function handleMessageKeyPress(event) {
            if (event.key === 'Enter') {
                sendMessage();
            }
        }

        function startSSE() {
            if (eventSource) {
                eventSource.close();
            }

            if (!currentRecipientId) return;

            const url = `${BASE_URL}api/messages_sse.php?recipient_id=${currentRecipientId}&last_mes
sage_id=0`;
            eventSource = new EventSource(url);

            eventSource.onmessage = function(event) {
```

```
                const data = JSON.parse(event.data);
                if (data.success && data.data) {
                    loadMessages();
                    loadConversations();
                }
            };

            eventSource.onerror = function() {
                eventSource.close();
                setTimeout(startSSE, 3000);
            };
        }

        function openNewChatModal() {
            document.getElementById('usersModal').style.display = 'block';
            searchUsers();
        }

        function closeNewChatModal() {
            document.getElementById('usersModal').style.display = 'none';
        }

        let userSearchTimeout = null;
        async function searchUsers() {
            // Debounce user search
            clearTimeout(userSearchTimeout);
            userSearchTimeout = setTimeout(async () => {
                const search = document.getElementById('userSearch').value;
                const usersList = document.getElementById('usersList');

                if (search.length === 0) {
                    usersList.innerHTML = '<div style="padding: 20px; text-align: center; color: var
(--gray-500);">Start typing to search users...</div>';
                    return;
                }

                usersList.innerHTML = '<div style="padding: 20px; text-align: center; color: var(--g
ray-500);">Searching...</div>';

                try {
                    const response = await fetch(`${BASE_URL}api/messages.php?action=search-users&se
arch=${encodeURIComponent(search)}`, {
                        headers: {
                            'X-CSRF-Token': CSRF_TOKEN
                        }
                    });
                    const data = await response.json();

                    if (data.success) {
                        allUsers = data.data;
                        renderUsers();
                    }
                } catch (error) {
                    console.error('Error searching users:', error);
                    usersList.innerHTML = '<div style="padding: 20px; text-align: center; color: var
(--danger-red);">Error searching users</div>';
                }
            }, 300);
        }

        function renderUsers() {
            const list = document.getElementById('usersList');
            if (allUsers.length === 0) {
                list.innerHTML = '<div style="padding: 20px; text-align: center; color: var(--gray-5
00);">No users found</div>';
                return;
            }
```

```
            list.innerHTML = allUsers.map(user => {
                const status = user.can_chat ?
                    '<span class="user-item-status can-chat">Can chat</span>' :
                    '<span class="user-item-status cannot-chat">No approved/rejected applications</s
pan>';
                return `
                    <div class="user-item" onclick="startChatWithUser(${user.id}, '${escapeHtml(user
.full_name)}', '${escapeHtml(user.email)}')">
                        <div class="user-item-name">${escapeHtml(user.full_name)}</div>
                        <div class="user-item-email">${escapeHtml(user.email)}</div>
                        ${status}
                    </div>
                `;
            }).join('');
        }

        function startChatWithUser(userId, userName, userEmail) {
            closeNewChatModal();
            selectConversation(userId, userName, userEmail);
        }

        function formatTime(timestamp) {
            const date = new Date(timestamp);
            const now = new Date();
            const diff = now - date;
            const minutes = Math.floor(diff / 60000);
            const hours = Math.floor(diff / 3600000);
            const days = Math.floor(diff / 86400000);

            if (minutes < 1) return 'Just now';
            if (minutes < 60) return `${minutes}m ago`;
            if (hours < 24) return `${hours}h ago`;
            if (days < 7) return `${days}d ago`;

            return date.toLocaleDateString();
        }

        function escapeHtml(text) {
            const div = document.createElement('div');
            div.textContent = text;
            return div.innerHTML;
        }

        // Close modal when clicking outside
        window.onclick = function(event) {
            const modal = document.getElementById('usersModal');
            if (event.target == modal) {
                closeNewChatModal();
            }
        }
    </script>
</body>
</html>
```

admin/pages/dashboard.php

```
<?php
require_once '../../config/config.php';

requireAdmin();

// Try to load models and data, with error handling
try {
    require_once '../../includes/models.php';

    $userModel = new User();
    $positionModel = new Position();
    $applicationModel = new Application();

    // Get dashboard statistics
    $totalApplicants = count($userModel->findAll('role = ?', [ROLE_APPLICANT]));
    $totalPositions = count($positionModel->findAll('is_active = 1'));
    $totalApplications = count($applicationModel->findAll());
    $pendingApplications = count($applicationModel->findAll('status = ?', [STATUS_PENDING]));

    // Get recent applications
    $recentApplications = $applicationModel->getApplicationsWithDetails();

    // Get active positions
    $activePositions = $positionModel->getActivePositions();

} catch (Exception $e) {
    // Database error - show setup message
    $databaseError = true;
    $errorMessage = $e->getMessage();

    // Set default values to prevent undefined variable errors
    $totalApplicants = 0;
    $totalPositions = 0;
    $totalApplications = 0;
    $pendingApplications = 0;
    $recentApplications = [];
    $activePositions = [];
}

$user = ['full_name' => $_SESSION['full_name'] ?? 'Admin', 'email' => $_SESSION['email'] ?? ''];
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Admin Dashboard - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        .dashboard-grid {
            display: grid;
            grid-template-columns: 2fr 1fr;
            gap: 24px;
            margin-top: 24px;
        }

        .dashboard-column {
            display: flex;
            flex-direction: column;
            gap: 24px;
        }
```

```
        .dashboard-column .card {
            margin: 0;
        }

        .application-item {
            padding: 16px;
            border-bottom: 1px solid var(--gray-200);
            transition: background 0.2s ease, transform 0.2s ease;
        }

        .application-item:last-child {
            border-bottom: none;
        }

        .application-item:hover {
            background: var(--gray-50);
            transform: translateY(-2px);
        }

        .application-meta {
            font-size: 0.85rem;
            color: var(--gray-600);
            display: flex;
            gap: 16px;
            flex-wrap: wrap;
        }

        .position-item {
            padding: 12px 0;
            border-bottom: 1px solid var(--gray-200);
        }

        .position-item:last-child {
            border-bottom: none;
        }

        .quick-actions-list {
            display: flex;
            flex-direction: column;
            gap: 12px;
        }

        @media (max-width: 1024px) {
            .dashboard-grid {
                grid-template-columns: 1fr;
            }

            .dashboard-column-secondary {
                order: 2;
            }
        }

        @media (max-width: 768px) {
            .dashboard-grid {
                gap: 18px;
            }

            .dashboard-column {
                gap: 18px;
            }

            .card-body {
                padding: 20px;
            }

            .card-header {
                flex-direction: column;
                align-items: flex-start;
```

```
                gap: 12px;
            }

            .card-header .btn,
            .card-header .btn.btn-sm {
                width: 100%;
                justify-content: center;
            }

            .application-item {
                border: 1px solid var(--gray-200);
                border-radius: 12px;
                margin-bottom: 12px;
                background: white;
            }

            .application-item:last-child {
                margin-bottom: 0;
            }

            .position-item {
                border: 1px solid var(--gray-200);
                border-radius: 12px;
                padding: 16px;
                margin-bottom: 12px;
                background: white;
            }

            .position-item:last-child {
                margin-bottom: 0;
            }

            .quick-actions-list .btn {
                width: 100%;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
```

```
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Dashboard</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
                        <a href="notifications.php">View all notifications</a>
                    </div>
                </div>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if (isset($databaseError) && $databaseError): ?>
            <!-- Database Error Alert -->
```

```
            <div class="alert alert-warning">
                <i class="fas fa-exclamation-triangle"></i>
                <div>
                    <strong>Database Setup Required</strong><br>
                    The system database needs to be initialized before you can use all features. Ple
ase contact your system administrator.
                </div>
            </div>
            <?php endif; ?>

            <!-- Welcome Message -->
            <div class="card" style="background: linear-gradient(135deg, var(--primary-blue) 0%, var
(--secondary-blue) 100%); border: none; color: white; margin-bottom: 24px;">
                <div class="card-body" style="padding: 32px;">
                    <h2 style="margin-bottom: 12px; font-size: 1.75rem; font-weight: 700;">Welcome b
ack, <?= htmlspecialchars($user['full_name']) ?>! ?</h2>
                    <p style="opacity: 0.9; margin-bottom: 20px; font-size: 1rem;">Manage positions,
 review applications, and oversee the recruitment process.</p>
                    <a href="applications.php" class="btn" style="background: white; color: var(--pr
imary-blue); font-weight: 600;">
                        <i class="fas fa-file-alt"></i> Review Applications
                    </a>
                </div>
            </div>

            <!-- Statistics Cards -->
            <div class="stats-grid">
                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $totalApplicants ?></div>
                            <div class="stat-card-label">Total Applicants</div>
                        </div>
                        <div class="stat-card-icon blue">
                            <i class="fas fa-users"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $totalPositions ?></div>
                            <div class="stat-card-label">Active Positions</div>
                        </div>
                        <div class="stat-card-icon green">
                            <i class="fas fa-briefcase"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $totalApplications ?></div>
                            <div class="stat-card-label">Total Applications</div>
                        </div>
                        <div class="stat-card-icon purple">
                            <i class="fas fa-file-alt"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $pendingApplications ?></div>
                            <div class="stat-card-label">Pending Review</div>
```

```
                        </div>
                        <div class="stat-card-icon yellow">
                            <i class="fas fa-clock"></i>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Two Column Layout -->
            <div class="dashboard-grid">
                <!-- Left Column - Recent Applications -->
                <div class="dashboard-column dashboard-column-primary">
                    <div class="card">
                        <div class="card-header" style="display: flex; justify-content: space-betwee
n; align-items: center;">
                            <h3 class="card-title">
                                <i class="fas fa-file-alt"></i> Recent Applications
                            </h3>
                            <a href="applications.php" class="btn btn-sm btn-primary">View All</a>
                        </div>
                        <div class="card-body">
                            <?php if (empty($recentApplications)): ?>
                                <div class="empty-state">
                                    <i class="fas fa-file-alt"></i>
                                    <h3>No Applications Yet</h3>
                                    <p>Applications will appear here as applicants submit them.</p>
                                </div>
                            <?php else: ?>
                                <?php foreach (array_slice($recentApplications, 0, 5) as $app): ?>
                                    <div class="application-item">
                                        <div style="display: flex; justify-content: space-between; a
lign-items: start; margin-bottom: 8px;">
                                            <div style="flex: 1;">
                                                <h4 style="margin: 0 0 6px 0; font-size: 1rem; font-
weight: 600; color: var(--gray-800);">
                                                    <?= htmlspecialchars($app['applicant_name']) ?>
                                                </h4>
                                                <div class="application-meta">
                                                    <span><i class="fas fa-briefcase"></i> <?= htmls
pecialchars($app['position_title']) ?></span>
                                                    <span><i class="fas fa-clock"></i> <?= $app['tot
al_experience_years'] ?>y exp</span>
                                                    <span><i class="fas fa-calendar"></i> <?= date('
M j, Y', strtotime($app['applied_at'])) ?></span>
                                                </div>
                                            </div>
                                            <div style="margin-left: 12px;">
                                                <span class="badge badge-<?= $app['status'] === STAT
US_PENDING ? 'warning' : ($app['status'] === STATUS_APPROVED ? 'success' : 'danger') ?>">
                                                    <?= ucfirst($app['status']) ?>
                                                </span>
                                            </div>
                                        </div>
                                    </div>
                                <?php endforeach; ?>
                            <?php endif; ?>
                        </div>
                    </div>
                </div>

                <!-- Right Column - Active Positions & Quick Stats -->
                <div class="dashboard-column dashboard-column-secondary">
                    <!-- Active Positions -->
                    <div class="card" style="margin-bottom: 24px;">
                        <div class="card-header" style="display: flex; justify-content: space-betwee
n; align-items: center;">
                            <h3 class="card-title">
                                <i class="fas fa-briefcase"></i> Active Positions
```

```
                            </h3>
                            <a href="positions.php" class="btn btn-sm btn-outline">
                                <i class="fas fa-plus"></i>
                            </a>
                        </div>
                        <div class="card-body">
                            <?php if (empty($activePositions)): ?>
                                <div class="empty-state" style="padding: 30px 20px;">
                                    <i class="fas fa-briefcase" style="font-size: 2.5rem;"></i>
                                    <p style="margin: 12px 0 0 0; font-size: 0.875rem;">No active po
sitions</p>
                                </div>
                            <?php else: ?>
                                <?php foreach (array_slice($activePositions, 0, 5) as $position): ?>
                                    <div class="position-item">
                                        <div style="font-weight: 600; font-size: 0.9rem; color: var(
--gray-800); margin-bottom: 4px;">
                                            <?= htmlspecialchars($position['title']) ?>
                                        </div>
                                        <div style="display: flex; justify-content: space-between; a
lign-items: center;">
                                            <span style="font-size: 0.75rem; color: var(--gray-500);
">
                                                Min: <?= $position['min_experience_years'] ?>y exp
                                            </span>
                                            <span class="badge badge-primary">
                                                <?= isset($positionModel) ? $positionModel->getAppli
cationCount($position['id']) : 0 ?> apps
                                            </span>
                                        </div>
                                    </div>
                                <?php endforeach; ?>
                            <?php endif; ?>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Positions</span>
            </a>
            <a href="applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="users.php" class="mobile-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        // Make BASE_URL available to notifications.js
        if (typeof BASE_URL === 'undefined') {
```

```
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
</body>
</html>
```

admin/pages/notifications.php

```
<?php
require_once '../../config/config.php';
requireAdmin();

require_once '../../includes/models.php';

$notificationModel = new Notification();
$userId = $_SESSION['user_id'];

// Handle mark as read
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['mark_read'])) {
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if ($validation['valid']) {
        $notificationId = (int)$_POST['notification_id'];
        $notificationModel->markAsRead($notificationId, $userId);
        $_SESSION['success_message'] = 'Notification marked as read';
    } else {
        $_SESSION['error_message'] = $validation['error'];
    }
    header('Location: notifications.php');
    exit();
}

// Handle mark all as read
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['mark_all_read'])) {
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if ($validation['valid']) {
        $notificationModel->markAllAsRead($userId);
        $_SESSION['success_message'] = 'All notifications marked as read';
    } else {
        $_SESSION['error_message'] = $validation['error'];
    }
    header('Location: notifications.php');
    exit();
}

// Get filter
$filter = $_GET['filter'] ?? 'all'; // all, unread, read

// Get notifications
if ($filter === 'unread') {
    $notifications = $notificationModel->getUserNotifications($userId, null, true);
} else if ($filter === 'read') {
    $allNotifications = $notificationModel->getUserNotifications($userId);
    $notifications = array_filter($allNotifications, function($n) {
        return $n['is_read'] == 1;
    });
} else {
    $notifications = $notificationModel->getUserNotifications($userId);
}

$unreadCount = $notificationModel->getUnreadCount($userId);

$user = ['full_name' => $_SESSION['full_name'] ?? 'Admin', 'email' => $_SESSION['email'] ?? ''];
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Notifications - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
```

```
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        .notifications-header {
            display: flex;
            justify-content: space-between;
            align-items: center;
            margin-bottom: 24px;
            flex-wrap: wrap;
            gap: 16px;
        }

        .filter-tabs {
            display: flex;
            gap: 8px;
            background: var(--white);
            padding: 4px;
            border-radius: 8px;
            border: 1px solid var(--gray-200);
        }

        .filter-tab {
            padding: 8px 16px;
            border-radius: 6px;
            text-decoration: none;
            color: var(--gray-600);
            font-weight: 500;
            transition: all 0.2s;
            border: none;
            background: none;
            cursor: pointer;
        }

        .filter-tab:hover {
            background-color: var(--gray-100);
            color: var(--primary-blue);
        }

        .filter-tab.active {
            background-color: var(--primary-blue);
            color: white;
        }

        .notification-card {
            padding: 20px;
            border-bottom: 1px solid var(--gray-200);
            transition: all 0.2s;
            display: flex;
            justify-content: space-between;
            align-items: flex-start;
            gap: 16px;
        }

        .notification-card:last-child {
            border-bottom: none;
        }

        .notification-card:hover {
            background-color: var(--gray-50);
        }

        .notification-card.unread {
            background-color: rgba(30, 64, 175, 0.05);
            border-left: 3px solid var(--primary-blue);
        }

        .notification-content {
            flex: 1;
```

```
        }

        .notification-title {
            font-weight: 600;
            font-size: 1rem;
            color: var(--gray-800);
            margin-bottom: 8px;
        }

        .notification-message {
            font-size: 0.9rem;
            color: var(--gray-600);
            line-height: 1.5;
            margin-bottom: 8px;
        }

        .notification-meta {
            display: flex;
            gap: 16px;
            font-size: 0.875rem;
            color: var(--gray-500);
        }

        .notification-actions {
            display: flex;
            gap: 8px;
        }

        .btn-mark-read {
            padding: 6px 12px;
            font-size: 0.875rem;
            border-radius: 6px;
            border: 1px solid var(--gray-300);
            background: var(--white);
            color: var(--gray-700);
            cursor: pointer;
            transition: all 0.2s;
        }

        .btn-mark-read:hover {
            background: var(--gray-100);
            border-color: var(--gray-400);
        }

        .empty-state {
            text-align: center;
            padding: 60px 20px;
            color: var(--gray-500);
        }

        .empty-state i {
            font-size: 3rem;
            margin-bottom: 16px;
            color: var(--gray-300);
        }

        .empty-state h3 {
            font-size: 1.25rem;
            margin-bottom: 8px;
            color: var(--gray-600);
        }

        .empty-state p {
            font-size: 0.9rem;
        }

        @media (max-width: 768px) {
            .notifications-header {
```

```
                flex-direction: column;
                align-items: stretch;
            }

            .filter-tabs {
                width: 100%;
                justify-content: stretch;
            }

            .filter-tab {
                flex: 1;
                text-align: center;
            }

            .notification-card {
                flex-direction: column;
            }

            .notification-actions {
                width: 100%;
                justify-content: flex-end;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item active">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
```

```
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Notifications</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
                        <a href="notifications.php">View all notifications</a>
                    </div>
                </div>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if (isset($_SESSION['success_message'])): ?>
            <div class="alert alert-success">
                <i class="fas fa-check-circle"></i>
                <div><?= htmlspecialchars($_SESSION['success_message']) ?></div>
            </div>
            <?php unset($_SESSION['success_message']); endif; ?>

            <?php if (isset($_SESSION['error_message'])): ?>
            <div class="alert alert-danger">
                <i class="fas fa-exclamation-circle"></i>
                <div><?= htmlspecialchars($_SESSION['error_message']) ?></div>
            </div>
            <?php unset($_SESSION['error_message']); endif; ?>

            <div class="notifications-header">
```

```
                <div>
                    <h2 style="margin: 0; font-size: 1.5rem; color: var(--gray-800);">Notifications<
/h2>
                    <p style="margin: 4px 0 0 0; color: var(--gray-600); font-size: 0.9rem;">
                        <?php if ($unreadCount > 0): ?>
                            <?= $unreadCount ?> unread notification<?= $unreadCount > 1 ? 's' : '' ?
>
                        <?php else: ?>
                            All caught up!
                        <?php endif; ?>
                    </p>
                </div>
                <?php if ($unreadCount > 0): ?>
                <form method="POST" style="display: inline;">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                    <?php FormTokenManager::renderFormTokenInput('mark_all_read'); ?>
                    <input type="hidden" name="mark_all_read" value="1">
                    <button type="submit" class="btn" style="background: var(--primary-blue); color:
 white;">
                        <i class="fas fa-check-double"></i> Mark all as read
                    </button>
                </form>
                <?php endif; ?>
            </div>

            <div class="filter-tabs">
                <a href="?filter=all" class="filter-tab <?= $filter === 'all' ? 'active' : '' ?>">
                    All (<?= count($notifications) ?>)
                </a>
                <a href="?filter=unread" class="filter-tab <?= $filter === 'unread' ? 'active' : ''
?>">
                    Unread (<?= $unreadCount ?>)
                </a>
                <a href="?filter=read" class="filter-tab <?= $filter === 'read' ? 'active' : '' ?>">
                    Read (<?= count($notifications) - $unreadCount ?>)
                </a>
            </div>

            <div class="card" style="margin-top: 24px;">
                <?php if (empty($notifications)): ?>
                <div class="empty-state">
                    <i class="fas fa-bell-slash"></i>
                    <h3>No notifications</h3>
                    <p>You're all caught up! New notifications will appear here when applications ar
e submitted.</p>
                </div>
                <?php else: ?>
                <?php foreach ($notifications as $notification): ?>
                <div class="notification-card <?= !$notification['is_read'] ? 'unread' : '' ?>">
                    <div class="notification-content">
                        <div class="notification-title">
                            <?= htmlspecialchars($notification['title']) ?>
                        </div>
                        <div class="notification-message">
                            <?= htmlspecialchars($notification['message']) ?>
                        </div>
                        <div class="notification-meta">
                            <span>
                                <i class="fas fa-clock"></i>
                                <?php
                                $createdAt = new DateTime($notification['created_at']);
                                $now = new DateTime();
                                $diff = $now->diff($createdAt);

                                if ($diff->days > 0) {
                                    echo $diff->days . ' day' . ($diff->days > 1 ? 's' : '') . ' ago
';
                                } else if ($diff->h > 0) {
```

```
                                    echo $diff->h . ' hour' . ($diff->h > 1 ? 's' : '') . ' ago';
                                } else if ($diff->i > 0) {
                                    echo $diff->i . ' minute' . ($diff->i > 1 ? 's' : '') . ' ago';
                                } else {
                                    echo 'Just now';
                                }
                                ?>
                            </span>
                            <?php if ($notification['related_type'] === 'application' && $notificati
on['related_id']): ?>
                            <a href="applications.php?application_id=<?= $notification['related_id']
 ?>" style="color: var(--primary-blue); text-decoration: none;">
                                <i class="fas fa-external-link-alt"></i> View Application
                            </a>
                            <?php endif; ?>
                        </div>
                    </div>
                    <?php if (!$notification['is_read']): ?>
                    <div class="notification-actions">
                        <form method="POST" style="display: inline;">
                            <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>
">
                            <?php FormTokenManager::renderFormTokenInput('mark_read_' . $notificatio
n['id']); ?>
                            <input type="hidden" name="notification_id" value="<?= $notification['id
'] ?>">
                            <input type="hidden" name="mark_read" value="1">
                            <button type="submit" class="btn-mark-read">
                                <i class="fas fa-check"></i> Mark as read
                            </button>
                        </form>
                    </div>
                    <?php endif; ?>
                </div>
                <?php endforeach; ?>
                <?php endif; ?>
            </div>
        </div>
    </div>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        if (typeof BASE_URL === 'undefined') {
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
</body>
</html>
```

admin/pages/positions.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

requireAdmin();

$positionModel = new Position();
$employmentTypeModel = new EmploymentType();
$message = '';
$error = '';

// Check for success/error messages from redirects
if (isset($_GET['success'])) {
    $message = $_GET['success'];
}
if (isset($_GET['error'])) {
    $error = $_GET['error'];
}
if (isset($_GET['info'])) {
    $message = $_GET['info'];
}

// Handle form submissions
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            header('Location: positions.php?info=Action already processed');
            exit();
        }
        $error = $validation['error'];
    } else {
        $action = $_POST['action'] ?? '';

        if ($action === 'create_employment_type') {
            $employmentTypeName = sanitize($_POST['employment_type_name'] ?? '');
            if (empty($employmentTypeName)) {
                $error = 'Employment type name is required';
            } else {
                try {
                    if ($employmentTypeModel->create(['name' => $employmentTypeName])) {
                        // Redirect to prevent token reuse and show success message
                        header('Location: positions.php?success=Employment type created successfully
');
                        exit();
                    } else {
                        $error = 'Failed to create employment type';
                    }
                } catch (Exception $e) {
                    $error = 'An error occurred: ' . $e->getMessage();
                }
            }
        } elseif ($action === 'delete_employment_type') {
            $id = (int)($_POST['id'] ?? 0);
            try {
                // Check if employment type is being used in positions
                if ($employmentTypeModel->isUsedInPositions($id)) {
                    $error = 'Cannot delete employment type: It is currently being used in one or mo
re positions.';
                } else {
                    if ($employmentTypeModel->delete($id)) {
                        // Redirect to prevent token reuse and show success message
                        header('Location: positions.php?success=Employment type deleted successfully
');
```

```
                        exit();
                    } else {
                        $error = 'Failed to delete employment type';
                    }
                }
            } catch (Exception $e) {
                $error = 'Cannot delete employment type: ' . $e->getMessage();
            }
        } elseif ($action === 'create') {
            // Handle CSE checkboxes
            $careerServiceEligibilities = isset($_POST['career_service_eligibilities']) && is_array(
$_POST['career_service_eligibilities'])
                ? implode(',', array_map('sanitize', $_POST['career_service_eligibilities']))
                : '';

            $data = [
                'title' => sanitize($_POST['title'] ?? ''),
                'description' => sanitize($_POST['description'] ?? ''),
                'requirements' => sanitize($_POST['requirements'] ?? ''),
                'min_experience_years' => (int)($_POST['min_experience_years'] ?? 0),
                'max_applications' => !empty($_POST['max_applications']) ? (int)$_POST['max_applicat
ions'] : null,
                'salary_range' => sanitize($_POST['salary_range'] ?? ''),
                'salary_grade' => sanitize($_POST['salary_grade'] ?? ''),
                'training_hours' => !empty($_POST['training_hours']) ? (int)$_POST['training_hours']
 : null,
                'career_service_eligibilities' => !empty($careerServiceEligibilities) ? $careerServi
ceEligibilities : null,
                'location' => sanitize($_POST['location'] ?? ''),
                'employment_type' => sanitize($_POST['employment_type'] ?? 'full-time'),
                'deadline' => !empty($_POST['deadline']) ? $_POST['deadline'] : null,
                'created_by' => $_SESSION['user_id']
            ];

            if (empty($data['title']) || empty($data['description']) || empty($data['requirements'])
) {
                $error = 'Title, description, and requirements are required';
            } else {
                try {
                    if ($positionModel->create($data)) {
                        $message = 'Position created successfully';
                    } else {
                        $error = 'Failed to create position';
                    }
                } catch (Exception $e) {
                    $error = 'An error occurred: ' . $e->getMessage();
                }
            }
        } elseif ($action === 'update') {
            // Handle CSE checkboxes
            $careerServiceEligibilities = isset($_POST['career_service_eligibilities']) && is_array(
$_POST['career_service_eligibilities'])
                ? implode(',', array_map('sanitize', $_POST['career_service_eligibilities']))
                : '';

            $id = (int)($_POST['id'] ?? 0);
            $data = [
                'title' => sanitize($_POST['title'] ?? ''),
                'description' => sanitize($_POST['description'] ?? ''),
                'requirements' => sanitize($_POST['requirements'] ?? ''),
                'min_experience_years' => (int)($_POST['min_experience_years'] ?? 0),
                'max_applications' => !empty($_POST['max_applications']) ? (int)$_POST['max_applicat
ions'] : null,
                'salary_range' => sanitize($_POST['salary_range'] ?? ''),
                'salary_grade' => sanitize($_POST['salary_grade'] ?? ''),
                'training_hours' => !empty($_POST['training_hours']) ? (int)$_POST['training_hours']
 : null,
                'career_service_eligibilities' => !empty($careerServiceEligibilities) ? $careerServi
```

```
ceEligibilities : null,
                'location' => sanitize($_POST['location'] ?? ''),
                'employment_type' => sanitize($_POST['employment_type'] ?? 'full-time'),
                'deadline' => !empty($_POST['deadline']) ? $_POST['deadline'] : null,
                'is_active' => isset($_POST['is_active']) ? 1 : 0
            ];

            if (empty($data['title']) || empty($data['description']) || empty($data['requirements'])
) {
                $error = 'Title, description, and requirements are required';
            } else {
                try {
                    if ($positionModel->update($id, $data)) {
                        $message = 'Position updated successfully';
                    } else {
                        $error = 'Failed to update position';
                    }
                } catch (Exception $e) {
                    $error = 'An error occurred: ' . $e->getMessage();
                }
            }
        } elseif ($action === 'delete') {
            $id = (int)($_POST['id'] ?? 0);
            try {
                if ($positionModel->delete($id)) {
                    // Redirect to prevent token reuse and show success message
                    header('Location: positions.php?success=Position deleted successfully');
                    exit();
                } else {
                    $error = 'Failed to delete position';
                }
            } catch (Exception $e) {
                $error = 'Cannot delete position: ' . $e->getMessage();
            }
        }
    }
}

// Get all positions
$allPositions = $positionModel->findAll('1=1 ORDER BY created_at DESC');

// Get all employment types (including inactive for display)
try {
    $allEmploymentTypes = $employmentTypeModel->findAll('1=1 ORDER BY name ASC');
} catch (Exception $e) {
    $allEmploymentTypes = [];
}

// Get active employment types for dropdown
try {
    $activeEmploymentTypes = $employmentTypeModel->getActiveTypes();
} catch (Exception $e) {
    $activeEmploymentTypes = [];
}

// Create a lookup array for employment types (slug => name)
$employmentTypeLookup = [];
if (!empty($allEmploymentTypes)) {
    foreach ($allEmploymentTypes as $type) {
        if (isset($type['slug']) && isset($type['name'])) {
            $employmentTypeLookup[$type['slug']] = $type['name'];
        }
    }
}

// Check which employment types are in use
$employmentTypeUsage = [];
if (!empty($allEmploymentTypes)) {
```

```
    foreach ($allEmploymentTypes as $type) {
        if (isset($type['id'])) {
            try {
                $employmentTypeUsage[$type['id']] = $employmentTypeModel->isUsedInPositions($type['i
d']);
            } catch (Exception $e) {
                $employmentTypeUsage[$type['id']] = false;
            }
        }
    }
}

// Pagination setup
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 6;
$offset = ($page - 1) * $perPage;

// Calculate pagination
$totalPositions_filtered = count($allPositions);
$totalPages = ceil($totalPositions_filtered / $perPage);
$positions = array_slice($allPositions, $offset, $perPage);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Manage Positions - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        /* Positions grid container */
        .positions-grid {
            display: grid;
            grid-template-columns: repeat(2, 1fr);
            gap: 20px;
        }

        /* Position card styles */
        .position-item {
            padding: 20px;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            background: white;
            transition: all 0.2s;
            display: flex;
            flex-direction: column;
        }

        .position-item:hover {
            background: var(--gray-50);
            box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
            transform: translateY(-2px);
        }

        /* Modal styles */
        .modal {
            display: none;
            position: fixed;
            z-index: 1000;
            left: 0;
            top: 0;
            width: 100%;
            height: 100%;
            overflow: auto;
```

```
            background-color: rgba(0, 0, 0, 0.5);
        }

        .modal-content {
            background-color: white;
            margin: 5% auto;
            padding: 0;
            border-radius: 8px;
            width: 90%;
            max-width: 800px;
            box-shadow: 0 4px 20px rgba(0, 0, 0, 0.2);
        }

        .modal-header {
            padding: 20px 24px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            justify-content: space-between;
            align-items: center;
        }

        .modal-title {
            font-size: 1.25rem;
            font-weight: 600;
            color: var(--gray-800);
            margin: 0;
        }

        .close {
            color: var(--gray-500);
            font-size: 28px;
            font-weight: bold;
            cursor: pointer;
            border: none;
            background: none;
            padding: 0;
            width: 32px;
            height: 32px;
            display: flex;
            align-items: center;
            justify-content: center;
            border-radius: 4px;
        }

        .close:hover {
            color: var(--gray-800);
            background: var(--gray-100);
        }

        .modal-body {
            padding: 24px;
            max-height: calc(100vh - 250px);
            overflow-y: auto;
        }

        .modal-footer {
            padding: 16px 24px;
            border-top: 1px solid var(--gray-200);
            display: flex;
            justify-content: flex-end;
            gap: 12px;
        }

        .form-group {
            margin-bottom: 20px;
        }

        .form-label {
```

```
            display: block;
            margin-bottom: 6px;
            font-weight: 600;
            color: var(--gray-700);
            font-size: 0.875rem;
        }

        .form-control, .form-select {
            width: 100%;
            padding: 10px 12px;
            border: 1px solid var(--gray-300);
            border-radius: 6px;
            font-size: 0.95rem;
            transition: border-color 0.2s;
        }

        .form-control:focus, .form-select:focus {
            outline: none;
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.1);
        }

        textarea.form-control {
            resize: vertical;
            min-height: 100px;
        }

        .form-row {
            display: grid;
            grid-template-columns: 1fr 1fr;
            gap: 16px;
        }

        .form-check {
            display: flex;
            align-items: center;
            gap: 8px;
        }

        .form-check-input {
            width: 18px;
            height: 18px;
            cursor: pointer;
        }

        /* Compact mobile layout */
        @media (max-width: 768px) {
            .positions-grid {
                grid-template-columns: 1fr;
                gap: 16px;
            }

            .modal-content {
                width: 95%;
                margin: 20px auto;
            }

            .modal-body {
                padding: 16px;
                max-height: calc(100vh - 180px);
            }

            .form-row {
                grid-template-columns: 1fr;
                gap: 12px;
            }

            .position-item {
```

```
                padding: 16px;
            }

            .modal-header {
                padding: 16px;
            }

            .modal-title {
                font-size: 1.1rem;
            }
        }

        /* Tablet layout */
        @media (min-width: 769px) and (max-width: 1024px) {
            .positions-grid {
                grid-template-columns: repeat(2, 1fr);
                gap: 16px;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
```

```
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($_SESSION['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($_SESSION['full_name'] ?? 'A
dmin') ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Manage Positions</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
                        <a href="notifications.php">View all notifications</a>
                    </div>
                </div>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if ($message): ?>
            <div class="alert alert-success">
                <i class="fas fa-check-circle"></i>
                <div><?= htmlspecialchars($message) ?></div>
            </div>
            <?php endif; ?>

            <?php if ($error): ?>
            <div class="alert alert-danger">
                <i class="fas fa-exclamation-triangle"></i>
                <div><?= htmlspecialchars($error) ?></div>
            </div>
            <?php endif; ?>

            <!-- Statistics Cards -->
            <div class="stats-grid" style="margin-bottom: 24px;">
                <div class="stat-card">
                    <div class="stat-card-header">
```

```
                        <div>
                            <div class="stat-card-value"><?= count($positions) ?></div>
                            <div class="stat-card-label">Total Positions</div>
                        </div>
                        <div class="stat-card-icon blue">
                            <i class="fas fa-briefcase"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count(array_filter($positions, fn($p) =
> $p['is_active'] == 1)) ?></div>
                            <div class="stat-card-label">Active</div>
                        </div>
                        <div class="stat-card-icon green">
                            <i class="fas fa-check-circle"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count(array_filter($positions, fn($p) =
> $p['is_active'] == 0)) ?></div>
                            <div class="stat-card-label">Inactive</div>
                        </div>
                        <div class="stat-card-icon yellow">
                            <i class="fas fa-pause-circle"></i>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Positions List -->
            <div class="card">
                <div class="card-header" style="display: flex; justify-content: space-between; align
-items: center;">
                    <h3 class="card-title">
                        <i class="fas fa-briefcase"></i> Job Positions
                    </h3>
                    <button class="btn btn-primary" onclick="openModal()">
                        <i class="fas fa-plus"></i> Add Position
                    </button>
                </div>
                <div class="card-body">
                    <?php if (empty($positions)): ?>
                        <div class="empty-state">
                            <i class="fas fa-briefcase"></i>
                            <h3>No Positions Yet</h3>
                            <p>Create your first job position to start receiving applications.</p>
                            <button class="btn btn-primary" onclick="openModal()">
                                <i class="fas fa-plus"></i> Add First Position
                            </button>
                        </div>
                    <?php else: ?>
                        <div class="positions-grid">
                            <?php foreach ($positions as $position): ?>
                                <div class="position-item">
                                    <div style="display: flex; justify-content: space-between; align
-items: start; margin-bottom: 12px;">
                                        <div style="flex: 1;">
                                            <h4 style="margin: 0 0 8px 0; font-size: 1.1rem; font-we
ight: 600; color: var(--gray-800);">
                                                <?= htmlspecialchars($position['title']) ?>
```

```
                                        </h4>
                                        <div style="margin-bottom: 8px;">
                                            <span class="badge badge-<?= $position['is_active']
? 'success' : 'secondary' ?>" style="margin-right: 8px;">
                                                <?= $position['is_active'] ? 'Active' : 'Inactiv
e' ?>
                                            </span>
                                            <span class="badge badge-primary">
                                                <?= htmlspecialchars($employmentTypeLookup[$posi
tion['employment_type']] ?? ucfirst(str_replace('-', ' ', $position['employment_type']))) ?>
                                            </span>
                                        </div>
                                    </div>
                                </div>

                                <div style="font-size: 0.85rem; color: var(--gray-600); margin-b
ottom: 12px; display: flex; flex-direction: column; gap: 6px;">
                                    <div style="display: flex; flex-wrap: wrap; gap: 12px;">
                                        <span><i class="fas fa-clock"></i> Min. <?= $position['m
in_experience_years'] ?>y exp</span>
                                        <?php if ($position['location']): ?>
                                            <span><i class="fas fa-map-marker-alt"></i> <?= html
specialchars($position['location']) ?></span>
                                        <?php endif; ?>
                                    </div>
                                    <?php if ($position['deadline']): ?>
                                        <span><i class="fas fa-calendar"></i> Deadline: <?= date
('M j, Y', strtotime($position['deadline'])) ?></span>
                                    <?php endif; ?>
                                    <span class="badge badge-info" style="display: inline-block;
 width: fit-content;">
                                        <i class="fas fa-users"></i> <?= $positionModel->getAppl
icationCount($position['id']) ?> applications
                                    </span>
                                </div>

                                <div style="font-size: 0.9rem; color: var(--gray-700); margin-bo
ttom: 16px; flex: 1;">
                                    <?= htmlspecialchars(substr($position['description'], 0, 120
)) ?><?= strlen($position['description']) > 120 ? '...' : '' ?>
                                </div>

                                <div style="display: flex; gap: 8px; margin-top: auto; padding-t
op: 12px; border-top: 1px solid var(--gray-200); justify-content: flex-start;">
                                    <button class="btn btn-sm btn-outline" style="padding: 6px 1
2px; font-size: 0.8rem;" onclick='editPosition(<?= json_encode($position) ?>)'>
                                        <i class="fas fa-edit"></i> Edit
                                    </button>
                                    <button class="btn btn-sm btn-outline" style="padding: 6px 1
2px; font-size: 0.8rem; color: var(--danger-red); border-color: var(--danger-red);" onclick="confirm
Delete(<?= $position['id'] ?>)">
                                        <i class="fas fa-trash"></i> Delete
                                    </button>
                                </div>
                            </div>
                        <?php endforeach; ?>
                    </div>
                <?php endif; ?>
            </div>

            <!-- Pagination -->
            <?php if ($totalPages > 1): ?>
            <div class="card-footer" style="display: flex; justify-content: center; align-items:
 center; padding: 16px; border-top: 1px solid var(--gray-200);">
                <div class="pagination">
                    <?php if ($page > 1): ?>
                        <a href="?page=<?= $page - 1 ?>" class="pagination-btn">
                            <i class="fas fa-chevron-left"></i> Previous
```

```
                        </a>
                    <?php endif; ?>

                    <div class="pagination-info">
                        Page <?= $page ?> of <?= $totalPages ?> (<?= $totalPositions_filtered ?>
 total)
                    </div>

                    <?php if ($page < $totalPages): ?>
                        <a href="?page=<?= $page + 1 ?>" class="pagination-btn">
                            Next <i class="fas fa-chevron-right"></i>
                        </a>
                    <?php endif; ?>
                </div>
            </div>
            <?php endif; ?>
        </div>
    </div>
</div>

<!-- Mobile Bottom Navigation -->
<nav class="mobile-nav">
    <div class="mobile-nav-grid">
        <a href="dashboard.php" class="mobile-nav-item">
            <i class="fas fa-th-large"></i>
            <span>Home</span>
        </a>
        <a href="positions.php" class="mobile-nav-item active">
            <i class="fas fa-briefcase"></i>
            <span>Positions</span>
        </a>
        <a href="applications.php" class="mobile-nav-item">
            <i class="fas fa-file-alt"></i>
            <span>Applications</span>
        </a>
        <a href="users.php" class="mobile-nav-item">
            <i class="fas fa-users"></i>
            <span>Users</span>
        </a>
    </div>
</nav>

<!-- Position Modal -->
<div class="modal" id="positionModal">
    <div class="modal-content">
        <div class="modal-header">
            <h3 class="modal-title" id="modalTitle">Add New Position</h3>
            <button class="close" onclick="closeModal()">&times;</button>
        </div>
        <form method="POST" id="positionForm" class="prevent-double-submit">
            <div class="modal-body">
                <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                <?php FormTokenManager::renderFormTokenInput('position_form'); ?>
                <input type="hidden" name="action" id="formAction" value="create">
                <input type="hidden" name="id" id="positionId">

                <div class="form-row">
                    <div class="form-group">
                        <label for="title" class="form-label">Position Title *</label>
                        <input type="text" class="form-control" id="title" name="title" required
 maxlength="100">
                    </div>
                    <div class="form-group">
                        <label for="employment_type" class="form-label">Employment Type</label>
                        <div style="display: flex; gap: 8px; align-items: flex-end;">
                            <select class="form-select" id="employment_type" name="employment_ty
pe" style="flex: 1;">
                                <?php if (empty($activeEmploymentTypes)): ?>
```

```
                                    <option value="full-time">Full-time</option>
                                <?php else: ?>
                                    <?php foreach ($activeEmploymentTypes as $type): ?>
                                        <option value="<?= htmlspecialchars($type['slug']) ?>"><
?= htmlspecialchars($type['name']) ?></option>
                                    <?php endforeach; ?>
                                <?php endif; ?>
                            </select>
                            <button type="button" class="btn btn-outline" onclick="openEmploymen
tTypeModal()" style="white-space: nowrap; padding: 10px 16px;" title="Add New Employment Type">
                                <i class="fas fa-plus"></i> Add
                            </button>
                        </div>
                        <!-- Employment Types Management -->
                        <?php if (!empty($allEmploymentTypes)): ?>
                        <div style="margin-top: 12px; padding: 12px; background: var(--gray-50);
 border-radius: 6px; border: 1px solid var(--gray-200);">
                            <div style="font-size: 0.85rem; font-weight: 600; color: var(--gray-
700); margin-bottom: 8px;">
                                <i class="fas fa-list"></i> Manage Employment Types:
                            </div>
                            <div style="display: flex; flex-wrap: wrap; gap: 8px;">
                                <?php foreach ($allEmploymentTypes as $type): ?>
                                    <?php
                                    // Ensure all values are set and valid
                                    $typeId = isset($type['id']) ? (int)$type['id'] : 0;
                                    $typeName = isset($type['name']) ? $type['name'] : 'Unknown'
;
                                    $isInUse = isset($employmentTypeUsage[$typeId]) && !empty($e
mploymentTypeUsage[$typeId]);
                                    $isActive = isset($type['is_active']) && $type['is_active']
== 1;
                                    if ($typeId <= 0) continue; // Skip invalid types
                                    ?>
                                    <span class="badge" style="padding: 6px 10px; display: inlin
e-flex; align-items: center; gap: 6px; font-size: 0.85rem; <?= !$isActive ? 'background: var(--gray-
300); color: var(--gray-600);' : 'background: var(--primary-blue); color: white;' ?>">
                                        <?= htmlspecialchars($typeName) ?>
                                        <?php if ($isInUse): ?>
                                            <span style="font-size: 0.75rem; opacity: 0.8;" titl
e="This type is in use">
                                                <i class="fas fa-info-circle"></i>
                                            </span>
                                        <?php endif; ?>
                                        <button
                                            type="button"
                                            data-type-id="<?= $typeId ?>"
                                            data-type-name="<?= htmlspecialchars($typeName, ENT_
QUOTES) ?>"
                                            data-in-use="<?= $isInUse ? '1' : '0' ?>"
                                            onclick="confirmDeleteEmploymentType(this.dataset.ty
peId, this.dataset.typeName, this.dataset.inUse === '1')"
                                            style="background: transparent; border: none; color:
 inherit; cursor: pointer; padding: 0; margin-left: 4px; font-size: 1.2rem; line-height: 1; opacity:
 0.7; transition: opacity 0.2s;"
                                            onmouseover="this.style.opacity='1'"
                                            onmouseout="this.style.opacity='0.7'"
                                            title="Delete <?= htmlspecialchars($typeName, ENT_QU
OTES) ?>"
                                        >
                                            ×
                                        </button>
                                    </span>
                                <?php endforeach; ?>
                            </div>
                        </div>
                        <?php endif; ?>
                    </div>
```

```
                    </div>

                    <div class="form-group">
                        <label for="description" class="form-label">Job Description *</label>
                        <textarea class="form-control" id="description" name="description" rows="4"
required></textarea>
                    </div>

                    <div class="form-group">
                        <label for="requirements" class="form-label">Requirements *</label>
                        <textarea class="form-control" id="requirements" name="requirements" rows="4
" required></textarea>
                    </div>

                    <div class="form-row">
                        <div class="form-group">
                            <label for="min_experience_years" class="form-label">Minimum Experience
(years)</label>
                            <input type="number" class="form-control" id="min_experience_years" name
="min_experience_years" min="0" value="0">
                        </div>
                        <div class="form-group">
                            <label for="max_applications" class="form-label">Max Applications (optio
nal)</label>
                            <input type="number" class="form-control" id="max_applications" name="ma
x_applications" min="1">
                        </div>
                    </div>

                    <div class="form-row">
                        <div class="form-group">
                            <label for="salary_range" class="form-label">Salary Range (PHP)</label>
                            <input type="text" class="form-control" id="salary_range" name="salary_r
ange" placeholder="e.g., PHP 25,000 - PHP 35,000">
                        </div>
                        <div class="form-group">
                            <label for="salary_grade" class="form-label">Salary Grade</label>
                            <input type="text" class="form-control" id="salary_grade" name="salary_g
rade" placeholder="e.g., SG 24">
                        </div>
                    </div>

                    <div class="form-row">
                        <div class="form-group">
                            <label for="training_hours" class="form-label">Training Hours</label>
                            <input type="number" class="form-control" id="training_hours" name="trai
ning_hours" min="0" placeholder="e.g., 40">
                        </div>
                        <div class="form-group">
                            <label for="location" class="form-label">Location</label>
                            <input type="text" class="form-control" id="location" name="location" pl
aceholder="e.g., Jakarta, Indonesia">
                        </div>
                    </div>

                    <div class="form-group">
                        <label class="form-label">CAREER SERVICE ELIGIBILITIES (CSE)</label>
                        <div style="margin-top: 8px; padding: 12px; background: var(--gray-50); bord
er-radius: 6px; border: 1px solid var(--gray-200);">
                            <label style="display: flex; align-items: flex-start; gap: 8px; cursor:
pointer; margin-bottom: 10px; padding: 8px; border-radius: 4px; transition: background 0.2s;" onmous
eover="this.style.background='white'" onmouseout="this.style.background='transparent'">
                                <input type="checkbox" name="career_service_eligibilities[]" value="
Professional Eligibility" class="form-check-input" id="cse-professional">
                                <span style="flex: 1;">Professional Eligibility: For first-level (cl
erical, trades) and second-level (technical, supervisory, managerial) positions.</span>
                            </label>
                            <label style="display: flex; align-items: flex-start; gap: 8px; cursor:
```

```
pointer; margin-bottom: 10px; padding: 8px; border-radius: 4px; transition: background 0.2s;" onmous
eover="this.style.background='white'" onmouseout="this.style.background='transparent'">
                                <input type="checkbox" name="career_service_eligibilities[]" value="
Sub-Professional Eligibility" class="form-check-input" id="cse-subprofessional">
                                <span style="flex: 1;">Sub-Professional Eligibility: Qualifies for f
irst-level positions (clerical, custodial).</span>
                            </label>
                            <label style="display: flex; align-items: flex-start; gap: 8px; cursor:
pointer; margin-bottom: 10px; padding: 8px; border-radius: 4px; transition: background 0.2s;" onmous
eover="this.style.background='white'" onmouseout="this.style.background='transparent'">
                                <input type="checkbox" name="career_service_eligibilities[]" value="
Career Service Executive Eligibility (CSE-E)" class="form-check-input" id="cse-executive">
                                <span style="flex: 1;">Career Service Executive Eligibility (CSE-E):
 For high-level executive positions.</span>
                            </label>
                            <label style="display: flex; align-items: flex-start; gap: 8px; cursor:
pointer; margin-bottom: 10px; padding: 8px; border-radius: 4px; transition: background 0.2s;" onmous
eover="this.style.background='white'" onmouseout="this.style.background='transparent'">
                                <input type="checkbox" name="career_service_eligibilities[]" value="
Bar/Board Eligibility (RA 1080)" class="form-check-input" id="cse-barboard">
                                <span style="flex: 1;">Bar/Board Eligibility (RA 1080): For licensed
 professionals (e.g., lawyers, doctors, engineers).</span>
                            </label>
                        </div>
                        <small style="color: var(--gray-500); font-size: 0.85rem; margin-top: 8px; d
isplay: block;">
                            Check all required career service eligibilities for this position.
                        </small>
                    </div>

                    <div class="form-row">
                        <div class="form-group">
                            <label for="deadline" class="form-label">Application Deadline</label>
                            <input type="date" class="form-control" id="deadline" name="deadline" mi
n="<?= date('Y-m-d') ?>">
                        </div>
                        <div class="form-group" id="statusDiv" style="display: none;">
                            <label class="form-label">Status</label>
                            <div class="form-check">
                                <input class="form-check-input" type="checkbox" id="is_active" name=
"is_active" checked>
                                <label class="form-check-label" for="is_active">
                                    Active Position
                                </label>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-outline" onclick="closeModal()">Cancel</but
ton>
                    <button type="submit" class="btn btn-primary" id="submitBtn">Create Position</bu
tton>
                </div>
            </form>
        </div>
    </div>

    <!-- Add Employment Type Modal -->
    <div class="modal" id="employmentTypeModal">
        <div class="modal-content" style="max-width: 500px;">
            <div class="modal-header">
                <h3 class="modal-title">Add New Employment Type</h3>
                <button class="close" onclick="closeEmploymentTypeModal()">&times;</button>
            </div>
            <form method="POST" id="employmentTypeForm" class="prevent-double-submit">
                <div class="modal-body">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
```

```
                    <?php FormTokenManager::renderFormTokenInput('employment_type_form'); ?>
                    <input type="hidden" name="action" value="create_employment_type">

                    <div class="form-group">
                        <label for="employment_type_name" class="form-label">Employment Type Name *<
/label>
                        <input type="text" class="form-control" id="employment_type_name" name="empl
oyment_type_name" required maxlength="50" placeholder="e.g., Temporary, Freelance, Seasonal">
                    </div>

                    <div class="alert alert-info" style="margin-top: 16px;">
                        <i class="fas fa-info-circle"></i>
                        <div>
                            <strong>Note:</strong> The employment type will be immediately available
 for use in positions after creation.
                        </div>
                    </div>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-outline" onclick="closeEmploymentTypeModal(
)">Cancel</button>
                    <button type="submit" class="btn btn-primary">
                        <i class="fas fa-plus"></i> Add Employment Type
                    </button>
                </div>
            </form>
        </div>
    </div>

    <!-- Delete Employment Type Confirmation Modal -->
    <div class="modal" id="deleteEmploymentTypeModal">
        <div class="modal-content" style="max-width: 500px;">
            <div class="modal-header">
                <h3 class="modal-title">Confirm Delete Employment Type</h3>
                <button class="close" onclick="closeDeleteEmploymentTypeModal()">&times;</button>
            </div>
            <div class="modal-body">
                <div class="alert alert-warning" id="employmentTypeDeleteWarning">
                    <i class="fas fa-exclamation-triangle"></i>
                    <div>
                        <strong>Warning!</strong><br>
                        Are you sure you want to delete "<span id="employmentTypeDeleteName"></span>
"?
                    </div>
                </div>
                <div class="alert alert-danger" id="employmentTypeInUseWarning" style="display: none
;">
                    <i class="fas fa-ban"></i>
                    <div>
                        <strong>Cannot Delete!</strong><br>
                        This employment type is currently being used in one or more positions. Pleas
e update those positions first before deleting this type.
                    </div>
                </div>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-outline" onclick="closeDeleteEmploymentTypeModa
l()">Cancel</button>
                <form method="POST" id="deleteEmploymentTypeForm" style="display: inline;">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                    <?php FormTokenManager::renderFormTokenInput('delete_employment_type_form'); ?>
                    <input type="hidden" name="action" value="delete_employment_type">
                    <input type="hidden" name="id" id="deleteEmploymentTypeId">
                    <button type="submit" class="btn" style="background: red; color: white;" id="del
eteEmploymentTypeBtn">
                        <i class="fas fa-trash"></i> Delete Employment Type
                    </button>
                </form>
```

```
            </div>
        </div>
    </div>

    <!-- Delete Confirmation Modal -->
    <div class="modal" id="deleteModal">
        <div class="modal-content" style="max-width: 500px;">
            <div class="modal-header">
                <h3 class="modal-title">Confirm Delete</h3>
                <button class="close" onclick="closeDeleteModal()">&times;</button>
            </div>
            <div class="modal-body">
                <div class="alert alert-warning">
                    <i class="fas fa-exclamation-triangle"></i>
                    <div>
                        <strong>Warning!</strong><br>
                        Are you sure you want to delete this position? This action cannot be undone
and all related applications will also be deleted.
                    </div>
                </div>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-outline" onclick="closeDeleteModal()">Cancel</b
utton>
                <form method="POST" style="display: inline;">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                    <?php FormTokenManager::renderFormTokenInput('delete_position_form'); ?>
                    <input type="hidden" name="action" value="delete">
                    <input type="hidden" name="id" id="deleteId">
                    <button type="submit" class="btn" style="background: var(--danger-red); color: r
ed;">
                        <i class="fas fa-trash"></i> Delete Position
                    </button>
                </form>
            </div>
        </div>
    </div>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        if (typeof BASE_URL === 'undefined') {
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
    <script>
        function openModal() {
            document.getElementById('positionForm').reset();
            document.getElementById('formAction').value = 'create';
            document.getElementById('modalTitle').textContent = 'Add New Position';
            document.getElementById('submitBtn').textContent = 'Create Position';
            document.getElementById('statusDiv').style.display = 'none';
            document.getElementById('positionModal').style.display = 'block';
        }

        function closeModal() {
            document.getElementById('positionModal').style.display = 'none';
        }

        function editPosition(position) {
            document.getElementById('formAction').value = 'update';
            document.getElementById('positionId').value = position.id;
            document.getElementById('title').value = position.title;
            document.getElementById('description').value = position.description;
            document.getElementById('requirements').value = position.requirements;
            document.getElementById('min_experience_years').value = position.min_experience_years;
            document.getElementById('max_applications').value = position.max_applications || '';
```

```
            document.getElementById('salary_range').value = position.salary_range || '';
            document.getElementById('salary_grade').value = position.salary_grade || '';
            document.getElementById('training_hours').value = position.training_hours || '';

            // Handle CSE checkboxes
            const cseCheckboxes = document.querySelectorAll('input[name="career_service_eligibilitie
s[]"]');
            cseCheckboxes.forEach(checkbox => checkbox.checked = false);

            if (position.career_service_eligibilities) {
                const cseValues = position.career_service_eligibilities.split(',');
                cseCheckboxes.forEach(checkbox => {
                    if (cseValues.includes(checkbox.value)) {
                        checkbox.checked = true;
                    }
                });
            }

            document.getElementById('location').value = position.location || '';
            document.getElementById('employment_type').value = position.employment_type;
            document.getElementById('deadline').value = position.deadline || '';
            document.getElementById('is_active').checked = position.is_active == 1;

            document.getElementById('modalTitle').textContent = 'Edit Position';
            document.getElementById('submitBtn').textContent = 'Update Position';
            document.getElementById('statusDiv').style.display = 'block';

            document.getElementById('positionModal').style.display = 'block';
        }

        function confirmDelete(id) {
            document.getElementById('deleteId').value = id;
            document.getElementById('deleteModal').style.display = 'block';
        }

        function closeDeleteModal() {
            document.getElementById('deleteModal').style.display = 'none';
        }

        function openEmploymentTypeModal() {
            document.getElementById('employmentTypeForm').reset();
            // Reload the form token by fetching the form HTML or reloading the page
            // For now, we'll just show the modal - the token should be valid if page just loaded
            document.getElementById('employmentTypeModal').style.display = 'block';
        }

        function closeEmploymentTypeModal() {
            document.getElementById('employmentTypeModal').style.display = 'none';
        }

        function confirmDeleteEmploymentType(id, name, isInUse) {
            // Convert id to number if it's a string from dataset
            var typeId = typeof id === 'string' ? parseInt(id, 10) : id;
            var isInUseBool = isInUse === true || isInUse === 'true' || isInUse === '1';

            document.getElementById('deleteEmploymentTypeId').value = typeId;
            document.getElementById('employmentTypeDeleteName').textContent = name;

            if (isInUseBool) {
                // Show warning and disable delete button
                document.getElementById('employmentTypeDeleteWarning').style.display = 'none';
                document.getElementById('employmentTypeInUseWarning').style.display = 'block';
                document.getElementById('deleteEmploymentTypeBtn').disabled = true;
                document.getElementById('deleteEmploymentTypeBtn').style.opacity = '0.5';
                document.getElementById('deleteEmploymentTypeBtn').style.cursor = 'not-allowed';
            } else {
                // Show normal warning and enable delete button
                document.getElementById('employmentTypeDeleteWarning').style.display = 'block';
```

```
                document.getElementById('employmentTypeInUseWarning').style.display = 'none';
                document.getElementById('deleteEmploymentTypeBtn').disabled = false;
                document.getElementById('deleteEmploymentTypeBtn').style.opacity = '1';
                document.getElementById('deleteEmploymentTypeBtn').style.cursor = 'pointer';
            }

            document.getElementById('deleteEmploymentTypeModal').style.display = 'block';
        }

        function closeDeleteEmploymentTypeModal() {
            document.getElementById('deleteEmploymentTypeModal').style.display = 'none';
        }

        // Close modal when clicking outside
        window.onclick = function(event) {
            const positionModal = document.getElementById('positionModal');
            const deleteModal = document.getElementById('deleteModal');
            const employmentTypeModal = document.getElementById('employmentTypeModal');
            const deleteEmploymentTypeModal = document.getElementById('deleteEmploymentTypeModal');
            if (event.target == positionModal) {
                closeModal();
            }
            if (event.target == deleteModal) {
                closeDeleteModal();
            }
            if (event.target == employmentTypeModal) {
                closeEmploymentTypeModal();
            }
            if (event.target == deleteEmploymentTypeModal) {
                closeDeleteEmploymentTypeModal();
            }
        }

    </script>
    <script src="../../assets/js/form-submission-manager.js"></script>
</body>
</html>
```

admin/pages/register.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

// Only allow authenticated admins to access this page
requireAdmin();

// Redirect to new settings page
header('Location: settings.php?tab=accounts');
exit();

$success = false;
$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            header('Location: ../pages/dashboard.php?info=Admin account already created');
            exit();
        }
        $error = $validation['error'];
    } else {
        // Sanitize input
        $username = sanitize($_POST['username'] ?? '');
        $email = sanitize($_POST['email'] ?? '');
        $password = $_POST['password'] ?? '';
        $confirmPassword = $_POST['confirm_password'] ?? '';
        $fullName = sanitize($_POST['full_name'] ?? '');
        $phone = sanitize($_POST['phone'] ?? '');

        // Validate input
        if (empty($username) || empty($email) || empty($password) || empty($fullName)) {
            $error = 'All required fields must be filled';
        } elseif ($password !== $confirmPassword) {
            $error = 'Passwords do not match';
        } elseif (strlen($password) < 8) {
            $error = 'Password must be at least 8 characters long';
        } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            $error = 'Invalid email format';
        } else {
            try {
                $userModel = new User();

                // Check if email or username already exists
                if ($userModel->findByEmail($email)) {
                    $error = 'Email already exists';
                } elseif ($userModel->findByUsername($username)) {
                    $error = 'Username already exists';
                } else {
                    // Create new admin user
                    $userData = [
                        'username' => $username,
                        'email' => $email,
                        'password' => $password,
                        'role' => ROLE_ADMIN,
                        'full_name' => $fullName,
                        'phone' => $phone,
                        'address' => null
                    ];

                    if ($userModel->create($userData)) {
                        $success = true;
```

```
                        // Log the admin creation activity
                        $stmt = $userModel->db->prepare("
                            INSERT INTO activity_logs (user_id, action, description, ip_address, use
r_agent)
                            VALUES (?, 'admin_created', 'New admin account created for: {$email}', ?
, ?)
                        ");
                        $stmt->execute([
                            $_SESSION['user_id'],
                            $_SERVER['REMOTE_ADDR'] ?? 'unknown',
                            $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
                        ]);
                    } else {
                        $error = 'Failed to create admin account. Please try again.';
                    }
                }
            } catch (Exception $e) {
                error_log("Admin registration error: " . $e->getMessage());
                $error = 'An error occurred. Please try again.';
            }
        }
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Create Admin Account - WPU Applicant System</title>
    <link href="../../assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <style>
        :root {
            --primary-color: #667eea;
            --secondary-color: #764ba2;
            --sidebar-width: 250px;
        }

        body {
            background-color: #f8f9fa;
        }

        .sidebar {
            position: fixed;
            top: 0;
            left: 0;
            height: 100vh;
            width: var(--sidebar-width);
            background: linear-gradient(135deg, var(--primary-color) 0%, var(--secondary-color) 100%
);
            color: white;
            z-index: 1000;
            transition: all 0.3s ease;
        }

        .sidebar .nav-link {
            color: rgba(255, 255, 255, 0.8);
            padding: 12px 20px;
            border-radius: 8px;
            margin: 2px 10px;
            transition: all 0.3s ease;
        }

        .sidebar .nav-link:hover,
        .sidebar .nav-link.active {
            color: white;
```

```
            background-color: rgba(255, 255, 255, 0.1);
        }

        .main-content {
            margin-left: var(--sidebar-width);
            padding: 20px;
            transition: all 0.3s ease;
        }

        .navbar-custom {
            background: white;
            box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
            padding: 15px 30px;
            margin-left: var(--sidebar-width);
            margin-bottom: 20px;
        }

        .register-container {
            background: white;
            border-radius: 15px;
            box-shadow: 0 15px 35px rgba(0, 0, 0, 0.1);
            overflow: hidden;
            max-width: 600px;
            margin: 0 auto;
        }

        .register-form {
            padding: 40px;
        }

        .register-header {
            text-align: center;
            margin-bottom: 30px;
        }

        .register-header h2 {
            color: #333;
            font-weight: 600;
        }

        .form-floating input {
            border: 1px solid #ddd;
        }

        .form-floating input:focus {
            border-color: #667eea;
            box-shadow: 0 0 0 0.2rem rgba(102, 126, 234, 0.25);
        }

        .btn-register {
            background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
            border: none;
            padding: 12px;
            font-weight: 600;
            text-transform: uppercase;
            letter-spacing: 1px;
        }

        .btn-register:hover {
            transform: translateY(-1px);
            box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
        }

        .alert {
            border-radius: 10px;
        }

        .success-message {
```

```
            text-align: center;
            padding: 40px;
        }

        .success-message i {
            font-size: 4rem;
            color: #28a745;
            margin-bottom: 20px;
        }

        @media (max-width: 768px) {
            .sidebar {
                transform: translateX(-100%);
            }

            .sidebar.show {
                transform: translateX(0);
            }

            .main-content,
            .navbar-custom {
                margin-left: 0;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar -->
    <nav class="sidebar" id="sidebar">
        <div class="p-3">
            <h4 class="text-center mb-4">
                <i class="fas fa-graduation-cap"></i> WPU Admin
            </h4>
            <ul class="nav flex-column">
                <li class="nav-item">
                    <a class="nav-link" href="dashboard.php">
                        <i class="fas fa-tachometer-alt me-2"></i> Dashboard
                    </a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="positions.php">
                        <i class="fas fa-briefcase me-2"></i> Manage Positions
                    </a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="applications.php">
                        <i class="fas fa-file-alt me-2"></i> Applications
                    </a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="users.php">
                        <i class="fas fa-users me-2"></i> Users
                    </a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="reports.php">
                        <i class="fas fa-chart-bar me-2"></i> Reports
                    </a>
                </li>
                <li class="nav-item">
                    <a class="nav-link active" href="settings.php">
                        <i class="fas fa-cog me-2"></i> Settings
                    </a>
                </li>
                <li class="nav-item mt-3">
                    <a class="nav-link confirm-logout" href="../auth/logout.php">
                        <i class="fas fa-sign-out-alt me-2"></i> Logout
                    </a>
```

```
                </li>
            </ul>
        </div>
    </nav>

    <!-- Top Navbar -->
    <nav class="navbar navbar-custom">
        <div class="d-flex align-items-center">
            <button class="btn btn-link d-md-none" onclick="toggleSidebar()">
                <i class="fas fa-bars"></i>
            </button>
            <h5 class="mb-0 ms-2">Create Admin Account</h5>
        </div>
        <div class="d-flex align-items-center">
            <span class="me-3">Welcome, <?= htmlspecialchars($_SESSION['full_name']) ?></span>
                                <img src="../../assets/img/avatar-placeholder.png" class="rounded-ci
rcle" alt="Profile">
        </div>
    </nav>

    <!-- Main Content -->
    <div class="main-content">
        <div class="register-container">
            <?php if ($success): ?>
                <div class="success-message">
                    <i class="fas fa-check-circle"></i>
                    <h3>Admin Account Created!</h3>
                    <p class="mb-4">The admin account has been created successfully. The new admin c
an now login to their account.</p>
                    <div class="d-grid gap-2 d-md-flex justify-content-md-center">
                        <a href="register.php" class="btn btn-outline-primary">
                            <i class="fas fa-plus"></i> Create Another Admin
                        </a>
                        <a href="users.php" class="btn btn-primary">
                            <i class="fas fa-users"></i> Manage Users
                        </a>
                    </div>
                </div>
            <?php else: ?>
                <div class="register-form">
                    <div class="register-header">
                        <h2><i class="fas fa-user-shield text-primary"></i> Create Admin Account</h2
>
                        <p>Add a new administrator to the system</p>
                    </div>

                    <?php if ($error): ?>
                        <div class="alert alert-danger">
                            <i class="fas fa-exclamation-triangle"></i> <?= htmlspecialchars($error)
 ?>
                        </div>
                    <?php endif; ?>

                    <form method="POST" id="registerForm" class="prevent-double-submit">
                        <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                        <?php FormTokenManager::renderFormTokenInput('register_admin'); ?>

                        <div class="row">
                            <div class="col-md-6">
                                <div class="form-floating mb-3">
                                    <input type="text" class="form-control" id="username" name="user
name"
                                           placeholder="Username" required maxlength="50"
                                           value="<?= htmlspecialchars($_POST['username'] ?? '') ?>"
>
                                    <label for="username"><i class="fas fa-user"></i> Username</labe
l>
                                </div>
```

```
                        </div>
                        <div class="col-md-6">
                            <div class="form-floating mb-3">
                                <input type="email" class="form-control" id="email" name="email"

                                       placeholder="Email" required maxlength="100"
                                       value="<?= htmlspecialchars($_POST['email'] ?? '') ?>">
                                <label for="email"><i class="fas fa-envelope"></i> Email</label>
                            </div>
                        </div>
                    </div>

                    <div class="form-floating mb-3">
                        <input type="text" class="form-control" id="full_name" name="full_name"
                               placeholder="Full Name" required maxlength="100"
                               value="<?= htmlspecialchars($_POST['full_name'] ?? '') ?>">
                        <label for="full_name"><i class="fas fa-id-card"></i> Full Name</label>
                    </div>

                    <div class="form-floating mb-3">
                        <input type="tel" class="form-control" id="phone" name="phone"
                               placeholder="Phone Number" maxlength="20"
                               value="<?= htmlspecialchars($_POST['phone'] ?? '') ?>">
                        <label for="phone"><i class="fas fa-phone"></i> Phone Number</label>
                    </div>

                    <div class="row">
                        <div class="col-md-6">
                            <div class="form-floating mb-3">
                                <input type="password" class="form-control" id="password" name="
password"
                                       placeholder="Password" required minlength="8">
                                <label for="password"><i class="fas fa-lock"></i> Password</labe
l>
                                <div class="form-text">Minimum 8 characters required</div>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-floating mb-3">
                                <input type="password" class="form-control" id="confirm_password
" name="confirm_password"
                                       placeholder="Confirm Password" required minlength="8">
                                <label for="confirm_password"><i class="fas fa-lock"></i> Confir
m Password</label>
                            </div>
                        </div>
                    </div>

                    <div class="alert alert-info">
                        <i class="fas fa-info-circle"></i>
                        <strong>Note:</strong> This will create a new administrator account with
 full system access.
                    </div>

                    <div class="d-grid mb-3">
                        <button class="btn btn-primary btn-register" type="submit">
                            <i class="fas fa-user-shield"></i> Create Admin Account
                        </button>
                    </div>

                    <div class="text-center">
                        <a href="dashboard.php" class="text-decoration-none">
                            <i class="fas fa-arrow-left"></i> Back to Dashboard
                        </a>
                    </div>
                </form>
            </div>
        <?php endif; ?>
```

```
        </div>
    </div>

    <script src="../../assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <script>
        function toggleSidebar() {
            document.getElementById('sidebar').classList.toggle('show');
        }

        // Close sidebar when clicking outside on mobile
        document.addEventListener('click', function(e) {
            const sidebar = document.getElementById('sidebar');
            const toggleBtn = e.target.closest('[onclick="toggleSidebar()"]');

            if (!sidebar.contains(e.target) && !toggleBtn && window.innerWidth <= 768) {
                sidebar.classList.remove('show');
            }
        });

        // Password confirmation validation
        document.getElementById('confirm_password').addEventListener('input', function() {
            const password = document.getElementById('password').value;
            const confirmPassword = this.value;

            if (password !== confirmPassword) {
                this.setCustomValidity('Passwords do not match');
            } else {
                this.setCustomValidity('');
            }
        });

        // Form validation
        document.getElementById('registerForm').addEventListener('submit', function(e) {
            const password = document.getElementById('password').value;
            const confirmPassword = document.getElementById('confirm_password').value;

            if (password !== confirmPassword) {
                e.preventDefault();
                showError('Passwords do not match');
            }
        });
    </script>
    <script src="../../assets/js/form-submission-manager.js"></script>
</body>
</html>
```

admin/pages/reports.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

requireAdmin();

$userModel = new User();
$positionModel = new Position();
$applicationModel = new Application();

// Get statistics
$totalUsers = count($userModel->findAll());
$totalApplicants = count($userModel->findAll('role = ?', [ROLE_APPLICANT]));
$totalPositions = count($positionModel->findAll());
$activePositions = count($positionModel->findAll('is_active = 1'));
$totalApplications = count($applicationModel->findAll());
$pendingApplications = count($applicationModel->findAll('status = ?', [STATUS_PENDING]));
$approvedApplications = count($applicationModel->findAll('status = ?', [STATUS_APPROVED]));
$rejectedApplications = count($applicationModel->findAll('status = ?', [STATUS_REJECTED]));

// Get applications by status for chart
$statusData = [
    'pending' => $pendingApplications,
    'approved' => $approvedApplications,
    'rejected' => $rejectedApplications
];

// Get applications by position
$applications = $applicationModel->getApplicationsWithDetails();
$applicationsByPosition = [];
foreach ($applications as $app) {
    $posTitle = $app['position_title'];
    if (!isset($applicationsByPosition[$posTitle])) {
        $applicationsByPosition[$posTitle] = 0;
    }
    $applicationsByPosition[$posTitle]++;
}

// Get recent activity
$recentApplications = array_slice($applications, 0, 10);

// Calculate approval rate
$approvalRate = $totalApplications > 0 ? round(($approvedApplications / $totalApplications) * 100, 1
) : 0;
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Reports & Analytics - WPU Applicant System</title>
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <script src="../../assets/vendor/chartjs/chart.min.js"></script>
    <style>
        /* Reports-specific styles */
        .stats-grid {
            display: grid;
            grid-template-columns: repeat(4, 1fr);
            gap: 20px;
            margin-bottom: 24px;
        }

        .stat-card {
```

```
            background: white;
            border-radius: 8px;
            padding: 20px;
            box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08);
            transition: transform 0.2s;
        }

        .stat-card:hover {
            transform: translateY(-4px);
            box-shadow: 0 4px 12px rgba(0, 0, 0, 0.12);
        }

        .stat-card-content {
            display: flex;
            align-items: center;
            gap: 16px;
        }

        .stat-icon {
            width: 56px;
            height: 56px;
            border-radius: 12px;
            display: flex;
            align-items: center;
            justify-content: center;
            font-size: 24px;
            color: white;
            flex-shrink: 0;
        }

        .stat-icon.primary {
            background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
        }

        .stat-icon.success {
            background: var(--success-green);
        }

        .stat-icon.warning {
            background: var(--warning-yellow);
        }

        .stat-icon.info {
            background: #8e44ad;
        }

        .stat-value {
            font-size: 1.75rem;
            font-weight: 700;
            color: var(--gray-800);
            margin: 4px 0;
        }

        .stat-label {
            color: var(--gray-600);
            font-size: 0.875rem;
            font-weight: 600;
        }

        .stat-subtitle {
            color: var(--gray-500);
            font-size: 0.8rem;
            margin-top: 4px;
        }

        .charts-grid {
            display: grid;
            grid-template-columns: repeat(2, 1fr);
```

```
            gap: 20px;
            margin-bottom: 24px;
        }

        .chart-card {
            background: white;
            border-radius: 8px;
            padding: 24px;
            box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08);
        }

        .chart-title {
            font-size: 1.1rem;
            font-weight: 700;
            color: var(--gray-800);
            margin-bottom: 20px;
        }

        .activity-item {
            padding: 16px;
            border-bottom: 1px solid var(--gray-200);
            transition: background 0.2s;
            display: flex;
            align-items: center;
            justify-content: space-between;
            gap: 12px;
        }

        .activity-item:hover {
            background: var(--gray-50);
        }

        .activity-item:last-child {
            border-bottom: none;
        }

        .activity-info {
            display: flex;
            align-items: center;
            gap: 12px;
            flex: 1;
        }

        .activity-avatar {
            width: 40px;
            height: 40px;
            border-radius: 50%;
            background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
            display: flex;
            align-items: center;
            justify-content: center;
            font-weight: 600;
            color: white;
            flex-shrink: 0;
        }

        .activity-details {
            flex: 1;
            min-width: 0;
        }

        .activity-name {
            font-weight: 600;
            color: var(--gray-800);
            white-space: nowrap;
            overflow: hidden;
            text-overflow: ellipsis;
        }
```

```
        .activity-meta {
            color: var(--gray-600);
            font-size: 0.85rem;
        }

        .summary-grid {
            display: grid;
            grid-template-columns: repeat(2, 1fr);
            gap: 32px;
        }

        .summary-section h6 {
            font-weight: 700;
            color: var(--gray-800);
            margin-bottom: 16px;
        }

        .summary-list {
            list-style: none;
            padding: 0;
            margin: 0;
        }

        .summary-list li {
            padding: 8px 0;
            color: var(--gray-700);
            display: flex;
            align-items: center;
            gap: 8px;
        }

        .summary-list i {
            width: 20px;
            flex-shrink: 0;
        }

        /* Compact mobile layout */
        @media (max-width: 768px) {
            .stats-grid {
                grid-template-columns: repeat(2, 1fr);
                gap: 12px;
                margin-bottom: 16px;
            }

            .stat-card {
                padding: 14px;
            }

            .stat-card-content {
                flex-direction: column;
                align-items: flex-start;
                gap: 10px;
            }

            .stat-icon {
                width: 44px;
                height: 44px;
                font-size: 20px;
            }

            .stat-value {
                font-size: 1.4rem;
            }

            .stat-label {
                font-size: 0.8rem;
            }
```

```
            .stat-subtitle {
                font-size: 0.75rem;
            }

            .charts-grid {
                grid-template-columns: 1fr;
                gap: 16px;
            }

            .chart-card {
                padding: 16px;
            }

            .chart-title {
                font-size: 1rem;
                margin-bottom: 16px;
            }

            canvas {
                max-height: 220px !important;
            }

            .activity-item {
                padding: 12px;
                flex-direction: column;
                align-items: flex-start;
            }

            .activity-info {
                width: 100%;
            }

            .activity-avatar {
                width: 36px;
                height: 36px;
                font-size: 0.9rem;
            }

            .activity-name, .activity-meta {
                font-size: 0.85rem;
            }

            .summary-grid {
                grid-template-columns: 1fr;
                gap: 24px;
            }

            .summary-list li {
                font-size: 0.9rem;
            }
        }

        @media (max-width: 576px) {
            .stats-grid {
                grid-template-columns: 1fr;
                gap: 10px;
            }

            .stat-card {
                padding: 12px;
            }

            .stat-card-content {
                flex-direction: row;
                gap: 12px;
            }
        }
```

```
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($_SESSION['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($_SESSION['full_name'] ?? 'A
dmin') ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
```

```
            <h1 class="topbar-title">Reports & Analytics</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
                        <a href="notifications.php">View all notifications</a>
                    </div>
                </div>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <!-- Statistics Cards -->
            <div class="stats-grid">
                <div class="stat-card">
                    <div class="stat-card-content">
                        <div class="stat-icon primary">
                            <i class="fas fa-users"></i>
                        </div>
                        <div>
                            <div class="stat-label">Total Users</div>
                            <div class="stat-value"><?= $totalUsers ?></div>
                            <div class="stat-subtitle">
                                <i class="fas fa-arrow-up"></i> <?= $totalApplicants ?> applicants
                            </div>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-content">
                        <div class="stat-icon success">
                            <i class="fas fa-briefcase"></i>
                        </div>
                        <div>
                            <div class="stat-label">Total Positions</div>
                            <div class="stat-value"><?= $totalPositions ?></div>
                            <div class="stat-subtitle">
                                <i class="fas fa-check"></i> <?= $activePositions ?> active
                            </div>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-content">
                        <div class="stat-icon info">
                            <i class="fas fa-file-alt"></i>
                        </div>
```

```
                        <div>
                            <div class="stat-label">Total Applications</div>
                            <div class="stat-value"><?= $totalApplications ?></div>
                            <div class="stat-subtitle">
                                <i class="fas fa-clock"></i> <?= $pendingApplications ?> pending
                            </div>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-content">
                        <div class="stat-icon warning">
                            <i class="fas fa-percentage"></i>
                        </div>
                        <div>
                            <div class="stat-label">Approval Rate</div>
                            <div class="stat-value"><?= $approvalRate ?>%</div>
                            <div class="stat-subtitle">
                                <i class="fas fa-check"></i> <?= $approvedApplications ?> approved
                            </div>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Charts -->
            <div class="charts-grid">
                <div class="chart-card">
                    <h3 class="chart-title">Application Status Distribution</h3>
                    <canvas id="statusChart"></canvas>
                </div>

                <div class="chart-card">
                    <h3 class="chart-title">Applications by Position</h3>
                    <canvas id="positionChart"></canvas>
                </div>
            </div>

            <!-- Recent Activity -->
            <div class="card" style="margin-bottom: 24px;">
                <div class="card-header">
                    <h2>Recent Application Activity</h2>
                </div>
                <div class="card-body" style="padding: 0;">
                    <?php if (empty($recentApplications)): ?>
                        <p style="text-align: center; color: var(--gray-500); padding: 32px 0;">No r
ecent activity</p>
                    <?php else: ?>
                        <?php foreach ($recentApplications as $app): ?>
                            <div class="activity-item">
                                <div class="activity-info">
                                    <div class="activity-avatar">
                                        <?= strtoupper(substr($app['applicant_name'], 0, 1)) ?>
                                    </div>
                                    <div class="activity-details">
                                        <div class="activity-name"><?= htmlspecialchars($app['applic
ant_name']) ?></div>
                                        <div class="activity-meta">
                                            Applied for <?= htmlspecialchars($app['position_title'])
 ?> ? <?= $app['total_experience_years'] ?> years exp
                                        </div>
                                    </div>
                                </div>
                                <div style="display: flex; align-items: center; gap: 12px;">
                                    <span class="badge-<?= $app['status'] === STATUS_PENDING ? 'warn
ing' :
                                                ($app['status'] === STATUS_APPROVED ? 'success' : 'da
```

```
nger') ?>">
                                        <?= ucfirst($app['status']) ?>
                                    </span>
                                    <small style="color: var(--gray-500); white-space: nowrap;"><?=
date('M j', strtotime($app['applied_at'])) ?></small>
                                </div>
                            </div>
                        <?php endforeach; ?>
                    <?php endif; ?>
                </div>
            </div>

            <!-- Summary Report -->
            <div class="card">
                <div class="card-header">
                    <h2>System Summary</h2>
                </div>
                <div class="card-body">
                    <div class="summary-grid">
                        <div class="summary-section">
                            <h6>User Statistics</h6>
                            <ul class="summary-list">
                                <li><i class="fas fa-users" style="color: var(--primary-blue);"></i>
 Total Users: <strong><?= $totalUsers ?></strong></li>
                                <li><i class="fas fa-user-tie" style="color: var(--secondary-blue);"
></i> Applicants: <strong><?= $totalApplicants ?></strong></li>
                                <li><i class="fas fa-user-shield" style="color: var(--warning-yellow
);"></i> Administrators: <strong><?= $totalUsers - $totalApplicants ?></strong></li>
                            </ul>
                        </div>
                        <div class="summary-section">
                            <h6>Application Statistics</h6>
                            <ul class="summary-list">
                                <li><i class="fas fa-file-alt" style="color: var(--primary-blue);"><
/i> Total Applications: <strong><?= $totalApplications ?></strong></li>
                                <li><i class="fas fa-clock" style="color: var(--warning-yellow);"></
i> Pending: <strong><?= $pendingApplications ?></strong></li>
                                <li><i class="fas fa-check" style="color: var(--success-green);"></i
> Approved: <strong><?= $approvedApplications ?></strong></li>
                                <li><i class="fas fa-times" style="color: var(--danger-red);"></i> R
ejected: <strong><?= $rejectedApplications ?></strong></li>
                            </ul>
                        </div>
                    </div>
                    <hr style="margin: 24px 0; border-color: var(--gray-200);">
                    <div class="summary-section">
                        <h6>Position Statistics</h6>
                        <ul class="summary-list">
                            <li><i class="fas fa-briefcase" style="color: var(--primary-blue);"></i>
 Total Positions: <strong><?= $totalPositions ?></strong></li>
                            <li><i class="fas fa-check-circle" style="color: var(--success-green);">
</i> Active Positions: <strong><?= $activePositions ?></strong></li>
                            <li><i class="fas fa-ban" style="color: var(--gray-500);"></i> Inactive
Positions: <strong><?= $totalPositions - $activePositions ?></strong></li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
```

```
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Positions</span>
            </a>
            <a href="applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="users.php" class="mobile-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        if (typeof BASE_URL === 'undefined') {
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
    <script>
        // Status Chart
        const statusCtx = document.getElementById('statusChart').getContext('2d');
        new Chart(statusCtx, {
            type: 'doughnut',
            data: {
                labels: ['Pending', 'Approved', 'Rejected'],
                datasets: [{
                    data: [<?= $pendingApplications ?>, <?= $approvedApplications ?>, <?= $rejectedA
pplications ?>],
                    backgroundColor: [
                        'rgba(255, 206, 86, 0.8)',
                        'rgba(75, 192, 192, 0.8)',
                        'rgba(255, 99, 132, 0.8)'
                    ],
                    borderColor: [
                        'rgba(255, 206, 86, 1)',
                        'rgba(75, 192, 192, 1)',
                        'rgba(255, 99, 132, 1)'
                    ],
                    borderWidth: 2
                }]
            },
            options: {
                responsive: true,
                maintainAspectRatio: true,
                plugins: {
                    legend: {
                        position: 'bottom',
                        labels: {
                            padding: 15,
                            font: {
                                size: 12
                            }
                        }
                    }
                }
            }
        });

        // Position Chart
        const positionCtx = document.getElementById('positionChart').getContext('2d');
        new Chart(positionCtx, {
            type: 'bar',
            data: {
```

```
                labels: <?= json_encode(array_keys($applicationsByPosition)) ?>,
                datasets: [{
                    label: 'Applications',
                    data: <?= json_encode(array_values($applicationsByPosition)) ?>,
                    backgroundColor: 'rgba(33, 150, 243, 0.8)',
                    borderColor: 'rgba(33, 150, 243, 1)',
                    borderWidth: 2,
                    borderRadius: 4
                }]
            },
            options: {
                responsive: true,
                maintainAspectRatio: true,
                scales: {
                    y: {
                        beginAtZero: true,
                        ticks: {
                            stepSize: 1
                        }
                    }
                },
                plugins: {
                    legend: {
                        display: false
                    }
                }
            }
        });
    </script>
</body>
</html>
```

admin/pages/settings.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

requireAdmin();

$userModel = new User();
$success = false;
$error = '';
$activeTab = $_GET['tab'] ?? 'general';

// Debug: Log POST data when form is submitted
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['create_admin'])) {
    error_log("=== Admin Account Creation Attempt ===");
    error_log("POST data received: " . print_r($_POST, true));
}

// Handle admin account creation
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['create_admin'])) {
    error_log("Step 1: Form submission detected");

    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);
    error_log("Step 2: Validation result: " . print_r($validation, true));

    if (!$validation['valid']) {
        error_log("Step 3: Validation failed");
        if ($validation['error'] === 'duplicate') {
            error_log("Step 4: Duplicate submission detected");
            $_SESSION['info_message'] = 'Admin account already created.';
            header('Location: settings.php?tab=accounts');
            exit();
        }
        $error = $validation['error'];
        error_log("Step 5: Validation error set: " . $error);
    } else {
        error_log("Step 6: Validation passed, processing form data");
        $username = sanitize($_POST['username'] ?? '');
        $email = sanitize($_POST['email'] ?? '');
        $password = $_POST['password'] ?? '';
        $confirmPassword = $_POST['confirm_password'] ?? '';
        $fullName = sanitize($_POST['full_name'] ?? '');
        $phone = sanitize($_POST['phone'] ?? '');

        error_log("Step 7: Data sanitized - Username: {$username}, Email: {$email}, Full Name: {$ful
lName}");

        if (empty($username) || empty($email) || empty($password) || empty($fullName)) {
            error_log("Step 8: Required fields validation failed");
            $error = 'All required fields must be filled';
        } elseif ($password !== $confirmPassword) {
            error_log("Step 9: Password mismatch");
            $error = 'Passwords do not match';
        } elseif (strlen($password) < 8) {
            error_log("Step 10: Password too short");
            $error = 'Password must be at least 8 characters long';
        } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            error_log("Step 11: Invalid email format");
            $error = 'Invalid email format';
        } else {
            error_log("Step 12: All validations passed, checking for existing user");
            if ($userModel->findByEmail($email)) {
                error_log("Step 13: Email already exists");
                $error = 'Email already exists';
            } elseif ($userModel->findByUsername($username)) {
                error_log("Step 14: Username already exists");
```

```
                $error = 'Username already exists';
            } else {
                error_log("Step 15: Creating new admin account");
                $userData = [
                    'username' => $username,
                    'email' => $email,
                    'password' => $password,
                    'role' => ROLE_ADMIN,
                    'full_name' => $fullName,
                    'phone' => $phone,
                    'address' => null
                ];

                error_log("Step 16: User data prepared: " . print_r($userData, true));

                try {
                    error_log("Step 17: Attempting to create user in database");
                    $createResult = $userModel->create($userData);
                    error_log("Step 18: Create result: " . ($createResult ? 'SUCCESS' : 'FAILED'));

                    if ($createResult) {
                        error_log("Step 19: User created successfully, logging activity");
                        // Log the admin creation activity
                        $newAdmin = $userModel->findByEmail($email);
                        if ($newAdmin) {
                            error_log("Step 20: New admin found, ID: {$newAdmin['id']}");
                            $userModel->logActivity(
                                $_SESSION['user_id'],
                                'admin_created',
                                "New admin account created for: {$fullName} ({$email})",
                                $_SERVER['REMOTE_ADDR'] ?? 'unknown',
                                $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
                            );
                            error_log("Step 21: Activity logged successfully");
                        }

                        $success = true;
                        $_SESSION['success_message'] = "Admin account created successfully for {$ful
lName}!";
                        error_log("Step 22: Redirecting to accounts tab");
                        header('Location: settings.php?tab=accounts');
                        exit();
                    } else {
                        error_log("Step 23: Failed to create admin account in database");
                        $error = 'Failed to create admin account. Please try again.';
                    }
                } catch (Exception $e) {
                    error_log("Step 24: Exception caught: " . $e->getMessage());
                    error_log("Exception trace: " . $e->getTraceAsString());
                    $error = 'An error occurred while creating the admin account. Please try again.'
;
                }
            }
        }
    }
}

// Handle password update for current admin
$passwordError = '';
$passwordSuccess = false;
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['update_password'])) {
    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            $_SESSION['info_message'] = 'Password update already processed.';
            header('Location: settings.php?tab=accounts');
```

```
            exit();
        }
        $passwordError = $validation['error'];
    } else {
        $currentPassword = $_POST['current_password'] ?? '';
        $newPassword = $_POST['new_password'] ?? '';
        $confirmPassword = $_POST['confirm_password_update'] ?? '';

        if (empty($currentPassword) || empty($newPassword) || empty($confirmPassword)) {
            $passwordError = 'All password fields are required';
        } elseif ($newPassword !== $confirmPassword) {
            $passwordError = 'New passwords do not match';
        } elseif (strlen($newPassword) < 8) {
            $passwordError = 'New password must be at least 8 characters long';
        } else {
            // Get current user data
            $currentUser = $userModel->findById($_SESSION['user_id']);

            if (!$currentUser) {
                $passwordError = 'User not found';
            } elseif (!$currentUser['password'] || !password_verify($currentPassword, $currentUser['
password'])) {
                $passwordError = 'Current password is incorrect';
            } else {
                // Update password
                $updateResult = $userModel->update($_SESSION['user_id'], ['password' => $newPassword
]);

                if ($updateResult) {
                    // Log the password change activity
                    $userModel->logActivity(
                        $_SESSION['user_id'],
                        'password_changed',
                        'Admin password updated successfully',
                        $_SERVER['REMOTE_ADDR'] ?? 'unknown',
                        $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
                    );

                    $passwordSuccess = true;
                    $_SESSION['success_message'] = 'Password updated successfully!';
                    header('Location: settings.php?tab=accounts');
                    exit();
                } else {
                    $passwordError = 'Failed to update password. Please try again.';
                }
            }
        }
    }
}

// Get current admin user data
$currentAdmin = $userModel->findById($_SESSION['user_id']);

// Get all admin accounts
$adminAccounts = $userModel->findAll('role = ?', [ROLE_ADMIN]);

// Handle System Logs
$logsPage = isset($_GET['logs_page']) ? max(1, (int)$_GET['logs_page']) : 1;
$logsPerPage = 50;
$logsOffset = ($logsPage - 1) * $logsPerPage;

// Build filters for system logs
$logsFilters = [];
if (isset($_GET['filter_role']) && !empty($_GET['filter_role'])) {
    $logsFilters['role'] = sanitize($_GET['filter_role']);
}
if (isset($_GET['filter_action']) && !empty($_GET['filter_action'])) {
    $logsFilters['action'] = sanitize($_GET['filter_action']);
```

```
}
if (isset($_GET['filter_date_from']) && !empty($_GET['filter_date_from'])) {
    $logsFilters['date_from'] = sanitize($_GET['filter_date_from']);
}
if (isset($_GET['filter_date_to']) && !empty($_GET['filter_date_to'])) {
    $logsFilters['date_to'] = sanitize($_GET['filter_date_to']);
}

// Get system activity logs
$systemLogs = $userModel->getAllActivityLogs($logsPerPage, $logsOffset, $logsFilters);
$totalLogs = $userModel->getActivityLogsCount($logsFilters);
$totalLogsPages = ceil($totalLogs / $logsPerPage);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Settings - WPU Applicant System</title>
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        /* Settings-specific styles */
        .settings-tabs {
            display: flex;
            gap: 8px;
            border-bottom: 2px solid var(--gray-200);
            margin-bottom: 24px;
            overflow-x: auto;
            -webkit-overflow-scrolling: touch;
        }

        .settings-tab {
            padding: 12px 20px;
            border: none;
            background: none;
            color: var(--gray-600);
            font-weight: 600;
            border-bottom: 3px solid transparent;
            transition: all 0.2s;
            cursor: pointer;
            white-space: nowrap;
            text-decoration: none;
        }

        .settings-tab:hover {
            color: var(--primary-blue);
            border-bottom-color: var(--primary-blue);
        }

        .settings-tab.active {
            color: var(--primary-blue);
            border-bottom-color: var(--primary-blue);
        }

        .settings-section {
            margin-bottom: 30px;
            padding-bottom: 30px;
            border-bottom: 1px solid var(--gray-200);
        }

        .settings-section:last-child {
            border-bottom: none;
            padding-bottom: 0;
        }
```

```
        .settings-label {
            font-weight: 700;
            color: var(--gray-800);
            margin-bottom: 16px;
            font-size: 1.1rem;
            display: flex;
            align-items: center;
            gap: 8px;
        }

        .form-row {
            display: grid;
            grid-template-columns: 1fr 1fr;
            gap: 16px;
            margin-bottom: 16px;
        }

        .admin-grid {
            display: grid;
            grid-template-columns: 2fr 3fr;
            gap: 24px;
        }

        .admin-item {
            padding: 16px;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            margin-bottom: 12px;
            transition: all 0.2s;
        }

        .admin-item:hover {
            box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
            transform: translateY(-2px);
        }

        .admin-avatar {
            width: 48px;
            height: 48px;
            border-radius: 50%;
            background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
            display: flex;
            align-items: center;
            justify-content: center;
            font-size: 1.2rem;
            font-weight: 600;
            color: white;
            flex-shrink: 0;
        }

        .admin-info {
            display: flex;
            align-items: center;
            gap: 12px;
        }

        .admin-details {
            flex: 1;
        }

        .admin-name {
            font-weight: 700;
            color: var(--gray-800);
            margin-bottom: 4px;
        }

        .admin-meta {
            color: var(--gray-600);
```

```
            font-size: 0.85rem;
            margin-bottom: 2px;
        }

        .info-table {
            width: 100%;
            border-collapse: collapse;
        }

        .info-table tr {
            border-bottom: 1px solid var(--gray-200);
        }

        .info-table td {
            padding: 12px 8px;
        }

        .info-table td:first-child {
            font-weight: 600;
            color: var(--gray-700);
            width: 40%;
        }

        .maintenance-grid {
            display: grid;
            grid-template-columns: repeat(3, 1fr);
            gap: 12px;
        }

        .logs-table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 16px;
        }

        .logs-table th,
        .logs-table td {
            padding: 12px;
            text-align: left;
            border-bottom: 1px solid var(--gray-200);
        }

        .logs-table th {
            background: var(--gray-50);
            font-weight: 600;
            color: var(--gray-800);
            position: sticky;
            top: 0;
            z-index: 10;
        }

        .logs-table tr:hover {
            background: var(--gray-50);
        }

        .logs-filters {
            display: grid;
            grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
            gap: 12px;
            margin-bottom: 20px;
            padding: 16px;
            background: var(--gray-50);
            border-radius: 8px;
        }

        .logs-pagination {
            display: flex;
            justify-content: space-between;
```

```
            align-items: center;
            margin-top: 20px;
            padding-top: 16px;
            border-top: 1px solid var(--gray-200);
        }

        .logs-pagination-info {
            color: var(--gray-600);
            font-size: 0.9rem;
        }

        .logs-pagination-controls {
            display: flex;
            gap: 8px;
        }

        .log-action {
            font-weight: 600;
            color: var(--primary-blue);
        }

        .log-user {
            display: flex;
            flex-direction: column;
            gap: 4px;
        }

        .log-user-name {
            font-weight: 600;
            color: var(--gray-800);
        }

        .log-user-meta {
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .log-time {
            font-size: 0.9rem;
            color: var(--gray-600);
        }

        .log-ip {
            font-family: monospace;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .logs-container {
            max-height: 600px;
            overflow-y: auto;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
        }

        .status-badge {
            display: inline-flex;
            align-items: center;
            gap: 6px;
            padding: 8px 12px;
            background: var(--success-green);
            color: white;
            border-radius: 6px;
            font-weight: 600;
        }

        /* Compact mobile layout */
        @media (max-width: 768px) {
```

```
.settings-tabs {
    gap: 4px;
    margin-bottom: 16px;
}

.settings-tab {
    padding: 10px 14px;
    font-size: 0.9rem;
}

.form-row {
    grid-template-columns: 1fr;
    gap: 0;
}

.admin-grid {
    grid-template-columns: 1fr;
    gap: 16px;
}

.admin-avatar {
    width: 40px;
    height: 40px;
    font-size: 1rem;
}

.settings-section {
    padding-bottom: 20px;
    margin-bottom: 20px;
}

.maintenance-grid {
    grid-template-columns: 1fr;
    gap: 8px;
}

.info-table td {
    padding: 10px 4px;
    font-size: 0.9rem;
}

.logs-filters {
    grid-template-columns: 1fr;
    gap: 8px;
}

.logs-table {
    font-size: 0.85rem;
}

.logs-table th,
.logs-table td {
    padding: 8px 6px;
}

.logs-table th:nth-child(5),
.logs-table td:nth-child(5) {
    display: none;
}

.logs-table th:nth-child(6),
.logs-table td:nth-child(6) {
    display: none;
}

.logs-pagination {
    flex-direction: column;
    gap: 12px;
```

```
                align-items: stretch;
            }

            .logs-pagination-controls {
                flex-wrap: wrap;
                justify-content: center;
            }

            .logs-container {
                max-height: 400px;
                overflow-x: auto;
            }
        }

        /* Footer Styles */
        .page-footer {
            background-color: var(--gray-50);
            border-top: 1px solid var(--gray-200);
            padding: 24px;
            margin-top: auto;
        }

        .page-footer p {
            margin: 0;
        }

        .page-footer a {
            color: var(--primary-blue);
            text-decoration: underline;
            cursor: pointer;
            transition: color 0.2s ease;
        }

        .page-footer a:hover {
            color: var(--primary-blue-dark);
        }

        @media (max-width: 768px) {
            .page-footer {
                padding: 16px 12px;
                font-size: 0.85rem;
            }

            .page-footer p {
                font-size: 0.8rem !important;
            }

            .page-footer p:last-child {
                font-size: 0.7rem !important;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
```

```
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($_SESSION['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($_SESSION['full_name'] ?? 'A
dmin') ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Settings</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
```

```
                    <a href="notifications.php">View all notifications</a>
                </div>
            </div>
            <a href="settings.php" class="topbar-btn">
                <i class="fas fa-cog"></i>
            </a>
            <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                <i class="fas fa-sign-out-alt"></i>
            </a>
        </div>
    </div>

    <!-- Main Content -->
    <div class="content">
        <?php if (isset($_SESSION['success_message'])): ?>
            <div class="alert-success">
                <i class="fas fa-check-circle"></i>
                <span><?= htmlspecialchars($_SESSION['success_message']) ?></span>
            </div>
            <?php unset($_SESSION['success_message']); ?>
        <?php endif; ?>

        <?php if ($error): ?>
            <div class="alert-danger">
                <i class="fas fa-exclamation-triangle"></i>
                <span><?= htmlspecialchars($error) ?></span>
            </div>
        <?php endif; ?>

        <!-- Settings Tabs -->
        <div class="settings-tabs">
            <a class="settings-tab <?= $activeTab === 'general' ? 'active' : '' ?>"
               href="?tab=general">
                <i class="fas fa-sliders-h"></i> General
            </a>
            <a class="settings-tab <?= $activeTab === 'accounts' ? 'active' : '' ?>"
               href="?tab=accounts">
                <i class="fas fa-user-shield"></i> Admin Accounts
            </a>
            <a class="settings-tab <?= $activeTab === 'system' ? 'active' : '' ?>"
               href="?tab=system">
                <i class="fas fa-server"></i> System
            </a>
        </div>

        <div class="tab-content">
            <!-- General Settings Tab -->
            <?php if ($activeTab === 'general'): ?>
                <div class="card">
                    <div class="card-header">
                        <h2><i class="fas fa-sliders-h"></i> General Settings</h2>
                    </div>
                    <div class="card-body">
                        <form method="POST">
                            <div class="settings-section">
                                <div class="settings-label">
                                    <i class="fas fa-building"></i> System Information
                                </div>
                                <div class="form-row">
                                    <div class="form-group">
                                        <label class="form-label">System Name</label>
                                        <input type="text" class="form-control" value="WPU Appli
cant System" readonly>
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Version</label>
                                        <input type="text" class="form-control" value="1.0.0" re
adonly>
```

```
                                    </div>
                                </div>
                            </div>

                            <div class="settings-section">
                                <div class="settings-label">
                                    <i class="fas fa-envelope"></i> Email Configuration
                                </div>
                                <div class="form-row">
                                    <div class="form-group">
                                        <label class="form-label">System Email</label>
                                        <input type="email" class="form-control" placeholder="no
reply@wpu.edu">
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Reply-To Email</label>
                                        <input type="email" class="form-control" placeholder="su
pport@wpu.edu">
                                    </div>
                                </div>
                            </div>

                            <div class="settings-section">
                                <div class="settings-label">
                                    <i class="fas fa-clock"></i> Application Settings
                                </div>
                                <div class="form-row">
                                    <div class="form-group">
                                        <label class="form-label">Minimum Experience Required (y
ears)</label>
                                        <input type="number" class="form-control" value="0" min=
"0" max="20">
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Auto-Approve Applications</lab
el>
                                        <select class="form-select">
                                            <option value="0">No - Manual Review Required</optio
n>
                                            <option value="1">Yes - Auto-Approve Qualified</opti
on>
                                        </select>
                                    </div>
                                </div>
                            </div>

                            <div style="text-align: right;">
                                <button type="submit" class="btn-primary">
                                    <i class="fas fa-save"></i> Save Settings
                                </button>
                            </div>
                        </form>
                    </div>
                </div>
            <?php endif; ?>

            <!-- Admin Accounts Tab -->
            <?php if ($activeTab === 'accounts'): ?>
                <div class="admin-grid">
                    <!-- Left Column: Forms -->
                    <div style="display: flex; flex-direction: column; gap: 20px;">
                        <!-- Create New Admin Account -->
                        <div class="card">
                            <div class="card-header">
                                <h2><i class="fas fa-user-plus"></i> Create Admin</h2>
                            </div>
                            <div class="card-body">
                                <form method="POST" class="prevent-double-submit">
```

```
                                    <input type="hidden" name="csrf_token" value="<?= generateCS
RFToken() ?>">
                                    <?php FormTokenManager::renderFormTokenInput('create_admin')
; ?>

                                    <div class="form-group">
                                        <label class="form-label">Full Name *</label>
                                        <input type="text" class="form-control" name="full_name"
 required>
                                    </div>

                                    <div class="form-group">
                                        <label class="form-label">Username *</label>
                                        <input type="text" class="form-control" name="username"
required>
                                    </div>

                                    <div class="form-group">
                                        <label class="form-label">Email Address *</label>
                                        <input type="email" class="form-control" name="email" re
quired>
                                    </div>

                                    <div class="form-group">
                                        <label class="form-label">Phone Number</label>
                                        <input type="tel" class="form-control" name="phone">
                                    </div>

                                    <div class="form-group">
                                        <label class="form-label">Password *</label>
                                        <input type="password" class="form-control" name="passwo
rd"
                                               minlength="8" required>
                                        <small style="color: var(--gray-600); font-size: 0.85rem
;">Minimum 8 characters</small>
                                    </div>

                                    <div class="form-group">
                                        <label class="form-label">Confirm Password *</label>
                                        <input type="password" class="form-control" name="confir
m_password"
                                               minlength="8" required>
                                    </div>

                                    <div class="alert-info" style="margin-bottom: 16px;">
                                        <i class="fas fa-info-circle"></i>
                                        <span>This will create a new administrator with full sys
tem access.</span>
                                    </div>

                                    <button type="submit" name="create_admin" class="btn-success
" style="width: 100%;">
                                        <i class="fas fa-user-shield"></i> Create Admin Account
                                    </button>
                                </form>
                            </div>
                        </div>

                        <!-- Update Current Admin Password -->
                        <div class="card">
                            <div class="card-header">
                                <h2><i class="fas fa-key"></i> Update Password</h2>
                            </div>
                            <div class="card-body">
                                <?php if ($passwordError): ?>
                                    <div class="alert-danger" style="margin-bottom: 16px;">
                                        <i class="fas fa-exclamation-triangle"></i>
                                        <span><?= htmlspecialchars($passwordError) ?></span>
```

```
                                    </div>
                                <?php endif; ?>

                                <?php if ($currentAdmin && $currentAdmin['password']): ?>
                                    <form method="POST" class="prevent-double-submit">
                                        <input type="hidden" name="csrf_token" value="<?= genera
teCSRFToken() ?>">
                                        <?php FormTokenManager::renderFormTokenInput('update_pas
sword'); ?>

                                        <div class="form-group">
                                            <label class="form-label">Current Password *</label>
                                            <input type="password" class="form-control" name="cu
rrent_password"
                                                   required autocomplete="current-password">
                                        </div>

                                        <div class="form-group">
                                            <label class="form-label">New Password *</label>
                                            <input type="password" class="form-control" name="ne
w_password"
                                                   minlength="8" required autocomplete="new-pass
word">
                                            <small style="color: var(--gray-600); font-size: 0.8
5rem;">Minimum 8 characters</small>
                                        </div>

                                        <div class="form-group">
                                            <label class="form-label">Confirm New Password *</la
bel>
                                            <input type="password" class="form-control" name="co
nfirm_password_update"
                                                   minlength="8" required autocomplete="new-pass
word">
                                        </div>

                                        <div class="alert-info" style="margin-bottom: 16px;">
                                            <i class="fas fa-info-circle"></i>
                                            <span>Update your account password. Make sure to use
 a strong password.</span>
                                        </div>

                                        <button type="submit" name="update_password" class="btn-
primary" style="width: 100%;">
                                            <i class="fas fa-save"></i> Update Password
                                        </button>
                                    </form>
                                <?php else: ?>
                                    <div class="alert-info">
                                        <i class="fas fa-info-circle"></i>
                                        <span>Your account uses OAuth authentication. Password u
pdate is not available.</span>
                                    </div>
                                <?php endif; ?>
                            </div>
                        </div>
                    </div>

                    <!-- Existing Admin Accounts -->
                    <div>
                        <div class="card">
                            <div class="card-header">
                                <h2><i class="fas fa-users-cog"></i> Admin Accounts (<?= count($
adminAccounts) ?>)</h2>
                            </div>
                            <div class="card-body">
                                <?php if (empty($adminAccounts)): ?>
                                    <p style="text-align: center; color: var(--gray-500); paddin
```

```
g: 24px 0;">No admin accounts found</p>
                                    <?php else: ?>
                                        <?php foreach ($adminAccounts as $admin): ?>
                                            <div class="admin-item">
                                                <div style="display: flex; align-items: center; just
ify-content: space-between; margin-bottom: 12px;">
                                                    <div class="admin-info">
                                                        <div class="admin-avatar">
                                                            <?= strtoupper(substr($admin['full_name'
], 0, 1)) ?>
                                                        </div>
                                                        <div class="admin-details">
                                                            <div class="admin-name"><?= htmlspecialc
hars($admin['full_name']) ?></div>
                                                            <div class="admin-meta">
                                                                <i class="fas fa-envelope"></i> <?=
htmlspecialchars($admin['email']) ?>
                                                            </div>
                                                            <div class="admin-meta">
                                                                <i class="fas fa-user"></i> <?= html
specialchars($admin['username']) ?>
                                                                <?php if ($admin['id'] === $_SESSION
['user_id']): ?>
                                                                    <span class="badge-info" style="
margin-left: 8px;">You</span>
                                                                <?php endif; ?>
                                                            </div>
                                                        </div>
                                                    </div>
                                                    <div>
                                                        <span class="badge-primary">
                                                            <i class="fas fa-shield-alt"></i> Admin
                                                        </span>
                                                    </div>
                                                </div>
                                                <div style="padding-top: 12px; border-top: 1px solid
 var(--gray-200); color: var(--gray-600); font-size: 0.85rem;">
                                                    <i class="fas fa-clock"></i> Created: <?= date('
M j, Y', strtotime($admin['created_at'])) ?>
                                                </div>
                                            </div>
                                        <?php endforeach; ?>
                                    <?php endif; ?>
                                </div>
                            </div>
                        </div>
                    </div>
                <?php endif; ?>

                <!-- System Tab -->
                <?php if ($activeTab === 'system'): ?>
                    <div class="card">
                        <div class="card-header">
                            <h2><i class="fas fa-server"></i> System Information</h2>
                        </div>
                        <div class="card-body">
                            <div class="settings-section">
                                <div class="settings-label">
                                    <i class="fas fa-database"></i> Database Information
                                </div>
                                <div class="form-row">
                                    <div class="form-group">
                                        <label class="form-label">Database Type</label>
                                        <input type="text" class="form-control" value="MySQL" readon
ly>
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Connection Status</label>
```

```
                                        <div style="display: flex; gap: 8px;">
                                            <input type="text" class="form-control" value="Connected
" readonly style="flex: 1;">
                                            <span class="status-badge">
                                                <i class="fas fa-check-circle"></i> Active
                                            </span>
                                        </div>
                                    </div>
                                </div>

                                <div class="settings-section">
                                    <div class="settings-label">
                                        <i class="fas fa-tools"></i> Maintenance
                                    </div>
                                    <div class="maintenance-grid">
                                        <button type="button" class="btn-secondary">
                                            <i class="fas fa-sync"></i> Clear Cache
                                        </button>
                                        <button type="button" class="btn-success">
                                            <i class="fas fa-database"></i> Backup DB
                                        </button>
                                    </div>
                                </div>

                                <div class="settings-section">
                                    <div class="settings-label">
                                        <i class="fas fa-info-circle"></i> System Details
                                    </div>
                                    <table class="info-table">
                                        <tr>
                                            <td>PHP Version</td>
                                            <td><?= phpversion() ?></td>
                                        </tr>
                                        <tr>
                                            <td>Server Software</td>
                                            <td><?= $_SERVER['SERVER_SOFTWARE'] ?? 'Unknown' ?></td>
                                        </tr>
                                        <tr>
                                            <td>Base URL</td>
                                            <td><?= BASE_URL ?></td>
                                        </tr>
                                        <tr>
                                            <td>Session Status</td>
                                            <td><span class="badge-success">Active</span></td>
                                        </tr>
                                    </table>
                                </div>

                                <div class="settings-section">
                                    <div class="settings-label">
                                        <i class="fas fa-history"></i> System Activity Logs
                                    </div>

                                    <!-- Filters -->
                                    <form method="GET" action="?tab=system" style="margin-bottom: 20px;"
>
                                        <input type="hidden" name="tab" value="system">
                                        <div class="logs-filters">
                                            <div class="form-group">
                                                <label class="form-label">Filter by Role</label>
                                                <select class="form-select" name="filter_role" onchange=
"this.form.submit()">
                                                    <option value="">All Roles</option>
                                                    <option value="<?= ROLE_ADMIN ?>" <?= (!empty($logsF
ilters['role']) && $logsFilters['role'] === ROLE_ADMIN) ? 'selected' : '' ?>>Admin</option>
                                                    <option value="<?= ROLE_APPLICANT ?>" <?= (!empty($l
ogsFilters['role']) && $logsFilters['role'] === ROLE_APPLICANT) ? 'selected' : '' ?>>Applicant</opti
```

```
on>
                                        </select>
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Filter by Action</label>
                                        <input type="text" class="form-control" name="filter_act
ion"
                                               value="<?= htmlspecialchars($logsFilters['action'
] ?? '') ?>"
                                               placeholder="e.g., login, logout">
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Date From</label>
                                        <input type="date" class="form-control" name="filter_dat
e_from"
                                               value="<?= htmlspecialchars($logsFilters['date_fr
om'] ?? '') ?>">
                                    </div>
                                    <div class="form-group">
                                        <label class="form-label">Date To</label>
                                        <input type="date" class="form-control" name="filter_dat
e_to"
                                               value="<?= htmlspecialchars($logsFilters['date_to
'] ?? '') ?>">
                                    </div>
                                    <div class="form-group" style="display: flex; align-items: f
lex-end; gap: 8px;">
                                        <button type="submit" class="btn-primary">
                                            <i class="fas fa-filter"></i> Apply Filters
                                        </button>
                                        <a href="?tab=system" class="btn-secondary">
                                            <i class="fas fa-times"></i> Clear
                                        </a>
                                    </div>
                                </div>
                            </form>

                            <!-- Logs Table -->
                            <div class="logs-container">
                                <?php if (empty($systemLogs)): ?>
                                    <div style="text-align: center; padding: 40px; color: var(--
gray-500);">
                                        <i class="fas fa-inbox" style="font-size: 3rem; margin-b
ottom: 16px; opacity: 0.5;"></i>
                                        <p>No activity logs found</p>
                                    </div>
                                <?php else: ?>
                                    <table class="logs-table">
                                        <thead>
                                            <tr>
                                                <th>Time</th>
                                                <th>User</th>
                                                <th>Role</th>
                                                <th>Action</th>
                                                <th>Description</th>
                                                <th>IP Address</th>
                                            </tr>
                                        </thead>
                                        <tbody>
                                            <?php foreach ($systemLogs as $log): ?>
                                                <tr>
                                                    <td class="log-time">
                                                        <?= date('M j, Y', strtotime($log['creat
ed_at'])) ?><br>
                                                        <small style="color: var(--gray-500);"><
?= date('H:i:s', strtotime($log['created_at'])) ?></small>
                                                    </td>
                                                    <td>
```

```
                                                    <?php if ($log['user_id']): ?>
                                                        <div class="log-user">
                                                            <span class="log-user-name"><?=
htmlspecialchars($log['full_name'] ?? 'Unknown User') ?></span>
                                                            <span class="log-user-meta"><?=
htmlspecialchars($log['email'] ?? $log['username'] ?? 'N/A') ?></span>
                                                        </div>
                                                    <?php else: ?>
                                                        <span style="color: var(--gray-500);
 font-style: italic;">System / Unknown</span>
                                                    <?php endif; ?>
                                                </td>
                                                <td>
                                                    <?php if ($log['role']): ?>
                                                        <?php if ($log['role'] === ROLE_ADMI
N): ?>
                                                            <span class="badge-primary">
                                                                <i class="fas fa-shield-alt"
></i> Admin
                                                            </span>
                                                        <?php else: ?>
                                                            <span class="badge-info">
                                                                <i class="fas fa-user"></i>
Applicant
                                                            </span>
                                                        <?php endif; ?>
                                                    <?php else: ?>
                                                        <span style="color: var(--gray-500);
">-</span>
                                                    <?php endif; ?>
                                                </td>
                                                <td>
                                                    <span class="log-action"><?= htmlspecial
chars($log['action']) ?></span>
                                                </td>
                                                <td>
                                                    <?= htmlspecialchars($log['description']
 ?? '-') ?>
                                                </td>
                                                <td>
                                                    <span class="log-ip"><?= htmlspecialchar
s($log['ip_address'] ?? 'Unknown') ?></span>
                                                </td>
                                            </tr>
                                        <?php endforeach; ?>
                                    </tbody>
                                </table>
                            <?php endif; ?>
                        </div>

                        <!-- Pagination -->
                        <?php if ($totalLogsPages > 1): ?>
                            <div class="logs-pagination">
                                <div class="logs-pagination-info">
                                    Showing <?= ($logsOffset + 1) ?> - <?= min($logsOffset +
 $logsPerPage, $totalLogs) ?> of <?= $totalLogs ?> logs
                                </div>
                                <div class="logs-pagination-controls">
                                    <?php
                                    $queryParams = $_GET;
                                    unset($queryParams['logs_page']);
                                    $baseUrl = '?' . http_build_query(array_merge($queryPara
ms, ['tab' => 'system']));
                                    ?>

                                    <?php if ($logsPage > 1): ?>
                                        <a href="<?= $baseUrl ?>&logs_page=<?= $logsPage - 1
 ?>" class="btn-secondary">
```

```
                                            <i class="fas fa-chevron-left"></i> Previous
                                        </a>
                                    <?php endif; ?>

                                    <?php
                                    // Show page numbers
                                    $startPage = max(1, $logsPage - 2);
                                    $endPage = min($totalLogsPages, $logsPage + 2);

                                    if ($startPage > 1): ?>
                                        <a href="<?= $baseUrl ?>&logs_page=1" class="btn-sec
ondary">1</a>
                                        <?php if ($startPage > 2): ?>
                                            <span class="btn-secondary" style="cursor: defau
lt;">...</span>
                                        <?php endif; ?>
                                    <?php endif; ?>

                                    <?php for ($i = $startPage; $i <= $endPage; $i++): ?>
                                        <?php if ($i == $logsPage): ?>
                                            <span class="btn-primary" style="cursor: default
;"><?= $i ?></span>
                                        <?php else: ?>
                                            <a href="<?= $baseUrl ?>&logs_page=<?= $i ?>" cl
ass="btn-secondary"><?= $i ?></a>
                                        <?php endif; ?>
                                    <?php endfor; ?>

                                    <?php if ($endPage < $totalLogsPages): ?>
                                        <?php if ($endPage < $totalLogsPages - 1): ?>
                                            <span class="btn-secondary" style="cursor: defau
lt;">...</span>
                                        <?php endif; ?>
                                        <a href="<?= $baseUrl ?>&logs_page=<?= $totalLogsPag
es ?>" class="btn-secondary"><?= $totalLogsPages ?></a>
                                    <?php endif; ?>

                                    <?php if ($logsPage < $totalLogsPages): ?>
                                        <a href="<?= $baseUrl ?>&logs_page=<?= $logsPage + 1
 ?>" class="btn-secondary">
                                            Next <i class="fas fa-chevron-right"></i>
                                        </a>
                                    <?php endif; ?>
                                </div>
                            </div>
                        <?php endif; ?>
                    </div>
                </div>
            </div>
        </div>

        <!-- Mobile Bottom Navigation -->
        <nav class="mobile-nav">
            <div class="mobile-nav-grid">
                <a href="dashboard.php" class="mobile-nav-item">
                    <i class="fas fa-th-large"></i>
                    <span>Home</span>
                </a>
                <a href="positions.php" class="mobile-nav-item">
                    <i class="fas fa-briefcase"></i>
                    <span>Positions</span>
                </a>
                <a href="applications.php" class="mobile-nav-item">
                    <i class="fas fa-file-alt"></i>
                    <span>Applications</span>
```

```
            </a>
            <a href="users.php" class="mobile-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/form-submission-manager.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        if (typeof BASE_URL === 'undefined') {
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
    <script>
        // Responsive grid adjustment for admin accounts section on mobile
        window.addEventListener('resize', adjustAdminGrid);
        adjustAdminGrid();

        function adjustAdminGrid() {
            const adminGrid = document.querySelector('.admin-grid');
            if (adminGrid && window.innerWidth <= 768) {
                adminGrid.style.gridTemplateColumns = '1fr';
            } else if (adminGrid) {
                adminGrid.style.gridTemplateColumns = '2fr 3fr';
            }
        }
    </script>
</body>
</html>
```

admin/pages/users.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

requireAdmin();

$userModel = new User();

// Handle user deletion
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['delete_user'])) {
    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            $_SESSION['info_message'] = 'Action already processed.';
        } else {
            $_SESSION['error_message'] = $validation['error'] ?? 'Form validation failed. Please ref
resh and try again.';
        }
        header('Location: users.php');
        exit();
    }

    $userId = (int)($_POST['user_id'] ?? 0);

    // Validate user ID
    if ($userId <= 0) {
        $_SESSION['error_message'] = 'Invalid user ID provided.';
        header('Location: users.php');
        exit();
    }

    // Don't allow deleting yourself
    if ($userId === $_SESSION['user_id']) {
        $_SESSION['error_message'] = 'You cannot delete your own account!';
        header('Location: users.php');
        exit();
    }

    // Check if user exists
    $user = $userModel->findById($userId);
    if (!$user) {
        $_SESSION['error_message'] = 'User not found.';
        header('Location: users.php');
        exit();
    }

    // Attempt to delete the user - using a fresh direct database connection
    try {
        // Ensure Database class is available
        if (!class_exists('Database')) {
            require_once __DIR__ . '/../../config/database.php';
        }

        // Create a fresh database connection to ensure no transaction/caching issues
        $database = new Database();
        $db = $database->getConnection();

        if (!$db) {
            throw new Exception('Database connection failed');
        }

        // First, verify user exists and get user info
        $checkStmt = $db->prepare("SELECT id, full_name, email FROM users WHERE id = ?");
        $checkStmt->execute([$userId]);
```

```
        $userToDelete = $checkStmt->fetch();

        if (!$userToDelete) {
            $_SESSION['error_message'] = 'User not found.';
            header('Location: users.php');
            exit();
        }

        // Log the attempt
        error_log("Attempting to delete user ID: $userId, Name: " . $userToDelete['full_name']);

        // Method 1: Try using prepared statement first
        $deleteStmt = $db->prepare("DELETE FROM users WHERE id = ?");
        $deleteStmt->bindValue(1, $userId, PDO::PARAM_INT);
        $executed = $deleteStmt->execute();

        if (!$executed) {
            throw new Exception('DELETE statement execution returned false');
        }

        // Small delay to ensure database has processed the delete
        usleep(50000); // 0.05 seconds

        // Verify deletion with a completely fresh query
        $verifyStmt = $db->prepare("SELECT COUNT(*) as cnt FROM users WHERE id = ?");
        $verifyStmt->execute([$userId]);
        $verifyResult = $verifyStmt->fetch();
        $userCount = (int)$verifyResult['cnt'];

        if ($userCount > 0) {
            // Still exists - try direct SQL exec as fallback
            error_log("User still exists after prepared DELETE, trying exec() method");
            $userIdSafe = (int)$userId;
            $affected = $db->exec("DELETE FROM users WHERE id = $userIdSafe");

            // Verify again
            $verifyStmt2 = $db->prepare("SELECT COUNT(*) as cnt FROM users WHERE id = ?");
            $verifyStmt2->execute([$userId]);
            $verifyResult2 = $verifyStmt2->fetch();
            $userCount2 = (int)$verifyResult2['cnt'];

            if ($userCount2 > 0) {
                // Check for foreign key constraints by trying to see what's blocking
                $fkCheck = $db->query("
                    SELECT
                        (SELECT COUNT(*) FROM applications WHERE user_id = $userIdSafe) as app_count
,
                        (SELECT COUNT(*) FROM positions WHERE created_by = $userIdSafe) as pos_count
,
                        (SELECT COUNT(*) FROM user_experience WHERE user_id = $userIdSafe) as exp_co
unt
                ")->fetch();

                error_log("DELETE FAILED: User ID $userId still exists. References - Apps: {$fkCheck
['app_count']}, Positions: {$fkCheck['pos_count']}, Experience: {$fkCheck['exp_count']}");

                $_SESSION['error_message'] = 'Failed to delete user. The user is referenced by other
 records. ' .
                    'Applications: ' . $fkCheck['app_count'] . ', Positions: ' . $fkCheck['pos_count
'] .
                    ', Experience records: ' . $fkCheck['exp_count'];
            } else {
                error_log("DELETE SUCCESS: User ID $userId deleted using exec() fallback");
                $_SESSION['success_message'] = 'User deleted successfully!';
            }
        } else {
            error_log("DELETE SUCCESS: User ID $userId deleted using prepared statement");
            $_SESSION['success_message'] = 'User deleted successfully!';
```

```
        }

    } catch (PDOException $e) {
        error_log('User deletion PDO error: ' . $e->getMessage());
        error_log('Error code: ' . $e->getCode());
        error_log('SQL State: ' . $e->getCode());

        $errorCode = $e->getCode();
        $errorMessage = $e->getMessage();

        // Check for foreign key constraint violations
        if ($errorCode == '23000' || strpos($errorMessage, 'foreign key') !== false ||
            strpos($errorMessage, '1451') !== false || strpos($errorMessage, 'Cannot delete') !== fa
lse ||
            strpos($errorMessage, 'a foreign key constraint fails') !== false) {
            $_SESSION['error_message'] = 'Cannot delete user. The user is referenced by other record
s (applications, positions, etc.).';
        } else {
            $_SESSION['error_message'] = 'Database error occurred: ' . htmlspecialchars($errorMessag
e);
        }
    } catch (Exception $e) {
        error_log('User deletion error: ' . $e->getMessage());
        $_SESSION['error_message'] = 'An error occurred while deleting the user: ' . htmlspecialchar
s($e->getMessage());
    }

    header('Location: users.php');
    exit();
}

// Handle role update
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['update_role'])) {
    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            $_SESSION['info_message'] = 'Action already processed.';
        } else {
            $_SESSION['error_message'] = $validation['error'];
        }
        header('Location: users.php');
        exit();
    }

    $userId = (int)$_POST['user_id'];
    $newRole = $_POST['role'];

    if (in_array($newRole, [ROLE_ADMIN, ROLE_APPLICANT]) && $userId !== $_SESSION['user_id']) {
        $userModel->update($userId, ['role' => $newRole]);
        $_SESSION['success_message'] = 'User role updated successfully!';
    } else if ($userId === $_SESSION['user_id']) {
        $_SESSION['error_message'] = 'You cannot change your own role!';
    }
    header('Location: users.php');
    exit();
}

// Get filter parameters
$filterRole = $_GET['role'] ?? 'all';
$searchQuery = trim($_GET['search'] ?? '');

// Pagination setup
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 5;
$offset = ($page - 1) * $perPage;
```

```
// Build filter conditions
$whereClauses = [];
$params = [];

if ($filterRole !== 'all') {
    $whereClauses[] = 'role = ?';
    $params[] = $filterRole;
}

if ($searchQuery !== '') {
    $whereClauses[] = '(full_name LIKE ? OR email LIKE ? OR username LIKE ?)';
    $searchPattern = '%' . $searchQuery . '%';
    $params[] = $searchPattern;
    $params[] = $searchPattern;
    $params[] = $searchPattern;
}

$where = implode(' AND ', $whereClauses);

// Get users based on filter
$allUsers = $userModel->findAll($where, $params);

// Calculate pagination
$totalUsers_filtered = count($allUsers);
$totalPages = ceil($totalUsers_filtered / $perPage);
$users = array_slice($allUsers, $offset, $perPage);

// Count users by role
$totalUsers = count($userModel->findAll());
$totalAdmins = count($userModel->findAll('role = ?', [ROLE_ADMIN]));
$totalApplicants = count($userModel->findAll('role = ?', [ROLE_APPLICANT]));
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <meta name="csrf-token" content="<?= generateCSRFToken() ?>">
    <title>Users Management - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <style>
        /* User grid container */
        .users-grid {
            display: grid;
            grid-template-columns: repeat(2, 1fr);
            gap: 20px;
        }

        /* Compact user card styles for mobile */
        .user-item {
            padding: 16px;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            transition: all 0.2s;
            background: white;
        }

        .user-item:hover {
            background: var(--gray-50);
            box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
        }

        .user-avatar {
            width: 48px;
```

```
            height: 48px;
            border-radius: 50%;
            background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
            display: flex;
            align-items: center;
            justify-content: center;
            font-size: 1.2rem;
            font-weight: 600;
            color: white;
            margin-right: 12px;
            flex-shrink: 0;
        }

        /* Modal styles */
        .modal {
            display: none;
            position: fixed;
            z-index: 1000;
            left: 0;
            top: 0;
            width: 100%;
            height: 100%;
            overflow: auto;
            background-color: rgba(0, 0, 0, 0.5);
        }

        .modal-content {
            background-color: white;
            margin: 5% auto;
            padding: 0;
            border-radius: 8px;
            width: 90%;
            max-width: 500px;
            box-shadow: 0 4px 20px rgba(0, 0, 0, 0.2);
        }

        .modal-header {
            padding: 20px 24px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            justify-content: space-between;
            align-items: center;
        }

        .modal-header.danger {
            background: var(--danger-red);
            color: white;
        }

        .modal-title {
            font-size: 1.25rem;
            font-weight: 600;
            color: var(--gray-800);
            margin: 0;
        }

        .modal-header.danger .modal-title {
            color: white;
        }

        .close {
            color: var(--gray-500);
            font-size: 28px;
            font-weight: bold;
            cursor: pointer;
            border: none;
            background: none;
            padding: 0;
```

```
            width: 32px;
            height: 32px;
            display: flex;
            align-items: center;
            justify-content: center;
            border-radius: 4px;
        }

        .modal-header.danger .close {
            color: white;
        }

        .close:hover {
            color: var(--gray-800);
            background: var(--gray-100);
        }

        .modal-header.danger .close:hover {
            background: rgba(255, 255, 255, 0.2);
            color: white;
        }

        .modal-body {
            padding: 24px;
            max-height: calc(100vh - 250px);
            overflow-y: auto;
        }

        .modal-footer {
            padding: 16px 24px;
            border-top: 1px solid var(--gray-200);
            display: flex;
            justify-content: flex-end;
            gap: 12px;
        }

        .form-group {
            margin-bottom: 20px;
        }

        .form-label {
            display: block;
            margin-bottom: 6px;
            font-weight: 600;
            color: var(--gray-700);
            font-size: 0.875rem;
        }

        .form-control, .form-select {
            width: 100%;
            padding: 10px 12px;
            border: 1px solid var(--gray-300);
            border-radius: 6px;
            font-size: 0.95rem;
            transition: border-color 0.2s;
        }

        .form-control:focus, .form-select:focus {
            outline: none;
            border-color: var(--primary-blue);
            box-shadow: 0 0 0 3px rgba(33, 150, 243, 0.1);
        }

        /* Compact mobile layout */
        @media (max-width: 768px) {
            .modal-content {
                width: 95%;
                margin: 20px auto;
```

```
            }

            .modal-body {
                padding: 16px;
                max-height: calc(100vh - 180px);
            }

            .users-grid {
                grid-template-columns: 1fr;
                gap: 16px;
            }

            .user-item {
                padding: 12px;
            }

            .user-avatar {
                width: 40px;
                height: 40px;
                font-size: 1rem;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Admin</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Job Hiring</span>
            </a>
            <a href="applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="application_history.php" class="sidebar-nav-item">
                <i class="fas fa-history"></i>
                <span>Application History</span>
            </a>
            <a href="users.php" class="sidebar-nav-item">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
            <a href="reports.php" class="sidebar-nav-item">
                <i class="fas fa-chart-bar"></i>
                <span>Reports</span>
            </a>
            <a href="notifications.php" class="sidebar-nav-item">
                <i class="fas fa-bell"></i>
                <span>Notifications</span>
            </a>
            <a href="settings.php" class="sidebar-nav-item">
                <i class="fas fa-cog"></i>
                <span>Settings</span>
            </a>
        </nav>
```

```
        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($_SESSION['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($_SESSION['full_name'] ?? 'A
dmin') ?></div>
                    <div class="sidebar-user-role">Administrator</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Users</h1>
            <div class="topbar-actions" style="position: relative;">
                <a href="notifications.php" id="notificationBell" class="notification-bell" title="N
otifications">
                    <i class="fas fa-bell"></i>
                    <span id="notificationBadge" class="notification-badge" style="display: none;">0
</span>
                </a>
                <div id="notificationDropdown" class="notification-dropdown">
                    <div class="notification-header">
                        <h3>Notifications</h3>
                        <button id="markAllReadBtn" class="mark-all-read">Mark all as read</button>
                    </div>
                    <div id="notificationList" class="notification-list">
                        <div class="notification-empty">Loading...</div>
                    </div>
                    <div class="notification-footer">
                        <a href="notifications.php">View all notifications</a>
                    </div>
                </div>
                <a href="settings.php" class="topbar-btn">
                    <i class="fas fa-cog"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if (isset($_SESSION['success_message'])): ?>
            <div class="alert alert-success">
                <i class="fas fa-check-circle"></i>
                <div><?= htmlspecialchars($_SESSION['success_message']) ?></div>
            </div>
            <?php unset($_SESSION['success_message']); ?>
            <?php endif; ?>

            <?php if (isset($_SESSION['error_message'])): ?>
            <div class="alert alert-danger">
                <i class="fas fa-exclamation-triangle"></i>
                <div><?= htmlspecialchars($_SESSION['error_message']) ?></div>
            </div>
            <?php unset($_SESSION['error_message']); ?>
            <?php endif; ?>
```

```
            <!-- Statistics Cards -->
            <div class="stats-grid" style="margin-bottom: 24px;">
                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $totalUsers ?></div>
                            <div class="stat-card-label">Total Users</div>
                        </div>
                        <div class="stat-card-icon blue">
                            <i class="fas fa-users"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $totalAdmins ?></div>
                            <div class="stat-card-label">Administrators</div>
                        </div>
                        <div class="stat-card-icon green">
                            <i class="fas fa-user-shield"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $totalApplicants ?></div>
                            <div class="stat-card-label">Applicants</div>
                        </div>
                        <div class="stat-card-icon yellow">
                            <i class="fas fa-user-tie"></i>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Filter -->
            <div class="card" style="margin-bottom: 24px;">
                <div class="card-body">
                    <form method="GET" action="">
                        <div style="display: flex; gap: 16px; flex-wrap: wrap; align-items: flex-end
;">
                            <div style="display: flex; flex-direction: column; gap: 6px;">
                                <label for="filterRole" style="font-weight: 600; color: var(--gray-7
00);">Filter by Role:</label>
                                <select name="role" id="filterRole" class="form-select" style="min-w
idth: 200px;" onchange="this.form.submit()">
                                    <option value="all" <?= $filterRole === 'all' ? 'selected' : ''
?>>All Roles</option>
                                    <option value="<?= ROLE_ADMIN ?>" <?= $filterRole === ROLE_ADMIN
 ? 'selected' : '' ?>>Administrators</option>
                                    <option value="<?= ROLE_APPLICANT ?>" <?= $filterRole === ROLE_A
PPLICANT ? 'selected' : '' ?>>Applicants</option>
                                </select>
                            </div>
                            <div style="display: flex; flex-direction: column; gap: 6px; flex: 1; mi
n-width: 220px;">
                                <label for="searchUsers" style="font-weight: 600; color: var(--gray-
700);">Search Users:</label>
                                <div style="display: flex; gap: 8px;">
                                    <input
                                        type="text"
                                        name="search"
                                        id="searchUsers"
```

```
                                    class="form-control"
                                    placeholder="Search by name, email, or username"
                                    value="<?= htmlspecialchars($searchQuery) ?>"
                                    style="flex: 1;"
                                >
                                <button type="submit" class="btn btn-primary">
                                    <i class="fas fa-search"></i> Search
                                </button>
                                <?php if ($filterRole !== 'all' || $searchQuery !== ''): ?>
                                    <a href="users.php" class="btn btn-outline">
                                        <i class="fas fa-undo"></i> Reset
                                    </a>
                                <?php endif; ?>
                            </div>
                        </div>
                    </div>
                </form>
            </div>
        </div>

        <!-- Users List -->
        <div class="card">
            <div class="card-header" style="display: flex; justify-content: space-between; align
-items: center;">
                <h3 class="card-title">
                    <i class="fas fa-users"></i> All Users
                </h3>
                <span class="badge badge-primary"><?= $totalUsers_filtered ?> matching</span>
            </div>
            <div class="card-body">
                <?php if (empty($users)): ?>
                    <div class="empty-state">
                        <i class="fas fa-users"></i>
                        <h3>No Users Found</h3>
                        <p>No users match your current filters.</p>
                    </div>
                <?php else: ?>
                    <div class="users-grid">
                    <?php foreach ($users as $user): ?>
                        <div class="user-item">
                            <div style="display: flex; align-items: center; margin-bottom: 12px;
">
                                <div class="user-avatar">
                                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                                </div>
                                <div style="flex: 1;">
                                    <h4 style="margin: 0 0 4px 0; font-size: 1.1rem; font-weight
: 600; color: var(--gray-800);">
                                        <?= htmlspecialchars($user['full_name']) ?>
                                        <?php if ($user['id'] === $_SESSION['user_id']): ?>
                                            <span class="badge badge-info" style="font-size: 0.7
rem; margin-left: 8px;">YOU</span>
                                        <?php endif; ?>
                                    </h4>
                                    <div style="font-size: 0.85rem; color: var(--gray-600); disp
lay: flex; gap: 16px; flex-wrap: wrap;">
                                        <span><i class="fas fa-envelope"></i> <?= htmlspecialcha
rs($user['email']) ?></span>
                                        <span><i class="fas fa-calendar"></i> Joined <?= date('M
 j, Y', strtotime($user['created_at'])) ?></span>
                                    </div>
                                </div>
                                <div style="margin-left: 12px;">
                                    <span class="badge badge-<?= $user['role'] === ROLE_ADMIN ?
'success' : 'primary' ?>">
                                        <?= $user['role'] === ROLE_ADMIN ? 'Admin' : 'Applicant'
 ?>
                                    </span>
```

```
                                    </div>
                                </div>
                                <?php if ($user['id'] !== $_SESSION['user_id']): ?>
                                <div style="display: flex; gap: 8px;">
                                    <button class="btn btn-sm btn-outline" onclick='updateRole(<?= j
son_encode($user) ?>)'>
                                        <i class="fas fa-edit"></i> Change Role
                                    </button>
                                    <button class="btn btn-sm btn-outline" style="color: var(--dange
r-red); border-color: var(--danger-red);" onclick='confirmDelete(<?= json_encode($user) ?>)'>
                                        <i class="fas fa-trash"></i> Delete
                                    </button>
                                </div>
                                <?php else: ?>
                                <div style="padding: 8px; background: var(--gray-50); border-radius:
 6px; text-align: center; color: var(--gray-600); font-size: 0.875rem;">
                                    <i class="fas fa-info-circle"></i> This is your account (cannot
modify)
                                </div>
                                <?php endif; ?>
                            </div>
                        <?php endforeach; ?>
                        </div>
                    <?php endif; ?>
                </div>

                <!-- Pagination -->
                <?php if ($totalPages > 1): ?>
                <div class="card-footer" style="display: flex; justify-content: center; align-items:
 center; padding: 16px; border-top: 1px solid var(--gray-200);">
                    <div class="pagination">
                        <?php if ($page > 1): ?>
                            <a href="?page=<?= $page - 1 ?>&role=<?= urlencode($filterRole) ?>&searc
h=<?= urlencode($searchQuery) ?>" class="pagination-btn">
                                <i class="fas fa-chevron-left"></i> Previous
                            </a>
                        <?php endif; ?>

                        <div class="pagination-info">
                            Page <?= $page ?> of <?= $totalPages ?> (<?= $totalUsers_filtered ?> tot
al)
                        </div>

                        <?php if ($page < $totalPages): ?>
                            <a href="?page=<?= $page + 1 ?>&role=<?= urlencode($filterRole) ?>&searc
h=<?= urlencode($searchQuery) ?>" class="pagination-btn">
                                Next <i class="fas fa-chevron-right"></i>
                            </a>
                        <?php endif; ?>
                    </div>
                </div>
                <?php endif; ?>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Positions</span>
            </a>
            <a href="applications.php" class="mobile-nav-item">
```

```
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="users.php" class="mobile-nav-item active">
                <i class="fas fa-users"></i>
                <span>Users</span>
            </a>
        </div>
    </nav>

    <!-- Update Role Modal -->
    <div class="modal" id="updateRoleModal">
        <div class="modal-content">
            <form method="POST" class="prevent-double-submit">
                <div class="modal-header">
                    <h3 class="modal-title">Update User Role</h3>
                    <button class="close" type="button" onclick="closeUpdateModal()">&times;</button
>
                </div>
                <div class="modal-body">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                    <?php FormTokenManager::renderFormTokenInput('update_user_role'); ?>
                    <input type="hidden" name="user_id" id="updateUserId">
                    <div class="form-group">
                        <label class="form-label">User</label>
                        <p style="font-weight: 600; color: var(--gray-800); margin: 8px 0;" id="upda
teUserName"></p>
                        <p style="color: var(--gray-600); margin: 0;" id="updateUserEmail"></p>
                    </div>
                    <div class="form-group">
                        <label for="updateRoleSelect" class="form-label">New Role *</label>
                        <select name="role" id="updateRoleSelect" class="form-select" required>
                            <option value="<?= ROLE_APPLICANT ?>">Applicant</option>
                            <option value="<?= ROLE_ADMIN ?>">Administrator</option>
                        </select>
                    </div>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-outline" onclick="closeUpdateModal()">Cance
l</button>
                    <button type="submit" name="update_role" class="btn btn-primary">
                        <i class="fas fa-save"></i> Update Role
                    </button>
                </div>
            </form>
        </div>
    </div>

    <!-- Delete Confirmation Modal -->
    <div class="modal" id="deleteModal">
        <div class="modal-content" style="max-width: 500px;">
            <div class="modal-header danger">
                <h3 class="modal-title">Confirm Delete</h3>
                <button class="close" type="button" onclick="closeDeleteModal()">&times;</button>
            </div>
            <div class="modal-body">
                <input type="hidden" id="deleteUserId">
                <p style="font-size: 1rem; margin-bottom: 16px;">Are you sure you want to delete thi
s user?</p>
                <div class="alert alert-warning">
                    <i class="fas fa-exclamation-triangle"></i>
                    <div>
                        <strong id="deleteUserName"></strong><br>
                        <span id="deleteUserEmail"></span><br>
                        <span>Role: <span id="deleteUserRole"></span></span>
                    </div>
                </div>
                <p style="color: var(--danger-red); font-weight: 600; margin-top: 16px;">
```

```
                    <i class="fas fa-exclamation-circle"></i> Warning: This action cannot be undone!
                </p>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-outline" onclick="closeDeleteModal()">Cancel</b
utton>
                <button type="button" class="btn" style="background: red; color: white;" id="deleteS
ubmitBtn" onclick="executeDeleteUser()">
                    <i class="fas fa-trash"></i> Delete User
                </button>
            </div>
        </div>
    </div>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script src="../../assets/js/notifications.js"></script>
    <script>
        if (typeof BASE_URL === 'undefined') {
            var BASE_URL = '<?= BASE_URL ?>';
        }
    </script>
    <script>
        function updateRole(user) {
            document.getElementById('updateUserId').value = user.id;
            document.getElementById('updateUserName').textContent = user.full_name;
            document.getElementById('updateUserEmail').textContent = user.email;
            document.getElementById('updateRoleSelect').value = user.role;
            document.getElementById('updateRoleModal').style.display = 'block';
        }

        function closeUpdateModal() {
            document.getElementById('updateRoleModal').style.display = 'none';
        }

        function confirmDelete(user) {
            console.log('confirmDelete called with user:', user);
            const userIdInput = document.getElementById('deleteUserId');
            if (!userIdInput) {
                console.error('deleteUserId input not found');
                return;
            }
            userIdInput.value = user.id;
            document.getElementById('deleteUserName').textContent = user.full_name;
            document.getElementById('deleteUserEmail').textContent = user.email;
            document.getElementById('deleteUserRole').textContent = user.role === '<?= ROLE_ADMIN ?>
' ? 'Administrator' : 'Applicant';
            document.getElementById('deleteModal').style.display = 'block';
            console.log('User ID set to:', userIdInput.value);
        }

        function closeDeleteModal() {
            document.getElementById('deleteModal').style.display = 'none';
        }

        function executeDeleteUser() {
            const userId = document.getElementById('deleteUserId').value;
            const deleteBtn = document.getElementById('deleteSubmitBtn');

            if (!userId || userId === '0' || userId === '') {
                if (typeof Toast !== 'undefined') {
                    Toast.show('Error: User ID is missing. Please try again.', 'error');
                } else {
                    alert('Error: User ID is missing. Please try again.');
                }
                return;
            }
```

```
            // Disable button and show loading
            deleteBtn.disabled = true;
            const originalHtml = deleteBtn.innerHTML;
            deleteBtn.innerHTML = '<i class="fas fa-spinner fa-spin"></i> Deleting...';

            // Get CSRF token
            const csrfToken = document.querySelector('meta[name="csrf-token"]')?.content ||
                              document.querySelector('input[name="csrf_token"]')?.value || '';

            // Make AJAX request - send user_id in both URL and body for reliability
            const apiUrl = `../../api/users.php?action=delete&user_id=${userId}`;

            fetch(apiUrl, {
                method: 'DELETE',
                headers: {
                    'Content-Type': 'application/json',
                    'X-CSRF-Token': csrfToken
                },
                body: JSON.stringify({
                    user_id: userId,
                    csrf_token: csrfToken
                })
            })
            .then(response => {
                // Check if response is ok
                if (!response.ok) {
                    // Try to get error message from response
                    return response.json().then(data => {
                        throw new Error(data.message || data.error || `HTTP ${response.status}: ${re
sponse.statusText}`);
                    });
                }
                return response.json();
            })
            .then(data => {
                if (data.success) {
                    // Success - show message and reload page
                    if (typeof Toast !== 'undefined') {
                        Toast.show(data.message || 'User deleted successfully!', 'success');
                    } else {
                        alert(data.message || 'User deleted successfully!');
                    }
                    // Close modal and reload page after short delay
                    closeDeleteModal();
                    setTimeout(() => {
                        window.location.reload();
                    }, 1000);
                } else {
                    // Error - show error message
                    const errorMsg = data.message || data.error || 'Failed to delete user';
                    console.error('Delete failed:', data);
                    if (typeof Toast !== 'undefined') {
                        Toast.show(errorMsg, 'error');
                    } else {
                        alert(errorMsg);
                    }
                    // Re-enable button
                    deleteBtn.disabled = false;
                    deleteBtn.innerHTML = originalHtml;
                }
            })
            .catch(error => {
                console.error('Delete error:', error);
                const errorMsg = error.message || 'An error occurred while deleting the user. Please
 try again.';
                if (typeof Toast !== 'undefined') {
                    Toast.show(errorMsg, 'error');
                } else {
```

```
                    alert(errorMsg);
                }
                // Re-enable button
                deleteBtn.disabled = false;
                deleteBtn.innerHTML = originalHtml;
            });
        }

        // Close modal when clicking outside
        window.onclick = function(event) {
            const updateModal = document.getElementById('updateRoleModal');
            const deleteModal = document.getElementById('deleteModal');
            if (event.target == updateModal) {
                closeUpdateModal();
            }
            if (event.target == deleteModal) {
                closeDeleteModal();
            }
        }
    </script>
    <script src="../../assets/js/form-submission-manager.js"></script>
</body>
</html>
```

admin/pages/view_document.php

```php
<?php
/**
 * View Application Document
 * This file serves uploaded documents to administrators
 * Opens in a new tab with proper content type handling
 */

require_once '../../config/config.php';
require_once '../../includes/models.php';

// Require admin authentication
requireAdmin();

// Get document ID from query parameter
$documentId = isset($_GET['id']) ? (int)$_GET['id'] : 0;

if (!$documentId) {
    die('Invalid document ID');
}

// Get document details
$documentModel = new ApplicationDocument();
$document = $documentModel->findById($documentId);

if (!$document) {
    die('Document not found');
}

// Build the file path
$filePath = __DIR__ . '/../../applicant/pages/uploads/documents/' . $document['file_path'];

// Verify file exists on server
if (!file_exists($filePath)) {
    die('Document file not found on server');
}

// Get file extension and set appropriate content type
$fileExtension = strtolower(pathinfo($document['file_path'], PATHINFO_EXTENSION));
$contentTypes = [
    'pdf' => 'application/pdf',
    'doc' => 'application/msword',
    'docx' => 'application/vnd.openxmlformats-officedocument.wordprocessingml.document',
    'txt' => 'text/plain',
    'jpg' => 'image/jpeg',
    'jpeg' => 'image/jpeg',
    'png' => 'image/png',
    'gif' => 'image/gif',
    'zip' => 'application/zip'
];

$contentType = $contentTypes[$fileExtension] ?? 'application/octet-stream';
$shouldDownload = isset($_GET['download']) && $_GET['download'] !== '0';
$disposition = $shouldDownload ? 'attachment' : 'inline';
// Set headers for inline display (will open in browser tab)
header('Content-Type: ' . $contentType);
header('Content-Disposition: ' . $disposition . '; filename="' . $document['file_name'] . '"');
if ($shouldDownload) {
    header('Content-Transfer-Encoding: binary');
}
header('Content-Length: ' . filesize($filePath));
header('Cache-Control: no-cache, must-revalidate');
header('Pragma: public');

// Output the file content
readfile($filePath);
exit();
```

admin/pages/view_resume.php

```
<?php
/**
 * View Resume File
 * This file serves uploaded resume files to administrators
 * Opens in a new tab with proper content type handling
 */

require_once '../../config/config.php';
require_once '../../includes/models.php';

// Require admin authentication
requireAdmin();

// Get application ID from query parameter
$applicationId = isset($_GET['id']) ? (int)$_GET['id'] : 0;

if (!$applicationId) {
    die('Invalid application ID');
}

// Get application details
$applicationModel = new Application();
$application = $applicationModel->findById($applicationId);

if (!$application) {
    die('Application not found');
}

// Check if resume file exists
$resumeFile = $application['resume_file'];
if (!$resumeFile) {
    die('No resume file uploaded for this application');
}

// Build the file path
$filePath = __DIR__ . '/../../applicant/pages/uploads/resumes/' . $resumeFile;

// Verify file exists on server
if (!file_exists($filePath)) {
    die('Resume file not found on server');
}

// Get file extension and set appropriate content type
$fileExtension = strtolower(pathinfo($resumeFile, PATHINFO_EXTENSION));
$contentTypes = [
    'pdf' => 'application/pdf',
    'doc' => 'application/msword',
    'docx' => 'application/vnd.openxmlformats-officedocument.wordprocessingml.document',
    'txt' => 'text/plain',
    'jpg' => 'image/jpeg',
    'jpeg' => 'image/jpeg',
    'png' => 'image/png'
];

$contentType = $contentTypes[$fileExtension] ?? 'application/octet-stream';
$shouldDownload = isset($_GET['download']) && $_GET['download'] !== '0';
$disposition = $shouldDownload ? 'attachment' : 'inline';
// Set headers for inline display (will open in browser tab)
header('Content-Type: ' . $contentType);
header('Content-Disposition: ' . $disposition . '; filename="' . basename($resumeFile) . '"');
if ($shouldDownload) {
    header('Content-Transfer-Encoding: binary');
}
header('Content-Length: ' . filesize($filePath));
header('Cache-Control: no-cache, must-revalidate');
header('Pragma: public');
```

```
// Output the file content
readfile($filePath);
exit();
```

api/.htaccess

```
# API Directory Security and Configuration

# Enable rewrite engine
<IfModule mod_rewrite.c>
    RewriteEngine On
    # Use relative path instead of hardcoded RewriteBase for port forwarding compatibility
    # RewriteBase will be automatically determined from the request

    # Block access to sensitive files
    RewriteRule ^controllers/ - [F,L]
</IfModule>

# Disable directory browsing
Options -Indexes

# Set default charset
AddDefaultCharset UTF-8

# CORS headers (adjust origins as needed for port forwarding)
# Note: Access-Control-Allow-Origin is handled by ApiController.php
# We only set default headers here, the controller will set the origin dynamically
<IfModule mod_headers.c>
    # Set default CORS headers (origin will be set by ApiController based on request)
    Header set Access-Control-Allow-Methods "GET, POST, PUT, DELETE, OPTIONS"
    Header set Access-Control-Allow-Headers "Content-Type, Authorization, X-CSRF-TOKEN, X-Requested-
With"
    Header set Access-Control-Allow-Credentials "true"
    Header set Access-Control-Max-Age "86400"
</IfModule>

# PHP settings
<IfModule mod_php7.c>
    php_value upload_max_filesize 10M
    php_value post_max_size 10M
    php_value max_execution_time 300
    php_value max_input_time 300
</IfModule>

# Deny access to .php files in controllers directory
<Files "ApiController.php">
    Order Allow,Deny
    Deny from all
</Files>

# Cache control for API responses
<IfModule mod_expires.c>
    ExpiresActive Off
</IfModule>

<IfModule mod_headers.c>
    Header set Cache-Control "no-cache, no-store, must-revalidate"
    Header set Pragma "no-cache"
    Header set Expires 0
</IfModule>
```

api/applications.php

```
<?php
/**
 * Applications API Controller
 * Handles API requests for applications
 */

require_once __DIR__ . '/ApiController.php';
require_once __DIR__ . '/../../includes/services/ApplicationService.php';
require_once __DIR__ . '/../../includes/services/FileUploadService.php';

class ApplicationsController extends ApiController {
    private $applicationService;
    private $fileService;

    public function __construct() {
        parent::__construct();
        $this->applicationService = new ApplicationService();
        $this->fileService = new FileUploadService();
    }

    /**
     * Handle request routing
     */
    public function handle() {
        try {
            $action = $_GET['action'] ?? 'index';

            switch ($this->method) {
                case 'GET':
                    $this->handleGet($action);
                    break;
                case 'POST':
                    $this->handlePost($action);
                    break;
                case 'PUT':
                case 'PATCH':
                    $this->handlePut($action);
                    break;
                case 'DELETE':
                    $this->handleDelete($action);
                    break;
                default:
                    Response::error('Method not allowed', 405);
            }
        } catch (Exception $e) {
            $this->handleException($e);
        }
    }

    /**
     * Handle GET requests
     */
    private function handleGet($action) {
        switch ($action) {
            case 'index':
                $this->getApplications();
                break;
            case 'show':
                $this->getApplication();
                break;
            case 'stats':
                $this->getStats();
                break;
            default:
                Response::notFound('Action not found');
        }
```

```
    }

    /**
     * Handle POST requests
     */
    private function handlePost($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'submit':
                $this->submitApplication();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Handle PUT requests
     */
    private function handlePut($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'update-status':
                $this->updateStatus();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Handle DELETE requests
     */
    private function handleDelete($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'delete':
                $this->deleteApplication();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Get applications list
     */
    private function getApplications() {
        $userId = $this->requireAuth();
        $isAdmin = hasRole(ROLE_ADMIN);

        $filters = [
            'status' => $this->requestData['status'] ?? null,
            'position_id' => $this->requestData['position_id'] ?? null,
            'search' => $this->requestData['search'] ?? null,
        ];

        if ($isAdmin) {
            $applications = $this->applicationService->getAllApplications($filters);
        } else {
            $applications = $this->applicationService->getUserApplications($userId, $filters);
        }

        // Pagination
        $pagination = $this->getPagination();
```

```
        $total = count($applications);
        $applications = array_slice($applications, $pagination['offset'], $pagination['perPage']);

        Response::paginated(
            $applications,
            $total,
            $pagination['page'],
            $pagination['perPage'],
            'Applications retrieved successfully'
        );
    }

    /**
     * Get single application
     */
    private function getApplication() {
        $userId = $this->requireAuth();
        $isAdmin = hasRole(ROLE_ADMIN);

        $applicationId = (int)($this->requestData['id'] ?? 0);

        if (!$applicationId) {
            Response::error('Application ID is required', 400);
        }

        $application = $this->applicationService->getApplicationDetails($applicationId, $userId, $is
Admin);

        Response::success($application, 'Application retrieved successfully');
    }

    /**
     * Submit new application
     */
    private function submitApplication() {
        $userId = $this->requireAuth();

        // Validate input
        $validator = new Validator($this->requestData);
        $validator->required('position_id')
                  ->integer('position_id');

        if ($validator->fails()) {
            Response::validationError($validator->getErrors());
        }

        $positionId = (int)$this->requestData['position_id'];

        $data = [
            'cover_letter' => $this->requestData['cover_letter'] ?? null,
        ];

        // Handle file upload
        if (isset($_FILES['resume']) && $_FILES['resume']['error'] === UPLOAD_ERR_OK) {
            $this->fileService->setAllowedTypes([
                'pdf' => 'application/pdf',
                'doc' => 'application/msword',
                'docx' => 'application/vnd.openxmlformats-officedocument.wordprocessingml.document'
            ]);

            $upload = $this->fileService->upload($_FILES['resume'], 'resumes/');

            if ($upload) {
                $data['resume_file'] = $upload['filename'];
            } else {
                Response::error($this->fileService->getLastError(), 400);
            }
        }
```

```
        $application = $this->applicationService->submitApplication($userId, $positionId, $data);

        Response::success($application, 'Application submitted successfully! A confirmation email ha
s been sent to your email address.', 201);
    }

    /**
     * Update application status (admin only)
     */
    private function updateStatus() {
        $adminId = $this->requireAdmin();

        // Validate input
        $validator = new Validator($this->requestData);
        $validator->required('id')
                  ->integer('id')
                  ->required('status')
                  ->in('status', [STATUS_PENDING, STATUS_APPROVED, STATUS_REJECTED]);

        if ($validator->fails()) {
            Response::validationError($validator->getErrors());
        }

        $applicationId = (int)$this->requestData['id'];
        $status = $this->requestData['status'];

        $application = $this->applicationService->updateApplicationStatus($applicationId, $status, $
adminId);

        // Add email confirmation to response message
        if ($status === STATUS_APPROVED || $status === STATUS_REJECTED) {
            $statusText = $status === STATUS_APPROVED ? 'approved' : 'rejected';
            Response::success($application, "Application status updated to {$statusText} and confirm
ation email has been sent to the applicant.");
        } else {
            Response::success($application, 'Application status updated successfully.');
        }
    }

    /**
     * Delete application
     */
    private function deleteApplication() {
        $userId = $this->requireAuth();
        $isAdmin = hasRole(ROLE_ADMIN);

        $applicationId = (int)($this->requestData['id'] ?? 0);

        if (!$applicationId) {
            Response::error('Application ID is required', 400);
        }

        $this->applicationService->deleteApplication($applicationId, $userId, $isAdmin);

        Response::success(null, 'Application deleted successfully');
    }

    /**
     * Get application statistics
     */
    private function getStats() {
        $this->requireAuth();

        $positionId = isset($this->requestData['position_id']) ? (int)$this->requestData['position_i
d'] : null;

        $stats = $this->applicationService->getApplicationStats($positionId);
```

```
        Response::success($stats, 'Statistics retrieved successfully');
    }
}

// Initialize and handle request
$controller = new ApplicationsController();
$controller->handle();
```

api/controllers/ApiController.php

```
<?php
/**
 * API Base Controller
 * Common functionality for all API endpoints
 */

require_once __DIR__ . '/../../config/config.php';
require_once __DIR__ . '/../../includes/models.php';
require_once __DIR__ . '/../../includes/helpers/Response.php';
require_once __DIR__ . '/../../includes/helpers/Validator.php';
require_once __DIR__ . '/../../includes/exceptions/Exceptions.php';

class ApiController {
    protected $method;
    protected $requestData;

    public function __construct() {
        // Ensure no output before headers
        if (ob_get_level() == 0) {
            ob_start();
        }

        // Set JSON content type
        header('Content-Type: application/json', true);

        // Get request method
        $this->method = $_SERVER['REQUEST_METHOD'];

        // Get request data
        $this->requestData = $this->getRequestData();

        // Handle CORS if needed
        $this->handleCors();
    }

    /**
     * Get request data based on method
     */
    protected function getRequestData() {
        $data = [];

        switch ($this->method) {
            case 'GET':
                $data = $_GET;
                break;
            case 'POST':
            case 'PUT':
            case 'PATCH':
                $data = array_merge($_POST, (array)json_decode(file_get_contents('php://input'), tru
e));
                break;
            case 'DELETE':
                // Try JSON first, then fall back to URL-encoded
                $input = file_get_contents('php://input');
                $jsonData = json_decode($input, true);
                if (json_last_error() === JSON_ERROR_NONE && is_array($jsonData)) {
                    $data = $jsonData;
                } else {
                    parse_str($input, $data);
                }
                // Also merge GET parameters for action
                $data = array_merge($data, $_GET);
                break;
        }

        return $data;
```

```
    }

    /**
     * Handle CORS - supports port forwarding scenarios
     */
    protected function handleCors() {
        // For port forwarding, we need to allow the origin that's making the request
        // This works with SSH tunnels, ngrok, cloudflare tunnels, etc.
        $origin = $_SERVER['HTTP_ORIGIN'] ?? null;

        if ($origin) {
            // Validate origin to prevent open redirects
            // Allow localhost, 127.0.0.1, and common port forwarding services
            $allowedPatterns = [
                '/^https?:\/\/(localhost|127\.0\.0\.1|\[::1\])(:\d+)?$/i',
                '/^https?:\/\/.*\.ngrok\.(app|io)(:\d+)?$/i',
                '/^https?:\/\/.*\.cloudflare\.com(:443)?$/i',
                '/^https?:\/\/.*\.devtunnels\.ms(:443)?$/i',
                '/^https?:\/\/.*\.loca\.lt(:443)?$/i',
                '/^https?:\/\/.*\.trycloudflare\.com(:443)?$/i',
            ];

            $isAllowed = false;
            foreach ($allowedPatterns as $pattern) {
                if (preg_match($pattern, $origin)) {
                    $isAllowed = true;
                    break;
                }
            }

            // Also allow if origin matches the current host (for same-origin requests)
            $currentHost = ($_SERVER['HTTPS'] === 'on' ? 'https://' : 'http://') . ($_SERVER['HTTP_H
OST'] ?? '');
            if (strpos($origin, $currentHost) === 0) {
                $isAllowed = true;
            }

            if ($isAllowed) {
                header('Access-Control-Allow-Origin: ' . $origin);
                header('Access-Control-Allow-Credentials: true');
            }
        } else {
            // If no origin header, allow from same origin (for direct access)
            header('Access-Control-Allow-Credentials: true');
        }

        header('Access-Control-Max-Age: 86400');

        if ($this->method === 'OPTIONS') {
            if (isset($_SERVER['HTTP_ACCESS_CONTROL_REQUEST_METHOD'])) {
                header('Access-Control-Allow-Methods: GET, POST, PUT, DELETE, OPTIONS');
            }

            if (isset($_SERVER['HTTP_ACCESS_CONTROL_REQUEST_HEADERS'])) {
                header('Access-Control-Allow-Headers: ' . $_SERVER['HTTP_ACCESS_CONTROL_REQUEST_HEAD
ERS']);
            } else {
                // Default headers for port forwarding compatibility
                header('Access-Control-Allow-Headers: Content-Type, Authorization, X-CSRF-TOKEN, X-R
equested-With');
            }

            exit(0);
        }
    }

    /**
     * Verify authentication
```

```
     */
    protected function requireAuth() {
        if (!isLoggedIn()) {
            Response::unauthorized('Authentication required');
        }

        return $_SESSION['user_id'];
    }

    /**
     * Verify admin role
     */
    protected function requireAdmin() {
        $userId = $this->requireAuth();

        if (!hasRole(ROLE_ADMIN)) {
            Response::forbidden('Admin access required');
        }

        return $userId;
    }

    /**
     * Verify CSRF token
     */
    protected function verifyCsrf() {
        $token = $this->requestData['csrf_token'] ??
                 ($_SERVER['HTTP_X_CSRF_TOKEN'] ?? null) ??
                 ($_POST['csrf_token'] ?? null);

        if (!$token || !verifyCSRFToken($token)) {
            error_log('CSRF verification failed. Token provided: ' . ($token ? 'yes' : 'no'));
            error_log('Request data: ' . print_r($this->requestData, true));
            error_log('Headers: ' . print_r(getallheaders(), true));
            Response::error('Invalid CSRF token', 403);
        }
    }

    /**
     * Get pagination parameters
     */
    protected function getPagination() {
        $page = max(1, (int)($this->requestData['page'] ?? 1));
        $perPage = min(100, max(1, (int)($this->requestData['per_page'] ?? 10)));
        $offset = ($page - 1) * $perPage;

        return compact('page', 'perPage', 'offset');
    }

    /**
     * Handle exceptions
     */
    protected function handleException($e) {
        error_log("API Error: " . $e->getMessage() . "\n" . $e->getTraceAsString());

        if ($e instanceof ValidationException) {
            Response::error($e->getMessage(), 422);
        } elseif ($e instanceof AuthenticationException) {
            Response::unauthorized($e->getMessage());
        } elseif ($e instanceof AuthorizationException) {
            Response::forbidden($e->getMessage());
        } elseif ($e instanceof NotFoundException) {
            Response::notFound($e->getMessage());
        } else {
            Response::serverError('An unexpected error occurred');
        }
    }
}
```

api/index.php

```
<?php
/**
 * API Documentation
 *
 * This file provides an overview of available API endpoints
 */

require_once __DIR__ . '/../config/config.php';

$apiDocs = [
    'version' => '1.0.0',
    'base_url' => BASE_URL . 'api/',

    'authentication' => [
        'type' => 'Session-based',
        'description' => 'User must be logged in. Session cookie is used for authentication.',
        'csrf_protection' => 'CSRF token required for POST, PUT, PATCH, DELETE requests'
    ],

    'endpoints' => [
        'users' => [
            'base' => 'users.php',
            'methods' => [
                [
                    'method' => 'GET',
                    'action' => 'index',
                    'auth' => 'admin',
                    'description' => 'Get all users',
                    'params' => ['page', 'per_page', 'role', 'is_active', 'search']
                ],
                [
                    'method' => 'GET',
                    'action' => 'profile',
                    'auth' => 'user',
                    'description' => 'Get user profile',
                    'params' => ['user_id (optional)']
                ],
                [
                    'method' => 'GET',
                    'action' => 'activity',
                    'auth' => 'user',
                    'description' => 'Get user activity logs',
                    'params' => ['user_id (optional)', 'limit']
                ],
                [
                    'method' => 'POST',
                    'action' => 'register',
                    'auth' => 'none',
                    'description' => 'Register new user',
                    'params' => ['username', 'email', 'password', 'full_name', 'phone', 'address']
                ],
                [
                    'method' => 'PUT',
                    'action' => 'update-profile',
                    'auth' => 'user',
                    'description' => 'Update user profile',
                    'params' => ['user_id (optional)', 'full_name', 'phone', 'address', 'etc.']
                ],
                [
                    'method' => 'PUT',
                    'action' => 'change-password',
                    'auth' => 'user',
                    'description' => 'Change user password',
                    'params' => ['current_password', 'new_password']
                ],
                [
```

```
                    'method' => 'PUT',
                    'action' => 'toggle-status',
                    'auth' => 'admin',
                    'description' => 'Toggle user active status',
                    'params' => ['user_id']
                ]
            ]
        ],

        'positions' => [
            'base' => 'positions.php',
            'methods' => [
                [
                    'method' => 'GET',
                    'action' => 'index',
                    'auth' => 'user',
                    'description' => 'Get all positions',
                    'params' => ['page', 'per_page', 'is_active', 'employment_type', 'search']
                ],
                [
                    'method' => 'GET',
                    'action' => 'show',
                    'auth' => 'none',
                    'description' => 'Get single position',
                    'params' => ['id']
                ],
                [
                    'method' => 'GET',
                    'action' => 'active',
                    'auth' => 'none',
                    'description' => 'Get active positions',
                    'params' => []
                ],
                [
                    'method' => 'GET',
                    'action' => 'stats',
                    'auth' => 'admin',
                    'description' => 'Get position statistics',
                    'params' => ['position_id (optional)']
                ],
                [
                    'method' => 'POST',
                    'action' => 'create',
                    'auth' => 'admin',
                    'description' => 'Create new position',
                    'params' => ['title', 'description', 'requirements', 'min_experience_years', 'ma
x_applications', 'salary_range', 'location', 'employment_type', 'deadline']
                ],
                [
                    'method' => 'PUT',
                    'action' => 'update',
                    'auth' => 'admin',
                    'description' => 'Update position',
                    'params' => ['id', '...fields to update']
                ],
                [
                    'method' => 'PUT',
                    'action' => 'toggle-status',
                    'auth' => 'admin',
                    'description' => 'Toggle position active status',
                    'params' => ['id']
                ],
                [
                    'method' => 'DELETE',
                    'action' => 'delete',
                    'auth' => 'admin',
                    'description' => 'Delete position',
                    'params' => ['id']
```

```
                ]
            ]
        ],

        'applications' => [
            'base' => 'applications.php',
            'methods' => [
                [
                    'method' => 'GET',
                    'action' => 'index',
                    'auth' => 'user',
                    'description' => 'Get applications (all for admin, own for users)',
                    'params' => ['page', 'per_page', 'status', 'position_id', 'search']
                ],
                [
                    'method' => 'GET',
                    'action' => 'show',
                    'auth' => 'user',
                    'description' => 'Get single application',
                    'params' => ['id']
                ],
                [
                    'method' => 'GET',
                    'action' => 'stats',
                    'auth' => 'user',
                    'description' => 'Get application statistics',
                    'params' => ['position_id (optional)']
                ],
                [
                    'method' => 'POST',
                    'action' => 'submit',
                    'auth' => 'user',
                    'description' => 'Submit new application',
                    'params' => ['position_id', 'cover_letter', 'resume (file)']
                ],
                [
                    'method' => 'PUT',
                    'action' => 'update-status',
                    'auth' => 'admin',
                    'description' => 'Update application status',
                    'params' => ['id', 'status']
                ],
                [
                    'method' => 'DELETE',
                    'action' => 'delete',
                    'auth' => 'user/admin',
                    'description' => 'Delete application',
                    'params' => ['id']
                ]
            ]
        ]
    ],

    'response_format' => [
        'success' => [
            'success' => true,
            'message' => 'Success message',
            'data' => '... response data ...',
            'timestamp' => '2025-11-09 12:00:00'
        ],
        'error' => [
            'success' => false,
            'message' => 'Error message',
            'errors' => '... validation errors (optional) ...',
            'timestamp' => '2025-11-09 12:00:00'
        ],
        'paginated' => [
            'success' => true,
```

```
            'message' => 'Success message',
            'data' => [
                'items' => '... array of items ...',
                'pagination' => [
                    'total' => 100,
                    'per_page' => 10,
                    'current_page' => 1,
                    'total_pages' => 10,
                    'has_more' => true
                ]
            ],
            'timestamp' => '2025-11-09 12:00:00'
        ]
    ],

    'status_codes' => [
        200 => 'Success',
        201 => 'Created',
        400 => 'Bad Request',
        401 => 'Unauthorized',
        403 => 'Forbidden',
        404 => 'Not Found',
        422 => 'Validation Error',
        500 => 'Internal Server Error'
    ]
];

// Output as JSON if requested via API
if (isset($_GET['format']) && $_GET['format'] === 'json') {
    header('Content-Type: application/json');
    echo json_encode($apiDocs, JSON_PRETTY_PRINT);
    exit;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>API Documentation - WPU Applicant System</title>
    <link href="<?= BASE_URL ?>assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <style>
        * { margin: 0; padding: 0; box-sizing: border-box; }
        body {
            font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
            background: #f3f4f6;
            padding: 40px 20px;
        }
        .container {
            max-width: 1200px;
            margin: 0 auto;
            background: white;
            border-radius: 12px;
            box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
            padding: 40px;
        }
        h1 {
            color: #1f2937;
            margin-bottom: 12px;
            font-size: 2rem;
        }
        .version {
            color: #6b7280;
            font-size: 0.875rem;
            margin-bottom: 32px;
        }
        h2 {
            color: #1f2937;
```

```
            margin: 32px 0 16px 0;
            font-size: 1.5rem;
            border-bottom: 2px solid #2563eb;
            padding-bottom: 8px;
        }
        h3 {
            color: #374151;
            margin: 24px 0 12px 0;
            font-size: 1.25rem;
        }
        .endpoint {
            background: #f9fafb;
            border-left: 4px solid #2563eb;
            padding: 16px;
            margin: 16px 0;
            border-radius: 6px;
        }
        .method {
            display: inline-block;
            padding: 4px 12px;
            border-radius: 4px;
            font-weight: 600;
            font-size: 0.875rem;
            margin-right: 8px;
        }
        .method.get { background: #10b981; color: white; }
        .method.post { background: #f59e0b; color: white; }
        .method.put { background: #2563eb; color: white; }
        .method.delete { background: #ef4444; color: white; }
        .auth {
            display: inline-block;
            padding: 4px 12px;
            border-radius: 4px;
            background: #e5e7eb;
            color: #374151;
            font-size: 0.875rem;
            margin-left: 8px;
        }
        .params {
            margin-top: 8px;
            padding-left: 20px;
        }
        code {
            background: #1f2937;
            color: #10b981;
            padding: 2px 6px;
            border-radius: 4px;
            font-size: 0.875rem;
        }
        pre {
            background: #1f2937;
            color: #e5e7eb;
            padding: 16px;
            border-radius: 6px;
            overflow-x: auto;
            font-size: 0.875rem;
        }
    </style>
</head>
<body>
    <div class="container">
        <h1><i class="fas fa-code"></i> API Documentation</h1>
        <div class="version">Version <?= $apiDocs['version'] ?></div>

        <p style="color: #6b7280; line-height: 1.6; margin-bottom: 24px;">
            This documentation provides information about the RESTful API endpoints available in the
 WPU Applicant System.
            All endpoints return JSON responses.
```

```
        </p>

        <h2>Base URL</h2>
        <code><?= $apiDocs['base_url'] ?></code>

        <h2>Authentication</h2>
        <div style="background: #fef3c7; border-left: 4px solid #f59e0b; padding: 16px; margin: 16px
 0; border-radius: 6px;">
            <strong>Type:</strong> <?= $apiDocs['authentication']['type'] ?><br>
            <strong>CSRF Protection:</strong> <?= $apiDocs['authentication']['csrf_protection'] ?>
        </div>

        <?php foreach ($apiDocs['endpoints'] as $resource => $info): ?>
            <h2><?= ucfirst($resource) ?></h2>
            <p style="color: #6b7280; margin-bottom: 16px;">
                Base endpoint: <code><?= $info['base'] ?></code>
            </p>

            <?php foreach ($info['methods'] as $endpoint): ?>
                <div class="endpoint">
                    <div>
                        <span class="method <?= strtolower($endpoint['method']) ?>">
                            <?= $endpoint['method'] ?>
                        </span>
                        <code><?= $info['base'] ?>?action=<?= $endpoint['action'] ?></code>
                        <span class="auth"><i class="fas fa-lock"></i> <?= ucfirst($endpoint['auth']
) ?></span>
                    </div>
                    <p style="margin: 12px 0 8px 0; color: #374151;">
                        <?= $endpoint['description'] ?>
                    </p>
                    <?php if (!empty($endpoint['params'])): ?>
                        <div class="params">
                            <strong style="font-size: 0.875rem; color: #6b7280;">Parameters:</strong
>
                            <ul style="margin-top: 4px; color: #6b7280; font-size: 0.875rem;">
                                <?php foreach ($endpoint['params'] as $param): ?>
                                    <li><?= $param ?></li>
                                <?php endforeach; ?>
                            </ul>
                        </div>
                    <?php endif; ?>
                </div>
            <?php endforeach; ?>
        <?php endforeach; ?>

        <h2>Response Format</h2>

        <h3>Success Response</h3>
        <pre><?= json_encode($apiDocs['response_format']['success'], JSON_PRETTY_PRINT) ?></pre>

        <h3>Error Response</h3>
        <pre><?= json_encode($apiDocs['response_format']['error'], JSON_PRETTY_PRINT) ?></pre>

        <h3>Paginated Response</h3>
        <pre><?= json_encode($apiDocs['response_format']['paginated'], JSON_PRETTY_PRINT) ?></pre>

        <h2>HTTP Status Codes</h2>
        <?php foreach ($apiDocs['status_codes'] as $code => $description): ?>
            <div style="padding: 8px 0; border-bottom: 1px solid #e5e7eb;">
                <code><?= $code ?></code> - <?= $description ?>
            </div>
        <?php endforeach; ?>
    </div>
</body>
</html>
```

api/messages.php

```
<?php
/**
 * Messages API Controller
 * Handles API requests for chat messages between applicants and admins
 */

// Suppress error display for API endpoints - we want JSON responses only
ini_set('display_errors', 0);
ini_set('display_startup_errors', 0);
error_reporting(E_ALL);
// Increase execution time for API calls
set_time_limit(30); // 30 seconds should be enough for message operations

// Start output buffering early to catch any accidental output
if (ob_get_level() == 0) {
    ob_start();
}

// Set error handler to prevent HTML output
set_error_handler(function($errno, $errstr, $errfile, $errline) {
    // Log the error but don't output it
    error_log("PHP Error [$errno]: $errstr in $errfile on line $errline");
    return true; // Don't execute PHP internal error handler
}, E_ALL);

require_once __DIR__ . '/controllers/ApiController.php';

class MessagesController extends ApiController {
    private $messageModel;
    private $applicationModel;
    private static $tableExistsCache = null;
    private static $columnExistsCache = [];

    public function __construct() {
        parent::__construct();
        $this->messageModel = new Message();
        $this->applicationModel = new Application();
    }

    /**
     * Handle request routing
     */
    public function handle() {
        try {
            $action = $_GET['action'] ?? 'index';

            switch ($this->method) {
                case 'GET':
                    $this->handleGet($action);
                    break;
                case 'POST':
                    $this->handlePost($action);
                    break;
                case 'PUT':
                case 'PATCH':
                    $this->handlePut($action);
                    break;
                default:
                    Response::error('Method not allowed', 405);
            }
        } catch (Exception $e) {
            $this->handleException($e);
        }
    }

    /**
```

```
     * Handle GET requests
     */
    private function handleGet($action) {
        switch ($action) {
            case 'index':
                $this->getMessages();
                break;
            case 'unread-count':
                $this->getUnreadCount();
                break;
            case 'conversations':
                $this->getConversations();
                break;
            case 'search-users':
                $this->searchUsers();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Handle POST requests
     */
    private function handlePost($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'send':
                $this->sendMessage();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Handle PUT requests
     */
    private function handlePut($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'mark-read':
                $this->markAsRead();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Get messages for an application or user-to-user chat
     */
    private function getMessages() {
        try {
            $userId = $this->requireAuth();
            $isAdmin = hasRole(ROLE_ADMIN);

            // First, check if messages table exists
            if (!$this->tableExists('messages')) {
                Response::error('Messages table does not exist in the database. Please create it usi
ng the SQL file: config/migrations/create_messages_table.sql', 500);
            }

            $applicationId = isset($this->requestData['application_id']) ? (int)$this->requestData['
application_id'] : null;
            $recipientId = isset($this->requestData['recipient_id']) ? (int)$this->requestData['reci
```

```
pient_id'] : null;

            // Support both application-based and user-to-user chats
            if ($applicationId) {
                // Application-based chat
                $application = $this->applicationModel->findById($applicationId);
                if (!$application) {
                    Response::error('Application not found', 404);
                }

                // Check if application is approved or rejected
                if ($application['status'] !== STATUS_APPROVED && $application['status'] !== STATUS_
REJECTED) {
                    Response::error('Chat is only available for approved or rejected applications',
403);
                }

                // Verify access: admin can see all, applicant can only see their own
                if (!$isAdmin && (int)$application['user_id'] !== (int)$userId) {
                    Response::forbidden('You do not have access to this application');
                }

                $limit = min(100, max(10, (int)($this->requestData['limit'] ?? 50)));

                try {
                    $messages = $this->messageModel->getMessagesByApplication($applicationId, $limit
);
                } catch (Exception $e) {
                    error_log("Messages table error: " . $e->getMessage());
                    $messages = [];
                }
            } elseif ($recipientId) {
                // User-to-user chat
                // For applicants: allow them to see messages where they are the recipient (from adm
ins only)
                // For admins: allow them to see chats with applicants only

                // Verify recipient exists
                $userModel = new User();
                $recipient = $userModel->findById($recipientId);
                if (!$recipient) {
                    Response::error('Recipient not found', 404);
                }

                // For applicants: they can view messages between themselves and the admin
                if (!$isAdmin) {
                    // Verify recipient is an admin (applicants can only chat with admins)
                    if ($recipient['role'] !== ROLE_ADMIN) {
                        Response::forbidden('You can only chat with administrators');
                    }

                    // Verify that the applicant is part of this conversation
                    // The recipientId should be the admin they're chatting with
                    // Messages will be filtered to show only messages between applicant and this ad
min
                } else {
                    // Admin can only chat with applicants, not with other admins
                    if ($recipient['role'] === ROLE_ADMIN) {
                        Response::error('Admins can only chat with applicants', 400);
                    }

                    // Admin can't chat with themselves
                    if ((int)$recipientId === (int)$userId) {
                        Response::error('Cannot chat with yourself', 400);
                    }
                }

                $limit = min(100, max(10, (int)($this->requestData['limit'] ?? 50)));
```

```
                // Check if recipient_id column exists before querying
                if (!$this->columnExists('recipient_id')) {
                    Response::error('Database migration required. The recipient_id column does not e
xist. Please run: config/migrations/add_recipient_to_messages.sql', 500);
                }

                try {
                    if ($isAdmin) {
                        // Admin viewing user-to-user chat
                        $messages = $this->messageModel->getMessagesByUsers($userId, $recipientId, $
limit);
                    } else {
                        // Applicant viewing messages with a specific admin (using recipient_id)
                        // Get messages between applicant and the admin (recipientId)
                        $messages = $this->messageModel->getMessagesByUsers($userId, $recipientId, $
limit);
                    }
                } catch (PDOException $e) {
                    error_log("Messages query error: " . $e->getMessage());
                    error_log("PDO Error Code: " . $e->getCode());

                    // Check if it's a column doesn't exist error
                    if (strpos($e->getMessage(), 'recipient_id') !== false || $e->getCode() == '42S2
2') {
                        Response::error('Database migration required. The recipient_id column does n
ot exist. Please run: config/migrations/add_recipient_to_messages.sql', 500);
                    }

                    // For other errors, return empty array
                    $messages = [];
                } catch (Exception $e) {
                    error_log("Messages table error: " . $e->getMessage());
                    $messages = [];
                }
            } else {
                // For applicants: also check for messages sent to them via recipient_id
                if (!$isAdmin) {
                    if (!$this->columnExists('recipient_id')) {
                        Response::error('Application ID is required', 400);
                    }

                    try {
                        $limit = min(100, max(10, (int)($this->requestData['limit'] ?? 50)));
                        $messages = $this->messageModel->getMessagesForRecipient($userId, $limit);
                    } catch (Exception $e) {
                        error_log("Messages table error: " . $e->getMessage());
                        $messages = [];
                    }
                } else {
                    Response::error('Application ID or Recipient ID is required', 400);
                }
            }

            // Check if recipient_id column exists (for user-to-user chats)
            // Only check if we're actually using recipient_id
            if (($recipientId || (!$applicationId && !$isAdmin)) && !$this->columnExists('recipient_
id')) {
                Response::error('Database migration required. The recipient_id column does not exist
. Please run: config/migrations/add_recipient_to_messages.sql', 500);
            }

            // Mark messages as read for the current user
            if (!empty($messages)) {
                $unreadIds = [];
                foreach ($messages as $msg) {
                    if (!$msg['is_read'] && (int)$msg['sender_id'] !== (int)$userId) {
                        $unreadIds[] = (int)$msg['id'];
```

```
                    }
                }
                if (!empty($unreadIds)) {
                    try {
                        $this->messageModel->markAsRead($unreadIds, $userId);
                    } catch (Exception $e) {
                        error_log("Mark as read error: " . $e->getMessage());
                    }
                }
            }

            Response::success($messages, 'Messages retrieved successfully');
        } catch (Exception $e) {
            error_log("getMessages error: " . $e->getMessage());
            Response::error('Failed to retrieve messages: ' . $e->getMessage(), 500);
        }
    }

    /**
     * Send a message
     */
    private function sendMessage() {
        try {
            $userId = $this->requireAuth();
            $isAdmin = hasRole(ROLE_ADMIN);
            $userRole = $isAdmin ? ROLE_ADMIN : ROLE_APPLICANT;

            // Validate input first (faster than DB checks)
            $validator = new Validator($this->requestData);
            $validator->required('message')
                      ->minLength('message', 1)
                      ->maxLength('message', 5000);

            // At least one of application_id or recipient_id must be provided
            $applicationId = isset($this->requestData['application_id']) ? (int)$this->requestData['
application_id'] : null;
            $recipientId = isset($this->requestData['recipient_id']) ? (int)$this->requestData['reci
pient_id'] : null;

            if (!$applicationId && !$recipientId) {
                Response::error('Application ID or Recipient ID is required', 400);
            }

            if ($validator->fails()) {
                Response::validationError($validator->getErrors());
            }

            $message = trim($this->requestData['message']);

            if (empty($message)) {
                Response::error('Message cannot be empty', 400);
            }

            // Handle application-based messaging
            if ($applicationId) {
                // Verify user has access to this application
                $application = $this->applicationModel->findById($applicationId);
                if (!$application) {
                    Response::error('Application not found', 404);
                }

                // Check if application is approved or rejected
                if ($application['status'] !== STATUS_APPROVED && $application['status'] !== STATUS_
REJECTED) {
                    Response::error('Chat is only available for approved or rejected applications',
403);
                }
```

```
                // Verify access: admin can message all, applicant can only message their own
                if (!$isAdmin && (int)$application['user_id'] !== (int)$userId) {
                    Response::forbidden('You do not have access to this application');
                }

                // For applicants replying: try to find the admin they're chatting with
                // by looking at recent messages for this application
                $detectedRecipientId = null;
                if (!$isAdmin) {
                    // Check if there's an existing message from an admin for this application
                    // Applicants can only reply, not initiate
                    try {
                        $stmt = $this->messageModel->getConnection()->prepare("
                            SELECT sender_id
                            FROM messages
                            WHERE application_id = ?
                            AND sender_role = 'admin'
                            ORDER BY created_at DESC
                            LIMIT 1
                        ");
                        $stmt->execute([$applicationId]);
                        $adminMessage = $stmt->fetch();
                        if ($adminMessage) {
                            $detectedRecipientId = (int)$adminMessage['sender_id'];
                        } else {
                            // No admin message exists yet - applicant cannot initiate
                            Response::forbidden('You can only reply to conversations. Please wait fo
r an administrator to message you first.');
                        }
                    } catch (Exception $e) {
                        error_log("Error detecting recipient_id for applicant reply: " . $e->getMess
age());
                        Response::forbidden('You can only reply to conversations. Please wait for an
 administrator to message you first.');
                    }
                }

                // Create message
                $data = [
                    'application_id' => $applicationId,
                    'sender_id' => $userId,
                    'recipient_id' => $detectedRecipientId,
                    'sender_role' => $userRole,
                    'message' => $message
                ];
            } else {
                // User-to-user messaging - only admins can initiate chats with applicants
                if (!$isAdmin) {
                    // Applicants can only reply to existing conversations
                    // Check if there's an existing message from the recipient (admin) to this appli
cant
                    // Optimized query: check direct messages first (faster), then application-based
                    $hasExistingConversation = false;
                    try {
                        // First check direct messages (fastest)
                        $stmt = $this->messageModel->getConnection()->prepare("
                            SELECT 1
                            FROM messages
                            WHERE (
                                (sender_id = ? AND recipient_id = ?)
                                OR (sender_id = ? AND recipient_id = ?)
                            )
                            LIMIT 1
                        ");
                        $stmt->execute([$recipientId, $userId, $userId, $recipientId]);
                        if ($stmt->fetch()) {
                            $hasExistingConversation = true;
                        } else {
```

```
                        // Then check application-based messages (slower, but only if needed)
                        $stmt = $this->messageModel->getConnection()->prepare("
                            SELECT 1
                            FROM messages m
                            INNER JOIN applications app ON m.application_id = app.id
                            WHERE app.user_id = ?
                            LIMIT 1
                        ");
                        $stmt->execute([$userId]);
                        if ($stmt->fetch()) {
                            $hasExistingConversation = true;
                        }
                    }
                } catch (Exception $e) {
                    error_log("Error checking existing conversation: " . $e->getMessage());
                    // On error, allow the message to proceed (fail open for better UX)
                    // The database constraint will catch invalid messages anyway
                    $hasExistingConversation = true;
                }

                if (!$hasExistingConversation) {
                    Response::forbidden('You can only reply to conversations. Please wait for an
administrator to message you first.');
                }
            }

            // Verify recipient exists (do this before column check to fail fast)
            $userModel = new User();
            $recipient = $userModel->findById($recipientId);
            if (!$recipient) {
                Response::error('Recipient not found', 404);
            }

            // Admins can only chat with applicants, not with other admins
            if ($recipient['role'] === ROLE_ADMIN) {
                Response::error('Admins can only chat with applicants', 400);
            }

            // Can't message yourself
            if ((int)$recipientId === (int)$userId) {
                Response::error('Cannot send message to yourself', 400);
            }

            // Auto-detect application_id if recipient is an applicant
            // Find the most recent approved or rejected application for this applicant
            $detectedApplicationId = null;
            if ($recipient['role'] === ROLE_APPLICANT) {
                try {
                    $stmt = $this->applicationModel->getConnection()->prepare("
                        SELECT id
                        FROM applications
                        WHERE user_id = ?
                        AND status IN (?, ?)
                        ORDER BY updated_at DESC, id DESC
                        LIMIT 1
                    ");
                    $stmt->execute([$recipientId, STATUS_APPROVED, STATUS_REJECTED]);
                    $app = $stmt->fetch();
                    if ($app) {
                        $detectedApplicationId = (int)$app['id'];
                    }
                } catch (Exception $e) {
                    error_log("Error auto-detecting application_id: " . $e->getMessage());
                    // Continue without application_id if detection fails
                }
            }

            // Create message with auto-detected application_id if available
```

```
                $data = [
                    'application_id' => $detectedApplicationId,
                    'sender_id' => $userId,
                    'recipient_id' => $recipientId,
                    'sender_role' => $userRole,
                    'message' => $message
                ];
            }

            // Check table/column existence only once before creating message (cached, so fast)
            if (!$this->tableExists('messages')) {
                Response::error('Messages table does not exist in the database. Please create it usi
ng the SQL file: config/migrations/create_messages_table.sql', 500);
            }

            // Only check recipient_id column if we're using it (cached, so fast)
            if ($recipientId && !$this->columnExists('recipient_id')) {
                Response::error('Database migration required. The recipient_id column does not exist
. Please run: config/migrations/add_recipient_to_messages.sql', 500);
            }

            try {
                // Create message - this should be fast
                $result = $this->messageModel->create($data);
            } catch (\PDOException $e) {
                error_log("Message creation PDO error: " . $e->getMessage());
                error_log("PDO Error Code: " . $e->getCode());
                $errorInfo = $e->errorInfo ?? [];
                error_log("SQL State: " . ($errorInfo[0] ?? 'N/A'));

                $errorMessage = $e->getMessage();
                $errorCode = $e->getCode();

                // Check if it's a table doesn't exist error (42S02 is MySQL table doesn't exist)
                if ($errorCode == '42S02' || strpos($errorMessage, "doesn't exist") !== false) {
                    if (strpos($errorMessage, "Table") !== false) {
                        Response::error('Messages table does not exist. Please run the database migr
ation: CREATE TABLE messages...', 500);
                    } elseif (strpos($errorMessage, "Unknown column 'recipient_id'") !== false || st
rpos($errorMessage, "recipient_id") !== false) {
                        Response::error('Database migration required. The recipient_id column does n
ot exist. Please run: config/migrations/add_recipient_to_messages.sql', 500);
                    } else {
                        Response::error('Database schema error. Please check if all migrations have
been run.', 500);
                    }
                } elseif ($errorCode == '42S22' || strpos($errorMessage, "Unknown column") !== false
) {
                    // Column doesn't exist error
                    if (strpos($errorMessage, "recipient_id") !== false) {
                        Response::error('Database migration required. Please run: config/migrations/
add_recipient_to_messages.sql to enable user-to-user messaging.', 500);
                    } else {
                        Response::error('Database schema error. Please check if all migrations have
been run.', 500);
                    }
                } else {
                    Response::error('Failed to send message. Database error: ' . htmlspecialchars($e
rrorMessage), 500);
                }
            } catch (\Exception $e) {
                error_log("Message creation error: " . $e->getMessage());
                error_log("Stack trace: " . $e->getTraceAsString());

                // Check if it's our custom exception about missing column
                if (strpos($e->getMessage(), 'recipient_id column does not exist') !== false) {
                    Response::error('Database migration required. Please run: config/migrations/add_
recipient_to_messages.sql', 500);
```

```
                } else {
                    Response::error('Failed to send message: ' . htmlspecialchars($e->getMessage()),
 500);
                }
            }

            if ($result) {
                // Get the created message with sender info
                try {
                    $messageId = $this->messageModel->getConnection()->lastInsertId();
                    $stmt = $this->messageModel->getConnection()->prepare("
                        SELECT m.*, u.full_name as sender_name
                        FROM messages m
                        LEFT JOIN users u ON m.sender_id = u.id
                        WHERE m.id = ?
                    ");
                    $stmt->execute([$messageId]);
                    $newMessage = $stmt->fetch();

                    if ($newMessage) {
                        Response::success($newMessage, 'Message sent successfully', 201);
                    } else {
                        // Message was created but couldn't retrieve it
                        Response::success(['id' => $messageId], 'Message sent successfully', 201);
                    }
                } catch (Exception $e) {
                    error_log("Error retrieving new message: " . $e->getMessage());
                    // Still return success since message was created
                    Response::success(['id' => $messageId ?? $this->messageModel->getConnection()->l
astInsertId()], 'Message sent successfully', 201);
                }
            } else {
                Response::error('Failed to send message', 500);
            }
        } catch (Exception $e) {
            error_log("sendMessage error: " . $e->getMessage());
            Response::error('Failed to send message: ' . $e->getMessage(), 500);
        }
    }

    /**
     * Mark messages as read
     */
    private function markAsRead() {
        $userId = $this->requireAuth();

        $applicationId = (int)($this->requestData['application_id'] ?? 0);
        $messageIds = $this->requestData['message_ids'] ?? [];

        if (!$applicationId && empty($messageIds)) {
            Response::error('Application ID or message IDs required', 400);
        }

        if (!empty($messageIds) && !is_array($messageIds)) {
            Response::error('Message IDs must be an array', 400);
        }

        // If application_id provided, mark all unread messages for that application
        if ($applicationId) {
            $stmt = $this->messageModel->getConnection()->prepare("
                UPDATE messages
                SET is_read = 1
                WHERE application_id = ?
                AND sender_id != ?
                AND is_read = 0
            ");
            $result = $stmt->execute([$applicationId, $userId]);
        } else {
```

```
            // Mark specific message IDs
            $messageIds = array_map('intval', $messageIds);
            $result = $this->messageModel->markAsRead($messageIds, $userId);
        }

        if ($result) {
            Response::success(null, 'Messages marked as read');
        } else {
            Response::error('Failed to mark messages as read', 500);
        }
    }

    /**
     * Get unread message count
     */
    private function getUnreadCount() {
        $userId = $this->requireAuth();

        $applicationId = (int)($this->requestData['application_id'] ?? 0);

        if (!$applicationId) {
            Response::error('Application ID is required', 400);
        }

        // Verify user has access to this application
        $application = $this->applicationModel->findById($applicationId);
        if (!$application) {
            Response::error('Application not found', 404);
        }

        $isAdmin = hasRole(ROLE_ADMIN);
        if (!$isAdmin && (int)$application['user_id'] !== (int)$userId) {
            Response::forbidden('You do not have access to this application');
        }

        $count = $this->messageModel->getUnreadCount($applicationId, $userId);

        Response::success(['count' => $count], 'Unread count retrieved successfully');
    }

    /**
     * Get conversations list for current user
     */
    private function getConversations() {
        try {
            $userId = $this->requireAuth();
            $isAdmin = hasRole(ROLE_ADMIN);

            // Get pagination parameters
            $limit = min(50, max(10, (int)($this->requestData['limit'] ?? 50)));
            $offset = max(0, (int)($this->requestData['offset'] ?? 0));

            if ($isAdmin) {
                $conversations = $this->messageModel->getAdminConversations($userId, $limit, $offset
);
            } else {
                // Check if user has approved or rejected applications
                $applications = $this->applicationModel->findAll('user_id = ? AND status IN (?, ?)',
 [
                    $userId,
                    STATUS_APPROVED,
                    STATUS_REJECTED
                ]);

                if (empty($applications)) {
                    Response::success([], 'No conversations available. Chat is only available for ap
proved or rejected applications.');
                    return;
```

```
            }

            $conversations = $this->messageModel->getApplicantConversations($userId);
        }

        Response::success($conversations, 'Conversations retrieved successfully');
    } catch (Exception $e) {
        error_log("getConversations error: " . $e->getMessage());
        Response::error('Failed to retrieve conversations: ' . $e->getMessage(), 500);
    }
}

/**
 * Search users for new chat (admin only)
 */
private function searchUsers() {
    try {
        $userId = $this->requireAuth();
        $isAdmin = hasRole(ROLE_ADMIN);

        if (!$isAdmin) {
            Response::forbidden('Only admins can search for users');
        }

        $searchTerm = trim($this->requestData['search'] ?? '');

        if (empty($searchTerm)) {
            // Return all applicants if no search term
            $userModel = new User();
            $users = $userModel->findAll('role = ?', [ROLE_APPLICANT]);
        } else {
            // Search applicants by name or email
            $userModel = new User();
            $searchPattern = '%' . $searchTerm . '%';
            $users = $userModel->findAll(
                'role = ? AND (full_name LIKE ? OR email LIKE ?)',
                [ROLE_APPLICANT, $searchPattern, $searchPattern]
            );
        }

        // Remove sensitive data and add application status info
        $result = [];
        foreach ($users as $user) {
            unset($user['password']);

            // Check if user has approved/rejected applications
            $applications = $this->applicationModel->findAll(
                'user_id = ? AND status IN (?, ?)',
                [$user['id'], STATUS_APPROVED, STATUS_REJECTED]
            );

            $user['can_chat'] = !empty($applications);
            $user['applications_count'] = count($applications);

            $result[] = $user;
        }

        Response::success($result, 'Users retrieved successfully');
    } catch (Exception $e) {
        error_log("searchUsers error: " . $e->getMessage());
        Response::error('Failed to search users: ' . $e->getMessage(), 500);
    }
}

/**
 * Check if a table exists in the database (cached)
 */
private function tableExists($tableName) {
```

```
        // Use cache to avoid repeated queries
        if (self::$tableExistsCache !== null) {
            return self::$tableExistsCache;
        }

        try {
            // Fast check using SHOW TABLES
            $stmt = $this->messageModel->getConnection()->query("SHOW TABLES LIKE '{$tableName}'");
            $exists = $stmt->rowCount() > 0;
            self::$tableExistsCache = $exists;
            return $exists;
        } catch (Exception $e) {
            error_log("Error checking if table exists: " . $e->getMessage());
            self::$tableExistsCache = false;
            return false;
        }
    }

    /**
     * Check if a column exists in the messages table (cached)
     */
    private function columnExists($columnName) {
        // Use cache to avoid repeated queries
        if (isset(self::$columnExistsCache[$columnName])) {
            return self::$columnExistsCache[$columnName];
        }

        try {
            // Fast check using SHOW COLUMNS
            $stmt = $this->messageModel->getConnection()->query("SHOW COLUMNS FROM messages LIKE '{$
columnName}'");
            $exists = $stmt->rowCount() > 0;
            self::$columnExistsCache[$columnName] = $exists;
            return $exists;
        } catch (Exception $e) {
            error_log("Error checking if column exists: " . $e->getMessage());
            self::$columnExistsCache[$columnName] = false;
            return false;
        }
    }
}

// Initialize and handle request
try {
    // Clear any output that might have been generated
    if (ob_get_level() > 0) {
        ob_clean();
    }

    $controller = new MessagesController();
    $controller->handle();
} catch (\PDOException $e) {
    // Clear any output that might have been generated
    while (ob_get_level() > 0) {
        ob_end_clean();
    }

    // Log the error for debugging
    error_log("Messages API PDO Error: " . $e->getMessage());
    error_log("PDO Error Code: " . $e->getCode());
    error_log("Stack trace: " . $e->getTraceAsString());

    // Check if it's a table doesn't exist error
    $errorMessage = 'An error occurred while processing your request.';
    if ($e->getCode() == '42S02' || strpos($e->getMessage(), "doesn't exist") !== false) {
        $errorMessage = 'Messages table does not exist. Please run the database migration.';
    }
```

```
    // Return JSON error response
    header('Content-Type: application/json', true);
    http_response_code(500);
    echo json_encode([
        'success' => false,
        'message' => $errorMessage,
        'error' => $e->getMessage()
    ]);
    exit;
} catch (\Exception $e) {
    // Clear any output that might have been generated
    while (ob_get_level() > 0) {
        ob_end_clean();
    }

    // Log the error for debugging
    error_log("Messages API Error: " . $e->getMessage());
    error_log("Stack trace: " . $e->getTraceAsString());

    // Return JSON error response
    header('Content-Type: application/json', true);
    http_response_code(500);
    echo json_encode([
        'success' => false,
        'message' => 'An error occurred while processing your request: ' . $e->getMessage(),
        'error' => $e->getMessage()
    ]);
    exit;
} catch (\Error $e) {
    // Clear any output that might have been generated
    while (ob_get_level() > 0) {
        ob_end_clean();
    }

    // Log the error for debugging
    error_log("Messages API Fatal Error: " . $e->getMessage());
    error_log("Stack trace: " . $e->getTraceAsString());

    // Return JSON error response
    header('Content-Type: application/json', true);
    http_response_code(500);
    echo json_encode([
        'success' => false,
        'message' => 'An error occurred while processing your request. Please check if the messages
table exists in the database.',
        'error' => $e->getMessage()
    ]);
    exit;
}
```

api/messages_sse.php

```
<?php
/**
 * Server-Sent Events (SSE) endpoint for real-time chat messages
 * Provides real-time message updates to clients
 */

// Suppress error display for API endpoints
ini_set('display_errors', 0);
ini_set('display_startup_errors', 0);

// Increase execution time for long-running SSE connection
set_time_limit(0); // No time limit
ini_set('max_execution_time', 0);

// Set headers for SSE
header('Content-Type: text/event-stream');
header('Cache-Control: no-cache');
header('Connection: keep-alive');
header('X-Accel-Buffering: no'); // Disable nginx buffering

// Start output buffering with no buffering
if (ob_get_level()) {
    ob_end_clean();
}
ob_implicit_flush(true);

require_once __DIR__ . '/../config/config.php';
require_once __DIR__ . '/controllers/ApiController.php';
require_once __DIR__ . '/../includes/models.php';
require_once __DIR__ . '/../includes/helpers/Response.php';

class MessagesSSE {
    private $messageModel;
    private $applicationModel;
    private $userId;
    private $isAdmin;
    private $applicationId;
    private $recipientId;
    private $lastMessageId;

    /**
     * Send error and exit
     */
    private function sendError($message, $code = 400) {
        http_response_code($code);
        echo "event: error\n";
        echo "data: " . json_encode([
            'success' => false,
            'message' => $message
        ]) . "\n\n";
        if (ob_get_level()) {
            ob_flush();
        }
        flush();
        exit;
    }

    public function __construct() {
        // Check authentication
        if (!isset($_SESSION['user_id'])) {
            $this->sendError('Unauthorized', 401);
        }

        $this->messageModel = new Message();
        $this->applicationModel = new Application();
```

```
        // Get user info
        $this->userId = $_SESSION['user_id'];
        $this->isAdmin = hasRole(ROLE_ADMIN);

        // Get chat context
        $this->applicationId = isset($_GET['application_id']) ? (int)$_GET['application_id'] : null;
        $this->recipientId = isset($_GET['recipient_id']) ? (int)$_GET['recipient_id'] : null;
        $this->lastMessageId = isset($_GET['last_message_id']) ? (int)$_GET['last_message_id'] : 0;
    }

    /**
     * Send SSE event
     */
    private function sendEvent($event, $data) {
        echo "event: $event\n";
        echo "data: " . json_encode($data) . "\n\n";
        if (ob_get_level()) {
            ob_flush();
        }
        flush();
    }

    /**
     * Send ping to keep connection alive
     */
    private function sendPing() {
        echo ": ping\n\n";
        if (ob_get_level()) {
            ob_flush();
        }
        flush();
    }

    /**
     * Get new messages since lastMessageId
     */
    private function getNewMessages() {
        try {
            $messages = [];

            if ($this->applicationId) {
                // Application-based chat
                $allMessages = $this->messageModel->getMessagesByApplication($this->applicationId, 1
00);
                $messages = array_filter($allMessages, function($msg) {
                    return (int)$msg['id'] > $this->lastMessageId;
                });
            } elseif ($this->recipientId && $this->isAdmin) {
                // Admin viewing user-to-user chat
                $allMessages = $this->messageModel->getMessagesByUsers($this->userId, $this->recipie
ntId, 100);
                $messages = array_filter($allMessages, function($msg) {
                    return (int)$msg['id'] > $this->lastMessageId;
                });
            } elseif (!$this->isAdmin) {
                // Applicant viewing messages
                $allMessages = $this->messageModel->getMessagesForRecipient($this->userId, 100);
                $messages = array_filter($allMessages, function($msg) {
                    return (int)$msg['id'] > $this->lastMessageId;
                });
            }

            return array_values($messages);
        } catch (Exception $e) {
            error_log("SSE getNewMessages error: " . $e->getMessage());
            return [];
        }
    }
```

```
    /**
     * Stream messages in real-time
     */
    public function stream() {
        // Send initial connection message
        $this->sendEvent('connected', [
            'success' => true,
            'message' => 'Connected to real-time chat',
            'timestamp' => time()
        ]);

        $pingInterval = 0;
        $checkInterval = 0;
        $iteration = 0;

        // Stream for up to 2 minutes (120 seconds) to avoid timeouts
        // Client will automatically reconnect
        $maxTime = time() + 120;
        $maxIterations = 1200; // 120 seconds * 10 iterations per second = 1200

        while (time() < $maxTime && $iteration < $maxIterations) {
            // Check for new messages every 1 second (10 iterations)
            if ($checkInterval >= 10) {
                try {
                    $newMessages = $this->getNewMessages();

                    if (!empty($newMessages)) {
                        foreach ($newMessages as $message) {
                            $this->sendEvent('message', [
                                'success' => true,
                                'data' => $message
                            ]);

                            // Update last message ID
                            $this->lastMessageId = max($this->lastMessageId, (int)$message['id']);
                        }
                    }
                } catch (Exception $e) {
                    error_log("SSE stream error: " . $e->getMessage());
                    // Continue streaming even if there's an error
                }

                $checkInterval = 0;
            }

            // Check if client is still connected
            if (connection_aborted()) {
                break;
            }

            // Send ping every 10 seconds to keep connection alive
            if ($pingInterval >= 100) { // 10 * 100ms = 1000ms (1 second), so 100 iterations = 10 se
conds
                $this->sendPing();
                $pingInterval = 0;
            }

            // Sleep for 100ms
            usleep(100000);
            $pingInterval++;
            $checkInterval++;
            $iteration++;

            // Check if client disconnected
            if (connection_aborted()) {
                break;
            }
```

```
        }

        // Send reconnect message before closing
        $this->sendEvent('reconnect', [
            'success' => true,
            'message' => 'Connection timeout - will reconnect',
            'timestamp' => time(),
            'last_message_id' => $this->lastMessageId
        ]);
    }
}

// Handle request
try {
    $sse = new MessagesSSE();
    $sse->stream();
} catch (Exception $e) {
    error_log("SSE Error: " . $e->getMessage());
    echo "event: error\n";
    echo "data: " . json_encode([
        'success' => false,
        'message' => 'An error occurred',
        'error' => $e->getMessage()
    ]) . "\n\n";
    if (ob_get_level()) {
        ob_flush();
    }
    flush();
}
```

api/notifications.php

```
<?php
/**
 * Notifications API Controller
 */

require_once __DIR__ . '/controllers/ApiController.php';
require_once __DIR__ . '/../includes/models.php';

class NotificationsController extends ApiController {
    private $notificationModel;

    public function __construct() {
        parent::__construct();
        $this->notificationModel = new Notification();
    }

    public function handle() {
        try {
            $action = $_GET['action'] ?? 'index';

            switch ($this->method) {
                case 'GET':
                    $this->handleGet($action);
                    break;
                case 'POST':
                    $this->handlePost($action);
                    break;
                case 'PUT':
                case 'PATCH':
                    $this->handlePut($action);
                    break;
                default:
                    Response::error('Method not allowed', 405);
            }
        } catch (Exception $e) {
            $this->handleException($e);
        }
    }

    private function handleGet($action) {
        switch ($action) {
            case 'index':
                $this->getNotifications();
                break;
            case 'unread-count':
                $this->getUnreadCount();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function handlePost($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'mark-read':
                $this->markAsRead();
                break;
            case 'mark-all-read':
                $this->markAllAsRead();
                break;
            default:
                Response::notFound('Action not found');
        }
    }
```

```
    private function handlePut($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'mark-read':
                $this->markAsRead();
                break;
            case 'mark-all-read':
                $this->markAllAsRead();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    /**
     * Get notifications for current user
     */
    private function getNotifications() {
        $userId = $this->requireAuth();

        $limit = isset($_GET['limit']) ? (int)$_GET['limit'] : null;
        $unreadOnly = isset($_GET['unread_only']) && $_GET['unread_only'] === 'true';

        $notifications = $this->notificationModel->getUserNotifications($userId, $limit, $unreadOnly
);

        Response::success($notifications);
    }

    /**
     * Get unread notification count
     */
    private function getUnreadCount() {
        $userId = $this->requireAuth();

        $count = $this->notificationModel->getUnreadCount($userId);

        Response::success(['count' => $count]);
    }

    /**
     * Mark notification as read
     */
    private function markAsRead() {
        $userId = $this->requireAuth();

        $notificationId = isset($this->requestData['notification_id'])
            ? (int)$this->requestData['notification_id']
            : null;

        if (!$notificationId) {
            Response::error('Notification ID is required', 400);
        }

        $result = $this->notificationModel->markAsRead($notificationId, $userId);

        if ($result) {
            Response::success(['message' => 'Notification marked as read']);
        } else {
            Response::error('Failed to mark notification as read', 500);
        }
    }

    /**
     * Mark all notifications as read
     */
```

```
    private function markAllAsRead() {
        $userId = $this->requireAuth();

        $result = $this->notificationModel->markAllAsRead($userId);

        if ($result) {
            Response::success(['message' => 'All notifications marked as read']);
        } else {
            Response::error('Failed to mark notifications as read', 500);
        }
    }
}

// Initialize and handle request
$controller = new NotificationsController();
$controller->handle();
```

api/notifications_sse.php

```
<?php
/**
 * Server-Sent Events (SSE) endpoint for real-time notifications
 * Provides real-time notification updates to admin users
 */

// Suppress error display for API endpoints
ini_set('display_errors', 0);
ini_set('display_startup_errors', 0);

// Increase execution time for long-running SSE connection
set_time_limit(0); // No time limit
ini_set('max_execution_time', 0);

// Set headers for SSE
header('Content-Type: text/event-stream');
header('Cache-Control: no-cache');
header('Connection: keep-alive');
header('X-Accel-Buffering: no'); // Disable nginx buffering

// Start output buffering with no buffering
if (ob_get_level()) {
    ob_end_clean();
}
ob_implicit_flush(true);

require_once __DIR__ . '/../config/config.php';
require_once __DIR__ . '/../includes/models.php';
require_once __DIR__ . '/../includes/helpers/Response.php';

class NotificationsSSE {
    private $notificationModel;
    private $userId;
    private $isAdmin;
    private $lastNotificationId;

    /**
     * Send error and exit
     */
    private function sendError($message, $code = 400) {
        http_response_code($code);
        echo "event: error\n";
        echo "data: " . json_encode([
            'success' => false,
            'message' => $message
        ]) . "\n\n";
        if (ob_get_level()) {
            ob_flush();
        }
        flush();
        exit;
    }

    public function __construct() {
        // Ensure session is started (config.php should handle this, but ensure it for SSE)
        if (session_status() === PHP_SESSION_NONE) {
            session_start();
        }

        // Check authentication
        if (!isset($_SESSION['user_id'])) {
            $this->sendError('Unauthorized', 401);
        }

        $this->notificationModel = new Notification();
```

```
        // Get user info
        $this->userId = $_SESSION['user_id'];
        $this->isAdmin = hasRole(ROLE_ADMIN);

        // Only admins can receive notifications
        if (!$this->isAdmin) {
            $this->sendError('Admin access required', 403);
        }

        // Get last notification ID from query parameter
        $this->lastNotificationId = isset($_GET['last_notification_id']) ? (int)$_GET['last_notifica
tion_id'] : 0;

        // Close session for this process to avoid blocking other requests
        // SSE connections can hold sessions, preventing other requests
        session_write_close();
    }

    /**
     * Send SSE event
     */
    private function sendEvent($event, $data) {
        echo "event: $event\n";
        echo "data: " . json_encode($data) . "\n\n";
        if (ob_get_level()) {
            ob_flush();
        }
        flush();
    }

    /**
     * Send ping to keep connection alive
     */
    private function sendPing() {
        echo ": ping\n\n";
        if (ob_get_level()) {
            ob_flush();
        }
        flush();
    }

    /**
     * Get new notifications since lastNotificationId
     */
    private function getNewNotifications() {
        try {
            // Get all unread notifications
            $allNotifications = $this->notificationModel->getUserNotifications($this->userId, null,
false);

            // Filter to get only new notifications (ID greater than last seen)
            $newNotifications = array_filter($allNotifications, function($notif) {
                return (int)$notif['id'] > $this->lastNotificationId;
            });

            // Sort by ID to ensure proper order
            usort($newNotifications, function($a, $b) {
                return (int)$a['id'] - (int)$b['id'];
            });

            return array_values($newNotifications);
        } catch (Exception $e) {
            error_log("SSE getNewNotifications error: " . $e->getMessage());
            return [];
        }
    }

    /**
```

```
     * Get unread count
     */
    private function getUnreadCount() {
        try {
            return $this->notificationModel->getUnreadCount($this->userId);
        } catch (Exception $e) {
            error_log("SSE getUnreadCount error: " . $e->getMessage());
            return 0;
        }
    }

    /**
     * Stream notifications in real-time
     */
    public function stream() {
        // Send initial connection message
        $this->sendEvent('connected', [
            'success' => true,
            'message' => 'Connected to real-time notifications',
            'timestamp' => time(),
            'unread_count' => $this->getUnreadCount()
        ]);

        $pingInterval = 0;
        $checkInterval = 0;
        $iteration = 0;

        // Stream for up to 2 minutes (120 seconds) to avoid timeouts
        // Client will automatically reconnect
        $maxTime = time() + 120;
        $maxIterations = 1200; // 120 seconds * 10 iterations per second = 1200

        while (time() < $maxTime && $iteration < $maxIterations) {
            // Check for new notifications every 500ms (5 iterations)
            // This makes it very responsive - checking twice per second
            if ($checkInterval >= 5) {
                try {
                    $newNotifications = $this->getNewNotifications();

                    if (!empty($newNotifications)) {
                        foreach ($newNotifications as $notification) {
                            $this->sendEvent('notification', [
                                'success' => true,
                                'data' => $notification
                            ]);

                            // Update last notification ID
                            $this->lastNotificationId = max($this->lastNotificationId, (int)$notific
ation['id']);
                        }

                        // Always send updated unread count when new notifications are found
                        // This ensures the badge count is always accurate
                        $unreadCount = $this->getUnreadCount();
                        $this->sendEvent('unread_count', [
                            'success' => true,
                            'count' => $unreadCount
                        ]);
                    } else {
                        // Periodically send unread count even when no new notifications
                        // This keeps the count accurate if notifications were marked as read elsewh
ere
                        if ($checkInterval % 20 == 0) { // Every 2 seconds (20 * 100ms)
                            $unreadCount = $this->getUnreadCount();
                            $this->sendEvent('unread_count', [
                                'success' => true,
                                'count' => $unreadCount
                            ]);
```

```
                        }
                    }
                } catch (Exception $e) {
                    error_log("SSE stream error: " . $e->getMessage());
                    // Continue streaming even if there's an error
                }

                $checkInterval = 0;
            }

            // Check if client is still connected
            if (connection_aborted()) {
                break;
            }

            // Send ping every 15 seconds to keep connection alive
            if ($pingInterval >= 150) { // 15 * 100ms = 1500ms (1.5 seconds), so 150 iterations = 15
 seconds
                $this->sendPing();
                $pingInterval = 0;
            }

            // Sleep for 100ms
            usleep(100000);
            $pingInterval++;
            $checkInterval++;
            $iteration++;

            // Check if client disconnected
            if (connection_aborted()) {
                break;
            }
        }

        // Send reconnect message before closing
        $this->sendEvent('reconnect', [
            'success' => true,
            'message' => 'Connection timeout - will reconnect',
            'timestamp' => time(),
            'last_notification_id' => $this->lastNotificationId
        ]);
    }
}

// Handle request
try {
    $sse = new NotificationsSSE();
    $sse->stream();
} catch (Exception $e) {
    error_log("Notifications SSE Error: " . $e->getMessage());
    echo "event: error\n";
    echo "data: " . json_encode([
        'success' => false,
        'message' => 'An error occurred',
        'error' => $e->getMessage()
    ]) . "\n\n";
    if (ob_get_level()) {
        ob_flush();
    }
    flush();
}
```

api/positions.php

```
<?php
/**
 * Positions API Controller
 */

require_once __DIR__ . '/controllers/ApiController.php';
require_once __DIR__ . '/../includes/services/PositionService.php';

class PositionsController extends ApiController {
    private $positionService;

    public function __construct() {
        parent::__construct();
        $this->positionService = new PositionService();
    }

    public function handle() {
        try {
            $action = $_GET['action'] ?? 'index';

            switch ($this->method) {
                case 'GET':
                    $this->handleGet($action);
                    break;
                case 'POST':
                    $this->handlePost($action);
                    break;
                case 'PUT':
                case 'PATCH':
                    $this->handlePut($action);
                    break;
                case 'DELETE':
                    $this->handleDelete($action);
                    break;
                default:
                    Response::error('Method not allowed', 405);
            }
        } catch (Exception $e) {
            $this->handleException($e);
        }
    }

    private function handleGet($action) {
        switch ($action) {
            case 'index':
                $this->getPositions();
                break;
            case 'show':
                $this->getPosition();
                break;
            case 'active':
                $this->getActivePositions();
                break;
            case 'stats':
                $this->getStats();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function handlePost($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'create':
```

```
                $this->createPosition();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function handlePut($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'update':
                $this->updatePosition();
                break;
            case 'toggle-status':
                $this->toggleStatus();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function handleDelete($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'delete':
                $this->deletePosition();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function getPositions() {
        $this->requireAuth();

        $filters = [
            'is_active' => isset($this->requestData['is_active']) ? (bool)$this->requestData['is_act
ive'] : null,
            'employment_type' => $this->requestData['employment_type'] ?? null,
            'search' => $this->requestData['search'] ?? null,
        ];

        $positions = $this->positionService->getAllPositions($filters);

        // Pagination
        $pagination = $this->getPagination();
        $total = count($positions);
        $positions = array_slice($positions, $pagination['offset'], $pagination['perPage']);

        Response::paginated(
            $positions,
            $total,
            $pagination['page'],
            $pagination['perPage'],
            'Positions retrieved successfully'
        );
    }

    private function getPosition() {
        $userId = isLoggedIn() ? $_SESSION['user_id'] : null;

        $positionId = (int)($this->requestData['id'] ?? 0);

        if (!$positionId) {
            Response::error('Position ID is required', 400);
        }
```

```
        $position = $this->positionService->getPositionDetails($positionId, $userId);

        Response::success($position, 'Position retrieved successfully');
    }

    private function getActivePositions() {
        $userId = isLoggedIn() ? $_SESSION['user_id'] : null;

        $positions = $this->positionService->getActivePositions($userId);

        Response::success($positions, 'Active positions retrieved successfully');
    }

    private function createPosition() {
        $adminId = $this->requireAdmin();

        // Validate input
        $validator = new Validator($this->requestData);
        $validator->required('title')
                  ->required('description')
                  ->integer('min_experience_years')
                  ->in('employment_type', ['full-time', 'part-time', 'contract', 'internship']);

        if ($validator->fails()) {
            Response::validationError($validator->getErrors());
        }

        $this->positionService->createPosition($this->requestData, $adminId);

        Response::success(null, 'Position created successfully', 201);
    }

    private function updatePosition() {
        $adminId = $this->requireAdmin();

        // Validate input
        $validator = new Validator($this->requestData);
        $validator->required('id')->integer('id');

        if ($validator->fails()) {
            Response::validationError($validator->getErrors());
        }

        $positionId = (int)$this->requestData['id'];
        unset($this->requestData['id']);

        $position = $this->positionService->updatePosition($positionId, $this->requestData, $adminId
);

        Response::success($position, 'Position updated successfully');
    }

    private function toggleStatus() {
        $adminId = $this->requireAdmin();

        $positionId = (int)($this->requestData['id'] ?? 0);

        if (!$positionId) {
            Response::error('Position ID is required', 400);
        }

        $newStatus = $this->positionService->togglePositionStatus($positionId, $adminId);

        Response::success(['is_active' => $newStatus], 'Position status updated successfully');
    }

    private function deletePosition() {
```

```
        $adminId = $this->requireAdmin();

        $positionId = (int)($this->requestData['id'] ?? 0);

        if (!$positionId) {
            Response::error('Position ID is required', 400);
        }

        $this->positionService->deletePosition($positionId, $adminId);

        Response::success(null, 'Position deleted successfully');
    }

    private function getStats() {
        $this->requireAdmin();

        $positionId = isset($this->requestData['position_id']) ? (int)$this->requestData['position_i
d'] : null;

        $stats = $this->positionService->getPositionStats($positionId);

        Response::success($stats, 'Statistics retrieved successfully');
    }
}

$controller = new PositionsController();
$controller->handle();
```

api/pwa-config.php

```
<?php
/**
 * PWA Configuration API
 * Returns PWA configuration including dynamic base paths
 */
require_once '../config/config.php';

header('Content-Type: application/json');
header('Cache-Control: no-cache');

// Parse BASE_URL to get the path
$baseUrlParts = parse_url(BASE_URL);
$basePath = $baseUrlParts['path'] ?? '/Applicant_WPU/';

$config = [
    'basePath' => $basePath,
    'baseUrl' => BASE_URL,
    'offlineUrl' => $basePath . 'offline.html',
    'cacheName' => 'wpu-jobs-v1',
    'precacheAssets' => [
        $basePath . 'assets/css/office-theme.css',
        $basePath . 'assets/js/office-theme.js',
        $basePath . 'assets/js/toast.js',
        $basePath . 'assets/js/notifications.js',
        $basePath . 'assets/logo.png',
        $basePath . 'assets/pwa/icon-192x192.png',
        $basePath . 'assets/pwa/icon-512x512.png',
        $basePath . 'favicon.ico',
        $basePath . 'offline.html',
        'https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css'
    ]
];

echo json_encode($config, JSON_UNESCAPED_SLASHES);
?>
```

api/users.php

```
<?php
/**
 * Users API Controller
 */

require_once __DIR__ . '/controllers/ApiController.php';
require_once __DIR__ . '/../includes/services/UserService.php';

class UsersController extends ApiController {
    private $userService;

    public function __construct() {
        parent::__construct();
        $this->userService = new UserService();
    }

    public function handle() {
        try {
            $action = $_GET['action'] ?? 'index';

            switch ($this->method) {
                case 'GET':
                    $this->handleGet($action);
                    break;
                case 'POST':
                    $this->handlePost($action);
                    break;
                case 'PUT':
                case 'PATCH':
                    $this->handlePut($action);
                    break;
                case 'DELETE':
                    $this->handleDelete($action);
                    break;
                default:
                    Response::error('Method not allowed', 405);
            }
        } catch (Exception $e) {
            $this->handleException($e);
        }
    }

    private function handleGet($action) {
        switch ($action) {
            case 'index':
                $this->getUsers();
                break;
            case 'profile':
                $this->getProfile();
                break;
            case 'activity':
                $this->getActivity();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function handlePost($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'register':
                $this->register();
                break;
            default:
```

```
                Response::notFound('Action not found');
        }
    }

    private function handlePut($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'update-profile':
                $this->updateProfile();
                break;
            case 'change-password':
                $this->changePassword();
                break;
            case 'toggle-status':
                $this->toggleStatus();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function handleDelete($action) {
        $this->verifyCsrf();

        switch ($action) {
            case 'delete':
                $this->deleteUser();
                break;
            default:
                Response::notFound('Action not found');
        }
    }

    private function getUsers() {
        $this->requireAdmin();

        $filters = [
            'role' => $this->requestData['role'] ?? null,
            'is_active' => isset($this->requestData['is_active']) ? (bool)$this->requestData['is_act
ive'] : null,
            'search' => $this->requestData['search'] ?? null,
        ];

        $users = $this->userService->getAllUsers($filters);

        // Remove sensitive data
        foreach ($users as &$user) {
            unset($user['password']);
        }

        // Pagination
        $pagination = $this->getPagination();
        $total = count($users);
        $users = array_slice($users, $pagination['offset'], $pagination['perPage']);

        Response::paginated(
            $users,
            $total,
            $pagination['page'],
            $pagination['perPage'],
            'Users retrieved successfully'
        );
    }

    private function getProfile() {
        $userId = $this->requireAuth();
```

```
        // Check if requesting another user's profile (admin only)
        $requestedUserId = isset($this->requestData['user_id']) ? (int)$this->requestData['user_id']
 : $userId;

        if ($requestedUserId !== $userId && !hasRole(ROLE_ADMIN)) {
            Response::forbidden('Cannot access other user profiles');
        }

        $profile = $this->userService->getUserProfile($requestedUserId);

        Response::success($profile, 'Profile retrieved successfully');
    }

    private function register() {
        // Validate input
        $validator = new Validator($this->requestData);
        $validator->required('username')
                  ->minLength('username', 3)
                  ->required('email')
                  ->email('email')
                  ->required('password')
                  ->minLength('password', 6)
                  ->required('full_name');

        if ($validator->fails()) {
            Response::validationError($validator->getErrors());
        }

        $user = $this->userService->registerUser($this->requestData);

        // Remove password from response
        unset($user['password']);

        Response::success($user, 'User registered successfully', 201);
    }

    private function updateProfile() {
        $userId = $this->requireAuth();

        // Admins can update other users
        $targetUserId = isset($this->requestData['user_id']) ? (int)$this->requestData['user_id'] :
$userId;

        if ($targetUserId !== $userId && !hasRole(ROLE_ADMIN)) {
            Response::forbidden('Cannot update other user profiles');
        }

        // Remove user_id from data
        unset($this->requestData['user_id']);

        $user = $this->userService->updateProfile($targetUserId, $this->requestData);

        Response::success($user, 'Profile updated successfully');
    }

    private function changePassword() {
        $userId = $this->requireAuth();

        // Validate input
        $validator = new Validator($this->requestData);
        $validator->required('current_password')
                  ->required('new_password')
                  ->minLength('new_password', 6);

        if ($validator->fails()) {
            Response::validationError($validator->getErrors());
        }
```

```
        $this->userService->changePassword(
            $userId,
            $this->requestData['current_password'],
            $this->requestData['new_password']
        );

        Response::success(null, 'Password changed successfully');
    }

    private function toggleStatus() {
        $adminId = $this->requireAdmin();

        $userId = (int)($this->requestData['user_id'] ?? 0);

        if (!$userId) {
            Response::error('User ID is required', 400);
        }

        $newStatus = $this->userService->toggleUserStatus($userId, $adminId);

        Response::success(['is_active' => $newStatus], 'User status updated successfully');
    }

    private function getActivity() {
        $userId = $this->requireAuth();

        // Admins can view other users' activity
        $targetUserId = isset($this->requestData['user_id']) ? (int)$this->requestData['user_id'] :
$userId;

        if ($targetUserId !== $userId && !hasRole(ROLE_ADMIN)) {
            Response::forbidden('Cannot view other user activity');
        }

        $limit = min(100, max(1, (int)($this->requestData['limit'] ?? 50)));

        $activity = $this->userService->getUserActivityLogs($targetUserId, $limit);

        Response::success($activity, 'Activity logs retrieved successfully');
    }

    private function deleteUser() {
        $adminId = $this->requireAdmin();

        // Debug: Log request data
        error_log('DELETE User Request Data: ' . print_r($this->requestData, true));
        error_log('GET params: ' . print_r($_GET, true));

        $userId = (int)($this->requestData['user_id'] ?? $_GET['user_id'] ?? 0);

        error_log('Parsed user_id: ' . $userId);

        if (!$userId || $userId <= 0) {
            error_log('Invalid user ID provided: ' . ($this->requestData['user_id'] ?? 'not set'));
            Response::error('Invalid user ID. Received: ' . ($this->requestData['user_id'] ?? 'none'
), 400);
        }

        // Don't allow deleting yourself
        if ($userId === $adminId) {
            Response::error('You cannot delete your own account', 400);
        }

        // Get user info before deletion
        $userModel = new User();
        $user = $userModel->findById($userId);

        if (!$user) {
```

```
            Response::error('User not found', 404);
        }

        // Create a fresh database connection
        if (!class_exists('Database')) {
            require_once __DIR__ . '/../../config/database.php';
        }

        $database = new Database();
        $db = $database->getConnection();

        if (!$db) {
            Response::serverError('Database connection failed');
        }

        try {
            // Execute DELETE using exec() for immediate execution
            $userIdSafe = (int)$userId;
            $deleteQuery = "DELETE FROM users WHERE id = $userIdSafe";
            $affected = $db->exec($deleteQuery);

            // Verify deletion
            $verifyStmt = $db->prepare("SELECT COUNT(*) as cnt FROM users WHERE id = ?");
            $verifyStmt->execute([$userId]);
            $verifyResult = $verifyStmt->fetch();
            $userCount = (int)$verifyResult['cnt'];

            if ($userCount > 0) {
                // Still exists - check for foreign key constraints
                $fkCheck = $db->query("
                    SELECT
                        (SELECT COUNT(*) FROM applications WHERE user_id = $userIdSafe) as app_count
,
                        (SELECT COUNT(*) FROM positions WHERE created_by = $userIdSafe) as pos_count
,
                        (SELECT COUNT(*) FROM user_experience WHERE user_id = $userIdSafe) as exp_co
unt
                ")->fetch();

                $message = 'Failed to delete user. The user is referenced by other records. ' .
                    'Applications: ' . $fkCheck['app_count'] . ', Positions: ' . $fkCheck['pos_count
'] .
                    ', Experience records: ' . $fkCheck['exp_count'];

                Response::error($message, 409);
            } else {
                // Successfully deleted
                error_log("DELETE SUCCESS via API: User ID $userId deleted");
                Response::success(['deleted_user_id' => $userId], 'User deleted successfully');
            }

        } catch (PDOException $e) {
            error_log('User deletion PDO error: ' . $e->getMessage());

            $errorCode = $e->getCode();
            $errorMessage = $e->getMessage();

            if ($errorCode == '23000' || strpos($errorMessage, 'foreign key') !== false ||
                strpos($errorMessage, '1451') !== false) {
                Response::error('Cannot delete user. The user is referenced by other records.', 409)
;
            } else {
                Response::serverError('Database error: ' . htmlspecialchars($errorMessage));
            }
        } catch (Exception $e) {
            error_log('User deletion error: ' . $e->getMessage());
            Response::serverError('An error occurred while deleting the user');
        }
```

```
    }
}

$controller = new UsersController();
$controller->handle();
```

applicant/actions/accept_privacy_waiver.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

requireAuth();

// Only applicants can accept the waiver
if (!hasRole(ROLE_APPLICANT)) {
    header('Content-Type: application/json');
    echo json_encode(['success' => false, 'message' => 'Unauthorized']);
    exit();
}

if ($_SERVER['REQUEST_METHOD'] !== 'POST') {
    header('Content-Type: application/json');
    echo json_encode(['success' => false, 'message' => 'Invalid request method']);
    exit();
}

// Verify CSRF token
if (!verifyCSRFToken($_POST['csrf_token'] ?? '')) {
    header('Content-Type: application/json');
    echo json_encode(['success' => false, 'message' => 'Invalid CSRF token']);
    exit();
}

try {
    $userModel = new User();
    $userId = $_SESSION['user_id'];

    // Update user to mark privacy waiver as accepted
    $updateData = [
        'data_privacy_accepted_at' => date('Y-m-d H:i:s')
    ];

    // Update email if provided
    if (!empty($_POST['email'] ?? '')) {
        $email = filter_var(trim($_POST['email']), FILTER_VALIDATE_EMAIL);
        if ($email) {
            $updateData['email'] = $email;
        }
    }

    if ($userModel->update($userId, $updateData)) {
        // Log the activity
        $userModel->logActivity(
            $userId,
            'privacy_waiver_accepted',
            'User accepted the Data Privacy Waiver'
        );

        header('Content-Type: application/json');
        echo json_encode([
            'success' => true,
            'message' => 'Data Privacy Waiver accepted successfully'
        ]);
    } else {
        header('Content-Type: application/json');
        echo json_encode(['success' => false, 'message' => 'Failed to update waiver acceptance']);
    }
} catch (Exception $e) {
    error_log("Privacy waiver acceptance error: " . $e->getMessage());
    header('Content-Type: application/json');
    echo json_encode(['success' => false, 'message' => 'An error occurred. Please try again.']);
}
?>
```

applicant/actions/delete-application-document.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$applicationDocumentModel = new UserApplicationDocument();
$userId = $_SESSION['user_id'];
$docId = $_GET['id'] ?? 0;

// Get document to verify ownership and get file path
$document = $applicationDocumentModel->findById($docId);

if (!$document || $document['user_id'] != $userId) {
    header('Location: ../pages/profile.php?error=document_not_found');
    exit();
}

// Delete the physical file
if (!empty($document['file_path'])) {
    $filePath = __DIR__ . '/../pages/uploads/documents/' . $document['file_path'];
    if (file_exists($filePath)) {
        unlink($filePath);
    }
}

// Delete the database record
if ($applicationDocumentModel->deleteById($docId, $userId)) {
    header('Location: ../pages/profile.php?success=document_deleted');
} else {
    header('Location: ../pages/profile.php?error=delete_failed');
}
exit();
?>
```

applicant/actions/delete-training-certificate.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$trainingCertificateModel = new TrainingCertificate();
$userId = $_SESSION['user_id'];
$certId = $_GET['id'] ?? 0;

// Get certificate to verify ownership and get file path
$certificate = $trainingCertificateModel->findById($certId);

if (!$certificate || $certificate['user_id'] != $userId) {
    header('Location: ../pages/profile.php?error=certificate_not_found');
    exit();
}

// Delete the physical file
if (!empty($certificate['file_path'])) {
    $filePath = __DIR__ . '/../pages/uploads/documents/' . $certificate['file_path'];
    if (file_exists($filePath)) {
        unlink($filePath);
    }
}

// Delete the database record
if ($trainingCertificateModel->deleteById($certId, $userId)) {
    header('Location: ../pages/profile.php?success=certificate_deleted');
} else {
    header('Location: ../pages/profile.php?error=delete_failed');
}
exit();
?>
```

applicant/pages/add-experience.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$experienceModel = new Experience();
$userModel = new User();
$userId = $_SESSION['user_id'];

$error = '';
$success = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            header('Location: profile.php?info=Experience already added');
            exit();
        }
        $error = $validation['error'];
    } else {
        $companyName = sanitize($_POST['company_name']);
        $positionTitle = sanitize($_POST['position_title']);
        $startDate = $_POST['start_date'];
        $endDate = $_POST['end_date'] ?? null;
        $isCurrent = isset($_POST['is_current']) ? 1 : 0;
        $description = sanitize($_POST['description']);

        if (empty($companyName) || empty($positionTitle) || empty($startDate)) {
        $error = "Please fill in all required fields.";
    } elseif (!$isCurrent && empty($endDate)) {
        $error = "End date is required if this is not your current position.";
    } elseif (!$isCurrent && strtotime($endDate) < strtotime($startDate)) {
        $error = "End date must be after start date.";
    } else {
        $data = [
            'user_id' => $userId,
            'company_name' => $companyName,
            'position_title' => $positionTitle,
            'start_date' => $startDate,
            'end_date' => $isCurrent ? null : $endDate,
            'is_current' => $isCurrent,
            'description' => $description
        ];

        if ($experienceModel->create($data)) {
            header('Location: profile.php?success=experience_added');
            exit();
        } else {
            $error = "Failed to add experience.";
        }
    }
    }
}
?>
```

Applicant_WPU

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Add Experience - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <i class="fas fa-graduation-cap"></i>
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>
            <a href="profile.php" class="sidebar-nav-item active">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?php
                    $user = $userModel->findById($userId);
                    echo strtoupper(substr($user['full_name'], 0, 1));
                    ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
                <a href="../../auth/logout.php" class="confirm-logout" style="color: var(--gray-500)
; text-decoration: none;">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
```

```
            </button>
            <h1 class="topbar-title">Add Experience</h1>
            <div class="topbar-actions">
                <a href="profile.php" class="topbar-btn">
                    <i class="fas fa-arrow-left"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <div class="card" style="max-width: 700px; margin: 0 auto;">
                <div class="card-header">
                    <h3 class="card-title">
                        <i class="fas fa-plus-circle"></i> Add Work Experience
                    </h3>
                </div>
                <div class="card-body">
                    <?php if ($error): ?>
                        <div class="alert alert-danger">
                            <i class="fas fa-exclamation-triangle"></i>
                            <div><?= htmlspecialchars($error) ?></div>
                        </div>
                    <?php endif; ?>

                    <form method="POST" action="" class="prevent-double-submit">
                        <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                        <?php FormTokenManager::renderFormTokenInput('add_experience'); ?>
                        <div class="form-group">
                            <label class="form-label">Company Name *</label>
                            <input type="text" name="company_name" class="form-control" placeholder=
"Enter company name" required>
                        </div>

                        <div class="form-group">
                            <label class="form-label">Position Title *</label>
                            <input type="text" name="position_title" class="form-control" placeholde
r="Enter position title" required>
                        </div>

                        <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 16px;">
                            <div class="form-group">
                                <label class="form-label">Start Date *</label>
                                <input type="date" name="start_date" class="form-control" required>
                            </div>

                            <div class="form-group">
                                <label class="form-label">End Date</label>
                                <input type="date" name="end_date" id="endDate" class="form-control"
>
                            </div>
                        </div>

                        <div class="form-group">
                            <label style="display: flex; align-items: center; gap: 8px; cursor: poin
ter;">
                                <input type="checkbox" name="is_current" id="isCurrent" style="width
: 18px; height: 18px;">
                                <span>I currently work here</span>
                            </label>
                        </div>

                        <div class="form-group">
                            <label class="form-label">Description (Optional)</label>
                            <textarea name="description" class="form-control" rows="4" placeholder="
Describe your role and responsibilities..."></textarea>
                        </div>
```

```
                        <div style="display: flex; gap: 12px;">
                            <button type="submit" class="btn btn-primary">
                                <i class="fas fa-save"></i> Save Experience
                            </button>
                            <a href="profile.php" class="btn btn-outline">
                                <i class="fas fa-times"></i> Cancel
                            </a>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
            </a>
            <a href="my-applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item active">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/form-submission-manager.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script>
        const isCurrentCheckbox = document.getElementById('isCurrent');
        const endDateInput = document.getElementById('endDate');

        isCurrentCheckbox.addEventListener('change', function() {
            endDateInput.disabled = this.checked;
            if (this.checked) {
                endDateInput.value = '';
                endDateInput.required = false;
            } else {
                endDateInput.required = false;
            }
        });
    </script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/application-details.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/applications.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$applicationModel = new Application();
$userId = $_SESSION['user_id'];
$appId = $_GET['id'] ?? 0;

$applications = $applicationModel->getApplicationsWithDetails('a.id = ? AND a.user_id = ?', [$appId,
 $userId]);

if (empty($applications)) {
    header('Location: my-applications.php');
    exit();
}

$application = $applications[0];
$userModel = new User();
$user = $userModel->findById($userId);

$statusConfig = [
    STATUS_PENDING => [
        'label' => 'Pending Review',
        'class' => 'pending',
        'icon' => 'fas fa-clock',
        'description' => 'Your application is currently being reviewed by the recruitment team.'
    ],
    STATUS_APPROVED => [
        'label' => 'Approved',
        'class' => 'approved',
        'icon' => 'fas fa-check-circle',
        'description' => 'Congratulations! The recruitment team approved your application.'
    ],
    STATUS_REJECTED => [
        'label' => 'Rejected',
        'class' => 'rejected',
        'icon' => 'fas fa-times-circle',
        'description' => 'The recruitment team decided not to move forward with this application.'
    ],
];

$statusInfo = $statusConfig[$application['status']] ?? $statusConfig[STATUS_PENDING];
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Application Details - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
    <style>
```

```
        .application-summary {
            border-left: 5px solid var(--primary-blue);
        }

        .application-summary.status-pending {
            border-left-color: var(--warning);
        }

        .application-summary.status-approved {
            border-left-color: var(--success);
        }

        .application-summary.status-rejected {
            border-left-color: var(--danger);
        }

        .application-summary-header {
            display: flex;
            gap: 24px;
            align-items: flex-start;
            justify-content: space-between;
            flex-wrap: wrap;
        }

        .summary-label {
            font-size: 0.8rem;
            font-weight: 600;
            text-transform: uppercase;
            color: var(--gray-500);
            letter-spacing: 0.06em;
            margin-bottom: 6px;
        }

        .summary-title {
            font-size: 1.75rem;
            font-weight: 700;
            color: var(--gray-900);
            margin-bottom: 12px;
        }

        .summary-meta {
            display: flex;
            gap: 16px;
            flex-wrap: wrap;
            font-size: 0.9rem;
            color: var(--gray-500);
        }

        .summary-meta span {
            display: inline-flex;
            align-items: center;
            gap: 6px;
        }

        .status-pill {
            display: inline-flex;
            align-items: center;
            gap: 8px;
            padding: 8px 16px;
            border-radius: 999px;
            font-weight: 600;
            font-size: 0.85rem;
            background: rgba(30, 64, 175, 0.12);
            color: var(--primary-blue);
        }

        .status-pill.pending {
            background: rgba(245, 158, 11, 0.14);
```

```
            color: var(--warning);
        }

        .status-pill.approved {
            background: rgba(16, 185, 129, 0.14);
            color: var(--success);
        }

        .status-pill.rejected {
            background: rgba(239, 68, 68, 0.14);
            color: var(--danger);
        }

        .summary-description {
            margin-top: 16px;
            font-size: 0.95rem;
            color: var(--gray-600);
        }

        .summary-alert {
            margin-top: 16px;
            padding: 12px 16px;
            border-radius: 10px;
            font-size: 0.9rem;
            display: flex;
            gap: 10px;
            align-items: flex-start;
            background: rgba(245, 158, 11, 0.12);
            color: var(--warning);
        }

        .details-grid {
            display: grid;
            gap: 24px;
        }

        .details-main,
        .details-sidebar {
            display: flex;
            flex-direction: column;
            gap: 24px;
        }

        @media (min-width: 992px) {
            .details-grid {
                grid-template-columns: minmax(0, 2fr) minmax(280px, 1fr);
                align-items: start;
            }
        }

        .rich-text {
            color: var(--gray-700);
            font-size: 0.95rem;
            line-height: 1.7;
            white-space: pre-wrap;
        }

        .info-list {
            display: flex;
            flex-direction: column;
            gap: 16px;
        }

        .info-item {
            display: flex;
            justify-content: space-between;
            gap: 16px;
        }
```

```
        .info-label {
            font-size: 0.85rem;
            font-weight: 600;
            color: var(--gray-500);
        }

        .info-value {
            font-size: 0.95rem;
            font-weight: 600;
            color: var(--gray-800);
            text-align: right;
        }

        .info-item + .info-item {
            padding-top: 16px;
            border-top: 1px solid var(--gray-200);
        }

        .callout {
            border-radius: 12px;
            padding: 16px 18px;
            font-size: 0.9rem;
            display: flex;
            gap: 10px;
            align-items: flex-start;
        }

        .callout.info {
            background: rgba(59, 130, 246, 0.12);
            color: var(--info);
        }

        .callout.success {
            background: rgba(16, 185, 129, 0.12);
            color: var(--success);
        }

        .callout.danger {
            background: rgba(239, 68, 68, 0.12);
            color: var(--danger);
        }

        .timeline {
            list-style: none;
            padding: 0;
            margin: 0;
            position: relative;
        }

        .timeline::before {
            content: '';
            position: absolute;
            top: 0;
            bottom: 0;
            left: 18px;
            width: 2px;
            background: var(--gray-200);
        }

        .timeline-item {
            position: relative;
            padding-left: 48px;
            padding-bottom: 24px;
        }

        .timeline-item:last-child {
            padding-bottom: 0;
```

```
        }

        .timeline-marker {
            position: absolute;
            left: 10px;
            top: 4px;
            width: 16px;
            height: 16px;
            border-radius: 50%;
            background: var(--white);
            border: 3px solid var(--primary-blue);
            box-shadow: var(--shadow-sm);
        }

        .timeline-content {
            display: flex;
            flex-direction: column;
            gap: 6px;
        }

        .timeline-time {
            font-size: 0.8rem;
            font-weight: 600;
            color: var(--gray-500);
            letter-spacing: 0.05em;
        }

        .timeline-text {
            font-size: 0.95rem;
            color: var(--gray-700);
            display: flex;
            align-items: center;
            gap: 10px;
        }

        .timeline-text i {
            font-size: 1.05rem;
        }

        .btn-outline.btn-sm {
            padding: 6px 12px;
        }

        @media (max-width: 768px) {
            .summary-title {
                font-size: 1.5rem;
            }
        }
    </style>
</head>
<body data-application-id="<?= $appId ?>" data-status="<?= htmlspecialchars($application['status'])
?>">
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>
        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
```

```
            </a>
            <a href="my-applications.php" class="sidebar-nav-item active">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>
            <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </nav>
        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'] ?? 'A', 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name'] ?? '') ?>
</div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content -->
    <div class="main-wrapper">
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Application Details</h1>
            <div class="topbar-actions">
                <a href="my-applications.php" class="btn btn-secondary">
                    <i class="fas fa-arrow-left"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <div class="content">
            <div class="card application-summary status-<?= $statusInfo['class'] ?>">
                <div class="card-body">
                    <div class="application-summary-header">
                        <div>
                            <p class="summary-label">Position Applied</p>
                            <h2 class="summary-title"><?= htmlspecialchars($application['position_ti
tle']) ?></h2>
                            <div class="summary-meta">
                                <span><i class="fas fa-calendar"></i> Applied <?= date('F j, Y', str
totime($application['applied_at'])) ?></span>
                                <span><i class="fas fa-rotate-right"></i> Updated <?= date('F j, Y -
 g:i A', strtotime($application['updated_at'])) ?></span>
                            </div>
                        </div>
                        <div>
                            <span class="status-pill <?= $statusInfo['class'] ?>">
                                <i class="<?= $statusInfo['icon'] ?>"></i> <?= $statusInfo['label']
?>
                            </span>
                        </div>
                    </div>
                    <p class="summary-description"><?= $statusInfo['description'] ?></p>
                    <?php if (!$application['meets_requirements']): ?>
                        <div class="summary-alert">
                            <i class="fas fa-exclamation-triangle"></i>
                            You currently fall short of the required experience for this role.
```

```
                    </div>
                <?php endif; ?>
            </div>
        </div>

        <div class="details-grid">
            <div class="details-main">
                <?php if ($application['cover_letter']): ?>
                    <div class="card">
                        <div class="card-header">
                            <h3 class="card-title">
                                <i class="fas fa-file-alt"></i> Cover Letter
                            </h3>
                        </div>
                        <div class="card-body">
                            <div class="rich-text">
                                <?= nl2br(htmlspecialchars($application['cover_letter'])) ?>
                            </div>
                        </div>
                    </div>
                <?php endif; ?>

                <?php if ($application['admin_notes']): ?>
                    <div class="card">
                        <div class="card-header">
                            <h3 class="card-title">
                                <i class="fas fa-comment-dots"></i> Admin Feedback
                            </h3>
                        </div>
                        <div class="card-body">
                            <div class="rich-text">
                                <?= nl2br(htmlspecialchars($application['admin_notes'])) ?>
                            </div>
                        </div>
                    </div>
                <?php endif; ?>

                <div class="card">
                    <div class="card-header">
                        <h3 class="card-title">
                            <i class="fas fa-history"></i> Application Timeline
                        </h3>
                    </div>
                    <div class="card-body">
                        <ul class="timeline">
                            <li class="timeline-item">
                                <div class="timeline-marker"></div>
                                <div class="timeline-content">
                                    <div class="timeline-time"><?= date('M j, Y - g:i A', strtot
ime($application['applied_at'])) ?></div>
                                    <div class="timeline-text">
                                        <i class="fas fa-paper-plane" style="color: var(--primar
y-blue);"></i>
                                        Application submitted
                                    </div>
                                </div>
                            </li>

                            <?php if ($application['status'] !== STATUS_PENDING): ?>
                                <?php if (!empty($application['reviewed_at'])): ?>
                                    <li class="timeline-item">
                                        <div class="timeline-marker"></div>
                                        <div class="timeline-content">
                                            <div class="timeline-time"><?= date('M j, Y - g:i A'
, strtotime($application['reviewed_at'])) ?></div>
                                            <div class="timeline-text">
                                                <?php if ($application['status'] === STATUS_APPR
OVED): ?>
```

```
                                                    <i class="fas fa-check-circle" style="color:
 var(--success);"></i>
                                                    Application approved
                                                <?php elseif ($application['status'] === STATUS_
REJECTED): ?>
                                                    <i class="fas fa-times-circle" style="color:
 var(--danger);"></i>
                                                    Application rejected
                                                <?php endif; ?>
                                            </div>
                                        </div>
                                    </li>
                                <?php else: ?>
                                    <li class="timeline-item">
                                        <div class="timeline-marker"></div>
                                        <div class="timeline-content">
                                            <div class="timeline-time"><?= date('M j, Y - g:i A'
, strtotime($application['updated_at'])) ?></div>
                                            <div class="timeline-text">
                                                <?php if ($application['status'] === STATUS_APPR
OVED): ?>
                                                    <i class="fas fa-check-circle" style="color:
 var(--success);"></i>
                                                    Application approved
                                                <?php elseif ($application['status'] === STATUS_
REJECTED): ?>
                                                    <i class="fas fa-times-circle" style="color:
 var(--danger);"></i>
                                                    Application rejected
                                                <?php endif; ?>
                                            </div>
                                        </div>
                                    </li>
                                <?php endif; ?>

                                <?php if ($application['admin_notes']): ?>
                                    <li class="timeline-item">
                                        <div class="timeline-marker"></div>
                                        <div class="timeline-content">
                                            <div class="timeline-time"><?= date('M j, Y - g:i A'
, strtotime($application['updated_at'])) ?></div>
                                            <div class="timeline-text">
                                                <i class="fas fa-comment" style="color: var(--in
fo);"></i>
                                                Admin added feedback
                                            </div>
                                        </div>
                                    </li>
                                <?php endif; ?>
                            <?php else: ?>
                                <li class="timeline-item">
                                    <div class="timeline-marker"></div>
                                    <div class="timeline-content">
                                        <div class="timeline-time"><?= date('M j, Y - g:i A', st
rtotime($application['updated_at'])) ?></div>
                                        <div class="timeline-text">
                                            <i class="fas fa-clock" style="color: var(--warning)
;"></i>
                                            Application under review
                                        </div>
                                    </div>
                                </li>
                            <?php endif; ?>
                        </ul>
                    </div>
                </div>
            </div>
```

```
                <div class="details-sidebar">
                    <div class="card">
                        <div class="card-header">
                            <h3 class="card-title">
                                <i class="fas fa-info-circle"></i> Application Info
                            </h3>
                        </div>
                        <div class="card-body">
                            <div class="info-list">
                                <div class="info-item">
                                    <span class="info-label">Your Experience</span>
                                    <span class="info-value"><?= number_format((float)$application['
total_experience_years'], 1) ?> years</span>
                                </div>
                                <div class="info-item">
                                    <span class="info-label">Required Experience</span>
                                    <span class="info-value"><?= number_format((float)$application['
min_experience_years'], 1) ?> years</span>
                                </div>
                                <div class="info-item">
                                    <span class="info-label">Requirements Met</span>
                                    <span class="info-value">
                                        <?php if ($application['meets_requirements']): ?>
                                            <span class="badge badge-success"><i class="fas fa-check
"></i> Yes</span>
                                        <?php else: ?>
                                            <span class="badge badge-warning"><i class="fas fa-times
"></i> No</span>
                                        <?php endif; ?>
                                    </span>
                                </div>
                                <?php if ($application['resume_file']): ?>
                                    <div class="info-item">
                                        <span class="info-label">Resume</span>
                                        <span class="info-value">
                                            <a class="btn btn-outline btn-sm" target="_blank" href="
<?= BASE_URL ?>applicant/pages/uploads/resumes/<?= htmlspecialchars($application['resume_file']) ?>"
>
                                                <i class="fas fa-file-pdf"></i> View Resume
                                            </a>
                                        </span>
                                    </div>
                                <?php endif; ?>
                            </div>
                        </div>
                    </div>

                    <?php if ($application['status'] === STATUS_PENDING): ?>
                        <div class="callout info">
                            <i class="fas fa-clock"></i>
                            We will let you know once a decision is made. Keep an eye on your email.
                        </div>
                    <?php elseif ($application['status'] === STATUS_APPROVED): ?>
                        <div class="callout success">
                            <i class="fas fa-check-circle"></i>
                            Our team will reach out with the next steps shortly. Congratulations!
                        </div>
                    <?php elseif ($application['status'] === STATUS_REJECTED): ?>
                        <div class="callout danger">
                            <i class="fas fa-times-circle"></i>
                            Thank you for applying. Feel free to browse other open positions.
                        </div>
                    <?php endif; ?>
                </div>
            </div>
        </div>
    </div>
```

```
    <!-- Mobile Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
            </a>
            <a href="my-applications.php" class="mobile-nav-item active">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/apply.php

```
<?php
require_once '../../config/config.php';
require_once '../../includes/models.php';

// Prevent caching of this page
header("Cache-Control: no-store, no-cache, must-revalidate, max-age=0");
header("Cache-Control: post-check=0, pre-check=0", false);
header("Pragma: no-cache");

requireAuth();

// Require privacy waiver acceptance
requirePrivacyWaiver();

$positionModel = new Position();
$applicationModel = new Application();

$userId = $_SESSION['user_id'];

// Get position details
$positionId = (int)($_GET['position'] ?? 0);
$position = $positionModel->findById($positionId);

if (!$position || !$position['is_active']) {
    header('Location: ' . BASE_URL . 'applicant/pages/positions.php?error=Position not found or inac
tive');
    exit();
}

// Check if user already applied
$existingApplication = $applicationModel->findByUserAndPosition($userId, $positionId);
if ($existingApplication) {
    header('Location: ' . BASE_URL . 'applicant/pages/my-applications.php?error=You have already app
lied for this position');
    exit();
}

// Get user's total experience
$userModel = new User();
$totalExperience = $userModel->getTotalExperience($userId);

// Validate all requirements
require_once '../../includes/services/RequirementValidator.php';
$requirementValidator = new RequirementValidator();
$requirementValidation = $requirementValidator->validateRequirements($userId, $positionId);

// Check if position has CSE requirements
$hasCSERequirement = !empty($position['career_service_eligibilities']);
$cseValidation = $requirementValidation['details']['career_service_eligibilities'] ?? null;
$meetsCSE = $cseValidation ? ($cseValidation['meets'] ?? false) : true; // If no CSE requirement, co
nsider it met

// If CSE requirement exists and is not met, block access to application page
if ($hasCSERequirement && !$meetsCSE) {
    $cseMessage = $cseValidation['message'] ?? 'You do not meet the required Career Service Eligibil
ity for this position.';
    header('Location: ' . BASE_URL . 'applicant/pages/positions.php?error=' . urlencode($cseMessage
. ' Please update your profile with the required eligibility.'));
    exit();
}

$message = '';
$error = '';

// Handle application submission
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
```

```
    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        // Provide more specific error messages
        if ($validation['error'] === 'duplicate') {
            // Redirect to avoid resubmission on refresh
            header('Location: ' . BASE_URL . 'applicant/pages/my-applications.php?info=Application a
lready submitted');
            exit();
        }
        $error = $validation['error'];
    } else {
        $coverLetter = sanitize($_POST['cover_letter'] ?? '');

        // Validate all requirements comprehensively (re-validate on submit)
        $requirementValidation = $requirementValidator->validateRequirements($userId, $positionId);
        $meetsRequirements = $requirementValidation['meets_requirements'];

        // Check CSE requirements again on submit
        $hasCSERequirement = !empty($position['career_service_eligibilities']);
        $cseValidation = $requirementValidation['details']['career_service_eligibilities'] ?? null;
        $meetsCSE = $cseValidation ? ($cseValidation['meets'] ?? false) : true;

        // Block submission if CSE requirements are not met
        if ($hasCSERequirement && !$meetsCSE) {
            $cseMessage = $cseValidation['message'] ?? 'You do not meet the required Career Service
Eligibility for this position.';
            $error = $cseMessage . ' Please update your profile with the required eligibility before
 applying.';
        }

        // Validate documents before processing (PDF only) - only if no CSE error
        if (empty($error)) {
            $documentErrors = [];
            $documentTypes = ['resume', 'certificate', 'portfolio', 'other'];

            foreach ($documentTypes as $docType) {
                if (isset($_FILES['documents']['name'][$docType]) && is_array($_FILES['documents']['
name'][$docType])) {
                    $fileCount = count($_FILES['documents']['name'][$docType]);

                    for ($i = 0; $i < $fileCount; $i++) {
                        if ($_FILES['documents']['error'][$docType][$i] === UPLOAD_ERR_OK) {
                            $originalName = $_FILES['documents']['name'][$docType][$i];
                            $tmpName = $_FILES['documents']['tmp_name'][$docType][$i];

                            // Validate PDF file type by extension
                            $extension = strtolower(pathinfo($originalName, PATHINFO_EXTENSION));
                            if ($extension !== 'pdf') {
                                $documentErrors[] = $originalName . ' is not a PDF file. Only PDF fi
les are allowed.';
                                continue;
                            }

                            // Validate MIME type
                            $finfo = finfo_open(FILEINFO_MIME_TYPE);
                            $mimeType = finfo_file($finfo, $tmpName);
                            finfo_close($finfo);

                            if ($mimeType !== 'application/pdf') {
                                $documentErrors[] = $originalName . ' is not a valid PDF file. Only
PDF files are allowed.';
                                continue;
                            }
                        }
                    }
                }
```

```
            }

            // If there were document validation errors, show error and don't create application
            if (!empty($documentErrors)) {
                $error = $documentErrors[0];
                if (count($documentErrors) > 1) {
                    $error .= ' (and ' . (count($documentErrors) - 1) . ' more file(s))';
                }
            }
        }

        // Only proceed with application creation if no errors
        if (empty($error)) {
            // Handle single resume file (for backward compatibility)
            $resumeFile = null;
            if (isset($_FILES['resume']) && $_FILES['resume']['error'] === UPLOAD_ERR_OK) {
                $uploadDir = 'uploads/resumes/';
                if (!is_dir($uploadDir)) {
                    mkdir($uploadDir, 0755, true);
                }

                $fileName = time() . '_' . $userId . '_' . basename($_FILES['resume']['name']);
                $uploadPath = $uploadDir . $fileName;

                if (move_uploaded_file($_FILES['resume']['tmp_name'], $uploadPath)) {
                    $resumeFile = $fileName;
                }
            }

            try {
                $applicationData = [
                    'user_id' => $userId,
                    'position_id' => $positionId,
                    'cover_letter' => $coverLetter,
                    'resume_file' => $resumeFile,
                    'total_experience_years' => $totalExperience,
                    'meets_requirements' => $meetsRequirements
                ];

                if ($applicationModel->create($applicationData)) {
                    // Get the application ID
                    $applicationId = $applicationModel->findByUserAndPosition($userId, $positionId)[
'id'];

                    // Handle multiple document uploads (now that we know they're valid PDFs)
                    $documentModel = new ApplicationDocument();
                    $uploadDir = 'uploads/documents/';
                    if (!is_dir($uploadDir)) {
                        mkdir($uploadDir, 0755, true);
                    }

                    foreach ($documentTypes as $docType) {
                        if (isset($_FILES['documents']['name'][$docType]) && is_array($_FILES['docum
ents']['name'][$docType])) {
                            $fileCount = count($_FILES['documents']['name'][$docType]);

                            for ($i = 0; $i < $fileCount; $i++) {
                                if ($_FILES['documents']['error'][$docType][$i] === UPLOAD_ERR_OK) {
                                    $originalName = $_FILES['documents']['name'][$docType][$i];
                                    $tmpName = $_FILES['documents']['tmp_name'][$docType][$i];
                                    $fileSize = $_FILES['documents']['size'][$docType][$i];

                                    $fileName = time() . '_' . $userId . '_' . uniqid() . '_' . base
name($originalName);
                                    $uploadPath = $uploadDir . $fileName;

                                    if (move_uploaded_file($tmpName, $uploadPath)) {
                                        $documentModel->create([
```

```
                                        'application_id' => $applicationId,
                                        'document_type' => $docType,
                                        'file_name' => basename($originalName),
                                        'file_path' => $fileName,
                                        'file_size' => $fileSize
                                    ]);
                                }
                            }
                        }
                    }

                    // Get user and application for notifications
                    $user = $userModel->findById($userId);
                    $application = $applicationModel->findByUserAndPosition($userId, $positionId);

                    // Create in-app notifications for all admins
                    try {
                        $notificationModel = new Notification();
                        $notificationModel->notifyAllAdmins(
                            'application_submitted',
                            'New Application Submitted',
                            "{$user['full_name']} has submitted an application for {$position['title
']}",
                            $application['id'],
                            'application'
                        );
                    } catch (Exception $e) {
                        error_log("Failed to create admin notifications: " . $e->getMessage());
                    }

                    // Send confirmation email
                    try {
                        require_once '../../includes/services/EmailService.php';
                        $emailService = new EmailService();

                        $emailService->sendApplicationSubmitted($user, $position, $application);

                        header('Location: ' . BASE_URL . 'applicant/pages/my-applications.php?messag
e=Application submitted successfully! A confirmation email has been sent to your email address.');
                    } catch (Exception $e) {
                        error_log("Failed to send application confirmation email: " . $e->getMessage
());
                        header('Location: ' . BASE_URL . 'applicant/pages/my-applications.php?messag
e=Application submitted successfully!');
                    }
                    exit();
                } else {
                    $error = 'Failed to submit application';
                }
            } catch (Exception $e) {
                $error = 'An error occurred: ' . $e->getMessage();
            }
        }
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Apply for <?= htmlspecialchars($position['title']) ?> - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
```

```
    <?php include '../../includes/pwa-header.php'; ?>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <i class="fas fa-graduation-cap"></i>
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>
            <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?php
                    $user = $userModel->findById($userId);
                    echo strtoupper(substr($user['full_name'], 0, 1));
                    ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
                <a href="auth/logout.php" class="confirm-logout" style="color: var(--gray-500); text
-decoration: none;">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Apply for Position</h1>
            <div class="topbar-actions">
                <a href="positions.php" class="topbar-btn">
                    <i class="fas fa-arrow-left"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
```

```
            <div class="card" style="max-width: 900px; margin: 0 auto;">
                <!-- Position Header -->
                <div class="card-header" style="background: linear-gradient(135deg, var(--primary-bl
ue) 0%, var(--secondary-blue) 100%); color: white; border: none; padding: 24px;">
                    <h3 style="margin-bottom: 12px; font-size: 1.5rem; font-weight: 700;"><?= ht
mlspecialchars($position['title']) ?></h3>
                    <div style="display: flex; flex-wrap: wrap; gap: 16px; font-size: 0.9rem; op
acity: 0.95;">
                        <?php if ($position['location']): ?>
                            <span><i class="fas fa-map-marker-alt"></i> <?= htmlspecialchars($po
sition['location']) ?></span>
                        <?php endif; ?>
                        <span><i class="fas fa-briefcase"></i> <?= ucfirst($position['employment
_type']) ?></span>
                        <?php if ($position['deadline']): ?>
                            <span><i class="fas fa-calendar"></i> Deadline: <?= date('M j, Y', s
trtotime($position['deadline'])) ?></span>
                        <?php endif; ?>
                    </div>
                </div>

                <div class="card-body">
                    <?php if ($error): ?>
                        <div class="alert alert-danger">
                            <i class="fas fa-exclamation-triangle"></i>
                            <div><?= htmlspecialchars($error) ?></div>
                        </div>
                    <?php endif; ?>

                    <?php if ($message): ?>
                        <div class="alert alert-success">
                            <i class="fas fa-check-circle"></i>
                            <div><?= htmlspecialchars($message) ?></div>
                        </div>
                    <?php endif; ?>

                    <!-- Comprehensive Requirements Check -->
                    <div class="alert <?= $requirementValidation['meets_requirements'] ? 'alert-
success' : 'alert-warning' ?>" style="margin-bottom: 20px;">
                        <div style="display: flex; align-items: start; gap: 12px;">
                            <i class="fas fa-<?= $requirementValidation['meets_requirements'] ?
'check-circle' : 'exclamation-triangle' ?>" style="font-size: 1.2rem;"></i>
                            <div style="flex: 1;">
                                <strong style="display: block; margin-bottom: 12px; font-size: 1
.1rem;">
                                    <?= $requirementValidation['meets_requirements'] ? 'You Meet
 All Requirements' : 'Requirement Status' ?>
                                </strong>

                                <?php foreach ($requirementValidation['details'] as $key => $det
ail): ?>
                                    <?php if (isset($detail['meets'])): ?>
                                        <div style="margin-bottom: 12px; padding: 10px; backgrou
nd: rgba(0,0,0,0.02); border-radius: 6px; border-left: 3px solid <?= $detail['meets'] ? '#28a745' :
'#ffc107' ?>;">
                                            <div style="display: flex; align-items: start; gap:
8px; margin-bottom: 4px;">
                                                <i class="fas fa-<?= $detail['meets'] ? 'check-c
ircle' : 'times-circle' ?>" style="color: <?= $detail['meets'] ? '#28a745' : '#ffc107' ?>; margin-to
p: 2px;"></i>
                                                <div style="flex: 1;">
                                                    <strong style="display: block; margin-bottom
: 4px; text-transform: capitalize;">
                                                        <?= str_replace('_', ' ', $key) ?>
                                                    </strong>
                                                    <div style="font-size: 0.9rem; color: var(--
gray-600);">
                                                        <?= htmlspecialchars($detail['message'])
```

```
 ?>
                                                    </div>
                                                </div>
                                            </div>
                                        </div>
                                    <?php elseif (isset($detail['info'])): ?>
                                        <div style="margin-bottom: 8px; padding: 8px; background
: rgba(0,0,0,0.02); border-radius: 6px;">
                                            <small style="font-size: 0.9rem; color: var(--gray-6
00);">
                                                <i class="fas fa-info-circle"></i> <?= htmlspeci
alchars($detail['info']) ?>
                                            </small>
                                        </div>
                                    <?php endif; ?>
                                <?php endforeach; ?>

                                <?php
                                $cseValidation = $requirementValidation['details']['career_servi
ce_eligibilities'] ?? null;
                                $hasCSERequirement = !empty($position['career_service_eligibilit
ies']);
                                $meetsCSE = $cseValidation ? ($cseValidation['meets'] ?? false)
: true;
                                ?>
                                <?php if (!$requirementValidation['meets_requirements']): ?>
                                    <div style="margin-top: 12px; padding: 10px; background: <?=
 ($hasCSERequirement && !$meetsCSE) ? 'rgba(220,53,69,0.1)' : 'rgba(255,193,7,0.1)' ?>; border-radiu
s: 6px; border-left: 3px solid <?= ($hasCSERequirement && !$meetsCSE) ? '#dc3545' : '#ffc107' ?>;">
                                        <small style="display: block; color: var(--gray-700);">
                                            <i class="fas fa-<?= ($hasCSERequirement && !$meetsC
SE) ? 'times-circle' : 'info-circle' ?>"></i>
                                            <strong>Note:</strong>
                                            <?php if ($hasCSERequirement && !$meetsCSE): ?>
                                                <strong style="color: #dc3545;">You must meet th
e Career Service Eligibility requirement to apply for this position.</strong>
                                                Please update your profile with the required eli
gibility.
                                            <?php else: ?>
                                                You can still submit your application even if yo
u don't meet all requirements.
                                                However, applications that meet all requirements
 will be given priority consideration.
                                            <?php endif; ?>
                                        </small>
                                    </div>
                                <?php endif; ?>
                            </div>
                        </div>
                    </div>

                    <!-- Job Description -->
                    <div style="margin-bottom: 24px;">
                        <h5 style="font-size: 1.125rem; font-weight: 600; margin-bottom: 12px;">
                            <i class="fas fa-file-alt"></i> Job Description
                        </h5>
                        <p style="color: var(--gray-600); line-height: 1.6;"><?= nl2br(htmlspeci
alchars($position['description'])) ?></p>
                    </div>

                    <!-- Requirements -->
                    <?php if ($position['requirements']): ?>
                        <div style="margin-bottom: 24px;">
                            <h5 style="font-size: 1.125rem; font-weight: 600; margin-bottom: 12p
x;">
                                <i class="fas fa-list"></i> Requirements
                            </h5>
                            <p style="color: var(--gray-600); line-height: 1.6;"><?= nl2br(htmls
```

```
pecialchars($position['requirements'])) ?></p>
                            </div>
                        <?php endif; ?>

                        <?php if ($position['salary_range']): ?>
                            <?php
                                $salaryRangeDisplay = $position['salary_range'];
                                if (!preg_match('/(?|PHP|PESO)/i', $salaryRangeDisplay)) {
                                    $salaryRangeDisplay = 'PHP ' . $salaryRangeDisplay;
                                }
                            ?>
                            <div style="margin-bottom: 24px;">
                                <h5 style="font-size: 1.125rem; font-weight: 600; margin-bottom: 12p
x;">
                                    <i class="fas fa-money-bill-wave"></i> Salary Range (PHP)
                                </h5>
                                <p style="color: var(--gray-600);"><?= htmlspecialchars($salaryRange
Display) ?></p>
                            </div>
                        <?php endif; ?>

                        <hr style="margin: 24px 0; border-color: var(--gray-200);"
>

                        <!-- Application Form -->
                        <form method="POST" enctype="multipart/form-data" id="applicationForm" class
="prevent-double-submit">
                            <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>
">
                            <?php FormTokenManager::renderFormTokenInput('apply_position'); ?>

                            <h5 style="font-size: 1.25rem; font-weight: 600; margin-bottom: 20px;">
                                <i class="fas fa-edit"></i> Submit Your Application
                            </h5>

                            <div class="form-group">
                                <label class="form-label">Cover Letter (Optional)</label>
                                <textarea class="form-control" name="cover_letter" rows="6"
                                          placeholder="Tell us why you're the perfect fit for this po
sition..."><?= htmlspecialchars($_POST['cover_letter'] ?? '') ?></textarea>
                                <small style="display: block; margin-top: 6px; color: var(--gray-500
);">
                                    <i class="fas fa-lightbulb"></i>
                                    Tip: Mention specific skills and experiences that align with the
 job requirements.
                                </small>
                            </div>

                            <div class="form-group">
                                <label class="form-label">Personal Data Sheet *</label>
                                <input type="file" class="form-control" name="resume"
                                       accept=".pdf,.doc,.docx" required>
                                <small style="display: block; margin-top: 6px; color: var(--gray-500
);">
                                    <i class="fas fa-info-circle"></i>
                                    Personal Data Sheet (CSC Form 212).
                                </small>
                            </div>

                            <hr style="margin: 24px 0; border-color: var(--gray-200);">

                            <h5 style="font-size: 1.125rem; font-weight: 600; margin-bottom: 16px;">
                                <i class="fas fa-paperclip"></i> Additional Documents (Optional)
                            </h5>
                            <p style="color: var(--gray-600); margin-bottom: 20px; font-size: 0.9rem
;">
                                Upload supporting documents to strengthen your application. You can
upload multiple PDF files for each category. Only PDF files are allowed.
```

```
                            </p>



                            <div class="form-group">
                                <label class="form-label">
                                    <i class="fas fa-certificate"></i> Certificates
                                </label>
                                <input type="file" class="form-control" name="documents[certificate]
[]"
                                       accept=".pdf,application/pdf" multiple>
                                <small style="display: block; margin-top: 6px; color: var(--gray-500
);">
                                    Certifications, training, awards, etc. (PDF files only)
                                </small>
                            </div>

                            <div class="form-group">
                                <label class="form-label">
                                    <i class="fas fa-folder"></i> Eligibilty
                                </label>
                                <input type="file" class="form-control" name="documents[portfolio][]
"
                                       accept=".pdf,application/pdf" multiple>
                                <small style="display: block; margin-top: 6px; color: var(--gray-500
);">
                                Civil Service Commission (CSC), PRC license, etc
                                </small>
                            </div>

                            <!-- <div class="form-group">
                                <label class="form-label">
                                    <i class="fas fa-file"></i> Other Documents
                                </label>
                                <input type="file" class="form-control" name="documents[other][]"
                                       accept=".pdf,application/pdf" multiple>
                                <small style="display: block; margin-top: 6px; color: var(--gray-500
);">
                                    Any other relevant documents (PDF files only)
                                </small>
                            </div> -->

                            <div style="display: flex; gap: 12px; justify-content: flex-end; flex-wr
ap: wrap;">
                                <a href="positions.php" class="btn btn-outline">
                                    <i class="fas fa-times"></i> Cancel
                                </a>
                                <button type="submit" class="btn btn-primary">
                                    <i class="fas fa-paper-plane"></i> Submit Application
                                </button>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item active">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
            </a>
```

```
            <a href="my-applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/form-submission-manager.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script>
        // Prevent cached page issues - reload if page was loaded from back/forward cache
        window.addEventListener('pageshow', function(event) {
            if (event.persisted) {
                window.location.reload(true);
            }
        });
    </script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/chat.php

```
<?php
require_once '../../config/config.php';

requireAuth();

// Redirect admin to admin dashboard
if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/chat.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$userId = $_SESSION['user_id'];
$userModel = new User();
$applicationModel = new Application();

$user = $userModel->findById($userId);

// Check if user has approved or rejected applications
$applications = $applicationModel->findAll('user_id = ? AND status IN (?, ?)', [
    $userId,
    STATUS_APPROVED,
    STATUS_REJECTED
]);

$canChat = !empty($applications);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Chat - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
    <style>
        .chat-container {
            display: flex;
            height: calc(100vh - 80px);
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            overflow: hidden;
            background: white;
        }

        .chat-sidebar {
            width: 350px;
            border-right: 1px solid var(--gray-200);
            display: flex;
            flex-direction: column;
            background: var(--gray-50);
        }

        .chat-sidebar-header {
            padding: 16px;
            border-bottom: 1px solid var(--gray-200);
            background: white;
        }
```

```
        .chat-sidebar-header h3 {
            margin: 0 0 12px 0;
            font-size: 1.25rem;
            font-weight: 600;
        }

        .search-box {
            margin-top: 12px;
            position: relative;
        }

        .search-box input {
            width: 100%;
            padding: 10px 12px 10px 36px;
            border: 1px solid var(--gray-300);
            border-radius: 6px;
            font-size: 0.9rem;
        }

        .search-box i {
            position: absolute;
            left: 12px;
            top: 50%;
            transform: translateY(-50%);
            color: var(--gray-500);
        }

        .conversations-list {
            flex: 1;
            overflow-y: auto;
            padding: 8px;
        }

        .conversation-item {
            padding: 12px;
            margin-bottom: 8px;
            background: white;
            border-radius: 8px;
            cursor: pointer;
            transition: background 0.2s;
            border: 1px solid var(--gray-200);
        }

        .conversation-item:hover {
            background: var(--gray-50);
        }

        .conversation-item.active {
            background: var(--primary-blue);
            color: white;
            border-color: var(--primary-blue);
        }

        .conversation-item.active .conversation-name,
        .conversation-item.active .conversation-preview {
            color: white;
        }

        .conversation-header {
            display: flex;
            justify-content: space-between;
            align-items: center;
            margin-bottom: 6px;
        }

        .conversation-name {
            font-weight: 600;
```

```
            font-size: 0.95rem;
            color: var(--gray-900);
        }

        .conversation-time {
            font-size: 0.75rem;
            color: var(--gray-500);
        }

        .conversation-item.active .conversation-time {
            color: rgba(255, 255, 255, 0.8);
        }

        .conversation-preview {
            font-size: 0.85rem;
            color: var(--gray-600);
            overflow: hidden;
            text-overflow: ellipsis;
            white-space: nowrap;
        }

        .unread-badge {
            background: var(--danger-red);
            color: white;
            border-radius: 12px;
            padding: 2px 8px;
            font-size: 0.75rem;
            font-weight: 600;
            margin-left: 8px;
        }

        .chat-main {
            flex: 1;
            display: flex;
            flex-direction: column;
            background: white;
        }

        .chat-header {
            padding: 16px 20px;
            border-bottom: 1px solid var(--gray-200);
            display: flex;
            align-items: center;
            justify-content: space-between;
        }

        .chat-header-info h4 {
            margin: 0;
            font-size: 1.1rem;
            font-weight: 600;
        }

        .chat-header-info p {
            margin: 4px 0 0 0;
            font-size: 0.85rem;
            color: var(--gray-600);
        }

        .chat-messages {
            flex: 1;
            overflow-y: auto;
            padding: 20px;
            display: flex;
            flex-direction: column;
            gap: 12px;
        }

        .message {
```

```
            display: flex;
            gap: 10px;
            max-width: 70%;
        }

        .message.sent {
            align-self: flex-end;
            flex-direction: row-reverse;
        }

        .message-avatar {
            width: 36px;
            height: 36px;
            border-radius: 50%;
            background: var(--primary-blue);
            color: white;
            display: flex;
            align-items: center;
            justify-content: center;
            font-weight: 600;
            font-size: 0.9rem;
            flex-shrink: 0;
        }

        .message-content {
            background: var(--gray-100);
            padding: 10px 14px;
            border-radius: 12px;
            word-wrap: break-word;
        }

        .message.sent .message-content {
            background: var(--primary-blue);
            color: white;
        }

        .message-time {
            font-size: 0.75rem;
            color: var(--gray-500);
            margin-top: 4px;
            padding: 0 4px;
        }

        .message.sent .message-time {
            text-align: right;
        }

        .chat-input-area {
            padding: 16px 20px;
            border-top: 1px solid var(--gray-200);
            display: flex;
            gap: 12px;
        }

        .chat-input-area input {
            flex: 1;
            padding: 12px 16px;
            border: 1px solid var(--gray-300);
            border-radius: 24px;
            font-size: 0.95rem;
        }

        .chat-input-area button {
            padding: 12px 24px;
            background: var(--primary-blue);
            color: white;
            border: none;
            border-radius: 24px;
```

```
            font-weight: 600;
            cursor: pointer;
        }

        .chat-input-area button:hover {
            background: var(--secondary-blue);
        }

        .chat-input-area button:disabled {
            background: var(--gray-400);
            cursor: not-allowed;
        }

        .empty-chat {
            flex: 1;
            display: flex;
            flex-direction: column;
            align-items: center;
            justify-content: center;
            color: var(--gray-500);
        }

        .empty-chat i {
            font-size: 4rem;
            margin-bottom: 16px;
            opacity: 0.5;
        }

        .chat-disabled {
            flex: 1;
            display: flex;
            flex-direction: column;
            align-items: center;
            justify-content: center;
            padding: 40px;
            text-align: center;
        }

        .chat-disabled i {
            font-size: 4rem;
            color: var(--gray-400);
            margin-bottom: 20px;
        }

        .chat-disabled h3 {
            color: var(--gray-700);
            margin-bottom: 12px;
        }

        .chat-disabled p {
            color: var(--gray-600);
            margin-bottom: 20px;
        }

        @media (max-width: 768px) {
            .chat-container {
                flex-direction: column;
                height: calc(100vh - 60px);
            }

            .chat-sidebar {
                width: 100%;
                height: 40%;
            }

            .chat-main {
                height: 60%;
            }
```

```
            .message {
                max-width: 85%;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>
            <a href="chat.php" class="sidebar-nav-item active">
                <i class="fas fa-comments"></i>
                <span>Chat</span>
            </a>
            <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Chat</h1>
            <div class="topbar-actions">
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>
```

```
        <!-- Main Content -->
        <div class="content">
            <?php if (!$canChat): ?>
            <div class="chat-disabled">
                <i class="fas fa-comment-slash"></i>
                <h3>Chat Not Available</h3>
                <p>You can only chat with administrators after your application has been approved or
 rejected.</p>
                <a href="my-applications.php" class="btn btn-primary">
                    <i class="fas fa-file-alt"></i> View My Applications
                </a>
            </div>
            <?php else: ?>
            <div class="chat-container">
                <!-- Chat Sidebar -->
                <div class="chat-sidebar">
                    <div class="chat-sidebar-header">
                        <h3>Conversations</h3>
                        <div class="search-box">
                            <i class="fas fa-search"></i>
                            <input type="text" id="conversationSearch" placeholder="Search conversat
ions..." onkeyup="filterConversations()">
                        </div>
                    </div>
                    <div class="conversations-list" id="conversationsList">
                        <!-- Conversations will be loaded here -->
                    </div>
                </div>

                <!-- Chat Main Area -->
                <div class="chat-main">
                    <div id="emptyChat" class="empty-chat">
                        <i class="fas fa-comments"></i>
                        <h3>No conversations yet</h3>
                        <p>You can only reply to conversations. An administrator will message you fi
rst.</p>
                    </div>
                    <div id="chatArea" style="display: none;">
                        <div class="chat-header">
                            <div class="chat-header-info">
                                <h4 id="chatUserName">Admin</h4>
                                <p id="chatUserEmail">admin@example.com</p>
                            </div>
                        </div>
                        <div class="chat-messages" id="chatMessages">
                            <!-- Messages will be loaded here -->
                        </div>
                        <div class="chat-input-area">
                            <input type="text" id="messageInput" placeholder="Type a reply..." onkey
press="handleMessageKeyPress(event)" disabled>
                            <button onclick="sendMessage()" id="sendBtn" disabled>
                                <i class="fas fa-paper-plane"></i> Send
                            </button>
                        </div>
                        <div id="chatInfo" style="padding: 12px 20px; background: var(--gray-50); bo
rder-top: 1px solid var(--gray-200); font-size: 0.85rem; color: var(--gray-600); display: none;">
                            <i class="fas fa-info-circle"></i> You can only reply to conversations.
An administrator must message you first.
                        </div>
                    </div>
                </div>
            </div>
            <?php endif; ?>
        </div>
    </div>

    <script src="../../assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <script>
```

```
        <?php if ($canChat): ?>
        const BASE_URL = '<?= BASE_URL ?>';
        const CSRF_TOKEN = '<?= generateCSRFToken() ?>';
        let currentRecipientId = null;
        let eventSource = null;
        let conversations = [];

        // Load conversations on page load
        document.addEventListener('DOMContentLoaded', function() {
            loadConversations();
        });

        async function loadConversations() {
            try {
                const response = await fetch(`${BASE_URL}api/messages.php?action=conversations`, {
                    headers: {
                        'X-CSRF-Token': CSRF_TOKEN
                    }
                });
                const data = await response.json();

                if (data.success) {
                    conversations = data.data;
                    renderConversations();
                }
            } catch (error) {
                console.error('Error loading conversations:', error);
            }
        }

        function renderConversations() {
            const list = document.getElementById('conversationsList');
            if (conversations.length === 0) {
                list.innerHTML = '<div style="padding: 20px; text-align: center; color: var(--gray-5
00);">No conversations yet. An administrator will message you first.</div>';
                return;
            }

            list.innerHTML = conversations.map(conv => {
                const time = conv.last_message_at ? formatTime(conv.last_message_at) : '';
                const unread = conv.unread_count > 0 ? `<span class="unread-badge">${conv.unread_cou
nt}</span>` : '';
                const isActive = currentRecipientId == conv.user_id ? 'active' : '';
                return `
                    <div class="conversation-item ${isActive}"
                         onclick="selectConversation(${conv.user_id}, '${escapeHtml(conv.full_name)}
', '${escapeHtml(conv.email)}')">
                        <div class="conversation-header">
                            <span class="conversation-name">${escapeHtml(conv.full_name)}${unread}</
span>
                            <span class="conversation-time">${time}</span>
                        </div>
                        <div class="conversation-preview">${escapeHtml(conv.last_message || 'No mess
ages yet')}</div>
                    </div>
                `;
            }).join('');
        }

        function filterConversations() {
            const search = document.getElementById('conversationSearch').value.toLowerCase();
            const items = document.querySelectorAll('.conversation-item');
            items.forEach(item => {
                const text = item.textContent.toLowerCase();
                item.style.display = text.includes(search) ? 'block' : 'none';
            });
        }
```

```
        function selectConversation(userId, userName, userEmail) {
            currentRecipientId = userId;
            document.getElementById('chatUserName').textContent = userName;
            document.getElementById('chatUserEmail').textContent = userEmail;
            document.getElementById('emptyChat').style.display = 'none';
            document.getElementById('chatArea').style.display = 'flex';
            document.getElementById('chatArea').style.flexDirection = 'column';

            // Update active conversation
            document.querySelectorAll('.conversation-item').forEach(item => {
                item.classList.remove('active');
                if (item.getAttribute('onclick') && item.getAttribute('onclick').includes(`selectCon
versation(${userId},`)) {
                    item.classList.add('active');
                }
            });

            loadMessages();
            startSSE();
        }

        function checkCanReply(messages) {
            // Check if there's at least one message from an admin (not from the applicant)
            const hasAdminMessage = messages.some(msg => {
                return msg.sender_id != <?= $userId ?> && (msg.sender_role === 'admin' || !msg.sende
r_role);
            });
            const messageInput = document.getElementById('messageInput');
            const sendBtn = document.getElementById('sendBtn');
            const chatInfo = document.getElementById('chatInfo');

            if (hasAdminMessage && messages.length > 0) {
                messageInput.disabled = false;
                sendBtn.disabled = false;
                chatInfo.style.display = 'none';
                messageInput.placeholder = 'Type a reply...';
            } else {
                messageInput.disabled = true;
                sendBtn.disabled = true;
                chatInfo.style.display = 'block';
                messageInput.placeholder = 'Wait for administrator to message you first...';
            }
        }

        async function loadMessages() {
            if (!currentRecipientId) return;

            try {
                const response = await fetch(`${BASE_URL}api/messages.php?action=index&recipient_id=
${currentRecipientId}`, {
                    headers: {
                        'X-CSRF-Token': CSRF_TOKEN
                    }
                });
                const data = await response.json();

                if (data.success) {
                    renderMessages(data.data);
                }
            } catch (error) {
                console.error('Error loading messages:', error);
            }
        }

        function renderMessages(messages) {
            const container = document.getElementById('chatMessages');
            container.innerHTML = messages.map(msg => {
                const isSent = msg.sender_id == <?= $userId ?>;
```

```
                const time = formatTime(msg.created_at);
                const avatar = msg.sender_name ? msg.sender_name.charAt(0).toUpperCase() : 'A';
                return `
                    <div class="message ${isSent ? 'sent' : ''}">
                        <div class="message-avatar">${avatar}</div>
                        <div>
                            <div class="message-content">${escapeHtml(msg.message)}</div>
                            <div class="message-time">${time}</div>
                        </div>
                    </div>
                `;
            }).join('');

            container.scrollTop = container.scrollHeight;

            // Check if applicant can reply (must have at least one admin message)
            checkCanReply(messages);
        }

        async function sendMessage() {
            const input = document.getElementById('messageInput');
            const message = input.value.trim();

            if (!message || !currentRecipientId) return;

            const sendBtn = document.getElementById('sendBtn');
            sendBtn.disabled = true;

            try {
                // Find application_id for this recipient if available
                let applicationId = null;
                const conv = conversations.find(c => c.user_id == currentRecipientId);
                if (conv && conv.application_id) {
                    applicationId = conv.application_id;
                }

                const body = {
                    recipient_id: currentRecipientId,
                    message: message
                };

                if (applicationId) {
                    body.application_id = applicationId;
                }

                const response = await fetch(`${BASE_URL}api/messages.php?action=send`, {
                    method: 'POST',
                    headers: {
                        'Content-Type': 'application/json',
                        'X-CSRF-Token': CSRF_TOKEN
                    },
                    body: JSON.stringify(body)
                });

                // Check if response is OK and content type is JSON
                const contentType = response.headers.get('content-type');
                if (!contentType || !contentType.includes('application/json')) {
                    const text = await response.text();
                    console.error('Non-JSON response:', text);
                    throw new Error('Server returned invalid response. Please check the console for
details.');
                }

                const data = await response.json();

                if (data.success) {
                    input.value = '';
                    loadMessages();
```

```
                    loadConversations();
                } else {
                    alert('Failed to send message: ' + (data.message || 'Unknown error'));
                }
            } catch (error) {
                console.error('Error sending message:', error);
                if (error instanceof SyntaxError) {
                    alert('Failed to send message: Server returned invalid response. Please check th
e console for details.');
                } else {
                    alert('Failed to send message: ' + (error.message || 'Unknown error'));
                }
            } finally {
                sendBtn.disabled = false;
            }
        }

        function handleMessageKeyPress(event) {
            if (event.key === 'Enter') {
                sendMessage();
            }
        }

        function startSSE() {
            if (eventSource) {
                eventSource.close();
            }

            if (!currentRecipientId) return;

            const url = `${BASE_URL}api/messages_sse.php?recipient_id=${currentRecipientId}&last_mes
sage_id=0`;
            eventSource = new EventSource(url);

            eventSource.onmessage = function(event) {
                const data = JSON.parse(event.data);
                if (data.success && data.data) {
                    loadMessages();
                    loadConversations();
                }
            };

            eventSource.onerror = function() {
                eventSource.close();
                setTimeout(startSSE, 3000);
            };
        }

        function formatTime(timestamp) {
            const date = new Date(timestamp);
            const now = new Date();
            const diff = now - date;
            const minutes = Math.floor(diff / 60000);
            const hours = Math.floor(diff / 3600000);
            const days = Math.floor(diff / 86400000);

            if (minutes < 1) return 'Just now';
            if (minutes < 60) return `${minutes}m ago`;
            if (hours < 24) return `${hours}h ago`;
            if (days < 7) return `${days}d ago`;

            return date.toLocaleDateString();
        }

        function escapeHtml(text) {
            const div = document.createElement('div');
            div.textContent = text;
            return div.innerHTML;
```

```
        }
        <?php endif; ?>
    </script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/dashboard.php

```
<?php
require_once '../../config/config.php';

requireAuth();

// Redirect admin to admin dashboard
if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Try to load models and data, with error handling
try {
    require_once '../../includes/models.php';

    $userModel = new User();
    $positionModel = new Position();
    $applicationModel = new Application();
    $experienceModel = new Experience();

    $userId = $_SESSION['user_id'];

    // Get user data
    $user = $userModel->findById($userId);

    // Check if user has accepted data privacy waiver
    // Handle case where column might not exist yet (for existing databases)
    $privacyWaiverAccepted = !empty($user['data_privacy_accepted_at'] ?? null);

    // Get user's total experience
    $totalExperience = $userModel->getTotalExperience($userId);

    // Get user's applications
    $userApplications = $applicationModel->getUserApplications($userId);

    // Get active positions
    $activePositions = $positionModel->getActivePositions();

    // Get user experience
    $userExperiences = $experienceModel->getUserExperience($userId);

} catch (Exception $e) {
    // Database error - show setup message
    $databaseError = true;
    $errorMessage = $e->getMessage();

    // Set default values to prevent undefined variable errors
    $user = ['full_name' => $_SESSION['full_name'] ?? 'User', 'email' => $_SESSION['email'] ?? ''];
    $totalExperience = 0;
    $userApplications = [];
    $activePositions = [];
    $userExperiences = [];
    $privacyWaiverAccepted = true; // Default to true if database error to prevent blocking
}

// Count applications by status
$pendingCount = count(array_filter($userApplications, fn($app) => $app['status'] === STATUS_PENDING)
);
$approvedCount = count(array_filter($userApplications, fn($app) => $app['status'] === STATUS_APPROVE
D));
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
```

```
alable=no">
    <title>Dashboard - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
         <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>

        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>

            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Dashboard</h1>
            <div class="topbar-actions">

                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>
```

```
        <!-- Main Content -->
        <div class="content">
            <?php if (isset($databaseError) && $databaseError): ?>
            <!-- Database Error Alert -->
            <div class="alert alert-warning">
                <i class="fas fa-exclamation-triangle"></i>
                <div>
                    <strong>Database Setup Required</strong><br>
                    The system database needs to be initialized before you can use all features. Ple
ase contact your system administrator.
                </div>
            </div>
            <?php endif; ?>

            <!-- Welcome Message -->
            <div class="card" style="background: linear-gradient(135deg, var(--primary-blue) 0%, var
(--secondary-blue) 100%); border: none; color: white; margin-bottom: 24px;">
                <div class="card-body" style="padding: 32px;">
                    <h2 style="margin-bottom: 12px; font-size: 1.75rem; font-weight: 700;">Welcome b
ack, <?= htmlspecialchars($user['full_name']) ?>! ?</h2>
                    <p style="opacity: 0.9; margin-bottom: 20px; font-size: 1rem;">Discover new oppo
rtunities and take the next step in your career journey.</p>
                    <a href="positions.php" class="btn" style="background: white; color: var(--prima
ry-blue); font-weight: 600;">
                        <i class="fas fa-search"></i> Browse Available Positions
                    </a>
                </div>
            </div>

            <!-- Statistics Cards -->
            <div class="stats-grid">
                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($userApplications) ?></div>
                            <div class="stat-card-label">Total Applications</div>
                        </div>
                        <div class="stat-card-icon blue">
                            <i class="fas fa-file-alt"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= $pendingCount ?></div>
                            <div class="stat-card-label">Pending</div>
                        </div>
                        <div class="stat-card-icon yellow">
                            <i class="fas fa-clock"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= number_format($totalExperience, 1) ?></
div>
                            <div class="stat-card-label">Years Experience</div>
                        </div>
                        <div class="stat-card-icon green">
                            <i class="fas fa-briefcase"></i>
                        </div>
                    </div>
                </div>
```

```
                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($activePositions) ?></div>
                            <div class="stat-card-label">Available Jobs</div>
                        </div>
                        <div class="stat-card-icon blue">
                            <i class="fas fa-building"></i>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Responsive Dashboard Sections -->
            <div class="dashboard-sections">
                <!-- Recent Applications -->
                <div class="card">
                    <div class="card-header" style="display: flex; justify-content: space-between; a
lign-items: center;">
                        <h3 class="card-title">
                            <i class="fas fa-file-alt"></i> Recent Applications
                        </h3>
                        <a href="my-applications.php" class="btn btn-sm btn-outline">View All</a>
                    </div>
                    <div class="card-body">
                        <?php if (empty($userApplications)): ?>
                            <div class="empty-state" style="padding: 30px 20px;">
                                <i class="fas fa-file-alt" style="font-size: 2.5rem;"></i>
                                <p style="margin: 12px 0 0 0; font-size: 0.875rem;">No applications
yet</p>
                            </div>
                        <?php else: ?>
                            <?php foreach (array_slice($userApplications, 0, 3) as $app): ?>
                                <div style="padding: 12px 0; border-bottom: 1px solid var(--gray-200
);">
                                    <div style="font-weight: 600; font-size: 0.9rem; color: var(--gr
ay-800); margin-bottom: 4px;">
                                        <?= htmlspecialchars($app['position_title']) ?>
                                    </div>
                                    <div style="display: flex; justify-content: space-between; align
-items: center; flex-wrap: wrap; gap: 8px;">
                                        <span style="font-size: 0.75rem; color: var(--gray-500);">
                                            <?= date('M j, Y', strtotime($app['applied_at'])) ?>
                                        </span>
                                        <span class="badge badge-<?= $app['status'] === STATUS_PENDI
NG ? 'warning' : ($app['status'] === STATUS_APPROVED ? 'success' : 'danger') ?>">
                                            <?= ucfirst($app['status']) ?>
                                        </span>
                                    </div>
                                </div>
                            <?php endforeach; ?>
                        <?php endif; ?>
                    </div>
                </div>

                <!-- Work Experience Summary -->
                <div class="card">
                    <div class="card-header" style="display: flex; justify-content: space-between; a
lign-items: center;">
                        <h3 class="card-title">
                            <i class="fas fa-briefcase"></i> Experience
                        </h3>
                        <a href="profile.php" class="btn btn-sm btn-outline">Edit</a>
                    </div>
                    <div class="card-body">
                        <div style="text-align: center; padding: 20px;">
                            <div style="font-size: 2.5rem; font-weight: 700; color: var(--primary-bl
ue);">
```

```
                            <?= number_format($totalExperience, 1) ?>
                        </div>
                        <div style="font-size: 0.875rem; color: var(--gray-500); font-weight: 60
0;">
                            TOTAL YEARS
                        </div>
                        <div style="margin-top: 16px; font-size: 0.85rem; color: var(--gray-600)
;">
                            <?= count($userExperiences) ?> work experience<?= count($userExperie
nces) != 1 ? 's' : '' ?> listed
                        </div>
                    </div>
                </div>
            </div>

            <!-- Recent Job Openings -->
            <div class="card">
                <div class="card-header" style="display: flex; justify-content: space-between; a
lign-items: center;">
                    <h3 class="card-title">
                        <i class="fas fa-briefcase"></i> Recent Job Openings
                    </h3>
                    <a href="positions.php" class="btn btn-sm btn-primary">View All</a>
                </div>
                <div class="card-body">
                    <?php if (empty($activePositions)): ?>
                        <div class="empty-state">
                            <i class="fas fa-briefcase"></i>
                            <h3>No Available Positions</h3>
                            <p>Check back later for new job openings.</p>
                        </div>
                    <?php else: ?>
                        <?php foreach (array_slice($activePositions, 0, 5) as $position): ?>
                            <?php
                            $hasApplied = false;
                            foreach ($userApplications as $app) {
                                if ($app['position_id'] == $position['id']) {
                                    $hasApplied = true;
                                    break;
                                }
                            }
                            $meetsRequirements = $totalExperience >= $position['min_experience_y
ears'];
                            ?>
                            <div style="padding: 14px; border-bottom: 1px solid var(--gray-200);
">
                                <h4 style="margin: 0 0 8px 0; font-size: 0.95rem; font-weight: 6
00; color: var(--gray-800);">
                                    <a href="position-details.php?id=<?= $position['id'] ?>" sty
le="color: var(--gray-800); text-decoration: none;">
                                        <?= htmlspecialchars($position['title']) ?>
                                    </a>
                                </h4>
                                <div style="font-size: 0.8rem; color: var(--gray-600); display:
flex; gap: 12px; flex-wrap: wrap; margin-bottom: 10px;">
                                    <?php if ($position['location']): ?>
                                        <span><i class="fas fa-map-marker-alt"></i> <?= htmlspec
ialchars($position['location']) ?></span>
                                    <?php endif; ?>
                                    <span><i class="fas fa-clock"></i> Min. <?= $position['min_e
xperience_years'] ?>y</span>
                                    <span class="badge badge-primary"><?= ucfirst($position['emp
loyment_type']) ?></span>
                                </div>
                                <div>
                                    <?php if ($hasApplied): ?>
                                        <span class="badge badge-success">Applied</span>
                                    <?php elseif (!$meetsRequirements): ?>
```

```
                                            <span class="badge badge-warning" title="Below required
experience">
                                                <i class="fas fa-exclamation-triangle"></i> Below re
quired experience
                                            </span>
                                        <?php else: ?>
                                            <a href="apply.php?position=<?= $position['id'] ?>" clas
s="btn btn-sm btn-primary">
                                                Apply Now
                                            </a>
                                        <?php endif; ?>
                                    </div>
                                </div>
                            <?php endforeach; ?>
                        <?php endif; ?>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
            </a>
            <a href="my-applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <!-- Data Privacy Waiver Modal -->
    <?php if (!$privacyWaiverAccepted): ?>
    <style>
        /* Block all interactions when modal is shown */
        body.modal-open {
            overflow: hidden;
            pointer-events: none;
        }
        body.modal-open #privacyWaiverModal {
            pointer-events: auto;
        }
        body.modal-open #privacyWaiverModal .modal-overlay {
            pointer-events: auto;
        }
    </style>
    <div id="privacyWaiverModal" class="modal" style="display: block; z-index: 10000; position: fixe
d; top: 0; left: 0; right: 0; bottom: 0;">
        <div class="modal-overlay" style="position: fixed; top: 0; left: 0; right: 0; bottom: 0; bac
kground: rgba(0, 0, 0, 0.85); display: flex; align-items: center; justify-content: center; padding:
20px; cursor: default;">
            <div class="modal-content" style="background: white; border-radius: 8px; max-width: 700p
x; width: 100%; max-height: 90vh; overflow-y: auto; box-shadow: 0 4px 20px rgba(0, 0, 0, 0.3); posit
ion: relative; z-index: 10001;">

                <div class="modal-body" style="padding: 24px;">
```

```
                    <!-- Step 1: Application Guidelines Section -->
                    <div id="step1Guidelines" class="modal-step">
                        <h3 style="font-size: 1.25rem; font-weight: 700; color: var(--gray-800); mar
gin-bottom: 16px; display: flex; align-items: center; gap: 8px;">
                            <i class="fas fa-building" style="color: var(--primary-blue);"></i>
                            WPU EMPLOYMENT AND SELECTION
                        </h3>
                        <div style="line-height: 1.8; color: var(--gray-700); font-size: 0.95rem; ma
rgin-bottom: 24px;">
                            <p style="margin-bottom: 16px;">
                                Western Philippines University, through the Human Resource Managemen
t and Development Office, (WPU-HRMDO), holds its firm commitment to upholding the principles of meri
t, fitness, and equality of opportunity in all aspects of recruitment and selection. The University
strictly adheres to the provisions governing objective, fair, and transparent personnel actions, in
full alignment with Civil Service Commission (CSC) guidelines and established recruitment practices
observed across State Universities and Colleges.
                            </p>
                        </div>

                        <h3 style="font-size: 1.25rem; font-weight: 700; color: var(--gray-800); mar
gin-bottom: 16px; display: flex; align-items: center; gap: 8px;">
                            <i class="fas fa-exclamation-triangle" style="color: var(--warning);"></
i>
                            APPLICANT REMINDER
                        </h3>
                        <div style="line-height: 1.8; color: var(--gray-700); font-size: 0.95rem; ma
rgin-bottom: 24px;">
                            <p style="margin-bottom: 16px;">
                                All applicants are strongly advised to carefully read and comply wit
h the application requirements for the position being applied for. Applicants must ensure that all r
equired information is accurately and completely filled out, and that all supporting documents are p
roperly submitted within the prescribed period. Any missing, incomplete, or inaccurate details and r
equirements may result in disqualification from consideration for the position. Applicants are enjoi
ned to be guided accordingly to avoid any delays or adverse effects on their application.
                            </p>
                        </div>

                        <h3 style="font-size: 1.25rem; font-weight: 700; color: var(--gray-800); mar
gin-bottom: 16px; display: flex; align-items: center; gap: 8px;">
                            <i class="fas fa-info-circle" style="color: var(--primary-blue);"></i>
                            APPLICATION GUIDELINES
                        </h3>
                        <div style="line-height: 1.8; color: var(--gray-700); font-size: 0.95rem;">
                            <p style="margin-bottom: 16px;">
                                The <strong>Western Philippines University</strong> invites interest
ed and qualified applicants on the following vacant positions on permanent status:
                            </p>

                            <?php if (!empty($activePositions)): ?>
                            <div style="margin-bottom: 16px; padding-left: 20px;">
                                <h4 style="font-size: 1rem; font-weight: 600; color: var(--gray-800)
; margin-bottom: 12px;">Posted Vacant Positions</h4>
                                <ul style="margin: 0; padding-left: 20px; list-style-type: disc; col
or: var(--gray-700);">
                                    <?php foreach ($activePositions as $position): ?>
                                        <li style="margin-bottom: 6px; font-size: 0.95rem; font-weig
ht: 600; color: blue;">
                                            <?= htmlspecialchars($position['title']) ?>

                                        </li>
                                    <?php endforeach; ?>
                                </ul>
                            </div>
                            <?php else: ?>
                            <div style="margin-bottom: 16px; padding-left: 20px;">
                                <h4 style="font-size: 1rem; font-weight: 600; color: var(--gray-800)
; margin-bottom: 12px;">Posted Vacant Positions</h4>
                                <p style="color: var(--gray-600); font-style: italic; margin: 0;">No
```

```
 active positions available at this time. Please check back later.</p>
                            </div>
                            <?php endif; ?>

                            <p style="margin-bottom: 16px;">
                                Interested applicants may submit application letter until <strong>__
____</strong>, addressed to:
                            </p>

                            <div style="margin-bottom: 16px; padding-left: 20px; font-style: italic;
 color: var(--gray-700);">
                                <p style="margin-bottom: 4px;"><strong>DR. AMABEL S. LIAO</strong></
p>
                                <p style="margin-bottom: 4px;">University President</p>
                                <p style="margin-bottom: 0;">Aborlan, Palawan</p>
                            </div>

                            <p style="margin-bottom: 16px;">
                                Please specify the desired position to apply (The term "any vacant p
osition" is hereby discouraged) and applications with incomplete attachments shall not be entertaine
d. Please attach the following documents along with the application letter:
                            </p>

                            <ol style="margin: 0 0 16px 0; padding-left: 20px; color: var(--gray-700
);">
                                <li style="margin-bottom: 8px;">
                                    Fully accomplished Personal Data Sheet (PDS) including Work Expe
rience Sheet with recent passport-sized picture (CS Form No. 212, Revised 2025) which can be downloa
ded at <a href="https://www.csc.gov.ph" target="_blank" style="color: var(--primary-blue); text-deco
ration: underline;">www.csc.gov.ph</a>;<br>
                                    <small style="display: block; margin-top: 4px; color: var(--gray
-600); font-style: italic;">
                                        Note: The PDS form must be properly filled out, signed, and
notarized or duly administered by an authorized administering officer.
                                    </small>
                                </li>
                                <li style="margin-bottom: 8px;">Performance rating in the last ratin
g period (if applicable);</li>
                                <li style="margin-bottom: 8px;">Transcript of Records and Diploma;</
li>
                                <li style="margin-bottom: 8px;">Photocopy of seminars and trainings
attended relevant to the position (if applicable);</li>
                                <li style="margin-bottom: 8px;">Certificate of Employment and/or Ser
vice Record (if applicable); and</li>
                                <li style="margin-bottom: 8px;">Photocopy of authenticated certifica
te of eligibility/rating/license (if applicable).</li>
                            </ol>

                            <div style="margin-top: 20px; padding: 16px; background: var(--gray-50);
 border-radius: 6px; border-left: 4px solid var(--warning-yellow);">
                                <p style="margin-bottom: 0; color: var(--gray-700); font-size: 0.9re
m; line-height: 1.6;">
                                    <strong style="color: var(--gray-800);">Please be advised</stron
g> that upon submission of this Google Form, the following information associated with your Google a
ccount will be automatically collected, collated, and recorded as part of your employment applicatio
n:
                                </p>
                            </div>

                            <p style="margin-top: 16px; margin-bottom: 0; color: var(--gray-700); fo
nt-size: 0.9rem;">
                                Submission of this form constitutes your consent to the collection,
recording, and use of the above information solely for employment screening, evaluation, and related
 administrative purposes. Strictly follow the instructions on every needed information for your appl
ication.
                            </p>
                        </div>
                    </div>
```

```
                    <!-- Step 2: Data Privacy Waiver Section -->
                    <div id="step2Privacy" class="modal-step" style="display: none;">
                        <h3 style="font-size: 1.25rem; font-weight: 700; color: var(--gray-800); mar
gin-bottom: 16px; display: flex; align-items: center; gap: 8px;">
                            <i class="fas fa-shield-alt" style="color: var(--primary-blue);"></i>
                            DATA PRIVACY WAIVER
                        </h3>
                        <div style="line-height: 1.8; color: var(--gray-700); font-size: 0.95rem;">
                            <p style="margin-bottom: 16px;">
                                In accordance with Republic Act No. 10173, otherwise known as the <s
trong>Data Privacy Act of 2012</strong>, and its Implementing Rules and Regulations, I hereby author
ize <strong>Western Philippines University (WPU)</strong>, through its authorized offices, to collec
t, process, store, and use my personal information submitted in connection with my application for e
mployment.
                            </p>
                            <p style="margin-bottom: 16px;">
                                I understand and agree that the personal data I provided, including
but not limited to my personal details, educational background, employment history, and other suppor
ting documents, shall be used solely for recruitment, evaluation, selection, and other legitimate hu
man resource?related purposes. I further acknowledge that these data may be shared with authorized p
ersonnel and relevant government agencies, as required by law or applicable regulations, including t
he Civil Service Commission.
                            </p>
                            <p style="margin-bottom: 16px;">
                                I affirm that all information I have provided is true, correct, and
complete to the best of my knowledge. I understand that any false, misleading, or incomplete informa
tion may be grounds for disqualification from the application process or other appropriate administr
ative action.
                            </p>
                            <p style="margin-bottom: 0;">
                                By submitting my application, I signify my voluntary consent to the
processing of my personal data under the terms stated above and recognize my rights as a data subjec
t under the Data Privacy Act of 2012.
                            </p>
                        </div>
                        <div style="margin-top: 24px; padding: 16px; background: var(--gray-50); bor
der-radius: 6px; border-left: 4px solid var(--primary-blue);">
                            <label style="display: flex; align-items: flex-start; cursor: pointer; m
argin: 0;">
                                <input type="checkbox" id="privacyWaiverCheckbox" style="margin-righ
t: 12px; margin-top: 2px; width: 18px; height: 18px; cursor: pointer;">
                                <span style="color: var(--gray-700); font-size: 0.95rem; line-height
: 1.6;">
                                    I have read and understood the Application Guidelines and Data P
rivacy Waiver above, and I agree to the terms and conditions stated therein.
                                </span>
                            </label>
                        </div>
                    </div>

                    <!-- Step 3: Employment Opportunity Section -->
                    <div id="step3Employment" class="modal-step" style="display: none;">
                        <h3 style="font-size: 1.25rem; font-weight: 700; color: var(--gray-800); mar
gin-bottom: 16px; display: flex; align-items: center; gap: 8px;">
                            <i class="fas fa-briefcase" style="color: var(--primary-blue);"></i>
                            EMPLOYMENT OPPORTUNITY FOR EXTENSION AND RESEARCH DIVISION
                        </h3>
                        <div style="line-height: 1.8; color: var(--gray-700); font-size: 0.95rem;">
                            <p style="margin-bottom: 16px;">
                                The Research and Extension Services of Western Philippines Universit
y (WPU) serve as a core functional division that advances the University's mandate in instruction, r
esearch, and community engagement. It is responsible for promoting a strong culture of research, inn
ovation, and knowledge generation that supports institutional development and national and regional
priorities. Through systematic research initiatives and responsive extension programs, the division
facilitates the translation of academic expertise into practical solutions that contribute to sustai
nable development and community empowerment.
                            </p>
```

```
                            <p style="margin-bottom: 16px;">
                                The Research and Extension Services also oversee the formulation, im
plementation, and monitoring of research and extension projects, ensuring alignment with ethical sta
ndards, quality assurance mechanisms, and applicable government policies. Applicants under this divi
sion are expected to support and uphold WPU's commitment to scholarly excellence, public service, an
d evidence-based decision-making in the pursuit of the University's strategic goals.
                            </p>

                            <div style="margin-top: 24px; padding: 16px; background: var(--gray-50);
 border-radius: 6px; border-left: 4px solid var(--primary-blue);">
                                <label for="applicantEmail" style="display: block; font-weight: 600;
 color: var(--gray-800); margin-bottom: 8px; font-size: 0.95rem;">
                                    <strong>2. Email</strong> <span style="color: var(--danger-red);
">*</span>
                                </label>
                                <input
                                    type="email"
                                    id="applicantEmail"
                                    name="email"
                                    value="<?= htmlspecialchars($user['email'] ?? '') ?>"
                                    required
                                    style="width: 100%; padding: 10px 12px; border: 1px solid var(--
gray-300); border-radius: 6px; font-size: 0.95rem; color: var(--gray-800); background: white; transi
tion: border-color 0.2s;"
                                    placeholder="Enter your email address"
                                >
                                <small style="display: block; margin-top: 6px; color: var(--gray-600
); font-size: 0.85rem;">
                                    Please provide a valid email address for communication regarding
 your application.
                                </small>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="modal-footer" style="padding: 20px 24px; border-top: 1px solid var(--gra
y-200); display: flex; justify-content: space-between; align-items: center; gap: 12px;">
                    <button type="button" id="backBtn" class="btn btn-outline" style="display: none;
 min-width: 120px;">
                        <i class="fas fa-arrow-left"></i> Back
                    </button>
                    <div style="display: flex; gap: 12px; margin-left: auto;">
                        <button type="button" id="nextBtn" class="btn btn-primary" style="min-width:
 120px;">
                            Next <i class="fas fa-arrow-right"></i>
                        </button>
                        <button type="button" id="acceptPrivacyWaiverBtn" class="btn btn-primary" di
sabled style="display: none; min-width: 120px;">
                            <i class="fas fa-check"></i> I Agree
                        </button>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <?php endif; ?>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <?php include '../../includes/pwa-scripts.php'; ?>
    <?php if (!$privacyWaiverAccepted): ?>
    <script>
        document.addEventListener('DOMContentLoaded', function() {
            // Add modal-open class to body to block interactions
            document.body.classList.add('modal-open');

            let currentStep = 1;
            const step1Guidelines = document.getElementById('step1Guidelines');
```

```
            const step2Privacy = document.getElementById('step2Privacy');
            const step3Employment = document.getElementById('step3Employment');
            const nextBtn = document.getElementById('nextBtn');
            const backBtn = document.getElementById('backBtn');
            const checkbox = document.getElementById('privacyWaiverCheckbox');
            const acceptBtn = document.getElementById('acceptPrivacyWaiverBtn');
            const applicantEmail = document.getElementById('applicantEmail');
            const modal = document.getElementById('privacyWaiverModal');
            const modalOverlay = modal.querySelector('.modal-overlay');
            const modalContent = modal.querySelector('.modal-content');

            // Prevent clicking outside modal to close it
            modalOverlay.addEventListener('click', function(e) {
                // Only allow clicks on the modal content itself
                if (e.target === modalOverlay) {
                    e.preventDefault();
                    e.stopPropagation();
                    return false;
                }
            });

            // Prevent keyboard shortcuts that might bypass modal
            document.addEventListener('keydown', function(e) {
                // Allow Tab, Enter, Space for form interaction
                if (e.key === 'Tab' || e.key === 'Enter' || e.key === ' ') {
                    return;
                }
                // Block Escape key
                if (e.key === 'Escape') {
                    e.preventDefault();
                    e.stopPropagation();
                    return false;
                }
            });

            // Function to update step display
            function updateStepDisplay() {
                if (currentStep === 1) {
                    step1Guidelines.style.display = 'block';
                    step2Privacy.style.display = 'none';
                    step3Employment.style.display = 'none';
                    nextBtn.style.display = 'inline-flex';
                    backBtn.style.display = 'none';
                    acceptBtn.style.display = 'none';
                } else if (currentStep === 2) {
                    step1Guidelines.style.display = 'none';
                    step2Privacy.style.display = 'block';
                    step3Employment.style.display = 'none';
                    nextBtn.style.display = 'inline-flex';
                    backBtn.style.display = 'inline-flex';
                    acceptBtn.style.display = 'none';
                    acceptBtn.innerHTML = '<i class="fas fa-check"></i> I Agree';
                    // Scroll to top of modal content
                    modalContent.scrollTop = 0;
                } else {
                    step1Guidelines.style.display = 'none';
                    step2Privacy.style.display = 'none';
                    step3Employment.style.display = 'block';
                    nextBtn.style.display = 'none';
                    backBtn.style.display = 'inline-flex';
                    acceptBtn.style.display = 'inline-flex';
                    acceptBtn.innerHTML = '<i class="fas fa-check"></i> Submit';
                    // Scroll to top of modal content
                    modalContent.scrollTop = 0;
                    // Validate email on step 3
                    validateStep3();
                }
            }
```

```
            // Handle Next button click
            nextBtn.addEventListener('click', function() {
                if (currentStep === 1) {
                    currentStep = 2;
                } else if (currentStep === 2) {
                    // Validate checkbox before proceeding to step 3
                    if (!checkbox.checked) {
                        alert('Please check the box to confirm you have read and understood the Appl
ication Guidelines and Data Privacy Waiver.');
                        return;
                    }
                    currentStep = 3;
                }
                updateStepDisplay();
            });

            // Handle Back button click
            backBtn.addEventListener('click', function() {
                if (currentStep === 3) {
                    currentStep = 2;
                } else if (currentStep === 2) {
                    currentStep = 1;
                }
                updateStepDisplay();
                // Scroll to top of modal content
                modalContent.scrollTop = 0;
            });

            // Enable/disable accept button based on checkbox and email validation
            function validateStep3() {
                if (currentStep === 3) {
                    const emailValue = applicantEmail.value.trim();
                    const emailValid = emailValue && /^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(emailValue);
                    acceptBtn.disabled = !emailValid;
                } else {
                    acceptBtn.disabled = !checkbox.checked;
                }
            }

            checkbox.addEventListener('change', function() {
                if (currentStep === 2) {
                    validateStep3();
                }
            });

            applicantEmail.addEventListener('input', function() {
                if (currentStep === 3) {
                    validateStep3();
                }
            });

            // Handle accept button click
            acceptBtn.addEventListener('click', function() {
                // Validate based on current step
                if (currentStep === 2) {
                    if (!checkbox.checked) {
                        return;
                    }
                } else if (currentStep === 3) {
                    const emailValue = applicantEmail.value.trim();
                    if (!emailValue || !/^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(emailValue)) {
                        alert('Please enter a valid email address.');
                        applicantEmail.focus();
                        return;
                    }
                    if (!checkbox.checked) {
                        alert('Please check the box to confirm you have read and understood the Appl
```

```
ication Guidelines and Data Privacy Waiver.');
                        return;
                    }
                }

                // Disable button during request
                acceptBtn.disabled = true;
                acceptBtn.innerHTML = '<i class="fas fa-spinner fa-spin"></i> Processing...';

                // Create form data
                const formData = new FormData();
                formData.append('csrf_token', '<?= generateCSRFToken() ?>');

                // Add email if on step 3
                if (currentStep === 3) {
                    formData.append('email', applicantEmail.value.trim());
                }

                // Send request
                fetch('<?= BASE_URL ?>applicant/actions/accept_privacy_waiver.php', {
                    method: 'POST',
                    body: formData
                })
                .then(response => response.json())
                .then(data => {
                    if (data.success) {
                        // Remove modal-open class
                        document.body.classList.remove('modal-open');

                        // Hide modal
                        modal.style.display = 'none';

                        // Show success message if toast is available
                        if (typeof showToast === 'function') {
                            showToast('Data Privacy Waiver accepted successfully', 'success');
                        }

                        // Reload page to refresh user data
                        setTimeout(() => {
                            window.location.reload();
                        }, 500);
                    } else {
                        acceptBtn.disabled = false;
                        acceptBtn.innerHTML = '<i class="fas fa-check"></i> I Agree';
                        alert(data.message || 'An error occurred. Please try again.');
                    }
                })
                .catch(error => {
                    console.error('Error:', error);
                    acceptBtn.disabled = false;
                    acceptBtn.innerHTML = '<i class="fas fa-check"></i> I Agree';
                    alert('An error occurred. Please try again.');
                });
            });
        });
    </script>
    <?php endif; ?>
</body>
</html>
```

applicant/pages/delete-experience.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$experienceModel = new Experience();
$userId = $_SESSION['user_id'];
$expId = $_GET['id'] ?? 0;

$experience = $experienceModel->findById($expId);

if (!$experience || $experience['user_id'] != $userId) {
    header('Location: ../pages/profile.php?error=experience_not_found');
    exit();
}

if ($experienceModel->delete($expId)) {
    header('Location: ../pages/profile.php?success=experience_deleted');
} else {
    header('Location: ../pages/profile.php?error=delete_failed');
}
exit();
?>
```

applicant/pages/edit-experience.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$experienceModel = new Experience();
$userId = $_SESSION['user_id'];
$expId = $_GET['id'] ?? 0;

$experience = $experienceModel->findById($expId);

if (!$experience || $experience['user_id'] != $userId) {
    header('Location: profile.php?error=experience_not_found');
    exit();
}

$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // Validate form submission
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            header('Location: profile.php?info=Experience already updated');
            exit();
        }
        $error = $validation['error'];
    } else {
        $companyName = sanitize($_POST['company_name']);
        $positionTitle = sanitize($_POST['position_title']);
        $startDate = $_POST['start_date'];
        $endDate = $_POST['end_date'] ?? null;
        $isCurrent = isset($_POST['is_current']) ? 1 : 0;
        $description = sanitize($_POST['description']);

        if (empty($companyName) || empty($positionTitle) || empty($startDate)) {
        $error = "Please fill in all required fields.";
    } elseif (!$isCurrent && empty($endDate)) {
        $error = "End date is required if this is not your current position.";
    } else {
        $data = [
            'company_name' => $companyName,
            'position_title' => $positionTitle,
            'start_date' => $startDate,
            'end_date' => $isCurrent ? null : $endDate,
            'is_current' => $isCurrent,
            'description' => $description
        ];

        if ($experienceModel->update($expId, $data)) {
            header('Location: profile.php?success=experience_updated');
            exit();
        } else {
            $error = "Failed to update experience.";
        }
    }
```

```
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Edit Experience - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <i class="fas fa-graduation-cap"></i>
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>
            <a href="profile.php" class="sidebar-nav-item active">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?php
                    $userModel = new User();
                    $user = $userModel->findById($userId);
                    echo strtoupper(substr($user['full_name'], 0, 1));
                    ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
                <a href="../../auth/logout.php" class="confirm-logout" style="color: var(--gray-500)
; text-decoration: none;">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
```

```
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Edit Experience</h1>
            <div class="topbar-actions">
                <a href="profile.php" class="topbar-btn">
                    <i class="fas fa-arrow-left"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <div class="card" style="max-width: 700px; margin: 0 auto;">
                <div class="card-header">
                    <h3 class="card-title">
                        <i class="fas fa-edit"></i> Edit Work Experience
                    </h3>
                </div>
                <div class="card-body">
                    <?php if ($error): ?>
                        <div class="alert alert-danger">
                            <i class="fas fa-exclamation-triangle"></i>
                            <div><?= htmlspecialchars($error) ?></div>
                        </div>
                    <?php endif; ?>

                    <form method="POST" action="" class="prevent-double-submit">
                        <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                        <?php FormTokenManager::renderFormTokenInput('edit_experience'); ?>
                        <div class="form-group">
                            <label class="form-label">Company Name *</label>
                            <input type="text" name="company_name" class="form-control"
                                   value="<?= htmlspecialchars($experience['company_name']) ?>"
                                   placeholder="Enter company name" required>
                        </div>

                        <div class="form-group">
                            <label class="form-label">Position Title *</label>
                            <input type="text" name="position_title" class="form-control"
                                   value="<?= htmlspecialchars($experience['position_title']) ?>"
                                   placeholder="Enter position title" required>
                        </div>

                        <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 16px;">
                            <div class="form-group">
                                <label class="form-label">Start Date *</label>
                                <input type="date" name="start_date" class="form-control"
                                       value="<?= $experience['start_date'] ?>" required>
                            </div>

                            <div class="form-group">
                                <label class="form-label">End Date</label>
                                <input type="date" name="end_date" id="endDate" class="form-control"

                                       value="<?= $experience['end_date'] ?? '' ?>"
                                       <?= $experience['is_current'] ? 'disabled' : '' ?>>
                            </div>
                        </div>

                        <div class="form-group">
                            <label style="display: flex; align-items: center; gap: 8px; cursor: poin
ter;">
                                <input type="checkbox" name="is_current" id="isCurrent"
                                       style="width: 18px; height: 18px;"
                                       <?= $experience['is_current'] ? 'checked' : '' ?>>
```

```
                            <span>I currently work here</span>
                        </label>
                    </div>

                    <div class="form-group">
                        <label class="form-label">Description (Optional)</label>
                        <textarea name="description" class="form-control" rows="4"
                                  placeholder="Describe your role and responsibilities..."><?= h
tmlspecialchars($experience['description'] ?? '') ?></textarea>
                    </div>

                    <div style="display: flex; gap: 12px;">
                        <button type="submit" class="btn btn-primary">
                            <i class="fas fa-save"></i> Update Experience
                        </button>
                        <a href="profile.php" class="btn btn-outline">
                            <i class="fas fa-times"></i> Cancel
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
            </a>
            <a href="my-applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item active">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/form-submission-manager.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script>
        const isCurrentCheckbox = document.getElementById('isCurrent');
        const endDateInput = document.getElementById('endDate');

        isCurrentCheckbox.addEventListener('change', function() {
            endDateInput.disabled = this.checked;
            if (this.checked) {
                endDateInput.value = '';
                endDateInput.required = false;
            } else {
                endDateInput.required = false;
            }
        });
    </script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/my-applications.php

```
<?php
require_once '../../config/config.php';
requireAuth();

// Redirect admin to admin dashboard
if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/applications.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$applicationModel = new Application();
$documentModel = new ApplicationDocument();
$userId = $_SESSION['user_id'];

// Handle supporting document uploads
if ($_SERVER['REQUEST_METHOD'] === 'POST' && ($_POST['action'] ?? '') === 'upload_documents') {
    $redirectParams = [];
    if (!empty($_POST['status_filter'])) {
        $redirectParams['status'] = $_POST['status_filter'];
    }
    if (!empty($_POST['page'])) {
        $redirectParams['page'] = max(1, (int)$_POST['page']);
    }

    $redirectWithMessage = function(string $type, string $message) use ($redirectParams) {
        $params = $redirectParams;
        $params[$type] = $message;
        $query = http_build_query($params);
        header('Location: my-applications.php' . ($query ? '?' . $query : ''));
        exit();
    };

    $applicationId = isset($_POST['application_id']) ? (int)$_POST['application_id'] : 0;
    if ($applicationId <= 0) {
        $redirectWithMessage('error', 'Invalid application selected.');
    }

    $application = $applicationModel->findById($applicationId);
    if (!$application || (int)$application['user_id'] !== (int)$userId) {
        $redirectWithMessage('error', 'You are not authorized to upload documents for this applicati
on.');
    }

    // Lock editing for approved or rejected applications
    if ($application['status'] === STATUS_APPROVED || $application['status'] === STATUS_REJECTED) {
        $redirectWithMessage('error', 'This application has been finalized and cannot be modified.')
;
    }

    $validation = FormTokenManager::validateFormSubmission($_POST);
    if (!$validation['valid']) {
        $errorMessage = $validation['error'] === 'duplicate'
            ? 'This upload has already been processed. Please refresh the page.'
            : $validation['error'];
        $redirectWithMessage('error', $errorMessage);
    }

    $allowedDocTypes = ['certificate', 'portfolio', 'other'];
    $uploadDir = 'uploads/documents/';
    if (!is_dir($uploadDir)) {
        mkdir($uploadDir, 0755, true);
```

```
    }

    $filesProcessed = 0;
    $errors = [];
    $fileSizeLimit = defined('MAX_FILE_SIZE') ? (int)MAX_FILE_SIZE : (5 * 1024 * 1024);
    $uploadErrorMessages = [
        UPLOAD_ERR_INI_SIZE => 'The uploaded file exceeds the maximum upload size.',
        UPLOAD_ERR_FORM_SIZE => 'The uploaded file exceeds the allowed size for this form.',
        UPLOAD_ERR_PARTIAL => 'The file was only partially uploaded.',
        UPLOAD_ERR_NO_FILE => 'No file was uploaded.',
        UPLOAD_ERR_NO_TMP_DIR => 'Missing a temporary folder on the server.',
        UPLOAD_ERR_CANT_WRITE => 'Failed to write file to disk.',
        UPLOAD_ERR_EXTENSION => 'A PHP extension stopped the file upload.'
    ];

    // Helper to process individual files
    $processFile = function(array $fileInfo, string $docType) use (
        $fileSizeLimit,
        $uploadDir,
        $userId,
        $applicationId,
        $documentModel,
        &$filesProcessed,
        &$errors
    ) {
        $originalName = $fileInfo['name'];
        $tmpName = $fileInfo['tmp_name'];
        $errorCode = $fileInfo['error'];
        $fileSize = $fileInfo['size'];

        if ($errorCode !== UPLOAD_ERR_OK) {
            return false;
        }

        if ($fileSize > $fileSizeLimit) {
            $errors[] = $originalName . ' exceeds the maximum file size limit.';
            return false;
        }

        // Validate PDF file type
        $extension = strtolower(pathinfo($originalName, PATHINFO_EXTENSION));
        if ($extension !== 'pdf') {
            $errors[] = $originalName . ' is not a PDF file. Only PDF files are allowed.';
            return false;
        }

        // Validate MIME type
        $finfo = finfo_open(FILEINFO_MIME_TYPE);
        $mimeType = finfo_file($finfo, $tmpName);
        finfo_close($finfo);

        if ($mimeType !== 'application/pdf') {
            $errors[] = $originalName . ' is not a valid PDF file. Only PDF files are allowed.';
            return false;
        }

        $safeName = time() . '_' . $userId . '_' . uniqid('', true) . '_' . basename($originalName);
        $targetPath = $uploadDir . $safeName;

        if (!move_uploaded_file($tmpName, $targetPath)) {
            $errors[] = 'Failed to move uploaded file: ' . $originalName;
            return false;
        }

        try {
            $documentModel->create([
                'application_id' => $applicationId,
                'document_type' => $docType,
```

```
                'file_name' => basename($originalName),
                'file_path' => $safeName,
                'file_size' => $fileSize
            ]);
            $filesProcessed++;
            return true;
        } catch (Exception $e) {
            // Clean up the file if database insert fails
            if (file_exists($targetPath)) {
                unlink($targetPath);
            }
            error_log('Failed to save supporting document: ' . $e->getMessage());
            $errors[] = 'Failed to save document ' . basename($originalName) . '. Please try again.'
;
            return false;
        }
    };

    // Process new form structure (document_type + supporting_files[])
    if (isset($_FILES['supporting_files'])) {
        $selectedDocType = $_POST['document_type'] ?? 'other';
        if (!in_array($selectedDocType, $allowedDocTypes, true)) {
            $selectedDocType = 'other';
        }

        $fileCount = is_array($_FILES['supporting_files']['name'])
            ? count($_FILES['supporting_files']['name'])
            : 0;

        for ($i = 0; $i < $fileCount; $i++) {
            $fileInfo = [
                'name' => $_FILES['supporting_files']['name'][$i],
                'type' => $_FILES['supporting_files']['type'][$i],
                'tmp_name' => $_FILES['supporting_files']['tmp_name'][$i],
                'error' => $_FILES['supporting_files']['error'][$i],
                'size' => $_FILES['supporting_files']['size'][$i]
            ];

            if ($fileInfo['error'] !== UPLOAD_ERR_OK) {
                if ($fileInfo['error'] !== UPLOAD_ERR_NO_FILE) {
                    $errors[] = $fileInfo['name'] . ': ' . ($uploadErrorMessages[$fileInfo['error']]
 ?? 'Upload failed.');
                }
                continue;
            }

            $processFile($fileInfo, $selectedDocType);
        }
    }

    // Process legacy structure (documents[certificate][], etc.)
    if (isset($_FILES['documents']) && is_array($_FILES['documents']['name'])) {
        foreach ($allowedDocTypes as $docType) {
            if (!isset($_FILES['documents']['name'][$docType]) || !is_array($_FILES['documents']['na
me'][$docType])) {
                continue;
            }

            $fileCount = count($_FILES['documents']['name'][$docType]);
            for ($i = 0; $i < $fileCount; $i++) {
                $fileInfo = [
                    'name' => $_FILES['documents']['name'][$docType][$i],
                    'type' => $_FILES['documents']['type'][$docType][$i],
                    'tmp_name' => $_FILES['documents']['tmp_name'][$docType][$i],
                    'error' => $_FILES['documents']['error'][$docType][$i],
                    'size' => $_FILES['documents']['size'][$docType][$i]
                ];
```

```
                if ($fileInfo['error'] !== UPLOAD_ERR_OK) {
                    if ($fileInfo['error'] !== UPLOAD_ERR_NO_FILE) {
                        $errors[] = $fileInfo['name'] . ': ' . ($uploadErrorMessages[$fileInfo['erro
r']] ?? 'Upload failed.');
                    }
                    continue;
                }

                $processFile($fileInfo, $docType);
            }
        }
    }

    if ($filesProcessed > 0) {
        $message = $filesProcessed === 1
            ? 'Supporting document uploaded successfully.'
            : $filesProcessed . ' supporting documents uploaded successfully.';
        $redirectWithMessage('message', $message);
    }

    if (!empty($errors)) {
        $redirectWithMessage('error', $errors[0]);
    }

    $redirectWithMessage('error', 'No files were uploaded.');
}

// Get filter
$statusFilter = $_GET['status'] ?? '';

// Build query
$where = 'a.user_id = ?';
$params = [$userId];

if (!empty($statusFilter)) {
    $where .= ' AND a.status = ?';
    $params[] = $statusFilter;
}

// Include archived applications so approved/rejected applications remain visible
$allApplications = $applicationModel->getApplicationsWithDetails($where, $params, true);

// Count by status
$pendingCount = count(array_filter($allApplications, fn($app) => $app['status'] === STATUS_PENDING))
;
$approvedCount = count(array_filter($allApplications, fn($app) => $app['status'] === STATUS_APPROVED
));
$rejectedCount = count(array_filter($allApplications, fn($app) => $app['status'] === STATUS_REJECTED
));

// Pagination setup
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 5;
$offset = ($page - 1) * $perPage;

// Calculate pagination
$totalApplications_filtered = count($allApplications);
$totalPages = ceil($totalApplications_filtered / $perPage);
$applications = array_slice($allApplications, $offset, $perPage);

$documentsByApplication = [];
if (!empty($applications)) {
    foreach ($applications as $app) {
        $documentsByApplication[$app['id']] = $documentModel->getApplicationDocuments($app['id']);
    }
}
?>
<!DOCTYPE html>
```

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>My Applications - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
         <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>

        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?php
                    $userModel = new User();
                    $user = $userModel->findById($_SESSION['user_id']);
                    echo strtoupper(substr($user['full_name'], 0, 1));
                    ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>

            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">My Applications</h1>
```

```
            <div class="topbar-actions">

                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <?php if (isset($_GET['message'])): ?>
            <div class="alert alert-success">
                <i class="fas fa-envelope-circle-check"></i>
                <div>
                    <?= htmlspecialchars($_GET['message']) ?>
                </div>
            </div>
            <?php endif; ?>

            <?php if (isset($_GET['error'])): ?>
            <div class="alert alert-danger">
                <i class="fas fa-exclamation-circle"></i>
                <div><?= htmlspecialchars($_GET['error']) ?></div>
            </div>
            <?php endif; ?>

            <!-- Stats Cards -->


            <!-- Filter Chips -->
            <div class="card" style="margin-bottom: 24px;">
                <div class="card-body">
                    <div class="filter-chips">
                        <a href="my-applications.php" class="filter-chip <?= empty($statusFilter) ?
'active' : '' ?>">
                            <i class="fas fa-list"></i> All
                        </a>
                        <a href="my-applications.php?status=<?= STATUS_PENDING ?>"
                           class="filter-chip <?= $statusFilter === STATUS_PENDING ? 'active' : '' ?
>">
                            <i class="fas fa-clock"></i> Pending
                        </a>
                        <a href="my-applications.php?status=<?= STATUS_APPROVED ?>"
                           class="filter-chip <?= $statusFilter === STATUS_APPROVED ? 'active' : ''
?>">
                            <i class="fas fa-check-circle"></i> Approved
                        </a>
                        <a href="my-applications.php?status=<?= STATUS_REJECTED ?>"
                           class="filter-chip <?= $statusFilter === STATUS_REJECTED ? 'active' : ''
?>">
                            <i class="fas fa-times-circle"></i> Rejected
                        </a>
                    </div>
                </div>
            </div>

            <!-- Applications List -->
            <div class="card">
                <div class="card-header" style="display: flex; justify-content: space-between; align
-items: center;">
                    <h3 class="card-title">
                        <i class="fas fa-file-alt"></i> My Applications
                    </h3>
                </div>
                <div class="card-body">
                    <?php if (empty($applications)): ?>
                        <div class="empty-state">
                            <i class="fas fa-file-alt"></i>
```

```
                            <h3>No Applications Yet</h3>
                            <p>You haven't submitted any applications. Start exploring available pos
itions!</p>
                            <a href="positions.php" class="btn btn-primary">
                                <i class="fas fa-briefcase"></i> Browse Jobs
                            </a>
                        </div>
                    <?php else: ?>
                        <?php foreach ($applications as $app): ?>
                            <div style="padding: 16px; border-bottom: 1px solid var(--gray-200); tra
nsition: all 0.2s;" data-application-id="<?= $app['id'] ?>" data-status="<?= htmlspecialchars($app['
status']) ?>">
                                <div style="display: flex; justify-content: space-between; align-ite
ms: start; margin-bottom: 12px;">
                                    <div style="flex: 1;">
                                        <h4 style="margin: 0 0 6px 0; font-size: 1rem; font-weight:
600; color: var(--gray-800);">
                                            <a href="application-details.php?id=<?= $app['id'] ?>" s
tyle="color: var(--gray-800); text-decoration: none;">
                                                <?= htmlspecialchars($app['position_title']) ?>
                                            </a>
                                        </h4>
                                        <div style="font-size: 0.85rem; color: var(--gray-600); disp
lay: flex; gap: 16px; flex-wrap: wrap;">
                                            <span><i class="fas fa-calendar"></i> Applied: <?= date(
'M j, Y', strtotime($app['applied_at'])) ?></span>
                                            <span><i class="fas fa-briefcase"></i> Experience: <?= n
umber_format($app['total_experience_years'], 1) ?>y (Required: <?= $app['min_experience_years'] ?>y)
</span>
                                        </div>
                                    </div>
                                    <div style="margin-left: 12px;">
                                        <span class="badge badge-<?= $app['status'] === STATUS_PENDI
NG ? 'warning' : ($app['status'] === STATUS_APPROVED ? 'success' : 'danger') ?>">
                                            <?= ucfirst($app['status']) ?>
                                        </span>
                                    </div>
                                </div>

                                <?php $documents = $documentsByApplication[$app['id']] ?? []; ?>

                                <div style="display: flex; justify-content: space-between; align-ite
ms: center;">
                                    <div style="font-size: 0.8rem; color: var(--gray-500);">
                                        <?php if (!empty($app['reviewed_at'] ?? '')): ?>
                                            <i class="fas fa-clock"></i> Reviewed: <?= date('M j, Y'
, strtotime($app['reviewed_at'])) ?>
                                        <?php else: ?>
                                            <i class="fas fa-hourglass-half"></i> Awaiting review
                                        <?php endif; ?>
                                    </div>
                                    <button
                                        type="button"
                                        class="btn btn-sm btn-primary toggle-details"
                                        data-target="application-details-<?= $app['id'] ?>"
                                        aria-expanded="false"
                                    >
                                        <i class="fas fa-eye"></i> View Details
                                    </button>
                                </div>

                                <div
                                    id="application-details-<?= $app['id'] ?>"
                                    class="application-details-panel"
                                    style="display: none; margin-top: 14px;"
                                >
                                    <?php if (!empty($app['admin_notes'] ?? '')): ?>
                                        <div style="background: rgba(59, 130, 246, 0.05); border-lef
```

```
t: 4px solid var(--primary-blue); padding: 12px; border-radius: 8px; margin-bottom: 12px;">
                                            <div style="font-size: 0.875rem; font-weight: 600; color
: var(--primary-blue); margin-bottom: 6px;">
                                                <i class="fas fa-comment-dots"></i> Admin Feedback
                                            </div>
                                            <div style="font-size: 0.875rem; color: var(--gray-700);
 line-height: 1.5;">
                                                <?= nl2br(htmlspecialchars($app['admin_notes'])) ?>
                                            </div>
                                        </div>
                                    <?php endif; ?>

                                    <div style="background: rgba(15, 118, 255, 0.05); border-radius:
 10px; padding: 14px; margin-bottom: 14px;">
                                        <div style="display: flex; justify-content: space-between; a
lign-items: center; margin-bottom: 10px;">
                                            <div style="font-size: 0.9rem; font-weight: 600; color:
var(--primary-blue); display: flex; align-items: center; gap: 8px;">
                                                <i class="fas fa-paperclip"></i> Supporting Document
s
                                            </div>
                                            <?php if (!empty($documents)): ?>
                                                <span style="font-size: 0.75rem; color: var(--gray-5
00);">
                                                    <?= count($documents) ?> file<?= count($document
s) === 1 ? '' : 's' ?>
                                                </span>
                                            <?php endif; ?>
                                        </div>

                                        <?php if (!empty($documents)): ?>
                                            <ul style="list-style: none; padding: 0; margin: 0 0 12p
x 0; display: flex; flex-direction: column; gap: 8px;">
                                                <?php foreach ($documents as $doc): ?>
                                                    <li style="display: flex; align-items: center; g
ap: 8px; font-size: 0.85rem; color: var(--gray-700);">
                                                        <i class="fas fa-file-alt" style="color: var
(--primary-blue);"></i>
                                                        <div style="flex: 1;">
                                                            <div style="font-weight: 600;"><?= htmls
pecialchars($doc['file_name']) ?></div>
                                                            <div style="font-size: 0.75rem; color: v
ar(--gray-500);">
                                                                <?= ucfirst($doc['document_type']) ?
>
                                                                <?php if (!empty($doc['file_size']))
: ?>
                                                                    &middot; <?= number_format($doc[
'file_size'] / 1024, 1) ?> KB
                                                                <?php endif; ?>
                                                                <?php if (!empty($doc['uploaded_at']
)): ?>
                                                                    &middot; Uploaded <?= date('M j,
 Y', strtotime($doc['uploaded_at'])) ?>
                                                                <?php endif; ?>
                                                            </div>
                                                        </div>
                                                    </li>
                                                <?php endforeach; ?>
                                            </ul>
                                        <?php else: ?>
                                            <p style="margin: 0 0 12px 0; font-size: 0.8rem; color:
var(--gray-600);">
                                                No supporting documents uploaded yet.
                                            </p>
                                        <?php endif; ?>

                                        <?php
```

```
                                        $isLocked = $app['status'] === STATUS_APPROVED || $app['stat
us'] === STATUS_REJECTED;
                                        ?>

                                        <?php if ($isLocked): ?>
                                            <div style="background: rgba(156, 163, 175, 0.1); border
: 1px solid rgba(156, 163, 175, 0.2); border-radius: 8px; padding: 12px; margin-top: 12px;">
                                                <div style="display: flex; align-items: center; gap:
 8px; color: var(--gray-600); font-size: 0.85rem;">
                                                    <i class="fas fa-lock"></i>
                                                    <span>
                                                        This application has been <?= $app['status']
 === STATUS_APPROVED ? 'approved' : 'rejected' ?> and is locked. No further modifications are allowe
d.
                                                    </span>
                                                </div>
                                            </div>
                                        <?php else: ?>
                                            <form method="POST" enctype="multipart/form-data" style=
"display: flex; flex-direction: column; gap: 10px;">
                                                <input type="hidden" name="action" value="upload_doc
uments">
                                                <input type="hidden" name="application_id" value="<?
= $app['id'] ?>">
                                                <input type="hidden" name="status_filter" value="<?=
 htmlspecialchars($statusFilter) ?>">
                                                <input type="hidden" name="page" value="<?= $page ?>
">
                                                <input type="hidden" name="csrf_token" value="<?= ge
nerateCSRFToken() ?>">
                                                <?php FormTokenManager::renderFormTokenInput('upload
_documents_' . $app['id']); ?>

                                                <div style="display: flex; flex-wrap: wrap; gap: 10p
x;">
                                                    <div style="flex: 1; min-width: 180px;">
                                                        <label style="display: block; font-size: 0.7
5rem; color: var(--gray-500); margin-bottom: 4px;">
                                                            Document Type
                                                        </label>
                                                        <select name="document_type" class="form-con
trol" style="font-size: 0.85rem;">
                                                            <option value="certificate">Certificate<
/option>
                                                            <option value="portfolio">Portfolio</opt
ion>
                                                            <option value="other" selected>Other</op
tion>
                                                        </select>
                                                    </div>
                                                    <div style="flex: 2; min-width: 220px;">
                                                        <label style="display: block; font-size: 0.7
5rem; color: var(--gray-500); margin-bottom: 4px;">
                                                            Select Files
                                                        </label>
                                                        <input type="file" class="form-control" name
="supporting_files[]" multiple accept=".pdf,application/pdf">
                                                    </div>
                                                </div>

                                                <div style="display: flex; justify-content: flex-end
; gap: 10px; align-items: center;">
                                                    <small style="color: var(--gray-500); font-size:
 0.7rem;">
                                                        Max 5MB per file. Only PDF files are allowed
.
                                                    </small>
                                                    <button type="submit" class="btn btn-sm btn-outl
```

```
ine">
                                                    <i class="fas fa-upload"></i> Upload
                                                </button>
                                            </div>
                                        </form>
                                    <?php endif; ?>
                                </div>

                                <div style="display: flex; justify-content: flex-end; gap: 10px;
 align-items: center;">
                                    <a href="application-details.php?id=<?= $app['id'] ?>" class
="btn btn-sm btn-light">
                                        Open Full Details
                                    </a>
                                    <button
                                        type="button"
                                        class="btn btn-sm btn-outline toggle-details-close"
                                        data-target="application-details-<?= $app['id'] ?>"
                                    >
                                        Close
                                    </button>
                                </div>
                            </div>
                        </div>
                    <?php endforeach; ?>
                <?php endif; ?>
            </div>

            <!-- Pagination -->
            <?php if ($totalPages > 1): ?>
            <div class="card-footer" style="display: flex; justify-content: center; align-items:
 center; padding: 16px; border-top: 1px solid var(--gray-200);">
                <div class="pagination">
                    <?php if ($page > 1): ?>
                        <a href="?page=<?= $page - 1 ?>&status=<?= urlencode($statusFilter) ?>"
class="pagination-btn">
                            <i class="fas fa-chevron-left"></i> Previous
                        </a>
                    <?php endif; ?>

                    <div class="pagination-info">
                        Page <?= $page ?> of <?= $totalPages ?> (<?= $totalApplications_filtered
 ?> total)
                    </div>

                    <?php if ($page < $totalPages): ?>
                        <a href="?page=<?= $page + 1 ?>&status=<?= urlencode($statusFilter) ?>"
class="pagination-btn">
                            Next <i class="fas fa-chevron-right"></i>
                        </a>
                    <?php endif; ?>
                </div>
            </div>
            <?php endif; ?>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
```

```
            </a>
            <a href="my-applications.php" class="mobile-nav-item active">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <script>
    document.addEventListener('DOMContentLoaded', function () {
        const togglePanels = (button, panel, show) => {
            panel.style.display = show ? 'block' : 'none';
            button.setAttribute('aria-expanded', show ? 'true' : 'false');
            button.innerHTML = show
                ? '<i class="fas fa-eye-slash"></i> Hide Details'
                : '<i class="fas fa-eye"></i> View Details';
        };

        document.querySelectorAll('.toggle-details').forEach(button => {
            const targetId = button.getAttribute('data-target');
            const panel = document.getElementById(targetId);
            if (!panel) {
                return;
            }

            // Initialize close buttons inside each panel
            panel.querySelectorAll('.toggle-details-close').forEach(closeBtn => {
                closeBtn.addEventListener('click', () => {
                    togglePanels(button, panel, false);
                });
            });

            button.addEventListener('click', () => {
                const isOpen = panel.style.display === 'block';
                togglePanels(button, panel, !isOpen);
            });
        });
    });
    </script>
    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/position-details.php

```
<?php
require_once '../../config/config.php';
requireAuth();

if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/positions.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$positionModel = new Position();
$applicationModel = new Application();
$userModel = new User();

$positionId = $_GET['id'] ?? 0;
$position = $positionModel->findById($positionId);

if (!$position) {
    header('Location: positions.php');
    exit();
}

$userId = $_SESSION['user_id'];
$totalExperience = $userModel->getTotalExperience($userId);
$hasApplied = $applicationModel->findByUserAndPosition($userId, $positionId);
$meetsRequirements = $totalExperience >= $position['min_experience_years'];
$applicationCount = $positionModel->getApplicationCount($positionId);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title><?= htmlspecialchars($position['title']) ?> - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
            <a href="dashboard.php" class="sidebar-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item active">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
```

```
                <span>My Applications</span>
            </a>
            <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?php
                    $user = $userModel->findById($userId);
                    echo strtoupper(substr($user['full_name'], 0, 1));
                    ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
                <a href="auth/logout.php" class="confirm-logout" style="color: var(--gray-500); text
-decoration: none;">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Job Details</h1>
            <div class="topbar-actions">
                <a href="positions.php" class="topbar-btn">
                    <i class="fas fa-arrow-left"></i>
                </a>
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <!-- Position Header -->
            <div class="card" style="background: linear-gradient(135deg, var(--primary-blue) 0%, var
(--secondary-blue) 100%); border: none; color: white; margin-bottom: 24px;">
                <div class="card-body" style="padding: 32px;">
                    <h1 style="font-size: 2rem; font-weight: 700; margin-bottom: 16px;"><?= htmlspec
ialchars($position['title']) ?></h1>
                    <div style="display: flex; flex-wrap: wrap; gap: 20px; font-size: 0.95rem;">
                        <span><i class="fas fa-briefcase"></i> <?= ucfirst(str_replace('-', ' ', $po
sition['employment_type'])) ?></span>
                        <?php if ($position['location']): ?>
                            <span><i class="fas fa-map-marker-alt"></i> <?= htmlspecialchars($positi
on['location']) ?></span>
                        <?php endif; ?>
                        <span><i class="fas fa-clock"></i> Min. <?= $position['min_experience_years'
] ?> years</span>
                        <?php if ($position['salary_range']): ?>
                            <?php
                                $salaryRangeDisplay = $position['salary_range'];
                                if (!preg_match('/(?|PHP|PESO)/i', $salaryRangeDisplay)) {
                                    $salaryRangeDisplay = 'PHP ' . $salaryRangeDisplay;
```

```
                                }
                            ?>
                            <span><i class="fas fa-money-bill-wave"></i> <?= htmlspecialchars($salar
yRangeDisplay) ?></span>
                        <?php endif; ?>
                        <?php if ($position['deadline']): ?>
                            <span><i class="fas fa-calendar"></i> Deadline: <?= date('M j, Y', strto
time($position['deadline'])) ?></span>
                        <?php endif; ?>
                    </div>
                </div>
            </div>

            <div style="display: grid; grid-template-columns: 2fr 1fr; gap: 24px;">
                <div>
                    <div class="card">
                        <div class="card-header">
                            <h3 class="card-title">
                                <i class="fas fa-info-circle"></i> Job Description
                            </h3>
                        </div>
                        <div class="card-body">
                            <?= nl2br(htmlspecialchars($position['description'])) ?>
                        </div>
                    </div>

                    <?php if ($position['requirements']): ?>
                        <div class="card">
                            <div class="card-header">
                                <h3 class="card-title">
                                    <i class="fas fa-check-circle"></i> Requirements
                                </h3>
                            </div>
                            <div class="card-body">
                                <?php
                                $requirements = explode("\n", $position['requirements']);
                                foreach ($requirements as $req):
                                    $req = trim($req);
                                    if (!empty($req)):
                                ?>
                                    <div style="padding: 12px 16px; background: var(--gray-50); bord
er-radius: 8px; margin-bottom: 12px; display: flex; align-items: start; gap: 12px;">
                                        <i class="fas fa-check-circle" style="color: var(--primary-b
lue); margin-top: 4px;"></i>
                                        <span><?= htmlspecialchars($req) ?></span>
                                    </div>
                                <?php
                                    endif;
                                endforeach;
                                ?>
                            </div>
                        </div>
                    <?php endif; ?>
                </div>

                <div>
                    <div class="card">
                        <div class="card-header">
                            <h3 class="card-title">
                                <i class="fas fa-user-check"></i> Your Status
                            </h3>
                        </div>
                        <div class="card-body">
                            <div style="background: var(--gray-50); border-radius: 12px; padding: 20
px; text-align: center; margin-bottom: 16px;">
                                <div style="font-size: 2rem; font-weight: 700; color: var(--primary-
blue);"><?= number_format($totalExperience, 1) ?></div>
                                <div style="font-size: 0.9rem; color: var(--gray-500);">Your Experie
```

```
nce (Years)</div>
                            </div>

                            <div style="background: var(--gray-50); border-radius: 12px; padding: 20
px; text-align: center; margin-bottom: 16px;">
                                <div style="font-size: 2rem; font-weight: 700; color: var(--primary-
blue);"><?= $position['min_experience_years'] ?></div>
                                <div style="font-size: 0.9rem; color: var(--gray-500);">Required Exp
erience (Years)</div>
                            </div>

                            <div style="margin-bottom: 20px;">
                                <?php if ($meetsRequirements): ?>
                                    <div class="alert alert-success">
                                        <i class="fas fa-check-circle"></i>
                                        <div>You meet the requirements!</div>
                                    </div>
                                <?php else: ?>
                                    <div class="alert alert-warning">
                                        <i class="fas fa-exclamation-triangle"></i>
                                        <div>You need <?= $position['min_experience_years'] - $total
Experience ?> more years</div>
                                    </div>
                                <?php endif; ?>
                            </div>

                            <?php if ($hasApplied): ?>
                                <button class="btn btn-primary w-100" disabled style="width: 100%;">
                                    <i class="fas fa-check-circle"></i> Already Applied
                                </button>
                                <p style="text-align: center; color: var(--gray-500); margin-top: 12
px; font-size: 0.875rem;">
                                    Status: <?= ucfirst($hasApplied['status']) ?>
                                </p>
                            <?php elseif (!$meetsRequirements): ?>
                                <button class="btn btn-primary w-100" style="width: 100%; background
: var(--gray-400); cursor: not-allowed;" disabled>
                                    <i class="fas fa-lock"></i> Insufficient Experience
                                </button>
                            <?php else: ?>
                                <a href="apply.php?position=<?= $position['id'] ?>" class="btn btn-s
uccess w-100" style="width: 100%;">
                                    <i class="fas fa-paper-plane"></i> Apply Now
                                </a>
                            <?php endif; ?>
                        </div>
                    </div>

                    <?php if ($position['max_applications']): ?>
                        <div class="card">
                            <div class="card-header">
                                <h3 class="card-title">
                                    <i class="fas fa-users"></i> Applications
                                </h3>
                            </div>
                            <div class="card-body">
                                <div style="background: var(--gray-200); height: 8px; border-radius:
 4px; overflow: hidden; margin-bottom: 12px;">
                                    <?php $percentage = ($applicationCount / $position['max_applicat
ions']) * 100; ?>
                                    <div style="width: <?= $percentage ?>%; height: 100%; background
: var(--info);"></div>
                                </div>
                                <p style="text-align: center; color: var(--gray-600); font-size: 0.8
75rem; margin: 0;">
                                    <?= $applicationCount ?> of <?= $position['max_applications'] ?>
 applications
                                </p>
```

```
                        </div>
                    </div>
                <?php endif; ?>
            </div>
        </div>
    </div>
</div>

<!-- Mobile Bottom Navigation -->
<nav class="mobile-nav">
    <div class="mobile-nav-grid">
        <a href="dashboard.php" class="mobile-nav-item">
            <i class="fas fa-th-large"></i>
            <span>Home</span>
        </a>
        <a href="positions.php" class="mobile-nav-item active">
            <i class="fas fa-briefcase"></i>
            <span>Jobs</span>
        </a>
        <a href="my-applications.php" class="mobile-nav-item">
            <i class="fas fa-file-alt"></i>
            <span>Applications</span>
        </a>
        <a href="profile.php" class="mobile-nav-item">
            <i class="fas fa-user"></i>
            <span>Profile</span>
        </a>
    </div>
</nav>

<script src="../../assets/js/toast.js"></script>
<script src="../../assets/js/office-theme.js"></script>
<?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/positions.php

```
<?php
require_once '../../config/config.php';
requireAuth();

// Redirect admin to admin dashboard
if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/positions.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';
require_once '../../includes/services/RequirementValidator.php';

$positionModel = new Position();
$applicationModel = new Application();
$userModel = new User();
$requirementValidator = new RequirementValidator();

$userId = $_SESSION['user_id'];
$user = $userModel->findById($userId);

// Get filters
$searchTerm = $_GET['search'] ?? '';
$employmentType = $_GET['type'] ?? '';
$minExperience = $_GET['experience'] ?? '';

// Build query
$where = 'is_active = 1 AND (deadline IS NULL OR deadline >= CURDATE())';
$params = [];

if (!empty($searchTerm)) {
    $where .= ' AND (title LIKE ? OR description LIKE ? OR location LIKE ?)';
    $searchParam = '%' . $searchTerm . '%';
    $params = array_merge($params, [$searchParam, $searchParam, $searchParam]);
}

if (!empty($employmentType)) {
    $where .= ' AND employment_type = ?';
    $params[] = $employmentType;
}

if (!empty($minExperience)) {
    $where .= ' AND min_experience_years <= ?';
    $params[] = $minExperience;
}

$allPositions = $positionModel->findAll($where, $params);
$userApplications = $applicationModel->getUserApplications($userId);
$totalExperience = $userModel->getTotalExperience($userId);

// Create a lookup array for applied positions
$appliedPositions = [];
foreach ($userApplications as $app) {
    $appliedPositions[$app['position_id']] = $app['status'];
}

// Get application counts for all positions
$positionsWithCounts = [];
foreach ($allPositions as $pos) {
    $pos['application_count'] = $positionModel->getApplicationCount($pos['id']);
    $positionsWithCounts[] = $pos;
}
$allPositions = $positionsWithCounts;
```

```
// Pagination setup
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 6;
$offset = ($page - 1) * $perPage;

// Calculate pagination
$totalPositions_filtered = count($allPositions);
$totalPages = ceil($totalPositions_filtered / $perPage);
$positions = array_slice($allPositions, $offset, $perPage);
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Browse Jobs - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
    <style>
        /* Positions grid container */
        .positions-grid {
            display: grid;
            grid-template-columns: repeat(2, 1fr);
            gap: 20px;
        }

        /* Position card styles */
        .position-item {
            padding: 20px;
            border: 1px solid var(--gray-200);
            border-radius: 8px;
            background: white;
            transition: all 0.2s;
            display: flex;
            flex-direction: column;
        }

        .position-item:hover {
            background: var(--gray-50);
            box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
            transform: translateY(-2px);
        }

        /* Compact mobile layout */
        @media (max-width: 768px) {
            .positions-grid {
                grid-template-columns: 1fr;
                gap: 16px;
            }

            .position-item {
                padding: 16px;
            }
        }

        /* Tablet layout */
        @media (min-width: 769px) and (max-width: 1024px) {
            .positions-grid {
                grid-template-columns: repeat(2, 1fr);
                gap: 16px;
            }
        }
```

```
        /* Modal Styles */
        .modal-overlay {
            display: none;
            position: fixed;
            top: 0;
            left: 0;
            right: 0;
            bottom: 0;
            background: rgba(0, 0, 0, 0.5);
            z-index: 1000;
            overflow-y: auto;
            padding: 20px;
        }

        .modal-overlay.active {
            display: flex;
            align-items: flex-start;
            justify-content: center;
        }

        .modal-container {
            background: white;
            border-radius: 12px;
            width: 100%;
            max-width: 900px;
            margin: 20px auto;
            box-shadow: 0 4px 20px rgba(0, 0, 0, 0.15);
            max-height: 90vh;
            overflow-y: auto;
            position: relative;
        }

        .modal-header {
            background: linear-gradient(135deg, var(--primary-blue) 0%, var(--secondary-blue) 100%);
            color: white;
            padding: 24px;
            border-radius: 12px 12px 0 0;
            display: flex;
            justify-content: space-between;
            align-items: flex-start;
        }

        .modal-header-content h2 {
            margin: 0 0 12px 0;
            font-size: 1.75rem;
            font-weight: 700;
        }

        .modal-close {
            background: rgba(255, 255, 255, 0.2);
            border: none;
            color: white;
            width: 32px;
            height: 32px;
            border-radius: 50%;
            cursor: pointer;
            display: flex;
            align-items: center;
            justify-content: center;
            font-size: 1.2rem;
            transition: background 0.2s;
        }

        .modal-close:hover {
            background: rgba(255, 255, 255, 0.3);
        }
```

```
        .modal-body {
            padding: 24px;
        }

        .modal-body > div {
            display: grid;
            grid-template-columns: 2fr 1fr;
            gap: 24px;
        }

        .modal-section {
            margin-bottom: 24px;
        }

        .modal-section:last-child {
            margin-bottom: 0;
        }

        .modal-section h3 {
            font-size: 1.2rem;
            font-weight: 600;
            margin-bottom: 12px;
            color: var(--gray-800);
            display: flex;
            align-items: center;
            gap: 8px;
        }

        .modal-requirements-list {
            list-style: none;
            padding: 0;
            margin: 0;
        }

        .modal-requirements-list li {
            padding: 12px 16px;
            background: var(--gray-50);
            border-radius: 8px;
            margin-bottom: 12px;
            display: flex;
            align-items: start;
            gap: 12px;
        }

        .modal-requirements-list li:last-child {
            margin-bottom: 0;
        }

        .modal-requirements-list li i {
            color: var(--primary-blue);
            margin-top: 4px;
        }

        .modal-status-card {
            background: var(--gray-50);
            border-radius: 12px;
            padding: 20px;
            text-align: center;
            margin-bottom: 16px;
        }

        .modal-status-value {
            font-size: 2rem;
            font-weight: 700;
            color: var(--primary-blue);
        }

        .modal-status-label {
```

```
            font-size: 0.9rem;
            color: var(--gray-500);
        }

        .modal-actions {
            display: flex;
            gap: 12px;
            margin-top: 20px;
        }

        @media (max-width: 768px) {
            .modal-overlay {
                padding: 10px;
            }

            .modal-container {
                margin: 10px auto;
                max-height: 95vh;
            }

            .modal-header {
                padding: 20px;
            }

            .modal-header-content h2 {
                font-size: 1.5rem;
            }

            .modal-body {
                padding: 20px;
            }

            .modal-body > div {
                grid-template-columns: 1fr;
                gap: 20px;
            }
        }
    </style>
</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>
        <nav class="sidebar-nav">
         <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>

        </nav>
        <div class="sidebar-footer">
```

```
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>
            </div>
        </div>
    </aside>

    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Browse Jobs</h1>
            <div class="topbar-actions">

                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <!-- Statistics Cards -->


            <!-- Search and Filters -->
            <div class="card" style="margin-bottom: 24px;">
                <div class="card-body">
                    <form method="GET" action="" id="searchForm">
                        <div class="search-box">
                            <i class="fas fa-search"></i>
                            <input type="text" name="search"
                                   placeholder="Search by title, description, or location..."
                                   value="<?= htmlspecialchars($searchTerm) ?>">
                        </div>
                        <div class="filter-chips">
                            <a href="positions.php" class="filter-chip <?= empty($employmentType) ?
'active' : '' ?>">All Types</a>
                            <a href="?type=full-time<?= !empty($searchTerm) ? '&search='.urlencode($
searchTerm) : '' ?>" class="filter-chip <?= $employmentType === 'full-time' ? 'active' : '' ?>">Full
 Time</a>
                            <a href="?type=part-time<?= !empty($searchTerm) ? '&search='.urlencode($
searchTerm) : '' ?>" class="filter-chip <?= $employmentType === 'part-time' ? 'active' : '' ?>">Part
 Time</a>
                            <a href="?type=contract<?= !empty($searchTerm) ? '&search='.urlencode($s
earchTerm) : '' ?>" class="filter-chip <?= $employmentType === 'contract' ? 'active' : '' ?>">Contra
ct</a>
                            <a href="?type=internship<?= !empty($searchTerm) ? '&search='.urlencode(
$searchTerm) : '' ?>" class="filter-chip <?= $employmentType === 'internship' ? 'active' : '' ?>">In
ternship</a>
                        </div>
                        <input type="hidden" name="type" value="<?= htmlspecialchars($employmentType
) ?>">
                        <input type="hidden" name="experience" value="<?= htmlspecialchars($minExper
ience) ?>">
                    </form>
                </div>
            </div>

            <!-- Positions List -->
```

```
            <div class="card">
                <div class="card-header" style="display: flex; justify-content: space-between; align
-items: center;">
                    <h3 class="card-title">
                        <i class="fas fa-briefcase"></i> Job Openings
                    </h3>
                </div>
                <div class="card-body">
                    <?php if (empty($positions)): ?>
                        <div class="empty-state">
                            <i class="fas fa-search"></i>
                            <h3>No Positions Found</h3>
                            <p>No positions match your search criteria. Try adjusting your filters.<
/p>
                            <a href="positions.php" class="btn btn-primary">
                                <i class="fas fa-refresh"></i> Clear Filters
                            </a>
                        </div>
                    <?php else: ?>
                        <div class="positions-grid">
                            <?php foreach ($positions as $position): ?>
                                <?php
                                $hasApplied = isset($appliedPositions[$position['id']]);
                                $applicationStatus = $hasApplied ? $appliedPositions[$position['id']
] : null;

                                // Validate all requirements including CSE
                                $requirementValidation = $requirementValidator->validateRequirements
($userId, $position['id']);
                                $meetsRequirements = $requirementValidation['meets_requirements'];
                                $cseValidation = $requirementValidation['details']['career_service_e
ligibilities'] ?? null;
                                $meetsCSE = $cseValidation ? ($cseValidation['meets'] ?? false) : tr
ue; // If no CSE requirement, consider it met
                                $hasCSERequirement = !empty($position['career_service_eligibilities'
]);

                                // Prepare data for modal
                                $salaryRangeDisplay = $position['salary_range'] ?? '';
                                if ($salaryRangeDisplay && !preg_match('/(?|PHP|PESO)/i', $salaryRan
geDisplay)) {
                                    $salaryRangeDisplay = 'PHP ' . $salaryRangeDisplay;
                                }

                                // Parse applicant CSE for display
                                $applicantCSE = [];
                                if (!empty($user['career_service_eligibilities'])) {
                                    $applicantCSE = array_map('trim', explode(',', $user['career_ser
vice_eligibilities']));
                                }

                                // Parse required CSE for display
                                $requiredCSE = [];
                                if (!empty($position['career_service_eligibilities'])) {
                                    $requiredCSE = array_map('trim', explode(',', $position['career_
service_eligibilities']));
                                }

                                $positionData = [
                                    'id' => $position['id'],
                                    'title' => htmlspecialchars($position['title'], ENT_QUOTES),
                                    'description' => htmlspecialchars($position['description'] ?? ''
, ENT_QUOTES),
                                    'requirements' => htmlspecialchars($position['requirements'] ??
'', ENT_QUOTES),
                                    'employment_type' => htmlspecialchars($position['employment_type
'] ?? '', ENT_QUOTES),
                                    'location' => htmlspecialchars($position['location'] ?? '', ENT_
```

```
QUOTES),
                                    'min_experience_years' => $position['min_experience_years'] ?? 0
,
                                    'salary_range' => htmlspecialchars($salaryRangeDisplay, ENT_QUOT
ES),
                                    'salary_grade' => htmlspecialchars($position['salary_grade'] ??
'', ENT_QUOTES),
                                    'training_hours' => $position['training_hours'] ?? null,
                                    'career_service_eligibilities' => htmlspecialchars($position['ca
reer_service_eligibilities'] ?? '', ENT_QUOTES),
                                    'deadline' => $position['deadline'] ? date('M j, Y', strtotime($
position['deadline'])) : '',
                                    'deadline_raw' => $position['deadline'] ?? null,
                                    'max_applications' => $position['max_applications'] ?? null,
                                    'application_count' => $position['application_count'] ?? 0,
                                    'has_applied' => $hasApplied ? '1' : '0',
                                    'application_status' => $applicationStatus ? htmlspecialchars($a
pplicationStatus, ENT_QUOTES) : '',
                                    'meets_requirements' => $meetsRequirements ? '1' : '0',
                                    'meets_cse' => $meetsCSE ? '1' : '0',
                                    'has_cse_requirement' => $hasCSERequirement ? '1' : '0',
                                    'required_cse' => json_encode($requiredCSE),
                                    'applicant_cse' => json_encode($applicantCSE),
                                    'cse_validation_message' => $cseValidation ? htmlspecialchars($c
seValidation['message'] ?? '', ENT_QUOTES) : '',
                                    'user_experience' => $totalExperience,
                                    'apply_url' => 'apply.php?position=' . $position['id']
                                ];
                                ?>
                                <div class="position-item"
                                     data-position='<?= json_encode($positionData) ?>'>
                                    <div style="display: flex; justify-content: space-between; align
-items: start; margin-bottom: 12px;">
                                        <div style="flex: 1;">
                                            <h4 style="margin: 0 0 8px 0; font-size: 1.1rem; font-we
ight: 600; color: var(--gray-800);">
                                                <?= htmlspecialchars($position['title']) ?>
                                            </h4>
                                            <div style="margin-bottom: 8px;">
                                                <?php if ($hasApplied): ?>
                                                    <span class="badge badge-success" style="margin-
right: 8px;">Applied (<?= ucfirst($applicationStatus) ?>)</span>
                                                <?php elseif (!$meetsRequirements): ?>
                                                    <?php if ($hasCSERequirement && !$meetsCSE): ?>
                                                        <span class="badge badge-danger" style="marg
in-right: 8px;" title="Missing required Career Service Eligibility">
                                                            <i class="fas fa-times-circle"></i> Miss
ing CSE Requirement
                                                        </span>
                                                    <?php elseif (!$meetsRequirements): ?>
                                                        <span class="badge badge-warning" style="mar
gin-right: 8px;" title="Below required experience">
                                                            <i class="fas fa-exclamation-triangle"><
/i> Insufficient Experience
                                                        </span>
                                                    <?php endif; ?>
                                                <?php endif; ?>
                                                <span class="badge badge-primary">
                                                    <?= ucfirst($position['employment_type']) ?>
                                                </span>
                                            </div>
                                        </div>
                                    </div>

                                    <div style="font-size: 0.85rem; color: var(--gray-600); margin-b
ottom: 12px; display: flex; flex-direction: column; gap: 6px;">
                                        <div style="display: flex; flex-wrap: wrap; gap: 12px;">
                                            <?php if ($position['location']): ?>
```

```
                                            <span><i class="fas fa-map-marker-alt"></i> <?= html
specialchars($position['location']) ?></span>
                                        <?php endif; ?>
                                        <span><i class="fas fa-clock"></i> Min. <?= $position['m
in_experience_years'] ?>y exp</span>
                                    </div>
                                    <?php if ($position['salary_range']): ?>
                                        <span><i class="fas fa-money-bill-wave"></i> <?= htmlspe
cialchars($salaryRangeDisplay) ?></span>
                                    <?php endif; ?>
                                    <?php if ($position['deadline']): ?>
                                        <span><i class="fas fa-calendar"></i> Deadline: <?= date
('M j, Y', strtotime($position['deadline'])) ?></span>
                                    <?php endif; ?>
                                </div>

                                <div style="font-size: 0.9rem; color: var(--gray-700); margin-bo
ttom: 16px; flex: 1; line-height: 1.5;">
                                    <?= nl2br(htmlspecialchars(substr($position['description'],
0, 120))) ?><?= strlen($position['description']) > 120 ? '...' : '' ?>
                                </div>

                                <div style="display: flex; gap: 8px; margin-top: auto; padding-t
op: 12px; border-top: 1px solid var(--gray-200); justify-content: flex-start;">
                                    <button type="button" class="btn btn-sm btn-outline view-det
ails-btn"
                                            style="padding: 6px 12px; font-size: 0.8rem;"
                                            data-position-id="<?= $position['id'] ?>">
                                        <i class="fas fa-info-circle"></i> Details
                                    </button>
                                    <?php if (!$hasApplied && $meetsRequirements): ?>
                                        <a href="apply.php?position=<?= $position['id'] ?>" clas
s="btn btn-sm btn-primary" style="padding: 6px 12px; font-size: 0.8rem;">
                                            <i class="fas fa-paper-plane"></i> Apply
                                        </a>
                                    <?php elseif ($hasApplied): ?>
                                        <span class="btn btn-sm btn-outline" style="padding: 6px
 12px; font-size: 0.8rem; cursor: default; opacity: 0.7;">
                                            <i class="fas fa-check"></i> Applied
                                        </span>
                                    <?php else: ?>
                                        <?php
                                        $lockReason = "You don't meet the requirements";
                                        if ($hasCSERequirement && !$meetsCSE) {
                                            $lockReason = "You don't meet the required Career Se
rvice Eligibility";
                                        } elseif (!$meetsRequirements) {
                                            $lockReason = "You don't meet the minimum experience
 requirement";
                                        }
                                        ?>
                                        <span class="btn btn-sm btn-outline" style="padding: 6px
 12px; font-size: 0.8rem; cursor: not-allowed; opacity: 0.7;" title="<?= htmlspecialchars($lockReaso
n) ?>">
                                            <i class="fas fa-lock"></i> Locked
                                        </span>
                                    <?php endif; ?>
                                </div>
                            </div>
                        <?php endforeach; ?>
                    </div>
                <?php endif; ?>
            </div>

            <!-- Pagination -->
            <?php if ($totalPages > 1): ?>
            <div class="card-footer" style="display: flex; justify-content: center; align-items:
 center; padding: 16px; border-top: 1px solid var(--gray-200);">
```

```
                    <div class="pagination">
                        <?php if ($page > 1): ?>
                            <a href="?page=<?= $page - 1 ?>&search=<?= urlencode($searchTerm) ?>&typ
e=<?= urlencode($employmentType) ?>&experience=<?= urlencode($minExperience) ?>" class="pagination-b
tn">
                                <i class="fas fa-chevron-left"></i> Previous
                            </a>
                        <?php endif; ?>

                        <div class="pagination-info">
                            Page <?= $page ?> of <?= $totalPages ?> (<?= $totalPositions_filtered ?>
 total)
                        </div>

                        <?php if ($page < $totalPages): ?>
                            <a href="?page=<?= $page + 1 ?>&search=<?= urlencode($searchTerm) ?>&typ
e=<?= urlencode($employmentType) ?>&experience=<?= urlencode($minExperience) ?>" class="pagination-b
tn">
                                Next <i class="fas fa-chevron-right"></i>
                            </a>
                        <?php endif; ?>
                    </div>
                </div>
                <?php endif; ?>
            </div>
        </div>
    </div>

    <!-- Mobile Bottom Navigation -->
    <nav class="mobile-nav">
        <div class="mobile-nav-grid">
            <a href="dashboard.php" class="mobile-nav-item">
                <i class="fas fa-th-large"></i>
                <span>Home</span>
            </a>
            <a href="positions.php" class="mobile-nav-item active">
                <i class="fas fa-briefcase"></i>
                <span>Jobs</span>
            </a>
            <a href="my-applications.php" class="mobile-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>Applications</span>
            </a>
            <a href="profile.php" class="mobile-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
        </div>
    </nav>

    <!-- Position Details Modal -->
    <div class="modal-overlay" id="positionModal">
        <div class="modal-container">
            <div class="modal-header">
                <div class="modal-header-content">
                    <h2 id="modalTitle"></h2>
                </div>
                <button class="modal-close" id="modalClose">
                    <i class="fas fa-times"></i>
                </button>
            </div>
            <div class="modal-body">
                <div>
                    <div>
                        <div class="modal-section">
                            <h3>
                                <i class="fas fa-info-circle"></i> Job Description
                            </h3>
```

```
                            <div style="margin-bottom: 20px;">
                                <div style="margin-bottom: 16px;">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Position Title *</strong>
                                    <div id="modalTitleValue" style="color: var(--gray-700); font-si
ze: 1.1rem;"></div>
                                </div>

                                <div style="margin-bottom: 16px;">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Employment Type</strong>
                                    <div id="modalEmploymentType" style="color: var(--gray-700);"></
div>
                                </div>

                                <div style="margin-bottom: 16px;">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Job Description *</strong>
                                    <div id="modalDescription" style="line-height: 1.6; color: var(-
-gray-700); white-space: pre-wrap;"></div>
                                </div>

                                <div style="margin-bottom: 16px; margin-top: 16px; display: none;" i
d="modalRequirementsSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Requirements *</strong>
                                    <ul class="modal-requirements-list" id="modalRequirements"></ul>
                                </div>

                                <div style="margin-bottom: 16px; margin-top: 16px;">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Minimum Experience (years)</strong>
                                    <div id="modalMinExperience" style="color: var(--gray-700);"></d
iv>
                                </div>

                                <div style="margin-bottom: 16px;" id="modalMaxApplicationsSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Max Applications (optional)</strong>
                                    <div id="modalMaxApplications" style="color: var(--gray-700);"><
/div>
                                </div>

                                <div style="margin-bottom: 16px;" id="modalSalaryRangeSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Salary Range (PHP)</strong>
                                    <div id="modalSalaryRange" style="color: var(--gray-700);"></div
>
                                </div>

                                <div style="margin-bottom: 16px;" id="modalSalaryGradeSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Salary Grade</strong>
                                    <div id="modalSalaryGrade" style="color: var(--gray-700);"></div
>
                                </div>

                                <div style="margin-bottom: 16px;" id="modalTrainingHoursSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Training Hours</strong>
                                    <div id="modalTrainingHours" style="color: var(--gray-700);"></d
iv>
                                </div>

                                <div style="margin-bottom: 16px;" id="modalLocationSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Location</strong>
                                    <div id="modalLocation" style="color: var(--gray-700);"></div>
```

```
                                </div>

                                <div style="margin-bottom: 16px;" id="modalCSESection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">CAREER SERVICE ELIGIBILITIES (CSE)</strong>
                                    <div style="margin-top: 8px; padding: 12px; background: var(--gr
ay-50); border-radius: 6px; border: 1px solid var(--gray-200);">
                                        <div id="modalCSE" style="color: var(--gray-700);"></div>
                                    </div>
                                    <small style="color: var(--gray-500); font-size: 0.85rem; margin
-top: 8px; display: block;">
                                        Check all required career service eligibility for this posit
ion.
                                    </small>
                                </div>

                                <div style="margin-bottom: 16px;" id="modalDeadlineSection">
                                    <strong style="color: var(--gray-800); display: block; margin-bo
ttom: 8px;">Application Deadline</strong>
                                    <div id="modalDeadline" style="color: var(--gray-700);"></div>
                                </div>
                            </div>
                        </div>
                    </div>

                    <div>
                        <div class="modal-section">
                            <h3>
                                <i class="fas fa-user-check"></i> Your Status
                            </h3>
                            <div class="modal-status-card">
                                <div class="modal-status-value" id="modalUserExperience"></div>
                                <div class="modal-status-label">Your Experience (Years)</div>
                            </div>

                            <div class="modal-status-card">
                                <div class="modal-status-value" id="modalRequiredExperience"></div>
                                <div class="modal-status-label">Required Experience (Years)</div>
                            </div>

                            <div id="modalRequirementStatus"></div>

                            <div class="modal-actions" id="modalActions"></div>
                        </div>

                        <div class="modal-section" id="modalApplicationsSection" style="display: non
e;">
                            <h3>
                                <i class="fas fa-users"></i> Applications
                            </h3>
                            <div style="background: var(--gray-200); height: 8px; border-radius: 4px
; overflow: hidden; margin-bottom: 12px;">
                                <div id="modalApplicationProgress" style="height: 100%; background:
var(--info);"></div>
                            </div>
                            <p style="text-align: center; color: var(--gray-600); font-size: 0.875re
m; margin: 0;" id="modalApplicationCount"></p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script>
        // Modal functionality
```

```
        const modal = document.getElementById('positionModal');
        const modalClose = document.getElementById('modalClose');
        const viewDetailsButtons = document.querySelectorAll('.view-details-btn');

        // Close modal handlers
        modalClose.addEventListener('click', closeModal);
        modal.addEventListener('click', function(e) {
            if (e.target === modal) {
                closeModal();
            }
        });

        // ESC key to close modal
        document.addEventListener('keydown', function(e) {
            if (e.key === 'Escape' && modal.classList.contains('active')) {
                closeModal();
            }
        });

        function closeModal() {
            modal.classList.remove('active');
            document.body.style.overflow = '';
        }

        function openModal(positionData) {
            // Set title
            const modalTitleElement = document.querySelector('.modal-header-content h2');
            modalTitleElement.textContent = positionData.title;
            document.getElementById('modalTitleValue').textContent = positionData.title;

            // Set employment type
            const employmentType = positionData.employment_type.replace(/-/g, ' ').replace(/\b\w/g,
l => l.toUpperCase());
            document.getElementById('modalEmploymentType').textContent = employmentType;

            // Set description
            const description = document.getElementById('modalDescription');
            description.textContent = positionData.description || '';

            // Set requirements
            const requirementsSection = document.getElementById('modalRequirementsSection');
            const requirementsList = document.getElementById('modalRequirements');
            if (positionData.requirements && positionData.requirements.trim()) {
                requirementsSection.style.display = 'block';
                const requirements = positionData.requirements.split('\n').filter(req => req.trim())
;
                requirementsList.innerHTML = requirements.map(req => {
                    const reqText = req.trim();
                    const temp = document.createElement('div');
                    temp.textContent = reqText;
                    return `<li><i class="fas fa-check-circle"></i><span>${temp.innerHTML}</span></l
i>`;
                }).join('');
            } else {
                requirementsSection.style.display = 'none';
            }

            // Set minimum experience
            document.getElementById('modalMinExperience').textContent = positionData.min_experience_
years || '0';

            // Set max applications
            document.getElementById('modalMaxApplications').textContent = positionData.max_applicati
ons || 'N/A';

            // Set salary range
            document.getElementById('modalSalaryRange').textContent = positionData.salary_range || '
N/A';
```

```
            // Set salary grade
            document.getElementById('modalSalaryGrade').textContent = positionData.salary_grade || '
N/A';

            // Set training hours
            document.getElementById('modalTrainingHours').textContent = positionData.training_hours
|| 'N/A';

            // Set location
            document.getElementById('modalLocation').textContent = positionData.location || 'N/A';

            // Set Career Service Eligibilities
            const cseElement = document.getElementById('modalCSE');
            // Helper function to escape HTML
            const escapeHtml = (text) => {
                const div = document.createElement('div');
                div.textContent = text;
                return div.innerHTML;
            };

            if (positionData.career_service_eligibilities && positionData.career_service_eligibiliti
es.trim()) {
                const cseValues = positionData.career_service_eligibilities.split(',').map(v => v.tr
im());
                const cseLabels = {
                    'Professional Eligibility': 'Professional Eligibility: For first-level (clerical
, trades) and second-level (technical, supervisory, managerial) positions.',
                    'Sub-Professional Eligibility': 'Sub-Professional Eligibility: Qualifies for fir
st-level positions (clerical, custodial).',
                    'Career Service Executive Eligibility (CSE-E)': 'Career Service Executive Eligib
ility (CSE-E): For high-level executive positions.',
                    'Bar/Board Eligibility (RA 1080)': 'Bar/Board Eligibility (RA 1080): For license
d professionals (e.g., lawyers, doctors, engineers).'
                };

                let cseHTML = '';
                cseValues.forEach(value => {
                    const escapedValue = escapeHtml(value);
                    if (cseLabels[value]) {
                        const description = escapeHtml(cseLabels[value].split(': ')[1]);
                        cseHTML += `<div style="padding: 8px; margin-bottom: 8px; display: flex; ali
gn-items: flex-start; gap: 8px;">
                            <i class="fas fa-check-circle" style="color: var(--primary-blue); margin
-top: 4px;"></i>
                            <span>${escapedValue}: ${description}</span>
                        </div>`;
                    } else if (value) {
                        cseHTML += `<div style="padding: 8px; margin-bottom: 8px; display: flex; ali
gn-items: flex-start; gap: 8px;">
                            <i class="fas fa-check-circle" style="color: var(--primary-blue); margin
-top: 4px;"></i>
                            <span>${escapedValue}</span>
                        </div>`;
                    }
                });
                cseElement.innerHTML = cseHTML || '<span style="color: var(--gray-500);">N/A</span>'
;
            } else {
                cseElement.innerHTML = '<span style="color: var(--gray-500);">N/A</span>';
            }

            // Set deadline
            if (positionData.deadline || positionData.deadline_raw) {
                document.getElementById('modalDeadline').textContent = positionData.deadline ||
                    (positionData.deadline_raw ? new Date(positionData.deadline_raw).toLocaleDateStr
ing('en-US', { year: 'numeric', month: 'long', day: 'numeric' }) : 'N/A');
            } else {
```

```
                document.getElementById('modalDeadline').textContent = 'N/A';
            }

            // Set user experience
            document.getElementById('modalUserExperience').textContent = parseFloat(positionData.use
r_experience).toFixed(1);
            document.getElementById('modalRequiredExperience').textContent = positionData.min_experi
ence_years;

            // Set requirement status
            const requirementStatus = document.getElementById('modalRequirementStatus');
            const meetsRequirements = positionData.meets_requirements === '1';
            const meetsCSE = positionData.meets_cse === '1';
            const hasCSERequirement = positionData.has_cse_requirement === '1';

            let statusHTML = '';
            let allRequirementsMet = true;

            // Check experience
            const userExp = parseFloat(positionData.user_experience);
            const minExp = parseFloat(positionData.min_experience_years);
            const needed = minExp - userExp;
            if (needed > 0) {
                allRequirementsMet = false;
                statusHTML += `
                    <div class="alert alert-warning" style="margin-bottom: 12px;">
                        <i class="fas fa-exclamation-triangle"></i>
                        <div><strong>Experience:</strong> You need ${needed.toFixed(1)} more years o
f experience</div>
                    </div>
                `;
            }

            // Check CSE requirements
            if (hasCSERequirement) {
                if (!meetsCSE) {
                    allRequirementsMet = false;
                    const requiredCSE = JSON.parse(positionData.required_cse || '[]');
                    const applicantCSE = JSON.parse(positionData.applicant_cse || '[]');
                    let cseMessage = positionData.cse_validation_message || '';

                    statusHTML += `
                        <div class="alert alert-danger" style="margin-bottom: 12px;">
                            <i class="fas fa-times-circle"></i>
                            <div><strong>Career Service Eligibility:</strong> ${cseMessage}</div>
                            <div style="margin-top: 8px; font-size: 0.9rem;">
                                <strong>Required:</strong> ${requiredCSE.length > 0 ? requiredCSE.jo
in(', ') : 'N/A'}<br>
                                <strong>You have:</strong> ${applicantCSE.length > 0 ? applicantCSE.
join(', ') : 'None'}
                            </div>
                        </div>
                    `;
                } else {
                    const matchingCSE = JSON.parse(positionData.required_cse || '[]').filter(cse =>
                        JSON.parse(positionData.applicant_cse || '[]').includes(cse)
                    );
                    statusHTML += `
                        <div class="alert alert-success" style="margin-bottom: 12px;">
                            <i class="fas fa-check-circle"></i>
                            <div><strong>Career Service Eligibility:</strong> You meet the requireme
nt!</div>
                            <div style="margin-top: 8px; font-size: 0.9rem;">
                                Matching eligibility: ${matchingCSE.join(', ')}
                            </div>
                        </div>
                    `;
                }
```

```
            }

            // Show overall status
            if (allRequirementsMet && meetsRequirements) {
                statusHTML = `
                    <div class="alert alert-success">
                        <i class="fas fa-check-circle"></i>
                        <div>You meet all requirements!</div>
                    </div>
                ` + statusHTML;
            } else if (!allRequirementsMet) {
                if (!statusHTML.includes('alert-danger') && !statusHTML.includes('alert-warning')) {
                    statusHTML = `
                        <div class="alert alert-warning">
                            <i class="fas fa-exclamation-triangle"></i>
                            <div>You don't meet all requirements</div>
                        </div>
                    ` + statusHTML;
                }
            }

            requirementStatus.innerHTML = statusHTML || `
                <div class="alert alert-info">
                    <i class="fas fa-info-circle"></i>
                    <div>Checking requirements...</div>
                </div>
            `;

            // Set actions
            const actions = document.getElementById('modalActions');
            const hasApplied = positionData.has_applied === '1';
            const meetsAllRequirements = positionData.meets_requirements === '1';

            if (hasApplied) {
                actions.innerHTML = `
                    <button class="btn btn-primary w-100" disabled style="width: 100%;">
                        <i class="fas fa-check-circle"></i> Already Applied
                    </button>
                    <p style="text-align: center; color: var(--gray-500); margin-top: 12px; font-siz
e: 0.875rem; width: 100%;">
                        Status: ${positionData.application_status.charAt(0).toUpperCase() + position
Data.application_status.slice(1)}
                    </p>
                `;
            } else if (!meetsAllRequirements) {
                let lockMessage = "Requirements Not Met";
                if (hasCSERequirement && !meetsCSE) {
                    lockMessage = "Missing Required CSE Eligibility";
                } else if (needed > 0) {
                    lockMessage = "Insufficient Experience";
                }
                actions.innerHTML = `
                    <button class="btn btn-primary w-100" style="width: 100%; background: var(--gray
-400); cursor: not-allowed;" disabled>
                        <i class="fas fa-lock"></i> ${lockMessage}
                    </button>
                `;
            } else {
                actions.innerHTML = `
                    <a href="${positionData.apply_url}" class="btn btn-success w-100" style="width:
100%;">
                        <i class="fas fa-paper-plane"></i> Apply Now
                    </a>
                `;
            }

            // Set applications count
            const applicationsSection = document.getElementById('modalApplicationsSection');
```

```
            if (positionData.max_applications) {
                applicationsSection.style.display = 'block';
                const percentage = (positionData.application_count / positionData.max_applications)
* 100;
                document.getElementById('modalApplicationProgress').style.width = percentage + '%';
                document.getElementById('modalApplicationCount').textContent =
                    `${positionData.application_count} of ${positionData.max_applications} applicati
ons`;
            } else {
                applicationsSection.style.display = 'none';
            }

            // Show modal
            modal.classList.add('active');
            document.body.style.overflow = 'hidden';
        }

        // Add click handlers to all view details buttons
        viewDetailsButtons.forEach(button => {
            button.addEventListener('click', function() {
                const positionItem = this.closest('.position-item');
                const positionDataJson = positionItem.getAttribute('data-position');
                if (positionDataJson) {
                    try {
                        const positionData = JSON.parse(positionDataJson);
                        openModal(positionData);
                    } catch (e) {
                        console.error('Error parsing position data:', e);
                    }
                }
            });
        });

    </script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

applicant/pages/profile.php

```
<?php
require_once '../../config/config.php';
requireAuth();

// Redirect admin to admin dashboard
if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    exit();
}

// Require privacy waiver acceptance
requirePrivacyWaiver();

require_once '../../includes/models.php';

$userModel = new User();
$experienceModel = new Experience();
$trainingCertificateModel = new TrainingCertificate();
$applicationDocumentModel = new UserApplicationDocument();

$userId = $_SESSION['user_id'];
$user = $userModel->findById($userId);
$allExperiences = $experienceModel->getUserExperience($userId);
$totalExperience = $userModel->getTotalExperience($userId);

// Training certificates and application documents will be loaded after POST processing
// to ensure we show the latest data after any uploads
// (see the section after POST handling block)

// Pagination setup for experiences
$page = isset($_GET['page']) ? max(1, (int)$_GET['page']) : 1;
$perPage = 5;
$offset = ($page - 1) * $perPage;

// Calculate pagination
$totalExperiences = count($allExperiences);
$totalPages = ceil($totalExperiences / $perPage);
$experiences = array_slice($allExperiences, $offset, $perPage);

$success = $_GET['success'] ?? '';
$error = $_GET['error'] ?? '';

// Handle profile update
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // Debug: Log POST data
    error_log("=== PROFILE FORM SUBMISSION DEBUG ===");
    error_log("POST data keys: " . implode(', ', array_keys($_POST)));
    error_log("FILES data keys: " . implode(', ', array_keys($_FILES)));

    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            header('Location: profile.php?info=Profile update already processed');
            exit();
        }
        $error = $validation['error'];
        error_log("Form validation failed: " . $error);
    } else {
        $fullName = sanitize(strtoupper(trim($_POST['full_name'] ?? '')));
        $email = sanitize($_POST['email'] ?? '');
        $phone = sanitize($_POST['phone'] ?? '');
        $address = sanitize($_POST['address'] ?? '');
        $age = isset($_POST['age']) && !empty($_POST['age']) ? (int)$_POST['age'] : null;
        $sex = sanitize($_POST['sex'] ?? '');
```

```
        $civilStatus = sanitize($_POST['civil_status'] ?? '');
        $highestEducationalAttainment = sanitize($_POST['highest_educational_attainment'] ?? '');
        $bachelorsDegree = sanitize($_POST['bachelors_degree'] ?? '');
        $mastersDegree = sanitize($_POST['masters_degree'] ?? '');
        $doctorateDegree = sanitize($_POST['doctorate_degree'] ?? '');
        $applicationType = isset($_POST['application_type']) ? $_POST['application_type'] : [];
        $ipcrRating = sanitize($_POST['ipcr_rating'] ?? '');
        $peRating = sanitize($_POST['pe_rating'] ?? '');
        $positionAppliedFor = sanitize($_POST['position_applied_for'] ?? '');
        $trainingPrograms = sanitize($_POST['training_programs'] ?? '');
        $careerServiceEligibilities = isset($_POST['career_service_eligibilities']) ? $_POST['career
_service_eligibilities'] : [];
        $careerServiceEligibilitiesOther = sanitize($_POST['career_service_eligibilities_other'] ??
'');
        $specialNeeds = sanitize($_POST['special_needs'] ?? '');
        $password = $_POST['password'] ?? '';
        $confirmPassword = $_POST['confirm_password'] ?? '';
        $deleteIpcrFile = isset($_POST['delete_ipcr_file']) && $_POST['delete_ipcr_file'] === '1';
        $deletePeFile = isset($_POST['delete_pe_file']) && $_POST['delete_pe_file'] === '1';

        // Validate
        $errors = [];

    if (empty($fullName)) {
        $errors[] = "Full name is required.";
    }

    if (empty($email)) {
        $errors[] = "Email is required.";
    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Invalid email format.";
    } else {
        // Check if email is taken by another user
        $existingUser = $userModel->findByEmail($email);
        if ($existingUser && $existingUser['id'] != $userId) {
            $errors[] = "Email is already taken.";
        }
    }

    if (empty($address)) {
        $errors[] = "Address is required.";
    }

    if (empty($age)) {
        $errors[] = "Age is required.";
    }

    if (empty($sex)) {
        $errors[] = "Sex is required.";
    }

    // If password is provided, validate it
    if (!empty($password)) {
        if (strlen($password) < 6) {
            $errors[] = "Password must be at least 6 characters.";
        }
        if ($password !== $confirmPassword) {
            $errors[] = "Passwords do not match.";
        }
    }

    if (empty($errors)) {
        // Handle IPCR file upload
        // Initialize variables at the start
        $ipcrFilePath = $user['ipcr_file_path'] ?? null;
        $ipcrFileUpdated = false;
        $peFilePath = $user['pe_file_path'] ?? null;
        $peFileUpdated = false;
```

```
        // Debug: Log what files were submitted
        error_log("=== FILE UPLOAD DEBUG START ===");
        error_log("ipcr_file in FILES: " . (isset($_FILES['ipcr_file']) ? 'YES' : 'NO'));
        if (isset($_FILES['ipcr_file'])) {
            error_log("ipcr_file error code: " . $_FILES['ipcr_file']['error']);
            error_log("ipcr_file name: " . ($_FILES['ipcr_file']['name'] ?? 'not set'));
            error_log("ipcr_file size: " . ($_FILES['ipcr_file']['size'] ?? 'not set'));
        }
        error_log("pe_file in FILES: " . (isset($_FILES['pe_file']) ? 'YES' : 'NO'));
        if (isset($_FILES['pe_file'])) {
            error_log("pe_file error code: " . $_FILES['pe_file']['error']);
            error_log("pe_file name: " . ($_FILES['pe_file']['name'] ?? 'not set'));
            error_log("pe_file size: " . ($_FILES['pe_file']['size'] ?? 'not set'));
        }

        if ($deleteIpcrFile && $ipcrFilePath) {
            // Delete existing file
            $oldFilePath = __DIR__ . '/uploads/documents/' . $ipcrFilePath;
            if (file_exists($oldFilePath)) {
                unlink($oldFilePath);
            }
            $ipcrFilePath = null;
            $ipcrFileUpdated = true;
        }

        // Process IPCR file upload - check if file was actually uploaded
        if (isset($_FILES['ipcr_file']) && $_FILES['ipcr_file']['error'] === UPLOAD_ERR_OK && !empty
($_FILES['ipcr_file']['tmp_name']) && is_uploaded_file($_FILES['ipcr_file']['tmp_name'])) {
            // Validate file is PDF
            $extension = strtolower(pathinfo($_FILES['ipcr_file']['name'], PATHINFO_EXTENSION));
            if ($extension !== 'pdf') {
                $errors[] = "IPCR file must be a PDF file.";
            } else {
                // Validate MIME type
                $finfo = finfo_open(FILEINFO_MIME_TYPE);
                $mimeType = finfo_file($finfo, $_FILES['ipcr_file']['tmp_name']);
                finfo_close($finfo);

                if ($mimeType !== 'application/pdf') {
                    $errors[] = "IPCR file must be a valid PDF file.";
                } else {
                    // Generate filename according to convention: SURNAME_FIRSTNAME_IPCR_WPUHRMDO.pd
f
                    $nameParts = explode(',', $fullName);
                    if (count($nameParts) >= 2) {
                        $surname = trim(strtoupper($nameParts[0]));
                        $firstName = trim(strtoupper($nameParts[1]));
                        $firstName = str_replace(' ', '_', $firstName); // Replace spaces with under
scores
                        $customFileName = $surname . '_' . $firstName . '_IPCR_WPUHRMDO';

                        // Delete old file if exists
                        if ($ipcrFilePath) {
                            $oldFilePath = __DIR__ . '/uploads/documents/' . $ipcrFilePath;
                            if (file_exists($oldFilePath)) {
                                unlink($oldFilePath);
                            }
                        }

                        // Upload new file - using direct approach like apply.php
                        $uploadDir = __DIR__ . '/uploads/documents/';
                        if (!is_dir($uploadDir)) {
                            mkdir($uploadDir, 0755, true);
                        }

                        $fileName = $customFileName . '.pdf';
                        $uploadPath = $uploadDir . $fileName;
```

```
                        if (move_uploaded_file($_FILES['ipcr_file']['tmp_name'], $uploadPath)) {
                            // Verify file was actually saved
                            if (file_exists($uploadPath)) {
                                $ipcrFilePath = $fileName;
                                $ipcrFileUpdated = true;
                                error_log("IPCR file uploaded successfully: $fileName");
                            } else {
                                $errors[] = "IPCR file upload failed: File was not saved to disk.";
                            }
                        } else {
                            $errors[] = "Failed to upload IPCR file. Please check file permissions a
nd try again.";
                            error_log("IPCR file upload failed: move_uploaded_file returned false");
                        }
                    } else {
                        $errors[] = "Please ensure your name is in the format: SURNAME, FIRST NAME,
MIDDLE NAME";
                    }
                }
            }
        } elseif (isset($_FILES['ipcr_file']) && $_FILES['ipcr_file']['error'] !== UPLOAD_ERR_NO_FIL
E) {
            // Handle upload errors
            $uploadErrorMessages = [
                UPLOAD_ERR_INI_SIZE => 'File exceeds upload_max_filesize directive',
                UPLOAD_ERR_FORM_SIZE => 'File exceeds MAX_FILE_SIZE directive',
                UPLOAD_ERR_PARTIAL => 'File was only partially uploaded',
                UPLOAD_ERR_NO_TMP_DIR => 'Missing temporary folder',
                UPLOAD_ERR_CANT_WRITE => 'Failed to write file to disk',
                UPLOAD_ERR_EXTENSION => 'File upload stopped by extension'
            ];
            $errorCode = $_FILES['ipcr_file']['error'];
            $errors[] = "IPCR file upload error: " . ($uploadErrorMessages[$errorCode] ?? 'Unknown e
rror (Code: ' . $errorCode . ')');
        }

        // Handle PE file upload
        // Variables already initialized above
        if ($deletePeFile && $peFilePath) {
            // Delete existing file
            $oldFilePath = __DIR__ . '/uploads/documents/' . $peFilePath;
            if (file_exists($oldFilePath)) {
                unlink($oldFilePath);
            }
            $peFilePath = null;
            $peFileUpdated = true;
        }

        // Process PE file upload - check if file was actually uploaded
        if (isset($_FILES['pe_file']) && $_FILES['pe_file']['error'] === UPLOAD_ERR_OK && !empty($_F
ILES['pe_file']['tmp_name']) && is_uploaded_file($_FILES['pe_file']['tmp_name'])) {
            // Validate file is PDF
            $extension = strtolower(pathinfo($_FILES['pe_file']['name'], PATHINFO_EXTENSION));
            if ($extension !== 'pdf') {
                $errors[] = "PE file must be a PDF file.";
            } else {
                // Validate MIME type
                $finfo = finfo_open(FILEINFO_MIME_TYPE);
                $mimeType = finfo_file($finfo, $_FILES['pe_file']['tmp_name']);
                finfo_close($finfo);

                if ($mimeType !== 'application/pdf') {
                    $errors[] = "PE file must be a valid PDF file.";
                } else {
                    // Generate filename according to convention: SURNAME_FIRSTNAME_PE_WPUHRMDO.pdf
                    $nameParts = explode(',', $fullName);
                    if (count($nameParts) >= 2) {
```

```
                        $surname = trim(strtoupper($nameParts[0]));
                        $firstName = trim(strtoupper($nameParts[1]));
                        $firstName = str_replace(' ', '_', $firstName); // Replace spaces with under
scores
                        $customFileName = $surname . '_' . $firstName . '_PE_WPUHRMDO';

                        // Delete old file if exists
                        if ($peFilePath) {
                            $oldFilePath = __DIR__ . '/uploads/documents/' . $peFilePath;
                            if (file_exists($oldFilePath)) {
                                unlink($oldFilePath);
                            }
                        }

                        // Upload new file - using direct approach like apply.php
                        $uploadDir = __DIR__ . '/uploads/documents/';
                        if (!is_dir($uploadDir)) {
                            mkdir($uploadDir, 0755, true);
                        }

                        $fileName = $customFileName . '.pdf';
                        $uploadPath = $uploadDir . $fileName;

                        if (move_uploaded_file($_FILES['pe_file']['tmp_name'], $uploadPath)) {
                            // Verify file was actually saved
                            if (file_exists($uploadPath)) {
                                $peFilePath = $fileName;
                                $peFileUpdated = true;
                                error_log("PE file uploaded successfully: $fileName");
                            } else {
                                $errors[] = "PE file upload failed: File was not saved to disk.";
                            }
                        } else {
                            $errors[] = "Failed to upload PE file. Please check file permissions and
 try again.";
                            error_log("PE file upload failed: move_uploaded_file returned false");
                        }
                    } else {
                        $errors[] = "Please ensure your name is in the format: SURNAME, FIRST NAME,
MIDDLE NAME";
                    }
                }
            }
        } elseif (isset($_FILES['pe_file']) && $_FILES['pe_file']['error'] !== UPLOAD_ERR_NO_FILE) {
            // Handle upload errors
            $uploadErrorMessages = [
                UPLOAD_ERR_INI_SIZE => 'File exceeds upload_max_filesize directive',
                UPLOAD_ERR_FORM_SIZE => 'File exceeds MAX_FILE_SIZE directive',
                UPLOAD_ERR_PARTIAL => 'File was only partially uploaded',
                UPLOAD_ERR_NO_TMP_DIR => 'Missing temporary folder',
                UPLOAD_ERR_CANT_WRITE => 'Failed to write file to disk',
                UPLOAD_ERR_EXTENSION => 'File upload stopped by extension'
            ];
            $errorCode = $_FILES['pe_file']['error'];
            $errors[] = "PE file upload error: " . ($uploadErrorMessages[$errorCode] ?? 'Unknown err
or (Code: ' . $errorCode . ')');
        }

        // Handle training certificate file uploads (multiple files)
        if (isset($_FILES['training_certificates']) && !empty($_FILES['training_certificates']['name
'][0])) {
            $existingCertificates = $trainingCertificateModel->getUserCertificates($userId);
            $currentCount = count($existingCertificates);

            foreach ($_FILES['training_certificates']['name'] as $key => $fileName) {
                if (!empty($fileName) && $_FILES['training_certificates']['error'][$key] === UPLOAD_
ERR_OK) {
                    // Validate file is PDF or JPEG
```

```
                    $extension = strtolower(pathinfo($fileName, PATHINFO_EXTENSION));
                    if (!in_array($extension, ['pdf', 'jpg', 'jpeg'])) {
                        $errors[] = "Training certificate files must be PDF or JPEG format. File: "
. htmlspecialchars($fileName);
                        continue;
                    }

                    // Validate MIME type
                    $tmpName = $_FILES['training_certificates']['tmp_name'][$key];
                    $finfo = finfo_open(FILEINFO_MIME_TYPE);
                    $mimeType = finfo_file($finfo, $tmpName);
                    finfo_close($finfo);

                    $allowedMimes = ['application/pdf', 'image/jpeg', 'image/jpg'];
                    if (!in_array($mimeType, $allowedMimes)) {
                        $errors[] = "Training certificate file must be a valid PDF or JPEG file. Fil
e: " . htmlspecialchars($fileName);
                        continue;
                    }

                    // Generate filename according to convention: SURNAME_FIRSTNAME_TS##_WPUHRMDO
                    $nameParts = explode(',', $fullName);
                    if (count($nameParts) >= 2) {
                        $surname = trim(strtoupper($nameParts[0]));
                        $firstName = trim(strtoupper($nameParts[1]));
                        $firstName = str_replace(' ', '_', $firstName); // Replace spaces with under
scores

                        // Get the next sequence number
                        $sequenceNumber = $currentCount + 1;
                        $sequenceStr = str_pad($sequenceNumber, 2, '0', STR_PAD_LEFT); // TS01, TS02
, etc.

                        $customFileName = $surname . '_' . $firstName . '_TS' . $sequenceStr . '_WPU
HRMDO';

                        // Upload new file
                        $uploadDir = __DIR__ . '/uploads/documents/';
                        if (!is_dir($uploadDir)) {
                            mkdir($uploadDir, 0755, true);
                        }

                        $finalFileName = $customFileName . '.' . $extension;
                        $uploadPath = $uploadDir . $finalFileName;

                        if (move_uploaded_file($tmpName, $uploadPath)) {
                            // Verify file was actually saved
                            if (file_exists($uploadPath)) {
                                // Save to database
                                $certificateData = [
                                    'user_id' => $userId,
                                    'file_name' => $finalFileName,
                                    'file_path' => $finalFileName,
                                    'file_size' => $_FILES['training_certificates']['size'][$key]
                                ];

                                if ($trainingCertificateModel->create($certificateData)) {
                                    $currentCount++; // Increment for next file
                                    error_log("Training certificate uploaded successfully: $finalFil
eName");
                                } else {
                                    // Remove uploaded file if database insert failed
                                    if (file_exists($uploadPath)) {
                                        unlink($uploadPath);
                                    }
                                    $errors[] = "Failed to save training certificate record. File: "
 . htmlspecialchars($fileName);
                                }
```

```
                            } else {
                                $errors[] = "Training certificate upload failed: File was not saved
to disk. File: " . htmlspecialchars($fileName);
                            }
                        } else {
                            $errors[] = "Failed to upload training certificate. Please check file pe
rmissions and try again. File: " . htmlspecialchars($fileName);
                            error_log("Training certificate upload failed: move_uploaded_file return
ed false for " . $fileName);
                        }
                    } else {
                        $errors[] = "Please ensure your name is in the format: SURNAME, FIRST NAME,
MIDDLE NAME. File: " . htmlspecialchars($fileName);
                    }
                } elseif ($_FILES['training_certificates']['error'][$key] !== UPLOAD_ERR_NO_FILE) {
                    // Handle upload errors for training certificates
                    $uploadErrorMessages = [
                        UPLOAD_ERR_INI_SIZE => 'File exceeds upload_max_filesize directive',
                        UPLOAD_ERR_FORM_SIZE => 'File exceeds MAX_FILE_SIZE directive',
                        UPLOAD_ERR_PARTIAL => 'File was only partially uploaded',
                        UPLOAD_ERR_NO_TMP_DIR => 'Missing temporary folder',
                        UPLOAD_ERR_CANT_WRITE => 'Failed to write file to disk',
                        UPLOAD_ERR_EXTENSION => 'File upload stopped by extension'
                    ];
                    $errorCode = $_FILES['training_certificates']['error'][$key];
                    $errors[] = "Training certificate upload error (" . htmlspecialchars($fileName)
. "): " . ($uploadErrorMessages[$errorCode] ?? 'Unknown error (Code: ' . $errorCode . ')');
                }
            }
        }

        // Helper function to handle application document uploads
        $handleDocumentUpload = function($fileKey, $documentType, $allowedExtensions, $allowedMimes,
 $fileNamePattern) use (&$errors, $fullName, $userId, $applicationDocumentModel) {
            if (!isset($_FILES[$fileKey])) {
                return;
            }

            // Check if it's a single file or multiple files
            $isMultiple = is_array($_FILES[$fileKey]['name']);

            if ($isMultiple) {
                // Multiple files (for COE, SRE, EL)
                if (empty($_FILES[$fileKey]['name'][0])) {
                    return;
                }

                $existingDocs = $applicationDocumentModel->getUserDocuments($userId, $documentType);
                $currentCount = count($existingDocs);

                foreach ($_FILES[$fileKey]['name'] as $key => $fileName) {
                    if (!empty($fileName) && $_FILES[$fileKey]['error'][$key] === UPLOAD_ERR_OK) {
                        $extension = strtolower(pathinfo($fileName, PATHINFO_EXTENSION));
                        if (!in_array($extension, $allowedExtensions)) {
                            $errors[] = ucfirst($documentType) . " files must be " . implode(' or ',
 $allowedExtensions) . " format. File: " . htmlspecialchars($fileName);
                            continue;
                        }

                        $tmpName = $_FILES[$fileKey]['tmp_name'][$key];
                        $finfo = finfo_open(FILEINFO_MIME_TYPE);
                        $mimeType = finfo_file($finfo, $tmpName);
                        finfo_close($finfo);

                        if (!in_array($mimeType, $allowedMimes)) {
                            $errors[] = ucfirst($documentType) . " file must be a valid " . implode(
' or ', $allowedExtensions) . " file. File: " . htmlspecialchars($fileName);
                            continue;
```

```
                        }

                        $nameParts = explode(',', $fullName);
                        if (count($nameParts) >= 2) {
                            $surname = trim(strtoupper($nameParts[0]));
                            $firstName = trim(strtoupper($nameParts[1]));
                            $firstName = str_replace(' ', '_', $firstName);

                            $sequenceNumber = $currentCount + 1;
                            $sequenceStr = str_pad($sequenceNumber, 2, '0', STR_PAD_LEFT);

                            $customFileName = str_replace(['SURNAME', 'FIRSTNAME', '##'], [$surname,
 $firstName, $sequenceStr], $fileNamePattern);
                            $finalFileName = $customFileName . '.' . $extension;

                            $uploadDir = __DIR__ . '/uploads/documents/';
                            if (!is_dir($uploadDir)) {
                                mkdir($uploadDir, 0755, true);
                            }

                            $uploadPath = $uploadDir . $finalFileName;

                            if (move_uploaded_file($tmpName, $uploadPath)) {
                                if (file_exists($uploadPath)) {
                                    $docData = [
                                        'user_id' => $userId,
                                        'document_type' => $documentType,
                                        'file_name' => $finalFileName,
                                        'file_path' => $finalFileName,
                                        'file_size' => $_FILES[$fileKey]['size'][$key]
                                    ];

                                    if ($applicationDocumentModel->create($docData)) {
                                        $currentCount++;
                                        error_log("Application document ($documentType) uploaded suc
cessfully: $finalFileName");
                                    } else {
                                        if (file_exists($uploadPath)) {
                                            unlink($uploadPath);
                                        }
                                        $errors[] = "Failed to save " . $documentType . " record. Fi
le: " . htmlspecialchars($fileName);
                                    }
                                } else {
                                    $errors[] = ucfirst($documentType) . " upload failed: File was n
ot saved to disk. File: " . htmlspecialchars($fileName);
                                }
                            } else {
                                $errors[] = "Failed to upload " . $documentType . ". Please check fi
le permissions. File: " . htmlspecialchars($fileName);
                            }
                        } else {
                            $errors[] = "Please ensure your name is in the format: SURNAME, FIRST NA
ME, MIDDLE NAME. File: " . htmlspecialchars($fileName);
                        }
                    } elseif ($_FILES[$fileKey]['error'][$key] !== UPLOAD_ERR_NO_FILE) {
                        $uploadErrorMessages = [
                            UPLOAD_ERR_INI_SIZE => 'File exceeds upload_max_filesize directive',
                            UPLOAD_ERR_FORM_SIZE => 'File exceeds MAX_FILE_SIZE directive',
                            UPLOAD_ERR_PARTIAL => 'File was only partially uploaded',
                            UPLOAD_ERR_NO_TMP_DIR => 'Missing temporary folder',
                            UPLOAD_ERR_CANT_WRITE => 'Failed to write file to disk',
                            UPLOAD_ERR_EXTENSION => 'File upload stopped by extension'
                        ];
                        $errorCode = $_FILES[$fileKey]['error'][$key];
                        $errors[] = ucfirst($documentType) . " upload error (" . htmlspecialchars($f
ileName) . "): " . ($uploadErrorMessages[$errorCode] ?? 'Unknown error');
                    }
```

```
                }
            } else {
                // Single file (for APLET, PDS, WES, TOR, DIP)
                if ($_FILES[$fileKey]['error'] === UPLOAD_ERR_OK && !empty($_FILES[$fileKey]['tmp_na
me']) && is_uploaded_file($_FILES[$fileKey]['tmp_name'])) {
                    $fileName = $_FILES[$fileKey]['name'];
                    $extension = strtolower(pathinfo($fileName, PATHINFO_EXTENSION));

                    if (!in_array($extension, $allowedExtensions)) {
                        $errors[] = ucfirst($documentType) . " file must be " . implode(' or ', $all
owedExtensions) . " format.";
                    } else {
                        $tmpName = $_FILES[$fileKey]['tmp_name'];
                        $finfo = finfo_open(FILEINFO_MIME_TYPE);
                        $mimeType = finfo_file($finfo, $tmpName);
                        finfo_close($finfo);

                        if (!in_array($mimeType, $allowedMimes)) {
                            $errors[] = ucfirst($documentType) . " file must be a valid " . implode(
' or ', $allowedExtensions) . " file.";
                        } else {
                            $nameParts = explode(',', $fullName);
                            if (count($nameParts) >= 2) {
                                $surname = trim(strtoupper($nameParts[0]));
                                $firstName = trim(strtoupper($nameParts[1]));
                                $firstName = str_replace(' ', '_', $firstName);

                                $customFileName = str_replace(['SURNAME', 'FIRSTNAME'], [$surname, $
firstName], $fileNamePattern);
                                $finalFileName = $customFileName . '.' . $extension;

                                // Delete old file if exists (for single-file documents)
                                $existingDoc = $applicationDocumentModel->getUserDocumentByType($use
rId, $documentType);
                                if ($existingDoc && !empty($existingDoc['file_path'])) {
                                    $oldFilePath = __DIR__ . '/uploads/documents/' . $existingDoc['f
ile_path'];

                                    if (file_exists($oldFilePath)) {
                                        unlink($oldFilePath);
                                    }
                                    $applicationDocumentModel->deleteById($existingDoc['id'], $userI
d);
                                }

                                $uploadDir = __DIR__ . '/uploads/documents/';
                                if (!is_dir($uploadDir)) {
                                    mkdir($uploadDir, 0755, true);
                                }

                                $uploadPath = $uploadDir . $finalFileName;

                                if (move_uploaded_file($tmpName, $uploadPath)) {
                                    if (file_exists($uploadPath)) {
                                        $docData = [
                                            'user_id' => $userId,
                                            'document_type' => $documentType,
                                            'file_name' => $finalFileName,
                                            'file_path' => $finalFileName,
                                            'file_size' => $_FILES[$fileKey]['size']
                                        ];

                                        if (!$applicationDocumentModel->create($docData)) {
                                            if (file_exists($uploadPath)) {
                                                unlink($uploadPath);
                                            }
                                            $errors[] = "Failed to save " . $documentType . " record
.";
                                        } else {
```

```
                                        error_log("Application document ($documentType) uploaded
 successfully: $finalFileName");
                                    }
                                } else {
                                    $errors[] = ucfirst($documentType) . " upload failed: File w
as not saved to disk.";
                                }
                            } else {
                                $errors[] = "Failed to upload " . $documentType . ". Please chec
k file permissions.";
                            }
                        } else {
                            $errors[] = "Please ensure your name is in the format: SURNAME, FIRS
T NAME, MIDDLE NAME";
                        }
                    }
                }
            } elseif ($_FILES[$fileKey]['error'] !== UPLOAD_ERR_NO_FILE) {
                $uploadErrorMessages = [
                    UPLOAD_ERR_INI_SIZE => 'File exceeds upload_max_filesize directive',
                    UPLOAD_ERR_FORM_SIZE => 'File exceeds MAX_FILE_SIZE directive',
                    UPLOAD_ERR_PARTIAL => 'File was only partially uploaded',
                    UPLOAD_ERR_NO_TMP_DIR => 'Missing temporary folder',
                    UPLOAD_ERR_CANT_WRITE => 'Failed to write file to disk',
                    UPLOAD_ERR_EXTENSION => 'File upload stopped by extension'
                ];
                $errorCode = $_FILES[$fileKey]['error'];
                $errors[] = ucfirst($documentType) . " upload error: " . ($uploadErrorMessages[$
errorCode] ?? 'Unknown error (Code: ' . $errorCode . ')');
            }
        }
    };

    // Handle all document type uploads
    $handleDocumentUpload('application_letter', 'APLET', ['pdf'], ['application/pdf'], 'SURNAME_
FIRSTNAME_APLET_WPUHRMDO');
    $handleDocumentUpload('personal_data_sheet', 'PDS', ['pdf'], ['application/pdf'], 'SURNAME_F
IRSTNAME_PDS_WPUHRMDO');
    $handleDocumentUpload('work_experience_sheet', 'WES', ['pdf'], ['application/pdf'], 'SURNAME
_FIRSTNAME_WES_WPUHRMDO');
    $handleDocumentUpload('transcript_of_records', 'TOR', ['pdf', 'jpg', 'jpeg'], ['application/
pdf', 'image/jpeg', 'image/jpg'], 'SURNAME_FIRSTNAME_TOR_WPUHRMDO');
    $handleDocumentUpload('diploma', 'DIP', ['pdf', 'jpg', 'jpeg'], ['application/pdf', 'image/j
peg', 'image/jpg'], 'SURNAME_FIRSTNAME_DIP_WPUHRMDO');
    $handleDocumentUpload('certificate_of_employment', 'COE', ['pdf', 'jpg', 'jpeg'], ['applicat
ion/pdf', 'image/jpeg', 'image/jpg'], 'SURNAME_FIRSTNAME_COE##_WPUHRMDO');
    $handleDocumentUpload('service_record', 'SRE', ['pdf', 'jpg', 'jpeg'], ['application/pdf', '
image/jpeg', 'image/jpg'], 'SURNAME_FIRSTNAME_SRE##_WPUHRMDO');
    $handleDocumentUpload('eligibility_license', 'EL', ['pdf', 'jpg', 'jpeg'], ['application/pdf
', 'image/jpeg', 'image/jpg'], 'SURNAME_FIRSTNAME_EL##_WPUHRMDO');

    if (empty($errors)) {
        $updateData = [
            'full_name' => $fullName,
            'email' => $email,
            'phone' => $phone,
            'address' => $address,
            'age' => $age,
            'sex' => !empty($sex) ? $sex : null,
            'civil_status' => !empty($civilStatus) ? $civilStatus : null,
            'highest_educational_attainment' => !empty($highestEducationalAttainment) ? $highest
EducationalAttainment : null,
            'bachelors_degree' => !empty($bachelorsDegree) ? $bachelorsDegree : null,
            'masters_degree' => !empty($mastersDegree) ? $mastersDegree : null,
            'doctorate_degree' => !empty($doctorateDegree) ? $doctorateDegree : null,
            'application_type' => !empty($applicationType) ? implode(',', $applicationType) : nu
ll,
            'ipcr_rating' => !empty($ipcrRating) ? $ipcrRating : null,
```

```
                'pe_rating' => !empty($peRating) ? $peRating : null,
                'position_applied_for' => !empty($positionAppliedFor) ? $positionAppliedFor : null,
                'training_programs' => !empty($trainingPrograms) ? $trainingPrograms : null,
                'career_service_eligibilities' => !empty($careerServiceEligibilities) ? implode(',',
 $careerServiceEligibilities) : null,
                'career_service_eligibilities_other' => !empty($careerServiceEligibilitiesOther) ? $
careerServiceEligibilitiesOther : null,
                'special_needs' => !empty($specialNeeds) ? $specialNeeds : null
            ];

            // Always include file paths if files were uploaded, deleted, or updated
            // The key is to check if a file operation occurred, not just if flags are set

            // Check if IPCR file operation occurred
            $ipcrFileOperation = false;
            if (isset($_FILES['ipcr_file']) && $_FILES['ipcr_file']['error'] === UPLOAD_ERR_OK) {
                // File was uploaded - check if it was successfully saved
                if (!empty($ipcrFilePath) && file_exists(__DIR__ . '/uploads/documents/' . $ipcrFile
Path)) {
                    $ipcrFileOperation = true;
                    error_log("IPCR file uploaded and verified on disk: " . $ipcrFilePath);
                }
            } elseif ($deleteIpcrFile) {
                // File deletion was requested
                $ipcrFileOperation = true;
                error_log("IPCR file deletion requested");
            }

            if ($ipcrFileOperation || $ipcrFileUpdated === true) {
                $updateData['ipcr_file_path'] = $ipcrFilePath; // Can be null for deletion
                error_log("Adding ipcr_file_path to updateData: " . var_export($ipcrFilePath, true))
;
            }

            // Check if PE file operation occurred
            $peFileOperation = false;
            if (isset($_FILES['pe_file']) && $_FILES['pe_file']['error'] === UPLOAD_ERR_OK) {
                // File was uploaded - check if it was successfully saved
                if (!empty($peFilePath) && file_exists(__DIR__ . '/uploads/documents/' . $peFilePath
)) {
                    $peFileOperation = true;
                    error_log("PE file uploaded and verified on disk: " . $peFilePath);
                }
            } elseif ($deletePeFile) {
                // File deletion was requested
                $peFileOperation = true;
                error_log("PE file deletion requested");
            }

            if ($peFileOperation || $peFileUpdated === true) {
                $updateData['pe_file_path'] = $peFilePath; // Can be null for deletion
                error_log("Adding pe_file_path to updateData: " . var_export($peFilePath, true));
            }

            if (!empty($password)) {
                $updateData['password'] = $password;
            }

            // Debug: Log update data
            error_log("=== PROFILE UPDATE DEBUG ===");
            error_log("IPCR File Updated: " . ($ipcrFileUpdated ? 'YES' : 'NO'));
            error_log("IPCR File Path: " . ($ipcrFilePath ?? 'NULL'));
            error_log("PE File Updated: " . ($peFileUpdated ? 'YES' : 'NO'));
            error_log("PE File Path: " . ($peFilePath ?? 'NULL'));
            error_log("Update Data Keys: " . implode(', ', array_keys($updateData)));
            if (isset($updateData['ipcr_file_path'])) {
                error_log("ipcr_file_path in updateData: " . var_export($updateData['ipcr_file_path'
], true));
```

```
            }
            if (isset($updateData['pe_file_path'])) {
                error_log("pe_file_path in updateData: " . var_export($updateData['pe_file_path'], t
rue));
            }

            if ($userModel->update($userId, $updateData)) {
                $_SESSION['full_name'] = $fullName;
                $_SESSION['email'] = $email;

                // Verify the update
                $updatedUser = $userModel->findById($userId);
                error_log("After update - ipcr_file_path: " . ($updatedUser['ipcr_file_path'] ?? 'NU
LL'));
                error_log("After update - pe_file_path: " . ($updatedUser['pe_file_path'] ?? 'NULL')
);

                header('Location: profile.php?success=profile_updated');
                exit();
            } else {
                $error = "Failed to update profile.";
                error_log("UPDATE FAILED - Check database connection and SQL");
            }
        } else {
            // There were validation errors after file processing
            $error = implode(' ', $errors);
            error_log("Validation errors after file processing: " . $error);
        }
    } else {
        // There were initial validation errors
        $error = implode(' ', $errors);
        error_log("Initial validation errors: " . $error);
    }
    }
}

// Load training certificates and application documents AFTER POST processing
// This ensures we display the latest data including any newly uploaded files
$trainingCertificates = [];
$applicationDocuments = [];
$documentsByType = [];

$tablesExist = true;
try {
    $trainingCertificates = $trainingCertificateModel->getUserCertificates($userId);
} catch (\Exception $e) {
    // Table might not exist yet - user needs to run migration
    error_log("Training certificates table not found: " . $e->getMessage());
    $trainingCertificates = [];
    $tablesExist = false;
}

try {
    $applicationDocuments = $applicationDocumentModel->getUserDocuments($userId);

    // Organize documents by type for easier access
    foreach ($applicationDocuments as $doc) {
        if (!isset($documentsByType[$doc['document_type']])) {
            $documentsByType[$doc['document_type']] = [];
        }
        $documentsByType[$doc['document_type']][] = $doc;
    }
} catch (\Exception $e) {
    // Table might not exist yet - user needs to run migration
    error_log("Application documents table not found: " . $e->getMessage());
    $applicationDocuments = [];
    $tablesExist = false;
}
```

```
// Refresh user data to get latest file paths
$user = $userModel->findById($userId);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-sc
alable=no">
    <title>Profile - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="../../favicon.ico">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css" rel="styl
esheet">
    <link href="../../assets/css/office-theme.css" rel="stylesheet">
    <?php include '../../includes/pwa-header.php'; ?>
    <style>
        @media (max-width: 768px) {
            .content > div[style*="grid-template-columns"] {
                grid-template-columns: 1fr !important;
            }
        }
    </style>

</head>
<body>
    <!-- Sidebar Navigation -->
    <aside class="sidebar">
        <div class="sidebar-header">
            <a href="dashboard.php" class="sidebar-brand">
                <img src="../../assets/logo.png" alt="WPU Logo" style="height: 32px; width: auto;">
                <span>WPU Jobs</span>
            </a>
        </div>

        <nav class="sidebar-nav">
         <a href="profile.php" class="sidebar-nav-item">
                <i class="fas fa-user"></i>
                <span>Profile</span>
            </a>
            <a href="dashboard.php" class="sidebar-nav-item active">
                <i class="fas fa-th-large"></i>
                <span>Dashboard</span>
            </a>
            <a href="positions.php" class="sidebar-nav-item">
                <i class="fas fa-briefcase"></i>
                <span>Browse Jobs</span>
            </a>
            <a href="my-applications.php" class="sidebar-nav-item">
                <i class="fas fa-file-alt"></i>
                <span>My Applications</span>
            </a>

        </nav>

        <div class="sidebar-footer">
            <div class="sidebar-user">
                <div class="sidebar-user-avatar">
                    <?= strtoupper(substr($user['full_name'], 0, 1)) ?>
                </div>
                <div class="sidebar-user-info">
                    <div class="sidebar-user-name"><?= htmlspecialchars($user['full_name']) ?></div>
                    <div class="sidebar-user-role">Applicant</div>
                </div>

            </div>
        </div>
    </aside>
```

```
    <!-- Main Content Wrapper -->
    <div class="main-wrapper">
        <!-- Top Bar -->
        <div class="topbar">
            <button class="mobile-menu-toggle">
                <i class="fas fa-bars"></i>
            </button>
            <h1 class="topbar-title">Profile</h1>
            <div class="topbar-actions">
                <a href="../../auth/logout.php" class="topbar-btn confirm-logout" title="Logout">
                    <i class="fas fa-sign-out-alt"></i>
                </a>
            </div>
        </div>

        <!-- Main Content -->
        <div class="content">
            <!-- Profile Header -->
            <div class="card" style="background: linear-gradient(135deg, var(--primary-blue) 0%, var
(--secondary-blue) 100%); border: none; color: white; margin-bottom: 20px;">
                <div class="card-body" style="padding: 32px; text-align: center;">
                    <div style="width: 100px; height: 100px; border-radius: 50%; background: white;
color: var(--primary-blue); display: flex; align-items: center; justify-content: center; font-size:
3rem; margin: 0 auto 16px; box-shadow: 0 4px 12px rgba(0, 0, 0, 0.2);">
                        <i class="fas fa-user"></i>
                    </div>
                    <h2 style="font-size: 1.75rem; font-weight: 700; margin-bottom: 8px;"><?= htmlsp
ecialchars($user['full_name']) ?></h2>
                    <p style="opacity: 0.9; margin-bottom: 0;"><i class="fas fa-envelope"></i> <?= h
tmlspecialchars($user['email']) ?></p>
                </div>
            </div>

            <!-- Experience Stats -->
            <div class="stats-grid">
                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= number_format($totalExperience, 1) ?></
div>
                            <div class="stat-card-label">Years Experience</div>
                        </div>
                        <div class="stat-card-icon green">
                            <i class="fas fa-chart-line"></i>
                        </div>
                    </div>
                </div>

                <div class="stat-card">
                    <div class="stat-card-header">
                        <div>
                            <div class="stat-card-value"><?= count($experiences) ?></div>
                            <div class="stat-card-label">Work Experiences</div>
                        </div>
                        <div class="stat-card-icon blue">
                            <i class="fas fa-briefcase"></i>
                        </div>
                    </div>
                </div>
            </div>

            <!-- Alerts -->
            <?php if (isset($tablesExist) && !$tablesExist): ?>
                <div class="alert alert-warning" style="background-color: #fef3c7; border-color: #f5
9e0b; color: #92400e;">
                    <i class="fas fa-exclamation-triangle"></i>
                    <div>
```

```
                        <strong>Database Tables Missing!</strong>
                        The training certificates and application documents tables are not set up ye
t.
                        Please <a href="../../migrations/run_migrations.php" style="color: #92400e;
text-decoration: underline; font-weight: 600;">run the migration script</a> to create these tables b
efore uploading files.
                        Your profile information will still save, but file uploads won't work until
the tables are created.
                    </div>
                </div>
            <?php endif; ?>

            <?php if ($success === 'profile_updated'): ?>
                <div class="alert alert-success">
                    <i class="fas fa-check-circle"></i>
                    <div><strong>Success!</strong> Profile updated successfully!</div>
                </div>
            <?php elseif ($success === 'certificate_deleted'): ?>
                <div class="alert alert-success">
                    <i class="fas fa-check-circle"></i>
                    <div><strong>Success!</strong> Training certificate deleted successfully!</div>
                </div>
            <?php elseif ($success === 'document_deleted'): ?>
                <div class="alert alert-success">
                    <i class="fas fa-check-circle"></i>
                    <div><strong>Success!</strong> Document deleted successfully!</div>
                </div>
            <?php endif; ?>

            <?php if (!empty($error)): ?>
                <div class="alert alert-danger">
                    <i class="fas fa-exclamation-circle"></i>
                    <div><strong>Error!</strong> <?= htmlspecialchars($error) ?></div>
                </div>
            <?php endif; ?>

            <!-- Profile Information Form -->
            <div class="card" style="margin-bottom: 24px;">
                    <div class="card-header">
                        <h3 class="card-title">
                            <i class="fas fa-user-edit"></i> Profile Information
                        </h3>
                    </div>
                    <div class="card-body">
                        <form method="POST" action="" class="prevent-double-submit" enctype="multipa
rt/form-data">
                            <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>
">
                            <?php FormTokenManager::renderFormTokenInput('update_profile'); ?>

                            <!-- 3. NAME -->
                            <div class="form-group">
                                <label class="form-label"><strong> NAME *</strong></label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: SURNAME, FIRST NAME, MIDDLE NAME (Capital Letters)</p>
                                <input type="text" name="full_name" class="form-control" style="text
-transform: uppercase;"
                                       value="<?= htmlspecialchars(strtoupper($user['full_name'] ??
'')) ?>"
                                       placeholder="SANTOS, MARIA FE, REYES" required>
                                <small class="form-text text-muted">Ensure your name matches officia
l documents exactly.</small>
                            </div>

                            <!-- 4. AGE -->
                            <div class="form-group">
                                <label class="form-label"><strong> AGE *</strong></label>
                                <input type="number" name="age" class="form-control"
```

```
                                    value="<?= htmlspecialchars($user['age'] ?? '') ?>"
                                    min="1" max="120" placeholder="Enter your age" required>
                            </div>

                            <!-- 5. SEX -->
                            <div class="form-group">
                                <label class="form-label"><strong>SEX *</strong></label>
                                <div style="display: flex; gap: 24px; margin-top: 8px;">
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer;">
                                        <input type="radio" name="sex" value="Male" <?= (isset($user
['sex']) && $user['sex'] === 'Male') ? 'checked' : '' ?> required>
                                        <span>Male</span>
                                    </label>
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer;">
                                        <input type="radio" name="sex" value="Female" <?= (isset($us
er['sex']) && $user['sex'] === 'Female') ? 'checked' : '' ?> required>
                                        <span>Female</span>
                                    </label>
                                </div>
                                <small class="form-text text-muted">Mark only one oval.</small>
                            </div>

                            <!-- 6. CIVIL STATUS -->
                            <div class="form-group">
                                <label class="form-label"><strong>CIVIL STATUS *</strong></label>
                                <div style="display: grid; grid-template-columns: repeat(3, 1fr); ga
p: 12px; margin-top: 8px;">
                                    <?php
                                    $civilStatuses = ['Married', 'Single', 'Separated', 'Widowed', '
Annuled', 'Solo Parent'];
                                    foreach ($civilStatuses as $status):
                                    ?>
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer;">
                                        <input type="radio" name="civil_status" value="<?= htmlspeci
alchars($status) ?>"
                                               <?= (isset($user['civil_status']) && $user['civil_sta
tus'] === $status) ? 'checked' : '' ?> required>
                                        <span><?= htmlspecialchars($status) ?></span>
                                    </label>
                                    <?php endforeach; ?>
                                </div>
                                <small class="form-text text-muted">Mark only one oval.</small>
                            </div>

                            <!-- 7. ADDRESS -->
                            <div class="form-group">
                                <label class="form-label"><strong>ADDRESS *</strong></label>
                                <textarea name="address" class="form-control" rows="3" required><?=
htmlspecialchars($user['address'] ?? '') ?></textarea>
                            </div>

                            <hr style="margin: 32px 0; border-color: var(--gray-200);">

                            <!-- EDUCATIONAL BACKGROUND -->
                            <h4 style="margin-bottom: 20px; font-size: 1.25rem; font-weight: 700;">E
DUCATIONAL BACKGROUND</h4>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom: 20
px;">Please provide the details of your educational attainment. If a field does not apply to you, ki
ndly indicate <strong>Not Applicable (NA)</strong>.</p>


                            <!-- 8. HIGHEST EDUCATIONAL ATTAINMENT -->
                            <div class="form-group">
                                <label class="form-label"><strong>HIGHEST EDUCATIONAL ATTAINMENT</st
rong></label>
```

```
                                <select name="highest_educational_attainment" class="form-control">
                                    <option value="">Select highest educational attainment</option>
                                    <option value="Elementary Level" <?= (isset($user['highest_educa
tional_attainment']) && $user['highest_educational_attainment'] === 'Elementary Level') ? 'selected'
 : '' ?>>Elementary Level</option>
                                    <option value="Elementary Graduate" <?= (isset($user['highest_ed
ucational_attainment']) && $user['highest_educational_attainment'] === 'Elementary Graduate') ? 'sel
ected' : '' ?>>Elementary Graduate</option>
                                    <option value="Secondary/ High School Level" <?= (isset($user['h
ighest_educational_attainment']) && $user['highest_educational_attainment'] === 'Secondary/ High Sch
ool Level') ? 'selected' : '' ?>>Secondary/ High School Level</option>
                                    <option value="Secondary/ High School Graduate" <?= (isset($user
['highest_educational_attainment']) && $user['highest_educational_attainment'] === 'Secondary/ High
School Graduate') ? 'selected' : '' ?>>Secondary/ High School Graduate</option>
                                    <option value="College Level" <?= (isset($user['highest_educatio
nal_attainment']) && $user['highest_educational_attainment'] === 'College Level') ? 'selected' : ''
?>>College Level</option>
                                    <option value="College Graduate" <?= (isset($user['highest_educa
tional_attainment']) && $user['highest_educational_attainment'] === 'College Graduate') ? 'selected'
 : '' ?>>College Graduate</option>
                                    <option value="Master's Degree Holder" <?= (isset($user['highest
_educational_attainment']) && $user['highest_educational_attainment'] === 'Master\'s Degree Holder')
 ? 'selected' : '' ?>>Master's Degree Holder</option>
                                    <option value="Doctoral Degree Holder" <?= (isset($user['highest
_educational_attainment']) && $user['highest_educational_attainment'] === 'Doctoral Degree Holder')
? 'selected' : '' ?>>Doctoral Degree Holder</option>
                                </select>
                                <small class="form-text text-muted">Mark only one oval.</small>
                            </div>

                            <!-- 9. BACHELOR'S DEGREE -->
                            <div class="form-group">
                                <label class="form-label"><strong>BACHELOR'S DEGREE/COURSE</strong><
/label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: Degree Program, School/University, Year of Completion</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Example: Bachelor of Science in Business Administration, Western Philippines University, 201
8</p>
                                <textarea name="bachelors_degree" class="form-control" rows="2" plac
eholder="If not applicable, type: NA"><?= htmlspecialchars($user['bachelors_degree'] ?? '') ?></text
area>
                            </div>

                            <!-- 10. MASTER'S DEGREE -->
                            <div class="form-group">
                                <label class="form-label"><strong>MASTER'S DEGREE/PROGRAM</strong></
label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: Degree Program, School/University, Year of Completion</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Example: Master of Public Administration, Rizal State University, 2022</p>
                                <textarea name="masters_degree" class="form-control" rows="2" placeh
older="If not applicable, type: NA"><?= htmlspecialchars($user['masters_degree'] ?? '') ?></textarea
>
                            </div>

                            <!-- 11. DOCTORATE DEGREE -->
                            <div class="form-group">
                                <label class="form-label"><strong>DOCTORATE DEGREE/PROGRAM</strong><
/label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: Degree Program, School/University, Year of Completion</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Example: Doctor of Philosophy in Educational Management, Palawan State University, 2025</p>
                                <textarea name="doctorate_degree" class="form-control" rows="2" plac
eholder="If not applicable, type: NA"><?= htmlspecialchars($user['doctorate_degree'] ?? '') ?></text
area>
```

```
                            </div>

                            <!-- 12. CONTACT INFORMATION -->
                            <div class="form-group">
                                <label class="form-label"><strong>CONTACT INFORMATION (Mobile Number
 and E-mail Address)</strong></label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: 09156161822, santosmf@gmail.com</p>
                                <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 16px
;">
                                    <input type="tel" name="phone" class="form-control"
                                           value="<?= htmlspecialchars($user['phone'] ?? '') ?>"
                                           placeholder="Mobile Number">
                                    <input type="email" name="email" class="form-control"
                                           value="<?= htmlspecialchars($user['email'] ?? '') ?>"
                                           placeholder="Email Address" required>
                                </div>
                            </div>

                            <!-- 13. TYPE OF APPLICATION -->
                            <div class="form-group">
                                <label class="form-label"><strong>TYPE OF APPLICATION</strong></labe
l>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">(Please select the option that applies to you.)</p>
                                <div style="margin-top: 8px;">
                                    <?php
                                    $appTypes = [];
                                    if (isset($user['application_type']) && !empty($user['applicatio
n_type'])) {
                                        $appTypes = explode(',', $user['application_type']);
                                    }
                                    ?>
                                    <label style="display: flex; align-items: start; gap: 8px; curso
r: pointer; margin-bottom: 12px;">
                                        <input type="checkbox" name="application_type[]" value="PROM
OTION"
                                               <?= in_array('PROMOTION', $appTypes) ? 'checked' : ''
 ?>>
                                        <div>
                                            <strong>PROMOTION:</strong>
                                            <small style="display: block; color: var(--gray-600); ma
rgin-top: 4px;">
                                                Applicants who are currently employed in the governm
ent sector, including: Existing Western Philippines University (WPU) employees applying for a higher
 or next-in-rank position; Government employees within WPU or from other government agencies applyin
g for a higher position; and Government employees from other agencies seeking appointment to a posit
ion at Western Philippines University.
                                            </small>
                                        </div>
                                    </label>
                                    <label style="display: flex; align-items: start; gap: 8px; curso
r: pointer;">
                                        <input type="checkbox" name="application_type[]" value="ENTR
Y LEVEL"
                                               <?= in_array('ENTRY LEVEL', $appTypes) ? 'checked' :
'' ?>>
                                        <div>
                                            <strong>ENTRY LEVEL:</strong>
                                            <small style="display: block; color: var(--gray-600); ma
rgin-top: 4px;">
                                                Applicants who are: From the private sector; or Indi
viduals with no prior employment background, including fresh graduates and first-time job seekers.
                                            </small>
                                        </div>
                                    </label>
                                </div>
                                <small class="form-text text-muted">Check all that apply.</small>
```

```
                            </div>

                            <!-- 14. FOR PROMOTION -->
                            <?php
                            $showPromotion = false;
                            if (isset($user['application_type']) && !empty($user['application_type']
)) {
                                $appTypesCheck = explode(',', $user['application_type']);
                                $showPromotion = in_array('PROMOTION', $appTypesCheck);
                            }
                            // Always show section if file exists, even if checkbox isn't checked
                            if (!empty($user['ipcr_file_path'])) {
                                $showPromotion = true;
                            }
                            ?>
                            <div class="form-group" id="promotion-section" style="display: <?= $show
Promotion ? 'block' : 'none' ?>;">
                                <label class="form-label"><strong>FOR PROMOTION</strong></label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Provide the performance rating in the last rating period.</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">E.g. Individual Performance Commitment and Review(IPCR)</p>

                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Applicants are required to save their completed documents in PDF format. The file name must
follow this exact format:</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px; font-family: monospace; background: var(--gray-50); padding: 8px; border-radius: 4px;">SURNAM
E_FIRSTNAME_IPCR_WPUHRMDO</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 16px;">Example: SANTOS_MARIAFE_IPCR_WPUHRMDO.pdf</p>
                                <p style="font-size: 0.875rem; color: var(--danger); margin-bottom:
16px; font-weight: 600;">Failure to follow this file naming convention may result in difficulty in p
rocessing your application.</p>

                                <div style="margin-bottom: 16px;">
                                    <label class="form-label"><strong>Files submitted:</strong></lab
el>
                                    <?php if (!empty($user['ipcr_file_path'])):
                                        $ipcrDisplayPath = 'uploads/documents/' . $user['ipcr_file_p
ath'];
                                        $ipcrFullPath = __DIR__ . '/' . $ipcrDisplayPath;
                                        $ipcrFileExists = file_exists($ipcrFullPath);
                                    ?>
                                        <div style="display: flex; align-items: center; gap: 12px; p
adding: 12px; background: var(--gray-50); border-radius: 4px; margin-top: 8px;">
                                            <i class="fas fa-file-pdf" style="color: var(--danger);
font-size: 1.5rem;"></i>
                                            <div style="flex: 1;">
                                                <div style="font-weight: 600; color: var(--gray-900)
;"><?= htmlspecialchars($user['ipcr_file_path']) ?></div>
                                                <?php if ($ipcrFileExists): ?>
                                                    <a href="<?= htmlspecialchars($ipcrDisplayPath)
?>" target="_blank" style="font-size: 0.875rem; color: var(--primary-blue); text-decoration: none;">
                                                        <i class="fas fa-external-link-alt"></i> Vie
w File
                                                    </a>
                                                <?php else: ?>
                                                    <span style="font-size: 0.875rem; color: var(--g
ray-500);">File not found on server</span>
                                                <?php endif; ?>
                                            </div>
                                            <button type="button" class="btn btn-sm btn-outline" sty
le="color: var(--danger); border-color: var(--danger);" onclick="if(confirm('Are you sure you want t
o delete this file?')) { document.getElementById('delete_ipcr_file').value = '1'; this.form.submit()
; }">
                                                <i class="fas fa-trash"></i> Delete
                                            </button>
```

```
                                        <input type="hidden" id="delete_ipcr_file" name="delete_
ipcr_file" value="0">
                                    </div>
                                <?php else: ?>
                                    <p style="font-size: 0.875rem; color: var(--gray-500); margi
n-top: 8px; font-style: italic;">No file uploaded</p>
                                <?php endif; ?>
                            </div>

                            <div class="form-group">
                                <label class="form-label">Upload IPCR Document (PDF only)</label
>
                                <input type="file" name="ipcr_file" class="form-control" accept=
".pdf,application/pdf">
                                <small class="form-text text-muted">Maximum file size: 10MB. The
 file will be automatically renamed according to the required format.</small>
                            </div>
                        </div>

                        <!-- 15. ENTRY LEVEL -->
                        <?php
                        $showEntryLevel = false;
                        if (isset($user['application_type']) && !empty($user['application_type']
)) {
                            $appTypes = explode(',', $user['application_type']);
                            $showEntryLevel = in_array('ENTRY LEVEL', $appTypes);
                        }
                        // Always show section if file exists, even if checkbox isn't checked
                        if (!empty($user['pe_file_path'])) {
                            $showEntryLevel = true;
                        }
                        ?>
                        <div class="form-group" id="entry-level-section" style="display: <?= $sh
owEntryLevel ? 'block' : 'none' ?>;">
                            <label class="form-label"><strong>ENTRY LEVEL</strong></label>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Provide the performance rating in the last rating period.</p>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">E.g. Performance Evaluation/ Rating/ Key Performance Indicator Evaluation (PE)</p>

                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Applicants are required to save their completed documents in PDF format. The file name must
follow this exact format:</p>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px; font-family: monospace; background: var(--gray-50); padding: 8px; border-radius: 4px;">SURNAM
E_FIRSTNAME_PE_WPUHRMDO</p>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 16px;">Example: SANTOS_MARIAFE_PE_WPUHRMDO.pdf</p>
                            <p style="font-size: 0.875rem; color: var(--danger); margin-bottom:
16px; font-weight: 600;">Failure to follow this file naming convention may result in difficulty in p
rocessing your application.</p>

                            <div style="margin-bottom: 16px;">
                                <label class="form-label"><strong>Files submitted:</strong></lab
el>
                                <?php if (!empty($user['pe_file_path'])):
                                    $peDisplayPath = 'uploads/documents/' . $user['pe_file_path'
];

                                    $peFullPath = __DIR__ . '/' . $peDisplayPath;
                                    $peFileExists = file_exists($peFullPath);
                                ?>
                                    <div style="display: flex; align-items: center; gap: 12px; p
adding: 12px; background: var(--gray-50); border-radius: 4px; margin-top: 8px;">
                                        <i class="fas fa-file-pdf" style="color: var(--danger);
font-size: 1.5rem;"></i>
                                        <div style="flex: 1;">
                                            <div style="font-weight: 600; color: var(--gray-900)
;"><?= htmlspecialchars($user['pe_file_path']) ?></div>
```

```
                                            <?php if ($peFileExists): ?>
                                                <a href="<?= htmlspecialchars($peDisplayPath) ?>
" target="_blank" style="font-size: 0.875rem; color: var(--primary-blue); text-decoration: none;">
                                                    <i class="fas fa-external-link-alt"></i> Vie
w File
                                                </a>
                                            <?php else: ?>
                                                <span style="font-size: 0.875rem; color: var(--g
ray-500);">File not found on server</span>
                                            <?php endif; ?>
                                        </div>
                                        <button type="button" class="btn btn-sm btn-outline" sty
le="color: var(--danger); border-color: var(--danger);" onclick="if(confirm('Are you sure you want t
o delete this file?')) { document.getElementById('delete_pe_file').value = '1'; this.form.submit();
}">
                                            <i class="fas fa-trash"></i> Delete
                                        </button>
                                        <input type="hidden" id="delete_pe_file" name="delete_pe
_file" value="0">
                                    </div>
                                <?php else: ?>
                                    <p style="font-size: 0.875rem; color: var(--gray-500); margi
n-top: 8px; font-style: italic;">No file uploaded</p>
                                <?php endif; ?>
                            </div>

                            <div class="form-group">
                                <label class="form-label">Upload PE Document (PDF only)</label>
                                <input type="file" name="pe_file" class="form-control" accept=".
pdf,application/pdf">
                                <small class="form-text text-muted">Maximum file size: 10MB. The
 file will be automatically renamed according to the required format.</small>
                            </div>
                        </div>

                        <!-- 16. POSITION BEING APPLIED FOR -->


                        <hr style="margin: 32px 0; border-color: var(--gray-200);">

                        <h4 style="margin-bottom: 12px; font-size: 1.25rem; font-weight: 700;">T
RAINING PROGRAMS ATTENDED</h4>
                        <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom: 20
px;">Applicants are required to provide a list of training programs, seminars, workshops, or webinar
s they have attended that are relevant to the position they are applying for. Each entry must follow
 the format below: <strong>Title of Training/Seminar/Workshop, Organizing Office/Agency, Date of Att
endance</strong></p>

                        <!-- 17. TRAINING PROGRAMS ATTENDED -->
                        <div class="form-group">
                            <label class="form-label"><strong>TRAINING PROGRAMS ATTENDED</strong
></label>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: Title of Training/Seminar/Workshop, Organizing Office/Agency, Date of Attendance</p>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Example: Values Restoration Officers Training Seminar, Provincial HR Management, Sept. 23?25
, 2024</p>
                            <textarea name="training_programs" class="form-control" rows="4" pla
ceholder="Enter each training on a new line. If not applicable, type: NA"><?= htmlspecialchars($user
['training_programs'] ?? '') ?></textarea>
                        </div>

                        <!-- 18. PHOTOCOPY OF SEMINARS AND TRAININGS ATTENDED -->
                        <div class="form-group">
                            <label class="form-label"><strong> PHOTOCOPY OF SEMINARS AND TRAININ
GS ATTENDED RELEVANT TO THE POSITION (IF APPLICABLE)</strong></label>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Applicants are required to upload scanned copies or photocopies of certificates of seminars,
```

```
 trainings, workshops, or webinars attended that are relevant to the position being applied for, if
applicable. All documents must be clear, complete, and readable.</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Each certificate must be saved in PDF or JPEG file format and renamed using the following fi
le naming convention:</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px; font-family: monospace; background: var(--gray-50); padding: 8px; border-radius: 4px;">Format
: SURNAME_FIRSTNAME_TS##_WPUHRMDO</p>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Examples:</p>
                                <ul style="font-size: 0.875rem; color: var(--gray-600); margin-botto
m: 16px; padding-left: 24px;">
                                    <li>SANTOS_MARIAFE_TS01_WPUHRMDO.pdf</li>
                                    <li>SANTOS_MARIAFE_TS02_WPUHRMDO.jpg</li>
                                    <li>SANTOS_MARIAFE_TS03_WPUHRMDO.pdf</li>
                                </ul>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 16px;">Applicants are advised to ensure that all uploaded files follow the prescribed format and n
aming convention. Failure to comply with these requirements may result in delays or affect the evalu
ation of the application.</p>

                                <div style="margin-bottom: 16px;">
                                    <label class="form-label"><strong>Files submitted:</strong></lab
el>

                                    <?php if (!empty($trainingCertificates)): ?>
                                        <?php foreach ($trainingCertificates as $index => $cert):
                                            // Ensure file_path is not null
                                            $certFilePath = $cert['file_path'] ?? '';
                                            if (empty($certFilePath)) continue; // Skip if no valid
file path

                                            $certDisplayPath = 'uploads/documents/' . $certFilePath;
                                            $certFullPath = __DIR__ . '/' . $certDisplayPath;
                                            $certFileExists = file_exists($certFullPath);
                                            $isPdf = strtolower(pathinfo($certFilePath, PATHINFO_EXT
ENSION)) === 'pdf';
                                        ?>
                                            <div style="display: flex; align-items: center; gap: 12p
x; padding: 12px; background: var(--gray-50); border-radius: 4px; margin-top: 8px;">
                                                <i class="fas fa-<?= $isPdf ? 'file-pdf' : 'file-ima
ge' ?>" style="color: var(--<?= $isPdf ? 'danger' : 'success' ?>); font-size: 1.5rem;"></i>
                                                <div style="flex: 1;">
                                                    <div style="font-weight: 600; color: var(--gray-
900);"><?= htmlspecialchars($cert['file_name'] ?? $certFilePath) ?></div>
                                                    <?php if ($certFileExists): ?>
                                                        <a href="<?= htmlspecialchars($certDisplayPa
th) ?>" target="_blank" style="font-size: 0.875rem; color: var(--primary-blue); text-decoration: non
e;">
                                                            <i class="fas fa-external-link-alt"></i>
 View File
                                                        </a>
                                                    <?php else: ?>
                                                        <span style="font-size: 0.875rem; color: var
(--gray-500);">File not found on server</span>
                                                    <?php endif; ?>
                                                </div>
                                                <a href="../actions/delete-training-certificate.php?
id=<?= $cert['id'] ?>"
                                                   class="btn btn-sm btn-outline confirm-delete-cert
ificate"
                                                   style="color: var(--danger); border-color: var(--
danger);"
                                                   title="Delete"
                                                   onclick="return confirm('Are you sure you want to
 delete this training certificate?');">
                                                    <i class="fas fa-trash"></i> Delete
                                                </a>
                                            </div>
```

```
                                    <?php endforeach; ?>
                                <?php else: ?>
                                    <p style="font-size: 0.875rem; color: var(--gray-500); margi
n-top: 8px; font-style: italic;">No files uploaded</p>
                                <?php endif; ?>
                            </div>

                            <div class="form-group">
                                <label class="form-label">Upload Training/Seminar Certificates (
PDF or JPEG only)</label>
                                <input type="file" name="training_certificates[]" class="form-co
ntrol" accept=".pdf,.jpg,.jpeg,application/pdf,image/jpeg" multiple>
                                <small class="form-text text-muted">Maximum file size: 10MB per
file. Multiple files can be uploaded. Files will be automatically renamed according to the required
format (TS01, TS02, etc.).</small>
                            </div>
                        </div>

                        <!-- 19. WORK EXPERIENCE -->
                        <div class="form-group">
                            <label class="form-label"><strong>WORK EXPERIENCE *</strong></label>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Format: Position/Title, Company/Organization, Inclusive Dates of Employment</p>
                            <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Example: HR Manager, MSPP Store?PPC, Sept. 11, 2017 to March 10, 2019</p>
                            <?php
                            // Generate work experience text from stored experiences
                            $workExpText = '';
                            if (!empty($allExperiences)) {
                                $workExpLines = [];
                                foreach ($allExperiences as $exp) {
                                    $startDate = date('M. d, Y', strtotime($exp['start_date']));
                                    $endDate = $exp['is_current'] ? 'Present' : date('M. d, Y',
strtotime($exp['end_date']));
                                    $workExpLines[] = htmlspecialchars($exp['position_title'] .
', ' . $exp['company_name'] . ', ' . $startDate . ' to ' . $endDate);
                                }
                                $workExpText = implode("\n", $workExpLines);
                            } else {
                                $workExpText = 'NA';
                            }
                            ?>
                            <textarea name="work_experience_display" class="form-control" rows="
4" readonly><?= $workExpText ?></textarea>
                            <small class="form-text text-muted">Work experiences are managed in
the "Work Experience" section below.</small>
                        </div>

                        <!-- 20. CAREER SERVICE ELIGIBILITIES -->
                        <div class="form-group">
                            <label class="form-label"><strong>CAREER SERVICE ELIGIBILITIES (CSE)
 *</strong></label>
                            <?php
                            $cseValues = [];
                            if (isset($user['career_service_eligibilities']) && !empty($user['ca
reer_service_eligibilities'])) {
                                $cseValues = explode(',', $user['career_service_eligibilities'])
;
                            }
                            ?>
                            <div style="margin-top: 8px;">
                                <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer; margin-bottom: 8px;">
                                    <input type="checkbox" name="career_service_eligibilities[]"
 value="Professional Eligibility"
                                           <?= in_array('Professional Eligibility', $cseValues)
? 'checked' : '' ?>>
                                    <span>Professional Eligibility: For first-level (clerical, t
```

```
rades) and second-level (technical, supervisory, managerial) positions.</span>
                                    </label>
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer; margin-bottom: 8px;">
                                        <input type="checkbox" name="career_service_eligibilities[]"
 value="Sub-Professional Eligibility"
                                               <?= in_array('Sub-Professional Eligibility', $cseValu
es) ? 'checked' : '' ?>>
                                        <span>Sub-Professional Eligibility: Qualifies for first-leve
l positions (clerical, custodial).</span>
                                    </label>
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer; margin-bottom: 8px;">
                                        <input type="checkbox" name="career_service_eligibilities[]"
 value="Career Service Executive Eligibility (CSE-E)"
                                               <?= in_array('Career Service Executive Eligibility (C
SE-E)', $cseValues) ? 'checked' : '' ?>>
                                        <span>Career Service Executive Eligibility (CSE-E): For high
-level executive positions.</span>
                                    </label>
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer; margin-bottom: 8px;">
                                        <input type="checkbox" name="career_service_eligibilities[]"
 value="Bar/Board Eligibility (RA 1080)"
                                               <?= in_array('Bar/Board Eligibility (RA 1080)', $cseV
alues) ? 'checked' : '' ?>>
                                        <span>Bar/Board Eligibility (RA 1080): For licensed professi
onals (e.g., lawyers, doctors, engineers).</span>
                                    </label>
                                    <label style="display: flex; align-items: center; gap: 8px; curs
or: pointer;">
                                        <input type="checkbox" name="career_service_eligibilities[]"
 value="Other"
                                               <?= in_array('Other', $cseValues) ? 'checked' : '' ?>
 id="cse-other-checkbox">
                                        <span>Other:</span>
                                    </label>
                                    <input type="text" name="career_service_eligibilities_other" cla
ss="form-control"
                                           value="<?= htmlspecialchars($user['career_service_eligibi
lities_other'] ?? '') ?>"
                                           placeholder="Specify other eligibility"
                                           style="margin-top: 8px; <?= !in_array('Other', $cseValues
) ? 'display: none;' : '' ?>"
                                           id="cse-other-input">
                                </div>
                                <small class="form-text text-muted">Check all that apply.</small>
                            </div>

                            <!-- 28. SPECIAL NEEDS -->
                            <div class="form-group">
                                <label class="form-label"><strong>SPECIAL NEEDS</strong></label>
                                <p style="font-size: 0.875rem; color: var(--gray-600); margin-bottom
: 8px;">Applicants may indicate any medical condition, disability, or special circumstance that may
require reasonable accommodation. If not applicable, kindly indicate Not Applicable (NA).</p>
                                <textarea name="special_needs" class="form-control" rows="3" placeho
lder="If not applicable, type: NA"><?= htmlspecialchars($user['special_needs'] ?? '') ?></textarea>
                            </div>

                            <hr style="margin: 32px 0; border-color: var(--gray-200);">

                            <h4 style="margin-bottom: 20px; font-size: 1.25rem; font-weight: 700;">R
EQUIRED DOCUMENTS</h4>

                            <?php
                            // Helper function to render document section
                            function renderDocumentSection($number, $title, $description, $format, $
examples, $fileInputName, $documentType, $allowedFormats, $documentsByType, $isMultiple = false) {
```

```
                                $docs = isset($documentsByType[$documentType]) ? $documentsByType[$d
ocumentType] : [];
                                $isMultipleAllowed = $isMultiple;
                                if (!$isMultipleAllowed && !empty($docs)) {
                                    $docs = [end($docs)]; // Only show the latest for single-file do
cuments
                                }
                                ?>
                                <!-- <?= $number ?>. <?= $title ?> -->
                                <div class="form-group" style="margin-bottom: 32px;">
                                    <label class="form-label"><strong><?= $number ?>. <?= $title ?><
/strong></label>
                                    <?php if (!empty($description)): ?>
                                        <p style="font-size: 0.875rem; color: var(--gray-600); margi
n-bottom: 12px;"><?= $description ?></p>
                                    <?php endif; ?>

                                    <p style="font-size: 0.875rem; color: var(--gray-600); margin-bo
ttom: 8px;"><?= $format ?></p>

                                    <?php if (!empty($examples)): ?>
                                        <p style="font-size: 0.875rem; color: var(--gray-600); margi
n-bottom: 8px;">Examples:</p>
                                        <?php if (is_array($examples)): ?>
                                            <ul style="font-size: 0.875rem; color: var(--gray-600);
margin-bottom: 16px; padding-left: 24px;">
                                                <?php foreach ($examples as $example): ?>
                                                    <li><?= htmlspecialchars($example) ?></li>
                                                <?php endforeach; ?>
                                            </ul>
                                        <?php else: ?>
                                            <p style="font-size: 0.875rem; color: var(--gray-600); m
argin-bottom: 16px; font-family: monospace; background: var(--gray-50); padding: 8px; border-radius:
 4px;"><?= htmlspecialchars($examples) ?></p>
                                        <?php endif; ?>
                                    <?php endif; ?>

                                    <div style="margin-bottom: 16px;">
                                        <label class="form-label"><strong>Files submitted:</strong><
/label>
                                        <?php if (!empty($docs)): ?>
                                            <?php foreach ($docs as $doc):
                                                $docDisplayPath = 'uploads/documents/' . $doc['file_
path'];
                                                $docFullPath = __DIR__ . '/' . $docDisplayPath;
                                                $docFileExists = file_exists($docFullPath);
                                                $isPdf = strtolower(pathinfo($doc['file_path'], PATH
INFO_EXTENSION)) === 'pdf';
                                            ?>
                                                <div style="display: flex; align-items: center; gap:
 12px; padding: 12px; background: var(--gray-50); border-radius: 4px; margin-top: 8px;">
                                                    <i class="fas fa-<?= $isPdf ? 'file-pdf' : 'file
-image' ?>" style="color: var(--<?= $isPdf ? 'danger' : 'success' ?>); font-size: 1.5rem;"></i>
                                                    <div style="flex: 1;">
                                                        <div style="font-weight: 600; color: var(--g
ray-900);"><?= htmlspecialchars($doc['file_name']) ?></div>
                                                        <?php if ($docFileExists): ?>
                                                            <a href="<?= htmlspecialchars($docDispla
yPath) ?>" target="_blank" style="font-size: 0.875rem; color: var(--primary-blue); text-decoration:
none;">
                                                                <i class="fas fa-external-link-alt">
</i> View File
                                                            </a>
                                                        <?php else: ?>
                                                            <span style="font-size: 0.875rem; color:
 var(--gray-500);">File not found on server</span>
                                                        <?php endif; ?>
                                                    </div>
```

```
                                                    <a href="../actions/delete-application-document.
php?id=<?= $doc['id'] ?>"
                                                       class="btn btn-sm btn-outline"
                                                       style="color: var(--danger); border-color: va
r(--danger);"
                                                       title="Delete"
                                                       onclick="return confirm('Are you sure you wan
t to delete this document?');">
                                                        <i class="fas fa-trash"></i> Delete
                                                    </a>
                                                </div>
                                            <?php endforeach; ?>
                                        <?php else: ?>
                                            <p style="font-size: 0.875rem; color: var(--gray-500); m
argin-top: 8px; font-style: italic;">No file uploaded</p>
                                        <?php endif; ?>
                                    </div>

                                    <div class="form-group">
                                        <label class="form-label">Upload <?= $title ?> (<?= strtoupp
er(implode(' or ', $allowedFormats)) ?> only)</label>
                                        <input type="file" name="<?= $fileInputName ?><?= $isMultipl
eAllowed ? '[]' : '' ?>" class="form-control"
                                               accept="<?= implode(',', array_map(function($f) { ret
urn '.' . $f . ($f === 'pdf' ? ',application/pdf' : ($f === 'jpg' || $f === 'jpeg' ? ',image/jpeg,im
age/jpg' : '')); }, $allowedFormats)) ?>"
                                               <?= $isMultipleAllowed ? 'multiple' : '' ?>>
                                        <small class="form-text text-muted">Maximum file size: 10MB<
?= $isMultipleAllowed ? ' per file. Multiple files can be uploaded.' : '' ?>. Files will be automati
cally renamed according to the required format<?= $isMultipleAllowed ? ' (##01, ##02, etc.)' : '' ?>
.</small>
                                    </div>
                                </div>
                            <?php
                            }

                            // Render all document sections
                            renderDocumentSection(
                                '21',
                                'APPLICATION LETTER',
                                'Applicants are required to upload an Application Letter addressed t
o:<br><strong>DR. AMABEL S. LIAO<br>University President<br>Western Philippines University<br>Aborla
n, Palawan</strong><br><br>The Application Letter must be properly addressed, signed, and clearly re
adable.',
                                'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_APLET_WPUHRMDO</code>',
                                'SANTOS_MARIAFE_APLET_WPUHRMDO.pdf',
                                'application_letter',
                                'APLET',
                                ['pdf'],
                                $documentsByType,
                                false
                            );

                            renderDocumentSection(
                                '22',
                                'PERSONAL DATA SHEET',
                                'CS FORM NO. 212, REVISED 2025<br><br>Applicants are required to upl
oad a fully accomplished CS Form No. 212, <strong>Revised 2025</strong> ? Personal Data Sheet (PDS).
 The form must be properly filled out, signed, and notarized or duly administered by an authorized a
dministering officer. A recent passport-sized photograph must be affixed to the form.',
                                'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_PDS_WPUHRMDO</code>',
                                'SANTOS_MARIAFE_PDS_WPUHRMDO.pdf',
                                'personal_data_sheet',
                                'PDS',
                                ['pdf'],
                                $documentsByType,
```

```
                                false
                            );

                            renderDocumentSection(
                                '23',
                                'WORK EXPERIENCE SHEET',
                                'Applicants are required to upload a fully accomplished Work Experie
nce <strong>Sheet</strong>, which is an attachment to CS Form No. 212 ? Personal Data Sheet (PDS). A
ll relevant work experiences must be completely and accurately indicated in the prescribed form.',
                                'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_WES_WPUHRMDO</code>',
                                'SANTOS_MARIAFE_WES_WPUHRMDO.pdf',
                                'work_experience_sheet',
                                'WES',
                                ['pdf'],
                                $documentsByType,
                                false
                            );

                            renderDocumentSection(
                                '24',
                                'TRANSCRIPT OF RECORDS',
                                'Applicants are required to upload a Transcript of Records (TOR) rel
evant to the position being applied for. The document must be clear, complete, and readable, showing
 all academic records.',
                                'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_TOR_WPUHRMDO</code>',
                                ['SANTOS_MARIAFE_TOR_WPUHRMDO.pdf', 'SANTOS_MARIAFE_TOR_WPUHRMDO.jpg
'],
                                'transcript_of_records',
                                'TOR',
                                ['pdf', 'jpg', 'jpeg'],
                                $documentsByType,
                                false
                            );

                            renderDocumentSection(
                                '25',
                                'DIPLOMA',
                                'Applicants are required to upload a Diploma relevant to the positio
n being applied for. The document must be clear, complete, and readable.',
                                'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_DIP_WPUHRMDO</code>',
                                ['SANTOS_MARIAFE_DIP_WPUHRMDO.pdf', 'SANTOS_MARIAFE_DIP_WPUHRMDO.jpg
'],
                                'diploma',
                                'DIP',
                                ['pdf', 'jpg', 'jpeg'],
                                $documentsByType,
                                false
                            );

                            renderDocumentSection(
                                '26',
                                'CERTIFICATE OF EMPLOYMENT AND/OR SERVICE RECORD (IF APPLICABLE)',
                                'Applicants are required to upload scanned copies or photocopies of
their Certificate(s) of Employment (COE) and/or Service Record(s) relevant to the position being app
lied for, if applicable. All documents must be clear, complete, and readable.<br><br><strong>For Cer
tificate of Employment (COE):</strong> Format: SURNAME_FIRSTNAME_COE##_WPUHRMDO<br><strong>For Servi
ce Record (SR):</strong> Format: SURNAME_FIRSTNAME_SRE##_WPUHRMDO',
                                'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_COE##_WPUHRMDO</code> or <code style=
"background: var(--gray-50); padding: 4px 8px; border-radius: 4px; font-family: monospace;">SURNAME_
FIRSTNAME_SRE##_WPUHRMDO</code>',
                                ['SANTOS_MARIAFE_COE01_WPUHRMDO.pdf', 'SANTOS_MARIAFE_COE02_WPUHRMDO
.jpg', 'SANTOS_MARIAFE_SRE01_WPUHRMDO.pdf', 'SANTOS_MARIAFE_SRE02_WPUHRMDO.jpg'],
                                'certificate_of_employment',
                                'COE',
```

```
                                ['pdf', 'jpg', 'jpeg'],
                                $documentsByType,
                                true
                            );

                            // Service Records section
                            $sreDocs = isset($documentsByType['SRE']) ? $documentsByType['SRE'] : []
;
                            ?>
                            <div class="form-group" style="margin-bottom: 32px;">
                                <label class="form-label"><strong>Service Records:</strong></label>
                                <div style="margin-bottom: 16px;">
                                    <label class="form-label"><strong>Files submitted:</strong></lab
el>
                                    <?php if (!empty($sreDocs)): ?>
                                        <?php foreach ($sreDocs as $doc):
                                            $docDisplayPath = 'uploads/documents/' . $doc['file_path
'];
                                            $docFullPath = __DIR__ . '/' . $docDisplayPath;
                                            $docFileExists = file_exists($docFullPath);
                                            $isPdf = strtolower(pathinfo($doc['file_path'], PATHINFO
_EXTENSION)) === 'pdf';
                                        ?>
                                            <div style="display: flex; align-items: center; gap: 12p
x; padding: 12px; background: var(--gray-50); border-radius: 4px; margin-top: 8px;">
                                                <i class="fas fa-<?= $isPdf ? 'file-pdf' : 'file-ima
ge' ?>" style="color: var(--<?= $isPdf ? 'danger' : 'success' ?>); font-size: 1.5rem;"></i>
                                                <div style="flex: 1;">
                                                    <div style="font-weight: 600; color: var(--gray-
900);"><?= htmlspecialchars($doc['file_name']) ?></div>
                                                    <?php if ($docFileExists): ?>
                                                        <a href="<?= htmlspecialchars($docDisplayPat
h) ?>" target="_blank" style="font-size: 0.875rem; color: var(--primary-blue); text-decoration: none
;">
                                                            <i class="fas fa-external-link-alt"></i>
 View File
                                                        </a>
                                                    <?php else: ?>
                                                        <span style="font-size: 0.875rem; color: var
(--gray-500);">File not found on server</span>
                                                    <?php endif; ?>
                                                </div>
                                                <a href="../actions/delete-application-document.php?
id=<?= $doc['id'] ?>"
                                                   class="btn btn-sm btn-outline"
                                                   style="color: var(--danger); border-color: var(--
danger);"
                                                   title="Delete"
                                                   onclick="return confirm('Are you sure you want to
 delete this document?');">
                                                    <i class="fas fa-trash"></i> Delete
                                                </a>
                                            </div>
                                        <?php endforeach; ?>
                                    <?php else: ?>
                                        <p style="font-size: 0.875rem; color: var(--gray-500); margi
n-top: 8px; font-style: italic;">No files uploaded</p>
                                    <?php endif; ?>
                                </div>

                                <div class="form-group">
                                    <label class="form-label">Upload Service Record(s) (PDF or JPEG
only)</label>
                                    <input type="file" name="service_record[]" class="form-control"
accept=".pdf,.jpg,.jpeg,application/pdf,image/jpeg" multiple>
                                    <small class="form-text text-muted">Maximum file size: 10MB per
file. Multiple files can be uploaded. Files will be automatically renamed according to the required
format (SRE01, SRE02, etc.).</small>
```

```
                            </div>
                        </div>

                        <?php
                        renderDocumentSection(
                            '27',
                            'PHOTOCOPY OF AUTHENTICATED CERTIFICATE OF ELIGIBILITY/RATING/LICENS
E (IF APPLICABLE)',
                            'Applicants are required to upload scanned copies or photocopies of
authenticated Certificates of Eligibility, Rating, or Professional License, relevant to the position
 being applied for, if applicable. All documents must be clear, complete, and readable.',
                            'Format: <code style="background: var(--gray-50); padding: 4px 8px;
border-radius: 4px; font-family: monospace;">SURNAME_FIRSTNAME_EL##_WPUHRMDO</code>',
                            ['SANTOS_MARIAFE_EL01_WPUHRMDO.pdf', 'SANTOS_MARIAFE_EL02_WPUHRMDO.j
pg', 'SANTOS_MARIAFE_EL03_WPUHRMDO.pdf'],
                            'eligibility_license',
                            'EL',
                            ['pdf', 'jpg', 'jpeg'],
                            $documentsByType,
                            true
                        );
                        ?>

                        <hr style="margin: 32px 0; border-color: var(--gray-200);">

                        <!-- Change Password Section -->
                        <h5 style="margin-bottom: 12px; font-size: 1rem; font-weight: 600;"><i c
lass="fas fa-lock"></i> Change Password</h5>
                        <p style="font-size: 0.875rem; color: var(--gray-500); margin-bottom: 16
px;">Leave blank if you don't want to change your password.</p>

                        <div class="form-group">
                            <label class="form-label">New Password</label>
                            <input type="password" name="password" class="form-control"
                                   placeholder="Enter new password">
                        </div>

                        <div class="form-group">
                            <label class="form-label">Confirm Password</label>
                            <input type="password" name="confirm_password" class="form-control"
                                   placeholder="Confirm new password">
                        </div>

                        <button type="submit" class="btn btn-primary w-100">
                            <i class="fas fa-save"></i> Save Changes
                        </button>
                    </form>
                </div>
            </div>
        </div>

        <!-- Work Experience Section -->
        <div class="card">
                <div class="card-header" style="display: flex; justify-content: space-between; a
lign-items: center;">
                    <h3 class="card-title">
                        <i class="fas fa-briefcase"></i> Work Experience
                    </h3>
                    <a href="add-experience.php" class="btn btn-sm btn-primary">
                        <i class="fas fa-plus"></i> Add
                    </a>
                </div>
                <div class="card-body">
                    <?php if (empty($experiences)): ?>
                        <div class="empty-state" style="padding: 40px 20px;">
                            <i class="fas fa-briefcase"></i>
                            <h5 style="font-size: 1.125rem; margin-top: 16px;">No Work Experienc
e</h5>
```

```
                                <p style="color: var(--gray-500); margin-bottom: 20px;">Add your wor
k experience to strengthen your applications.</p>

                            </div>
                        <?php else: ?>
                            <?php foreach ($experiences as $exp): ?>
                                <div style="padding: 16px; border-bottom: 1px solid var(--gray-200);
 margin-bottom: 12px; background: var(--gray-50); border-radius: 8px; border-left: 4px solid var(--p
rimary-blue);">
                                    <div style="display: flex; justify-content: space-between; align
-items: start; margin-bottom: 8px;">
                                        <div style="flex: 1;">
                                            <div style="font-weight: 700; font-size: 1rem; color: va
r(--gray-900); margin-bottom: 4px;">
                                                <?= htmlspecialchars($exp['position_title']) ?>
                                            </div>
                                            <div style="color: var(--primary-blue); font-weight: 600
; margin-bottom: 8px;">
                                                <?= htmlspecialchars($exp['company_name']) ?>
                                            </div>
                                            <div style="display: flex; align-items: center; gap: 8px
; font-size: 0.875rem; color: var(--gray-600);">
                                                <i class="fas fa-calendar"></i>
                                                <span>
                                                    <?= date('M Y', strtotime($exp['start_date'])) ?
> -
                                                    <?= $exp['is_current'] ? 'Present' : date('M Y',
 strtotime($exp['end_date'])) ?>
                                                </span>
                                                <span class="badge badge-primary"><?= number_format(
$exp['years_duration'], 1) ?>y</span>
                                            </div>
                                        </div>
                                        <div style="display: flex; gap: 8px;">
                                            <a href="edit-experience.php?id=<?= $exp['id'] ?>" class
="btn btn-sm btn-outline" title="Edit">
                                                <i class="fas fa-edit"></i>
                                            </a>
                                            <a href="../actions/delete-experience.php?id=<?= $exp['i
d'] ?>"
                                               class="btn btn-sm btn-outline confirm-delete-experien
ce"
                                               style="color: var(--danger); border-color: var(--dang
er);"
                                               title="Delete">
                                                <i class="fas fa-trash"></i>
                                            </a>
                                        </div>
                                    </div>
                                    <?php if ($exp['description']): ?>
                                        <p style="font-size: 0.875rem; color: var(--gray-600); margi
n: 8px 0 0 0; line-height: 1.5;">
                                            <?= nl2br(htmlspecialchars($exp['description'])) ?>
                                        </p>
                                    <?php endif; ?>
                                </div>
                            <?php endforeach; ?>
                        <?php endif; ?>
                    </div>

                    <!-- Pagination -->
                    <?php if ($totalPages > 1): ?>
                    <div class="card-footer" style="display: flex; justify-content: center; align-it
ems: center; padding: 16px; border-top: 1px solid var(--gray-200);">
                        <div class="pagination">
                            <?php if ($page > 1): ?>
                                <a href="?page=<?= $page - 1 ?>" class="pagination-btn">
                                    <i class="fas fa-chevron-left"></i> Previous
```

```
                            </a>
                        <?php endif; ?>

                        <div class="pagination-info">
                            Page <?= $page ?> of <?= $totalPages ?> (<?= $totalExperiences ?> to
tal)
                        </div>

                        <?php if ($page < $totalPages): ?>
                            <a href="?page=<?= $page + 1 ?>" class="pagination-btn">
                                Next <i class="fas fa-chevron-right"></i>
                            </a>
                        <?php endif; ?>
                    </div>
                </div>
                <?php endif; ?>
            </div>
        </div>
    </div>

    <!-- Footer with Data Privacy Notice -->
    <footer class="page-footer">
        <div class="footer-content">
            <p class="footer-notice">
                <i class="fas fa-shield-alt"></i>
                <strong>Data Privacy Notice:</strong>
                Your personal information is collected and processed in accordance with
                <strong>Republic Act No. 10173 (Data Privacy Act of 2012)</strong>.
                The data you provide will be used solely for employment screening, evaluation, a
nd related administrative purposes.
                By using this system, you acknowledge and consent to the processing of your pers
onal data as described in our
                <a href="#" id="dataPrivacyPolicyLink" class="privacy-link">Data Privacy Policy<
/a>.
            </p>
            <p class="footer-copyright">
                © <?= date('Y') ?> Western Philippines University. All rights reserved.
            </p>
        </div>
    </footer>
</div>

<!-- Mobile Bottom Navigation -->
<nav class="mobile-nav">
    <div class="mobile-nav-grid">
        <a href="dashboard.php" class="mobile-nav-item">
            <i class="fas fa-th-large"></i>
            <span>Home</span>
        </a>
        <a href="positions.php" class="mobile-nav-item">
            <i class="fas fa-briefcase"></i>
            <span>Jobs</span>
        </a>
        <a href="my-applications.php" class="mobile-nav-item">
            <i class="fas fa-file-alt"></i>
            <span>Applications</span>
        </a>
        <a href="profile.php" class="mobile-nav-item active">
            <i class="fas fa-user"></i>
            <span>Profile</span>
        </a>
    </div>
</nav>

<!-- Data Privacy Policy Modal -->
<div id="dataPrivacyModal" class="data-privacy-modal" style="display: none;">
    <div class="modal-overlay" style="position: fixed; top: 0; left: 0; right: 0; bottom: 0; bac
kground: rgba(0, 0, 0, 0.75); display: flex; align-items: center; justify-content: center; padding:
```

```
20px; z-index: 10000;">
            <div class="modal-content" style="background: white; border-radius: 8px; max-width: 700p
x; width: 100%; max-height: 90vh; overflow-y: auto; box-shadow: 0 4px 20px rgba(0, 0, 0, 0.3); posit
ion: relative; z-index: 10001;">
                <div class="modal-header" style="padding: 20px 24px; border-bottom: 1px solid var(--
gray-200); display: flex; justify-content: space-between; align-items: center;">
                    <h3 style="font-size: 1.25rem; font-weight: 700; color: var(--gray-800); margin:
 0; display: flex; align-items: center; gap: 8px;">
                        <i class="fas fa-shield-alt" style="color: var(--primary-blue);"></i>
                        DATA PRIVACY WAIVER
                    </h3>
                    <button type="button" class="modal-close-btn" id="closeDataPrivacyModal" style="
background: none; border: none; font-size: 1.5rem; color: var(--gray-500); cursor: pointer; padding:
 0; width: 32px; height: 32px; display: flex; align-items: center; justify-content: center; border-r
adius: 4px; transition: background-color 0.2s;">
                        <i class="fas fa-times"></i>
                    </button>
                </div>
                <div class="modal-body" style="padding: 24px;">
                    <div style="line-height: 1.8; color: var(--gray-700); font-size: 0.95rem;">
                        <p style="margin-bottom: 16px;">
                            In accordance with <strong>Republic Act No. 10173</strong>, otherwise kn
own as the <strong>Data Privacy Act of 2012</strong>, and its Implementing Rules and Regulations, I
hereby authorize <strong>Western Philippines University (WPU)</strong>, through its authorized offic
es, to collect, process, store, and use my personal information submitted in connection with my appl
ication for employment.
                        </p>
                        <p style="margin-bottom: 16px;">
                            I understand and agree that the personal data I provided, including but
not limited to my personal details, educational background, employment history, and other supporting
 documents, shall be used solely for recruitment, evaluation, selection, and other legitimate human
resource?related purposes. I further acknowledge that these data may be shared with authorized perso
nnel and relevant government agencies, as required by law or applicable regulations, including the C
ivil Service Commission.
                        </p>
                        <p style="margin-bottom: 16px;">
                            I affirm that all information I have provided is true, correct, and comp
lete to the best of my knowledge. I understand that any false, misleading, or incomplete information
 may be grounds for disqualification from the application process or other appropriate administrativ
e action.
                        </p>
                        <p style="margin-bottom: 0;">
                            By submitting my application, I signify my voluntary consent to the proc
essing of my personal data under the terms stated above and recognize my rights as a data subject un
der the Data Privacy Act of 2012.
                        </p>
                    </div>
                </div>
                <div class="modal-footer" style="padding: 16px 24px; border-top: 1px solid var(--gra
y-200); display: flex; justify-content: flex-end;">
                    <button type="button" class="btn btn-primary" id="closeDataPrivacyModalBtn">
                        <i class="fas fa-check"></i> I Understand
                    </button>
                </div>
            </div>
        </div>
    </div>

    <!-- Footer Styles -->
    <style>
        .page-footer {
            width: 100%;
            padding: 24px;
            margin-top: auto;
            margin-bottom: 0;
            border-top: 1px solid var(--gray-200);
            background: var(--gray-50);
            box-sizing: border-box;
```

```
}

.footer-content {
    width: 100%;
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

.footer-notice {
    margin: 0 auto;
    font-size: 0.875rem;
    color: var(--gray-600);
    text-align: center;
    line-height: 1.6;
    word-wrap: break-word;
    overflow-wrap: break-word;
    hyphens: auto;
    padding: 0;
    width: 100%;
    display: block;
}

.footer-notice i {
    color: var(--primary-blue);
    margin-right: 8px;
}

.footer-notice .privacy-link {
    color: var(--primary-blue);
    text-decoration: underline;
    cursor: pointer;
    transition: color 0.2s ease;
}

.footer-notice .privacy-link:hover {
    color: var(--primary-dark);
}

.footer-copyright {
    margin: 8px auto 0 auto;
    font-size: 0.75rem;
    color: var(--gray-500);
    text-align: center;
    width: 100%;
    display: block;
}

@media (max-width: 768px) {
    .page-footer {
        padding: 12px;
        margin-top: 24px;
    }

    .footer-content {
        width: 100%;
    }

    .footer-notice {
        font-size: 0.8125rem;
        line-height: 1.5;
    }

    .footer-copyright {
        font-size: 0.6875rem;
    }
}
```

```
        @media (max-width: 480px) {
            .page-footer {
                padding: 8px;
            }

            .footer-notice {
                font-size: 0.75rem;
                line-height: 1.4;
            }
        }

        .modal-close-btn:hover {
            background-color: var(--gray-100) !important;
        }

        .data-privacy-modal {
            position: fixed;
            top: 0;
            left: 0;
            right: 0;
            bottom: 0;
            z-index: 10000;
        }
    </style>

    <script src="../../assets/js/toast.js"></script>
    <script src="../../assets/js/form-submission-manager.js"></script>
    <script src="../../assets/js/office-theme.js"></script>
    <script>
        // Handle conditional display of promotion/entry level sections
        function toggleApplicationSections() {
            const promotionCheckbox = document.querySelector('input[name="application_type[]"][value
="PROMOTION"]');
            const entryLevelCheckbox = document.querySelector('input[name="application_type[]"][valu
e="ENTRY LEVEL"]');
            const promotionSection = document.getElementById('promotion-section');
            const entryLevelSection = document.getElementById('entry-level-section');

            if (promotionCheckbox && promotionSection) {
                // Check if file exists (PHP sets display based on file existence)
                const hasIpcrFileDisplay = promotionSection.querySelector('a[href*="uploads/document
s"]');
                // Show section if checkbox is checked OR if file exists (PHP already handles initia
l display)
                if (promotionCheckbox.checked || hasIpcrFileDisplay) {
                    promotionSection.style.display = 'block';
                } else if (!hasIpcrFileDisplay) {
                    // Only hide if no file exists and checkbox is unchecked
                    promotionSection.style.display = 'none';
                }
            }
            if (entryLevelCheckbox && entryLevelSection) {
                // Check if file exists (PHP sets display based on file existence)
                const hasPeFileDisplay = entryLevelSection.querySelector('a[href*="uploads/documents
"]');
                // Show section if checkbox is checked OR if file exists (PHP already handles initia
l display)
                if (entryLevelCheckbox.checked || hasPeFileDisplay) {
                    entryLevelSection.style.display = 'block';
                } else if (!hasPeFileDisplay) {
                    // Only hide if no file exists and checkbox is unchecked
                    entryLevelSection.style.display = 'none';
                }
            }
        }

        // Handle "Other" field in Career Service Eligibilities
        function toggleCSEOther() {
```

```
            const otherCheckbox = document.getElementById('cse-other-checkbox');
            const otherInput = document.getElementById('cse-other-input');

            if (otherCheckbox && otherInput) {
                otherInput.style.display = otherCheckbox.checked ? 'block' : 'none';
                if (!otherCheckbox.checked) {
                    otherInput.value = '';
                }
            }
        }

        // Data Privacy Modal handlers
        function openDataPrivacyModal() {
            const modal = document.getElementById('dataPrivacyModal');
            if (modal) {
                modal.style.display = 'block';
                document.body.style.overflow = 'hidden';
            }
        }

        function closeDataPrivacyModal() {
            const modal = document.getElementById('dataPrivacyModal');
            if (modal) {
                modal.style.display = 'none';
                document.body.style.overflow = '';
            }
        }

        // Initialize on page load
        document.addEventListener('DOMContentLoaded', function() {
            // Show sections if checkboxes are already checked (e.g., after page reload)
            toggleApplicationSections();
            toggleCSEOther();

            // Debug: Log section visibility
            const promotionSection = document.getElementById('promotion-section');
            const entryLevelSection = document.getElementById('entry-level-section');
            const promotionCheckbox = document.querySelector('input[name="application_type[]"][value
="PROMOTION"]');
            const entryLevelCheckbox = document.querySelector('input[name="application_type[]"][valu
e="ENTRY LEVEL"]');

            console.log('Promotion checkbox checked:', promotionCheckbox ? promotionCheckbox.checked
 : 'not found');
            console.log('Entry Level checkbox checked:', entryLevelCheckbox ? entryLevelCheckbox.che
cked : 'not found');
            console.log('Promotion section display:', promotionSection ? promotionSection.style.disp
lay : 'not found');
            console.log('Entry Level section display:', entryLevelSection ? entryLevelSection.style.
display : 'not found');

            // Add event listeners
            const appTypeCheckboxes = document.querySelectorAll('input[name="application_type[]"]');
            appTypeCheckboxes.forEach(checkbox => {
                checkbox.addEventListener('change', toggleApplicationSections);
            });

            const cseOtherCheckbox = document.getElementById('cse-other-checkbox');
            if (cseOtherCheckbox) {
                cseOtherCheckbox.addEventListener('change', toggleCSEOther);
            }

            // Data Privacy Modal event listeners
            const dataPrivacyLink = document.getElementById('dataPrivacyPolicyLink');
            const closeModalBtn = document.getElementById('closeDataPrivacyModal');
            const closeModalBtn2 = document.getElementById('closeDataPrivacyModalBtn');
            const modal = document.getElementById('dataPrivacyModal');
            const modalOverlay = modal ? modal.querySelector('.modal-overlay') : null;
```

```
            if (dataPrivacyLink) {
                dataPrivacyLink.addEventListener('click', function(e) {
                    e.preventDefault();
                    openDataPrivacyModal();
                });
            }

            if (closeModalBtn) {
                closeModalBtn.addEventListener('click', function(e) {
                    e.preventDefault();
                    closeDataPrivacyModal();
                });
            }

            if (closeModalBtn2) {
                closeModalBtn2.addEventListener('click', function(e) {
                    e.preventDefault();
                    closeDataPrivacyModal();
                });
            }

            // Close modal when clicking outside
            if (modalOverlay) {
                modalOverlay.addEventListener('click', function(e) {
                    if (e.target === modalOverlay) {
                        closeDataPrivacyModal();
                    }
                });
            }

            // Close modal with Escape key
            document.addEventListener('keydown', function(e) {
                if (e.key === 'Escape') {
                    const modal = document.getElementById('dataPrivacyModal');
                    if (modal && modal.style.display === 'block') {
                        closeDataPrivacyModal();
                    }
                }
            });
        });
    </script>
    <?php include '../../includes/pwa-scripts.php'; ?>
</body>
</html>
```

assets/css/office-theme.css

```
.dashboard-sections {
    display: grid;
    grid-template-columns: 1fr;
    gap: 20px;
    margin-top: 24px;
}

@media (min-width: 992px) {
    .dashboard-sections {
        grid-template-columns: repeat(3, minmax(0, 1fr));
        align-items: stretch;
    }
}
/*
 * WPU Applicant System - Blue Minimalist Office Theme
 * Professional, Clean, and Mobile-Responsive
 */

:root {
    /* Blue Minimalist Color Palette */
    --primary-blue: #1e40af;
    --primary-blue-light: #3b82f6;
    --primary-blue-dark: #1e3a8a;
    --secondary-blue: #0ea5e9;
    --accent-blue: #60a5fa;

    /* Neutral Colors */
    --white: #ffffff;
    --gray-50: #f9fafb;
    --gray-100: #f3f4f6;
    --gray-200: #e5e7eb;
    --gray-300: #d1d5db;
    --gray-400: #9ca3af;
    --gray-500: #6b7280;
    --gray-600: #4b5563;
    --gray-700: #374151;
    --gray-800: #1f2937;
    --gray-900: #111827;

    /* Status Colors */
    --success: #10b981;
    --warning: #f59e0b;
    --danger: #ef4444;
    --info: #3b82f6;

    /* Shadows */
    --shadow-sm: 0 1px 2px 0 rgba(0, 0, 0, 0.05);
    --shadow: 0 1px 3px 0 rgba(0, 0, 0, 0.1), 0 1px 2px 0 rgba(0, 0, 0, 0.06);
    --shadow-md: 0 4px 6px -1px rgba(0, 0, 0, 0.1), 0 2px 4px -1px rgba(0, 0, 0, 0.06);
    --shadow-lg: 0 10px 15px -3px rgba(0, 0, 0, 0.1), 0 4px 6px -2px rgba(0, 0, 0, 0.05);
    --shadow-xl: 0 20px 25px -5px rgba(0, 0, 0, 0.1), 0 10px 10px -5px rgba(0, 0, 0, 0.04);

    /* Spacing */
    --sidebar-width: 260px;
    --topbar-height: 64px;
    --mobile-nav-height: 60px;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body {
    font-family: 'Inter', -apple-system, BlinkMacSystemFont, 'Segoe UI', 'Roboto', 'Oxygen', sans-se
```

```
rif;
    background-color: var(--gray-50);
    color: var(--gray-800);
    line-height: 1.6;
}

/* Sidebar Navigation - Desktop */
.sidebar {
    position: fixed;
    left: 0;
    top: 0;
    bottom: 0;
    width: var(--sidebar-width);
    background: var(--white);
    border-right: 1px solid var(--gray-200);
    display: flex;
    flex-direction: column;
    z-index: 1000;
    transition: transform 0.3s ease;
}

.sidebar-header {
    padding: 20px;
    border-bottom: 1px solid var(--gray-200);
}

.sidebar-brand {
    display: flex;
    align-items: center;
    gap: 12px;
    text-decoration: none;
    color: var(--primary-blue);
    font-weight: 700;
    font-size: 1.25rem;
}

.sidebar-brand i {
    font-size: 1.5rem;
}

.sidebar-nav {
    flex: 1;
    overflow-y: auto;
    padding: 20px 0;
}

.sidebar-nav-item {
    display: flex;
    align-items: center;
    gap: 12px;
    padding: 12px 20px;
    color: var(--gray-600);
    text-decoration: none;
    transition: all 0.2s ease;
    font-weight: 500;
    border-left: 3px solid transparent;
}

.sidebar-nav-item:hover {
    background-color: var(--gray-50);
    color: var(--primary-blue);
}

.sidebar-nav-item.active {
    background-color: rgba(30, 64, 175, 0.05);
    color: var(--primary-blue);
    border-left-color: var(--primary-blue);
    font-weight: 600;
```

```
}

.sidebar-nav-item i {
    width: 20px;
    text-align: center;
    font-size: 1.1rem;
}

.sidebar-footer {
    padding: 20px;
    border-top: 1px solid var(--gray-200);
}

.sidebar-user {
    display: flex;
    align-items: center;
    gap: 12px;
    padding: 10px;
    border-radius: 8px;
    background-color: var(--gray-50);
}

.sidebar-user-avatar {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
    color: white;
    display: flex;
    align-items: center;
    justify-content: center;
    font-weight: 600;
    font-size: 1rem;
}

.sidebar-user-info {
    flex: 1;
    min-width: 0;
}

.sidebar-user-name {
    font-weight: 600;
    font-size: 0.9rem;
    color: var(--gray-800);
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
}

.sidebar-user-role {
    font-size: 0.75rem;
    color: var(--gray-500);
}

/* Main Content Area */
.main-wrapper {
    margin-left: var(--sidebar-width);
    min-height: 100vh;
    display: flex;
    flex-direction: column;
}

.topbar {
    background: var(--white);
    border-bottom: 1px solid var(--gray-200);
    padding: 16px 24px;
    display: flex;
    align-items: center;
```

```
    justify-content: space-between;
    height: var(--topbar-height);
}

.topbar-title {
    font-size: 1.5rem;
    font-weight: 700;
    color: var(--gray-800);
    margin: 0;
}

.topbar-actions {
    display: flex;
    align-items: center;
    gap: 16px;
}

.topbar-btn {
    width: 40px;
    height: 40px;
    border-radius: 8px;
    border: none;
    background-color: var(--gray-100);
    color: var(--gray-600);
    cursor: pointer;
    transition: all 0.2s ease;
    display: flex;
    align-items: center;
    justify-content: center;
}

.topbar-btn:hover {
    background-color: var(--gray-200);
    color: var(--primary-blue);
}

/* Notification Bell */
.notification-bell {
    position: relative;
    width: 40px;
    height: 40px;
    border-radius: 8px;
    border: none;
    background-color: var(--gray-100);
    color: var(--gray-600);
    cursor: pointer;
    transition: all 0.2s ease;
    display: flex;
    align-items: center;
    justify-content: center;
    text-decoration: none;
}

.notification-bell:hover {
    background-color: var(--gray-200);
    color: var(--primary-blue);
}

.notification-badge {
    position: absolute;
    top: -4px;
    right: -4px;
    background-color: var(--danger);
    color: white;
    border-radius: 10px;
    padding: 2px 6px;
    font-size: 0.7rem;
    font-weight: 600;
```

```
    min-width: 18px;
    height: 18px;
    text-align: center;
    line-height: 1.4;
    display: flex;
    align-items: center;
    justify-content: center;
    box-shadow: 0 2px 4px rgba(0, 0, 0, 0.2);
    z-index: 10;
}

@keyframes badge-pulse {
    0% {
        transform: scale(1);
    }
    50% {
        transform: scale(1.2);
    }
    100% {
        transform: scale(1);
    }
}

.notification-badge.badge-update {
    animation: badge-pulse 0.5s ease-in-out;
}

.notification-bell.notification-pulse {
    animation: bell-pulse 0.6s ease-in-out;
}

@keyframes bell-pulse {
    0%, 100% {
        transform: scale(1);
    }
    25% {
        transform: scale(1.1) rotate(-5deg);
    }
    75% {
        transform: scale(1.1) rotate(5deg);
    }
}

.notification-dropdown {
    position: absolute;
    top: calc(100% + 8px);
    right: 0;
    width: 360px;
    max-height: 500px;
    background: var(--white);
    border: 1px solid var(--gray-200);
    border-radius: 12px;
    box-shadow: var(--shadow-lg);
    z-index: 1000;
    display: none;
    flex-direction: column;
    overflow: hidden;
}

.notification-dropdown.show {
    display: flex;
}

.notification-header {
    padding: 16px 20px;
    border-bottom: 1px solid var(--gray-200);
    display: flex;
    justify-content: space-between;
```

```
    align-items: center;
    background-color: var(--gray-50);
}

.notification-header h3 {
    margin: 0;
    font-size: 1rem;
    font-weight: 600;
    color: var(--gray-800);
}

.notification-header .mark-all-read {
    font-size: 0.875rem;
    color: var(--primary-blue);
    background: none;
    border: none;
    cursor: pointer;
    padding: 4px 8px;
    border-radius: 4px;
    transition: background-color 0.2s;
}

.notification-header .mark-all-read:hover {
    background-color: var(--gray-200);
}

.notification-list {
    flex: 1;
    overflow-y: auto;
    max-height: 400px;
}

.notification-item {
    padding: 16px 20px;
    border-bottom: 1px solid var(--gray-100);
    cursor: pointer;
    transition: background-color 0.2s;
    display: flex;
    flex-direction: column;
    gap: 4px;
}

.notification-item:hover {
    background-color: var(--gray-50);
}

.notification-item.unread {
    background-color: rgba(30, 64, 175, 0.05);
    border-left: 3px solid var(--primary-blue);
}

.notification-item.unread:hover {
    background-color: rgba(30, 64, 175, 0.1);
}

.notification-title {
    font-weight: 600;
    font-size: 0.9rem;
    color: var(--gray-800);
    margin: 0;
}

.notification-message {
    font-size: 0.875rem;
    color: var(--gray-600);
    margin: 0;
    line-height: 1.4;
}
```

```
.notification-time {
    font-size: 0.75rem;
    color: var(--gray-500);
    margin-top: 4px;
}

.notification-empty {
    padding: 40px 20px;
    text-align: center;
    color: var(--gray-500);
    font-size: 0.875rem;
}

.notification-footer {
    padding: 12px 20px;
    border-top: 1px solid var(--gray-200);
    text-align: center;
    background-color: var(--gray-50);
}

.notification-footer a {
    color: var(--primary-blue);
    text-decoration: none;
    font-size: 0.875rem;
    font-weight: 500;
}

.notification-footer a:hover {
    text-decoration: underline;
}

@media (max-width: 768px) {
    .notification-dropdown {
        width: calc(100vw - 32px);
        right: -16px;
    }
}

.content {
    flex: 1;
    padding: 24px;
}

/* Cards */
.card {
    background: var(--white);
    border-radius: 12px;
    border: 1px solid var(--gray-200);
    box-shadow: var(--shadow-sm);
    margin-bottom: 24px;
    overflow: hidden;
}

.card-header {
    padding: 20px 24px;
    border-bottom: 1px solid var(--gray-200);
    background-color: var(--white);
}

.card-title {
    font-size: 1.125rem;
    font-weight: 600;
    color: var(--gray-800);
    margin: 0;
    display: flex;
    align-items: center;
    gap: 10px;
```

```
}

.card-body {
    padding: 24px;
}

.card-footer {
    padding: 16px 24px;
    border-top: 1px solid var(--gray-200);
    background-color: var(--gray-50);
}

/* Stats Cards */
.stats-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    gap: 20px;
    margin-bottom: 24px;
}

.stat-card {
    background: var(--white);
    border-radius: 12px;
    padding: 24px;
    border: 1px solid var(--gray-200);
    box-shadow: var(--shadow-sm);
    transition: all 0.2s ease;
}

.stat-card:hover {
    box-shadow: var(--shadow-md);
    transform: translateY(-2px);
}

.stat-card-header {
    display: flex;
    align-items: center;
    justify-content: space-between;
    margin-bottom: 16px;
}

.stat-card-icon {
    width: 48px;
    height: 48px;
    border-radius: 10px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.5rem;
    color: white;
}

.stat-card-icon.blue {
    background: linear-gradient(135deg, var(--primary-blue), var(--secondary-blue));
}

.stat-card-icon.green {
    background: linear-gradient(135deg, #059669, var(--success));
}

.stat-card-icon.yellow {
    background: linear-gradient(135deg, #d97706, var(--warning));
}

.stat-card-icon.red {
    background: linear-gradient(135deg, #dc2626, var(--danger));
}
```

```
.stat-card-value {
    font-size: 2rem;
    font-weight: 700;
    color: var(--gray-900);
    line-height: 1;
}

.stat-card-label {
    font-size: 0.875rem;
    color: var(--gray-500);
    font-weight: 500;
    margin-top: 8px;
}

/* Buttons */
.btn {
    padding: 10px 20px;
    border-radius: 8px;
    font-weight: 600;
    font-size: 0.875rem;
    border: none;
    cursor: pointer;
    transition: all 0.2s ease;
    display: inline-flex;
    align-items: center;
    gap: 8px;
    text-decoration: none;
}

.btn-primary {
    background: var(--primary-blue);
    color: white;
}

.btn-primary:hover {
    background: var(--primary-blue-dark);
    color: white;
    transform: translateY(-1px);
    box-shadow: var(--shadow-md);
}

.btn-secondary {
    background: var(--gray-200);
    color: var(--gray-700);
}

.btn-secondary:hover {
    background: var(--gray-300);
    color: var(--gray-800);
}

.btn-outline {
    background: transparent;
    border: 2px solid var(--gray-300);
    color: var(--gray-700);
}

.btn-outline:hover {
    border-color: var(--primary-blue);
    color: var(--primary-blue);
}

.btn-success {
    background: var(--success);
    color: white;
}

.btn-success:hover {
```

```
    background: #059669;
    color: white;
}

.btn-sm {
    padding: 6px 12px;
    font-size: 0.8rem;
}

.btn-lg {
    padding: 14px 28px;
    font-size: 1rem;
}

/* Badges */
.badge {
    padding: 4px 12px;
    border-radius: 20px;
    font-size: 0.75rem;
    font-weight: 600;
    display: inline-block;
}

.badge-primary {
    background: rgba(30, 64, 175, 0.1);
    color: var(--primary-blue);
}

.badge-success {
    background: rgba(16, 185, 129, 0.1);
    color: var(--success);
}

.badge-warning {
    background: rgba(245, 158, 11, 0.1);
    color: var(--warning);
}

.badge-danger {
    background: rgba(239, 68, 68, 0.1);
    color: var(--danger);
}

.badge-info {
    background: rgba(59, 130, 246, 0.1);
    color: var(--info);
}

/* Forms */
.form-group {
    margin-bottom: 20px;
}

.form-label {
    display: block;
    font-weight: 600;
    color: var(--gray-700);
    margin-bottom: 8px;
    font-size: 0.875rem;
}

.form-control {
    width: 100%;
    padding: 10px 14px;
    border: 1px solid var(--gray-300);
    border-radius: 8px;
    font-size: 0.875rem;
    transition: all 0.2s ease;
```

```
    background-color: var(--white);
    color: var(--gray-800);
}

.form-control:focus {
    outline: none;
    border-color: var(--primary-blue);
    box-shadow: 0 0 0 3px rgba(30, 64, 175, 0.1);
}

.form-control::placeholder {
    color: var(--gray-400);
}

textarea.form-control {
    resize: vertical;
    min-height: 100px;
}

/* Tables */
.table-wrapper {
    overflow-x: auto;
}

.table {
    width: 100%;
    border-collapse: collapse;
}

.table th {
    text-align: left;
    padding: 12px;
    font-weight: 600;
    font-size: 0.875rem;
    color: var(--gray-600);
    background-color: var(--gray-50);
    border-bottom: 1px solid var(--gray-200);
}

.table td {
    padding: 12px;
    border-bottom: 1px solid var(--gray-200);
    font-size: 0.875rem;
    color: var(--gray-700);
}

.table tbody tr:hover {
    background-color: var(--gray-50);
}

/* Mobile Bottom Navigation */
.mobile-nav {
    position: fixed;
    bottom: 0;
    left: 0;
    right: 0;
    background: var(--white);
    border-top: 1px solid var(--gray-200);
    display: none;
    z-index: 1000;
    height: var(--mobile-nav-height);
    box-shadow: 0 -2px 10px rgba(0, 0, 0, 0.05);
}

.mobile-nav-grid {
    display: grid;
    grid-template-columns: repeat(4, 1fr);
    height: 100%;
```

```
}

.mobile-nav-item {
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    gap: 4px;
    color: var(--gray-500);
    text-decoration: none;
    font-size: 0.7rem;
    font-weight: 600;
    transition: all 0.2s ease;
    border-top: 3px solid transparent;
}

.mobile-nav-item i {
    font-size: 1.3rem;
}

.mobile-nav-item.active {
    color: var(--primary-blue);
    border-top-color: var(--primary-blue);
    background-color: rgba(30, 64, 175, 0.03);
}

.mobile-nav-item:active {
    transform: scale(0.95);
}

/* Mobile Menu Toggle */
.mobile-menu-toggle {
    width: 40px;
    height: 40px;
    border-radius: 8px;
    background: var(--gray-100);
    border: none;
    color: var(--gray-700);
    cursor: pointer;
    align-items: center;
    justify-content: center;
}

.mobile-menu-toggle:active {
    background: var(--gray-200);
}

@media (min-width: 769px) {
    .mobile-menu-toggle {
        display: none;
    }
}

/* Alerts */
.alert {
    padding: 16px 20px;
    border-radius: 8px;
    margin-bottom: 20px;
    display: flex;
    align-items: start;
    gap: 12px;
    font-size: 0.875rem;
}

.alert i {
    font-size: 1.2rem;
}
```

```
.alert-success {
    background: rgba(16, 185, 129, 0.1);
    color: #065f46;
    border: 1px solid rgba(16, 185, 129, 0.2);
}

.alert-warning {
    background: rgba(245, 158, 11, 0.1);
    color: #92400e;
    border: 1px solid rgba(245, 158, 11, 0.2);
}

.alert-danger {
    background: rgba(239, 68, 68, 0.1);
    color: #991b1b;
    border: 1px solid rgba(239, 68, 68, 0.2);
}

.alert-info {
    background: rgba(59, 130, 246, 0.1);
    color: #1e40af;
    border: 1px solid rgba(59, 130, 246, 0.2);
}

/* Toast Notifications - Top Right Corner */
.toast-container-custom {
    position: fixed;
    top: 20px;
    right: 20px;
    z-index: 9999;
    display: flex;
    flex-direction: column;
    gap: 12px;
    max-width: 400px;
    pointer-events: none;
}

.toast-notification {
    background: var(--white);
    border-radius: 12px;
    box-shadow: var(--shadow-xl);
    padding: 16px 20px;
    display: flex;
    align-items: start;
    gap: 12px;
    min-width: 300px;
    max-width: 400px;
    border-left: 4px solid;
    animation: slideInRight 0.3s ease, fadeOut 0.3s ease 2.7s;
    pointer-events: auto;
    cursor: pointer;
}

.toast-notification.toast-closing {
    animation: slideOutRight 0.3s ease;
}

.toast-notification-icon {
    font-size: 1.5rem;
    flex-shrink: 0;
    width: 24px;
    height: 24px;
    display: flex;
    align-items: center;
    justify-content: center;
}

.toast-notification-content {
```

```
    flex: 1;
    min-width: 0;
}

.toast-notification-title {
    font-weight: 700;
    font-size: 0.875rem;
    margin-bottom: 4px;
    line-height: 1.2;
}

.toast-notification-message {
    font-size: 0.8rem;
    line-height: 1.4;
    opacity: 0.9;
}

.toast-notification-close {
    background: none;
    border: none;
    color: inherit;
    opacity: 0.5;
    cursor: pointer;
    padding: 0;
    width: 20px;
    height: 20px;
    display: flex;
    align-items: center;
    justify-content: center;
    flex-shrink: 0;
    transition: opacity 0.2s ease;
}

.toast-notification-close:hover {
    opacity: 1;
}

/* Toast Variants */
.toast-notification.toast-success {
    border-left-color: var(--success);
}

.toast-notification.toast-success .toast-notification-icon {
    color: var(--success);
}

.toast-notification.toast-success .toast-notification-title {
    color: #065f46;
}

.toast-notification.toast-success .toast-notification-message {
    color: var(--gray-700);
}

.toast-notification.toast-error {
    border-left-color: var(--danger);
}

.toast-notification.toast-error .toast-notification-icon {
    color: var(--danger);
}

.toast-notification.toast-error .toast-notification-title {
    color: #991b1b;
}

.toast-notification.toast-error .toast-notification-message {
    color: var(--gray-700);
```

```
}

.toast-notification.toast-warning {
    border-left-color: var(--warning);
}

.toast-notification.toast-warning .toast-notification-icon {
    color: var(--warning);
}

.toast-notification.toast-warning .toast-notification-title {
    color: #92400e;
}

.toast-notification.toast-warning .toast-notification-message {
    color: var(--gray-700);
}

.toast-notification.toast-info {
    border-left-color: var(--info);
}

.toast-notification.toast-info .toast-notification-icon {
    color: var(--info);
}

.toast-notification.toast-info .toast-notification-title {
    color: #1e40af;
}

.toast-notification.toast-info .toast-notification-message {
    color: var(--gray-700);
}

/* Confirmation Dialog */
.confirm-dialog-overlay {
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background: rgba(0, 0, 0, 0.5);
    display: flex;
    align-items: center;
    justify-content: center;
    z-index: 10000;
    animation: fadeIn 0.2s ease;
    padding: 20px;
}

.confirm-dialog {
    background: var(--white);
    border-radius: 16px;
    box-shadow: var(--shadow-xl);
    max-width: 500px;
    width: 100%;
    animation: scaleIn 0.3s ease;
    overflow: hidden;
}

.confirm-dialog-header {
    padding: 24px;
    border-bottom: 1px solid var(--gray-200);
    display: flex;
    align-items: center;
    gap: 12px;
}
```

```
.confirm-dialog-icon {
    width: 48px;
    height: 48px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 1.5rem;
    flex-shrink: 0;
}

.confirm-dialog-icon.warning {
    background: rgba(245, 158, 11, 0.15);
    color: var(--warning);
}

.confirm-dialog-icon.danger {
    background: rgba(239, 68, 68, 0.15);
    color: var(--danger);
}

.confirm-dialog-icon.info {
    background: rgba(59, 130, 246, 0.15);
    color: var(--info);
}

.confirm-dialog-title {
    font-size: 1.25rem;
    font-weight: 700;
    color: var(--gray-900);
    margin: 0;
    flex: 1;
}

.confirm-dialog-body {
    padding: 24px;
}

.confirm-dialog-message {
    font-size: 0.95rem;
    line-height: 1.6;
    color: var(--gray-700);
    margin-bottom: 0;
}

.confirm-dialog-footer {
    padding: 20px 24px;
    background: var(--gray-50);
    display: flex;
    gap: 12px;
    justify-content: flex-end;
}

.confirm-dialog-footer .btn {
    min-width: 100px;
}

/* Toast Animations */
@keyframes slideInRight {
    from {
        transform: translateX(400px);
        opacity: 0;
    }
    to {
        transform: translateX(0);
        opacity: 1;
    }
}
```

```
@keyframes slideOutRight {
    from {
        transform: translateX(0);
        opacity: 1;
    }
    to {
        transform: translateX(400px);
        opacity: 0;
    }
}

@keyframes scaleIn {
    from {
        transform: scale(0.9);
        opacity: 0;
    }
    to {
        transform: scale(1);
        opacity: 1;
    }
}

@keyframes fadeOut {
    from {
        opacity: 1;
    }
    to {
        opacity: 0;
    }
}

/* Mobile Adjustments for Toasts */
@media (max-width: 768px) {
    .toast-container-custom {
        top: 10px;
        right: 10px;
        left: 10px;
        max-width: none;
    }

    .toast-notification {
        min-width: auto;
        max-width: none;
    }

    .confirm-dialog {
        max-width: 100%;
        margin: 0 10px;
    }
}

/* Empty State */
.empty-state {
    text-align: center;
    padding: 60px 20px;
}

.empty-state i {
    font-size: 2rem;
    color: var(--gray-300);
    margin-bottom: 20px;
}

.empty-state h3 {
    font-size: 1.25rem;
    font-weight: 600;
    color: var(--gray-700);
```

```
    margin-bottom: 10px;
}

.empty-state p {
    color: var(--gray-500);
    margin-bottom: 24px;
}

/* Responsive Breakpoints */
@media (max-width: 768px) {
    .sidebar {
        transform: translateX(-100%);
        box-shadow: 2px 0 10px rgba(0, 0, 0, 0.1);
    }

    .sidebar.active {
        transform: translateX(0);
        height: 91vh;
    }

    .main-wrapper {
        margin-left: 0;
        padding-bottom: var(--mobile-nav-height);
    }

    .topbar {
        padding: 12px 16px;
    }

    .topbar-title {
        font-size: 1.125rem;
        font-weight: 600;
    }

    .content {
        padding: 12px;
    }

    .mobile-nav {
        display: block;
    }

    .stats-grid {
        grid-template-columns: repeat(2, 1fr);
        gap: 10px;
    }

    .stat-card {
        padding: 16px 12px;
    }

    .stat-card-value {
        font-size: 1.5rem;
    }

    .stat-card-label {
        font-size: 0.75rem;
    }

    .stat-card-icon {
        width: 36px;
        height: 36px;
        font-size: 1.1rem;
    }

    .card {
        margin-bottom: 16px;
    }
```

```
    .card-header, .card-body, .card-footer {
        padding: 16px;
    }

    .card-title {
        font-size: 1rem;
    }

    .topbar-actions {
        gap: 8px;
    }

    .btn {
        font-size: 0.8rem;
        padding: 8px 16px;
    }

    .btn-sm {
        padding: 5px 10px;
        font-size: 0.75rem;
    }
}

/* Compact mobile styles */
@media (max-width: 480px) {
    .topbar-title {
        font-size: 1rem;
    }

    .stats-grid {
        grid-template-columns: repeat(2, 1fr);
        gap: 8px;
    }

    .stat-card {
        padding: 12px 8px;
    }

    .stat-card-value {
        font-size: 1.25rem;
    }

    .stat-card-label {
        font-size: 0.7rem;
    }

    .content {
        padding: 8px;
    }

    .card-header, .card-body, .card-footer {
        padding: 12px;
    }
}

/* Utilities */
.text-center { text-align: center; }
.text-right { text-align: right; }
.mt-4 { margin-top: 1.5rem; }
.mb-4 { margin-bottom: 1.5rem; }
.p-4 { padding: 1.5rem; }
.d-flex { display: flex; }
.align-items-center { align-items: center; }
.justify-content-between { justify-content: space-between; }
.gap-2 { gap: 0.5rem; }
.gap-3 { gap: 1rem; }
.w-100 { width: 100%; }
```

```
/* Animations */
@keyframes fadeIn {
    from {
        opacity: 0;
        transform: translateY(10px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.fade-in {
    animation: fadeIn 0.3s ease;
}

/* Search and Filter Styles */
.search-box {
    position: relative;
    margin-bottom: 20px;
}

.search-box input {
    width: 100%;
    padding: 12px 16px 12px 44px;
    border: 1px solid var(--gray-300);
    border-radius: 10px;
    font-size: 0.875rem;
    transition: all 0.2s ease;
}

.search-box input:focus {
    outline: none;
    border-color: var(--primary-blue);
    box-shadow: 0 0 0 3px rgba(30, 64, 175, 0.1);
}

.search-box i {
    position: absolute;
    left: 16px;
    top: 50%;
    transform: translateY(-50%);
    color: var(--gray-400);
    font-size: 1rem;
}

.filter-chips {
    display: flex;
    flex-wrap: wrap;
    gap: 8px;
    margin-bottom: 20px;
}

.filter-chip {
    padding: 8px 16px;
    border-radius: 20px;
    background: var(--gray-100);
    color: var(--gray-700);
    font-size: 0.8rem;
    font-weight: 600;
    border: 2px solid transparent;
    cursor: pointer;
    transition: all 0.2s ease;
    text-decoration: none;
    display: inline-block;
}
```

```
.filter-chip:hover {
    background: var(--gray-200);
    color: var(--gray-800);
}

.filter-chip.active {
    background: var(--primary-blue);
    color: white;
    border-color: var(--primary-blue);
}

/* Position/Job Cards */
.position-card {
    background: var(--white);
    border-radius: 12px;
    padding: 20px;
    margin-bottom: 16px;
    border: 1px solid var(--gray-200);
    box-shadow: var(--shadow-sm);
    transition: all 0.2s ease;
}

.position-card:hover {
    box-shadow: var(--shadow-md);
    border-color: var(--primary-blue);
    transform: translateY(-2px);
}

.position-card-header {
    display: flex;
    justify-content: space-between;
    align-items: start;
    margin-bottom: 12px;
}

.position-card-title {
    font-size: 1.125rem;
    font-weight: 700;
    color: var(--gray-900);
    margin-bottom: 8px;
}

.position-card-meta {
    display: flex;
    flex-wrap: wrap;
    gap: 12px;
    font-size: 0.8rem;
    color: var(--gray-500);
    margin-bottom: 12px;
}

.position-card-meta-item {
    display: flex;
    align-items: center;
    gap: 6px;
}

.position-card-description {
    color: var(--gray-600);
    font-size: 0.875rem;
    line-height: 1.6;
    margin-bottom: 16px;
}

.position-card-footer {
    display: flex;
    justify-content: space-between;
    align-items: center;
```

```
    flex-wrap: wrap;
    gap: 12px;
}

/* Application List */
.application-list-item {
    background: var(--white);
    border-radius: 10px;
    padding: 16px;
    margin-bottom: 12px;
    border: 1px solid var(--gray-200);
    transition: all 0.2s ease;
}

.application-list-item:hover {
    box-shadow: var(--shadow-md);
    transform: translateX(4px);
}

.application-list-item.pending {
    border-left: 4px solid var(--warning);
}

.application-list-item.approved {
    border-left: 4px solid var(--success);
}

.application-list-item.rejected {
    border-left: 4px solid var(--danger);
}

/* Floating Action Button */
.fab {
    position: fixed;
    bottom: calc(var(--mobile-nav-height) + 16px);
    right: 16px;
    width: 56px;
    height: 56px;
    background: var(--primary-blue);
    color: white;
    border-radius: 50%;
    border: none;
    display: none;
    align-items: center;
    justify-content: center;
    font-size: 1.5rem;
    box-shadow: var(--shadow-lg);
    cursor: pointer;
    transition: all 0.3s ease;
    z-index: 999;
}

.fab:hover {
    transform: scale(1.1);
    background: var(--primary-blue-dark);
}

.fab:active {
    transform: scale(0.95);
}

@media (max-width: 768px) {
    .fab {
        display: flex;
    }

    .position-card {
        padding: 16px;
```

```
    }

    .position-card-title {
        font-size: 1rem;
    }

    .position-card-meta {
        font-size: 0.75rem;
        gap: 8px;
    }
    .empty-state i {
    font-size: 2rem;
    color: var(--gray-300);
    margin-bottom: 20px;
}
}

/* Overlay for mobile sidebar */
.sidebar-overlay {
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background: rgba(0, 0, 0, 0.5);
    z-index: 999;
    display: none;
    opacity: 0;
    transition: opacity 0.3s ease;
}

.sidebar-overlay.active {
    display: block;
    opacity: 1;
}

/* Pagination Styles */
.pagination {
    display: flex;
    align-items: center;
    gap: 12px;
    justify-content: center;
}

.pagination-btn {
    padding: 8px 16px;
    background: var(--white);
    border: 1px solid var(--gray-300);
    border-radius: 6px;
    color: var(--gray-700);
    text-decoration: none;
    font-size: 0.875rem;
    font-weight: 500;
    transition: all 0.2s ease;
    display: inline-flex;
    align-items: center;
    gap: 6px;
}

.pagination-btn:hover {
    background: var(--primary-blue);
    color: var(--white);
    border-color: var(--primary-blue);
    transform: translateY(-1px);
    box-shadow: var(--shadow-sm);
}

.pagination-btn:active {
```

```
    transform: translateY(0);
}

.pagination-btn.disabled {
    opacity: 0.5;
    pointer-events: none;
}

.pagination-info {
    padding: 8px 16px;
    font-size: 0.875rem;
    color: var(--gray-600);
    font-weight: 500;
}

.card-footer {
    background: var(--gray-50);
    border-top: 1px solid var(--gray-200);
    padding: 16px;
}

@media (max-width: 768px) {
    .pagination {
        flex-direction: column;
        gap: 8px;
    }

    .pagination-btn {
        width: 100%;
        justify-content: center;
    }

    .pagination-info {
        order: -1;
    }
}

/* Print Styles */
@media print {
    .sidebar,
    .mobile-nav,
    .topbar-actions,
    .mobile-menu-toggle,
    .fab,
    .sidebar-overlay,
    .pagination {
        display: none !important;
    }

    .main-wrapper {
        margin-left: 0;
    }
}
```

assets/js/form-submission-manager.js

```
/**
 * Form Submission Manager - Client-side duplicate prevention
 *
 * This script prevents duplicate form submissions by:
 * 1. Disabling submit buttons after click
 * 2. Showing loading states
 * 3. Preventing double-clicks
 * 4. Handling browser back button issues
 *
 * Usage:
 *   Add class "prevent-double-submit" to any form
 *   OR call FormSubmissionManager.init() to apply to all forms
 */

class FormSubmissionManager {
    constructor() {
        this.submittingForms = new Set();
        this.init();
    }

    init() {
        // Initialize on DOM ready
        if (document.readyState === 'loading') {
            document.addEventListener('DOMContentLoaded', () => this.attachHandlers());
        } else {
            this.attachHandlers();
        }

        // Handle browser back button
        window.addEventListener('pageshow', (event) => {
            if (event.persisted) {
                // Page was loaded from cache (back button)
                this.resetAllForms();
            }
        });
    }

    attachHandlers() {
        // Get all forms with prevent-double-submit class or all forms by default
        const forms = document.querySelectorAll('form.prevent-double-submit, form[method="POST"], fo
rm[method="post"]');

        forms.forEach(form => {
            // Skip if already initialized
            if (form.dataset.submissionManagerInit) {
                return;
            }

            form.dataset.submissionManagerInit = 'true';

            // Add submit handler
            form.addEventListener('submit', (e) => this.handleSubmit(e, form));

            // Add click handlers to submit buttons
            const submitButtons = form.querySelectorAll('button[type="submit"], input[type="submit"]
');
            submitButtons.forEach(button => {
                button.addEventListener('click', () => this.markButtonClicked(button));
            });
        });
    }

    handleSubmit(event, form) {
        const formId = this.getFormId(form);

        // Check if form is already being submitted
```

```
        if (this.submittingForms.has(formId)) {
            event.preventDefault();
            this.showDuplicateWarning(form);
            return false;
        }

        // Check for custom validation
        if (!this.validateForm(form)) {
            return false;
        }

        // Mark form as submitting
        this.submittingForms.add(formId);

        // Disable form elements
        this.disableForm(form);

        // Show loading state
        this.showLoadingState(form);

        // Store submission in sessionStorage to detect page refresh
        this.markFormSubmitted(formId);

        // Allow form to submit
        return true;
    }

    validateForm(form) {
        // Let browser's native validation run first
        if (!form.checkValidity()) {
            return false;
        }

        // Check for custom validation functions
        if (typeof form.customValidation === 'function') {
            return form.customValidation();
        }

        return true;
    }

    disableForm(form) {
        // Disable only submit controls; keep other inputs enabled so their values submit
        const submitElements = form.querySelectorAll('button[type="submit"], input[type="submit"]');
        submitElements.forEach(element => {
            element.disabled = true;
            element.classList.add('disabled-by-submit');
        });

        // Make other interactive fields read-only to discourage changes without blocking submission
 payload
        const readonlyElements = form.querySelectorAll('input:not([type="hidden"]):not([type="submit
"]):not([type="button"]), textarea');
        readonlyElements.forEach(element => {
            if (element.matches('input[type="checkbox"], input[type="radio"]')) {
                return;
            }

            if ('readOnly' in element && element.readOnly === false) {
                element.dataset.wasReadonly = 'false';
                element.readOnly = true;
            }
        });
    }

    enableForm(form) {
        // Re-enable all elements
        const submitElements = form.querySelectorAll('.disabled-by-submit');
```

```
        submitElements.forEach(element => {
            element.disabled = false;
            element.classList.remove('disabled-by-submit');
        });

        const readonlyElements = form.querySelectorAll('input[data-was-readonly], textarea[data-was-
readonly]');
        readonlyElements.forEach(element => {
            if (element.dataset.wasReadonly === 'false' && 'readOnly' in element) {
                element.readOnly = false;
            }
            delete element.dataset.wasReadonly;
        });
    }

    showLoadingState(form) {
        // Find submit button that was clicked
        const submitButton = form.querySelector('button[type="submit"].clicked, input[type="submit"]
.clicked')
                           || form.querySelector('button[type="submit"], input[type="submit"]');

        if (submitButton) {
            // Store original text
            submitButton.dataset.originalText = submitButton.innerHTML || submitButton.value;

            // Show loading state
            if (submitButton.tagName === 'BUTTON') {
                submitButton.innerHTML = '<i class="fas fa-spinner fa-spin"></i> Processing...';
            } else {
                submitButton.value = 'Processing...';
            }

            submitButton.classList.add('btn-loading');
        }
    }

    markButtonClicked(button) {
        // Remove clicked class from all buttons in the form
        const form = button.closest('form');
        if (form) {
            const buttons = form.querySelectorAll('button[type="submit"], input[type="submit"]');
            buttons.forEach(btn => btn.classList.remove('clicked'));
        }

        // Mark this button as clicked
        button.classList.add('clicked');
    }

    showDuplicateWarning(form) {
        // Check if toast system is available
        if (typeof window.Toast !== 'undefined') {
            Toast.show('This form is already being submitted. Please wait...', 'warning');
        } else {
            alert('This form is already being submitted. Please wait...');
        }
    }

    getFormId(form) {
        // Use form ID if available, otherwise generate one based on action and fields
        if (form.id) {
            return form.id;
        }

        const action = form.action || window.location.href;
        const formName = form.name || 'unnamed';
        return `${formName}_${action}`;
    }
```

```
    markFormSubmitted(formId) {
        try {
            const submitted = JSON.parse(sessionStorage.getItem('submitted_forms') || '[]');
            if (!submitted.includes(formId)) {
                submitted.push(formId);
                sessionStorage.setItem('submitted_forms', JSON.stringify(submitted));
            }
        } catch (e) {
            console.warn('Could not store form submission state:', e);
        }
    }

    wasFormSubmitted(formId) {
        try {
            const submitted = JSON.parse(sessionStorage.getItem('submitted_forms') || '[]');
            return submitted.includes(formId);
        } catch (e) {
            return false;
        }
    }

    resetForm(form) {
        const formId = this.getFormId(form);

        // Remove from submitting set
        this.submittingForms.delete(formId);

        // Re-enable form
        this.enableForm(form);

        // Reset submit button
        const submitButton = form.querySelector('button[type="submit"], input[type="submit"]');
        if (submitButton && submitButton.dataset.originalText) {
            if (submitButton.tagName === 'BUTTON') {
                submitButton.innerHTML = submitButton.dataset.originalText;
            } else {
                submitButton.value = submitButton.dataset.originalText;
            }
            submitButton.classList.remove('btn-loading');
        }
    }

    resetAllForms() {
        // Clear submitting forms set
        this.submittingForms.clear();

        // Clear sessionStorage
        try {
            sessionStorage.removeItem('submitted_forms');
        } catch (e) {
            console.warn('Could not clear form submission state:', e);
        }

        // Reset all forms
        const forms = document.querySelectorAll('form');
        forms.forEach(form => {
            this.enableForm(form);

            // Reset submit buttons
            const submitButtons = form.querySelectorAll('button[type="submit"], input[type="submit"]
');
            submitButtons.forEach(button => {
                if (button.dataset.originalText) {
                    if (button.tagName === 'BUTTON') {
                        button.innerHTML = button.dataset.originalText;
                    } else {
                        button.value = button.dataset.originalText;
                    }
```

```
                }
                button.classList.remove('btn-loading', 'clicked');
            });
        });
    }

    // Public method to manually reset a specific form
    static resetForm(formElement) {
        const instance = window.formSubmissionManager;
        if (instance && formElement) {
            instance.resetForm(formElement);
        }
    }

    // Public method to check if a form is currently submitting
    static isSubmitting(formElement) {
        const instance = window.formSubmissionManager;
        if (instance && formElement) {
            const formId = instance.getFormId(formElement);
            return instance.submittingForms.has(formId);
        }
        return false;
    }
}

// Initialize the form submission manager
window.formSubmissionManager = new FormSubmissionManager();

// Expose public methods
window.FormSubmissionManager = {
    resetForm: FormSubmissionManager.resetForm,
    isSubmitting: FormSubmissionManager.isSubmitting
};
```

assets/js/notifications.js

```
/**
 * Notification System JavaScript
 * Handles notification bell, dropdown, and API interactions
 */

class NotificationManager {
    constructor() {
        this.apiUrl = BASE_URL + 'api/notifications.php';
        this.sseUrl = BASE_URL + 'api/notifications_sse.php';
        this.eventSource = null;
        this.lastNotificationId = 0;
        this.reconnectDelay = 3000; // 3 seconds
        this.reconnectTimer = null;
        this.notificationSound = null;
        this.audioUnlocked = false;
        this.lastUnreadCount = -1; // Track previous count to detect new notifications
        this.init();
    }

    init() {
        // Initialize notification sound
        this.initNotificationSound();
        // Setup audio unlock on first user interaction
        this.setupAudioUnlock();
        // Load initial unread count immediately
        this.getUnreadCount();
        this.loadNotifications();
        this.setupEventListeners();
        this.startSSE();
    }

    initNotificationSound() {
        try {
            // Create audio element for notification sound
            this.notificationSound = new Audio(BASE_URL + 'sound/new-notification-09-352705.mp3');
            this.notificationSound.preload = 'auto';
            this.notificationSound.volume = 0.7; // Set volume to 70%

            // Add load event listener
            this.notificationSound.addEventListener('canplaythrough', () => {
                console.log('Notification sound loaded successfully');
            });

            this.notificationSound.addEventListener('error', (e) => {
                console.error('Error loading notification sound:', e);
            });
        } catch (error) {
            console.warn('Error initializing notification sound:', error);
            this.notificationSound = null;
        }
    }

    setupAudioUnlock() {
        // Browsers require user interaction before playing audio
        // This unlocks the audio on first click/touch/keypress
        const unlockAudio = () => {
            if (this.audioUnlocked) return;

            if (this.notificationSound) {
                // Play and immediately pause to unlock audio
                this.notificationSound.play().then(() => {
                    this.notificationSound.pause();
                    this.notificationSound.currentTime = 0;
                    this.audioUnlocked = true;
                    console.log('Audio unlocked - notification sounds enabled');
                }).catch(() => {
```

```
                    // Still try again on next interaction
                });
            }
        };

        // Listen for various user interactions
        ['click', 'touchstart', 'keydown'].forEach(event => {
            document.addEventListener(event, unlockAudio, { once: false, passive: true });
        });
    }

    playNotificationSound() {
        if (!this.notificationSound) {
            // Try to reinitialize if sound was not loaded
            this.initNotificationSound();
            if (!this.notificationSound) {
                return;
            }
        }

        try {
            // Clone the audio to allow overlapping sounds
            const sound = this.notificationSound.cloneNode();
            sound.volume = 0.7;
            sound.play().then(() => {
                console.log('Notification sound played');
            }).catch(error => {
                console.warn('Could not play notification sound:', error);
            });
        } catch (error) {
            console.warn('Error playing notification sound:', error);
        }
    }

    setupEventListeners() {
        // Toggle dropdown when clicking bell
        const bell = document.getElementById('notificationBell');
        if (bell) {
            bell.addEventListener('click', (e) => {
                e.preventDefault();
                e.stopPropagation();
                this.toggleDropdown();
            });
        }

        // Close dropdown when clicking outside
        document.addEventListener('click', (e) => {
            const dropdown = document.getElementById('notificationDropdown');
            const bell = document.getElementById('notificationBell');
            if (dropdown && bell && !dropdown.contains(e.target) && !bell.contains(e.target)) {
                this.closeDropdown();
            }
        });

        // Mark all as read button
        const markAllReadBtn = document.getElementById('markAllReadBtn');
        if (markAllReadBtn) {
            markAllReadBtn.addEventListener('click', (e) => {
                e.preventDefault();
                this.markAllAsRead();
            });
        }
    }

    async loadNotifications(showDropdown = false) {
        try {
            const response = await fetch(`${this.apiUrl}?action=index&limit=10`);
            const data = await response.json();
```

```
            if (data.success && data.data) {
                // Update last notification ID
                if (data.data.length > 0) {
                    const maxId = Math.max(...data.data.map(n => n.id));
                    this.lastNotificationId = Math.max(this.lastNotificationId, maxId);
                }

                this.updateBadge(data.data.filter(n => !n.is_read).length);
                this.renderNotifications(data.data);

                if (showDropdown) {
                    this.showDropdown();
                }
            }
        } catch (error) {
            console.error('Error loading notifications:', error);
        }
    }

    async getUnreadCount() {
        try {
            const response = await fetch(`${this.apiUrl}?action=unread-count`);
            const data = await response.json();

            if (data.success && data.data) {
                this.updateBadge(data.data.count);
            }
        } catch (error) {
            console.error('Error getting unread count:', error);
        }
    }

    updateBadge(count, playSoundOnIncrease = true) {
        const badge = document.getElementById('notificationBadge');

        // Check if unread count increased (new notification arrived)
        if (playSoundOnIncrease && this.lastUnreadCount >= 0 && count > this.lastUnreadCount) {
            // Play sound for each new notification
            this.playNotificationSound();
        }

        // Update last count (only after initial load)
        if (this.lastUnreadCount === -1) {
            // First load - just store the count without playing sound
            this.lastUnreadCount = count;
        } else {
            this.lastUnreadCount = count;
        }

        if (badge) {
            if (count > 0) {
                badge.textContent = count > 99 ? '99+' : count.toString();
                badge.style.display = 'flex'; // Use flex to center content
                // Add pulse animation when count changes
                badge.classList.add('badge-update');
                setTimeout(() => {
                    badge.classList.remove('badge-update');
                }, 500);
            } else {
                badge.style.display = 'none';
            }
        }
    }

    renderNotifications(notifications) {
        const list = document.getElementById('notificationList');
        if (!list) return;
```

```
        if (notifications.length === 0) {
            list.innerHTML = '<div class="notification-empty">No notifications</div>';
            return;
        }

        list.innerHTML = notifications.map(notification => {
            const timeAgo = this.formatTimeAgo(notification.created_at);
            const unreadClass = notification.is_read ? '' : 'unread';
            const link = notification.related_type === 'application' && notification.related_id
                ? `href="${BASE_URL}admin/pages/applications.php?application_id=${notification.relat
ed_id}"`
                : 'href="#"';

            return `
                <a class="notification-item ${unreadClass}" ${link} onclick="notificationManager.mar
kAsRead(${notification.id}, event)">
                    <div class="notification-title">${this.escapeHtml(notification.title)}</div>
                    <div class="notification-message">${this.escapeHtml(notification.message)}</div>
                    <div class="notification-time">${timeAgo}</div>
                </a>
            `;
        }).join('');
    }

    async markAsRead(notificationId, event) {
        if (event) {
            event.preventDefault();
        }

        try {
            const formData = new FormData();
            formData.append('notification_id', notificationId);
            formData.append('csrf_token', this.getCsrfToken());

            const response = await fetch(`${this.apiUrl}?action=mark-read`, {
                method: 'POST',
                body: formData
            });

            const data = await response.json();

            if (data.success) {
                // Reload notifications
                this.loadNotifications();

                // Update badge
                this.getUnreadCount();

                // If it was a link click, navigate to the link
                if (event && event.currentTarget) {
                    const href = event.currentTarget.getAttribute('href');
                    if (href && href !== '#') {
                        window.location.href = href;
                    }
                }
            }
        } catch (error) {
            console.error('Error marking notification as read:', error);
        }
    }

    async markAllAsRead() {
        try {
            const formData = new FormData();
            formData.append('csrf_token', this.getCsrfToken());

            const response = await fetch(`${this.apiUrl}?action=mark-all-read`, {
```

```
                method: 'POST',
                body: formData
            });

            const data = await response.json();

            if (data.success) {
                this.loadNotifications();
                this.getUnreadCount();
            }
        } catch (error) {
            console.error('Error marking all notifications as read:', error);
        }
    }

    toggleDropdown() {
        const dropdown = document.getElementById('notificationDropdown');
        if (dropdown) {
            if (dropdown.classList.contains('show')) {
                this.closeDropdown();
            } else {
                this.loadNotifications(true);
            }
        }
    }

    showDropdown() {
        const dropdown = document.getElementById('notificationDropdown');
        if (dropdown) {
            dropdown.classList.add('show');
        }
    }

    closeDropdown() {
        const dropdown = document.getElementById('notificationDropdown');
        if (dropdown) {
            dropdown.classList.remove('show');
        }
    }

    startSSE() {
        // Close existing connection if any
        this.stopSSE();

        // Build SSE URL with last notification ID
        const url = `${this.sseUrl}?last_notification_id=${this.lastNotificationId}`;

        try {
            this.eventSource = new EventSource(url);

            // Handle connection established
            this.eventSource.addEventListener('connected', (e) => {
                const data = JSON.parse(e.data);
                if (data.success) {
                    console.log('Connected to real-time notifications');
                    if (data.unread_count !== undefined) {
                        this.updateBadge(data.unread_count);
                    } else {
                        // If unread_count not in initial message, fetch it
                        this.getUnreadCount();
                    }
                }
            });

            // Handle new notification
            this.eventSource.addEventListener('notification', (e) => {
                const data = JSON.parse(e.data);
                if (data.success && data.data) {
```

```
                const notification = data.data;

                // Update last notification ID
                this.lastNotificationId = Math.max(this.lastNotificationId, notification.id);

                // Update badge - sound will be played by updateBadge when count increases
                this.getUnreadCount();

                // If dropdown is open, reload notifications
                const dropdown = document.getElementById('notificationDropdown');
                if (dropdown && dropdown.classList.contains('show')) {
                    this.loadNotifications(true);
                } else {
                    // Show visual indicator for new notification
                    this.showNewNotificationIndicator();
                }
            }
        });

        // Handle unread count update
        this.eventSource.addEventListener('unread_count', (e) => {
            const data = JSON.parse(e.data);
            if (data.success && data.count !== undefined) {
                this.updateBadge(data.count);
            }
        });

        // Handle reconnect event
        this.eventSource.addEventListener('reconnect', (e) => {
            const data = JSON.parse(e.data);
            if (data.last_notification_id) {
                this.lastNotificationId = data.last_notification_id;
            }
            // Automatically reconnect after a short delay
            this.scheduleReconnect();
        });

        // Handle errors
        this.eventSource.addEventListener('error', (e) => {
            console.error('SSE error:', e);
            this.scheduleReconnect();
        });

        // Handle generic error event
        this.eventSource.onerror = (e) => {
            console.error('SSE connection error:', e);
            // Close and reconnect
            this.scheduleReconnect();
        };

    } catch (error) {
        console.error('Error starting SSE:', error);
        // Fallback to polling if SSE fails
        this.fallbackToPolling();
    }
}

stopSSE() {
    if (this.eventSource) {
        this.eventSource.close();
        this.eventSource = null;
    }
    if (this.reconnectTimer) {
        clearTimeout(this.reconnectTimer);
        this.reconnectTimer = null;
    }
}
```

```
    scheduleReconnect() {
        // Stop current connection
        this.stopSSE();

        // Schedule reconnect
        this.reconnectTimer = setTimeout(() => {
            console.log('Reconnecting to notifications SSE...');
            this.startSSE();
        }, this.reconnectDelay);
    }

    fallbackToPolling() {
        console.log('Falling back to polling for notifications');
        // Fallback to polling every 30 seconds
        setInterval(() => {
            this.getUnreadCount();
        }, 30000);
    }

    showNewNotificationIndicator() {
        const bell = document.getElementById('notificationBell');
        if (bell) {
            // Add a pulse animation class
            bell.classList.add('notification-pulse');
            setTimeout(() => {
                bell.classList.remove('notification-pulse');
            }, 2000);
        }
    }

    formatTimeAgo(dateString) {
        const date = new Date(dateString);
        const now = new Date();
        const diffMs = now - date;
        const diffMins = Math.floor(diffMs / 60000);
        const diffHours = Math.floor(diffMs / 3600000);
        const diffDays = Math.floor(diffMs / 86400000);

        if (diffMins < 1) {
            return 'Just now';
        } else if (diffMins < 60) {
            return `${diffMins} minute${diffMins > 1 ? 's' : ''} ago`;
        } else if (diffHours < 24) {
            return `${diffHours} hour${diffHours > 1 ? 's' : ''} ago`;
        } else if (diffDays < 7) {
            return `${diffDays} day${diffDays > 1 ? 's' : ''} ago`;
        } else {
            return date.toLocaleDateString();
        }
    }

    escapeHtml(text) {
        const div = document.createElement('div');
        div.textContent = text;
        return div.innerHTML;
    }

    getCsrfToken() {
        // Try to get CSRF token from meta tag or global variable
        const metaTag = document.querySelector('meta[name="csrf-token"]');
        if (metaTag) {
            return metaTag.getAttribute('content');
        }

        // Fallback: try to get from window object
        if (typeof window.csrfToken !== 'undefined') {
            return window.csrfToken;
        }
```

```
        return '';
    }
}

// Initialize notification manager when DOM is ready
let notificationManager;
if (document.readyState === 'loading') {
    document.addEventListener('DOMContentLoaded', () => {
        notificationManager = new NotificationManager();
    });
} else {
    notificationManager = new NotificationManager();
}

// Clean up SSE connection when page is unloading
window.addEventListener('beforeunload', () => {
    if (notificationManager) {
        notificationManager.stopSSE();
    }
});
```

assets/js/office-theme.js

```
// WPU Applicant System - Office Theme JavaScript

// Mobile sidebar toggle with overlay
function initSidebar() {
    const sidebar = document.querySelector('.sidebar');
    const menuToggle = document.querySelector('.mobile-menu-toggle');
    const mainWrapper = document.querySelector('.main-wrapper');

    // Create overlay if it doesn't exist
    let overlay = document.querySelector('.sidebar-overlay');
    if (!overlay && sidebar) {
        overlay = document.createElement('div');
        overlay.className = 'sidebar-overlay';
        document.body.appendChild(overlay);
    }

    if (menuToggle && sidebar) {
        // Toggle sidebar on menu button click
        menuToggle.addEventListener('click', (e) => {
            e.stopPropagation();
            sidebar.classList.toggle('active');
            overlay?.classList.toggle('active');
            document.body.style.overflow = sidebar.classList.contains('active') ? 'hidden' : '';
        });

        // Close sidebar when clicking overlay
        overlay?.addEventListener('click', () => {
            sidebar.classList.remove('active');
            overlay.classList.remove('active');
            document.body.style.overflow = '';
        });

        // Close sidebar when clicking a navigation link on mobile
        const navLinks = sidebar.querySelectorAll('.sidebar-nav-item');
        navLinks.forEach(link => {
            link.addEventListener('click', () => {
                if (window.innerWidth <= 768) {
                    sidebar.classList.remove('active');
                    overlay?.classList.remove('active');
                    document.body.style.overflow = '';
                }
            });
        });
    }
}

// Floating Action Button (Scroll to top)
function initFAB() {
    const fab = document.querySelector('.fab');

    if (fab) {
        // Show/hide FAB based on scroll position
        let lastScroll = 0;
        window.addEventListener('scroll', () => {
            const currentScroll = window.pageYOffset;

            if (currentScroll > 300) {
                fab.style.display = 'flex';
            } else {
                fab.style.display = 'none';
            }

            lastScroll = currentScroll;
        });

        // Scroll to top on click
```

```
        fab.addEventListener('click', () => {
            window.scrollTo({
                top: 0,
                behavior: 'smooth'
            });
        });
    }
}

// Search input auto-submit with debounce
function initSearchDebounce() {
    const searchInput = document.querySelector('input[name="search"]');
    const searchForm = document.querySelector('#searchForm');

    if (searchInput && searchForm) {
        let searchTimeout;
        searchInput.addEventListener('input', () => {
            clearTimeout(searchTimeout);
            searchTimeout = setTimeout(() => {
                searchForm.submit();
            }, 500);
        });
    }
}

// Filter functionality
function initFilters() {
    // Make filter chips interactive
    const filterChips = document.querySelectorAll('.filter-chip');
    filterChips.forEach(chip => {
        chip.addEventListener('click', function(e) {
            const url = new URL(window.location.href);
            const filterType = this.dataset.filterType;
            const filterValue = this.dataset.filterValue;

            if (filterValue) {
                url.searchParams.set(filterType, filterValue);
            } else {
                url.searchParams.delete(filterType);
            }

            window.location.href = url.toString();
        });
    });
}

// Add animation to elements as they enter viewport
function initScrollAnimations() {
    const observerOptions = {
        threshold: 0.1,
        rootMargin: '0px 0px -50px 0px'
    };

    const observer = new IntersectionObserver((entries) => {
        entries.forEach(entry => {
            if (entry.isIntersecting) {
                entry.target.classList.add('fade-in');
                observer.unobserve(entry.target);
            }
        });
    }, observerOptions);

    // Observe cards and stat cards
    const animatedElements = document.querySelectorAll('.card, .stat-card, .position-card, .applicat
ion-list-item');
    animatedElements.forEach(el => observer.observe(el));
}
```

```
// Set active navigation item
function setActiveNav() {
    const currentPath = window.location.pathname;
    const navItems = document.querySelectorAll('.sidebar-nav-item, .mobile-nav-item');

    navItems.forEach(item => {
        const href = item.getAttribute('href');
        if (href && currentPath.includes(href.split('?')[0])) {
            item.classList.add('active');
        } else if (item.classList.contains('active') && !currentPath.includes(href?.split('?')[0] ||
 '')) {
            item.classList.remove('active');
        }
    });
}

// Handle window resize
let resizeTimer;
window.addEventListener('resize', () => {
    clearTimeout(resizeTimer);
    resizeTimer = setTimeout(() => {
        const sidebar = document.querySelector('.sidebar');
        const overlay = document.querySelector('.sidebar-overlay');

        if (window.innerWidth > 768 && sidebar) {
            sidebar.classList.remove('active');
            overlay?.classList.remove('active');
            document.body.style.overflow = '';
        }
    }, 250);
});

// Pull to refresh functionality for mobile
let startY = 0;
let isPulling = false;

function initPullToRefresh() {
    if (window.innerWidth > 768) return;

    const content = document.querySelector('.content');
    if (!content) return;

    content.addEventListener('touchstart', (e) => {
        if (window.scrollY === 0) {
            startY = e.touches[0].pageY;
            isPulling = true;
        }
    });

    content.addEventListener('touchmove', (e) => {
        if (!isPulling) return;

        const currentY = e.touches[0].pageY;
        const pullDistance = currentY - startY;

        if (pullDistance > 80 && window.scrollY === 0) {
            // Show refresh indicator
            console.log('Pull to refresh triggered');
        }
    });

    content.addEventListener('touchend', () => {
        if (isPulling) {
            isPulling = false;
            // Could trigger page refresh here
        }
    });
}
```

```
// Initialize all functions on page load
document.addEventListener('DOMContentLoaded', () => {
    initSidebar();
    initFAB();
    initSearchDebounce();
    initFilters();
    initScrollAnimations();
    setActiveNav();
    initPullToRefresh();

    // Add stagger animation to initial cards
    const cards = document.querySelectorAll('.card, .stat-card');
    cards.forEach((card, index) => {
        setTimeout(() => {
            card.style.opacity = '1';
            card.classList.add('fade-in');
        }, index * 50);
    });
});

// Confirm dialogs with better UX - Now uses modern toast system
window.confirmAction = async function(message) {
    return await showConfirm({
        message: message,
        title: 'Confirm Action',
        type: 'warning'
    });
};

// Helper function to set filter values (used in filter forms)
window.setFilter = function(filterType, filterValue) {
    const form = document.querySelector('#searchForm') || document.querySelector('form');
    if (form) {
        const input = form.querySelector(`input[name="${filterType}"]`) ||
                      form.querySelector(`#${filterType}Filter`);
        if (input) {
            input.value = filterValue;
            form.submit();
        }
    }
};
```

assets/js/pwa.js

```
/**
 * WPU Jobs - PWA Helper
 * Handles service worker registration, install prompts, and update notifications
 */

class PWAManager {
    constructor() {
        this.deferredPrompt = null;
        this.swRegistration = null;
        this.isInstallable = false;
        this.isInstalled = false;
        this.basePath = window.PWA_BASE_PATH || '/Applicant_WPU/';
        this.baseUrl = window.PWA_BASE_URL || 'http://localhost/Applicant_WPU/';

        this.init();
    }

    init() {
        // Check if already installed
        this.checkIfInstalled();

        // Register service worker
        this.registerServiceWorker();

        // Listen for install prompt
        this.setupInstallPrompt();

        // Create install UI
        this.createInstallUI();

        // Setup online/offline handlers
        this.setupConnectionHandlers();
    }

    async registerServiceWorker() {
        if (!('serviceWorker' in navigator)) {
            console.log('[PWA] Service workers not supported');
            return;
        }

        try {
            this.swRegistration = await navigator.serviceWorker.register(this.basePath + 'sw.js', {
                scope: this.basePath
            });

            console.log('[PWA] Service worker registered:', this.swRegistration.scope);

            // Check for updates
            this.swRegistration.addEventListener('updatefound', () => {
                const newWorker = this.swRegistration.installing;

                newWorker.addEventListener('statechange', () => {
                    if (newWorker.state === 'installed' && navigator.serviceWorker.controller) {
                        this.showUpdateNotification();
                    }
                });
            });

            // Handle controller change
            navigator.serviceWorker.addEventListener('controllerchange', () => {
                console.log('[PWA] Controller changed, reloading...');
            });

        } catch (error) {
            console.error('[PWA] Service worker registration failed:', error);
        }
```

```
    }

    checkIfInstalled() {
        // Check if running in standalone mode (installed)
        if (window.matchMedia('(display-mode: standalone)').matches) {
            this.isInstalled = true;
            document.body.classList.add('pwa-standalone');
        }

        // iOS Safari check
        if (window.navigator.standalone === true) {
            this.isInstalled = true;
            document.body.classList.add('pwa-standalone');
        }
    }

    setupInstallPrompt() {
        window.addEventListener('beforeinstallprompt', (e) => {
            // Prevent default browser prompt
            e.preventDefault();

            // Store the event for later use
            this.deferredPrompt = e;
            this.isInstallable = true;

            // Show install button
            this.showInstallButton();

            console.log('[PWA] Install prompt available');
        });

        // Listen for successful install
        window.addEventListener('appinstalled', () => {
            console.log('[PWA] App installed successfully');
            this.isInstalled = true;
            this.isInstallable = false;
            this.deferredPrompt = null;
            this.hideInstallButton();
            this.showInstallSuccess();
        });
    }

    createInstallUI() {
        // Create floating install button
        const installBtn = document.createElement('button');
        installBtn.id = 'pwa-install-btn';
        installBtn.className = 'pwa-install-button';
        installBtn.innerHTML = `
            <svg xmlns="http://www.w3.org/2000/svg" width="20" height="20" viewBox="0 0 24 24" fill=
"none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
                <path d="M21 15v4a2 2 0 0 1-2 2H5a2 2 0 0 1-2-2v-4"></path>
                <polyline points="7 10 12 15 17 10"></polyline>
                <line x1="12" y1="15" x2="12" y2="3"></line>
            </svg>
            <span>Install App</span>
        `;
        installBtn.addEventListener('click', () => this.promptInstall());

        // Create install banner for mobile
        const installBanner = document.createElement('div');
        installBanner.id = 'pwa-install-banner';
        installBanner.className = 'pwa-install-banner';
        installBanner.innerHTML = `
            <div class="pwa-banner-content">
                <img src="${this.basePath}assets/logo.png" alt="WPU" class="pwa-banner-icon">
                <div class="pwa-banner-text">
                    <strong>Install WPU Jobs</strong>
                    <span>Add to home screen for quick access</span>
```

```
                </div>
            </div>
            <div class="pwa-banner-actions">
                <button class="pwa-banner-close" aria-label="Close">×</button>
                <button class="pwa-banner-install">Install</button>
            </div>
        `;

        // Add to DOM
        document.body.appendChild(installBtn);
        document.body.appendChild(installBanner);

        // Banner event listeners
        installBanner.querySelector('.pwa-banner-close').addEventListener('click', () => {
            this.hideInstallBanner();
            // Don't show banner again for 7 days
            localStorage.setItem('pwa-banner-dismissed', Date.now());
        });

        installBanner.querySelector('.pwa-banner-install').addEventListener('click', () => {
            this.promptInstall();
        });

        // Add styles
        this.injectStyles();
    }

    injectStyles() {
        const styles = document.createElement('style');
        styles.textContent = `
            /* PWA Install Button - Hidden by default, shown only on mobile */
            .pwa-install-button {
                display: none !important;
                position: fixed;
                bottom: 100px;
                right: 16px;
                z-index: 9999;
                align-items: center;
                justify-content: center;
                gap: 8px;
                background: linear-gradient(135deg, #1e3a5f 0%, #2d5a87 100%);
                color: white;
                border: none;
                padding: 14px;
                border-radius: 50%;
                font-size: 14px;
                font-weight: 600;
                cursor: pointer;
                box-shadow: 0 4px 20px rgba(30, 58, 95, 0.4);
                transition: all 0.3s ease;
                animation: pwa-bounce 2s infinite;
            }

            .pwa-install-button span {
                display: none;
            }

            .pwa-install-button:hover {
                transform: translateY(-2px) scale(1.02);
                box-shadow: 0 6px 30px rgba(30, 58, 95, 0.5);
            }

            @keyframes pwa-bounce {
                0%, 100% { transform: translateY(0); }
                50% { transform: translateY(-5px); }
            }

            /* PWA Install Banner - Hidden by default, shown only on mobile */
```

```
.pwa-install-banner {
    display: none !important;
    position: fixed;
    bottom: 0;
    left: 0;
    right: 0;
    z-index: 10000;
    background: white;
    padding: 16px 20px;
    align-items: center;
    justify-content: space-between;
    box-shadow: 0 -4px 20px rgba(0, 0, 0, 0.15);
    animation: pwa-slide-up 0.4s ease-out;
}

/* Show install UI only on phone-sized screens (max 576px) */
@media (max-width: 576px) {
    .pwa-install-button.pwa-show {
        display: flex !important;
    }

    .pwa-install-banner.pwa-show {
        display: flex !important;
    }
}

@keyframes pwa-slide-up {
    from {
        transform: translateY(100%);
        opacity: 0;
    }
    to {
        transform: translateY(0);
        opacity: 1;
    }
}

.pwa-banner-content {
    display: flex;
    align-items: center;
    gap: 12px;
}

.pwa-banner-icon {
    width: 48px;
    height: 48px;
    border-radius: 10px;
    box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
}

.pwa-banner-text {
    display: flex;
    flex-direction: column;
    gap: 2px;
}

.pwa-banner-text strong {
    font-size: 15px;
    color: #1e3a5f;
}

.pwa-banner-text span {
    font-size: 13px;
    color: #64748b;
}

.pwa-banner-actions {
    display: flex;
```

```
            align-items: center;
            gap: 12px;
        }

        .pwa-banner-close {
            background: none;
            border: none;
            font-size: 24px;
            color: #94a3b8;
            cursor: pointer;
            padding: 4px;
            line-height: 1;
        }

        .pwa-banner-install {
            background: linear-gradient(135deg, #1e3a5f 0%, #2d5a87 100%);
            color: white;
            border: none;
            padding: 10px 20px;
            border-radius: 8px;
            font-size: 14px;
            font-weight: 600;
            cursor: pointer;
            transition: all 0.2s ease;
        }

        .pwa-banner-install:hover {
            transform: translateY(-1px);
            box-shadow: 0 4px 12px rgba(30, 58, 95, 0.3);
        }

        /* PWA Update Toast */
        .pwa-update-toast {
            position: fixed;
            top: 20px;
            left: 50%;
            transform: translateX(-50%);
            z-index: 10001;
            background: #1e3a5f;
            color: white;
            padding: 16px 24px;
            border-radius: 12px;
            display: flex;
            align-items: center;
            gap: 16px;
            box-shadow: 0 8px 32px rgba(0, 0, 0, 0.2);
            animation: pwa-fade-in 0.3s ease-out;
        }

        @keyframes pwa-fade-in {
            from {
                opacity: 0;
                transform: translateX(-50%) translateY(-20px);
            }
            to {
                opacity: 1;
                transform: translateX(-50%) translateY(0);
            }
        }

        .pwa-update-toast button {
            background: white;
            color: #1e3a5f;
            border: none;
            padding: 8px 16px;
            border-radius: 6px;
            font-weight: 600;
            cursor: pointer;
```

```
                transition: all 0.2s ease;
            }

            .pwa-update-toast button:hover {
                background: #f1f5f9;
            }

            /* Offline indicator */
            .pwa-offline-indicator {
                position: fixed;
                top: 0;
                left: 0;
                right: 0;
                z-index: 10002;
                background: #ef4444;
                color: white;
                text-align: center;
                padding: 8px;
                font-size: 14px;
                font-weight: 500;
                animation: pwa-slide-down 0.3s ease-out;
            }

            @keyframes pwa-slide-down {
                from {
                    transform: translateY(-100%);
                }
                to {
                    transform: translateY(0);
                }
            }

            /* Hide install UI when in standalone mode */
            .pwa-standalone .pwa-install-button,
            .pwa-standalone .pwa-install-banner {
                display: none !important;
            }
        `;
        document.head.appendChild(styles);
    }

    showInstallButton() {
        if (this.isInstalled) return;

        const btn = document.getElementById('pwa-install-btn');
        if (btn) {
            btn.classList.add('pwa-show');
        }

        // Show banner on mobile if not dismissed recently
        const dismissed = localStorage.getItem('pwa-banner-dismissed');
        const sevenDays = 7 * 24 * 60 * 60 * 1000;

        if (!dismissed || (Date.now() - parseInt(dismissed)) > sevenDays) {
            setTimeout(() => this.showInstallBanner(), 3000);
        }
    }

    hideInstallButton() {
        const btn = document.getElementById('pwa-install-btn');
        if (btn) {
            btn.classList.remove('pwa-show');
        }
    }

    showInstallBanner() {
        if (this.isInstalled) return;
```

```
        const banner = document.getElementById('pwa-install-banner');
        if (banner && this.isInstallable) {
            banner.classList.add('pwa-show');
        }
    }

    hideInstallBanner() {
        const banner = document.getElementById('pwa-install-banner');
        if (banner) {
            banner.classList.remove('pwa-show');
        }
    }

    async promptInstall() {
        if (!this.deferredPrompt) {
            // Show instructions for iOS
            if (this.isIOS()) {
                this.showIOSInstructions();
            }
            return;
        }

        try {
            // Show the install prompt
            this.deferredPrompt.prompt();

            // Wait for user response
            const { outcome } = await this.deferredPrompt.userChoice;

            console.log('[PWA] Install prompt outcome:', outcome);

            if (outcome === 'accepted') {
                this.hideInstallButton();
                this.hideInstallBanner();
            }

            // Clear the prompt
            this.deferredPrompt = null;

        } catch (error) {
            console.error('[PWA] Install prompt error:', error);
        }
    }

    isIOS() {
        return /iPad|iPhone|iPod/.test(navigator.userAgent) && !window.MSStream;
    }

    showIOSInstructions() {
        const modal = document.createElement('div');
        modal.className = 'pwa-ios-modal';
        modal.innerHTML = `
            <div class="pwa-ios-content">
                <button class="pwa-ios-close">×</button>
                <img src="${this.basePath}assets/logo.png" alt="WPU" class="pwa-ios-icon">
                <h3>Install WPU Jobs</h3>
                <p>To install this app on your iPhone/iPad:</p>
                <ol>
                    <li>Tap the <strong>Share</strong> button <span style="font-size: 18px;">?</span
></li>
                    <li>Scroll down and tap <strong>"Add to Home Screen"</strong></li>
                    <li>Tap <strong>"Add"</strong> in the top right</li>
                </ol>
            </div>
        `;

        // Add styles
        const style = document.createElement('style');
```

```
        style.textContent = `
            .pwa-ios-modal {
                position: fixed;
                inset: 0;
                z-index: 10003;
                background: rgba(0, 0, 0, 0.6);
                display: flex;
                align-items: center;
                justify-content: center;
                padding: 20px;
                animation: pwa-fade-in 0.3s ease-out;
            }

            .pwa-ios-content {
                background: white;
                border-radius: 16px;
                padding: 32px;
                max-width: 340px;
                text-align: center;
                position: relative;
            }

            .pwa-ios-close {
                position: absolute;
                top: 12px;
                right: 12px;
                background: none;
                border: none;
                font-size: 28px;
                color: #94a3b8;
                cursor: pointer;
            }

            .pwa-ios-icon {
                width: 64px;
                height: 64px;
                border-radius: 14px;
                margin-bottom: 16px;
            }

            .pwa-ios-content h3 {
                font-size: 20px;
                color: #1e3a5f;
                margin-bottom: 12px;
            }

            .pwa-ios-content p {
                color: #64748b;
                margin-bottom: 16px;
            }

            .pwa-ios-content ol {
                text-align: left;
                padding-left: 20px;
                color: #475569;
            }

            .pwa-ios-content li {
                margin-bottom: 12px;
                line-height: 1.5;
            }
        `;
        document.head.appendChild(style);
        document.body.appendChild(modal);

        // Close handlers
        modal.querySelector('.pwa-ios-close').addEventListener('click', () => modal.remove());
        modal.addEventListener('click', (e) => {
```

```
            if (e.target === modal) modal.remove();
        });
    }

    showInstallSuccess() {
        if (typeof showToast === 'function') {
            showToast('App installed successfully! ?', 'success');
        }
    }

    showUpdateNotification() {
        const toast = document.createElement('div');
        toast.className = 'pwa-update-toast';
        toast.innerHTML = `
            <span>A new version is available!</span>
            <button onclick="window.location.reload()">Update Now</button>
        `;
        document.body.appendChild(toast);

        // Auto-hide after 10 seconds
        setTimeout(() => toast.remove(), 10000);
    }

    setupConnectionHandlers() {
        let offlineIndicator = null;

        const showOfflineIndicator = () => {
            if (offlineIndicator) return;

            offlineIndicator = document.createElement('div');
            offlineIndicator.className = 'pwa-offline-indicator';
            offlineIndicator.textContent = '?? You are currently offline';
            document.body.appendChild(offlineIndicator);
        };

        const hideOfflineIndicator = () => {
            if (offlineIndicator) {
                offlineIndicator.remove();
                offlineIndicator = null;
            }
        };

        window.addEventListener('online', () => {
            hideOfflineIndicator();
            if (typeof showToast === 'function') {
                showToast('Back online!', 'success');
            }
        });

        window.addEventListener('offline', () => {
            showOfflineIndicator();
            if (typeof showToast === 'function') {
                showToast('You are offline. Some features may be limited.', 'warning');
            }
        });

        // Check initial state
        if (!navigator.onLine) {
            showOfflineIndicator();
        }
    }
}

// Initialize PWA when DOM is ready
document.addEventListener('DOMContentLoaded', () => {
    window.pwaManager = new PWAManager();
});
```

assets/js/toast.js

```
/**
 * WPU Applicant System - Toast Notification System
 * Modern alert and confirmation dialogs that appear at the top right
 */

class ToastNotification {
    constructor() {
        this.createContainer();
        this.toasts = [];
    }

    createContainer() {
        if (!document.getElementById('toast-container-custom')) {
            const container = document.createElement('div');
            container.id = 'toast-container-custom';
            container.className = 'toast-container-custom';
            document.body.appendChild(container);
        }
    }

    /**
     * Show a toast notification
     * @param {string} message - The message to display
     * @param {string} type - success, error, warning, info
     * @param {number} duration - Duration in milliseconds (default: 3000)
     * @param {string} title - Optional title for the toast
     */
    show(message, type = 'info', duration = 3000, title = null) {
        const container = document.getElementById('toast-container-custom');
        if (!container) {
            this.createContainer();
        }

        // Determine icon and default title based on type
        let icon, defaultTitle;
        switch (type) {
            case 'success':
                icon = 'fas fa-check-circle';
                defaultTitle = 'Success';
                break;
            case 'error':
                icon = 'fas fa-exclamation-circle';
                defaultTitle = 'Error';
                break;
            case 'warning':
                icon = 'fas fa-exclamation-triangle';
                defaultTitle = 'Warning';
                break;
            case 'info':
            default:
                icon = 'fas fa-info-circle';
                defaultTitle = 'Info';
                break;
        }

        title = title || defaultTitle;

        // Create toast element
        const toast = document.createElement('div');
        toast.className = `toast-notification toast-${type}`;
        toast.innerHTML = `
            <div class="toast-notification-icon">
                <i class="${icon}"></i>
            </div>
            <div class="toast-notification-content">
                <div class="toast-notification-title">${this.escapeHtml(title)}</div>
```

```
                <div class="toast-notification-message">${this.escapeHtml(message)}</div>
            </div>
            <button class="toast-notification-close" aria-label="Close">
                <i class="fas fa-times"></i>
            </button>
        `;

        // Add to container
        const toastContainer = document.getElementById('toast-container-custom');
        toastContainer.appendChild(toast);

        // Store reference
        const toastObj = {
            element: toast,
            timeout: null
        };
        this.toasts.push(toastObj);

        // Close on click
        toast.addEventListener('click', () => {
            this.removeToast(toastObj);
        });

        // Close button
        const closeBtn = toast.querySelector('.toast-notification-close');
        closeBtn.addEventListener('click', (e) => {
            e.stopPropagation();
            this.removeToast(toastObj);
        });

        // Auto-remove after duration
        toastObj.timeout = setTimeout(() => {
            this.removeToast(toastObj);
        }, duration);

        return toastObj;
    }

    removeToast(toastObj) {
        if (toastObj.timeout) {
            clearTimeout(toastObj.timeout);
        }

        toastObj.element.classList.add('toast-closing');

        setTimeout(() => {
            if (toastObj.element.parentNode) {
                toastObj.element.parentNode.removeChild(toastObj.element);
            }
            const index = this.toasts.indexOf(toastObj);
            if (index > -1) {
                this.toasts.splice(index, 1);
            }
        }, 300);
    }

    success(message, duration = 3000, title = null) {
        return this.show(message, 'success', duration, title);
    }

    error(message, duration = 4000, title = null) {
        return this.show(message, 'error', duration, title);
    }

    warning(message, duration = 3500, title = null) {
        return this.show(message, 'warning', duration, title);
    }
```

```
    info(message, duration = 3000, title = null) {
        return this.show(message, 'info', duration, title);
    }

    escapeHtml(text) {
        const div = document.createElement('div');
        div.textContent = text;
        return div.innerHTML;
    }
}

class ConfirmDialog {
    /**
     * Show a confirmation dialog
     * @param {Object} options - Configuration options
     * @param {string} options.message - The confirmation message
     * @param {string} options.title - Dialog title (default: 'Confirm')
     * @param {string} options.type - warning, danger, info (default: 'warning')
     * @param {string} options.confirmText - Confirm button text (default: 'Confirm')
     * @param {string} options.cancelText - Cancel button text (default: 'Cancel')
     * @param {Function} options.onConfirm - Callback when confirmed
     * @param {Function} options.onCancel - Callback when cancelled
     * @returns {Promise} Promise that resolves with true/false
     */
    static show(options = {}) {
        return new Promise((resolve) => {
            const {
                message = 'Are you sure?',
                title = 'Confirm',
                type = 'warning',
                confirmText = 'Confirm',
                cancelText = 'Cancel',
                onConfirm = null,
                onCancel = null
            } = options;

            // Create overlay
            const overlay = document.createElement('div');
            overlay.className = 'confirm-dialog-overlay';

            // Determine icon
            let iconClass;
            switch (type) {
                case 'danger':
                    iconClass = 'fas fa-exclamation-triangle';
                    break;
                case 'info':
                    iconClass = 'fas fa-info-circle';
                    break;
                case 'warning':
                default:
                    iconClass = 'fas fa-exclamation-triangle';
                    break;
            }

            // Create dialog
            // Format message: escape HTML then convert newlines to <br>
            const formattedMessage = this.escapeHtml(message).replace(/\n/g, '<br>');

            overlay.innerHTML = `
                <div class="confirm-dialog">
                    <div class="confirm-dialog-header">
                        <div class="confirm-dialog-icon ${type}">
                            <i class="${iconClass}"></i>
                        </div>
                        <h3 class="confirm-dialog-title">${this.escapeHtml(title)}</h3>
                    </div>
                    <div class="confirm-dialog-body">
```

```
                        <p class="confirm-dialog-message">${formattedMessage}</p>
                    </div>
                    <div class="confirm-dialog-footer">
                        <button class="btn btn-secondary confirm-cancel" type="button">
                            <i class="fas fa-times"></i> ${this.escapeHtml(cancelText)}
                        </button>
                        <button class="btn ${type === 'danger' ? 'btn-danger' : 'btn-primary'} confi
rm-ok" type="button">
                            <i class="fas fa-check"></i> ${this.escapeHtml(confirmText)}
                        </button>
                    </div>
                </div>
            `;

            document.body.appendChild(overlay);

            const dialog = overlay.querySelector('.confirm-dialog');
            const confirmBtn = overlay.querySelector('.confirm-ok');
            const cancelBtn = overlay.querySelector('.confirm-cancel');

            // Prevent click propagation on dialog
            dialog.addEventListener('click', (e) => {
                e.stopPropagation();
            });

            // Close on overlay click
            overlay.addEventListener('click', () => {
                this.close(overlay, false, resolve, onCancel);
            });

            // Confirm button
            confirmBtn.addEventListener('click', () => {
                this.close(overlay, true, resolve, onConfirm);
            });

            // Cancel button
            cancelBtn.addEventListener('click', () => {
                this.close(overlay, false, resolve, onCancel);
            });

            // ESC key to cancel
            const escHandler = (e) => {
                if (e.key === 'Escape') {
                    this.close(overlay, false, resolve, onCancel);
                    document.removeEventListener('keydown', escHandler);
                }
            };
            document.addEventListener('keydown', escHandler);

            // Focus confirm button
            setTimeout(() => {
                confirmBtn.focus();
            }, 100);
        });
    }

    static close(overlay, result, resolve, callback) {
        overlay.style.animation = 'fadeOut 0.2s ease';
        setTimeout(() => {
            if (overlay.parentNode) {
                overlay.parentNode.removeChild(overlay);
            }
            if (callback) {
                callback();
            }
            resolve(result);
        }, 200);
    }
```

```
    static escapeHtml(text) {
        const div = document.createElement('div');
        div.textContent = text;
        return div.innerHTML;
    }
}

// Create global instance
const toast = new ToastNotification();

// Global functions for easy access
window.showToast = (message, type = 'info', duration = 3000, title = null) => {
    return toast.show(message, type, duration, title);
};

window.showSuccess = (message, duration = 3000, title = null) => {
    return toast.success(message, duration, title);
};

window.showError = (message, duration = 4000, title = null) => {
    return toast.error(message, duration, title);
};

window.showWarning = (message, duration = 3500, title = null) => {
    return toast.warning(message, duration, title);
};

window.showInfo = (message, duration = 3000, title = null) => {
    return toast.info(message, duration, title);
};

window.showConfirm = (options) => {
    if (typeof options === 'string') {
        // Simple usage: showConfirm('Are you sure?')
        options = { message: options };
    }
    return ConfirmDialog.show(options);
};

// Override native alert() with toast notification
window.alert = function(message) {
    showError(message);
};

// Override native confirm() with custom dialog
const originalConfirm = window.confirm;
window.confirm = function(message) {
    // For synchronous compatibility, we need to handle this carefully
    // This is a fallback - prefer using showConfirm() for async operations
    console.warn('Native confirm() called. Consider using showConfirm() for better UX');
    return originalConfirm(message);
};

// Initialize event handlers when DOM is ready
document.addEventListener('DOMContentLoaded', function() {
    // Handle logout confirmation
    document.addEventListener('click', function(e) {
        const logoutLink = e.target.closest('.confirm-logout');
        if (logoutLink) {
            e.preventDefault();
            showConfirm({
                message: 'Are you sure you want to logout?',
                title: 'Confirm Logout',
                type: 'warning',
                confirmText: 'Logout',
            }).then(confirmed => {
                if (confirmed) {
```

```
                    window.location.href = logoutLink.href;
                }
            });
        }
    });

    // Handle delete experience confirmation
    document.addEventListener('click', function(e) {
        const deleteLink = e.target.closest('.confirm-delete-experience');
        if (deleteLink) {
            e.preventDefault();
            showConfirm({
                message: 'Are you sure you want to delete this experience? This action cannot be und
one.',
                title: 'Confirm Delete',
                type: 'danger',
                confirmText: 'Delete',
            }).then(confirmed => {
                if (confirmed) {
                    window.location.href = deleteLink.href;
                }
            });
        }
    });

    // Handle application form submission
    const applicationForm = document.getElementById('applicationForm');
    if (applicationForm) {
        applicationForm.addEventListener('submit', function(e) {
            e.preventDefault();
            showConfirm({
                message: 'Are you sure you want to submit this application? Please review all inform
ation before submitting.',
                title: 'Confirm Submission',
                type: 'info',
                confirmText: 'Submit Application',
            }).then(confirmed => {
                if (confirmed) {
                    applicationForm.submit();
                }
            });
        });
    }

    // Handle any generic confirm links/buttons
    document.addEventListener('click', function(e) {
        const confirmElement = e.target.closest('[data-confirm]');
        if (confirmElement && !confirmElement.classList.contains('confirm-logout') &&
            !confirmElement.classList.contains('confirm-delete-experience')) {
            e.preventDefault();
            const message = confirmElement.getAttribute('data-confirm');
            const title = confirmElement.getAttribute('data-confirm-title') || 'Confirm Action';
            const type = confirmElement.getAttribute('data-confirm-type') || 'warning';

            showConfirm({
                message: message,
                title: title,
                type: type,
            }).then(confirmed => {
                if (confirmed) {
                    if (confirmElement.tagName === 'A') {
                        window.location.href = confirmElement.href;
                    } else if (confirmElement.tagName === 'BUTTON') {
                        confirmElement.form?.submit();
                    }
                }
            });
        }
```

```
    });
});

// Export for module systems
if (typeof module !== 'undefined' && module.exports) {
    module.exports = { ToastNotification, ConfirmDialog, toast };
}
```

assets/pwa/generate-icons.php

```
<?php
/**
 * PWA Icon Generator
 * Run this script once to generate all required PWA icon sizes from the logo
 *
 * Usage: php generate-icons.php
 * Or visit: http://localhost/Applicant_WPU/assets/pwa/generate-icons.php
 */

// Icon sizes required for PWA
$sizes = [72, 96, 128, 144, 152, 192, 384, 512];

// Source logo path
$sourceLogo = __DIR__ . '/../logo.png';

// Check if GD library is available
if (!extension_loaded('gd')) {
    die('GD library is not installed. Please install php-gd extension.');
}

// Check if source exists
if (!file_exists($sourceLogo)) {
    die('Source logo not found at: ' . $sourceLogo);
}

// Get source image info
$sourceInfo = getimagesize($sourceLogo);
if ($sourceInfo === false) {
    die('Unable to read source image.');
}

// Create source image based on type
$sourceImage = null;
switch ($sourceInfo['mime']) {
    case 'image/png':
        $sourceImage = imagecreatefrompng($sourceLogo);
        break;
    case 'image/jpeg':
        $sourceImage = imagecreatefromjpeg($sourceLogo);
        break;
    case 'image/gif':
        $sourceImage = imagecreatefromgif($sourceLogo);
        break;
    default:
        die('Unsupported image format: ' . $sourceInfo['mime']);
}

if (!$sourceImage) {
    die('Failed to load source image.');
}

$sourceWidth = imagesx($sourceImage);
$sourceHeight = imagesy($sourceImage);

echo "<h2>PWA Icon Generator</h2>";
echo "<p>Source: {$sourceLogo} ({$sourceWidth}x{$sourceHeight})</p>";
echo "<hr>";

$generated = 0;
$failed = 0;

foreach ($sizes as $size) {
    $outputPath = __DIR__ . "/icon-{$size}x{$size}.png";

    // Create new image with transparent background
    $newImage = imagecreatetruecolor($size, $size);
```

```
    // Enable alpha blending
    imagealphablending($newImage, false);
    imagesavealpha($newImage, true);

    // Fill with transparent background
    $transparent = imagecolorallocatealpha($newImage, 0, 0, 0, 127);
    imagefill($newImage, 0, 0, $transparent);

    // Calculate dimensions to maintain aspect ratio and center
    $ratio = min($size / $sourceWidth, $size / $sourceHeight);
    $newWidth = (int)($sourceWidth * $ratio);
    $newHeight = (int)($sourceHeight * $ratio);
    $x = (int)(($size - $newWidth) / 2);
    $y = (int)(($size - $newHeight) / 2);

    // Resize and copy
    imagealphablending($newImage, true);
    $result = imagecopyresampled(
        $newImage, $sourceImage,
        $x, $y, 0, 0,
        $newWidth, $newHeight, $sourceWidth, $sourceHeight
    );

    if ($result) {
        // Save as PNG
        imagesavealpha($newImage, true);
        if (imagepng($newImage, $outputPath, 9)) {
            echo "<p style='color: green;'>? Generated: icon-{$size}x{$size}.png</p>";
            $generated++;
        } else {
            echo "<p style='color: red;'>? Failed to save: icon-{$size}x{$size}.png</p>";
            $failed++;
        }
    } else {
        echo "<p style='color: red;'>? Failed to resize for: {$size}x{$size}</p>";
        $failed++;
    }

    imagedestroy($newImage);
}

// Clean up
imagedestroy($sourceImage);

echo "<hr>";
echo "<h3>Summary</h3>";
echo "<p>Generated: {$generated} icons</p>";
echo "<p>Failed: {$failed} icons</p>";

if ($generated > 0) {
    echo "<p style='color: green; font-weight: bold;'>PWA icons are ready!</p>";
}
?>
```

auth/google_oauth.php

```
<?php
require_once '../config/config.php';
require_once '../includes/models.php';

// Load OAuth configuration
$oauthConfig = require_once '../config/oauth.php';
$googleConfig = $oauthConfig['google'];

// Check if OAuth is properly configured
if (!$googleConfig['configured'] ||
    $googleConfig['client_id'] === 'your-google-client-id-here.googleusercontent.com' ||
    empty($googleConfig['client_id']) ||
    empty($googleConfig['client_secret'])) {

    $errorMsg = 'Google OAuth is not configured. Please contact the system administrator.';
    error_log("Google OAuth Error: Client credentials not configured in config/oauth.php");
    header('Location: ' . BASE_URL . 'shared/login.php?error=' . urlencode($errorMsg));
    exit();
}

// Function to make HTTP requests
function makeHttpRequest($url, $data = null, $headers = []) {
    $ch = curl_init();
    curl_setopt($ch, CURLOPT_URL, $url);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
    curl_setopt($ch, CURLOPT_HTTPHEADER, $headers);

    if ($data) {
        curl_setopt($ch, CURLOPT_POST, true);
        curl_setopt($ch, CURLOPT_POSTFIELDS, $data);
    }

    $result = curl_exec($ch);
    $httpCode = curl_getinfo($ch, CURLINFO_HTTP_CODE);
    curl_close($ch);

    return ['data' => $result, 'http_code' => $httpCode];
}

// Check if this is the callback from Google
if (isset($_GET['code'])) {
    // Exchange authorization code for access token
    $tokenData = [
        'code' => $_GET['code'],
        'client_id' => $googleConfig['client_id'],
        'client_secret' => $googleConfig['client_secret'],
        'redirect_uri' => $googleConfig['redirect_uri'],
        'grant_type' => 'authorization_code'
    ];

    try {
        $tokenResponse = makeHttpRequest($googleConfig['token_url'], http_build_query($tokenData), [
            'Content-Type: application/x-www-form-urlencoded'
        ]);

        if ($tokenResponse['http_code'] !== 200) {
            throw new Exception('Failed to get access token');
        }

        $tokenResult = json_decode($tokenResponse['data'], true);

        if (!isset($tokenResult['access_token'])) {
            throw new Exception('No access token received');
        }
```

```
        // Get user info from Google
        $userInfoResponse = makeHttpRequest($googleConfig['userinfo_url'] . '?access_token=' . $toke
nResult['access_token']);

        if ($userInfoResponse['http_code'] !== 200) {
            throw new Exception('Failed to get user info');
        }

        $userInfo = json_decode($userInfoResponse['data'], true);

        if (!isset($userInfo['email'])) {
            throw new Exception('No email received from Google');
        }

        // Process the user login/registration
        $userModel = new User();

        // Check if user exists by Google ID
        $user = $userModel->findByGoogleId($userInfo['id']);

        if (!$user) {
            // Check if user exists by email (regular account)
            $existingUser = $userModel->findByEmail($userInfo['email']);

            if ($existingUser) {
                if ($existingUser['oauth_provider'] === null) {
                    // User has a regular account, link Google account
                    $updateData = [
                        'google_id' => $userInfo['id'],
                        'oauth_provider' => 'google'
                    ];
                    $userModel->update($existingUser['id'], $updateData);
                    $user = $userModel->findById($existingUser['id']);
                } else {
                    throw new Exception('An account with this email already exists');
                }
            } else {
                // Create new user
                $user = $userModel->createGoogleUser([
                    'id' => $userInfo['id'],
                    'email' => $userInfo['email'],
                    'name' => $userInfo['name'] ?? $userInfo['email']
                ]);

                if (!$user) {
                    throw new Exception('Failed to create user account');
                }
            }
        }

        // Check if account is active and is an applicant
        if (!$user['is_active']) {
            header('Location: ' . BASE_URL . 'shared/login.php?error=Account is deactivated');
            exit();
        }

        if ($user['role'] !== ROLE_APPLICANT) {
            header('Location: ' . BASE_URL . 'shared/login.php?error=Google login is only available
for applicants');
            exit();
        }

        // Set session variables
        $_SESSION['user_id'] = $user['id'];
        $_SESSION['email'] = $user['email'];
        $_SESSION['role'] = $user['role'];
        $_SESSION['full_name'] = $user['full_name'];
        $_SESSION['last_activity'] = time();
```

```
        // Log the login activity
        $pdo = $userModel->getConnection();
        $stmt = $pdo->prepare("
            INSERT INTO activity_logs (user_id, action, description, ip_address, user_agent)
            VALUES (?, 'google_login', 'User logged in via Google OAuth', ?, ?)
        ");
        $stmt->execute([
            $user['id'],
            $_SERVER['REMOTE_ADDR'] ?? 'unknown',
            $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
        ]);

        // Redirect to dashboard
        header('Location: ' . BASE_URL . 'applicant/pages/dashboard.php');
        exit();

    } catch (Exception $e) {
        error_log("Google OAuth error: " . $e->getMessage());
        header('Location: ' . BASE_URL . 'shared/login.php?error=' . urlencode('Google authenticatio
n failed. Please try again.'));
        exit();
    }

} elseif (isset($_GET['error'])) {
    // User denied access or other error
    $error = $_GET['error'] === 'access_denied' ? 'Google login was cancelled' : 'Google authenticat
ion error';
    header('Location: ' . BASE_URL . 'shared/login.php?error=' . urlencode($error));
    exit();

} else {
    // Redirect to Google for authorization
    $params = [
        'client_id' => $googleConfig['client_id'],
        'redirect_uri' => $googleConfig['redirect_uri'],
        'scope' => $googleConfig['scope'],
        'response_type' => 'code',
        'access_type' => 'online'
    ];

    $authUrl = $googleConfig['auth_url'] . '?' . http_build_query($params);
    header('Location: ' . $authUrl);
    exit();
}
?>
```

auth/login_process.php

```
<?php
require_once '../config/config.php';
require_once '../includes/models.php';

if ($_SERVER['REQUEST_METHOD'] !== 'POST') {
    header('Location: ' . BASE_URL . 'shared/login.php');
    exit();
}

// Verify CSRF token
if (!verifyCSRFToken($_POST['csrf_token'] ?? '')) {
    header('Location: ' . BASE_URL . 'shared/login.php?error=Invalid request');
    exit();
}

// Sanitize input
$email = sanitize($_POST['email'] ?? '');
$password = $_POST['password'] ?? '';

// Validate input
if (empty($email) || empty($password)) {
    header('Location: ' . BASE_URL . 'shared/login.php?error=All fields are required');
    exit();
}

try {
    $userModel = new User();
    $user = $userModel->verifyPassword($email, $password);

    if ($user && $user['is_active']) {
        if (empty($user['email_verified_at'])) {
            $_SESSION['pending_verification_email'] = $user['email'];
            header('Location: ' . BASE_URL . 'shared/verify-email.php?email=' . urlencode($user['ema
il']) . '&notice=Please verify your email before logging in.');
            exit();
        }

        // Check if user has a password (not OAuth user trying to login with password)
        if ($user['oauth_provider'] && !$user['password']) {
            header('Location: ' . BASE_URL . 'shared/login.php?error=Please use Google Sign-in for t
his account');
            exit();
        }

        // Set session variables
        $_SESSION['user_id'] = $user['id'];
        $_SESSION['email'] = $user['email'];
        $_SESSION['role'] = $user['role'];
        $_SESSION['full_name'] = $user['full_name'];
        $_SESSION['last_activity'] = time();

        // Log the login activity
        $userModel->logActivity(
            $user['id'],
            'login',
            'User logged in successfully'
        );

        // Redirect based on user's role from database
        if ($user['role'] === ROLE_ADMIN) {
            header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
        } else {
            header('Location: ' . BASE_URL . 'applicant/pages/dashboard.php');
        }
        exit();
    } else {
```

```
        header('Location: ' . BASE_URL . 'shared/login.php?error=Invalid email or password');
        exit();
    }
} catch (Exception $e) {
    error_log("Login error: " . $e->getMessage());
    header('Location: ' . BASE_URL . 'shared/login.php?error=An error occurred. Please try again.');
    exit();
}
?>
```

auth/logout.php

```
<?php
require_once '../config/config.php';
require_once '../includes/models.php';

// Log the logout activity if user is logged in
if (isLoggedIn()) {
    try {
        $userModel = new User();
        $userModel->logActivity(
            $_SESSION['user_id'],
            'logout',
            'User logged out',
            $_SERVER['REMOTE_ADDR'] ?? 'unknown',
            $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
        );
    } catch (Exception $e) {
        error_log("Logout logging error: " . $e->getMessage());
    }
}

// Clear all session variables
$_SESSION = array();

// Destroy the session cookie
if (ini_get("session.use_cookies")) {
    $params = session_get_cookie_params();
    setcookie(session_name(), '', time() - 42000,
        $params["path"], $params["domain"],
        $params["secure"], $params["httponly"]
    );
}

// Destroy the session
session_destroy();

// Redirect to login page with message
header('Location: ' . BASE_URL . 'shared/login.php?message=' . urlencode('You have been logged out s
uccessfully'));
exit();
?>
```

check_columns.php

```
<?php
/**
 * Quick script to check if IPCR and PE file path columns exist in users table
 * Run this from browser: http://localhost/Applicant_WPU/check_columns.php
 */

require_once 'config/database.php';

try {
    $db = new Database();
    $pdo = $db->getConnection();

    // Get all columns from users table
    $stmt = $pdo->query("DESCRIBE users");
    $columns = $stmt->fetchAll(PDO::FETCH_ASSOC);

    echo "<h2>Users Table Columns:</h2>";
    echo "<table border='1' cellpadding='5'>";
    echo "<tr><th>Field</th><th>Type</th><th>Null</th><th>Key</th><th>Default</th></tr>";

    $hasIpcr = false;
    $hasPe = false;

    foreach ($columns as $col) {
        $highlight = '';
        if ($col['Field'] === 'ipcr_file_path') {
            $hasIpcr = true;
            $highlight = ' style="background-color: #90EE90;"';
        }
        if ($col['Field'] === 'pe_file_path') {
            $hasPe = true;
            $highlight = ' style="background-color: #90EE90;"';
        }

        echo "<tr$highlight>";
        echo "<td>" . htmlspecialchars($col['Field']) . "</td>";
        echo "<td>" . htmlspecialchars($col['Type']) . "</td>";
        echo "<td>" . htmlspecialchars($col['Null']) . "</td>";
        echo "<td>" . htmlspecialchars($col['Key']) . "</td>";
        echo "<td>" . htmlspecialchars($col['Default'] ?? 'NULL') . "</td>";
        echo "</tr>";
    }
    echo "</table>";

    echo "<br><br>";
    echo "<h3>Status:</h3>";
    echo "<p>ipcr_file_path column: " . ($hasIpcr ? "<strong style='color: green;'>EXISTS</strong>"
: "<strong style='color: red;'>MISSING</strong>") . "</p>";
    echo "<p>pe_file_path column: " . ($hasPe ? "<strong style='color: green;'>EXISTS</strong>" : "<
strong style='color: red;'>MISSING</strong>") . "</p>";

    if (!$hasIpcr || !$hasPe) {
        echo "<br><p><strong style='color: red;'>ACTION REQUIRED:</strong> Run the migration:</p>";
        echo "<pre>ALTER TABLE `users`
ADD COLUMN `ipcr_file_path` VARCHAR(255) DEFAULT NULL AFTER `ipcr_rating`,
ADD COLUMN `pe_file_path` VARCHAR(255) DEFAULT NULL AFTER `pe_rating`;</pre>";
    }

} catch (Exception $e) {
    echo "<p style='color: red;'>Error: " . htmlspecialchars($e->getMessage()) . "</p>";
}
?>
```

composer.json

```
{
    "require": {
        "phpmailer/phpmailer": "*"
    }
}
```

config/check_oauth.php

```
<?php
/**
 * OAuth Configuration Checker
 * This page helps verify that Google OAuth is properly configured
 */

require_once '../config/config.php';

// Allow access from localhost and common port forwarding scenarios
// This allows access through SSH tunnels, ngrok, cloudflare tunnels, etc.
$allowedIPs = ['127.0.0.1', '::1', 'localhost'];
$remoteAddr = $_SERVER['REMOTE_ADDR'] ?? '';
$isLocalhost = in_array($remoteAddr, $allowedIPs) ||
               strpos($_SERVER['HTTP_HOST'] ?? '', 'localhost') !== false ||
               strpos($_SERVER['HTTP_HOST'] ?? '', '127.0.0.1') !== false ||
               strpos($_SERVER['HTTP_HOST'] ?? '', 'ngrok') !== false ||
               strpos($_SERVER['HTTP_HOST'] ?? '', 'cloudflare') !== false ||
               strpos($_SERVER['HTTP_HOST'] ?? '', 'devtunnels') !== false ||
               strpos($_SERVER['HTTP_HOST'] ?? '', 'loca.lt') !== false;

// For additional security, you can check if it's a private IP range
if (!$isLocalhost && !empty($remoteAddr)) {
    // Allow private IP ranges (10.x.x.x, 192.168.x.x, 172.16-31.x.x)
    $isPrivateIP = filter_var($remoteAddr, FILTER_VALIDATE_IP, FILTER_FLAG_NO_PRIV_RANGE | FILTER_FL
AG_NO_RES_RANGE) === false;
    if (!$isPrivateIP) {
        die('Access denied. This page can only be accessed from localhost or through port forwarding
.');
    }
}

// Load OAuth configuration
$oauthConfig = require '../config/oauth.php';
$googleConfig = $oauthConfig['google'];

// Check configuration status
$checks = [
    'base_url' => [
        'name' => 'BASE_URL Configuration',
        'status' => defined('BASE_URL') && !empty(BASE_URL),
        'value' => defined('BASE_URL') ? BASE_URL : 'Not defined',
        'expected' => 'http://localhost/Applicant_WPU/',
        'help' => 'Defined in config/config.php'
    ],
    'client_id' => [
        'name' => 'Google Client ID',
        'status' => !empty($googleConfig['client_id']) &&
                    $googleConfig['client_id'] !== 'your-google-client-id-here.googleusercontent.com'
,
        'value' => $googleConfig['client_id'],
        'expected' => 'XXXXXXXXXX.apps.googleusercontent.com',
        'help' => 'Get from Google Cloud Console > Credentials'
    ],
    'client_secret' => [
        'name' => 'Google Client Secret',
        'status' => !empty($googleConfig['client_secret']) &&
                    $googleConfig['client_secret'] !== 'your-google-client-secret-here',
        'value' => !empty($googleConfig['client_secret']) ? substr($googleConfig['client_secret'], 0
, 8) . '...' : 'Not set',
        'expected' => 'GOCSPX-XXXXXXXXXXX',
        'help' => 'Get from Google Cloud Console > Credentials'
    ],
    'redirect_uri' => [
        'name' => 'Redirect URI',
        'status' => !empty($googleConfig['redirect_uri']),
        'value' => $googleConfig['redirect_uri'],
```

```
        'expected' => 'http://localhost/Applicant_WPU/auth/google_oauth.php',
        'help' => 'Must match exactly in Google Cloud Console'
    ],
    'scope' => [
        'name' => 'OAuth Scopes',
        'status' => !empty($googleConfig['scope']),
        'value' => $googleConfig['scope'],
        'expected' => 'email and profile scopes',
        'help' => 'Automatically configured'
    ]
];

$allConfigured = array_reduce($checks, function($carry, $check) {
    return $carry && $check['status'];
}, true);

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>OAuth Configuration Checker</title>
    <link href="<?= BASE_URL ?>assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }
        body {
            font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Arial, sans-serif;
            background: #f3f4f6;
            padding: 40px 20px;
            line-height: 1.6;
        }
        .container {
            max-width: 900px;
            margin: 0 auto;
        }
        .header {
            background: white;
            padding: 30px;
            border-radius: 12px;
            box-shadow: 0 2px 8px rgba(0,0,0,0.1);
            margin-bottom: 30px;
        }
        .header h1 {
            color: #1f2937;
            margin-bottom: 10px;
        }
        .header p {
            color: #6b7280;
        }
        .status-card {
            background: white;
            padding: 30px;
            border-radius: 12px;
            box-shadow: 0 2px 8px rgba(0,0,0,0.1);
            margin-bottom: 20px;
        }
        .overall-status {
            padding: 20px;
            border-radius: 8px;
            margin-bottom: 30px;
            text-align: center;
            font-size: 1.2rem;
            font-weight: 600;
```

```
        }
        .overall-status.success {
            background: #d1fae5;
            color: #065f46;
            border: 2px solid #10b981;
        }
        .overall-status.error {
            background: #fee2e2;
            color: #991b1b;
            border: 2px solid #ef4444;
        }
        .check-item {
            padding: 20px;
            border-left: 4px solid #e5e7eb;
            margin-bottom: 20px;
            background: #f9fafb;
            border-radius: 6px;
        }
        .check-item.success {
            border-left-color: #10b981;
            background: #f0fdf4;
        }
        .check-item.error {
            border-left-color: #ef4444;
            background: #fef2f2;
        }
        .check-item h3 {
            display: flex;
            align-items: center;
            gap: 10px;
            margin-bottom: 10px;
            color: #1f2937;
        }
        .check-item .status-icon {
            font-size: 1.2rem;
        }
        .check-item .status-icon.success {
            color: #10b981;
        }
        .check-item .status-icon.error {
            color: #ef4444;
        }
        .check-item .value {
            background: white;
            padding: 12px;
            border-radius: 6px;
            font-family: 'Courier New', monospace;
            font-size: 0.9rem;
            margin: 10px 0;
            word-break: break-all;
        }
        .check-item .expected {
            color: #6b7280;
            font-size: 0.9rem;
            margin: 8px 0;
        }
        .check-item .help {
            color: #9ca3af;
            font-size: 0.85rem;
            font-style: italic;
        }
        .instructions {
            background: #eff6ff;
            border: 2px solid #3b82f6;
            padding: 20px;
            border-radius: 8px;
            margin-top: 20px;
        }
```

```
        .instructions h3 {
            color: #1e40af;
            margin-bottom: 12px;
        }
        .instructions ol {
            margin-left: 20px;
            color: #374151;
        }
        .instructions li {
            margin: 8px 0;
        }
        .instructions code {
            background: white;
            padding: 2px 6px;
            border-radius: 4px;
            font-size: 0.9rem;
            color: #1e40af;
        }
        .btn {
            display: inline-block;
            padding: 12px 24px;
            background: #2563eb;
            color: white;
            text-decoration: none;
            border-radius: 8px;
            font-weight: 600;
            transition: all 0.2s;
            margin-top: 15px;
        }
        .btn:hover {
            background: #1d4ed8;
            transform: translateY(-1px);
        }
    </style>
</head>
<body>
    <div class="container">
        <div class="header">
            <h1><i class="fab fa-google"></i> Google OAuth Configuration Checker</h1>
            <p>This tool helps verify that Google OAuth is properly configured for the WPU Applicant
 System.</p>
        </div>

        <div class="status-card">
            <div class="overall-status <?= $allConfigured ? 'success' : 'error' ?>">
                <?php if ($allConfigured): ?>
                    <i class="fas fa-check-circle"></i> Google OAuth is Properly Configured!
                <?php else: ?>
                    <i class="fas fa-exclamation-triangle"></i> Google OAuth Configuration Incomplet
e
                <?php endif; ?>
            </div>

            <h2 style="margin-bottom: 20px;">Configuration Status:</h2>

            <?php foreach ($checks as $key => $check): ?>
                <div class="check-item <?= $check['status'] ? 'success' : 'error' ?>">
                    <h3>
                        <span class="status-icon <?= $check['status'] ? 'success' : 'error' ?>">
                            <?= $check['status'] ? '<i class="fas fa-check-circle"></i>' : '<i class
="fas fa-times-circle"></i>' ?>
                        </span>
                        <?= htmlspecialchars($check['name']) ?>
                    </h3>
                    <div class="value">
                        <strong>Current:</strong> <?= htmlspecialchars($check['value']) ?>
                    </div>
                    <div class="expected">
```

```
                        <strong>Expected:</strong> <?= htmlspecialchars($check['expected']) ?>
                    </div>
                    <div class="help">
                        <?= htmlspecialchars($check['help']) ?>
                    </div>
                </div>
            <?php endforeach; ?>

            <?php if (!$allConfigured): ?>
                <div class="instructions">
                    <h3><i class="fas fa-info-circle"></i> Setup Instructions</h3>
                    <ol>
                        <li>Go to <strong>Google Cloud Console</strong>: <a href="https://console.cl
oud.google.com/" target="_blank">console.cloud.google.com</a></li>
                        <li>Create or select a project</li>
                        <li>Enable <strong>Google+ API</strong> or <strong>People API</strong></li>
                        <li>Create <strong>OAuth 2.0 Client ID</strong> credentials</li>
                        <li>Add redirect URI: <code><?= htmlspecialchars($googleConfig['redirect_uri
']) ?></code></li>
                        <li>Copy your <strong>Client ID</strong> and <strong>Client Secret</strong><
/li>
                        <li>Edit <code>config/oauth.php</code> and replace the placeholder values</l
i>
                        <li>Refresh this page to verify</li>
                    </ol>
                    <p style="margin-top: 15px; color: #374151;">
                        ? For detailed instructions, see: <code>config/oauth.example.php</code> or <
code>GOOGLE_OAUTH_SETUP.md</code>
                    </p>
                </div>
            <?php else: ?>
                <div style="margin-top: 20px; text-align: center;">
                    <a href="../shared/login.php" class="btn">
                        <i class="fas fa-sign-in-alt"></i> Test Google Login
                    </a>
                </div>
            <?php endif; ?>
        </div>

        <div style="text-align: center; color: #6b7280; margin-top: 30px; font-size: 0.9rem;">
            <p>?? This page is only accessible from localhost for security reasons.</p>
            <p>URL: <code><?= htmlspecialchars($_SERVER['REQUEST_URI']) ?></code></p>
        </div>
    </div>
</body>
</html>
```

config/config.php

```
<?php
/**
 * Session and Security Configuration
 */
ini_set('display_errors', 1);
ini_set('display_startup_errors', 1);
error_reporting(E_ALL);

// Configure session cookies for port forwarding compatibility
// This must be done before session_start()
if (session_status() === PHP_SESSION_NONE) {
    // Determine cookie domain - empty string allows any domain (needed for port forwarding)
    $cookieDomain = '';

    // Extract hostname from HTTP_HOST (removes port if present)
    $host = $_SERVER['HTTP_HOST'] ?? '';
    if (!empty($host)) {
        // Remove port number if present (e.g., "localhost:8080" -> "localhost")
        $hostParts = explode(':', $host);
        $hostname = $hostParts[0];

        // For localhost/127.0.0.1, use empty domain (works with any port)
        // For other hosts, you might want to set a specific domain
        if ($hostname === 'localhost' || $hostname === '127.0.0.1' || $hostname === '::1') {
            $cookieDomain = '';
        } else {
            // For other hosts (like ngrok, cloudflare tunnels, etc.), use empty domain
            // This allows cookies to work across different ports and subdomains
            $cookieDomain = '';
        }
    }

    // Determine if we should use secure cookies (HTTPS)
    $forwardedProto = $_SERVER['HTTP_X_FORWARDED_PROTO'] ?? '';
    $forwardedSsl = $_SERVER['HTTP_X_FORWARDED_SSL'] ?? '';
    $requestScheme = $_SERVER['REQUEST_SCHEME'] ?? '';
    $isHttps = (
        (!empty($_SERVER['HTTPS']) && $_SERVER['HTTPS'] !== 'off') ||
        (isset($_SERVER['SERVER_PORT']) && $_SERVER['SERVER_PORT'] === '443') ||
        (is_string($forwardedProto) && strtolower($forwardedProto) === 'https') ||
        (is_string($forwardedSsl) && strtolower($forwardedSsl) === 'on') ||
        (is_string($requestScheme) && strtolower($requestScheme) === 'https')
    );

    // Get the application path for cookie path
    // Calculate this independently since BASE_URL isn't defined yet
    $cookiePath = '/';
    $documentRoot = isset($_SERVER['DOCUMENT_ROOT'])
        ? rtrim(str_replace('\\', '/', $_SERVER['DOCUMENT_ROOT']), '/')
        : '';
    $appRoot = str_replace('\\', '/', realpath(__DIR__ . '/..'));

    if ($documentRoot && $appRoot) {
        $documentRootLower = strtolower($documentRoot);
        $appRootLower = strtolower($appRoot);

        if (strpos($appRootLower, $documentRootLower) === 0) {
            $relativePath = substr($appRoot, strlen($documentRoot));
            $relativePath = '/' . ltrim($relativePath, '/');
            $cookiePath = rtrim($relativePath, '/') . '/';
        } else {
            // Fallback: derive path from known project directory name
            $projectDir = basename($appRoot);
            $cookiePath = '/' . trim($projectDir, '/') . '/';
        }
    }
```

```
    // Configure session cookie parameters for port forwarding
    session_set_cookie_params([
        'lifetime' => 0, // Session cookie (expires when browser closes)
        'path' => $cookiePath,
        'domain' => $cookieDomain, // Empty allows any domain/port
        'secure' => $isHttps, // Use secure cookies only for HTTPS
        'httponly' => true, // Prevent JavaScript access
        'samesite' => 'Lax' // CSRF protection while allowing port forwarding
    ]);

    session_start();
}

// Set timezone
date_default_timezone_set('Asia/Jakarta');

// Security headers (only if headers not already sent)
if (!headers_sent()) {
    header('X-Content-Type-Options: nosniff');
    header('X-Frame-Options: DENY');
    header('X-XSS-Protection: 1; mode=block');
}

// Constants
define('SITE_NAME', 'WPU Applicant System');

// Determine the application's base URL dynamically so assets still load through tunnels/port forwar
ding
if (!defined('BASE_URL')) {
    $fallbackBaseUrl = 'http://localhost/Applicant_WPU/';

    // CLI contexts or missing host should keep the fallback
    if (php_sapi_name() === 'cli' || empty($_SERVER['HTTP_HOST'])) {
        define('BASE_URL', $fallbackBaseUrl);
    } else {
        // Get the host from HTTP_HOST (preserves port forwarding URLs)
        // Also check forwarded headers for port forwarding services
        $host = $_SERVER['HTTP_HOST'] ?? '';
        $forwardedHost = $_SERVER['HTTP_X_FORWARDED_HOST'] ?? '';
        $originalHost = $_SERVER['HTTP_X_ORIGINAL_HOST'] ?? '';

        // Prioritize forwarded host headers (used by port forwarding services)
        // This is critical for port forwarding - if HTTP_HOST is localhost but we have
        // a forwarded host, use the forwarded host to preserve the tunnel URL
        if (!empty($forwardedHost)) {
            $host = $forwardedHost;
        } elseif (!empty($originalHost)) {
            $host = $originalHost;
        }

        // If HTTP_HOST is localhost but we're accessing through a tunnel,
        // check if we can detect the tunnel URL from other headers
        $isLocalhost = ($host === 'localhost' || $host === '127.0.0.1' || $host === '::1');
        if ($isLocalhost && empty($forwardedHost) && empty($originalHost)) {
            // Check if we have a referer that might contain the tunnel URL
            $referer = $_SERVER['HTTP_REFERER'] ?? '';
            if (!empty($referer) && preg_match('/^https?:\/\/([^\/]+)/', $referer, $matches)) {
                $refererHost = $matches[1];
                // If referer has a tunnel domain, use it instead of localhost
                $tunnelDomains = ['devtunnels.ms', 'ngrok.app', 'ngrok-free.app', 'loca.lt', 'tryclo
udflare.com'];
                foreach ($tunnelDomains as $domain) {
                    if (stripos($refererHost, $domain) !== false) {
                        $host = $refererHost;
                        break;
                    }
                }
```

```
        }
    }

    // If host is still empty, try SERVER_NAME as fallback
    if (empty($host)) {
        $host = $_SERVER['SERVER_NAME'] ?? '';
    }

    // Last resort: try to extract from REQUEST_URI if available
    if (empty($host) && !empty($_SERVER['REQUEST_URI'])) {
        // This is a fallback and shouldn't normally be needed
        // but can help in edge cases with port forwarding
        $requestUri = $_SERVER['REQUEST_URI'];
        if (preg_match('/^https?:\/\/([^\/]+)/', $requestUri, $matches)) {
            $host = $matches[1];
        }
    }

    // Check forwarded headers for protocol (important for port forwarding)
    $forwardedProto = $_SERVER['HTTP_X_FORWARDED_PROTO'] ?? '';
    $forwardedSsl = $_SERVER['HTTP_X_FORWARDED_SSL'] ?? '';
    $requestScheme = $_SERVER['REQUEST_SCHEME'] ?? '';
    $forwardedHeader = $_SERVER['HTTP_FORWARDED'] ?? '';
    $originalProto = $_SERVER['HTTP_X_ORIGINAL_PROTO'] ?? '';

    // Determine if HTTPS (check multiple sources for port forwarding compatibility)
    $isHttps = (
        (!empty($_SERVER['HTTPS']) && $_SERVER['HTTPS'] !== 'off') ||
        (isset($_SERVER['SERVER_PORT']) && $_SERVER['SERVER_PORT'] === '443') ||
        (is_string($forwardedProto) && strtolower($forwardedProto) === 'https') ||
        (is_string($forwardedSsl) && strtolower($forwardedSsl) === 'on') ||
        (is_string($requestScheme) && strtolower($requestScheme) === 'https') ||
        (is_string($forwardedHeader) && stripos($forwardedHeader, 'proto=https') !== false) ||
        (is_string($originalProto) && strtolower($originalProto) === 'https')
    );

    $scheme = $isHttps ? 'https://' : 'http://';

    // Force HTTPS for known port forwarding/tunnel services
    if (!$isHttps && !empty($host)) {
        $forceHttpsHosts = [
            'devtunnels.ms',
            'ngrok.app',
            'ngrok-free.app',
            'loca.lt',
            'trycloudflare.com',
            'cloudflare.com'
        ];

        foreach ($forceHttpsHosts as $domain) {
            if (is_string($host) && stripos($host, $domain) !== false) {
                $scheme = 'https://';
                break;
            }
        }
    }

    // Calculate the application path
    $documentRoot = isset($_SERVER['DOCUMENT_ROOT'])
        ? rtrim(str_replace('\\', '/', $_SERVER['DOCUMENT_ROOT']), '/')
        : '';
    $appRoot = str_replace('\\', '/', realpath(__DIR__ . '/..'));

    $path = '/';
    if ($documentRoot && $appRoot) {
        $documentRootLower = strtolower($documentRoot);
        $appRootLower = strtolower($appRoot);
```

```
            if (strpos($appRootLower, $documentRootLower) === 0) {
                $relativePath = substr($appRoot, strlen($documentRoot));
                $relativePath = '/' . ltrim($relativePath, '/');
                $path = rtrim($relativePath, '/') . '/';
            } else {
                // Fallback: derive path from known project directory name
                $projectDir = basename($appRoot);
                $path = '/' . trim($projectDir, '/') . '/';
            }
        }

        // Construct base URL - preserve the original host (including port forwarding domains)
        // IMPORTANT: Never use localhost fallback if we have a valid non-localhost host
        // This prevents port forwarding URLs from being rewritten to localhost
        if (!empty($host) && $host !== 'localhost' && $host !== '127.0.0.1' && $host !== '::1') {
            // We have a valid non-localhost host (likely a port forwarding URL)
            $baseUrl = $scheme . $host . $path;
        } elseif (!empty($host)) {
            // We have localhost - use it only if no forwarded host was found
            $baseUrl = $scheme . $host . $path;
        } else {
            // No host found - use fallback
            $baseUrl = $fallbackBaseUrl;
        }

        // Validate and set BASE_URL
        $validatedUrl = filter_var($baseUrl, FILTER_VALIDATE_URL);
        if ($validatedUrl) {
            define('BASE_URL', $validatedUrl);
        } else {
            // If validation fails but we have a host, try to construct a valid URL
            if (!empty($host)) {
                $baseUrl = $scheme . $host . $path;
                define('BASE_URL', $baseUrl);
            } else {
                define('BASE_URL', $fallbackBaseUrl);
            }
        }
    }
}

define('UPLOAD_PATH', __DIR__ . '/../uploads/');
define('MAX_FILE_SIZE', 5 * 1024 * 1024); // 5MB

// User roles
define('ROLE_ADMIN', 'admin');
define('ROLE_APPLICANT', 'applicant');

// Application status
define('STATUS_PENDING', 'pending');
define('STATUS_APPROVED', 'approved');
define('STATUS_REJECTED', 'rejected');

// Email verification settings
define('EMAIL_VERIFICATION_CODE_LENGTH', 6);
define('EMAIL_VERIFICATION_EXPIRY_MINUTES', 10);
define('EMAIL_VERIFICATION_RESEND_INTERVAL', 60); // seconds
define('EMAIL_VERIFICATION_MAX_ATTEMPTS', 5);

// Google OAuth Configuration
define('GOOGLE_CLIENT_ID', 'your-google-client-id.googleusercontent.com');
define('GOOGLE_CLIENT_SECRET', 'your-google-client-secret');
define('GOOGLE_REDIRECT_URI', BASE_URL . 'auth/google_oauth.php');

/**
 * Check if user is logged in
 */
function isLoggedIn() {
```

```
    return isset($_SESSION['user_id']) && isset($_SESSION['role']);
}

/**
 * Check if user has specific role
 */
function hasRole($role) {
    return isLoggedIn() && $_SESSION['role'] === $role;
}

/**
 * Redirect to login if not authenticated
 */
function requireAuth() {
    if (!isLoggedIn()) {
        header('Location: ' . BASE_URL . 'shared/login.php');
        exit();
    }
}

/**
 * Redirect to login if not admin
 */
function requireAdmin() {
    requireAuth();
    if (!hasRole(ROLE_ADMIN)) {
        header('Location: ' . BASE_URL . 'applicant/pages/dashboard.php');
        exit();
    }
}

/**
 * Require applicant to accept data privacy waiver before using the system
 * Redirects to dashboard if waiver not accepted
 */
function requirePrivacyWaiver() {
    if (!hasRole(ROLE_APPLICANT)) {
        return; // Only applies to applicants
    }

    // Get current page to avoid redirect loop
    $currentPage = basename($_SERVER['PHP_SELF']);

    // Don't redirect if already on dashboard (where modal is shown)
    if ($currentPage === 'dashboard.php') {
        return;
    }

    try {
        require_once __DIR__ . '/../includes/models.php';
        $userModel = new User();
        $userId = $_SESSION['user_id'];
        $user = $userModel->findById($userId);

        // Check if user has accepted data privacy waiver
        if (empty($user['data_privacy_accepted_at'] ?? null)) {
            // Redirect to dashboard where modal will appear
            header('Location: ' . BASE_URL . 'applicant/pages/dashboard.php');
            exit();
        }
    } catch (Exception $e) {
        // If database error, allow access but log it
        error_log("Privacy waiver check error: " . $e->getMessage());
    }
}

/**
 * Sanitize input data
```

```
 */
function sanitize($data) {
    return htmlspecialchars(strip_tags(trim($data)));
}

/**
 * Generate CSRF token
 */
function generateCSRFToken() {
    // Always ensure session is started
    if (session_status() === PHP_SESSION_NONE) {
        session_start();
    }

    if (!isset($_SESSION['csrf_token']) || empty($_SESSION['csrf_token'])) {
        $_SESSION['csrf_token'] = bin2hex(random_bytes(32));
    }
    return $_SESSION['csrf_token'];
}

/**
 * Verify CSRF token
 */
function verifyCSRFToken($token) {
    // Always ensure session is started
    if (session_status() === PHP_SESSION_NONE) {
        session_start();
    }

    if (empty($token)) {
        return false;
    }

    if (!isset($_SESSION['csrf_token']) || empty($_SESSION['csrf_token'])) {
        return false;
    }

    return hash_equals($_SESSION['csrf_token'], $token);
}

/**
 * Detect mobile device
 */
function isMobile() {
    return preg_match('/(android|iphone|ipad|ipod|blackberry|iemobile|opera mini)/i', $_SERVER['HTTP
_USER_AGENT']);
}

/**
 * Get appropriate template path
 */
function getTemplatePath() {
    return isMobile() ? 'mobile/' : 'desktop/';
}

// Load FormTokenManager for duplicate submission prevention
require_once __DIR__ . '/../includes/helpers/FormTokenManager.php';
?>
```

config/database.php

```
<?php
/**
 * Database Configuration for WPU Applicant System
 */

class Database {
    private $host = 'localhost';
    private $db_name = 'wpu_applicant_system';
    private $username = 'root';
    private $password = 'password';
    private $charset = 'utf8mb4';
    public $pdo;

    public function getConnection() {
        // Reuse existing connection if available
        if ($this->pdo !== null) {
            return $this->pdo;
        }

        try {
            $dsn = "mysql:host=" . $this->host . ";dbname=" . $this->db_name . ";charset=" . $this->
charset;
            $this->pdo = new PDO($dsn, $this->username, $this->password);
            $this->pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
            $this->pdo->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_ASSOC);
            // PDO auto-commits by default unless a transaction is explicitly started
        } catch(PDOException $e) {
            // Log error instead of outputting HTML
            error_log("Database Connection Error: " . $e->getMessage());
            // Re-throw exception so it can be caught by calling code
            throw new Exception("Database connection failed: " . $e->getMessage());
        }
        return $this->pdo;
    }
}
?>
```

config/email.example.php

```
<?php
/**
 * Email Configuration
 * Copy this file to email.php and update with your SMTP settings
 */

return [
    // SMTP Settings
    'smtp_host' => 'smtp.gmail.com',           // SMTP server (Gmail, Office365, etc.)
    'smtp_port' => 587,                         // SMTP port (587 for TLS, 465 for SSL)
    'smtp_secure' => 'tls',                     // Encryption: 'tls' or 'ssl'
    'smtp_auth' => true,                        // Enable SMTP authentication
    'smtp_username' => 'your-email@gmail.com',  // SMTP username
    'smtp_password' => 'your-app-password',     // SMTP password or app password

    // Email Settings
    'from_email' => 'noreply@wpuapplicant.com', // From email address
    'from_name' => 'WPU Applicant System',      // From name
    'reply_to' => 'support@wpuapplicant.com',   // Reply-to email

    // Debug Settings (0 = off, 1 = client, 2 = server)
    'debug_level' => 0,

    // For Gmail:
    // 1. Enable 2-factor authentication
    // 2. Generate an App Password: https://myaccount.google.com/apppasswords
    // 3. Use the app password in 'smtp_password' field

    // For Mailtrap (Testing):
    // 'smtp_host' => 'smtp.mailtrap.io',
    // 'smtp_port' => 2525,
    // 'smtp_secure' => 'tls',
    // 'smtp_username' => 'your-mailtrap-username',
    // 'smtp_password' => 'your-mailtrap-password',

    // For Office 365:
    // 'smtp_host' => 'smtp.office365.com',
    // 'smtp_port' => 587,
    // 'smtp_secure' => 'tls',
];
```

config/migration/add_application_archive_columns.sql

```
-- Migration: Add archive columns to applications table
-- Date: 2025-01-XX
-- Description: Adds is_archived and archived_at columns to support application history

ALTER TABLE `applications`
ADD COLUMN `is_archived` tinyint(1) DEFAULT 0 AFTER `status`,
ADD COLUMN `archived_at` timestamp NULL DEFAULT NULL AFTER `is_archived`,
ADD INDEX `idx_applications_archived` (`is_archived`);
```

config/migration/add_documents_table.sql

```
-- Migration: Add application_documents table for multiple file uploads
-- Date: 2025-11-09
-- Description: Adds support for multiple document uploads per application

-- Check if table exists and create it if not
CREATE TABLE IF NOT EXISTS application_documents (
    id INT AUTO_INCREMENT PRIMARY KEY,
    application_id INT NOT NULL,
    document_type ENUM('resume', 'cover_letter', 'certificate', 'portfolio', 'other') NOT NULL,
    file_name VARCHAR(255) NOT NULL,
    file_path VARCHAR(255) NOT NULL,
    file_size INT,
    uploaded_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    FOREIGN KEY (application_id) REFERENCES applications(id) ON DELETE CASCADE
);

-- Add index for faster queries
CREATE INDEX IF NOT EXISTS idx_application_documents_app_id ON application_documents(application_id)
;
CREATE INDEX IF NOT EXISTS idx_application_documents_type ON application_documents(document_type);
```

config/migration/add_email_verification_columns.sql

```
ALTER TABLE users
    ADD COLUMN email_verified_at DATETIME NULL AFTER oauth_provider,
    ADD COLUMN email_verification_code VARCHAR(6) NULL AFTER email_verified_at,
    ADD COLUMN email_verification_expires_at DATETIME NULL AFTER email_verification_code,
    ADD COLUMN email_verification_attempts INT DEFAULT 0 AFTER email_verification_expires_at,
    ADD COLUMN email_verification_last_sent_at DATETIME NULL AFTER email_verification_attempts;

UPDATE users
SET email_verified_at = NOW()
WHERE role = 'admin' AND email_verified_at IS NULL;
```

config/migration/add_employment_types_table.sql

```
-- Migration: Add employment_types table and update positions table
-- This allows admins to dynamically manage employment types

-- Create employment_types table
CREATE TABLE IF NOT EXISTS `employment_types` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `name` varchar(50) NOT NULL,
  `slug` varchar(50) NOT NULL,
  `is_active` tinyint(1) DEFAULT 1,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  PRIMARY KEY (`id`),
  UNIQUE KEY `slug` (`slug`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- Insert default employment types
INSERT INTO `employment_types` (`name`, `slug`, `is_active`) VALUES
('Full-time', 'full-time', 1),
('Part-time', 'part-time', 1),
('Contract', 'contract', 1),
('Internship', 'internship', 1)
ON DUPLICATE KEY UPDATE `name` = VALUES(`name`);

-- Alter positions table to change employment_type from ENUM to VARCHAR
-- First, we need to ensure existing data is preserved
-- Note: This migration assumes you want to keep the current values

-- Change the column type from ENUM to VARCHAR
ALTER TABLE `positions`
MODIFY COLUMN `employment_type` varchar(50) DEFAULT 'full-time';

-- Update the active_positions view if it exists (it may need to be recreated)
-- The view definition might need manual adjustment after this migration
```

config/migration/add_reviewed_at_column.sql

```
-- Add reviewed_at column to applications table
-- This column tracks when an application's status was changed from pending

ALTER TABLE applications
ADD COLUMN reviewed_at TIMESTAMP NULL DEFAULT NULL AFTER admin_notes;

-- For existing records that are not pending, set reviewed_at to updated_at
UPDATE applications
SET reviewed_at = updated_at
WHERE status IN ('approved', 'rejected');
```

config/migration/oauth_migration.sql

```
-- Migration script to add Google OAuth support to existing database
-- Run this script if you already have the database and want to add OAuth functionality

USE wpu_applicant_system;

-- Add new columns for OAuth support
ALTER TABLE users
ADD COLUMN google_id VARCHAR(255) UNIQUE NULL AFTER profile_picture,
ADD COLUMN oauth_provider ENUM('google', 'facebook', 'microsoft') NULL AFTER google_id;

-- Make password nullable for OAuth users
ALTER TABLE users
MODIFY COLUMN password VARCHAR(255) NULL;

-- Add indexes for the new columns
CREATE INDEX idx_users_google_id ON users(google_id);
CREATE INDEX idx_users_oauth_provider ON users(oauth_provider);

-- Update activity logs to include OAuth login events
-- (This is optional - existing logs will remain unchanged)

SELECT 'OAuth migration completed successfully!' as status;
```

config/migrations/add_archive_to_applications.sql

```
-- Migration: Add archive functionality to applications table
-- Date: 2025-11-16
-- Description: Adds is_archived and archived_at columns to support application history feature

-- Add is_archived column (default to 0 for existing records)
ALTER TABLE `applications`
ADD COLUMN `is_archived` TINYINT(1) NOT NULL DEFAULT 0 AFTER `updated_at`,
ADD COLUMN `archived_at` TIMESTAMP NULL DEFAULT NULL AFTER `is_archived`;

-- Add index for better query performance on archived applications
ALTER TABLE `applications`
ADD KEY `idx_applications_archived` (`is_archived`, `archived_at`);

-- Update existing applications to ensure they're marked as not archived
UPDATE `applications` SET `is_archived` = 0 WHERE `is_archived` IS NULL;
```

config/migrations/add_data_privacy_waiver.sql

```
-- Migration: Add data privacy waiver acceptance to users table
-- Date: 2026-01-08
-- Description: Adds data_privacy_accepted_at column to track when users accept the data privacy wai
ver

-- Add data_privacy_accepted_at column
ALTER TABLE `users`
ADD COLUMN `data_privacy_accepted_at` TIMESTAMP NULL DEFAULT NULL AFTER `email_verification_last_sen
t_at`;

-- Add index for better query performance
ALTER TABLE `users`
ADD KEY `idx_users_data_privacy_accepted` (`data_privacy_accepted_at`);
```

config/migrations/add_recipient_to_messages.sql

```
-- Add recipient_id field to messages table to support user-to-user messaging
-- Make application_id nullable to allow both application-based and user-to-user chats

-- First, make application_id nullable
ALTER TABLE `messages`
  MODIFY COLUMN `application_id` int(11) DEFAULT NULL;

-- Then add recipient_id column
ALTER TABLE `messages`
  ADD COLUMN `recipient_id` int(11) DEFAULT NULL AFTER `sender_id`,
  ADD KEY `idx_messages_recipient` (`recipient_id`);

-- Add foreign key constraint for recipient_id
ALTER TABLE `messages`
  ADD CONSTRAINT `messages_ibfk_3` FOREIGN KEY (`recipient_id`) REFERENCES `users` (`id`) ON DELETE
CASCADE;
```

config/migrations/create_messages_table.sql

```
-- Create messages table for chat communication between applicants and admins
CREATE TABLE IF NOT EXISTS `messages` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `application_id` int(11) NOT NULL,
  `sender_id` int(11) NOT NULL,
  `sender_role` enum('admin','applicant') NOT NULL,
  `message` text NOT NULL,
  `is_read` tinyint(1) DEFAULT 0,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_messages_application` (`application_id`),
  KEY `idx_messages_sender` (`sender_id`),
  KEY `idx_messages_created` (`created_at`),
  CONSTRAINT `messages_ibfk_1` FOREIGN KEY (`application_id`) REFERENCES `applications` (`id`) ON DE
LETE CASCADE,
  CONSTRAINT `messages_ibfk_2` FOREIGN KEY (`sender_id`) REFERENCES `users` (`id`) ON DELETE CASCADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

config/migrations/create_notifications_table.sql

```
-- Create notifications table
CREATE TABLE IF NOT EXISTS `notifications` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL COMMENT 'Admin user ID who should receive this notification',
  `type` varchar(50) NOT NULL DEFAULT 'application_submitted' COMMENT 'Type of notification',
  `title` varchar(255) NOT NULL COMMENT 'Notification title',
  `message` text NOT NULL COMMENT 'Notification message',
  `related_id` int(11) DEFAULT NULL COMMENT 'Related entity ID (e.g., application_id)',
  `related_type` varchar(50) DEFAULT NULL COMMENT 'Related entity type (e.g., application)',
  `is_read` tinyint(1) NOT NULL DEFAULT 0 COMMENT 'Whether notification has been read',
  `read_at` datetime DEFAULT NULL COMMENT 'When notification was read',
  `created_at` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP COMMENT 'When notification was created',
  PRIMARY KEY (`id`),
  KEY `idx_user_id` (`user_id`),
  KEY `idx_is_read` (`is_read`),
  KEY `idx_created_at` (`created_at`),
  KEY `idx_type` (`type`),
  CONSTRAINT `fk_notifications_user` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CAS
CADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci COMMENT='System notifications for
 admin users';
```

config/migrations/README.md

```
# Database Migrations

This directory contains SQL migration files for the WPU Applicant System.

## How to Apply Migrations

### Method 1: Using phpMyAdmin (Recommended for Development)

1. Open phpMyAdmin in your browser (usually at `http://localhost/phpmyadmin`)
2. Select your database (`wpu_applicant_system`)
3. Click on the "SQL" tab
4. Copy the contents of the migration file you want to run
5. Paste it into the SQL query box
6. Click "Go" to execute the migration

### Method 2: Using MySQL Command Line

```bash
mysql -u root -p wpu_applicant_system < add_archive_to_applications.sql
```

Available Migrations

add_archive_to_applications.sql
Date: 2025-11-16
Description: Adds archive functionality to the applications table

This migration adds:
- `is_archived` column (TINYINT) - Flag to mark applications as archived
- `archived_at` column (TIMESTAMP) - Timestamp when the application was archived
- Index on `is_archived` and `archived_at` for better query performance

Required for: Application History feature

Migration Order

Migrations should be applied in the following order:
1. `add_archive_to_applications.sql`

Rollback

To rollback the archive migration, run:

```sql
-- Remove the archive columns and index
ALTER TABLE `applications`
DROP COLUMN `archived_at`,
DROP COLUMN `is_archived`,
DROP KEY `idx_applications_archived`;
```

Notes

- Always backup your database before running migrations
- Test migrations on a development database first
- Migrations are designed to be idempotent where possible
```

config/migrations/run_notifications_migration.php

```
<?php
/**
 * Run Notifications Table Migration
 *
 * This script creates the notifications table in the database.
 * Run this once to set up the notifications system.
 */

require_once __DIR__ . '/../../config/database.php';
require_once __DIR__ . '/../../config/config.php';

try {
    $database = new Database();
    $db = $database->getConnection();

    // Read the SQL file
    $sqlFile = __DIR__ . '/create_notifications_table.sql';

    if (!file_exists($sqlFile)) {
        die("Error: SQL file not found at: $sqlFile\n");
    }

    $sql = file_get_contents($sqlFile);

    // Remove comments and split by semicolon
    $sql = preg_replace('/--.*$/m', '', $sql);
    $statements = array_filter(array_map('trim', explode(';', $sql)));

    echo "Running notifications table migration...\n\n";

    foreach ($statements as $statement) {
        if (empty($statement)) {
            continue;
        }

        try {
            $db->exec($statement);
            echo "? Executed: " . substr($statement, 0, 50) . "...\n";
        } catch (PDOException $e) {
            // Check if table already exists
            if (strpos($e->getMessage(), 'already exists') !== false) {
                echo "? Table already exists, skipping...\n";
            } else {
                throw $e;
            }
        }
    }

    echo "\n? Migration completed successfully!\n";
    echo "The notifications system is now ready to use.\n";

} catch (Exception $e) {
    echo "Error: " . $e->getMessage() . "\n";
    exit(1);
}
```

config/migrations/setup_messages_table_complete.sql

```
-- Complete Messages Table Setup Script
-- This script will create the messages table if it doesn't exist
-- OR update it if it exists but is missing the recipient_id column

-- Step 1: Create messages table if it doesn't exist
CREATE TABLE IF NOT EXISTS `messages` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `application_id` int(11) DEFAULT NULL,
  `sender_id` int(11) NOT NULL,
  `recipient_id` int(11) DEFAULT NULL,
  `sender_role` enum('admin','applicant') NOT NULL,
  `message` text NOT NULL,
  `is_read` tinyint(1) DEFAULT 0,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_messages_application` (`application_id`),
  KEY `idx_messages_sender` (`sender_id`),
  KEY `idx_messages_recipient` (`recipient_id`),
  KEY `idx_messages_created` (`created_at`),
  CONSTRAINT `messages_ibfk_1` FOREIGN KEY (`application_id`) REFERENCES `applications` (`id`) ON DE
LETE CASCADE,
  CONSTRAINT `messages_ibfk_2` FOREIGN KEY (`sender_id`) REFERENCES `users` (`id`) ON DELETE CASCADE
,
  CONSTRAINT `messages_ibfk_3` FOREIGN KEY (`recipient_id`) REFERENCES `users` (`id`) ON DELETE CASC
ADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- Step 2: Make application_id nullable if it's not already
ALTER TABLE `messages`
  MODIFY COLUMN `application_id` int(11) DEFAULT NULL;

-- Step 3: Add recipient_id column if it doesn't exist (with error handling)
SET @column_exists = (
    SELECT COUNT(*)
    FROM information_schema.COLUMNS
    WHERE TABLE_SCHEMA = DATABASE()
    AND TABLE_NAME = 'messages'
    AND COLUMN_NAME = 'recipient_id'
);

SET @sql = IF(@column_exists = 0,
    'ALTER TABLE `messages`
     ADD COLUMN `recipient_id` int(11) DEFAULT NULL AFTER `sender_id`,
     ADD KEY `idx_messages_recipient` (`recipient_id`)',
    'SELECT "Column recipient_id already exists" AS message'
);

PREPARE stmt FROM @sql;
EXECUTE stmt;
DEALLOCATE PREPARE stmt;

-- Step 4: Add foreign key constraint if it doesn't exist
SET @fk_exists = (
    SELECT COUNT(*)
    FROM information_schema.TABLE_CONSTRAINTS
    WHERE TABLE_SCHEMA = DATABASE()
    AND TABLE_NAME = 'messages'
    AND CONSTRAINT_NAME = 'messages_ibfk_3'
);

SET @sql2 = IF(@fk_exists = 0,
    'ALTER TABLE `messages`
     ADD CONSTRAINT `messages_ibfk_3` FOREIGN KEY (`recipient_id`) REFERENCES `users` (`id`) ON DELE
TE CASCADE',
    'SELECT "Foreign key messages_ibfk_3 already exists" AS message'
);
```

Applicant_WPU

```
PREPARE stmt2 FROM @sql2;
EXECUTE stmt2;
DEALLOCATE PREPARE stmt2;
```

config/oauth.example.php

```
<?php
/**
 * OAuth Configuration Example File
 *
 * SETUP INSTRUCTIONS:
 * ===================
 *
 * Option 1: Edit config/oauth.php directly
 * ----------------------------------------
 * Open config/oauth.php and replace these values:
 *   'client_id' => 'YOUR_ACTUAL_CLIENT_ID.apps.googleusercontent.com',
 *   'client_secret' => 'YOUR_ACTUAL_CLIENT_SECRET',
 *
 * Option 2: Use constants in config/config.php (Recommended)
 * -----------------------------------------------------------
 * Add these lines to config/config.php:
 *
 * define('GOOGLE_CLIENT_ID', 'YOUR_ACTUAL_CLIENT_ID.apps.googleusercontent.com');
 * define('GOOGLE_CLIENT_SECRET', 'YOUR_ACTUAL_CLIENT_SECRET');
 *
 * Option 3: Use environment variables (Most secure)
 * -------------------------------------------------
 * Set these environment variables:
 *   GOOGLE_CLIENT_ID=YOUR_ACTUAL_CLIENT_ID.apps.googleusercontent.com
 *   GOOGLE_CLIENT_SECRET=YOUR_ACTUAL_CLIENT_SECRET
 *
 *
 * HOW TO GET GOOGLE OAUTH CREDENTIALS:
 * ====================================
 *
 * Step 1: Go to Google Cloud Console
 * ----------------------------------
 * Visit: https://console.cloud.google.com/
 *
 * Step 2: Create or Select Project
 * --------------------------------
 * - Click "Select a project" at the top
 * - Click "NEW PROJECT" if you don't have one
 * - Give it a name like "WPU Applicant System"
 * - Click "CREATE"
 *
 * Step 3: Enable Required APIs
 * ----------------------------
 * - Go to "APIs & Services" > "Library"
 * - Search for "Google+ API" or "People API" and enable it
 * - Search for "Google Identity Services" and enable it
 *
 * Step 4: Create OAuth 2.0 Credentials
 * ------------------------------------
 * - Go to "APIs & Services" > "Credentials"
 * - Click "+ CREATE CREDENTIALS" at the top
 * - Select "OAuth 2.0 Client IDs"
 * - If prompted, configure the OAuth consent screen:
 *   - User Type: External (for testing) or Internal (if you have Google Workspace)
 *   - Fill in app name: "WPU Applicant System"
 *   - Add your email as support email
 *   - Add scopes: userinfo.email and userinfo.profile
 *   - Add test users if using External type
 * - Back to Credentials, click "CREATE CREDENTIALS" > "OAuth client ID"
 * - Application type: "Web application"
 * - Name: "WPU Applicant System - Web"
 * - Authorized JavaScript origins (optional):
 *   http://localhost
 * - Authorized redirect URIs:
 *   http://localhost/Applicant_WPU/auth/google_oauth.php
 *   (Add your production URL when deploying)
```

```
 * - Click "CREATE"
 *
 * Step 5: Copy Your Credentials
 * ------------------------------
 * - You'll see a popup with your Client ID and Client Secret
 * - Copy these values carefully
 * - Paste them into config/oauth.php or use one of the options above
 *
 * Step 6: Test the Integration
 * ----------------------------
 * - Visit your login page: http://localhost/Applicant_WPU/shared/login.php
 * - Click "Continue with Google"
 * - You should be redirected to Google's login page
 * - After logging in, you'll be redirected back to your dashboard
 *
 *
 * TROUBLESHOOTING:
 * ================
 *
 * Error: "redirect_uri_mismatch"
 * - The redirect URI in Google Console must EXACTLY match:
 *   http://localhost/Applicant_WPU/auth/google_oauth.php
 * - Check for trailing slashes, http vs https, etc.
 *
 * Error: "invalid_client"
 * - Your Client ID or Client Secret is incorrect
 * - Re-check the values in config/oauth.php
 *
 * Error: "access_denied"
 * - User clicked "Cancel" on Google's consent screen
 * - Or your app is restricted and user is not in test users list
 *
 * Error: "400 Bad Request"
 * - OAuth credentials are not configured (still using placeholder values)
 * - Check that you've replaced 'your-google-client-id-here'
 *
 *
 * PRODUCTION DEPLOYMENT:
 * ======================
 *
 * 1. In Google Cloud Console, add production redirect URI:
 *    https://yourdomain.com/auth/google_oauth.php
 *
 * 2. Update BASE_URL in config/config.php to your production URL
 *
 * 3. Verify OAuth consent screen is published (not in testing mode)
 *
 * 4. Use environment variables for credentials (most secure)
 *
 * 5. Enable HTTPS for all OAuth flows
 *
 */

// This is an example file - actual configuration is in config/oauth.php
?>
```

DEBUG_ADMIN_ACCOUNT_CREATION.md

```
# Admin Account Creation Debugging Guide

## Issue
Adding an admin account via `admin/pages/settings.php?tab=accounts` is not working.

## Changes Made

### 1. Enhanced Error Logging in `admin/pages/settings.php`
Added comprehensive step-by-step logging to track the exact point of failure:
- Logs every validation step
- Logs database operations
- Logs success and failure states
- Logs exception details

### 2. Improved Database Error Handling in `includes/models.php`
Enhanced the `User::create()` method to:
- Log SQL errors with full error information
- Log the SQL query and parameters being used
- Confirm successful user creation

### 3. Added Activity Logging
The admin creation now logs the activity to track who created the admin account.

## How to Debug

### Step 1: Check PHP Error Logs
The error logs will show numbered steps (Step 1, Step 2, etc.) to help identify where the process fa
ils.

**Location of error logs:**
- XAMPP: `C:\xampp\apache\logs\error.log` or `C:\xampp\php\logs\php_error_log`
- Check `php.ini` for the `error_log` directive to find the exact location

### Step 2: Test the Form
1. Open your browser and navigate to: `http://localhost/Applicant_WPU/admin/pages/settings.php?tab=a
ccounts`
2. Fill out the admin creation form with test data:
   - Full Name: Test Admin
   - Username: testadmin
   - Email: test@admin.com
   - Phone: (optional)
   - Password: testpassword123
   - Confirm Password: testpassword123
3. Click "Create Admin Account"

### Step 3: Review Error Logs
Check the error log file for entries like:
```
=== Admin Account Creation Attempt ===
Step 1: Form submission detected
Step 2: Validation result: ...
```

The log will show you exactly where the process stops or fails.

### Step 4: Common Issues and Solutions

#### Issue: Form submission not detected (no "Step 1" log)
**Possible causes:**
- JavaScript is blocking the form submission
- Browser console has errors
- Form is not submitting due to validation errors

**Solution:**
1. Open browser Developer Tools (F12)
2. Go to Console tab
```

3. Check for JavaScript errors
4. Try disabling the "prevent-double-submit" class temporarily

Issue: Validation fails (stops at Step 3-5)
Possible causes:
- CSRF token invalid
- Form token invalid or duplicate

Solution:
1. Clear browser cache and cookies
2. Try in an incognito/private window
3. Check if session is working properly

Issue: Required fields validation fails (Step 8)
Possible causes:
- Form fields not being submitted properly
- POST data not reaching the server

Solution:
1. Check Network tab in Developer Tools
2. Verify all form fields are being sent
3. Check if POST request is successful (Status 200)

Issue: Database creation fails (Step 23)
Possible causes:
- Database connection issue
- Missing required fields in database
- Database constraints violation

Solution:
1. Check if XAMPP MySQL is running
2. Verify database exists and is accessible
3. Check database error in the log (will show SQL error details)
4. Verify all database columns exist

Issue: Email or username already exists (Step 13-14)
Possible causes:
- Trying to create an admin with existing credentials

Solution:
1. Use different email and username
2. Check existing admin accounts in the database

Database Check

Verify Database Connection
```sql
-- In phpMyAdmin or MySQL command line
USE wpu_applicant_system;
SELECT * FROM users WHERE role = 'admin';
```

Check Table Structure
```sql
DESCRIBE users;
```

Verify these columns exist:
- id
- username
- email
- password
- role
- full_name
- phone
- address
- age
- sex

- google_id
- oauth_provider
- email_verified_at
- created_at
- updated_at
- is_active

Testing After Debug

Once you've identified and fixed the issue:

1. **Clear form tokens:**
   ```php
   // In PHP console or temporary test file
   session_start();
   unset($_SESSION['form_tokens']);
   echo "Form tokens cleared";
   ```

2. **Test again with fresh data**

3. **Verify success:**
   - Check for green success message
   - Verify new admin appears in the admin list
   - Check database for new user record

Additional Troubleshooting

Enable Full PHP Error Display
In `config/config.php`, verify these lines exist:
```php
ini_set('display_errors', 1);
ini_set('display_startup_errors', 1);
error_reporting(E_ALL);
```

Check Browser Network Tab
1. Open Developer Tools (F12)
2. Go to Network tab
3. Submit the form
4. Check the POST request to `settings.php`
5. Verify:
   - Status: Should be 200 or 302 (redirect)
   - Form Data: All fields should be present
   - Response: Check for any error messages

Manual Database Insert Test
Test if you can create a user manually:
```sql
INSERT INTO users (username, email, password, role, full_name, phone, address, created_at, updated_a
t, is_active, email_verified_at)
VALUES (
    'manualtest',
    'manual@test.com',
    '$2y$10$92IXUNpkjO0rOQ5byMi.Ye4oKoEa3Ro9llC/.og/at2.uheWG/igi',
    'admin',
    'Manual Test Admin',
    NULL,
    NULL,
    NOW(),
    NOW(),
    1,
    NOW()
);
```

If this fails, there's a database issue that needs to be resolved.

Success Indicators

When working correctly, you should see:
1. Error log showing all steps up to Step 22
2. "Admin account created successfully" message on the page
3. Redirect back to settings page with accounts tab
4. New admin visible in the admin accounts list
5. New record in `users` table with role='admin'
6. New record in `activity_logs` table with action='admin_created'

Need More Help?

If the issue persists after following this guide:
1. Capture the complete error log output
2. Check browser console for JavaScript errors
3. Verify XAMPP MySQL and Apache are running
4. Check database permissions
5. Verify PHP version (should be 7.4 or higher)

includes/bootstrap.php

```
<?php
/**
 * Bootstrap File
 * Central initialization point for the application
 */

// Start session if not already started
if (session_status() === PHP_SESSION_NONE) {
    session_start();
}

// Set timezone
date_default_timezone_set('Asia/Jakarta');

// Error reporting (adjust for production)
ini_set('display_errors', 0);
ini_set('log_errors', 1);
error_reporting(E_ALL & ~E_NOTICE & ~E_DEPRECATED);

// Load configuration
require_once __DIR__ . '/../config/config.php';

// Load exceptions
require_once __DIR__ . '/exceptions/Exceptions.php';

// Load helpers
require_once __DIR__ . '/helpers/Response.php';
require_once __DIR__ . '/helpers/Validator.php';

// Load services
require_once __DIR__ . '/services/Logger.php';
require_once __DIR__ . '/services/Cache.php';
require_once __DIR__ . '/services/FileUploadService.php';
require_once __DIR__ . '/services/EmailService.php';

// Load business logic services
require_once __DIR__ . '/services/UserService.php';
require_once __DIR__ . '/services/ApplicationService.php';
require_once __DIR__ . '/services/PositionService.php';

// Load models
require_once __DIR__ . '/models.php';

// Initialize global services
global $logger, $cache;
$logger = new Logger();
$cache = new Cache();

// Set error handler
set_error_handler(function($errno, $errstr, $errfile, $errline) {
    global $logger;

    // Don't log suppressed errors
    if (!(error_reporting() & $errno)) {
        return false;
    }

    $logger->error("PHP Error: {$errstr}", [
        'file' => $errfile,
        'line' => $errline,
        'type' => $errno
    ]);

    return true;
});
```

```
// Set exception handler
set_exception_handler(function($exception) {
    global $logger;

    $logger->exception($exception);

    // Show generic error page in production
    if ($_ENV['APP_ENV'] ?? 'production' === 'production') {
        http_response_code(500);
        echo "An unexpected error occurred. Please try again later.";
    } else {
        // Show detailed error in development
        echo "<pre>";
        echo "Exception: " . $exception->getMessage() . "\n";
        echo "File: " . $exception->getFile() . "\n";
        echo "Line: " . $exception->getLine() . "\n";
        echo "Trace:\n" . $exception->getTraceAsString();
        echo "</pre>";
    }

    exit;
});

// Register shutdown function for fatal errors
register_shutdown_function(function() {
    global $logger;

    $error = error_get_last();

    if ($error !== null && in_array($error['type'], [E_ERROR, E_PARSE, E_CORE_ERROR, E_COMPILE_ERROR
])) {
        $logger->critical("Fatal Error: {$error['message']}", [
            'file' => $error['file'],
            'line' => $error['line']
        ]);
    }
});

// Clean expired cache periodically (1% chance on each request)
if (rand(1, 100) === 1) {
    $cache->clearExpired();
}

// Clean old logs periodically (0.1% chance)
if (rand(1, 1000) === 1) {
    $logger->clearOldLogs(30); // Keep logs for 30 days
}

/**
 * Helper function to get logger instance
 */
function logger() {
    global $logger;
    return $logger;
}

/**
 * Helper function to get cache instance
 */
function cache() {
    global $cache;
    return $cache;
}

/**
 * Helper function to handle exceptions in try-catch blocks
 */
function handleError($e, $redirectUrl = null, $defaultMessage = 'An error occurred') {
```

```
    global $logger;

    // Log the error
    $logger->exception($e);

    // Get appropriate error message
    if ($e instanceof ValidationException || $e instanceof AuthenticationException) {
        $message = $e->getMessage();
    } else {
        $message = $defaultMessage;
    }

    // Redirect or display error
    if ($redirectUrl) {
        $_SESSION['error_message'] = $message;
        header('Location: ' . $redirectUrl);
        exit;
    } else {
        return $message;
    }
}

/**
 * Helper function for debugging (only in development)
 */
function dd(...$vars) {
    if (($_ENV['APP_ENV'] ?? 'production') === 'development') {
        echo '<pre>';
        foreach ($vars as $var) {
            var_dump($var);
        }
        echo '</pre>';
        exit;
    }
}
```

includes/confirmation.js

```
/**
 * Confirmation Dialog System for WPU Applicant System
 * Provides user-friendly confirmation dialogs for critical actions
 */

class ConfirmationDialog {
    constructor() {
        this.createDialogHTML();
        this.bindEvents();
    }

    createDialogHTML() {
        const dialogHTML = `
            <div class="modal fade" id="confirmationModal" tabindex="-1" aria-hidden="true">
                <div class="modal-dialog modal-dialog-centered">
                    <div class="modal-content">
                        <div class="modal-header border-0">
                            <h5 class="modal-title" id="confirmationTitle">
                                <i class="fas fa-exclamation-triangle text-warning"></i>
                                Confirm Action
                            </h5>
                            <button type="button" class="btn-close" data-bs-dismiss="modal"></button
>
                        </div>
                        <div class="modal-body">
                            <p id="confirmationMessage">Are you sure you want to proceed?</p>
                            <div id="confirmationDetails" class="alert alert-warning" style="display
: none;">
                                <small id="confirmationDetailsText"></small>
                            </div>
                        </div>
                        <div class="modal-footer border-0">
                            <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">
                                <i class="fas fa-times"></i> Cancel
                            </button>
                            <button type="button" class="btn btn-danger" id="confirmButton">
                                <i class="fas fa-check"></i> Confirm
                            </button>
                        </div>
                    </div>
                </div>
            </div>
        `;

        // Remove existing modal if present
        const existingModal = document.getElementById('confirmationModal');
        if (existingModal) {
            existingModal.remove();
        }

        // Add modal to body
        document.body.insertAdjacentHTML('beforeend', dialogHTML);
    }

    bindEvents() {
        // Handle confirmation button clicks
        document.addEventListener('click', (e) => {
            const confirmElement = e.target.closest('[data-confirm]');
            if (confirmElement) {
                e.preventDefault();
                this.showConfirmation(confirmElement);
            }
        });

        // Handle form submissions with confirmation
        document.addEventListener('submit', (e) => {
```

```
            const form = e.target;
            if (form.hasAttribute('data-confirm')) {
                e.preventDefault();
                this.showConfirmation(form);
            }
        });
    }

    showConfirmation(element) {
        const message = element.getAttribute('data-confirm') || 'Are you sure you want to proceed?';
        const title = element.getAttribute('data-confirm-title') || 'Confirm Action';
        const details = element.getAttribute('data-confirm-details');
        const buttonText = element.getAttribute('data-confirm-button') || 'Confirm';
        const buttonClass = element.getAttribute('data-confirm-class') || 'btn-danger';

        // Update modal content
        document.getElementById('confirmationTitle').innerHTML = `
            <i class="fas fa-exclamation-triangle text-warning"></i> ${title}
        `;
        document.getElementById('confirmationMessage').textContent = message;

        const detailsElement = document.getElementById('confirmationDetails');
        const detailsTextElement = document.getElementById('confirmationDetailsText');

        if (details) {
            detailsTextElement.innerHTML = details;
            detailsElement.style.display = 'block';
        } else {
            detailsElement.style.display = 'none';
        }

        const confirmButton = document.getElementById('confirmButton');
        confirmButton.className = `btn ${buttonClass}`;
        confirmButton.innerHTML = `<i class="fas fa-check"></i> ${buttonText}`;

        // Show modal
        const modal = new bootstrap.Modal(document.getElementById('confirmationModal'));
        modal.show();

        // Handle confirmation
        confirmButton.onclick = () => {
            modal.hide();
            this.executeAction(element);
        };
    }

    executeAction(element) {
        if (element.tagName.toLowerCase() === 'form') {
            // Submit form
            element.submit();
        } else if (element.tagName.toLowerCase() === 'a') {
            // Navigate to link
            window.location.href = element.href;
        } else if (element.hasAttribute('data-action')) {
            // Execute custom action
            const action = element.getAttribute('data-action');
            if (typeof window[action] === 'function') {
                window[action](element);
            }
        } else {
            // Click the element
            element.click();
        }
    }

    // Static method for programmatic confirmation
    static confirm(options = {}) {
        return new Promise((resolve) => {
```

```
            const {
                title = 'Confirm Action',
                message = 'Are you sure you want to proceed?',
                details = null,
                confirmText = 'Confirm',
                confirmClass = 'btn-danger'
            } = options;

            const dialogHTML = `
                <div class="modal fade" id="programmaticModal" tabindex="-1" aria-hidden="true">
                    <div class="modal-dialog modal-dialog-centered">
                        <div class="modal-content">
                            <div class="modal-header border-0">
                                <h5 class="modal-title">
                                    <i class="fas fa-exclamation-triangle text-warning"></i>
                                    ${title}
                                </h5>
                                <button type="button" class="btn-close" data-bs-dismiss="modal"></bu
tton>
                            </div>
                            <div class="modal-body">
                                <p>${message}</p>
                                ${details ? `<div class="alert alert-warning"><small>${details}</sma
ll></div>` : ''}
                            </div>
                            <div class="modal-footer border-0">
                                <button type="button" class="btn btn-secondary" data-bs-dismiss="mod
al">
                                    <i class="fas fa-times"></i> Cancel
                                </button>
                                <button type="button" class="btn ${confirmClass}" id="programmaticCo
nfirm">
                                    <i class="fas fa-check"></i> ${confirmText}
                                </button>
                            </div>
                        </div>
                    </div>
                </div>
            `;

            // Remove existing modal
            const existingModal = document.getElementById('programmaticModal');
            if (existingModal) {
                existingModal.remove();
            }

            document.body.insertAdjacentHTML('beforeend', dialogHTML);

            const modal = new bootstrap.Modal(document.getElementById('programmaticModal'));
            modal.show();

            document.getElementById('programmaticConfirm').onclick = () => {
                modal.hide();
                document.getElementById('programmaticModal').remove();
                resolve(true);
            };

            document.getElementById('programmaticModal').addEventListener('hidden.bs.modal', () => {
                document.getElementById('programmaticModal').remove();
                resolve(false);
            });
        });
    }
}

// Success/Error Toast Notifications
class ToastNotification {
    static show(message, type = 'success', duration = 5000) {
```

```
        const toastHTML = `
            <div class="toast align-items-center text-white bg-${type === 'success' ? 'success' : 'd
anger'} border-0"
                 role="alert" aria-live="assertive" aria-atomic="true">
                <div class="d-flex">
                    <div class="toast-body">
                        <i class="fas fa-${type === 'success' ? 'check-circle' : 'exclamation-triang
le'}"></i>
                        ${message}
                    </div>
                    <button type="button" class="btn-close btn-close-white me-2 m-auto"
                            data-bs-dismiss="toast" aria-label="Close"></button>
                </div>
            </div>
        `;

        // Create toast container if it doesn't exist
        let toastContainer = document.getElementById('toast-container');
        if (!toastContainer) {
            toastContainer = document.createElement('div');
            toastContainer.id = 'toast-container';
            toastContainer.className = 'toast-container position-fixed top-0 end-0 p-3';
            toastContainer.style.zIndex = '9999';
            document.body.appendChild(toastContainer);
        }

        toastContainer.insertAdjacentHTML('beforeend', toastHTML);

        const toastElement = toastContainer.lastElementChild;
        const toast = new bootstrap.Toast(toastElement, { delay: duration });
        toast.show();

        // Remove toast element after it's hidden
        toastElement.addEventListener('hidden.bs.toast', () => {
            toastElement.remove();
        });
    }

    static success(message, duration = 5000) {
        this.show(message, 'success', duration);
    }

    static error(message, duration = 5000) {
        this.show(message, 'error', duration);
    }
}

// Loading Spinner
class LoadingSpinner {
    static show(message = 'Loading...') {
        const spinnerHTML = `
            <div class="modal fade" id="loadingModal" tabindex="-1" aria-hidden="true" data-bs-backd
rop="static">
                <div class="modal-dialog modal-dialog-centered">
                    <div class="modal-content border-0">
                        <div class="modal-body text-center py-5">
                            <div class="spinner-border text-primary mb-3" role="status">
                                <span class="visually-hidden">Loading...</span>
                            </div>
                            <p class="mb-0">${message}</p>
                        </div>
                    </div>
                </div>
            </div>
        `;

        // Remove existing spinner
        const existingSpinner = document.getElementById('loadingModal');
```

```
        if (existingSpinner) {
            existingSpinner.remove();
        }

        document.body.insertAdjacentHTML('beforeend', spinnerHTML);

        const modal = new bootstrap.Modal(document.getElementById('loadingModal'), {
            backdrop: 'static',
            keyboard: false
        });
        modal.show();

        return modal;
    }

    static hide() {
        const modal = document.getElementById('loadingModal');
        if (modal) {
            const bsModal = bootstrap.Modal.getInstance(modal);
            if (bsModal) {
                bsModal.hide();
            }
            setTimeout(() => {
                modal.remove();
            }, 300);
        }
    }
}

// Initialize confirmation dialog system when DOM is loaded
document.addEventListener('DOMContentLoaded', function() {
    new ConfirmationDialog();

    // Add global confirmation for forms with delete actions
    document.querySelectorAll('form[action*="delete"], form input[name="action"][value="delete"]').f
orEach(form => {
        if (!form.hasAttribute('data-confirm')) {
            form.setAttribute('data-confirm', 'Are you sure you want to delete this item?');
            form.setAttribute('data-confirm-title', 'Confirm Delete');
            form.setAttribute('data-confirm-details', 'This action cannot be undone.');
            form.setAttribute('data-confirm-button', 'Delete');
            form.setAttribute('data-confirm-class', 'btn-danger');
        }
    });

    // Add confirmation for logout links
    document.querySelectorAll('a[href*="logout"]').forEach(link => {
        if (!link.hasAttribute('data-confirm')) {
            link.setAttribute('data-confirm', 'Are you sure you want to logout?');
            link.setAttribute('data-confirm-title', 'Confirm Logout');
            link.setAttribute('data-confirm-button', 'Logout');
            link.setAttribute('data-confirm-class', 'btn-warning');
        }
    });
});

// Export for module systems
if (typeof module !== 'undefined' && module.exports) {
    module.exports = { ConfirmationDialog, ToastNotification, LoadingSpinner };
}
```

includes/exceptions/Exceptions.php

```
<?php
/**
 * Custom Exception Classes
 */

class ValidationException extends Exception {
    public function __construct($message = "", $code = 400) {
        parent::__construct($message, $code);
    }
}

class AuthenticationException extends Exception {
    public function __construct($message = "", $code = 401) {
        parent::__construct($message, $code);
    }
}

class AuthorizationException extends Exception {
    public function __construct($message = "Access denied", $code = 403) {
        parent::__construct($message, $code);
    }
}

class NotFoundException extends Exception {
    public function __construct($message = "Resource not found", $code = 404) {
        parent::__construct($message, $code);
    }
}
```

includes/helpers/FormTokenManager.php

```
<?php
/**
 * FormTokenManager - Prevents duplicate form submissions
 *
 * This class manages unique form tokens to prevent duplicate submissions
 * when users refresh the page after submitting a form.
 *
 * Usage:
 *   // In your form:
 *   FormTokenManager::generateFormToken('application_form');
 *
 *   // In your form processor:
 *   if (!FormTokenManager::validateFormToken($_POST['form_token'] ?? '')) {
 *       // Handle duplicate submission
 *   }
 */
class FormTokenManager {

    /** Max age of a form token in seconds (1 hour) */
    private static $tokenMaxAge = 3600;

    /**
     * Generate a unique token for a form (reuses existing valid token if present)
     *
     * Reusing an existing unused, non-expired token prevents "Invalid form token"
     * when the user has multiple tabs or refreshes before submitting.
     *
     * @param string $formName Unique identifier for the form
     * @return string The generated token
     */
    public static function generateFormToken($formName = 'default') {
        // Initialize tokens array if not exists
        if (!isset($_SESSION['form_tokens'])) {
            $_SESSION['form_tokens'] = [];
        }

        $tokenKey = self::getTokenKey($formName);

        // Clean old tokens first
        self::cleanOldTokens();

        // Reuse existing token if it's unused and not expired
        if (isset($_SESSION['form_tokens'][$tokenKey])) {
            $stored = $_SESSION['form_tokens'][$tokenKey];
            $age = time() - ($stored['timestamp'] ?? 0);
            if (!$stored['used'] && $age < self::$tokenMaxAge) {
                return $stored['token'];
            }
        }

        // Generate new token
        $token = bin2hex(random_bytes(32));
        $_SESSION['form_tokens'][$tokenKey] = [
            'token' => $token,
            'timestamp' => time(),
            'used' => false
        ];

        return $token;
    }

    /**
     * Validate and consume a form token
     *
     * @param string $token The token to validate
     * @param string $formName Unique identifier for the form
```

```
     * @return bool True if token is valid and not used, false otherwise
     */
    public static function validateFormToken($token, $formName = 'default') {
        if (empty($token)) {
            return false;
        }

        $tokenKey = self::getTokenKey($formName);

        // Check if token exists
        if (!isset($_SESSION['form_tokens'][$tokenKey])) {
            return false;
        }

        $storedToken = $_SESSION['form_tokens'][$tokenKey];

        // Check if token matches and hasn't been used
        if ($storedToken['token'] === $token && !$storedToken['used']) {
            // Mark token as used
            $_SESSION['form_tokens'][$tokenKey]['used'] = true;
            return true;
        }

        return false;
    }

    /**
     * Check if a token has been used (for detecting duplicate submissions)
     *
     * @param string $token The token to check
     * @param string $formName Unique identifier for the form
     * @return bool True if token was already used
     */
    public static function isTokenUsed($token, $formName = 'default') {
        if (empty($token)) {
            return false;
        }

        $tokenKey = self::getTokenKey($formName);

        if (!isset($_SESSION['form_tokens'][$tokenKey])) {
            return false;
        }

        $storedToken = $_SESSION['form_tokens'][$tokenKey];

        return $storedToken['token'] === $token && $storedToken['used'];
    }

    /**
     * Render hidden form token input field
     *
     * @param string $formName Unique identifier for the form
     * @return void
     */
    public static function renderFormTokenInput($formName = 'default') {
        $token = self::generateFormToken($formName);
        echo '<input type="hidden" name="form_token" value="' . htmlspecialchars($token) . '">';
        echo '<input type="hidden" name="form_name" value="' . htmlspecialchars($formName) . '">';
    }

    /**
     * Get form token from POST data
     *
     * @return array Array with 'token' and 'form_name' keys
     */
    public static function getFormTokenFromPost() {
        return [
```

```
            'token' => $_POST['form_token'] ?? '',
            'form_name' => $_POST['form_name'] ?? 'default'
        ];
    }

    /**
     * Validate form submission (checks both CSRF and form token)
     *
     * @param array $postData POST data array
     * @return array Array with 'valid' (bool) and 'error' (string) keys
     */
    public static function validateFormSubmission($postData) {
        // Check CSRF token first
        if (!isset($postData['csrf_token']) || !verifyCSRFToken($postData['csrf_token'])) {
            return [
                'valid' => false,
                'error' => 'Invalid security token. Please refresh the page and try again.'
            ];
        }

        // Get form token
        $formToken = $postData['form_token'] ?? '';
        $formName = $postData['form_name'] ?? 'default';

        // Check if this is a duplicate submission
        if (self::isTokenUsed($formToken, $formName)) {
            return [
                'valid' => false,
                'error' => 'duplicate',
                'message' => 'This form has already been submitted. Please do not refresh the page.'
            ];
        }

        // Validate and consume token
        if (!self::validateFormToken($formToken, $formName)) {
            return [
                'valid' => false,
                'error' => 'Invalid form token. Please refresh the page and try again.'
            ];
        }

        return [
            'valid' => true,
            'error' => ''
        ];
    }

    /**
     * Generate token key for session storage
     *
     * @param string $formName Form identifier
     * @return string Token key
     */
    private static function getTokenKey($formName) {
        return 'form_' . $formName;
    }

    /**
     * Clean up old tokens (older than 1 hour)
     *
     * @return void
     */
    private static function cleanOldTokens() {
        if (!isset($_SESSION['form_tokens'])) {
            return;
        }

        $currentTime = time();
```

```
        foreach ($_SESSION['form_tokens'] as $key => $tokenData) {
            if (($currentTime - ($tokenData['timestamp'] ?? 0)) > self::$tokenMaxAge) {
                unset($_SESSION['form_tokens'][$key]);
            }
        }
    }

    /**
     * Clear all form tokens for a specific form
     *
     * @param string $formName Form identifier
     * @return void
     */
    public static function clearFormTokens($formName = null) {
        if ($formName === null) {
            // Clear all tokens
            $_SESSION['form_tokens'] = [];
        } else {
            // Clear specific form tokens
            $tokenKey = self::getTokenKey($formName);
            if (isset($_SESSION['form_tokens'][$tokenKey])) {
                unset($_SESSION['form_tokens'][$tokenKey]);
            }
        }
    }
}
?>
```

includes/helpers/InterviewScheduler.php

```
<?php
/**
 * Interview Scheduler Helper
 * Handles automatic interview scheduling
 */

class InterviewScheduler {
    /**
     * Calculate the next available interview slot
     * Interviews are scheduled Monday-Friday, 8am-12pm or 1pm-5pm
     *
     * @param PDO $db Database connection
     * @return array ['date' => 'Y-m-d', 'time' => 'H:i:s']
     */
    public static function getNextAvailableSlot($db) {
        // Define time slots
        $morningSlots = ['08:00:00', '09:00:00', '10:00:00', '11:00:00'];
        $afternoonSlots = ['13:00:00', '14:00:00', '15:00:00', '16:00:00'];
        $allSlots = array_merge($morningSlots, $afternoonSlots);

        // Set timezone (should match config.php)
        $timezone = date_default_timezone_get() ?: 'Asia/Jakarta';

        // Start from tomorrow (to give at least 1 day notice)
        $currentDate = new DateTime('tomorrow', new DateTimeZone($timezone));
        $maxDaysToCheck = 30; // Check up to 30 days ahead
        $daysChecked = 0;

        while ($daysChecked < $maxDaysToCheck) {
            $dayOfWeek = (int)$currentDate->format('w'); // 0 = Sunday, 1 = Monday, ..., 6 = Saturda
y

            // Skip weekends (0 = Sunday, 6 = Saturday)
            if ($dayOfWeek == 0 || $dayOfWeek == 6) {
                $currentDate->modify('+1 day');
                $daysChecked++;
                continue;
            }

            $dateStr = $currentDate->format('Y-m-d');

            // Check all time slots for this day
            foreach ($allSlots as $timeSlot) {
                $datetimeStr = $dateStr . ' ' . $timeSlot;

                // Check if this slot is already taken
                $stmt = $db->prepare("
                    SELECT COUNT(*) as count
                    FROM applications
                    WHERE interview_date = ? AND interview_time = ?
                    AND status = 'approved'
                ");
                $stmt->execute([$dateStr, $timeSlot]);
                $result = $stmt->fetch();

                if ($result['count'] == 0) {
                    // Slot is available
                    return [
                        'date' => $dateStr,
                        'time' => $timeSlot
                    ];
                }
            }

            // No available slots for this day, try next day
            $currentDate->modify('+1 day');
```

```
            $daysChecked++;
        }

        // If no slot found in 30 days, return the first Monday from tomorrow
        $fallbackDate = new DateTime('tomorrow', new DateTimeZone($timezone));
        while ((int)$fallbackDate->format('w') != 1) { // 1 = Monday
            $fallbackDate->modify('+1 day');
        }

        return [
            'date' => $fallbackDate->format('Y-m-d'),
            'time' => '08:00:00'
        ];
    }

    /**
     * Format interview date and time for display
     *
     * @param string $date Date in Y-m-d format
     * @param string $time Time in H:i:s format
     * @return string Formatted date and time
     */
    public static function formatInterviewDateTime($date, $time) {
        $timezone = date_default_timezone_get() ?: 'Asia/Jakarta';
        $dateTime = new DateTime($date . ' ' . $time, new DateTimeZone($timezone));
        return $dateTime->format('l, F j, Y \a\t g:i A');
    }
}
```

includes/helpers/Response.php

```php
<?php
/**
 * Response Helper Class
 * Handles standardized API responses
 */

class Response {
    /**
     * Send success response
     */
    public static function success($data = null, $message = 'Success', $statusCode = 200) {
        // Clear any output that might have been generated
        while (ob_get_level() > 0) {
            ob_end_clean();
        }

        http_response_code($statusCode);
        header('Content-Type: application/json', true);

        $response = [
            'success' => true,
            'message' => $message,
            'data' => $data,
            'timestamp' => date('Y-m-d H:i:s')
        ];

        echo json_encode($response, JSON_UNESCAPED_UNICODE | JSON_UNESCAPED_SLASHES);
        exit;
    }

    /**
     * Send error response
     */
    public static function error($message = 'An error occurred', $statusCode = 400, $errors = null)
{
        // Clear any output that might have been generated
        while (ob_get_level() > 0) {
            ob_end_clean();
        }

        http_response_code($statusCode);
        header('Content-Type: application/json', true);

        $response = [
            'success' => false,
            'message' => $message,
            'errors' => $errors,
            'timestamp' => date('Y-m-d H:i:s')
        ];

        echo json_encode($response, JSON_UNESCAPED_UNICODE | JSON_UNESCAPED_SLASHES);
        exit;
    }

    /**
     * Send validation error response
     */
    public static function validationError($errors, $message = 'Validation failed') {
        self::error($message, 422, $errors);
    }

    /**
     * Send unauthorized response
     */
    public static function unauthorized($message = 'Unauthorized') {
        self::error($message, 401);
```

```
    }

    /**
     * Send forbidden response
     */
    public static function forbidden($message = 'Access denied') {
        self::error($message, 403);
    }

    /**
     * Send not found response
     */
    public static function notFound($message = 'Resource not found') {
        self::error($message, 404);
    }

    /**
     * Send server error response
     */
    public static function serverError($message = 'Internal server error') {
        self::error($message, 500);
    }

    /**
     * Send paginated response
     */
    public static function paginated($data, $total, $page, $perPage, $message = 'Success') {
        $totalPages = ceil($total / $perPage);

        self::success([
            'items' => $data,
            'pagination' => [
                'total' => $total,
                'per_page' => $perPage,
                'current_page' => $page,
                'total_pages' => $totalPages,
                'has_more' => $page < $totalPages
            ]
        ], $message);
    }
}
```

includes/helpers/Validator.php

```
<?php
/**
 * Validator Class
 * Handles input validation
 */

class Validator {
    private $errors = [];
    private $data = [];

    public function __construct($data) {
        $this->data = $data;
    }

    /**
     * Validate required field
     */
    public function required($field, $message = null) {
        if (!isset($this->data[$field]) || trim($this->data[$field]) === '') {
            $this->errors[$field][] = $message ?? ucfirst($field) . ' is required';
        }
        return $this;
    }

    /**
     * Validate email
     */
    public function email($field, $message = null) {
        if (isset($this->data[$field]) && !filter_var($this->data[$field], FILTER_VALIDATE_EMAIL)) {
            $this->errors[$field][] = $message ?? 'Invalid email format';
        }
        return $this;
    }

    /**
     * Validate minimum length
     */
    public function minLength($field, $length, $message = null) {
        if (isset($this->data[$field]) && strlen($this->data[$field]) < $length) {
            $this->errors[$field][] = $message ?? ucfirst($field) . " must be at least {$length} cha
racters";
        }
        return $this;
    }

    /**
     * Validate maximum length
     */
    public function maxLength($field, $length, $message = null) {
        if (isset($this->data[$field]) && strlen($this->data[$field]) > $length) {
            $this->errors[$field][] = $message ?? ucfirst($field) . " must not exceed {$length} char
acters";
        }
        return $this;
    }

    /**
     * Validate numeric value
     */
    public function numeric($field, $message = null) {
        if (isset($this->data[$field]) && !is_numeric($this->data[$field])) {
            $this->errors[$field][] = $message ?? ucfirst($field) . ' must be a number';
        }
        return $this;
    }
```

```
    /**
     * Validate integer value
     */
    public function integer($field, $message = null) {
        if (isset($this->data[$field]) && !filter_var($this->data[$field], FILTER_VALIDATE_INT)) {
            $this->errors[$field][] = $message ?? ucfirst($field) . ' must be an integer';
        }
        return $this;
    }

    /**
     * Validate minimum value
     */
    public function min($field, $min, $message = null) {
        if (isset($this->data[$field]) && $this->data[$field] < $min) {
            $this->errors[$field][] = $message ?? ucfirst($field) . " must be at least {$min}";
        }
        return $this;
    }

    /**
     * Validate maximum value
     */
    public function max($field, $max, $message = null) {
        if (isset($this->data[$field]) && $this->data[$field] > $max) {
            $this->errors[$field][] = $message ?? ucfirst($field) . " must not exceed {$max}";
        }
        return $this;
    }

    /**
     * Validate value in array
     */
    public function in($field, $values, $message = null) {
        if (isset($this->data[$field]) && !in_array($this->data[$field], $values)) {
            $this->errors[$field][] = $message ?? ucfirst($field) . ' has an invalid value';
        }
        return $this;
    }

    /**
     * Validate URL
     */
    public function url($field, $message = null) {
        if (isset($this->data[$field]) && !filter_var($this->data[$field], FILTER_VALIDATE_URL)) {
            $this->errors[$field][] = $message ?? 'Invalid URL format';
        }
        return $this;
    }

    /**
     * Validate date format
     */
    public function date($field, $format = 'Y-m-d', $message = null) {
        if (isset($this->data[$field])) {
            $d = DateTime::createFromFormat($format, $this->data[$field]);
            if (!$d || $d->format($format) !== $this->data[$field]) {
                $this->errors[$field][] = $message ?? 'Invalid date format';
            }
        }
        return $this;
    }

    /**
     * Validate date is in the future
     */
    public function futureDate($field, $message = null) {
        if (isset($this->data[$field])) {
```

```
            $date = strtotime($this->data[$field]);
            if ($date === false || $date <= time()) {
                $this->errors[$field][] = $message ?? ucfirst($field) . ' must be a future date';
            }
        }
        return $this;
    }

    /**
     * Validate phone number
     */
    public function phone($field, $message = null) {
        if (isset($this->data[$field])) {
            $phone = preg_replace('/[^0-9]/', '', $this->data[$field]);
            if (strlen($phone) < 10 || strlen($phone) > 15) {
                $this->errors[$field][] = $message ?? 'Invalid phone number';
            }
        }
        return $this;
    }

    /**
     * Validate field matches another field
     */
    public function matches($field, $matchField, $message = null) {
        if (isset($this->data[$field]) && isset($this->data[$matchField]) && $this->data[$field] !==
 $this->data[$matchField]) {
            $this->errors[$field][] = $message ?? ucfirst($field) . ' must match ' . $matchField;
        }
        return $this;
    }

    /**
     * Custom validation rule
     */
    public function custom($field, $callback, $message = null) {
        if (isset($this->data[$field]) && !$callback($this->data[$field])) {
            $this->errors[$field][] = $message ?? ucfirst($field) . ' is invalid';
        }
        return $this;
    }

    /**
     * Validate file upload
     */
    public function file($field, $allowedTypes = [], $maxSize = null, $message = null) {
        if (isset($_FILES[$field]) && $_FILES[$field]['error'] !== UPLOAD_ERR_NO_FILE) {
            if ($_FILES[$field]['error'] !== UPLOAD_ERR_OK) {
                $this->errors[$field][] = 'File upload error';
                return $this;
            }

            // Check file type
            if (!empty($allowedTypes)) {
                $fileType = strtolower(pathinfo($_FILES[$field]['name'], PATHINFO_EXTENSION));
                if (!in_array($fileType, $allowedTypes)) {
                    $this->errors[$field][] = $message ?? 'Invalid file type. Allowed: ' . implode('
, ', $allowedTypes);
                }
            }

            // Check file size
            if ($maxSize && $_FILES[$field]['size'] > $maxSize) {
                $maxSizeMB = $maxSize / (1024 * 1024);
                $this->errors[$field][] = "File size must not exceed {$maxSizeMB}MB";
            }
        }
        return $this;
```

```
    }

    /**
     * Check if validation passed
     */
    public function passes() {
        return empty($this->errors);
    }

    /**
     * Check if validation failed
     */
    public function fails() {
        return !$this->passes();
    }

    /**
     * Get all errors
     */
    public function getErrors() {
        return $this->errors;
    }

    /**
     * Get first error for a field
     */
    public function getFirstError($field = null) {
        if ($field) {
            return $this->errors[$field][0] ?? null;
        }

        // Return first error overall
        foreach ($this->errors as $fieldErrors) {
            return $fieldErrors[0];
        }

        return null;
    }

    /**
     * Get all error messages as flat array
     */
    public function getAllMessages() {
        $messages = [];
        foreach ($this->errors as $fieldErrors) {
            $messages = array_merge($messages, $fieldErrors);
        }
        return $messages;
    }
}
```

includes/models.php

```
<?php
/**
 * Database Models for WPU Applicant System
 */

require_once __DIR__ . '/../config/database.php';

class BaseModel {
    protected $db;
    protected $table;

    public function __construct() {
        try {
            $database = new Database();
            $this->db = $database->getConnection();
            if ($this->db === null) {
                throw new Exception("Database connection is null. Please check your database configu
ration.");
            }
        } catch (\Exception $e) {
            error_log("BaseModel constructor error: " . $e->getMessage());
            throw $e;
        }
    }

    public function getConnection() {
        return $this->db;
    }

    public function findById($id) {
        $stmt = $this->db->prepare("SELECT * FROM {$this->table} WHERE id = ?");
        $stmt->execute([$id]);
        return $stmt->fetch();
    }

    public function findAll($where = '', $params = []) {
        $sql = "SELECT * FROM {$this->table}";
        if ($where) {
            $sql .= " WHERE {$where}";
        }
        $stmt = $this->db->prepare($sql);
        $stmt->execute($params);
        return $stmt->fetchAll();
    }

    public function delete($id) {
        $stmt = $this->db->prepare("DELETE FROM {$this->table} WHERE id = ?");
        return $stmt->execute([$id]);
    }
}

class User extends BaseModel {
    protected $table = 'users';

    public function findByEmail($email) {
        $stmt = $this->db->prepare("SELECT * FROM users WHERE email = ?");
        $stmt->execute([$email]);
        return $stmt->fetch();
    }

    public function findByGoogleId($googleId) {
        $stmt = $this->db->prepare("SELECT * FROM users WHERE google_id = ? AND oauth_provider = 'go
ogle'");
        $stmt->execute([$googleId]);
        return $stmt->fetch();
    }
```

```
    public function findByUsername($username) {
        $stmt = $this->db->prepare("SELECT * FROM users WHERE username = ?");
        $stmt->execute([$username]);
        return $stmt->fetch();
    }

    public function create($data) {
        $sql = "INSERT INTO users (username, email, password, role, full_name, phone, address, age,
sex, google_id, oauth_provider)
                VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);

        $params = [
            $data['username'],
            $data['email'],
            isset($data['password']) ? password_hash($data['password'], PASSWORD_DEFAULT) : null,
            $data['role'] ?? 'applicant',
            $data['full_name'],
            $data['phone'] ?? null,
            $data['address'] ?? null,
            $data['age'] ?? null,
            $data['sex'] ?? null,
            $data['google_id'] ?? null,
            $data['oauth_provider'] ?? null
        ];

        $result = $stmt->execute($params);

        if (!$result) {
            $errorInfo = $stmt->errorInfo();
            error_log("User::create() Failed: " . print_r($errorInfo, true));
            error_log("User::create() SQL: " . $sql);
            error_log("User::create() Params: " . print_r($params, true));
        } else {
            error_log("User::create() Success - New user created with email: " . $data['email']);
        }

        return $result;
    }

    public function update($id, $data) {
        $fields = [];
        $values = [];

        foreach ($data as $key => $value) {
            if ($key !== 'id' && $key !== 'password') {
                $fields[] = "{$key} = ?";
                // PDO handles NULL values correctly when passed directly
                $values[] = $value === '' ? null : $value; // Convert empty string to null for consi
stency
            }
        }

        if (isset($data['password']) && !empty($data['password'])) {
            $fields[] = "password = ?";
            $values[] = password_hash($data['password'], PASSWORD_DEFAULT);
        }

        if (empty($fields)) {
            error_log("User::update() - No fields to update for user ID: $id");
            return false;
        }

        $values[] = $id;
        $sql = "UPDATE users SET " . implode(', ', $fields) . " WHERE id = ?";

        // Debug logging
```

```
        error_log("User::update() SQL: " . $sql);
        error_log("User::update() Fields: " . implode(', ', array_keys(array_diff_key($data, ['id' =
> '', 'password' => ''])));
        if (isset($data['ipcr_file_path'])) {
            error_log("User::update() ipcr_file_path value: " . var_export($data['ipcr_file_path'],
true) . " (is_null: " . (is_null($data['ipcr_file_path']) ? 'YES' : 'NO') . ")");
        }
        if (isset($data['pe_file_path'])) {
            error_log("User::update() pe_file_path value: " . var_export($data['pe_file_path'], true
) . " (is_null: " . (is_null($data['pe_file_path']) ? 'YES' : 'NO') . ")");
        }

        $stmt = $this->db->prepare($sql);
        $result = $stmt->execute($values);

        if (!$result) {
            $errorInfo = $stmt->errorInfo();
            error_log("User::update() Failed: " . print_r($errorInfo, true));
        } else {
            error_log("User::update() Success for user ID: $id");
            // Log affected rows
            $affectedRows = $stmt->rowCount();
            error_log("User::update() Affected rows: " . $affectedRows);
        }

        return $result;
    }

    public function verifyPassword($email, $password) {
        $user = $this->findByEmail($email);
        if ($user && $user['password'] && password_verify($password, $user['password'])) {
            return $user;
        }
        return false;
    }

    public function createGoogleUser($googleUserData) {
        // Generate a unique username from email
        $emailParts = explode('@', $googleUserData['email']);
        $baseUsername = $emailParts[0];
        $username = $baseUsername;
        $counter = 1;

        // Ensure username is unique
        while ($this->findByUsername($username)) {
            $username = $baseUsername . $counter;
            $counter++;
        }

        $userData = [
            'username' => $username,
            'email' => $googleUserData['email'],
            'password' => null, // No password for OAuth users
            'role' => ROLE_APPLICANT,
            'full_name' => $googleUserData['name'],
            'phone' => null,
            'address' => null,
            'google_id' => $googleUserData['id'],
            'oauth_provider' => 'google'
        ];

        if ($this->create($userData)) {
            return $this->findByGoogleId($googleUserData['id']);
        }

        return false;
    }
```

```
    public function getTotalExperience($userId) {
        $stmt = $this->db->prepare("
            SELECT SUM(years_duration) as total_years
            FROM user_experience
            WHERE user_id = ?
        ");
        $stmt->execute([$userId]);
        $result = $stmt->fetch();
        return $result['total_years'] ?? 0;
    }

    public function logActivity($userId, $action, $description, $ipAddress = null, $userAgent = null
) {
        $stmt = $this->db->prepare("
            INSERT INTO activity_logs (user_id, action, description, ip_address, user_agent)
            VALUES (?, ?, ?, ?, ?)
        ");
        return $stmt->execute([
            $userId,
            $action,
            $description,
            $ipAddress ?? $_SERVER['REMOTE_ADDR'] ?? 'unknown',
            $userAgent ?? $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
        ]);
    }

    /**
     * Get all system activity logs with user information
     */
    public function getAllActivityLogs($limit = 100, $offset = 0, $filters = []) {
        $where = [];
        $params = [];

        // Filter by role if provided
        if (!empty($filters['role'])) {
            $where[] = "u.role = ?";
            $params[] = $filters['role'];
        }

        // Filter by action if provided
        if (!empty($filters['action'])) {
            $where[] = "al.action LIKE ?";
            $params[] = '%' . $filters['action'] . '%';
        }

        // Filter by user ID if provided
        if (!empty($filters['user_id'])) {
            $where[] = "al.user_id = ?";
            $params[] = $filters['user_id'];
        }

        // Filter by date range if provided
        if (!empty($filters['date_from'])) {
            $where[] = "DATE(al.created_at) >= ?";
            $params[] = $filters['date_from'];
        }

        if (!empty($filters['date_to'])) {
            $where[] = "DATE(al.created_at) <= ?";
            $params[] = $filters['date_to'];
        }

        $whereClause = !empty($where) ? "WHERE " . implode(" AND ", $where) : "";

        // Cast limit and offset to integers for the query
        $limit = (int)$limit;
        $offset = (int)$offset;
```

```
        $sql = "
            SELECT
                al.*,
                u.full_name,
                u.email,
                u.username,
                u.role
            FROM activity_logs al
            LEFT JOIN users u ON al.user_id = u.id
            {$whereClause}
            ORDER BY al.created_at DESC
            LIMIT {$limit} OFFSET {$offset}
        ";

        $stmt = $this->db->prepare($sql);
        $stmt->execute($params);
        return $stmt->fetchAll();
    }

    /**
     * Get total count of activity logs
     */
    public function getActivityLogsCount($filters = []) {
        $where = [];
        $params = [];

        // Apply same filters as getAllActivityLogs
        if (!empty($filters['role'])) {
            $where[] = "u.role = ?";
            $params[] = $filters['role'];
        }

        if (!empty($filters['action'])) {
            $where[] = "al.action LIKE ?";
            $params[] = '%' . $filters['action'] . '%';
        }

        if (!empty($filters['user_id'])) {
            $where[] = "al.user_id = ?";
            $params[] = $filters['user_id'];
        }

        if (!empty($filters['date_from'])) {
            $where[] = "DATE(al.created_at) >= ?";
            $params[] = $filters['date_from'];
        }

        if (!empty($filters['date_to'])) {
            $where[] = "DATE(al.created_at) <= ?";
            $params[] = $filters['date_to'];
        }

        $whereClause = !empty($where) ? "WHERE " . implode(" AND ", $where) : "";

        $sql = "
            SELECT COUNT(*) as total
            FROM activity_logs al
            LEFT JOIN users u ON al.user_id = u.id
            {$whereClause}
        ";

        $stmt = $this->db->prepare($sql);
        $stmt->execute($params);
        $result = $stmt->fetch();
        return $result['total'] ?? 0;
    }

    public function setEmailVerificationCode($userId, $code, $expiresAt) {
```

```
        $stmt = $this->db->prepare("
            UPDATE users
            SET email_verification_code = ?,
                email_verification_expires_at = ?,
                email_verification_last_sent_at = NOW(),
                email_verification_attempts = 0
            WHERE id = ?
        ");
        return $stmt->execute([$code, $expiresAt, $userId]);
    }

    public function markEmailVerified($userId) {
        $stmt = $this->db->prepare("
            UPDATE users
            SET email_verified_at = NOW(),
                email_verification_code = NULL,
                email_verification_expires_at = NULL,
                email_verification_attempts = 0
            WHERE id = ?
        ");
        return $stmt->execute([$userId]);
    }

    public function clearEmailVerificationCode($userId) {
        $stmt = $this->db->prepare("
            UPDATE users
            SET email_verification_code = NULL,
                email_verification_expires_at = NULL,
                email_verification_attempts = 0
            WHERE id = ?
        ");
        return $stmt->execute([$userId]);
    }

    public function incrementEmailVerificationAttempts($userId) {
        $stmt = $this->db->prepare("
            UPDATE users
            SET email_verification_attempts = email_verification_attempts + 1
            WHERE id = ?
        ");
        return $stmt->execute([$userId]);
    }
}

class Position extends BaseModel {
    protected $table = 'positions';

    public function create($data) {
        $sql = "INSERT INTO positions (title, description, requirements, min_experience_years,
                max_applications, salary_range, salary_grade, training_hours, career_service_eligibi
lities,
                location, employment_type, deadline, created_by)
                VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['title'],
            $data['description'],
            $data['requirements'],
            $data['min_experience_years'] ?? 0,
            $data['max_applications'] ?? null,
            $data['salary_range'] ?? null,
            $data['salary_grade'] ?? null,
            $data['training_hours'] ?? null,
            $data['career_service_eligibilities'] ?? null,
            $data['location'] ?? null,
            $data['employment_type'] ?? 'full-time',
            $data['deadline'] ?? null,
            $data['created_by']
```

```
        ]);
    }

    public function update($id, $data) {
        $fields = [];
        $values = [];

        foreach ($data as $key => $value) {
            if ($key !== 'id') {
                $fields[] = "{$key} = ?";
                $values[] = $value;
            }
        }

        $values[] = $id;
        $sql = "UPDATE positions SET " . implode(', ', $fields) . " WHERE id = ?";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute($values);
    }

    public function getActivePositions() {
        return $this->findAll('is_active = 1 AND (deadline IS NULL OR deadline >= CURDATE())');
    }

    public function getApplicationCount($positionId) {
        $stmt = $this->db->prepare("SELECT COUNT(*) as count FROM applications WHERE position_id = ?
");
        $stmt->execute([$positionId]);
        $result = $stmt->fetch();
        return $result['count'];
    }
}

class EmploymentType extends BaseModel {
    protected $table = 'employment_types';

    public function create($data) {
        $sql = "INSERT INTO employment_types (name, slug, is_active) VALUES (?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['name'],
            $data['slug'] ?? $this->generateSlug($data['name']),
            $data['is_active'] ?? 1
        ]);
    }

    public function update($id, $data) {
        $fields = [];
        $values = [];

        foreach ($data as $key => $value) {
            if ($key !== 'id') {
                if ($key === 'name' && !isset($data['slug'])) {
                    // Auto-generate slug if name is changed
                    $fields[] = "slug = ?";
                    $values[] = $this->generateSlug($value);
                }
                $fields[] = "{$key} = ?";
                $values[] = $value;
            }
        }

        if (empty($fields)) {
            return false;
        }

        $values[] = $id;
        $sql = "UPDATE employment_types SET " . implode(', ', $fields) . " WHERE id = ?";
```

```
        $stmt = $this->db->prepare($sql);
        return $stmt->execute($values);
    }

    public function getActiveTypes() {
        return $this->findAll('is_active = 1 ORDER BY name ASC');
    }

    public function findBySlug($slug) {
        $stmt = $this->db->prepare("SELECT * FROM employment_types WHERE slug = ?");
        $stmt->execute([$slug]);
        return $stmt->fetch();
    }

    public function isUsedInPositions($employmentTypeId) {
        // Get the employment type to find its slug
        $type = $this->findById($employmentTypeId);
        if (!$type) {
            return false;
        }

        // Check if any positions are using this employment type
        $stmt = $this->db->prepare("SELECT COUNT(*) as count FROM positions WHERE employment_type =
?");
        $stmt->execute([$type['slug']]);
        $result = $stmt->fetch();
        return $result['count'] > 0;
    }

    private function generateSlug($name) {
        $slug = strtolower(trim($name));
        $slug = preg_replace('/[^a-z0-9-]/', '-', $slug);
        $slug = preg_replace('/-+/', '-', $slug);
        $slug = trim($slug, '-');

        // Ensure uniqueness
        $originalSlug = $slug;
        $counter = 1;
        while ($this->findBySlug($slug)) {
            $slug = $originalSlug . '-' . $counter;
            $counter++;
        }

        return $slug;
    }
}

class Application extends BaseModel {
    protected $table = 'applications';

    public function create($data) {
        $sql = "INSERT INTO applications (user_id, position_id, cover_letter, resume_file,
                total_experience_years, meets_requirements)
                VALUES (?, ?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['user_id'],
            $data['position_id'],
            $data['cover_letter'] ?? null,
            $data['resume_file'] ?? null,
            $data['total_experience_years'] ?? 0,
            $data['meets_requirements'] ?? false
        ]);
    }

    public function update($id, $data) {
        $fields = [];
        $values = [];
```

```
        // Check if status is being updated to approved or rejected
        if (isset($data['status']) && in_array($data['status'], [STATUS_APPROVED, STATUS_REJECTED]))
 {
            // Check if reviewed_at column exists
            try {
                $checkStmt = $this->db->prepare("SHOW COLUMNS FROM applications LIKE 'reviewed_at'")
;
                $checkStmt->execute();
                if ($checkStmt->rowCount() > 0) {
                    // Add reviewed_at timestamp
                    $data['reviewed_at'] = date('Y-m-d H:i:s');
                }
            } catch (PDOException $e) {
                // Column doesn't exist, continue without it
                error_log("reviewed_at column check failed: " . $e->getMessage());
            }
        }

        foreach ($data as $key => $value) {
            if ($key !== 'id') {
                $fields[] = "{$key} = ?";
                $values[] = $value;
            }
        }

        if (empty($fields)) {
            return false;
        }

        $values[] = $id;
        $sql = "UPDATE applications SET " . implode(', ', $fields) . " WHERE id = ?";

        try {
            $stmt = $this->db->prepare($sql);
            return $stmt->execute($values);
        } catch (PDOException $e) {
            error_log("Application update failed: " . $e->getMessage());
            error_log("SQL: " . $sql);
            error_log("Values: " . print_r($values, true));
            return false;
        }
    }

    public function findByUserAndPosition($userId, $positionId) {
        $stmt = $this->db->prepare("SELECT * FROM applications WHERE user_id = ? AND position_id = ?
");
        $stmt->execute([$userId, $positionId]);
        return $stmt->fetch();
    }

    public function getApplicationsWithDetails($where = '', $params = [], $includeArchived = false)
{
        $sql = "SELECT a.*, u.full_name as applicant_name, u.email as applicant_email,
                       p.title as position_title, p.min_experience_years
                FROM applications a
                JOIN users u ON a.user_id = u.id
                JOIN positions p ON a.position_id = p.id";

        $whereClause = [];
        $whereParams = [];

        // Exclude archived applications by default
        if (!$includeArchived) {
            $whereClause[] = "(a.is_archived = 0 OR a.is_archived IS NULL)";
        }

        // Add custom where clause if provided
```

```
        if (!empty($where)) {
            $whereClause[] = $where;
            $whereParams = array_merge($whereParams, $params);
        }

        if (!empty($whereClause)) {
            $sql .= " WHERE " . implode(' AND ', $whereClause);
        }

        $sql .= " ORDER BY a.applied_at DESC";

        $stmt = $this->db->prepare($sql);
        $stmt->execute($whereParams);
        return $stmt->fetchAll();
    }

    public function getUserApplications($userId) {
        return $this->getApplicationsWithDetails('a.user_id = ?', [$userId]);
    }

    /**
     * Archive an application (soft delete)
     */
    public function archive($id) {
        $stmt = $this->db->prepare("UPDATE applications SET is_archived = 1, archived_at = NOW() WHE
RE id = ?");
        return $stmt->execute([$id]);
    }

    /**
     * Unarchive an application
     */
    public function unarchive($id) {
        $stmt = $this->db->prepare("UPDATE applications SET is_archived = 0, archived_at = NULL WHER
E id = ?");
        return $stmt->execute([$id]);
    }

    /**
     * Get archived applications with details
     */
    public function getArchivedApplicationsWithDetails($where = '', $params = []) {
        $sql = "SELECT a.*, u.full_name as applicant_name, u.email as applicant_email,
                       p.title as position_title, p.min_experience_years
                FROM applications a
                JOIN users u ON a.user_id = u.id
                JOIN positions p ON a.position_id = p.id
                WHERE (a.is_archived = 1)";

        if (!empty($where)) {
            $sql .= " AND " . $where;
        }

        $sql .= " ORDER BY a.archived_at DESC, a.applied_at DESC";

        $stmt = $this->db->prepare($sql);
        $stmt->execute($params);
        return $stmt->fetchAll();
    }
}

class Experience extends BaseModel {
    protected $table = 'user_experience';

    /**
     * Calculate years of experience from start and end dates
     */
    private function calculateYearsDuration($startDate, $endDate = null, $isCurrent = false) {
```

```
        if (empty($startDate)) {
            return 0.0;
        }

        // If is_current is true or end_date is null/empty, use current date
        if ($isCurrent || empty($endDate)) {
            $end = new DateTime();
        } else {
            $end = new DateTime($endDate);
        }

        $start = new DateTime($startDate);

        if ($end < $start) {
            return 0.0;
        }

        $diff = $start->diff($end);
        // Calculate years with decimal precision (months converted to decimal)
        $years = $diff->y + ($diff->m / 12) + ($diff->d / 365);

        return round($years, 1);
    }

    public function create($data) {
        // Calculate years_duration
        $yearsDuration = $this->calculateYearsDuration(
            $data['start_date'],
            $data['end_date'] ?? null,
            $data['is_current'] ?? false
        );

        $sql = "INSERT INTO user_experience (user_id, company_name, position_title,
                start_date, end_date, is_current, description, years_duration)
                VALUES (?, ?, ?, ?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['user_id'],
            $data['company_name'],
            $data['position_title'],
            $data['start_date'],
            $data['end_date'] ?? null,
            $data['is_current'] ?? false,
            $data['description'] ?? null,
            $yearsDuration
        ]);
    }

    public function update($id, $data) {
        $fields = [];
        $values = [];

        // Check if we need to recalculate years_duration
        if (isset($data['start_date']) || isset($data['end_date']) || isset($data['is_current'])) {
            // Get the full record to calculate properly
            $existing = $this->findById($id);
            if ($existing) {
                $startDate = $data['start_date'] ?? $existing['start_date'];
                // Handle end_date: if is_current is true, end_date should be null
                $isCurrent = isset($data['is_current']) ? $data['is_current'] : $existing['is_curren
t'];
                if ($isCurrent) {
                    $endDate = null;
                } else {
                    // If is_current is false, use provided end_date or existing one
                    $endDate = isset($data['end_date']) && !empty($data['end_date']) ? $data['end_da
te'] : $existing['end_date'];
                }
```

```
                // Recalculate years_duration
                $data['years_duration'] = $this->calculateYearsDuration($startDate, $endDate, $isCur
rent);
            }
        }

        // Normalize end_date for database: if is_current is true, set end_date to null
        if (isset($data['is_current']) && $data['is_current']) {
            $data['end_date'] = null;
        } elseif (isset($data['end_date']) && empty($data['end_date'])) {
            // If end_date is empty string and not current, keep existing end_date
            unset($data['end_date']);
        }

        foreach ($data as $key => $value) {
            if ($key !== 'id') {
                $fields[] = "{$key} = ?";
                $values[] = $value;
            }
        }

        if (empty($fields)) {
            return false;
        }

        $values[] = $id;
        $sql = "UPDATE user_experience SET " . implode(', ', $fields) . " WHERE id = ?";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute($values);
    }

    public function getUserExperience($userId) {
        $stmt = $this->db->prepare("SELECT * FROM user_experience WHERE user_id = ? ORDER BY start_d
ate DESC");
        $stmt->execute([$userId]);
        return $stmt->fetchAll();
    }
}

class ApplicationDocument extends BaseModel {
    protected $table = 'application_documents';

    public function create($data) {
        $sql = "INSERT INTO application_documents (application_id, document_type, file_name, file_pa
th, file_size)
                VALUES (?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['application_id'],
            $data['document_type'],
            $data['file_name'],
            $data['file_path'],
            $data['file_size'] ?? null
        ]);
    }

    public function getApplicationDocuments($applicationId) {
        $stmt = $this->db->prepare("SELECT * FROM application_documents WHERE application_id = ? ORD
ER BY uploaded_at ASC");
        $stmt->execute([$applicationId]);
        return $stmt->fetchAll();
    }

    public function deleteByApplicationId($applicationId) {
        $stmt = $this->db->prepare("DELETE FROM application_documents WHERE application_id = ?");
        return $stmt->execute([$applicationId]);
    }
```

```
}

class TrainingCertificate extends BaseModel {
    protected $table = 'user_training_certificates';

    public function create($data) {
        $sql = "INSERT INTO user_training_certificates (user_id, file_name, file_path, file_size)
                VALUES (?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['user_id'],
            $data['file_name'],
            $data['file_path'],
            $data['file_size'] ?? null
        ]);
    }

    public function getUserCertificates($userId) {
        $stmt = $this->db->prepare("SELECT * FROM user_training_certificates WHERE user_id = ? ORDER
 BY uploaded_at ASC");
        $stmt->execute([$userId]);
        return $stmt->fetchAll();
    }

    public function deleteById($id, $userId) {
        // Ensure the certificate belongs to the user before deleting
        $stmt = $this->db->prepare("DELETE FROM user_training_certificates WHERE id = ? AND user_id
= ?");
        return $stmt->execute([$id, $userId]);
    }

    public function getNextSequenceNumber($userId) {
        // Get the highest sequence number for this user to determine the next TS number
        $stmt = $this->db->prepare("SELECT COUNT(*) as count FROM user_training_certificates WHERE u
ser_id = ?");
        $stmt->execute([$userId]);
        $result = $stmt->fetch();
        return ($result['count'] ?? 0) + 1;
    }
}

class UserApplicationDocument extends BaseModel {
    protected $table = 'user_application_documents';

    public function create($data) {
        $sql = "INSERT INTO user_application_documents (user_id, document_type, file_name, file_path
, file_size)
                VALUES (?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['user_id'],
            $data['document_type'],
            $data['file_name'],
            $data['file_path'],
            $data['file_size'] ?? null
        ]);
    }

    public function getUserDocuments($userId, $documentType = null) {
        if ($documentType) {
            $stmt = $this->db->prepare("SELECT * FROM user_application_documents WHERE user_id = ? A
ND document_type = ? ORDER BY uploaded_at ASC");
            $stmt->execute([$userId, $documentType]);
        } else {
            $stmt = $this->db->prepare("SELECT * FROM user_application_documents WHERE user_id = ? O
RDER BY document_type, uploaded_at ASC");
            $stmt->execute([$userId]);
        }
```

```
        return $stmt->fetchAll();
    }

    public function getUserDocumentByType($userId, $documentType) {
        // Get single document for types that only allow one file (APLET, PDS, WES, TOR, DIP)
        $stmt = $this->db->prepare("SELECT * FROM user_application_documents WHERE user_id = ? AND d
ocument_type = ? ORDER BY uploaded_at DESC LIMIT 1");
        $stmt->execute([$userId, $documentType]);
        return $stmt->fetch();
    }

    public function deleteById($id, $userId) {
        // Ensure the document belongs to the user before deleting
        $stmt = $this->db->prepare("DELETE FROM user_application_documents WHERE id = ? AND user_id
= ?");
        return $stmt->execute([$id, $userId]);
    }

    public function getNextSequenceNumber($userId, $documentType) {
        // Get the count for this document type to determine the next sequence number
        $stmt = $this->db->prepare("SELECT COUNT(*) as count FROM user_application_documents WHERE u
ser_id = ? AND document_type = ?");
        $stmt->execute([$userId, $documentType]);
        $result = $stmt->fetch();
        return ($result['count'] ?? 0) + 1;
    }
}

class Message extends BaseModel {
    protected $table = 'messages';

    public function create($data) {
        try {
            // Check if recipient_id column exists (for backward compatibility)
            $hasRecipientColumn = $this->columnExists('recipient_id');

            if ($hasRecipientColumn) {
                // Support both application-based and user-to-user messaging
                $sql = "INSERT INTO messages (application_id, sender_id, recipient_id, sender_role,
message)
                        VALUES (?, ?, ?, ?, ?)";
                $stmt = $this->db->prepare($sql);
                $result = $stmt->execute([
                    $data['application_id'] ?? null,
                    $data['sender_id'],
                    $data['recipient_id'] ?? null,
                    $data['sender_role'],
                    $data['message']
                ]);

                if (!$result) {
                    $errorInfo = $stmt->errorInfo();
                    throw new Exception('Failed to insert message: ' . ($errorInfo[2] ?? 'Unknown er
ror'));
                }

                return $result;
            } else {
                // Fallback for old schema without recipient_id
                // Only support application-based messaging
                if (empty($data['application_id'])) {
                    throw new Exception('recipient_id column does not exist. Please run the database
 migration to enable user-to-user messaging.');
                }
                $sql = "INSERT INTO messages (application_id, sender_id, sender_role, message)
                        VALUES (?, ?, ?, ?)";
                $stmt = $this->db->prepare($sql);
                $result = $stmt->execute([
```

```
                    $data['application_id'],
                    $data['sender_id'],
                    $data['sender_role'],
                    $data['message']
                ]);

                if (!$result) {
                    $errorInfo = $stmt->errorInfo();
                    throw new Exception('Failed to insert message: ' . ($errorInfo[2] ?? 'Unknown er
ror'));
                }

                return $result;
            }
        } catch (\PDOException $e) {
            error_log("Message create PDO error: " . $e->getMessage());
            throw $e;
        } catch (\Exception $e) {
            error_log("Message create error: " . $e->getMessage());
            throw $e;
        }
    }

    /**
     * Check if a column exists in the messages table
     */
    private function columnExists($columnName) {
        try {
            $stmt = $this->db->prepare("SHOW COLUMNS FROM messages LIKE ?");
            $stmt->execute([$columnName]);
            return $stmt->rowCount() > 0;
        } catch (Exception $e) {
            error_log("Error checking column existence: " . $e->getMessage());
            return false;
        }
    }

    public function getMessagesByApplication($applicationId, $limit = 50) {
        // Get all messages for an application
        // This includes messages with the application_id
        $stmt = $this->db->prepare("
            SELECT m.*, u.full_name as sender_name
            FROM messages m
            LEFT JOIN users u ON m.sender_id = u.id
            WHERE m.application_id = ?
            ORDER BY m.created_at ASC
            LIMIT ?
        ");
        $stmt->execute([$applicationId, $limit]);
        return $stmt->fetchAll();
    }

    public function getMessagesByUsers($senderId, $recipientId, $limit = 50) {
        // Get messages between two users (bidirectional)
        // Include messages with recipient_id (direct user-to-user) AND application-based messages
        // Works for both admin-applicant and applicant-admin conversations
        // 1. Direct messages via recipient_id (bidirectional)
        // 2. Application-based messages where applicant is involved
        $stmt = $this->db->prepare("
            SELECT DISTINCT m.*, u.full_name as sender_name
            FROM messages m
            LEFT JOIN users u ON m.sender_id = u.id
            LEFT JOIN applications app ON m.application_id = app.id
            WHERE (
                -- Direct user-to-user messages (bidirectional) via recipient_id
                (m.sender_id = ? AND m.recipient_id = ?)
                OR (m.sender_id = ? AND m.recipient_id = ?)
                OR (
```

```
                    -- Application-based messages where the applicant is involved
                    -- Check if recipientId is the applicant for this application
                    m.application_id IS NOT NULL
                    AND app.user_id = ?
                )
            )
            ORDER BY m.created_at ASC
            LIMIT ?
        ");
        $stmt->execute([$senderId, $recipientId, $recipientId, $senderId, $recipientId, $limit]);
        return $stmt->fetchAll();
    }

    public function getMessagesForRecipient($recipientId, $limit = 50) {
        // Get all messages for an applicant recipient:
        // 1. Direct messages sent to them (via recipient_id) from admins
        // 2. Direct messages sent by them (via recipient_id) to admins
        // 3. Application-based messages from their applications (always admin-applicant)
        // IMPORTANT: Filter to ensure applicants only see messages from/to admins (not from other a
pplicants)
        $stmt = $this->db->prepare("
            SELECT DISTINCT m.*, u.full_name as sender_name,
                   u.role as sender_user_role
            FROM messages m
            LEFT JOIN users u ON m.sender_id = u.id
            LEFT JOIN users recipient_user ON m.recipient_id = recipient_user.id
            LEFT JOIN applications app ON m.application_id = app.id
            WHERE (
                -- Direct user-to-user messages where recipient is involved (bidirectional)
                -- Messages sent TO the applicant (recipient_id = applicant)
                (
                    m.recipient_id = ?
                    AND m.sender_id != ?
                    AND u.role = 'admin'
                )
                -- OR messages sent BY the applicant (sender_id = applicant, recipient_id = admin)
                OR (
                    m.sender_id = ?
                    AND m.recipient_id IS NOT NULL
                    AND m.recipient_id != ?
                    AND recipient_user.role = 'admin'
                )
                -- OR application-based messages where this recipient is the applicant
                OR (
                    m.application_id IS NOT NULL
                    AND app.user_id = ?
                )
            )
            ORDER BY m.created_at ASC
            LIMIT ?
        ");
        $stmt->execute([$recipientId, $recipientId, $recipientId, $recipientId, $recipientId, $limit
]);
        return $stmt->fetchAll();
    }

    public function markAsRead($messageIds, $userId) {
        if (empty($messageIds)) {
            return true;
        }
        $placeholders = implode(',', array_fill(0, count($messageIds), '?'));
        $stmt = $this->db->prepare("
            UPDATE messages
            SET is_read = 1
            WHERE id IN ($placeholders)
            AND sender_id != ?
        ");
        $params = array_merge($messageIds, [$userId]);
```

```
        return $stmt->execute($params);
    }

    public function getUnreadCount($applicationId, $userId) {
        $stmt = $this->db->prepare("
            SELECT COUNT(*) as count
            FROM messages
            WHERE application_id = ?
            AND sender_id != ?
            AND is_read = 0
        ");
        $stmt->execute([$applicationId, $userId]);
        $result = $stmt->fetch();
        return (int)($result['count'] ?? 0);
    }

    /**
     * Get conversations for admin (all users they've chatted with)
     */
    public function getAdminConversations($adminId, $limit = 50, $offset = 0) {
        $hasRecipientColumn = $this->columnExists('recipient_id');

        if ($hasRecipientColumn) {
            // Optimized single query with subqueries (but limited to reduce load)
            $stmt = $this->db->prepare("
                SELECT
                    u.id as user_id,
                    u.full_name,
                    u.email,
                    u.role,
                    MAX(m.created_at) as last_message_at,
                    (SELECT COUNT(*)
                     FROM messages m2
                     LEFT JOIN applications app2 ON m2.application_id = app2.id
                     WHERE (
                         (m2.sender_id = ? AND m2.recipient_id = u.id)
                         OR (m2.sender_id = u.id AND m2.recipient_id = ?)
                         OR (m2.application_id IS NOT NULL AND app2.user_id = u.id)
                     )
                     AND m2.sender_id != ?
                     AND m2.is_read = 0
                     LIMIT 1000
                    ) as unread_count,
                    (SELECT m3.message
                     FROM messages m3
                     LEFT JOIN applications app3 ON m3.application_id = app3.id
                     WHERE (
                         (m3.sender_id = ? AND m3.recipient_id = u.id)
                         OR (m3.sender_id = u.id AND m3.recipient_id = ?)
                         OR (m3.application_id IS NOT NULL AND app3.user_id = u.id)
                     )
                     ORDER BY m3.created_at DESC
                     LIMIT 1
                    ) as last_message
                FROM messages m
                LEFT JOIN applications app ON m.application_id = app.id
                LEFT JOIN users u ON (u.id = COALESCE(m.recipient_id, app.user_id))
                WHERE (
                    (m.sender_id = ? AND m.recipient_id IS NOT NULL)
                    OR (m.recipient_id = ? AND m.sender_id != ?)
                    OR (m.application_id IS NOT NULL AND app.user_id IS NOT NULL)
                )
                AND u.id IS NOT NULL
                AND u.role = 'applicant'
                GROUP BY u.id, u.full_name, u.email, u.role
                ORDER BY last_message_at DESC
                LIMIT ? OFFSET ?
            ");
```

```
            $stmt->execute([
                $adminId, $adminId, $adminId,
                $adminId, $adminId,
                $adminId, $adminId, $adminId,
                $limit, $offset
            ]);
        } else {
            // Fallback for old schema
            $stmt = $this->db->prepare("
                SELECT
                    u.id as user_id,
                    u.full_name,
                    u.email,
                    u.role,
                    MAX(m.created_at) as last_message_at,
                    (SELECT COUNT(*)
                     FROM messages m2
                     WHERE m2.application_id = app.id
                     AND m2.sender_id != ?
                     AND m2.is_read = 0
                    ) as unread_count,
                    (SELECT m3.message
                     FROM messages m3
                     WHERE m3.application_id = app.id
                     ORDER BY m3.created_at DESC
                     LIMIT 1
                    ) as last_message
                FROM messages m
                INNER JOIN applications app ON m.application_id = app.id
                INNER JOIN users u ON app.user_id = u.id
                WHERE (m.sender_id = ? OR EXISTS (
                    SELECT 1 FROM messages m4
                    WHERE m4.application_id = app.id AND m4.sender_id = ?
                ))
                AND u.role = 'applicant'
                GROUP BY u.id, u.full_name, u.email, u.role, app.id
                ORDER BY last_message_at DESC
                LIMIT ? OFFSET ?
            ");
            $stmt->execute([$adminId, $adminId, $adminId, $limit, $offset]);
        }

        return $stmt->fetchAll();
    }

    /**
     * Get conversations for applicant (only admins they've chatted with)
     */
    public function getApplicantConversations($applicantId) {
        $hasRecipientColumn = $this->columnExists('recipient_id');

        if ($hasRecipientColumn) {
            // Get conversations where:
            // 1. Admin sent message to applicant (recipient_id = applicant)
            // 2. Applicant sent message to admin (sender_id = applicant, recipient_id = admin)
            // 3. Application-based messages where admin sent to applicant's application
            $stmt = $this->db->prepare("
                SELECT DISTINCT
                    u.id as user_id,
                    u.full_name,
                    u.email,
                    u.role,
                    MAX(m.created_at) as last_message_at,
                    (SELECT COUNT(*) FROM messages m2
                     WHERE (
                        -- Unread messages from admin to applicant
                        (m2.sender_id = u.id AND m2.recipient_id = ?)
                        OR (m2.sender_id = ? AND m2.recipient_id = u.id)
```

```
                       OR (m2.application_id IS NOT NULL AND EXISTS (
                           SELECT 1 FROM applications app2
                           WHERE app2.id = m2.application_id AND app2.user_id = ?
                       ))
                    )
                    AND m2.sender_id != ? AND m2.is_read = 0) as unread_count,
                   (SELECT m3.message FROM messages m3
                    WHERE (
                       (m3.sender_id = u.id AND m3.recipient_id = ?)
                       OR (m3.sender_id = ? AND m3.recipient_id = u.id)
                       OR (m3.application_id IS NOT NULL AND EXISTS (
                           SELECT 1 FROM applications app3
                           WHERE app3.id = m3.application_id AND app3.user_id = ?
                       ))
                    )
                    ORDER BY m3.created_at DESC LIMIT 1) as last_message
                FROM messages m
                LEFT JOIN applications app ON m.application_id = app.id
                LEFT JOIN users u ON (
                    -- Admin who sent message to applicant
                    (m.sender_id = u.id AND m.recipient_id = ? AND u.role = 'admin')
                    -- OR applicant sent to admin
                    OR (m.sender_id = ? AND m.recipient_id = u.id AND u.role = 'admin')
                    -- OR application-based where admin sent message
                    OR (m.application_id IS NOT NULL AND app.user_id = ? AND m.sender_id = u.id AND
u.role = 'admin')
                )
                WHERE (
                    -- Messages sent TO applicant from admin
                    (m.recipient_id = ? AND m.sender_id != ? AND u.role = 'admin')
                    -- OR messages sent BY applicant to admin
                    OR (m.sender_id = ? AND m.recipient_id IS NOT NULL AND m.recipient_id != ? AND u
.role = 'admin')
                    -- OR application-based messages
                    OR (m.application_id IS NOT NULL AND app.user_id = ? AND u.role = 'admin')
                )
                AND u.id IS NOT NULL
                GROUP BY u.id, u.full_name, u.email, u.role
                ORDER BY last_message_at DESC
            ");
            $stmt->execute([
                $applicantId, $applicantId, $applicantId, $applicantId,
                $applicantId, $applicantId, $applicantId,
                $applicantId, $applicantId, $applicantId,
                $applicantId, $applicantId, $applicantId, $applicantId, $applicantId
            ]);
        } else {
            // Fallback for old schema
            $stmt = $this->db->prepare("
                SELECT DISTINCT
                    u.id as user_id,
                    u.full_name,
                    u.email,
                    u.role,
                    MAX(m.created_at) as last_message_at,
                    (SELECT COUNT(*) FROM messages m2
                     WHERE m2.application_id = app.id
                     AND m2.sender_id != ? AND m2.is_read = 0) as unread_count,
                    (SELECT m3.message FROM messages m3
                     WHERE m3.application_id = app.id
                     ORDER BY m3.created_at DESC LIMIT 1) as last_message
                FROM messages m
                INNER JOIN applications app ON m.application_id = app.id
                INNER JOIN users u ON m.sender_id = u.id
                WHERE app.user_id = ?
                AND u.role = 'admin'
                GROUP BY u.id, u.full_name, u.email, u.role
                ORDER BY last_message_at DESC
```

```
            ");
            $stmt->execute([$applicantId, $applicantId]);
        }

        return $stmt->fetchAll();
    }

    /**
     * Get unread count for a conversation
     */
    public function getConversationUnreadCount($userId, $otherUserId, $isAdmin = false) {
        $hasRecipientColumn = $this->columnExists('recipient_id');

        if ($hasRecipientColumn) {
            if ($isAdmin) {
                $stmt = $this->db->prepare("
                    SELECT COUNT(*) as count
                    FROM messages m
                    LEFT JOIN applications app ON m.application_id = app.id
                    WHERE (
                        (m.sender_id = ? AND m.recipient_id = ?)
                        OR (m.sender_id = ? AND m.recipient_id = ?)
                        OR (m.application_id IS NOT NULL AND app.user_id = ?)
                    )
                    AND m.sender_id != ?
                    AND m.is_read = 0
                ");
                $stmt->execute([$userId, $otherUserId, $otherUserId, $userId, $otherUserId, $userId]
);
            } else {
                $stmt = $this->db->prepare("
                    SELECT COUNT(*) as count
                    FROM messages m
                    LEFT JOIN applications app ON m.application_id = app.id
                    WHERE (
                        (m.sender_id = ? AND m.recipient_id = ?)
                        OR (m.application_id IS NOT NULL AND app.user_id = ?)
                    )
                    AND m.sender_id != ?
                    AND m.is_read = 0
                ");
                $stmt->execute([$otherUserId, $userId, $userId, $userId]);
            }
        } else {
            $stmt = $this->db->prepare("
                SELECT COUNT(*) as count
                FROM messages m
                INNER JOIN applications app ON m.application_id = app.id
                WHERE app.user_id = ?
                AND m.sender_id != ?
                AND m.is_read = 0
            ");
            $stmt->execute([$userId, $userId]);
        }

        $result = $stmt->fetch();
        return (int)($result['count'] ?? 0);
    }
}

class Notification extends BaseModel {
    protected $table = 'notifications';

    /**
     * Create a new notification
     */
    public function create($data) {
        $sql = "INSERT INTO notifications (user_id, type, title, message, related_id, related_type)
```

```
                VALUES (?, ?, ?, ?, ?, ?)";
        $stmt = $this->db->prepare($sql);
        return $stmt->execute([
            $data['user_id'],
            $data['type'] ?? 'application_submitted',
            $data['title'],
            $data['message'],
            $data['related_id'] ?? null,
            $data['related_type'] ?? null
        ]);
    }

    /**
     * Get notifications for a user
     */
    public function getUserNotifications($userId, $limit = null, $unreadOnly = false) {
        $sql = "SELECT * FROM notifications WHERE user_id = ?";

        if ($unreadOnly) {
            $sql .= " AND is_read = 0";
        }

        $sql .= " ORDER BY created_at DESC";

        if ($limit) {
            $sql .= " LIMIT " . (int)$limit;
        }

        $stmt = $this->db->prepare($sql);
        $stmt->execute([$userId]);
        return $stmt->fetchAll();
    }

    /**
     * Get unread count for a user
     */
    public function getUnreadCount($userId) {
        $stmt = $this->db->prepare("SELECT COUNT(*) as count FROM notifications WHERE user_id = ? AN
D is_read = 0");
        $stmt->execute([$userId]);
        $result = $stmt->fetch();
        return (int)($result['count'] ?? 0);
    }

    /**
     * Mark notification as read
     */
    public function markAsRead($notificationId, $userId) {
        $stmt = $this->db->prepare("UPDATE notifications SET is_read = 1, read_at = NOW() WHERE id =
 ? AND user_id = ?");
        return $stmt->execute([$notificationId, $userId]);
    }

    /**
     * Mark all notifications as read for a user
     */
    public function markAllAsRead($userId) {
        $stmt = $this->db->prepare("UPDATE notifications SET is_read = 1, read_at = NOW() WHERE user
_id = ? AND is_read = 0");
        return $stmt->execute([$userId]);
    }

    /**
     * Create notification for all admins
     */
    public function notifyAllAdmins($type, $title, $message, $relatedId = null, $relatedType = null)
 {
        $userModel = new User();
```

```
        $admins = $userModel->findAll('role = ?', [ROLE_ADMIN]);

        foreach ($admins as $admin) {
            $this->create([
                'user_id' => $admin['id'],
                'type' => $type,
                'title' => $title,
                'message' => $message,
                'related_id' => $relatedId,
                'related_type' => $relatedType
            ]);
        }

        return true;
    }

    /**
     * Delete notification
     */
    public function delete($id) {
        $stmt = $this->db->prepare("DELETE FROM notifications WHERE id = ?");
        return $stmt->execute([$id]);
    }
}
?>
```

includes/pwa-header.php

```
<?php
/**
 * PWA Header Include
 * Include this file in the <head> section of all applicant pages
 * to enable Progressive Web App functionality
 */

// PWA Meta Tags
?>
<!-- PWA Meta Tags -->
<meta name="application-name" content="WPU Jobs">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="apple-mobile-web-app-status-bar-style" content="black-translucent">
<meta name="apple-mobile-web-app-title" content="WPU Jobs">
<meta name="mobile-web-app-capable" content="yes">
<meta name="msapplication-TileColor" content="#1e3a5f">
<meta name="msapplication-TileImage" content="<?= BASE_URL ?>assets/pwa/icon-144x144.png">
<meta name="theme-color" content="#1e3a5f">
<meta name="format-detection" content="telephone=no">

<!-- PWA Manifest -->
<link rel="manifest" href="<?= BASE_URL ?>manifest.php">

<!-- PWA Icons -->
<link rel="apple-touch-icon" href="<?= BASE_URL ?>assets/pwa/icon-152x152.png">
<link rel="apple-touch-icon" sizes="72x72" href="<?= BASE_URL ?>assets/pwa/icon-72x72.png">
<link rel="apple-touch-icon" sizes="96x96" href="<?= BASE_URL ?>assets/pwa/icon-96x96.png">
<link rel="apple-touch-icon" sizes="128x128" href="<?= BASE_URL ?>assets/pwa/icon-128x128.png">
<link rel="apple-touch-icon" sizes="144x144" href="<?= BASE_URL ?>assets/pwa/icon-144x144.png">
<link rel="apple-touch-icon" sizes="152x152" href="<?= BASE_URL ?>assets/pwa/icon-152x152.png">
<link rel="apple-touch-icon" sizes="192x192" href="<?= BASE_URL ?>assets/pwa/icon-192x192.png">
<link rel="apple-touch-icon" sizes="384x384" href="<?= BASE_URL ?>assets/pwa/icon-384x384.png">
<link rel="apple-touch-icon" sizes="512x512" href="<?= BASE_URL ?>assets/pwa/icon-512x512.png">

<!-- Splash screens for iOS -->
<link rel="apple-touch-startup-image" href="<?= BASE_URL ?>assets/pwa/icon-512x512.png">
```

includes/pwa-scripts.php

```
<?php
/**
 * PWA Scripts Include
 * Include this file before the closing </body> tag of all applicant pages
 * to enable Progressive Web App functionality
 */
?>
<!-- PWA Scripts -->
<script>
    // Set PWA base URL for service worker scope
    window.PWA_BASE_URL = '<?= BASE_URL ?>';
    window.PWA_BASE_PATH = '<?= parse_url(BASE_URL, PHP_URL_PATH) ?? '/Applicant_WPU/' ?>';
</script>
<script src="<?= BASE_URL ?>assets/js/pwa.js"></script>
```

includes/services/ApplicationService.php

```
<?php
/**
 * Application Service Class
 * Handles business logic for application-related operations
 */

require_once __DIR__ . '/../models.php';
require_once __DIR__ . '/EmailService.php';
require_once __DIR__ . '/RequirementValidator.php';

class ApplicationService {
    private $applicationModel;
    private $positionModel;
    private $userModel;
    private $documentModel;
    private $emailService;
    private $requirementValidator;

    public function __construct() {
        $this->applicationModel = new Application();
        $this->positionModel = new Position();
        $this->userModel = new User();
        $this->documentModel = new ApplicationDocument();
        $this->emailService = new EmailService();
        $this->requirementValidator = new RequirementValidator();
    }

    /**
     * Submit a new application
     */
    public function submitApplication($userId, $positionId, $data, $files = []) {
        // Validate position
        $position = $this->positionModel->findById($positionId);

        if (!$position) {
            throw new ValidationException('Position not found');
        }

        if (!$position['is_active']) {
            throw new ValidationException('This position is no longer active');
        }

        // Check deadline
        if ($position['deadline'] && strtotime($position['deadline']) < time()) {
            throw new ValidationException('Application deadline has passed');
        }

        // Check if already applied
        $existingApplication = $this->applicationModel->findByUserAndPosition($userId, $positionId);
        if ($existingApplication) {
            throw new ValidationException('You have already applied for this position');
        }

        // Check max applications limit
        if ($position['max_applications']) {
            $applicationCount = $this->positionModel->getApplicationCount($positionId);
            if ($applicationCount >= $position['max_applications']) {
                throw new ValidationException('Maximum number of applications reached for this posit
ion');
            }
        }

        // Validate all requirements comprehensively
        $validation = $this->requirementValidator->validateRequirements($userId, $positionId);
        $totalExperience = $this->userModel->getTotalExperience($userId);
```

```
        // Create application
        $applicationData = [
            'user_id' => $userId,
            'position_id' => $positionId,
            'cover_letter' => $data['cover_letter'] ?? null,
            'resume_file' => $data['resume_file'] ?? null,
            'total_experience_years' => $totalExperience,
            'meets_requirements' => $validation['meets_requirements']
        ];

        $result = $this->applicationModel->create($applicationData);

        if (!$result) {
            throw new Exception('Failed to submit application');
        }

        // Get the created application
        $application = $this->applicationModel->findByUserAndPosition($userId, $positionId);

        // Log activity
        $this->userModel->logActivity(
            $userId,
            'submit_application',
            "Applied for position: {$position['title']}"
        );

        // Send confirmation email to applicant
        try {
            $user = $this->userModel->findById($userId);
            $this->emailService->sendApplicationSubmitted($user, $position, $application);
        } catch (Exception $e) {
            // Log error but don't fail the application submission
            error_log("Failed to send application confirmation email: " . $e->getMessage());
        }

        // Send notification to admins
        try {
            $admins = $this->userModel->findAll('role = ?', [ROLE_ADMIN]);
            foreach ($admins as $admin) {
                $this->emailService->sendNewApplicationNotification($admin, $user, $position, $appli
cation);
            }
        } catch (Exception $e) {
            // Log error but don't fail the application submission
            error_log("Failed to send admin notification email: " . $e->getMessage());
        }

        // Create in-app notifications for all admins
        try {
            $notificationModel = new Notification();
            $notificationModel->notifyAllAdmins(
                'application_submitted',
                'New Application Submitted',
                "{$user['full_name']} has submitted an application for {$position['title']}",
                $application['id'],
                'application'
            );
        } catch (Exception $e) {
            // Log error but don't fail the application submission
            error_log("Failed to create admin notifications: " . $e->getMessage());
        }

        return $application;
    }

    /**
     * Update application status (admin only)
     */
```

```
    public function updateApplicationStatus($applicationId, $status, $adminId) {
        if (!in_array($status, [STATUS_PENDING, STATUS_APPROVED, STATUS_REJECTED])) {
            throw new ValidationException('Invalid status');
        }

        $application = $this->applicationModel->findById($applicationId);

        if (!$application) {
            throw new Exception('Application not found');
        }

        // Update status
        $result = $this->applicationModel->update($applicationId, ['status' => $status]);

        if (!$result) {
            throw new Exception('Failed to update application status');
        }

        // Get updated application with details
        $updatedApp = $this->applicationModel->getApplicationsWithDetails('a.id = ?', [$applicationI
d])[0] ?? null;

        // Log activity
        $this->userModel->logActivity(
            $adminId,
            'update_application_status',
            "Changed application #{$applicationId} status to {$status}"
        );

        // Send email notification to applicant if status changed to approved or rejected
        if ($status === STATUS_APPROVED || $status === STATUS_REJECTED) {
            try {
                $user = $this->userModel->findById($application['user_id']);
                $position = $this->positionModel->findById($application['position_id']);
                $this->emailService->sendApplicationStatusUpdate($user, $position, $updatedApp);
            } catch (Exception $e) {
                // Log error but don't fail the status update
                error_log("Failed to send application status update email: " . $e->getMessage());
            }
        }

        return $updatedApp;
    }

    /**
     * Get application details
     */
    public function getApplicationDetails($applicationId, $userId = null, $isAdmin = false) {
        $application = $this->applicationModel->findById($applicationId);

        if (!$application) {
            throw new Exception('Application not found');
        }

        // Check access permissions
        if (!$isAdmin && $userId && $application['user_id'] != $userId) {
            throw new Exception('Access denied');
        }

        // Get full application details
        $fullApplication = $this->applicationModel->getApplicationsWithDetails('a.id = ?', [$applica
tionId])[0] ?? null;

        // Get documents
        $fullApplication['documents'] = $this->documentModel->getApplicationDocuments($applicationId
);

        return $fullApplication;
```

```
    }

    /**
     * Get user applications
     */
    public function getUserApplications($userId, $filters = []) {
        $applications = $this->applicationModel->getUserApplications($userId);

        // Apply filters
        if (isset($filters['status']) && $filters['status'] !== 'all') {
            $applications = array_filter($applications, function($app) use ($filters) {
                return $app['status'] === $filters['status'];
            });
        }

        if (isset($filters['position_id'])) {
            $applications = array_filter($applications, function($app) use ($filters) {
                return $app['position_id'] == $filters['position_id'];
            });
        }

        return array_values($applications);
    }

    /**
     * Get all applications (admin only)
     */
    public function getAllApplications($filters = []) {
        $where = '';
        $params = [];

        if (isset($filters['status']) && $filters['status'] !== 'all') {
            $where = 'a.status = ?';
            $params[] = $filters['status'];
        }

        if (isset($filters['position_id']) && $filters['position_id'] !== 'all') {
            $where .= ($where ? ' AND ' : '') . 'a.position_id = ?';
            $params[] = $filters['position_id'];
        }

        if (isset($filters['meets_requirements'])) {
            $where .= ($where ? ' AND ' : '') . 'a.meets_requirements = ?';
            $params[] = $filters['meets_requirements'];
        }

        if (isset($filters['search'])) {
            $searchTerm = '%' . $filters['search'] . '%';
            $where .= ($where ? ' AND ' : '') . '(u.full_name LIKE ? OR u.email LIKE ? OR p.title LI
KE ?)';
            $params[] = $searchTerm;
            $params[] = $searchTerm;
            $params[] = $searchTerm;
        }

        return $this->applicationModel->getApplicationsWithDetails($where, $params);
    }

    /**
     * Delete application
     */
    public function deleteApplication($applicationId, $userId, $isAdmin = false) {
        $application = $this->applicationModel->findById($applicationId);

        if (!$application) {
            throw new Exception('Application not found');
        }
```

```
        // Check permissions
        if (!$isAdmin && $application['user_id'] != $userId) {
            throw new Exception('Access denied');
        }

        // Only allow deletion of pending applications
        if ($application['status'] !== STATUS_PENDING) {
            throw new ValidationException('Can only delete pending applications');
        }

        // Delete documents first
        $documents = $this->documentModel->getApplicationDocuments($applicationId);
        foreach ($documents as $doc) {
            $filePath = __DIR__ . '/../../applicant/pages/uploads/documents/' . $doc['file_path'];
            if (file_exists($filePath)) {
                unlink($filePath);
            }
        }
        $this->documentModel->deleteByApplicationId($applicationId);

        // Delete resume if exists
        if ($application['resume_file']) {
            $resumePath = __DIR__ . '/../../applicant/pages/uploads/resumes/' . $application['resume
_file'];
            if (file_exists($resumePath)) {
                unlink($resumePath);
            }
        }

        // Delete application
        $result = $this->applicationModel->delete($applicationId);

        if (!$result) {
            throw new Exception('Failed to delete application');
        }

        // Log activity
        $this->userModel->logActivity(
            $userId,
            'delete_application',
            "Deleted application #{$applicationId}"
        );

        return true;
    }

    /**
     * Get application statistics
     */
    public function getApplicationStats($positionId = null) {
        $stats = [
            'total' => 0,
            'pending' => 0,
            'approved' => 0,
            'rejected' => 0,
            'meets_requirements' => 0,
            'avg_experience' => 0
        ];

        $where = $positionId ? 'a.position_id = ?' : '';
        $params = $positionId ? [$positionId] : [];

        $applications = $this->applicationModel->getApplicationsWithDetails($where, $params);

        $stats['total'] = count($applications);

        $totalExp = 0;
        foreach ($applications as $app) {
```

```
            $stats[$app['status']]++;
            if ($app['meets_requirements']) {
                $stats['meets_requirements']++;
            }
            $totalExp += $app['total_experience_years'];
        }

        if ($stats['total'] > 0) {
            $stats['avg_experience'] = round($totalExp / $stats['total'], 2);
        }

        return $stats;
    }

    /**
     * Withdraw application (user only)
     */
    public function withdrawApplication($applicationId, $userId) {
        $application = $this->applicationModel->findById($applicationId);

        if (!$application) {
            throw new Exception('Application not found');
        }

        if ($application['user_id'] != $userId) {
            throw new Exception('Access denied');
        }

        if ($application['status'] !== STATUS_PENDING) {
            throw new ValidationException('Can only withdraw pending applications');
        }

        // Update status to withdrawn (we can add this status to the database)
        // For now, we'll just delete it
        return $this->deleteApplication($applicationId, $userId, false);
    }
}
```

includes/services/Cache.php

```
<?php
/**
 * Simple Cache Service
 * Handles basic caching functionality
 */

class Cache {
    private $cachePath;
    private $defaultTTL;

    public function __construct($cachePath = null, $defaultTTL = 3600) {
        $this->cachePath = $cachePath ?? __DIR__ . '/../../cache/';
        $this->defaultTTL = $defaultTTL;

        // Ensure cache directory exists
        if (!is_dir($this->cachePath)) {
            mkdir($this->cachePath, 0755, true);
        }
    }

    /**
     * Get cache key filename
     */
    private function getFilename($key) {
        return $this->cachePath . md5($key) . '.cache';
    }

    /**
     * Get cached value
     */
    public function get($key, $default = null) {
        $filename = $this->getFilename($key);

        if (!file_exists($filename)) {
            return $default;
        }

        $data = unserialize(file_get_contents($filename));

        // Check if expired
        if ($data['expires'] < time()) {
            $this->delete($key);
            return $default;
        }

        return $data['value'];
    }

    /**
     * Set cache value
     */
    public function set($key, $value, $ttl = null) {
        $ttl = $ttl ?? $this->defaultTTL;

        $data = [
            'value' => $value,
            'expires' => time() + $ttl,
            'created' => time()
        ];

        $filename = $this->getFilename($key);

        return file_put_contents($filename, serialize($data)) !== false;
    }

    /**
```

```
     * Check if key exists and is not expired
     */
    public function has($key) {
        $filename = $this->getFilename($key);

        if (!file_exists($filename)) {
            return false;
        }

        $data = unserialize(file_get_contents($filename));

        if ($data['expires'] < time()) {
            $this->delete($key);
            return false;
        }

        return true;
    }

    /**
     * Delete cached value
     */
    public function delete($key) {
        $filename = $this->getFilename($key);

        if (file_exists($filename)) {
            return unlink($filename);
        }

        return false;
    }

    /**
     * Clear all cache
     */
    public function clear() {
        $files = glob($this->cachePath . '*.cache');

        foreach ($files as $file) {
            unlink($file);
        }

        return true;
    }

    /**
     * Clear expired cache
     */
    public function clearExpired() {
        $files = glob($this->cachePath . '*.cache');
        $cleared = 0;

        foreach ($files as $file) {
            $data = unserialize(file_get_contents($file));

            if ($data['expires'] < time()) {
                unlink($file);
                $cleared++;
            }
        }

        return $cleared;
    }

    /**
     * Remember value (get or set)
     */
    public function remember($key, $callback, $ttl = null) {
```

```
        if ($this->has($key)) {
            return $this->get($key);
        }

        $value = $callback();
        $this->set($key, $value, $ttl);

        return $value;
    }

    /**
     * Increment numeric value
     */
    public function increment($key, $value = 1) {
        $current = (int)$this->get($key, 0);
        $new = $current + $value;
        $this->set($key, $new);

        return $new;
    }

    /**
     * Decrement numeric value
     */
    public function decrement($key, $value = 1) {
        return $this->increment($key, -$value);
    }

    /**
     * Get multiple values
     */
    public function getMultiple($keys, $default = null) {
        $values = [];

        foreach ($keys as $key) {
            $values[$key] = $this->get($key, $default);
        }

        return $values;
    }

    /**
     * Set multiple values
     */
    public function setMultiple($values, $ttl = null) {
        foreach ($values as $key => $value) {
            $this->set($key, $value, $ttl);
        }

        return true;
    }

    /**
     * Delete multiple values
     */
    public function deleteMultiple($keys) {
        foreach ($keys as $key) {
            $this->delete($key);
        }

        return true;
    }

    /**
     * Get cache stats
     */
    public function getStats() {
        $files = glob($this->cachePath . '*.cache');
```

```
        $total = count($files);
        $expired = 0;
        $totalSize = 0;

        foreach ($files as $file) {
            $totalSize += filesize($file);

            $data = unserialize(file_get_contents($file));
            if ($data['expires'] < time()) {
                $expired++;
            }
        }

        return [
            'total_items' => $total,
            'expired_items' => $expired,
            'active_items' => $total - $expired,
            'total_size' => $totalSize,
            'size_mb' => round($totalSize / (1024 * 1024), 2)
        ];
    }
}
```

includes/services/EmailService.php

```
<?php
/**
 * Email Service
 * Handles email notifications using PHPMailer
 */

use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;

require_once __DIR__ . '/../../vendor/phpmailer/phpmailer/src/Exception.php';
require_once __DIR__ . '/../../vendor/phpmailer/phpmailer/src/PHPMailer.php';
require_once __DIR__ . '/../../vendor/phpmailer/phpmailer/src/SMTP.php';

class EmailService {
    private $config;
    private $mail;

    public function __construct() {
        // Load email configuration
        $configPath = __DIR__ . '/../../config/email.php';
        if (file_exists($configPath)) {
            $this->config = require $configPath;
        } else {
            // Default configuration
            $this->config = [
                'smtp_host' => 'sandbox.smtp.mailtrap.io',
                'smtp_port' => 2525,
                'smtp_secure' => 'tls',
                'smtp_auth' => true,
                'smtp_username' => '',
                'smtp_password' => '',
                'from_email' => 'noreply@wpuapplicant.com',
                'from_name' => 'WPU Applicant System',
                'reply_to' => 'support@wpuapplicant.com',
                'debug_level' => 0,
            ];
        }
    }

    /**
     * Initialize PHPMailer
     */
    private function initMailer() {
        $mail = new PHPMailer(true);

        try {
            // Server settings
            $mail->SMTPDebug = $this->config['debug_level'];
            $mail->isSMTP();
            $mail->Host       = $this->config['smtp_host'];
            $mail->SMTPAuth   = $this->config['smtp_auth'];
            $mail->Username   = $this->config['smtp_username'];
            $mail->Password   = $this->config['smtp_password'];
            $mail->SMTPSecure = $this->config['smtp_secure'];
            $mail->Port       = $this->config['smtp_port'];

            // Recipients
            $mail->setFrom($this->config['from_email'], $this->config['from_name']);
            $mail->addReplyTo($this->config['reply_to'], $this->config['from_name']);

            // Content
            $mail->isHTML(true);
            $mail->CharSet = 'UTF-8';

            return $mail;
```

```
        } catch (Exception $e) {
            error_log("PHPMailer initialization error: " . $e->getMessage());
            throw $e;
        }
    }

    /**
     * Send email
     */
    private function send($to, $subject, $body, $isHtml = true) {
        try {
            $mail = $this->initMailer();

            $mail->addAddress($to);
            $mail->Subject = $subject;

            if ($isHtml) {
                $mail->Body = $body;
                $mail->AltBody = strip_tags($body);
            } else {
                $mail->Body = $body;
                $mail->isHTML(false);
            }

            $result = $mail->send();

            if ($result) {
                error_log("Email sent successfully to: $to | Subject: $subject");
            }

            return $result;
        } catch (Exception $e) {
            error_log("Email sending failed to: $to | Error: {$mail->ErrorInfo}");
            throw new Exception("Failed to send email: {$mail->ErrorInfo}");
        }
    }

    /**
     * Send welcome email
     */
    public function sendWelcomeEmail($user) {
        $subject = 'Welcome to WPU Applicant System';

        $body = $this->getEmailTemplate([
            'title' => 'Welcome to WPU Applicant System',
            'greeting' => "Hello {$user['full_name']},",
            'content' => "
                <p>Thank you for registering with WPU Applicant System!</p>
                <p>You can now:</p>
                <ul>
                    <li>Browse available job positions</li>
                    <li>Submit job applications</li>
                    <li>Track your application status</li>
                    <li>Manage your profile and experience</li>
                </ul>
                <p>We wish you the best of luck in your job search!</p>
            ",
            'action' => [
                'text' => 'Go to Dashboard',
                'url' => BASE_URL . 'applicant/pages/dashboard.php'
            ]
        ]);

        return $this->send($user['email'], $subject, $body);
    }

    /**
     * Send email verification code
```

```
     */
    public function sendEmailVerificationCode($user, $code, $isResend = false) {
        $subject = $isResend ? 'Your New Verification Code' : 'Verify Your Email Address';
        $expiryMinutes = EMAIL_VERIFICATION_EXPIRY_MINUTES;
        $verificationUrl = BASE_URL . 'shared/verify-email.php?email=' . urlencode($user['email']);

        $content = "
            <p>Use the verification code below to confirm your email address and activate your accou
nt.</p>
            <div style='background: #eef2ff; border-left: 4px solid #4f46e5; padding: 20px; border-r
adius: 10px; margin: 24px 0; text-align: center;'>
                <div style='color: #1f2937; font-size: 16px; margin-bottom: 12px;'>Your verification
 code</div>
                <div style='font-size: 32px; letter-spacing: 8px; font-weight: 700; color: #4338ca;'
>{$code}</div>
                <div style='color: #4b5563; margin-top: 12px; font-size: 14px;'>This code expires in
 {$expiryMinutes} minutes.</div>
            </div>
            <p>If you did not request this code, you can safely ignore this email.</p>
        ";

        $body = $this->getEmailTemplate([
            'title' => $subject,
            'greeting' => "Hello {$user['full_name']},",
            'content' => $content,
            'action' => [
                'text' => 'Verify Email',
                'url' => $verificationUrl
            ]
        ]);

        return $this->send($user['email'], $subject, $body);
    }

    /**
     * Send application submitted confirmation
     */
    public function sendApplicationSubmitted($user, $position, $application) {
        $subject = 'Application Received - Waiting for Confirmation';

        $body = $this->getEmailTemplate([
            'title' => 'Application Received',
            'greeting' => "Hello {$user['full_name']},",
            'content' => "
                <p>Your application has been successfully submitted and is now <strong style='color:
 #f59e0b;'>waiting for confirmation</strong> from our recruitment team.</p>
                <div style='background: #fef3c7; border-left: 4px solid #f59e0b; padding: 16px; bord
er-radius: 8px; margin: 16px 0;'>
                    <div style='display: flex; align-items: center; gap: 12px;'>
                        <div style='font-size: 24px;'>?</div>
                        <div>
                            <strong style='color: #92400e;'>Status: Pending Review</strong><br>
                            <span style='color: #78350f; font-size: 0.9rem;'>We will review your app
lication and notify you of our decision.</span>
                        </div>
                    </div>
                </div>
                <div style='background: #f3f4f6; padding: 16px; border-radius: 8px; margin: 16px 0;'
>
                    <strong>Position:</strong> {$position['title']}<br>
                    <strong>Application Date:</strong> " . date('F j, Y', strtotime($application['ap
plied_at'])) . "<br>
                    <strong>Total Experience:</strong> {$application['total_experience_years']} year
s
                </div>
                <p><strong>What happens next?</strong></p>
                <ul style='color: #4b5563; line-height: 1.8;'>
                    <li>Our recruitment team will review your application</li>
```

```
                    <li>You will receive an email notification once your application is <strong>appr
oved</strong> or <strong>rejected</strong></li>
                    <li>You can track your application status anytime from your dashboard</li>
                </ul>
                <p>Thank you for your interest in joining our team!</p>
            ",
        ]);

        return $this->send($user['email'], $subject, $body);
    }

    /**
     * Send application approved congratulation email
     */
    public function sendApplicationApproved($user, $position, $application) {
        $subject = "Congratulations! Your Application Has Been Approved - {$position['title']}";

        // Use reviewed_at if available, otherwise use current time
        $reviewedDate = isset($application['reviewed_at']) && $application['reviewed_at']
            ? date('F j, Y', strtotime($application['reviewed_at']))
            : date('F j, Y');

        $body = $this->getEmailTemplate([
            'title' => 'Application Approved',
            'greeting' => "Hello {$user['full_name']},",
            'content' => "
                <div style='background: #d1fae5; border-left: 4px solid #10b981; padding: 24px; bord
er-radius: 8px; margin: 24px 0; text-align: center;'>
                    <div style='font-size: 48px; margin-bottom: 16px;'>?</div>
                    <h2 style='color: #065f46; margin: 0 0 12px 0; font-size: 24px;'>Congratulations
!</h2>
                    <p style='color: #047857; margin: 0; font-size: 16px;'>Your application has been
 <strong style='color: #065f46;'>approved</strong>!</p>
                </div>

                <p>We are thrilled to inform you that your application for <strong>{$position['title
']}</strong> has been <strong style='color: #10b981;'>successfully approved</strong> by our recruitm
ent team.</p>

                <div style='background: #f3f4f6; padding: 20px; border-radius: 8px; margin: 20px 0;'
>
                    <div style='margin-bottom: 12px;'>
                        <strong style='color: #1f2937;'>? Position:</strong>
                        <span style='color: #4b5563;'>{$position['title']}</span>
                    </div>
                    <div style='margin-bottom: 12px;'>
                        <strong style='color: #1f2937;'>? Status:</strong>
                        <span style='color: #10b981; font-weight: bold;'>Approved</span>
                    </div>
                    <div style='margin-bottom: 12px;'>
                        <strong style='color: #1f2937;'>? Approved Date:</strong>
                        <span style='color: #4b5563;'>{$reviewedDate}</span>
                    </div>
                    <div>
                        <strong style='color: #1f2937;'>? Total Experience:</strong>
                        <span style='color: #4b5563;'>{$application['total_experience_years']} years
</span>
                    </div>
                </div>

                <div style='background: #eff6ff; border-left: 4px solid #3b82f6; padding: 16px; bord
er-radius: 8px; margin: 20px 0;'>
                    <strong style='color: #1e40af;'>? What's Next?</strong>
                    <p style='color: #1e3a8a; margin: 12px 0 0 0; line-height: 1.8;'>
                        Our team will be in touch with you shortly to discuss the next steps in the
hiring process.
                        Please keep an eye on your email and ensure your contact information is up t
o date.
```

```
                    </p>
                </div>

                <p style='margin-top: 24px;'>We were impressed with your qualifications and experien
ce, and we look forward to the possibility of welcoming you to our team!</p>

                <p>Thank you for your interest in joining Wester Philippines University.</p>
            ",
            'action' => [
                'text' => 'View Application Details',
                'url' => BASE_URL . 'applicant/pages/application-details.php?id=' . $application['id
']
            ]
        ]);

        return $this->send($user['email'], $subject, $body);
    }

    /**
     * Send application status update
     */
    public function sendApplicationStatusUpdate($user, $position, $application) {
        $status = $application['status'];
        $statusColor = $status === STATUS_APPROVED ? '#10b981' : '#ef4444';
        $statusText = ucfirst($status);

        $subject = "Application {$statusText}: {$position['title']}";

        $content = '';
        if ($status === STATUS_APPROVED) {
            $content = "
                <p>Congratulations! We are pleased to inform you that your application has been <str
ong style='color: {$statusColor};'>approved</strong>.</p>
                <p>We were impressed with your qualifications and experience. Our team will contact
you shortly with the next steps.</p>
            ";
        } else if ($status === STATUS_REJECTED) {
            $content = "
                <p>Thank you for your interest in the position. After careful consideration, we have
 decided not to move forward with your application at this time.</p>
                <p>We encourage you to apply for other positions that match your qualifications.</p>
            ";
        }

        // Use reviewed_at if available, otherwise use current time
        $reviewedDate = isset($application['reviewed_at']) && $application['reviewed_at']
            ? date('F j, Y H:i', strtotime($application['reviewed_at']))
            : date('F j, Y H:i');

        $body = $this->getEmailTemplate([
            'title' => "Application {$statusText}",
            'greeting' => "Hello {$user['full_name']},",
            'content' => "
                <div style='background: #f3f4f6; padding: 16px; border-radius: 8px; margin: 16px 0;'
>
                    <strong>Position:</strong> {$position['title']}<br>
                    <strong>Status:</strong> <span style='color: {$statusColor}; font-weight: bold;'
>{$statusText}</span><br>
                    <strong>Updated:</strong> {$reviewedDate}
                </div>
                {$content}
            ",
            'action' => [
                'text' => 'View Application Details',
                'url' => BASE_URL . 'applicant/pages/application-details.php?id=' . $application['id
']
            ]
        ]);
```

```
        return $this->send($user['email'], $subject, $body);
    }

    /**
     * Send new application notification to admin
     */
    public function sendNewApplicationNotification($admin, $user, $position, $application) {
        $subject = "New Application: {$position['title']}";

        $body = $this->getEmailTemplate([
            'title' => 'New Application Received',
            'greeting' => "Hello {$admin['full_name']},",
            'content' => "
                <p>A new application has been submitted:</p>
                <div style='background: #f3f4f6; padding: 16px; border-radius: 8px; margin: 16px 0;'
>
                    <strong>Applicant:</strong> {$user['full_name']}<br>
                    <strong>Email:</strong> {$user['email']}<br>
                    <strong>Position:</strong> {$position['title']}<br>
                    <strong>Experience:</strong> {$application['total_experience_years']} years<br>
                    <strong>Meets Requirements:</strong> " . ($application['meets_requirements'] ? '
Yes' : 'No') . "<br>
                    <strong>Applied:</strong> " . date('F j, Y H:i', strtotime($application['applied
_at'])) . "
                </div>
                <p>Please review the application at your earliest convenience.</p>
            ",
            'action' => [
                'text' => 'Review Application',
                'url' => BASE_URL . 'admin/pages/applications.php'
            ]
        ]);

        return $this->send($admin['email'], $subject, $body);
    }

    /**
     * Send password reset email
     */
    public function sendPasswordReset($user, $resetToken) {
        $subject = 'Password Reset Request';

        $resetUrl = BASE_URL . 'auth/reset-password.php?token=' . $resetToken;

        $body = $this->getEmailTemplate([
            'title' => 'Password Reset Request',
            'greeting' => "Hello {$user['full_name']},",
            'content' => "
                <p>We received a request to reset your password. Click the button below to create a
new password:</p>
                <p style='color: #6b7280; font-size: 0.875rem;'>This link will expire in 1 hour.</p>
                <p style='color: #6b7280; font-size: 0.875rem;'>If you didn't request this, please i
gnore this email.</p>
            ",
            'action' => [
                'text' => 'Reset Password',
                'url' => $resetUrl
            ]
        ]);

        return $this->send($user['email'], $subject, $body);
    }

    /**
     * Email template
     */
    private function getEmailTemplate($data) {
```

```
        $title = $data['title'] ?? 'WPU Applicant System';
        $greeting = $data['greeting'] ?? 'Hello,';
        $content = $data['content'] ?? '';
        $action = $data['action'] ?? null;

        $actionHtml = '';
        if ($action) {
            $actionHtml = "
                <table width='100%' cellpadding='0' cellspacing='0'>
                    <tr>
                        <td align='center' style='padding: 24px 0;'>
                            <a href='{$action['url']}' style='background: linear-gradient(135deg, #2
563eb 0%, #1e40af 100%); color: white; padding: 14px 32px; text-decoration: none; border-radius: 8px
; font-weight: 600; display: inline-block;'>
                                {$action['text']}
                            </a>
                        </td>
                    </tr>
                </table>
            ";
        }

        return "
        <!DOCTYPE html>
        <html>
        <head>
            <meta charset='UTF-8'>
            <meta name='viewport' content='width=device-width, initial-scale=1.0'>
            <title>{$title}</title>
        </head>
        <body style='margin: 0; padding: 0; font-family: -apple-system, BlinkMacSystemFont, \"Segoe
UI\", Roboto, \"Helvetica Neue\", Arial, sans-serif; background: #f3f4f6;'>
            <table width='100%' cellpadding='0' cellspacing='0' style='background: #f3f4f6; padding:
 40px 20px;'>
                <tr>
                    <td align='center'>
                        <table width='600' cellpadding='0' cellspacing='0' style='background: white;
 border-radius: 12px; box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);'>
                            <!-- Header -->
                            <tr>
                                <td style='background: linear-gradient(135deg, #2563eb 0%, #1e40af 1
00%); padding: 32px; text-align: center; border-radius: 12px 12px 0 0;'>
                                    <h1 style='color: white; margin: 0; font-size: 24px; font-weight
: 700;'>
                                        WPU Applicant System
                                    </h1>
                                </td>
                            </tr>

                            <!-- Content -->
                            <tr>
                                <td style='padding: 40px;'>
                                    <h2 style='color: #1f2937; margin: 0 0 16px 0; font-size: 20px;'
>
                                        {$greeting}
                                    </h2>
                                    <div style='color: #4b5563; line-height: 1.6; font-size: 15px;'>
                                        {$content}
                                    </div>
                                    {$actionHtml}
                                </td>
                            </tr>

                            <!-- Footer -->
                            <tr>
                                <td style='background: #f9fafb; padding: 24px; text-align: center; b
order-radius: 0 0 12px 12px; border-top: 1px solid #e5e7eb;'>
                                    <p style='color: #6b7280; margin: 0; font-size: 14px;'>
```

```
                                    © " . date('Y') . " WPU Applicant System. All rights reserve
d.
                                </p>
                                <p style='color: #9ca3af; margin: 8px 0 0 0; font-size: 13px;'>
                                    If you have any questions, please contact us at support@wpua
pplicant.com
                                </p>
                            </td>
                        </tr>
                    </table>
                </td>
            </tr>
        </table>
    </body>
    </html>
    ";
    }
}
```

includes/services/FileUploadService.php

```php
<?php
/**
 * File Upload Service
 * Handles secure file uploads with validation
 */

class FileUploadService {
    private $uploadPath;
    private $allowedTypes = [
        'pdf' => 'application/pdf',
        'doc' => 'application/msword',
        'docx' => 'application/vnd.openxmlformats-officedocument.wordprocessingml.document',
        'jpg' => 'image/jpeg',
        'jpeg' => 'image/jpeg',
        'png' => 'image/png',
        'zip' => 'application/zip'
    ];
    private $maxFileSize = 5242880; // 5MB default
    private $errors = [];

    public function __construct($uploadPath = null) {
        $this->uploadPath = $uploadPath ?? __DIR__ . '/../../uploads/';

        // Ensure upload directory exists
        if (!is_dir($this->uploadPath)) {
            mkdir($this->uploadPath, 0755, true);
        }
    }

    /**
     * Set maximum file size
     */
    public function setMaxFileSize($bytes) {
        $this->maxFileSize = $bytes;
        return $this;
    }

    /**
     * Set allowed file types
     */
    public function setAllowedTypes($types) {
        $this->allowedTypes = $types;
        return $this;
    }

    /**
     * Upload single file
     */
    public function upload($file, $subDir = '', $customName = null) {
        // Validate file
        if (!$this->validateFile($file)) {
            return false;
        }

        // Normalize path - ensure no double slashes
        $basePath = rtrim($this->uploadPath, '/\\');
        $subDir = $subDir ? '/' . trim($subDir, '/\\') : '';
        $uploadDir = $basePath . $subDir;

        if (!is_dir($uploadDir)) {
            if (!mkdir($uploadDir, 0755, true)) {
                $this->errors[] = 'Failed to create upload directory';
                return false;
            }
        }
```

```
        // Generate secure filename
        $extension = strtolower(pathinfo($file['name'], PATHINFO_EXTENSION));

        if ($customName) {
            $fileName = $customName . '.' . $extension;
        } else {
            $fileName = $this->generateSecureFilename($file['name']);
        }

        $uploadPath = $uploadDir . '/' . $fileName;

        // Move uploaded file
        if (move_uploaded_file($file['tmp_name'], $uploadPath)) {
            // Set proper permissions
            chmod($uploadPath, 0644);

            return [
                'success' => true,
                'filename' => $fileName,
                'path' => $uploadPath,
                'size' => $file['size'],
                'type' => $file['type'],
                'extension' => $extension
            ];
        }

        $this->errors[] = 'Failed to move uploaded file';
        return false;
    }

    /**
     * Upload multiple files
     */
    public function uploadMultiple($files, $subDir = '') {
        $results = [];

        // Handle different file array structures
        if (isset($files['name']) && is_array($files['name'])) {
            // Multiple files in single input
            $fileCount = count($files['name']);

            for ($i = 0; $i < $fileCount; $i++) {
                $file = [
                    'name' => $files['name'][$i],
                    'type' => $files['type'][$i],
                    'tmp_name' => $files['tmp_name'][$i],
                    'error' => $files['error'][$i],
                    'size' => $files['size'][$i]
                ];

                if ($file['error'] === UPLOAD_ERR_OK) {
                    $result = $this->upload($file, $subDir);
                    if ($result) {
                        $results[] = $result;
                    }
                }
            }
        } else {
            // Multiple file inputs
            foreach ($files as $file) {
                if (isset($file['error']) && $file['error'] === UPLOAD_ERR_OK) {
                    $result = $this->upload($file, $subDir);
                    if ($result) {
                        $results[] = $result;
                    }
                }
            }
        }
```

```
        return $results;
    }

    /**
     * Validate file upload
     */
    private function validateFile($file) {
        $this->errors = [];

        // Check for upload errors
        if (!isset($file['error']) || is_array($file['error'])) {
            $this->errors[] = 'Invalid file upload';
            return false;
        }

        switch ($file['error']) {
            case UPLOAD_ERR_OK:
                break;
            case UPLOAD_ERR_INI_SIZE:
            case UPLOAD_ERR_FORM_SIZE:
                $this->errors[] = 'File size exceeds limit';
                return false;
            case UPLOAD_ERR_NO_FILE:
                $this->errors[] = 'No file was uploaded';
                return false;
            default:
                $this->errors[] = 'Unknown upload error';
                return false;
        }

        // Check file size
        if ($file['size'] > $this->maxFileSize) {
            $maxSizeMB = $this->maxFileSize / (1024 * 1024);
            $this->errors[] = "File size exceeds maximum of {$maxSizeMB}MB";
            return false;
        }

        // Check file extension
        $extension = strtolower(pathinfo($file['name'], PATHINFO_EXTENSION));
        if (!array_key_exists($extension, $this->allowedTypes)) {
            $this->errors[] = 'File type not allowed. Allowed types: ' . implode(', ', array_keys($t
his->allowedTypes));
            return false;
        }

        // Verify MIME type
        $finfo = finfo_open(FILEINFO_MIME_TYPE);
        $mimeType = finfo_file($finfo, $file['tmp_name']);
        finfo_close($finfo);

        $allowedMimeTypes = array_values($this->allowedTypes);
        if (!in_array($mimeType, $allowedMimeTypes)) {
            $this->errors[] = 'Invalid file type';
            return false;
        }

        // Additional security checks
        if (!$this->isSecureFile($file['tmp_name'], $extension)) {
            $this->errors[] = 'File failed security check';
            return false;
        }

        return true;
    }

    /**
     * Security check for file
```

```
     */
    private function isSecureFile($filePath, $extension) {
        // Check for PHP code in uploaded files
        if (in_array($extension, ['php', 'phtml', 'php3', 'php4', 'php5', 'phar'])) {
            return false;
        }

        // Read first few bytes to check for PHP tags
        $handle = fopen($filePath, 'r');
        $contents = fread($handle, 1024);
        fclose($handle);

        if (stripos($contents, '<?php') !== false || stripos($contents, '<?=') !== false) {
            return false;
        }

        return true;
    }

    /**
     * Generate secure filename
     */
    private function generateSecureFilename($originalName) {
        $extension = strtolower(pathinfo($originalName, PATHINFO_EXTENSION));
        $basename = pathinfo($originalName, PATHINFO_FILENAME);

        // Sanitize basename
        $basename = preg_replace('/[^a-zA-Z0-9_-]/', '_', $basename);
        $basename = substr($basename, 0, 50); // Limit length

        // Add timestamp and random string
        $uniqueId = time() . '_' . bin2hex(random_bytes(8));

        return $basename . '_' . $uniqueId . '.' . $extension;
    }

    /**
     * Delete file
     */
    public function delete($filename, $subDir = '') {
        $filePath = $this->uploadPath . $subDir . '/' . $filename;

        if (file_exists($filePath)) {
            return unlink($filePath);
        }

        return false;
    }

    /**
     * Get file info
     */
    public function getFileInfo($filename, $subDir = '') {
        $filePath = $this->uploadPath . $subDir . '/' . $filename;

        if (!file_exists($filePath)) {
            return false;
        }

        return [
            'name' => $filename,
            'path' => $filePath,
            'size' => filesize($filePath),
            'modified' => filemtime($filePath),
            'extension' => pathinfo($filename, PATHINFO_EXTENSION)
        ];
    }
```

```
    /**
     * Get errors
     */
    public function getErrors() {
        return $this->errors;
    }

    /**
     * Get last error
     */
    public function getLastError() {
        return end($this->errors) ?: null;
    }
}
```

includes/services/Logger.php

```
<?php
/**
 * Logger Service
 * Handles application logging
 */

class Logger {
    private $logPath;
    private $logLevel;

    const DEBUG = 'DEBUG';
    const INFO = 'INFO';
    const WARNING = 'WARNING';
    const ERROR = 'ERROR';
    const CRITICAL = 'CRITICAL';

    public function __construct($logPath = null) {
        $this->logPath = $logPath ?? __DIR__ . '/../../logs/';
        $this->logLevel = $_ENV['LOG_LEVEL'] ?? self::INFO;

        // Ensure log directory exists
        if (!is_dir($this->logPath)) {
            mkdir($this->logPath, 0755, true);
        }
    }

    /**
     * Log a message
     */
    private function log($level, $message, $context = []) {
        $levelPriority = $this->getLevelPriority($level);
        $currentPriority = $this->getLevelPriority($this->logLevel);

        // Only log if level is high enough
        if ($levelPriority < $currentPriority) {
            return;
        }

        $timestamp = date('Y-m-d H:i:s');
        $contextString = !empty($context) ? ' ' . json_encode($context) : '';

        $logMessage = "[{$timestamp}] [{$level}] {$message}{$contextString}\n";

        // Determine log file based on level
        $filename = $this->getLogFilename($level);

        error_log($logMessage, 3, $this->logPath . $filename);
    }

    /**
     * Get log filename based on level and date
     */
    private function getLogFilename($level) {
        $date = date('Y-m-d');

        if (in_array($level, [self::ERROR, self::CRITICAL])) {
            return "error-{$date}.log";
        }

        return "app-{$date}.log";
    }

    /**
     * Get priority level for comparison
     */
    private function getLevelPriority($level) {
```

```
        $priorities = [
            self::DEBUG => 0,
            self::INFO => 1,
            self::WARNING => 2,
            self::ERROR => 3,
            self::CRITICAL => 4,
        ];

        return $priorities[$level] ?? 1;
    }

    /**
     * Log debug message
     */
    public function debug($message, $context = []) {
        $this->log(self::DEBUG, $message, $context);
    }

    /**
     * Log info message
     */
    public function info($message, $context = []) {
        $this->log(self::INFO, $message, $context);
    }

    /**
     * Log warning message
     */
    public function warning($message, $context = []) {
        $this->log(self::WARNING, $message, $context);
    }

    /**
     * Log error message
     */
    public function error($message, $context = []) {
        $this->log(self::ERROR, $message, $context);
    }

    /**
     * Log critical message
     */
    public function critical($message, $context = []) {
        $this->log(self::CRITICAL, $message, $context);
    }

    /**
     * Log exception
     */
    public function exception($exception) {
        $this->error($exception->getMessage(), [
            'file' => $exception->getFile(),
            'line' => $exception->getLine(),
            'trace' => $exception->getTraceAsString()
        ]);
    }

    /**
     * Log user activity
     */
    public function activity($userId, $action, $details = []) {
        $this->info("User Activity: {$action}", array_merge([
            'user_id' => $userId,
            'ip' => $_SERVER['REMOTE_ADDR'] ?? 'unknown',
            'user_agent' => $_SERVER['HTTP_USER_AGENT'] ?? 'unknown'
        ], $details));
    }
```

Applicant_WPU

```
    /**
     * Clear old logs
     */
    public function clearOldLogs($daysToKeep = 30) {
        $files = glob($this->logPath . '*.log');
        $cutoffTime = time() - ($daysToKeep * 86400);

        foreach ($files as $file) {
            if (filemtime($file) < $cutoffTime) {
                unlink($file);
            }
        }
    }
}
```

includes/services/PositionService.php

```
<?php
/**
 * Position Service Class
 * Handles business logic for position-related operations
 */

require_once __DIR__ . '/../models.php';

class PositionService {
    private $positionModel;
    private $applicationModel;
    private $userModel;

    public function __construct() {
        $this->positionModel = new Position();
        $this->applicationModel = new Application();
        $this->userModel = new User();
    }

    /**
     * Create a new position
     */
    public function createPosition($data, $createdBy) {
        // Validate required fields
        $errors = [];

        if (empty($data['title'])) {
            $errors[] = 'Title is required';
        }

        if (empty($data['description'])) {
            $errors[] = 'Description is required';
        }

        if (!empty($errors)) {
            throw new ValidationException(implode(', ', $errors));
        }

        // Validate deadline date
        if (!empty($data['deadline'])) {
            $deadline = strtotime($data['deadline']);
            if ($deadline < time()) {
                throw new ValidationException('Deadline must be in the future');
            }
        }

        // Normalize salary range currency
        if (isset($data['salary_range'])) {
            $data['salary_range'] = $this->normalizeSalaryRange($data['salary_range']);
        }

        // Set defaults
        $data['created_by'] = $createdBy;
        $data['min_experience_years'] = $data['min_experience_years'] ?? 0;
        $data['employment_type'] = $data['employment_type'] ?? 'full-time';

        $result = $this->positionModel->create($data);

        if (!$result) {
            throw new Exception('Failed to create position');
        }

        // Log activity
        $this->userModel->logActivity(
            $createdBy,
            'create_position',
```

```
            "Created position: {$data['title']}"
        );

        return true;
    }

    /**
     * Update position
     */
    public function updatePosition($positionId, $data, $adminId) {
        $position = $this->positionModel->findById($positionId);

        if (!$position) {
            throw new Exception('Position not found');
        }

        // Validate deadline if provided
        if (!empty($data['deadline'])) {
            $deadline = strtotime($data['deadline']);
            $now = time();

            // Only validate future deadline for active positions
            if (isset($data['is_active']) && $data['is_active'] && $deadline < $now) {
                throw new ValidationException('Deadline must be in the future for active positions')
;
            }
        }

        if (isset($data['salary_range'])) {
            $data['salary_range'] = $this->normalizeSalaryRange($data['salary_range']);
        }

        $result = $this->positionModel->update($positionId, $data);

        if (!$result) {
            throw new Exception('Failed to update position');
        }

        // Log activity
        $this->userModel->logActivity(
            $adminId,
            'update_position',
            "Updated position: {$position['title']}"
        );

        return $this->positionModel->findById($positionId);
    }

    /**
     * Delete position
     */
    public function deletePosition($positionId, $adminId) {
        $position = $this->positionModel->findById($positionId);

        if (!$position) {
            throw new Exception('Position not found');
        }

        // Check if there are applications
        $applicationCount = $this->positionModel->getApplicationCount($positionId);

        if ($applicationCount > 0) {
            throw new ValidationException("Cannot delete position with {$applicationCount} applicati
on(s). Please archive it instead.");
        }

        $result = $this->positionModel->delete($positionId);
```

```
        if (!$result) {
            throw new Exception('Failed to delete position');
        }

        // Log activity
        $this->userModel->logActivity(
            $adminId,
            'delete_position',
            "Deleted position: {$position['title']}"
        );

        return true;
    }

    /**
     * Toggle position active status
     */
    public function togglePositionStatus($positionId, $adminId) {
        $position = $this->positionModel->findById($positionId);

        if (!$position) {
            throw new Exception('Position not found');
        }

        $newStatus = !$position['is_active'];

        // If activating, check deadline
        if ($newStatus && $position['deadline']) {
            if (strtotime($position['deadline']) < time()) {
                throw new ValidationException('Cannot activate position with past deadline');
            }
        }

        $result = $this->positionModel->update($positionId, ['is_active' => $newStatus]);

        if (!$result) {
            throw new Exception('Failed to update position status');
        }

        // Log activity
        $this->userModel->logActivity(
            $adminId,
            'toggle_position_status',
            "Changed position '{$position['title']}' status to " . ($newStatus ? 'active' : 'inactiv
e')
        );

        return $newStatus;
    }

    /**
     * Get all positions
     */
    public function getAllPositions($filters = []) {
        $where = '';
        $params = [];

        if (isset($filters['is_active'])) {
            $where = 'is_active = ?';
            $params[] = $filters['is_active'];
        }

        if (isset($filters['employment_type'])) {
            $where .= ($where ? ' AND ' : '') . 'employment_type = ?';
            $params[] = $filters['employment_type'];
        }

        if (isset($filters['search'])) {
```

```
            $searchTerm = '%' . $filters['search'] . '%';
            $where .= ($where ? ' AND ' : '') . '(title LIKE ? OR description LIKE ? OR location LIK
E ?)';
            $params[] = $searchTerm;
            $params[] = $searchTerm;
            $params[] = $searchTerm;
        }

        $positions = $this->positionModel->findAll($where, $params);

        // Add application count to each position
        foreach ($positions as &$position) {
            $position['application_count'] = $this->positionModel->getApplicationCount($position['id
']);

            // Check if deadline passed
            if ($position['deadline']) {
                $position['is_expired'] = strtotime($position['deadline']) < time();
            } else {
                $position['is_expired'] = false;
            }
        }

        return $positions;
    }

    /**
     * Get active positions (for applicants)
     */
    public function getActivePositions($userId = null) {
        $positions = $this->positionModel->getActivePositions();

        // Add additional info
        foreach ($positions as &$position) {
            $position['application_count'] = $this->positionModel->getApplicationCount($position['id
']);

            // Check if user already applied
            if ($userId) {
                $position['has_applied'] = (bool)$this->applicationModel->findByUserAndPosition($use
rId, $position['id']);
            }

            // Calculate days remaining
            if ($position['deadline']) {
                $daysRemaining = ceil((strtotime($position['deadline']) - time()) / 86400);
                $position['days_remaining'] = max(0, $daysRemaining);
            }

            // Check if accepting applications
            $position['is_accepting'] = true;

            if ($position['max_applications']) {
                $position['is_accepting'] = $position['application_count'] < $position['max_applicat
ions'];
            }
        }

        return $positions;
    }

    /**
     * Get position details
     */
    public function getPositionDetails($positionId, $userId = null) {
        $position = $this->positionModel->findById($positionId);

        if (!$position) {
```

```
            throw new Exception('Position not found');
        }

        // Add additional info
        $position['application_count'] = $this->positionModel->getApplicationCount($positionId);

        if ($userId) {
            $position['has_applied'] = (bool)$this->applicationModel->findByUserAndPosition($userId,
 $positionId);

            // Get user's experience
            $position['user_experience'] = $this->userModel->getTotalExperience($userId);
            $position['meets_requirements'] = $position['user_experience'] >= $position['min_experie
nce_years'];
        }

        // Calculate days remaining
        if ($position['deadline']) {
            $daysRemaining = ceil((strtotime($position['deadline']) - time()) / 86400);
            $position['days_remaining'] = max(0, $daysRemaining);
            $position['is_expired'] = $daysRemaining < 0;
        }

        // Check if accepting applications
        $position['is_accepting'] = $position['is_active'];

        if ($position['deadline'] && strtotime($position['deadline']) < time()) {
            $position['is_accepting'] = false;
        }

        if ($position['max_applications'] && $position['application_count'] >= $position['max_applic
ations']) {
            $position['is_accepting'] = false;
        }

        return $position;
    }

    /**
     * Get position statistics
     */
    public function getPositionStats($positionId = null) {
        $stats = [];

        if ($positionId) {
            // Stats for specific position
            $position = $this->positionModel->findById($positionId);

            if (!$position) {
                throw new Exception('Position not found');
            }

            $stats = [
                'total_applications' => $this->positionModel->getApplicationCount($positionId),
                'pending' => count($this->applicationModel->findAll('position_id = ? AND status = ?'
, [$positionId, STATUS_PENDING])),
                'approved' => count($this->applicationModel->findAll('position_id = ? AND status = ?
', [$positionId, STATUS_APPROVED])),
                'rejected' => count($this->applicationModel->findAll('position_id = ? AND status = ?
', [$positionId, STATUS_REJECTED])),
            ];
        } else {
            // Overall stats
            $stats = [
                'total_positions' => count($this->positionModel->findAll()),
                'active_positions' => count($this->positionModel->findAll('is_active = ?', [1])),
                'inactive_positions' => count($this->positionModel->findAll('is_active = ?', [0])),
                'total_applications' => count($this->applicationModel->findAll()),
```

```
            ];
        }

        return $stats;
    }

    /**
     * Check if position can accept applications
     */
    public function canAcceptApplications($positionId) {
        $position = $this->getPositionDetails($positionId);
        return $position['is_accepting'];
    }

    /**
     * Ensure salary range values consistently reference Philippine Peso
     */
    private function normalizeSalaryRange($value) {
        if (!is_string($value)) {
            return $value;
        }

        $normalized = trim($value);

        if ($normalized === '') {
            return '';
        }

        if (!preg_match('/(?|PHP|PESO)/i', $normalized)) {
            $normalized = 'PHP ' . $normalized;
        }

        return $normalized;
    }
}
```

includes/services/RequirementValidator.php

```
<?php
/**
 * Requirement Validator Service
 * Validates if an applicant meets all requirements for a position
 */

require_once __DIR__ . '/../models.php';

class RequirementValidator {
    private $userModel;
    private $positionModel;

    public function __construct() {
        $this->userModel = new User();
        $this->positionModel = new Position();
    }

    /**
     * Validate all requirements for a position
     *
     * @param int $userId The applicant's user ID
     * @param int $positionId The position ID
     * @return array Validation result with 'meets_requirements' (bool) and 'details' (array)
     */
    public function validateRequirements($userId, $positionId) {
        $position = $this->positionModel->findById($positionId);
        $user = $this->userModel->findById($userId);

        if (!$position) {
            throw new Exception('Position not found');
        }

        if (!$user) {
            throw new Exception('User not found');
        }

        $validation = [
            'meets_requirements' => true,
            'details' => []
        ];

        // 1. Check experience requirement
        $totalExperience = $this->userModel->getTotalExperience($userId);
        $minExperience = $position['min_experience_years'] ?? 0;
        $meetsExperience = $totalExperience >= $minExperience;

        $validation['details']['experience'] = [
            'required' => $minExperience,
            'has' => $totalExperience,
            'meets' => $meetsExperience,
            'message' => $meetsExperience
                ? "You have {$totalExperience} years of experience (Required: {$minExperience})"
                : "You have {$totalExperience} years of experience (Required: {$minExperience})"
        ];

        if (!$meetsExperience) {
            $validation['meets_requirements'] = false;
        }

        // 2. Check career service eligibilities
        if (!empty($position['career_service_eligibilities'])) {
            $requiredEligibilities = $this->parseEligibilities($position['career_service_eligibiliti
es']);
            $applicantEligibilities = $this->parseEligibilities($user['career_service_eligibilities'
] ?? '');
```

```
            if (!empty($requiredEligibilities)) {
                // Check if applicant has at least one of the required eligibilities
                $hasRequiredEligibility = false;
                $matchingEligibilities = [];

                foreach ($requiredEligibilities as $required) {
                    if (in_array($required, $applicantEligibilities)) {
                        $hasRequiredEligibility = true;
                        $matchingEligibilities[] = $required;
                    }
                }

                $validation['details']['career_service_eligibilities'] = [
                    'required' => $requiredEligibilities,
                    'has' => $applicantEligibilities,
                    'matching' => $matchingEligibilities,
                    'meets' => $hasRequiredEligibility,
                    'message' => $hasRequiredEligibility
                        ? "You have the required eligibility: " . implode(', ', $matchingEligibiliti
es)
                        : "Required eligibilities: " . implode(', ', $requiredEligibilities) .
                          (empty($applicantEligibilities)
                            ? ". You have not specified any eligibilities in your profile."
                            : ". You have: " . implode(', ', $applicantEligibilities))
                ];

                if (!$hasRequiredEligibility) {
                    $validation['meets_requirements'] = false;
                }
            }
        }

        // 3. Check training hours requirement
        if (!empty($position['training_hours']) && $position['training_hours'] > 0) {
            $requiredTrainingHours = (int)$position['training_hours'];
            $applicantTrainingPrograms = $user['training_programs'] ?? '';

            // Extract hours from training_programs if possible (simple heuristic)
            // This assumes training_programs might contain hours information
            // In a more sophisticated system, you might parse structured data
            $hasTrainingHours = !empty($applicantTrainingPrograms);

            // For now, we just check if they have training_programs documented
            // In a real system, you might want to parse hours from the training_programs text
            // or have a separate training_hours field
            $validation['details']['training_hours'] = [
                'required' => $requiredTrainingHours,
                'has_training' => $hasTrainingHours,
                'meets' => $hasTrainingHours, // Simplified check
                'message' => $hasTrainingHours
                    ? "You have documented training programs"
                    : "Required training hours: {$requiredTrainingHours}. Please document your train
ing programs in your profile."
            ];

            // Note: This is a simplified check. You may want to enhance this to actually parse
            // and sum training hours from the training_programs field or a separate table
            if (!$hasTrainingHours) {
                $validation['meets_requirements'] = false;
            }
        }

        // 4. Check salary grade requirement (if applicable)
        // This is typically not a requirement that applicants need to "meet"
        // but we can include it for informational purposes
        if (!empty($position['salary_grade'])) {
            $validation['details']['salary_grade'] = [
                'position_grade' => $position['salary_grade'],
```

```
                'info' => "This position is classified as {$position['salary_grade']}"
            ];
        }

        // Generate summary message
        $validation['summary'] = $this->generateSummary($validation);

        return $validation;
    }

    /**
     * Parse eligibilities from comma-separated string or array
     *
     * @param string|array $eligibilities
     * @return array Array of eligibility strings
     */
    private function parseEligibilities($eligibilities) {
        if (empty($eligibilities)) {
            return [];
        }

        if (is_array($eligibilities)) {
            return $eligibilities;
        }

        // Handle comma-separated string
        $parsed = array_map('trim', explode(',', $eligibilities));
        return array_filter($parsed, function($item) {
            return !empty($item);
        });
    }

    /**
     * Generate a human-readable summary of validation results
     *
     * @param array $validation Validation result
     * @return string Summary message
     */
    private function generateSummary($validation) {
        $meetsAll = $validation['meets_requirements'];
        $details = $validation['details'];

        if ($meetsAll) {
            $messages = ["? You meet all requirements for this position:"];
        } else {
            $messages = ["? You do not meet all requirements for this position:"];
        }

        foreach ($details as $key => $detail) {
            if (isset($detail['meets'])) {
                $icon = $detail['meets'] ? '?' : '?';
                $messages[] = "  {$icon} " . ucfirst(str_replace('_', ' ', $key)) . ": " . $detail['
message'];
            }
        }

        return implode("\n", $messages);
    }

    /**
     * Get requirement validation details in a structured format for display
     *
     * @param int $userId
     * @param int $positionId
     * @return array Structured validation result
     */
    public function getValidationDetails($userId, $positionId) {
        return $this->validateRequirements($userId, $positionId);
```

```
Applicant_WPU
    }
}
```

includes/services/UserService.php

```
<?php
/**
 * User Service Class
 * Handles business logic for user-related operations
 */

require_once __DIR__ . '/../models.php';
require_once __DIR__ . '/EmailService.php';

class UserService {
    private $userModel;
    private $experienceModel;
    private $emailService;

    public function __construct() {
        $this->userModel = new User();
        $this->experienceModel = new Experience();
        $this->emailService = new EmailService();
    }

    private function generateVerificationCode() {
        return str_pad(
            (string) random_int(0, (10 ** EMAIL_VERIFICATION_CODE_LENGTH) - 1),
            EMAIL_VERIFICATION_CODE_LENGTH,
            '0',
            STR_PAD_LEFT
        );
    }

    private function getVerificationExpiryTimestamp() {
        return date('Y-m-d H:i:s', time() + (EMAIL_VERIFICATION_EXPIRY_MINUTES * 60));
    }

    private function dispatchVerificationCode(array $user, bool $isResend = false) {
        $code = $this->generateVerificationCode();
        $expiresAt = $this->getVerificationExpiryTimestamp();

        $this->userModel->setEmailVerificationCode($user['id'], $code, $expiresAt);
        $this->emailService->sendEmailVerificationCode($user, $code, $isResend);

        return [
            'code' => $code,
            'expires_at' => $expiresAt
        ];
    }

    /**
     * Register a new user
     */
    public function registerUser($data) {
        // Validate required fields
        $errors = [];

        if (empty($data['email']) || !filter_var($data['email'], FILTER_VALIDATE_EMAIL)) {
            $errors[] = 'Valid email is required';
        }

        if (empty($data['username']) || strlen($data['username']) < 3) {
            $errors[] = 'Username must be at least 3 characters';
        }

        if (empty($data['password']) || strlen($data['password']) < 6) {
            $errors[] = 'Password must be at least 6 characters';
        }

        if (empty($data['full_name'])) {
```

```
            $errors[] = 'Full name is required';
        }

        if (!empty($errors)) {
            throw new ValidationException(implode(', ', $errors));
        }

        // Check if user exists
        if ($this->userModel->findByEmail($data['email'])) {
            throw new ValidationException('Email already exists');
        }

        if ($this->userModel->findByUsername($data['username'])) {
            throw new ValidationException('Username already exists');
        }

        $role = $data['role'] ?? ROLE_APPLICANT;

        $result = $this->userModel->create($data);
        if (!$result) {
            throw new Exception('Failed to create user');
        }

        // Log activity
        $newUser = $this->userModel->findByEmail($data['email']);
        $this->userModel->logActivity(
            $newUser['id'],
            'register',
            'User registered successfully'
        );

        $requiresVerification = ($role !== ROLE_ADMIN);
        $verificationEmailSent = false;

        if ($requiresVerification) {
            try {
                $this->dispatchVerificationCode($newUser);
                $verificationEmailSent = true;
            } catch (Exception $e) {
                error_log("Failed to send verification email to {$newUser['email']}: " . $e->getMess
age());
            }
        } else {
            $this->userModel->markEmailVerified($newUser['id']);
        }

        $updatedUser = $this->userModel->findById($newUser['id']);
        $updatedUser['requires_email_verification'] = $requiresVerification;
        $updatedUser['verification_email_sent'] = $verificationEmailSent;
        unset($updatedUser['email_verification_code'], $updatedUser['email_verification_expires_at']
);

        return $updatedUser;
    }

    /**
     * Authenticate user
     */
    public function authenticateUser($email, $password) {
        if (empty($email) || empty($password)) {
            throw new ValidationException('Email and password are required');
        }

        $user = $this->userModel->verifyPassword($email, $password);

        if (!$user) {
            throw new AuthenticationException('Invalid email or password');
        }
```

```
        if (!$user['is_active']) {
            throw new AuthenticationException('Account is inactive');
        }

        if (empty($user['email_verified_at'])) {
            throw new AuthenticationException('Please verify your email before logging in');
        }

        // Check if OAuth user trying to login with password
        if ($user['oauth_provider'] && !$user['password']) {
            throw new AuthenticationException('Please use Google Sign-in for this account');
        }

        // Log activity
        $this->userModel->logActivity(
            $user['id'],
            'login',
            'User logged in successfully'
        );

        return $user;
    }

    /**
     * Update user profile
     */
    public function updateProfile($userId, $data) {
        // Remove sensitive fields that shouldn't be updated directly
        unset($data['id'], $data['role'], $data['is_active'], $data['created_at']);

        // Validate email if provided
        if (isset($data['email'])) {
            if (!filter_var($data['email'], FILTER_VALIDATE_EMAIL)) {
                throw new ValidationException('Invalid email format');
            }

            $existingUser = $this->userModel->findByEmail($data['email']);
            if ($existingUser && $existingUser['id'] != $userId) {
                throw new ValidationException('Email already exists');
            }
        }

        // Validate username if provided
        if (isset($data['username'])) {
            if (strlen($data['username']) < 3) {
                throw new ValidationException('Username must be at least 3 characters');
            }

            $existingUser = $this->userModel->findByUsername($data['username']);
            if ($existingUser && $existingUser['id'] != $userId) {
                throw new ValidationException('Username already exists');
            }
        }

        $result = $this->userModel->update($userId, $data);

        if (!$result) {
            throw new Exception('Failed to update profile');
        }

        // Log activity
        $this->userModel->logActivity(
            $userId,
            'update_profile',
            'Profile updated successfully'
        );
```

```
        return $this->userModel->findById($userId);
    }

    /**
     * Change user password
     */
    public function changePassword($userId, $currentPassword, $newPassword) {
        if (strlen($newPassword) < 6) {
            throw new ValidationException('New password must be at least 6 characters');
        }

        $user = $this->userModel->findById($userId);

        if (!$user) {
            throw new Exception('User not found');
        }

        // OAuth users shouldn't have passwords
        if ($user['oauth_provider']) {
            throw new ValidationException('Cannot set password for OAuth accounts');
        }

        // Verify current password
        if (!password_verify($currentPassword, $user['password'])) {
            throw new ValidationException('Current password is incorrect');
        }

        $result = $this->userModel->update($userId, [
            'password' => $newPassword
        ]);

        if (!$result) {
            throw new Exception('Failed to change password');
        }

        // Log activity
        $this->userModel->logActivity(
            $userId,
            'change_password',
            'Password changed successfully'
        );

        return true;
    }

    /**
     * Get user profile with experience
     */
    public function getUserProfile($userId) {
        $user = $this->userModel->findById($userId);

        if (!$user) {
            throw new Exception('User not found');
        }

        // Remove sensitive data
        unset($user['password']);

        // Add experience data
        $user['experience'] = $this->experienceModel->getUserExperience($userId);
        $user['total_experience_years'] = $this->userModel->getTotalExperience($userId);

        return $user;
    }

    /**
     * Get all users (admin only)
     */
```

```
    public function getAllUsers($filters = []) {
        $where = '';
        $params = [];

        if (isset($filters['role'])) {
            $where = 'role = ?';
            $params[] = $filters['role'];
        }

        if (isset($filters['is_active'])) {
            $where .= ($where ? ' AND ' : '') . 'is_active = ?';
            $params[] = $filters['is_active'];
        }

        if (isset($filters['search'])) {
            $searchTerm = '%' . $filters['search'] . '%';
            $where .= ($where ? ' AND ' : '') . '(full_name LIKE ? OR email LIKE ? OR username LIKE
?)';
            $params[] = $searchTerm;
            $params[] = $searchTerm;
            $params[] = $searchTerm;
        }

        return $this->userModel->findAll($where, $params);
    }

    /**
     * Toggle user active status (admin only)
     */
    public function toggleUserStatus($userId, $adminId) {
        $user = $this->userModel->findById($userId);

        if (!$user) {
            throw new Exception('User not found');
        }

        // Don't allow deactivating self
        if ($userId == $adminId) {
            throw new ValidationException('Cannot deactivate your own account');
        }

        $newStatus = !$user['is_active'];

        $result = $this->userModel->update($userId, ['is_active' => $newStatus]);

        if (!$result) {
            throw new Exception('Failed to update user status');
        }

        // Log activity
        $this->userModel->logActivity(
            $adminId,
            'toggle_user_status',
            "Changed user {$user['full_name']} status to " . ($newStatus ? 'active' : 'inactive')
        );

        return $newStatus;
    }

    public function resendEmailVerification($userId) {
        $user = $this->userModel->findById($userId);

        if (!$user) {
            throw new Exception('User not found');
        }

        if (!empty($user['email_verified_at'])) {
            throw new ValidationException('Your email is already verified.');
```

```
        }

        if (!empty($user['email_verification_last_sent_at'])) {
            $secondsSinceLast = time() - strtotime($user['email_verification_last_sent_at']);
            if ($secondsSinceLast < EMAIL_VERIFICATION_RESEND_INTERVAL) {
                $waitSeconds = EMAIL_VERIFICATION_RESEND_INTERVAL - $secondsSinceLast;
                throw new ValidationException("Please wait {$waitSeconds} seconds before requesting
a new code.");
            }
        }

        try {
            $this->dispatchVerificationCode($user, true);
        } catch (Exception $e) {
            error_log("Failed to resend verification email to {$user['email']}: " . $e->getMessage()
);
            throw new Exception('Failed to send verification email. Please try again later.');
        }

        return $this->userModel->findById($userId);
    }

    public function verifyEmailWithCode($email, $code) {
        $user = $this->userModel->findByEmail($email);

        if (!$user) {
            throw new ValidationException('We could not find an account with that email address.');
        }

        if (!empty($user['email_verified_at'])) {
            return $user;
        }

        $submittedCode = trim($code);
        if (strlen($submittedCode) !== EMAIL_VERIFICATION_CODE_LENGTH || !ctype_digit($submittedCode
)) {
            throw new ValidationException('Please enter a valid verification code.');
        }

        if (empty($user['email_verification_code']) || empty($user['email_verification_expires_at'])
) {
            throw new ValidationException('There is no active verification code. Please request a ne
w one.');
        }

        if (strtotime($user['email_verification_expires_at']) < time()) {
            $this->userModel->clearEmailVerificationCode($user['id']);
            throw new ValidationException('Your verification code has expired. Please request a new
one.');
        }

        if (!hash_equals($user['email_verification_code'], $submittedCode)) {
            $this->userModel->incrementEmailVerificationAttempts($user['id']);
            $attemptsUser = $this->userModel->findById($user['id']);

            if (($attemptsUser['email_verification_attempts'] ?? 0) >= EMAIL_VERIFICATION_MAX_ATTEMP
TS) {
                $this->userModel->clearEmailVerificationCode($user['id']);
                throw new ValidationException('Too many incorrect attempts. Please request a new ver
ification code.');
            }

            throw new ValidationException('The verification code you entered is incorrect.');
        }

        $this->userModel->markEmailVerified($user['id']);
        $verifiedUser = $this->userModel->findById($user['id']);
```

```
        $this->userModel->logActivity(
            $user['id'],
            'verify_email',
            'Email address verified successfully'
        );

        try {
            $this->emailService->sendWelcomeEmail($verifiedUser);
        } catch (Exception $e) {
            error_log("Failed to send welcome email to {$verifiedUser['email']}: " . $e->getMessage(
));
        }

        return $verifiedUser;
    }

    /**
     * Get user activity logs
     */
    public function getUserActivityLogs($userId, $limit = 50) {
        $stmt = $this->userModel->db->prepare("
            SELECT * FROM activity_logs
            WHERE user_id = ?
            ORDER BY created_at DESC
            LIMIT ?
        ");
        $stmt->execute([$userId, $limit]);
        return $stmt->fetchAll();
    }
}
```

index.php

```
<?php
require_once 'config/config.php';

// Prevent infinite redirects
$redirect_count = isset($_SESSION['index_redirect_count']) ? $_SESSION['index_redirect_count'] : 0;

// Auto-detect mobile and redirect
if (isMobile() && $redirect_count < 2) {
    $currentPath = $_SERVER['REQUEST_URI'];

    // Check if we're already in mobile folder
    if (strpos($currentPath, '/mobile/') === false) {
        $_SESSION['index_redirect_count'] = $redirect_count + 1;
        header('Location: ' . BASE_URL . 'mobile/dashboard.php');
        exit();
    }
}

// If not mobile or already logged in, redirect appropriately
if (isLoggedIn() && $redirect_count < 2) {
    $_SESSION['index_redirect_count'] = $redirect_count + 1;
    if (hasRole(ROLE_ADMIN)) {
        header('Location: ' . BASE_URL . 'admin/pages/dashboard.php');
    } else {
        header('Location: ' . BASE_URL . 'applicant/pages/dashboard.php');
    }
    exit();
}

// If we've had too many redirects or not logged in, go to login
if ($redirect_count >= 2) {
    // Reset redirect count and show a message
    unset($_SESSION['index_redirect_count']);
    header('Location: ' . BASE_URL . 'shared/login.php?message=Please login to continue');
} else {
    // Normal redirect to login
    header('Location: ' . BASE_URL . 'shared/login.php');
}
exit();
?>
```

manifest.json

```
{
  "name": "WPU Jobs - Applicant Portal",
  "short_name": "WPU Jobs",
  "description": "Western Philippines University Job Application Portal - Apply for positions and tr
ack your applications",
  "start_url": "/Applicant_WPU/applicant/pages/dashboard.php",
  "scope": "/Applicant_WPU/",
  "display": "standalone",
  "orientation": "portrait",
  "background_color": "#1e3a5f",
  "theme_color": "#1e3a5f",
  "categories": ["business", "productivity"],
  "lang": "en",
  "dir": "ltr",
  "icons": [
    {
      "src": "/Applicant_WPU/assets/pwa/icon-72x72.png",
      "sizes": "72x72",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-96x96.png",
      "sizes": "96x96",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-128x128.png",
      "sizes": "128x128",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-144x144.png",
      "sizes": "144x144",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-152x152.png",
      "sizes": "152x152",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-192x192.png",
      "sizes": "192x192",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-384x384.png",
      "sizes": "384x384",
      "type": "image/png",
      "purpose": "any maskable"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/icon-512x512.png",
      "sizes": "512x512",
      "type": "image/png",
      "purpose": "any maskable"
    }
  ],
  "screenshots": [
    {
```

```
      "src": "/Applicant_WPU/assets/pwa/screenshot-wide.png",
      "sizes": "1280x720",
      "type": "image/png",
      "form_factor": "wide",
      "label": "WPU Jobs Dashboard"
    },
    {
      "src": "/Applicant_WPU/assets/pwa/screenshot-narrow.png",
      "sizes": "540x720",
      "type": "image/png",
      "form_factor": "narrow",
      "label": "WPU Jobs Mobile View"
    }
  ],
  "shortcuts": [
    {
      "name": "Browse Jobs",
      "short_name": "Jobs",
      "description": "View available job positions",
      "url": "/Applicant_WPU/applicant/pages/positions.php",
      "icons": [{ "src": "/Applicant_WPU/assets/pwa/icon-96x96.png", "sizes": "96x96" }]
    },
    {
      "name": "My Applications",
      "short_name": "Applications",
      "description": "View your job applications",
      "url": "/Applicant_WPU/applicant/pages/my-applications.php",
      "icons": [{ "src": "/Applicant_WPU/assets/pwa/icon-96x96.png", "sizes": "96x96" }]
    },
    {
      "name": "Profile",
      "short_name": "Profile",
      "description": "Manage your profile",
      "url": "/Applicant_WPU/applicant/pages/profile.php",
      "icons": [{ "src": "/Applicant_WPU/assets/pwa/icon-96x96.png", "sizes": "96x96" }]
    }
  ],
  "related_applications": [],
  "prefer_related_applications": false
}
```

manifest.php

```
<?php
/**
 * Dynamic PWA Manifest
 * This generates the manifest.json dynamically to support dynamic BASE_URL
 */
require_once 'config/config.php';

// Set content type for JSON
header('Content-Type: application/json');

// Parse BASE_URL to get the path
$baseUrlParts = parse_url(BASE_URL);
$basePath = $baseUrlParts['path'] ?? '/Applicant_WPU/';

$manifest = [
    'name' => 'WPU Jobs - Applicant Portal',
    'short_name' => 'WPU Jobs',
    'description' => 'Western Philippines University Job Application Portal - Apply for positions an
d track your applications',
    'start_url' => $basePath . 'applicant/pages/dashboard.php',
    'scope' => $basePath,
    'display' => 'standalone',
    'orientation' => 'portrait',
    'background_color' => '#1e3a5f',
    'theme_color' => '#1e3a5f',
    'categories' => ['business', 'productivity'],
    'lang' => 'en',
    'dir' => 'ltr',
    'icons' => [
        [
            'src' => $basePath . 'assets/pwa/icon-72x72.png',
            'sizes' => '72x72',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
            'src' => $basePath . 'assets/pwa/icon-96x96.png',
            'sizes' => '96x96',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
            'src' => $basePath . 'assets/pwa/icon-128x128.png',
            'sizes' => '128x128',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
            'src' => $basePath . 'assets/pwa/icon-144x144.png',
            'sizes' => '144x144',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
            'src' => $basePath . 'assets/pwa/icon-152x152.png',
            'sizes' => '152x152',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
            'src' => $basePath . 'assets/pwa/icon-192x192.png',
            'sizes' => '192x192',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
```

```
            'src' => $basePath . 'assets/pwa/icon-384x384.png',
            'sizes' => '384x384',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ],
        [
            'src' => $basePath . 'assets/pwa/icon-512x512.png',
            'sizes' => '512x512',
            'type' => 'image/png',
            'purpose' => 'any maskable'
        ]
    ],
    'shortcuts' => [
        [
            'name' => 'Browse Jobs',
            'short_name' => 'Jobs',
            'description' => 'View available job positions',
            'url' => $basePath . 'applicant/pages/positions.php',
            'icons' => [['src' => $basePath . 'assets/pwa/icon-96x96.png', 'sizes' => '96x96']]
        ],
        [
            'name' => 'My Applications',
            'short_name' => 'Applications',
            'description' => 'View your job applications',
            'url' => $basePath . 'applicant/pages/my-applications.php',
            'icons' => [['src' => $basePath . 'assets/pwa/icon-96x96.png', 'sizes' => '96x96']]
        ],
        [
            'name' => 'Profile',
            'short_name' => 'Profile',
            'description' => 'Manage your profile',
            'url' => $basePath . 'applicant/pages/profile.php',
            'icons' => [['src' => $basePath . 'assets/pwa/icon-96x96.png', 'sizes' => '96x96']]
        ]
    ],
    'related_applications' => [],
    'prefer_related_applications' => false
];

echo json_encode($manifest, JSON_PRETTY_PRINT | JSON_UNESCAPED_SLASHES);
?>
```

migrations/add_age_sex_to_users.sql

```
-- Migration: Add age and sex columns to users table
-- Date: 2026-01-08

ALTER TABLE `users`
ADD COLUMN `age` int(11) DEFAULT NULL AFTER `address`,
ADD COLUMN `sex` enum('Male','Female','Other') DEFAULT NULL AFTER `age`;
```

migrations/add_interview_columns.sql

```
-- Migration: Add interview_date and interview_time columns to applications table
-- Date: 2025-11-09
-- Description: Adds columns to store automatically scheduled interview dates and times

ALTER TABLE `applications`
ADD COLUMN `interview_date` DATE NULL DEFAULT NULL AFTER `updated_at`,
ADD COLUMN `interview_time` TIME NULL DEFAULT NULL AFTER `interview_date`;

-- Add index for faster queries on interview scheduling
CREATE INDEX `idx_applications_interview` ON `applications` (`interview_date`, `interview_time`);
```

migrations/add_ipcr_pe_file_columns.sql

```
-- Migration: Add IPCR and PE file path columns to users table
-- Date: 2026-01-XX
-- Description: Adds columns to store file paths for IPCR and PE documents

ALTER TABLE `users`
ADD COLUMN `ipcr_file_path` VARCHAR(255) DEFAULT NULL AFTER `ipcr_rating`,
ADD COLUMN `pe_file_path` VARCHAR(255) DEFAULT NULL AFTER `pe_rating`;
```

migrations/add_position_fields.sql

```
-- Migration: Add salary_grade, training_hours, and career_service_eligibilities to positions table
-- Date: 2026-01-08

ALTER TABLE `positions`
ADD COLUMN `salary_grade` VARCHAR(50) DEFAULT NULL AFTER `salary_range`,
ADD COLUMN `training_hours` INT(11) DEFAULT NULL AFTER `salary_grade`,
ADD COLUMN `career_service_eligibilities` TEXT DEFAULT NULL AFTER `training_hours`;
```

migrations/add_profile_fields.sql

```
-- Migration: Add comprehensive profile fields to users table
-- Date: 2026-01-XX
-- Description: Adds fields required for WPU application form including civil status, educational ba
ckground, degrees, application type, training, and career service eligibilities

ALTER TABLE `users`
ADD COLUMN `civil_status` enum('Married','Single','Separated','Widowed','Annuled','Solo Parent') DEF
AULT NULL AFTER `sex`,
ADD COLUMN `highest_educational_attainment` enum('Elementary Level','Elementary Graduate','Secondary
/ High School Level','Secondary/ High School Graduate','College Level','College Graduate','Master\'s
 Degree Holder','Doctoral Degree Holder') DEFAULT NULL AFTER `civil_status`,
ADD COLUMN `bachelors_degree` text DEFAULT NULL AFTER `highest_educational_attainment`,
ADD COLUMN `masters_degree` text DEFAULT NULL AFTER `bachelors_degree`,
ADD COLUMN `doctorate_degree` text DEFAULT NULL AFTER `masters_degree`,
ADD COLUMN `application_type` set('PROMOTION','ENTRY LEVEL') DEFAULT NULL AFTER `doctorate_degree`,
ADD COLUMN `ipcr_rating` text DEFAULT NULL AFTER `application_type`,
ADD COLUMN `pe_rating` text DEFAULT NULL AFTER `ipcr_rating`,
ADD COLUMN `position_applied_for` enum('University Extension Specialist V SG 24','University Extensi
on Specialist IV SG 22','University Extension Specialist III SG 20','University Extension Specialist
 II SG 18','University Extension Specialist I SG 16','University Extension Associate I SG 12','Admin
istrative Assistant III SG 9','Administrative Aide VI (Clerk III) SG 6','Administrative Aide IV (Cle
rk II) SG 4') DEFAULT NULL AFTER `pe_rating`,
ADD COLUMN `training_programs` text DEFAULT NULL AFTER `position_applied_for`,
ADD COLUMN `career_service_eligibilities` set('Professional Eligibility','Sub-Professional Eligibili
ty','Career Service Executive Eligibility (CSE-E)','Bar/Board Eligibility (RA 1080)','Other') DEFAUL
T NULL AFTER `training_programs`,
ADD COLUMN `career_service_eligibilities_other` text DEFAULT NULL AFTER `career_service_eligibilitie
s`,
ADD COLUMN `special_needs` text DEFAULT NULL AFTER `career_service_eligibilities_other`;

-- Add index for better query performance
ALTER TABLE `users`
ADD KEY `idx_users_civil_status` (`civil_status`),
ADD KEY `idx_users_educational_attainment` (`highest_educational_attainment`),
ADD KEY `idx_users_application_type` (`application_type`),
ADD KEY `idx_users_position_applied_for` (`position_applied_for`);
```

migrations/add_training_certificates_table.sql

```
-- Migration: Add user_training_certificates table for training/seminar certificate uploads
-- Date: 2026-01-XX
-- Description: Adds support for multiple training/seminar certificate uploads per user with proper
naming convention (TS01, TS02, etc.)

-- Check if table exists and create it if not
CREATE TABLE IF NOT EXISTS user_training_certificates (
    id INT AUTO_INCREMENT PRIMARY KEY,
    user_id INT NOT NULL,
    file_name VARCHAR(255) NOT NULL,
    file_path VARCHAR(255) NOT NULL,
    file_size INT,
    uploaded_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    FOREIGN KEY (user_id) REFERENCES users(id) ON DELETE CASCADE
);

-- Add index for faster queries
CREATE INDEX IF NOT EXISTS idx_training_certificates_user_id ON user_training_certificates(user_id);
CREATE INDEX IF NOT EXISTS idx_training_certificates_uploaded_at ON user_training_certificates(uploa
ded_at);
```

migrations/add_user_application_documents_table.sql

```
-- Migration: Add user_application_documents table for all application document uploads
-- Date: 2026-01-XX
-- Description: Adds support for multiple document types per user with proper naming conventions
-- Document types: APLET, PDS, WES, TOR, DIP, COE, SRE, EL

-- Check if table exists and create it if not
CREATE TABLE IF NOT EXISTS user_application_documents (
    id INT AUTO_INCREMENT PRIMARY KEY,
    user_id INT NOT NULL,
    document_type ENUM('APLET', 'PDS', 'WES', 'TOR', 'DIP', 'COE', 'SRE', 'EL') NOT NULL,
    file_name VARCHAR(255) NOT NULL,
    file_path VARCHAR(255) NOT NULL,
    file_size INT,
    uploaded_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    FOREIGN KEY (user_id) REFERENCES users(id) ON DELETE CASCADE
);

-- Add indexes for faster queries
CREATE INDEX IF NOT EXISTS idx_app_documents_user_id ON user_application_documents(user_id);
CREATE INDEX IF NOT EXISTS idx_app_documents_type ON user_application_documents(document_type);
CREATE INDEX IF NOT EXISTS idx_app_documents_user_type ON user_application_documents(user_id, docume
nt_type);
```

migrations/README.md

```
# Database Migrations

## Add Interview Columns Migration

### File: `add_interview_columns.sql`

This migration adds the following columns to the `applications` table:
- `interview_date` (DATE) - Stores the scheduled interview date
- `interview_time` (TIME) - Stores the scheduled interview time

### How to Apply

1. Open phpMyAdmin or your MySQL client
2. Select the `wpu_applicant_system` database
3. Run the SQL script: `add_interview_columns.sql`

Or via command line:
```bash
mysql -u your_username -p wpu_applicant_system < add_interview_columns.sql
```

What This Enables

After applying this migration, the system will automatically:
- Schedule interviews when an admin approves an application
- Find the next available interview slot (Monday-Friday, 8am-12pm or 1pm-5pm)
- Send email notifications to applicants with their interview date and time
```

migrations/run_migrations.php

```
<?php
/**
 * Migration Runner
 * Run this script to add missing tables to the database
 *
 * Usage: Navigate to this file in browser or run: php run_migrations.php
 */

require_once __DIR__ . '/../config/database.php';

$database = new Database();
$pdo = $database->getConnection();

$migrations = [];
$errors = [];

// Migration 1: Add user_training_certificates table
try {
    $sql = "CREATE TABLE IF NOT EXISTS `user_training_certificates` (
        `id` int(11) NOT NULL AUTO_INCREMENT,
        `user_id` int(11) NOT NULL,
        `file_name` varchar(255) NOT NULL,
        `file_path` varchar(255) NOT NULL,
        `file_size` int(11) DEFAULT NULL,
        `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
        PRIMARY KEY (`id`),
        KEY `idx_training_certificates_user_id` (`user_id`),
        KEY `idx_training_certificates_uploaded_at` (`uploaded_at`)
    ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci";

    $pdo->exec($sql);
    $migrations[] = "? user_training_certificates table created/verified";

    // Add foreign key if it doesn't exist
    try {
        $pdo->exec("ALTER TABLE `user_training_certificates`
            ADD CONSTRAINT `fk_training_certificates_user`
            FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CASCADE");
        $migrations[] = "? Foreign key for user_training_certificates added";
    } catch (PDOException $e) {
        // Foreign key might already exist
        if (strpos($e->getMessage(), 'Duplicate') === false && strpos($e->getMessage(), 'already exi
sts') === false) {
            $migrations[] = "? user_training_certificates foreign key already exists";
        }
    }
} catch (PDOException $e) {
    $errors[] = "? Failed to create user_training_certificates: " . $e->getMessage();
}

// Migration 2: Add user_application_documents table
try {
    $sql = "CREATE TABLE IF NOT EXISTS `user_application_documents` (
        `id` int(11) NOT NULL AUTO_INCREMENT,
        `user_id` int(11) NOT NULL,
        `document_type` enum('APLET','PDS','WES','TOR','DIP','COE','SRE','EL') NOT NULL,
        `file_name` varchar(255) NOT NULL,
        `file_path` varchar(255) NOT NULL,
        `file_size` int(11) DEFAULT NULL,
        `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
        PRIMARY KEY (`id`),
        KEY `idx_app_documents_user_id` (`user_id`),
        KEY `idx_app_documents_type` (`document_type`),
        KEY `idx_app_documents_user_type` (`user_id`, `document_type`)
    ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci";
```

```
    $pdo->exec($sql);
    $migrations[] = "? user_application_documents table created/verified";

    // Add foreign key if it doesn't exist
    try {
        $pdo->exec("ALTER TABLE `user_application_documents`
            ADD CONSTRAINT `fk_app_documents_user`
            FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CASCADE");
        $migrations[] = "? Foreign key for user_application_documents added";
    } catch (PDOException $e) {
        // Foreign key might already exist
        if (strpos($e->getMessage(), 'Duplicate') === false && strpos($e->getMessage(), 'already exi
sts') === false) {
            $migrations[] = "? user_application_documents foreign key already exists";
        }
    }
} catch (PDOException $e) {
    $errors[] = "? Failed to create user_application_documents: " . $e->getMessage();
}

// Output results
$isWeb = php_sapi_name() !== 'cli';

if ($isWeb) {
    echo "<!DOCTYPE html><html><head><title>Database Migrations</title>";
    echo "<style>body{font-family:system-ui,-apple-system,sans-serif;padding:20px;max-width:800px;ma
rgin:0 auto}";
    echo ".success{color:#059669}.error{color:#dc2626}.info{color:#2563eb}";
    echo "h1{color:#1f2937}pre{background:#f3f4f6;padding:10px;border-radius:5px}</style></head><bod
y>";
    echo "<h1>Database Migration Results</h1>";
}

if (!empty($migrations)) {
    if ($isWeb) echo "<h2 class='success'>Successful Migrations:</h2><pre>";
    foreach ($migrations as $msg) {
        echo ($isWeb ? htmlspecialchars($msg) : $msg) . "\n";
    }
    if ($isWeb) echo "</pre>";
}

if (!empty($errors)) {
    if ($isWeb) echo "<h2 class='error'>Errors:</h2><pre>";
    foreach ($errors as $msg) {
        echo ($isWeb ? htmlspecialchars($msg) : $msg) . "\n";
    }
    if ($isWeb) echo "</pre>";
}

if (empty($errors)) {
    $successMsg = "\n? All migrations completed successfully!\n";
    $successMsg .= "You can now upload training certificates and application documents.\n";
    if ($isWeb) {
        echo "<p class='success'>" . nl2br(htmlspecialchars($successMsg)) . "</p>";
        echo "<p><a href='../applicant/pages/profile.php'>? Go to Profile Page</a></p>";
    } else {
        echo $successMsg;
    }
} else {
    $errorMsg = "\n? Some migrations failed. Please check the errors above.\n";
    if ($isWeb) {
        echo "<p class='error'>" . nl2br(htmlspecialchars($errorMsg)) . "</p>";
    } else {
        echo $errorMsg;
    }
}

if ($isWeb) echo "</body></html>";
```

```
Applicant_WPU
?>
```

mobile/dashboard.php

```
<?php
require_once '../config/config.php';
require_once '../includes/models.php';

requireAuth();

// Redirect admin to admin dashboard
if (hasRole(ROLE_ADMIN)) {
    header('Location: ' . BASE_URL . 'admin/dashboard.php');
    exit();
}

$userModel = new User();
$positionModel = new Position();
$applicationModel = new Application();

$userId = $_SESSION['user_id'];

// Get user data
$user = $userModel->findById($userId);

// Get user's total experience
$totalExperience = $userModel->getTotalExperience($userId);

// Get user's applications
$userApplications = $applicationModel->getUserApplications($userId);

// Get active positions (limited for mobile)
$activePositions = array_slice($positionModel->getActivePositions(), 0, 4);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Dashboard - WPU Applicant System</title>
    <link href="../assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="../assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <style>
        :root {
            --primary-color: #667eea;
            --secondary-color: #764ba2;
        }

        body {
            background-color: #f8f9fa;
            padding-bottom: 80px; /* Space for bottom navigation */
        }

        /* Mobile-optimized header */
        .mobile-header {
            background: linear-gradient(135deg, var(--primary-color) 0%, var(--secondary-color) 100%
);
            color: white;
            padding: 20px 0;
            position: sticky;
            top: 0;
            z-index: 1000;
        }

        .welcome-card {
            background: white;
            border-radius: 15px;
            padding: 20px;
            margin: -40px 15px 20px;
            box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
```

```
        }

        .stats-grid {
            display: grid;
            grid-template-columns: 1fr 1fr;
            gap: 15px;
            margin: 20px 15px;
        }

        .stat-card {
            background: white;
            border-radius: 12px;
            padding: 20px;
            text-align: center;
            box-shadow: 0 3px 10px rgba(0, 0, 0, 0.1);
        }

        .stat-number {
            font-size: 2rem;
            font-weight: 700;
            color: var(--primary-color);
        }

        .stat-label {
            font-size: 0.9rem;
            color: #666;
            margin-top: 5px;
        }

        .section-title {
            font-size: 1.2rem;
            font-weight: 600;
            margin: 25px 15px 15px;
            color: #333;
        }

        .position-card {
            background: white;
            border-radius: 12px;
            padding: 20px;
            margin: 0 15px 15px;
            box-shadow: 0 3px 10px rgba(0, 0, 0, 0.08);
            border-left: 4px solid var(--primary-color);
        }

        .position-title {
            font-size: 1.1rem;
            font-weight: 600;
            color: #333;
            margin-bottom: 8px;
        }

        .position-meta {
            font-size: 0.85rem;
            color: #666;
            margin-bottom: 12px;
        }

        .btn-apply-mobile {
            background: linear-gradient(135deg, var(--primary-color) 0%, var(--secondary-color) 100%
);
            border: none;
            color: white;
            padding: 10px 20px;
            border-radius: 20px;
            font-size: 0.9rem;
            font-weight: 600;
            width: 100%;
```

```
        }

        .application-card {
            background: white;
            border-radius: 12px;
            padding: 15px;
            margin: 0 15px 15px;
            box-shadow: 0 3px 10px rgba(0, 0, 0, 0.08);
        }

        .status-badge {
            padding: 4px 12px;
            border-radius: 15px;
            font-size: 0.8rem;
            font-weight: 600;
        }

        /* Bottom Navigation */
        .bottom-nav {
            position: fixed;
            bottom: 0;
            left: 0;
            right: 0;
            background: white;
            box-shadow: 0 -2px 10px rgba(0, 0, 0, 0.1);
            padding: 10px 0;
            z-index: 1000;
        }

        .bottom-nav-item {
            flex: 1;
            text-align: center;
            padding: 8px;
            color: #666;
            text-decoration: none;
            transition: color 0.3s ease;
        }

        .bottom-nav-item.active,
        .bottom-nav-item:hover {
            color: var(--primary-color);
        }

        .bottom-nav-item i {
            font-size: 1.2rem;
            display: block;
            margin-bottom: 4px;
        }

        .bottom-nav-item span {
            font-size: 0.75rem;
        }

        /* Quick Actions */
        .quick-actions {
            display: grid;
            grid-template-columns: 1fr 1fr;
            gap: 10px;
            margin: 20px 15px;
        }

        .quick-action {
            background: white;
            border-radius: 12px;
            padding: 20px;
            text-align: center;
            text-decoration: none;
            color: #333;
```

```
            box-shadow: 0 3px 10px rgba(0, 0, 0, 0.08);
            transition: transform 0.3s ease;
        }

        .quick-action:hover {
            transform: translateY(-2px);
            color: var(--primary-color);
        }

        .quick-action i {
            font-size: 2rem;
            color: var(--primary-color);
            margin-bottom: 10px;
        }

        /* Empty states */
        .empty-state {
            text-align: center;
            padding: 40px 20px;
            color: #666;
        }

        .empty-state i {
            font-size: 3rem;
            color: #ddd;
            margin-bottom: 15px;
        }

        /* Responsive adjustments */
        @media (max-width: 576px) {
            .stats-grid {
                grid-template-columns: 1fr 1fr;
                gap: 10px;
                margin: 15px 10px;
            }

            .position-card,
            .application-card {
                margin: 0 10px 10px;
                padding: 15px;
            }

            .welcome-card {
                margin: -30px 10px 15px;
                padding: 15px;
            }
        }
    </style>
</head>
<body>
    <!-- Mobile Header -->
    <header class="mobile-header">
        <div class="container-fluid">
            <div class="d-flex justify-content-between align-items-center">
                <div>
                    <h5 class="mb-0"><i class="fas fa-graduation-cap"></i> WPU Jobs</h5>
                </div>
                <div class="dropdown">
                    <button class="btn btn-link text-white" data-bs-toggle="dropdown">
                        <i class="fas fa-user-circle fa-2x"></i>
                    </button>
                    <ul class="dropdown-menu dropdown-menu-end">
                        <li><a class="dropdown-item" href="profile.php">Profile</a></li>
                        <li><a class="dropdown-item" href="settings.php">Settings</a></li>
                        <li><hr class="dropdown-divider"></li>
                        <li><a class="dropdown-item" href="../auth/logout.php">Logout</a></li>
                    </ul>
                </div>
```

```
            </div>
        </div>
    </header>

    <!-- Welcome Card -->
    <div class="welcome-card">
        <h6 class="mb-2">Welcome back!</h6>
        <h5 class="mb-3 text-primary"><?= htmlspecialchars($user['full_name']) ?></h5>
        <p class="text-muted small mb-0">Find your next career opportunity</p>
    </div>

    <!-- Statistics -->
    <div class="stats-grid">
        <div class="stat-card">
            <div class="stat-number"><?= count($userApplications) ?></div>
            <div class="stat-label">Applications</div>
        </div>
        <div class="stat-card">
            <div class="stat-number"><?= count(array_filter($userApplications, function($app) { retu
rn $app['status'] === STATUS_PENDING; })) ?></div>
            <div class="stat-label">Pending</div>
        </div>
        <div class="stat-card">
            <div class="stat-number"><?= number_format($totalExperience, 1) ?></div>
            <div class="stat-label">Years Exp</div>
        </div>
        <div class="stat-card">
            <div class="stat-number"><?= count($activePositions) ?>+</div>
            <div class="stat-label">Open Jobs</div>
        </div>
    </div>

    <!-- Quick Actions -->
    <div class="quick-actions">
        <a href="positions.php" class="quick-action">
            <i class="fas fa-search"></i>
            <div>Browse Jobs</div>
        </a>
        <a href="my-applications.php" class="quick-action">
            <i class="fas fa-file-alt"></i>
            <div>My Applications</div>
        </a>
    </div>

    <!-- Latest Jobs Section -->
    <div class="section-title">
        <i class="fas fa-briefcase"></i> Latest Jobs
    </div>

    <?php if (empty($activePositions)): ?>
        <div class="empty-state">
            <i class="fas fa-briefcase"></i>
            <h6>No Jobs Available</h6>
            <p class="small">Check back later for new opportunities</p>
        </div>
    <?php else: ?>
        <?php foreach ($activePositions as $position): ?>
            <?php
            $hasApplied = false;
            foreach ($userApplications as $app) {
                if ($app['position_id'] == $position['id']) {
                    $hasApplied = true;
                    break;
                }
            }
            ?>
            <div class="position-card">
                <div class="position-title"><?= htmlspecialchars($position['title']) ?></div>
```

```
                <div class="position-meta">
                    <i class="fas fa-map-marker-alt"></i> <?= htmlspecialchars($position['location']
 ?? 'Remote') ?>
                    <span class="ms-2">
                        <i class="fas fa-clock"></i> <?= $position['min_experience_years'] ?>+ years
                    </span>
                </div>
                <p class="small text-muted mb-3"><?= htmlspecialchars(substr($position['description'
], 0, 80)) ?>...</p>

                <div class="d-flex justify-content-between align-items-center">
                    <?php if ($hasApplied): ?>
                        <span class="status-badge bg-success text-white">Applied</span>
                    <?php elseif ($totalExperience < $position['min_experience_years']): ?>
                        <span class="status-badge bg-warning text-dark">Need More Exp</span>
                    <?php else: ?>
                        <a href="apply.php?position=<?= $position['id'] ?>" class="btn btn-apply-mob
ile btn-sm">
                            Apply Now
                        </a>
                    <?php endif; ?>
                    <a href="position-details.php?id=<?= $position['id'] ?>" class="btn btn-outline-
primary btn-sm">
                        View
                    </a>
                </div>
            </div>
        <?php endforeach; ?>

        <div class="text-center" style="margin: 20px;">
            <a href="positions.php" class="btn btn-outline-primary">
                View All Jobs <i class="fas fa-arrow-right"></i>
            </a>
        </div>
    <?php endif; ?>

    <!-- Recent Applications Section -->
    <div class="section-title">
        <i class="fas fa-file-alt"></i> Recent Applications
    </div>

    <?php if (empty($userApplications)): ?>
        <div class="empty-state">
            <i class="fas fa-file-alt"></i>
            <h6>No Applications Yet</h6>
            <p class="small">Start applying to available positions</p>
            <a href="positions.php" class="btn btn-primary btn-sm">Browse Jobs</a>
        </div>
    <?php else: ?>
        <?php foreach (array_slice($userApplications, 0, 3) as $application): ?>
            <div class="application-card">
                <div class="d-flex justify-content-between align-items-start mb-2">
                    <h6 class="mb-0"><?= htmlspecialchars($application['position_title']) ?></h6>
                    <span class="status-badge
                        <?= $application['status'] === STATUS_PENDING ? 'bg-warning text-dark' :
                           ($application['status'] === STATUS_APPROVED ? 'bg-success text-white' : '
bg-danger text-white') ?>">
                        <?= ucfirst($application['status']) ?>
                    </span>
                </div>
                <p class="small text-muted mb-2">
                    Applied: <?= date('M j, Y', strtotime($application['applied_at'])) ?>
                </p>
                <div class="d-flex justify-content-between align-items-center">
                    <small class="text-muted">
                        Experience: <?= $application['total_experience_years'] ?> years
                    </small>
                    <a href="application-details.php?id=<?= $application['id'] ?>" class="btn btn-ou
```

```
tline-primary btn-sm">
                        Details
                    </a>
                </div>
            </div>
        <?php endforeach; ?>

        <div class="text-center" style="margin: 20px;">
            <a href="my-applications.php" class="btn btn-outline-primary">
                View All Applications
            </a>
        </div>
    <?php endif; ?>

    <!-- Bottom Navigation -->
    <nav class="bottom-nav d-flex">
        <a href="dashboard.php" class="bottom-nav-item active">
            <i class="fas fa-home"></i>
            <span>Home</span>
        </a>
        <a href="positions.php" class="bottom-nav-item">
            <i class="fas fa-search"></i>
            <span>Jobs</span>
        </a>
        <a href="my-applications.php" class="bottom-nav-item">
            <i class="fas fa-file-alt"></i>
            <span>Applications</span>
        </a>
        <a href="profile.php" class="bottom-nav-item">
            <i class="fas fa-user"></i>
            <span>Profile</span>
        </a>
    </nav>

    <script src="../assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <script>
        // Add smooth scrolling and touch-friendly interactions
        document.addEventListener('DOMContentLoaded', function() {
            // Add touch feedback for buttons
            const buttons = document.querySelectorAll('.btn, .quick-action, .position-card');
            buttons.forEach(btn => {
                btn.addEventListener('touchstart', function() {
                    this.style.transform = 'scale(0.98)';
                });
                btn.addEventListener('touchend', function() {
                    this.style.transform = 'scale(1)';
                });
            });

            // Auto-hide header on scroll down, show on scroll up
            let lastScrollTop = 0;
            const header = document.querySelector('.mobile-header');

            window.addEventListener('scroll', function() {
                let scrollTop = window.pageYOffset || document.documentElement.scrollTop;

                if (scrollTop > lastScrollTop && scrollTop > 100) {
                    // Scrolling down
                    header.style.transform = 'translateY(-100%)';
                } else {
                    // Scrolling up
                    header.style.transform = 'translateY(0)';
                }

                lastScrollTop = scrollTop <= 0 ? 0 : scrollTop;
            }, false);
        });
    </script>
```

Applicant_WPU

```
</body>
</html>
```

offline.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Offline - WPU Jobs</title>
    <link rel="icon" type="image/x-icon" href="favicon.ico">
    <style>
        @import url('https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@400;500;600;700
&display=swap');

        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Plus Jakarta Sans', -apple-system, BlinkMacSystemFont, 'Segoe UI', sans-se
rif;
            background: linear-gradient(135deg, #1e3a5f 0%, #2d5a87 50%, #1e3a5f 100%);
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            padding: 20px;
            color: white;
        }

        .offline-container {
            text-align: center;
            max-width: 480px;
            animation: fadeInUp 0.6s ease-out;
        }

        @keyframes fadeInUp {
            from {
                opacity: 0;
                transform: translateY(30px);
            }
            to {
                opacity: 1;
                transform: translateY(0);
            }
        }

        .offline-icon {
            width: 120px;
            height: 120px;
            background: rgba(255, 255, 255, 0.1);
            border-radius: 50%;
            display: flex;
            align-items: center;
            justify-content: center;
            margin: 0 auto 24px;
            animation: pulse 2s infinite;
        }

        @keyframes pulse {
            0%, 100% {
                box-shadow: 0 0 0 0 rgba(255, 255, 255, 0.3);
            }
            50% {
                box-shadow: 0 0 0 20px rgba(255, 255, 255, 0);
            }
        }
```

```
        .offline-icon svg {
            width: 60px;
            height: 60px;
            fill: white;
            opacity: 0.9;
        }

        h1 {
            font-size: 1.75rem;
            font-weight: 700;
            margin-bottom: 12px;
            letter-spacing: -0.5px;
        }

        p {
            font-size: 1rem;
            opacity: 0.85;
            line-height: 1.6;
            margin-bottom: 32px;
        }

        .retry-btn {
            display: inline-flex;
            align-items: center;
            gap: 8px;
            background: white;
            color: #1e3a5f;
            border: none;
            padding: 14px 28px;
            font-size: 1rem;
            font-weight: 600;
            border-radius: 8px;
            cursor: pointer;
            transition: all 0.2s ease;
            text-decoration: none;
        }

        .retry-btn:hover {
            transform: translateY(-2px);
            box-shadow: 0 8px 24px rgba(0, 0, 0, 0.2);
        }

        .retry-btn:active {
            transform: translateY(0);
        }

        .retry-btn svg {
            width: 18px;
            height: 18px;
            fill: currentColor;
        }

        .tips {
            margin-top: 40px;
            padding: 20px;
            background: rgba(255, 255, 255, 0.1);
            border-radius: 12px;
            text-align: left;
        }

        .tips h3 {
            font-size: 0.875rem;
            font-weight: 600;
            text-transform: uppercase;
            letter-spacing: 0.5px;
            margin-bottom: 12px;
            opacity: 0.9;
```

```
        }

        .tips ul {
            list-style: none;
            font-size: 0.875rem;
        }

        .tips li {
            padding: 8px 0;
            display: flex;
            align-items: flex-start;
            gap: 10px;
            opacity: 0.85;
        }

        .tips li::before {
            content: "?";
            color: #ffd166;
            font-weight: bold;
        }

        .logo {
            margin-bottom: 24px;
        }

        .logo img {
            width: 80px;
            height: 80px;
            border-radius: 16px;
            box-shadow: 0 4px 16px rgba(0, 0, 0, 0.2);
        }
    </style>
</head>
<body>
    <div class="offline-container">
        <div class="logo">
            <img src="assets/logo.png" alt="WPU Logo" onerror="this.style.display='none'">
        </div>

        <div class="offline-icon">
            <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24">
                <path d="M23.64 7c-.45-.34-4.93-4-11.64-4-1.5 0-2.89.19-4.15.48L18.18 13.8 23.64 7zm
-6.6 8.22L3.27 1.44 2 2.72l2.05 2.06C1.91 5.76.59 6.82.36 7l11.63 14.49.01.01.01-.01 3.9-4.86 3.32 3
.32 1.27-1.27-3.46-3.46z"/>
            </svg>
        </div>

        <h1>You're Offline</h1>
        <p>It looks like you've lost your internet connection. Please check your connection and try
again.</p>

        <button class="retry-btn" onclick="window.location.reload()">
            <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24">
                <path d="M17.65 6.35A7.958 7.958 0 0012 4c-4.42 0-7.99 3.58-7.99 8s3.57 8 7.99 8c3.7
3 0 6.84-2.55 7.73-6h-2.08A5.99 5.99 0 0112 18c-3.31 0-6-2.69-6-6s2.69-6 6-6c1.66 0 3.14.69 4.22 1.7
8L13 11h7V4l-2.35 2.35z"/>
            </svg>
            Try Again
        </button>

        <div class="tips">
            <h3>While you're offline:</h3>
            <ul>
                <li>Check your Wi-Fi or mobile data connection</li>
                <li>Try moving to an area with better signal</li>
                <li>Previously viewed pages may still be available</li>
                <li>Your data will sync when you're back online</li>
            </ul>
```

```
        </div>
    </div>

    <script>
        // Auto-retry when connection is restored
        window.addEventListener('online', () => {
            window.location.reload();
        });
    </script>
</body>
</html>
```

README.md

```
# WPU Applicant System - Installation & Setup Guide

## System Overview

The WPU Applicant System is a comprehensive job application platform that allows:
- **Applicants** to browse job positions, apply for roles, and track their applications
- **Administrators** to post job positions, manage applications, and review candidates
- **Mobile Support** with dedicated mobile-optimized interface
- **Experience Validation** ensuring applicants meet minimum experience requirements

## Features

### ? Core Features Implemented

1. **Authentication System**
   - Secure login/logout for both applicants and administrators
   - Role-based access control
   - Session management with security measures

2. **Admin Panel**
   - Dashboard with statistics and overview
   - Position management (create, edit, delete)
   - Application review and management
   - User management capabilities

3. **Applicant Interface**
   - User-friendly dashboard
   - Job browsing and application
   - Experience management
   - Application tracking

4. **Mobile Interface**
   - Separate mobile-optimized UI/UX
   - Touch-friendly interactions
   - Bottom navigation
   - Responsive design

5. **Experience Validation**
   - Automatic calculation of total work experience
   - Requirement matching for job positions
   - Experience-based application filtering

6. **Confirmation System**
   - User-friendly confirmation dialogs
   - Delete confirmation for critical actions
   - CSRF protection

## Installation Steps

### 1. Prerequisites
- XAMPP (Apache, MySQL, PHP 7.4+)
- Web browser (Chrome, Firefox, Safari)

### 2. Database Setup

1. Start XAMPP and ensure Apache and MySQL are running
2. Access phpMyAdmin: `http://localhost/phpmyadmin`
3. Create a new database named `wpu_applicant_system`
4. Import the database schema:
   ```sql
   -- Navigate to: config/database_schema.sql
   -- Copy and paste the entire SQL content into phpMyAdmin SQL tab
   -- Execute the queries
   ```

3. File Configuration
```

1. Update database credentials in `config/database.php` if needed:
   ```php
   private $host = 'localhost';
   private $db_name = 'wpu_applicant_system';
   private $username = 'root';  // Your MySQL username
   private $password = '';      // Your MySQL password
   ```

2. Create upload directories:
   ```
   mkdir uploads
   mkdir uploads/resumes
   chmod 755 uploads uploads/resumes
   ```

4. Access the Application

1. **Main Entry Point**: `http://localhost/Applicant_WPU/`
2. **Desktop Login**: `http://localhost/Applicant_WPU/login.php`
3. **Mobile Interface**: Automatically detected and redirected

Default Login Credentials

Administrator Account
- **Email**: `admin@wpu.ac.id`
- **Password**: `password`
- **Role**: Admin

Test Applicant Account
After setup, create applicant accounts using the registration form.

File Structure

```
Applicant_WPU/
??? config/
?   ??? database.php          # Database connection
?   ??? config.php           # Main configuration
?   ??? database_schema.sql  # Database structure
??? includes/
?   ??? models.php           # Database models
?   ??? confirmation.js      # UI confirmation system
??? auth/
?   ??? login_process.php    # Login handler
?   ??? logout.php          # Logout handler
??? admin/
?   ??? dashboard.php        # Admin dashboard
?   ??? positions.php       # Position management
??? mobile/
?   ??? dashboard.php        # Mobile interface
??? desktop/
?   ??? admin/              # Desktop admin interface
??? index.php               # Main entry point
??? login.php              # Login page
??? register.php           # Registration page
??? dashboard.php          # Applicant dashboard
??? apply.php             # Job application form
```

Testing the Application

1. Admin Functionality Test

1. **Login as Admin**
   - Navigate to: `http://localhost/Applicant_WPU/login.php`
   - Select "Admin" role
   - Use credentials: `admin@wpu.ac.id` / `password`

2. **Test Position Management**
   - Go to "Manage Positions"
   - Create a new job position with:
     - Title: "Software Developer"
     - Description: "Develop web applications"
     - Requirements: "Bachelor's degree, 2+ years experience"
     - Minimum Experience: 2 years
   - Verify position appears in the list
   - Test edit functionality
   - Test delete confirmation dialog

3. **Dashboard Verification**
   - Check statistics display correctly
   - Verify recent applications section
   - Confirm active positions list

2. Applicant Functionality Test

1. **Create Applicant Account**
   - Navigate to registration page
   - Fill out complete form
   - Verify account creation success

2. **Login as Applicant**
   - Use created credentials
   - Verify redirect to applicant dashboard

3. **Test Job Application Flow**
   - Browse available positions
   - Click "Apply Now" for a position
   - Fill out application form
   - Upload resume file
   - Submit application
   - Verify confirmation dialog works

4. **Experience Management**
   - Add work experience entries
   - Verify total experience calculation
   - Check experience requirements matching

3. Mobile Interface Test

1. **Access from Mobile Device**
   - Visit: `http://localhost/Applicant_WPU/` from mobile
   - Verify automatic mobile detection
   - Test responsive design elements

2. **Mobile Navigation**
   - Test bottom navigation
   - Verify touch-friendly interactions
   - Check mobile-optimized layouts

4. Security Features Test

1. **CSRF Protection**
   - Verify forms include CSRF tokens
   - Test form submissions work correctly

2. **Session Management**
   - Test login/logout functionality
   - Verify session timeout handling
   - Check role-based access control

3. **Confirmation Dialogs**
   - Test delete confirmations
   - Verify logout confirmation
   - Check application submission confirmation

Troubleshooting

Common Issues

1. **Database Connection Error**
   - Verify MySQL is running in XAMPP
   - Check database credentials in `config/database.php`
   - Ensure database `wpu_applicant_system` exists

2. **File Upload Issues**
   - Check upload directory permissions: `chmod 755 uploads/`
   - Verify PHP file upload settings in `php.ini`

3. **Mobile Detection Not Working**
   - Clear browser cache
   - Test with actual mobile device
   - Check User-Agent detection in `config/config.php`

4. **Confirmation Dialogs Not Showing**
   - Ensure Bootstrap JavaScript is loaded
   - Check browser console for JavaScript errors
   - Verify `includes/confirmation.js` is included

Performance Optimization

1. **Database Indexing**
   - Indexes are already created in schema
   - Monitor query performance as data grows

2. **File Upload Optimization**
   - Consider implementing file size validation
   - Add file type verification
   - Implement virus scanning for production

Security Considerations

1. **Password Security**
   - Passwords are hashed using PHP's `password_hash()`
   - Consider implementing password strength requirements

2. **File Upload Security**
   - Implement file type validation
   - Scan uploaded files for malware
   - Store uploads outside web root in production

3. **SQL Injection Prevention**
   - All queries use prepared statements
   - Input sanitization implemented

4. **XSS Prevention**
   - All output is properly escaped
   - HTML special characters are handled

Production Deployment

When deploying to production:

1. **Update Configuration**
   - Change database credentials
   - Update `BASE_URL` in config
   - Enable HTTPS

2. **Security Hardening**
   - Change default admin password
   - Implement rate limiting
   - Configure proper file permissions

3. **Backup Strategy**
   - Regular database backups
   - File system backups
   - Version control integration

Support & Maintenance

For ongoing support:
1. Monitor application logs
2. Regular security updates
3. Database maintenance
4. User feedback integration

System Requirements Met:
- ? Admin and applicant login/logout
- ? Position management with experience requirements
- ? Experience validation (2+ years example)
- ? User-friendly desktop UI/UX
- ? Separate mobile interface structure
- ? Confirmation dialogs for delete operations
- ? PHP backend implementation
- ? Responsive design for mobile compatibility

The WPU Applicant System is now ready for use!

run_position_fields_migration.php

```
<?php
/**
 * Migration: Add salary_grade, training_hours, and career_service_eligibilities to positions table
 * Run this from browser: http://localhost/Applicant_WPU/run_position_fields_migration.php
 */

require_once 'config/database.php';

try {
    $db = new Database();
    $pdo = $db->getConnection();

    // Check which columns exist
    $stmt = $pdo->query("DESCRIBE positions");
    $columns = $stmt->fetchAll(PDO::FETCH_COLUMN);

    $columnsToAdd = [];

    if (!in_array('salary_grade', $columns)) {
        $columnsToAdd[] = 'salary_grade';
    }
    if (!in_array('training_hours', $columns)) {
        $columnsToAdd[] = 'training_hours';
    }
    if (!in_array('career_service_eligibilities', $columns)) {
        $columnsToAdd[] = 'career_service_eligibilities';
    }

    if (empty($columnsToAdd)) {
        echo "<!DOCTYPE html><html><head><title>Migration Status</title>";
        echo "<style>body{font-family:system-ui,-apple-system,sans-serif;padding:20px;max-width:800p
x;margin:0 auto;}";
        echo ".success{color:#059669;font-weight:bold;}</style></head><body>";
        echo "<h1>Migration Status</h1>";
        echo "<p class='success'>? All columns already exist. Migration not needed.</p>";
        echo "<p>The following columns are present:</p>";
        echo "<ul><li>salary_grade</li><li>training_hours</li><li>career_service_eligibilities</li><
/ul>";
        echo "<p><a href='admin/pages/positions.php'>? Go to Positions Page</a></p>";
        echo "</body></html>";
    } else {
        // Execute migrations one at a time (they depend on each other's order)
        $addedColumns = [];

        // Add salary_grade first (after salary_range)
        if (in_array('salary_grade', $columnsToAdd)) {
            $pdo->exec("ALTER TABLE `positions` ADD COLUMN `salary_grade` VARCHAR(50) DEFAULT NULL A
FTER `salary_range`");
            $addedColumns[] = 'salary_grade';
        }

        // Add training_hours (after salary_grade if it exists, otherwise after salary_range)
        if (in_array('training_hours', $columnsToAdd)) {
            $afterCol = in_array('salary_grade', $columns) || in_array('salary_grade', $addedColumns
) ? 'salary_grade' : 'salary_range';
            $pdo->exec("ALTER TABLE `positions` ADD COLUMN `training_hours` INT(11) DEFAULT NULL AFT
ER `{$afterCol}`");
            $addedColumns[] = 'training_hours';
        }

        // Add career_service_eligibilities (after training_hours if it exists, otherwise after the
last column we added)
        if (in_array('career_service_eligibilities', $columnsToAdd)) {
            if (in_array('training_hours', $columns) || in_array('training_hours', $addedColumns)) {
                $afterCol = 'training_hours';
            } elseif (in_array('salary_grade', $columns) || in_array('salary_grade', $addedColumns))
```

```
 {
                $afterCol = 'salary_grade';
            } else {
                $afterCol = 'salary_range';
            }
            $pdo->exec("ALTER TABLE `positions` ADD COLUMN `career_service_eligibilities` TEXT DEFAU
LT NULL AFTER `{$afterCol}`");
            $addedColumns[] = 'career_service_eligibilities';
        }

        echo "<!DOCTYPE html><html><head><title>Migration Status</title>";
        echo "<style>body{font-family:system-ui,-apple-system,sans-serif;padding:20px;max-width:800p
x;margin:0 auto;}";
        echo ".success{color:#059669;font-weight:bold;}</style></head><body>";
        echo "<h1>Migration Status</h1>";
        echo "<p class='success'>? Migration completed successfully!</p>";
        echo "<p>The following columns were added:</p>";
        echo "<ul>";
        foreach ($columnsToAdd as $col) {
            echo "<li>$col</li>";
        }
        echo "</ul>";
        echo "<p><a href='admin/pages/positions.php'>? Go to Positions Page</a></p>";
        echo "</body></html>";
    }

} catch (PDOException $e) {
    echo "<!DOCTYPE html><html><head><title>Migration Error</title>";
    echo "<style>body{font-family:system-ui,-apple-system,sans-serif;padding:20px;max-width:800px;ma
rgin:0 auto;}";
    echo ".error{color:#dc2626;font-weight:bold;}</style></head><body>";
    echo "<h1>Migration Error</h1>";
    echo "<p class='error'>? Error: " . htmlspecialchars($e->getMessage()) . "</p>";
    echo "<p>Please check your database connection and try again.</p>";
    echo "</body></html>";
} catch (Exception $e) {
    echo "<!DOCTYPE html><html><head><title>Migration Error</title>";
    echo "<style>body{font-family:system-ui,-apple-system,sans-serif;padding:20px;max-width:800px;ma
rgin:0 auto;}";
    echo ".error{color:#dc2626;font-weight:bold;}</style></head><body>";
    echo "<h1>Migration Error</h1>";
    echo "<p class='error'>? Error: " . htmlspecialchars($e->getMessage()) . "</p>";
    echo "</body></html>";
}
?>
```

SCHEMA_FULL.sql

```
-- ============================================================================
-- WPU Applicant System - Complete SQL Schema
-- Database: wpu_applicant_system
-- Charset: utf8mb4
-- ============================================================================

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET NAMES utf8mb4;

-- ----------------------------------------------------------------------------
-- TABLE: users (base table - referenced by others)
-- ----------------------------------------------------------------------------
CREATE TABLE `users` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `username` varchar(50) NOT NULL,
  `email` varchar(100) NOT NULL,
  `password` varchar(255) DEFAULT NULL,
  `role` enum('admin','applicant') NOT NULL DEFAULT 'applicant',
  `full_name` varchar(100) NOT NULL,
  `phone` varchar(20) DEFAULT NULL,
  `address` text DEFAULT NULL,
  `age` int(11) DEFAULT NULL,
  `sex` enum('Male','Female','Other') DEFAULT NULL,
  `civil_status` enum('Married','Single','Separated','Widowed','Annuled','Solo Parent') DEFAULT NULL
,
  `highest_educational_attainment` enum('Elementary Level','Elementary Graduate','Secondary/ High Sc
hool Level','Secondary/ High School Graduate','College Level','College Graduate','Master''s Degree H
older','Doctoral Degree Holder') DEFAULT NULL,
  `bachelors_degree` text DEFAULT NULL,
  `masters_degree` text DEFAULT NULL,
  `doctorate_degree` text DEFAULT NULL,
  `application_type` set('PROMOTION','ENTRY LEVEL') DEFAULT NULL,
  `ipcr_rating` text DEFAULT NULL,
  `ipcr_file_path` varchar(255) DEFAULT NULL,
  `pe_rating` text DEFAULT NULL,
  `pe_file_path` varchar(255) DEFAULT NULL,
  `position_applied_for` enum('University Extension Specialist V SG 24','University Extension Specia
list IV SG 22','University Extension Specialist III SG 20','University Extension Specialist II SG 18
','University Extension Specialist I SG 16','University Extension Associate I SG 12','Administrative
 Assistant III SG 9','Administrative Aide VI (Clerk III) SG 6','Administrative Aide IV (Clerk II) SG
 4') DEFAULT NULL,
  `training_programs` text DEFAULT NULL,
  `career_service_eligibilities` set('Professional Eligibility','Sub-Professional Eligibility','Care
er Service Executive Eligibility (CSE-E)','Bar/Board Eligibility (RA 1080)','Other') DEFAULT NULL,
  `career_service_eligibilities_other` text DEFAULT NULL,
  `special_needs` text DEFAULT NULL,
  `profile_picture` varchar(255) DEFAULT NULL,
  `google_id` varchar(255) DEFAULT NULL,
  `oauth_provider` enum('google','facebook','microsoft') DEFAULT NULL,
  `email_verified_at` datetime DEFAULT NULL,
  `email_verification_code` varchar(6) DEFAULT NULL,
  `email_verification_expires_at` datetime DEFAULT NULL,
  `email_verification_attempts` int(11) DEFAULT 0,
  `email_verification_last_sent_at` datetime DEFAULT NULL,
  `data_privacy_accepted_at` timestamp NULL DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  `is_active` tinyint(1) DEFAULT 1,
  PRIMARY KEY (`id`),
  UNIQUE KEY `username` (`username`),
  UNIQUE KEY `email` (`email`),
  UNIQUE KEY `google_id` (`google_id`),
  KEY `idx_users_email` (`email`),
  KEY `idx_users_role` (`role`),
  KEY `idx_users_google_id` (`google_id`),
  KEY `idx_users_oauth_provider` (`oauth_provider`),
```

```
  KEY `idx_users_data_privacy_accepted` (`data_privacy_accepted_at`),
  KEY `idx_users_civil_status` (`civil_status`),
  KEY `idx_users_educational_attainment` (`highest_educational_attainment`),
  KEY `idx_users_application_type` (`application_type`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ----------------------------------------------------------------------------
-- TABLE: activity_logs
-- ----------------------------------------------------------------------------
CREATE TABLE `activity_logs` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) DEFAULT NULL,
  `action` varchar(100) NOT NULL,
  `description` text DEFAULT NULL,
  `ip_address` varchar(45) DEFAULT NULL,
  `user_agent` text DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `user_id` (`user_id`),
  CONSTRAINT `activity_logs_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE SET
NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ----------------------------------------------------------------------------
-- TABLE: positions
-- ----------------------------------------------------------------------------
CREATE TABLE `positions` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `title` varchar(100) NOT NULL,
  `description` text NOT NULL,
  `requirements` text NOT NULL,
  `min_experience_years` int(11) DEFAULT 0,
  `max_applications` int(11) DEFAULT NULL,
  `salary_range` varchar(50) DEFAULT NULL,
  `salary_grade` varchar(50) DEFAULT NULL,
  `training_hours` int(11) DEFAULT NULL,
  `career_service_eligibilities` text DEFAULT NULL,
  `location` varchar(100) DEFAULT NULL,
  `employment_type` varchar(50) DEFAULT 'full-time',
  `deadline` date DEFAULT NULL,
  `is_active` tinyint(1) DEFAULT 1,
  `created_by` int(11) DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `created_by` (`created_by`),
  KEY `idx_positions_active` (`is_active`),
  CONSTRAINT `positions_ibfk_1` FOREIGN KEY (`created_by`) REFERENCES `users` (`id`) ON DELETE SET N
ULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ----------------------------------------------------------------------------
-- TABLE: applications
-- ----------------------------------------------------------------------------
CREATE TABLE `applications` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `position_id` int(11) NOT NULL,
  `cover_letter` text DEFAULT NULL,
  `resume_file` varchar(255) DEFAULT NULL,
  `status` enum('pending','approved','rejected') DEFAULT 'pending',
  `is_archived` tinyint(1) DEFAULT 0,
  `archived_at` timestamp NULL DEFAULT NULL,
  `admin_notes` text DEFAULT NULL,
  `reviewed_at` timestamp NULL DEFAULT NULL,
  `total_experience_years` decimal(3,1) DEFAULT 0.0,
  `meets_requirements` tinyint(1) DEFAULT 0,
  `applied_at` timestamp NOT NULL DEFAULT current_timestamp(),
```

```
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  `interview_date` date DEFAULT NULL,
  `interview_time` time DEFAULT NULL,
  PRIMARY KEY (`id`),
  UNIQUE KEY `unique_application` (`user_id`,`position_id`),
  KEY `position_id` (`position_id`),
  KEY `idx_applications_status` (`status`),
  KEY `idx_applications_user_position` (`user_id`,`position_id`),
  KEY `idx_applications_interview` (`interview_date`,`interview_time`),
  KEY `idx_applications_archived` (`is_archived`),
  CONSTRAINT `applications_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CASCA
DE,
  CONSTRAINT `applications_ibfk_2` FOREIGN KEY (`position_id`) REFERENCES `positions` (`id`) ON DELE
TE CASCADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ----------------------------------------------------------------------------
-- TABLE: application_documents
-- ----------------------------------------------------------------------------
CREATE TABLE `application_documents` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `application_id` int(11) NOT NULL,
  `document_type` enum('resume','cover_letter','certificate','portfolio','other') NOT NULL,
  `file_name` varchar(255) NOT NULL,
  `file_path` varchar(255) NOT NULL,
  `file_size` int(11) DEFAULT NULL,
  `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `application_id` (`application_id`),
  CONSTRAINT `application_documents_ibfk_1` FOREIGN KEY (`application_id`) REFERENCES `applications`
 (`id`) ON DELETE CASCADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ----------------------------------------------------------------------------
-- TABLE: employment_types
-- ----------------------------------------------------------------------------
CREATE TABLE `employment_types` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `name` varchar(50) NOT NULL,
  `slug` varchar(50) NOT NULL,
  `is_active` tinyint(1) DEFAULT 1,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  PRIMARY KEY (`id`),
  UNIQUE KEY `slug` (`slug`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ----------------------------------------------------------------------------
-- TABLE: messages
-- ----------------------------------------------------------------------------
CREATE TABLE `messages` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `application_id` int(11) DEFAULT NULL,
  `sender_id` int(11) NOT NULL,
  `recipient_id` int(11) DEFAULT NULL,
  `sender_role` enum('admin','applicant') NOT NULL,
  `message` text NOT NULL,
  `is_read` tinyint(1) DEFAULT 0,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_messages_application` (`application_id`),
  KEY `idx_messages_sender` (`sender_id`),
  KEY `idx_messages_recipient` (`recipient_id`),
  KEY `idx_messages_created` (`created_at`),
  CONSTRAINT `messages_ibfk_1` FOREIGN KEY (`application_id`) REFERENCES `applications` (`id`) ON DE
LETE CASCADE,
  CONSTRAINT `messages_ibfk_2` FOREIGN KEY (`sender_id`) REFERENCES `users` (`id`) ON DELETE CASCADE
,
```

```
  CONSTRAINT `messages_ibfk_3` FOREIGN KEY (`recipient_id`) REFERENCES `users` (`id`) ON DELETE CASC
ADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ------------------------------------------------------------------------------
-- TABLE: notifications
-- ------------------------------------------------------------------------------
CREATE TABLE IF NOT EXISTS `notifications` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL COMMENT 'Admin user ID who should receive this notification',
  `type` varchar(50) NOT NULL DEFAULT 'application_submitted' COMMENT 'Type of notification',
  `title` varchar(255) NOT NULL COMMENT 'Notification title',
  `message` text NOT NULL COMMENT 'Notification message',
  `related_id` int(11) DEFAULT NULL COMMENT 'Related entity ID (e.g., application_id)',
  `related_type` varchar(50) DEFAULT NULL COMMENT 'Related entity type (e.g., application)',
  `is_read` tinyint(1) NOT NULL DEFAULT 0 COMMENT 'Whether notification has been read',
  `read_at` datetime DEFAULT NULL COMMENT 'When notification was read',
  `created_at` datetime NOT NULL DEFAULT CURRENT_TIMESTAMP COMMENT 'When notification was created',
  PRIMARY KEY (`id`),
  KEY `idx_user_id` (`user_id`),
  KEY `idx_is_read` (`is_read`),
  KEY `idx_created_at` (`created_at`),
  KEY `idx_type` (`type`),
  CONSTRAINT `fk_notifications_user` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CAS
CADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci COMMENT='System notifications for
 admin users';

-- ------------------------------------------------------------------------------
-- TABLE: user_experience
-- ------------------------------------------------------------------------------
CREATE TABLE `user_experience` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `company_name` varchar(100) NOT NULL,
  `position_title` varchar(100) NOT NULL,
  `start_date` date NOT NULL,
  `end_date` date DEFAULT NULL,
  `is_current` tinyint(1) DEFAULT 0,
  `description` text DEFAULT NULL,
  `years_duration` decimal(3,1) DEFAULT 0.0,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_experience_user` (`user_id`),
  CONSTRAINT `user_experience_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CA
SCADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ------------------------------------------------------------------------------
-- TABLE: user_training_certificates
-- ------------------------------------------------------------------------------
CREATE TABLE `user_training_certificates` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `file_name` varchar(255) NOT NULL,
  `file_path` varchar(255) NOT NULL,
  `file_size` int(11) DEFAULT NULL,
  `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_training_certificates_user_id` (`user_id`),
  KEY `idx_training_certificates_uploaded_at` (`uploaded_at`),
  CONSTRAINT `fk_training_certificates_user` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DE
LETE CASCADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ------------------------------------------------------------------------------
-- TABLE: user_application_documents
-- ------------------------------------------------------------------------------
```

```
CREATE TABLE `user_application_documents` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `document_type` enum('APLET','PDS','WES','TOR','DIP','COE','SRE','EL') NOT NULL,
  `file_name` varchar(255) NOT NULL,
  `file_path` varchar(255) NOT NULL,
  `file_size` int(11) DEFAULT NULL,
  `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_app_documents_user_id` (`user_id`),
  KEY `idx_app_documents_type` (`document_type`),
  KEY `idx_app_documents_user_type` (`user_id`, `document_type`),
  CONSTRAINT `fk_app_documents_user` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CAS
CADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- ------------------------------------------------------------------------------
-- VIEW: active_positions
-- ------------------------------------------------------------------------------
CREATE OR REPLACE VIEW `active_positions` AS
SELECT
  p.id,
  p.title,
  p.description,
  p.requirements,
  p.min_experience_years,
  p.max_applications,
  p.salary_range,
  p.location,
  p.employment_type,
  p.deadline,
  p.is_active,
  p.created_by,
  p.created_at,
  p.updated_at,
  u.full_name AS created_by_name
FROM positions p
LEFT JOIN users u ON p.created_by = u.id
WHERE p.is_active = 1
  AND (p.deadline IS NULL OR p.deadline >= CURDATE());

-- ------------------------------------------------------------------------------
-- VIEW: application_summary
-- ------------------------------------------------------------------------------
CREATE OR REPLACE VIEW `application_summary` AS
SELECT
  a.id,
  a.user_id,
  a.position_id,
  u.full_name AS applicant_name,
  u.email AS applicant_email,
  p.title AS position_title,
  a.status,
  a.total_experience_years,
  a.meets_requirements,
  a.applied_at
FROM applications a
JOIN users u ON a.user_id = u.id
JOIN positions p ON a.position_id = p.id;
```

seed_positions.php

```
<?php
/**
 * Seed at least 10 WPU positions with minimum requirements.
 * Run once: php seed_positions.php
 */

require_once __DIR__ . '/config/database.php';

$positions = [
    [
        'title' => 'University Extension Specialist IV SG 22',
        'description' => 'Responsible for planning and implementing extension programs in assigned c
ommunities.',
        'requirements' => "Bachelor's degree relevant to the position\nCareer Service eligibility\nW
illingness to work in field assignments",
        'salary_grade' => 'SG 22',
        'salary_range' => 'PHP 71,511.00',
        'career_service_eligibilities' => 'Professional Eligibility',
    ],
    [
        'title' => 'University Extension Specialist III SG 20',
        'description' => 'Assists in the development and delivery of university extension services.'
,
        'requirements' => "Bachelor's degree\nNo prior experience required for entry level\nGood com
munication skills",
        'salary_grade' => 'SG 20',
        'salary_range' => 'PHP 57,806.00',
        'career_service_eligibilities' => 'Professional Eligibility',
    ],
    [
        'title' => 'University Extension Specialist II SG 18',
        'description' => 'Supports extension projects and community engagement activities.',
        'requirements' => "Bachelor's degree\nBasic computer literacy\nWilling to travel within Pala
wan",
        'salary_grade' => 'SG 18',
        'salary_range' => 'PHP 46,725.00',
        'career_service_eligibilities' => 'Professional Eligibility',
    ],
    [
        'title' => 'University Extension Specialist I SG 16',
        'description' => 'Entry-level extension specialist role supporting program implementation.',
        'requirements' => "Bachelor's degree\nFresh graduates may apply\nInterest in community devel
opment",
        'salary_grade' => 'SG 16',
        'salary_range' => 'PHP 38,150.00',
        'career_service_eligibilities' => 'Professional Eligibility',
    ],
    [
        'title' => 'University Extension Associate I SG 12',
        'description' => 'Provides clerical and technical support to extension programs.',
        'requirements' => "College level or equivalent\nBasic documentation skills\nTeam player",
        'salary_grade' => 'SG 12',
        'salary_range' => 'PHP 27,000.00',
        'career_service_eligibilities' => 'Sub-Professional Eligibility',
    ],
    [
        'title' => 'Administrative Assistant III SG 9',
        'description' => 'Handles administrative tasks, records management, and office coordination.
',
        'requirements' => "High school graduate or college level\nBasic MS Office skills\nOrganized
and detail-oriented",
        'salary_grade' => 'SG 9',
        'salary_range' => 'PHP 21,211.00',
        'career_service_eligibilities' => 'Sub-Professional Eligibility',
    ],
    [
```

```
        'title' => 'Administrative Aide VI (Clerk III) SG 6',
        'description' => 'Performs clerical duties including filing, encoding, and front-line assist
ance.',
        'requirements' => "High school graduate\nBasic typing and encoding skills\nNo experience req
uired",
        'salary_grade' => 'SG 6',
        'salary_range' => 'PHP 17,553.00',
        'career_service_eligibilities' => 'Sub-Professional Eligibility',
    ],
    [
        'title' => 'Administrative Aide IV (Clerk II) SG 4',
        'description' => 'Entry-level clerical position for office support and document handling.',
        'requirements' => "High school graduate\nWilling to learn on the job\nGood interpersonal ski
lls",
        'salary_grade' => 'SG 4',
        'salary_range' => 'PHP 15,524.00',
        'career_service_eligibilities' => 'Sub-Professional Eligibility',
    ],
    [
        'title' => 'IT Support Staff SG 9',
        'description' => 'Provides basic IT support, hardware troubleshooting, and user assistance.'
,
        'requirements' => "IT-related course or equivalent experience\nBasic networking knowledge\nP
roblem-solving skills",
        'salary_grade' => 'SG 9',
        'salary_range' => 'PHP 21,211.00',
        'career_service_eligibilities' => 'Professional Eligibility',
    ],
    [
        'title' => 'Library Aide SG 4',
        'description' => 'Assists in library operations including shelving, cataloging, and patron s
ervices.',
        'requirements' => "High school graduate\nInterest in library work\nNo prior library experien
ce required",
        'salary_grade' => 'SG 4',
        'salary_range' => 'PHP 15,524.00',
        'career_service_eligibilities' => 'Sub-Professional Eligibility',
    ],
    [
        'title' => 'Research Assistant SG 12',
        'description' => 'Supports faculty and researchers in data collection, documentation, and re
port preparation.',
        'requirements' => "Bachelor's degree\nBasic research and writing skills\nFresh graduates wel
come",
        'salary_grade' => 'SG 12',
        'salary_range' => 'PHP 27,000.00',
        'career_service_eligibilities' => 'Professional Eligibility',
    ],
    [
        'title' => 'Guidance Counselor SG 18',
        'description' => 'Provides student guidance, counseling services, and wellness program suppo
rt.',
        'requirements' => "Bachelor's degree in Psychology, Guidance and Counseling, or related fiel
d\nLicensed preferred but not required for entry\nEmpathy and active listening skills",
        'salary_grade' => 'SG 18',
        'salary_range' => 'PHP 46,725.00',
        'career_service_eligibilities' => 'Bar/Board Eligibility (RA 1080)',
    ],
];

try {
    $db = new Database();
    $pdo = $db->getConnection();

    $adminStmt = $pdo->query("SELECT id FROM users WHERE role = 'admin' AND is_active = 1 ORDER BY i
d LIMIT 1");
    $admin = $adminStmt->fetch();
    $createdBy = $admin ? (int) $admin['id'] : 1;
```

```
    $checkStmt = $pdo->prepare('SELECT id FROM positions WHERE title = ? LIMIT 1');
    $insertStmt = $pdo->prepare(
        'INSERT INTO positions (
            title, description, requirements, min_experience_years, max_applications,
            salary_range, salary_grade, training_hours, career_service_eligibilities,
            location, employment_type, deadline, is_active, created_by
        ) VALUES (
            :title, :description, :requirements, 0, NULL,
            :salary_range, :salary_grade, NULL, :career_service_eligibilities,
            :location, :employment_type, :deadline, 1, :created_by
        )'
    );

    $inserted = 0;
    $skipped = 0;

    foreach ($positions as $position) {
        $checkStmt->execute([$position['title']]);
        if ($checkStmt->fetch()) {
            $skipped++;
            echo "Skipped (exists): {$position['title']}\n";
            continue;
        }

        $insertStmt->execute([
            ':title' => $position['title'],
            ':description' => $position['description'],
            ':requirements' => $position['requirements'],
            ':salary_range' => $position['salary_range'],
            ':salary_grade' => $position['salary_grade'],
            ':career_service_eligibilities' => $position['career_service_eligibilities'],
            ':location' => 'San Juan, Aborlan, Palawan',
            ':employment_type' => 'full-time',
            ':deadline' => '2026-12-31',
            ':created_by' => $createdBy,
        ]);

        $inserted++;
        echo "Created: {$position['title']}\n";
    }

    $total = $pdo->query('SELECT COUNT(*) FROM positions')->fetchColumn();
    echo "\nDone. Inserted: {$inserted}, Skipped: {$skipped}, Total positions in DB: {$total}\n";
} catch (Exception $e) {
    fwrite(STDERR, 'Error: ' . $e->getMessage() . PHP_EOL);
    exit(1);
}
```

shared/login.php

```
<?php
require_once '../config/config.php';

// Prevent redirect loops by checking if we're already in one
$current_url = $_SERVER['REQUEST_URI'];
$redirect_count = isset($_SESSION['redirect_count']) ? $_SESSION['redirect_count'] : 0;

// Reset redirect count if we're on a different page
if (!isset($_SESSION['last_page']) || $_SESSION['last_page'] !== $current_url) {
    $_SESSION['redirect_count'] = 0;
    $redirect_count = 0;
}
$_SESSION['last_page'] = $current_url;

// Redirect if already logged in (but avoid infinite loops)
if (isLoggedIn() && $redirect_count < 3) {
    $_SESSION['redirect_count'] = $redirect_count + 1;
    $redirect = hasRole(ROLE_ADMIN) ? 'admin/pages/dashboard.php' : 'applicant/pages/dashboard.php';

    // Only redirect if headers haven't been sent
    if (!headers_sent()) {
        header('Location: ' . BASE_URL . $redirect);
        exit();
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Login - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="<?= BASE_URL ?>favicon.ico">
    <link href="<?= BASE_URL ?>assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <link href="<?= BASE_URL ?>assets/css/office-theme.css" rel="stylesheet">
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }
        body {
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            padding: 20px;
            font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, 'Helvetica Neue', Ar
ial, sans-serif;
        }
        .login-container {
            background: white;
            border-radius: 20px;
            box-shadow: 0 20px 60px rgba(0, 0, 0, 0.3);
            overflow: hidden;
            max-width: 480px;
            width: 100%;
            animation: slideUp 0.4s ease;
        }
        @keyframes slideUp {
            from {
                opacity: 0;
                transform: translateY(20px);
            }
            to {
```

```
                opacity: 1;
                transform: translateY(0);
            }
        }
        .login-header {
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            padding: 16px    40px;
            text-align: center;
            color: white;
            position: relative;
            overflow: hidden;
        }
        .login-header::before {
            content: '';
            position: absolute;
            top: -50%;
            right: -50%;
            width: 200%;
            height: 200%;
            background: radial-gradient(circle, rgba(255,255,255,0.1) 0%, transparent 70%);
            animation: pulse 3s ease-in-out infinite;
        }
        @keyframes pulse {
            0%, 100% { transform: scale(1); opacity: 0.5; }
            50% { transform: scale(1.1); opacity: 0.3; }
        }
        .login-header-content {
            position: relative;
            z-index: 1;
        }
        .login-header i {
            font-size: 3.5rem;
            margin-bottom: 16px;
            opacity: 0.95;
        }
        .login-header h2 {
            font-size: 2rem;
            font-weight: 700;
            margin-bottom: 8px;
            letter-spacing: -0.5px;
        }
        .login-header p {
            opacity: 0.9;
            margin: 0;
            font-size: 1.05rem;
            font-weight: 300;
        }
        .login-logo {
            text-align: center;
            padding: 40px 40px 20px;
            background: white;
        }
        .login-logo img {
            max-width: 200px;
            height: auto;
            display: block;
            margin: 0 auto;
        }
        .login-form {
            padding: 40px 40px 36px;
        }
        .form-group {
            margin-bottom: 24px;
        }
        .form-label {
            display: block;
            margin-bottom: 8px;
            font-weight: 600;
```

```
            color: #374151;
            font-size: 0.9rem;
        }
        .form-control {
            width: 100%;
            padding: 14px 16px;
            border: 2px solid #e5e7eb;
            border-radius: 12px;
            font-size: 1rem;
            transition: all 0.2s ease;
            background: #f9fafb;
        }
        .form-control:focus {
            outline: none;
            border-color: #2563eb;
            background: white;
            box-shadow: 0 0 0 4px rgba(37, 99, 235, 0.1);
        }
        .form-control::placeholder {
            color: #9ca3af;
        }
        .btn-login {
            width: 100%;
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            color: white;
            border: none;
            padding: 16px 24px;
            font-weight: 600;
            font-size: 1rem;
            text-transform: none;
            letter-spacing: 0.3px;
            border-radius: 12px;
            cursor: pointer;
            transition: all 0.3s ease;
            box-shadow: 0 4px 14px rgba(37, 99, 235, 0.4);
            margin-bottom: 20px;
        }
        .btn-login:hover {
            transform: translateY(-2px);
            box-shadow: 0 8px 20px rgba(37, 99, 235, 0.5);
        }
        .btn-login:active {
            transform: translateY(0);
        }
        .google-btn {
            width: 100%;
            display: flex;
            align-items: center;
            justify-content: center;
            gap: 12px;
            padding: 14px 24px;
            border: 2px solid #e5e7eb;
            background: white;
            color: #374151;
            border-radius: 12px;
            text-decoration: none;
            font-weight: 600;
            transition: all 0.2s ease;
            margin-bottom: 20px;
        }
        .google-btn:hover {
            background: #f9fafb;
            border-color: #d1d5db;
            transform: translateY(-1px);
            box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
        }
        .google-btn i {
            font-size: 1.2rem;
```

```
            color: #ea4335;
        }
        .link-primary {
            color: #2563eb;
            text-decoration: none;
            font-weight: 600;
            transition: color 0.2s ease;
        }
        .link-primary:hover {
            color: #1e40af;
            text-decoration: underline;
        }
        .divider {
            text-align: center;
            margin: 24px 0;
            position: relative;
        }
        .divider::before {
            content: '';
            position: absolute;
            top: 50%;
            left: 0;
            right: 0;
            height: 1px;
            background: #e5e7eb;
        }
        .divider span {
            background: white;
            padding: 0 20px;
            position: relative;
            color: #6b7280;
            font-size: 0.875rem;
            font-weight: 500;
        }
        .text-center {
            text-align: center;
        }
        .text-center p {
            margin: 0;
            color: #6b7280;
            font-size: 0.95rem;
        }
        .alert {
            padding: 14px 16px;
            border-radius: 10px;
            margin-bottom: 20px;
            display: flex;
            align-items: start;
            gap: 12px;
            font-size: 0.9rem;
        }
        .alert i {
            margin-top: 2px;
            flex-shrink: 0;
        }
        .alert-info {
            background: #dbeafe;
            color: #1e40af;
            border: 1px solid #93c5fd;
        }
        .alert-danger {
            background: #fee2e2;
            color: #991b1b;
            border: 1px solid #fca5a5;
        }
        @media (max-width: 540px) {
            .login-header {
                padding: 36px 28px;
```

```
            }
            .login-header i {
                font-size: 2.8rem;
            }
            .login-header h2 {
                font-size: 1.6rem;
            }
            .login-header p {
                font-size: 0.95rem;
            }
            .login-logo {
                padding: 32px 28px 16px;
            }
            .login-logo img {
                max-width: 150px;
            }
            .login-form {
                padding: 32px 28px;
            }
        }
    </style>
</head>
<body>
    <div class="login-container">
        <div class="login-logo">
            <?php
            // For port forwarding compatibility, use relative path
            // This works regardless of how BASE_URL is calculated
            // Since login.php is in shared/ directory, ../assets/logo.png goes up to root then into
 assets
            $logoUrl = '../assets/logo.png';

            // Also construct absolute URL with BASE_URL as backup
            $absoluteLogoUrl = rtrim(BASE_URL, '/') . '/assets/logo.png';

            // Debug mode - add ?debug=1 to URL to see path information
            $debugMode = isset($_GET['debug']);
            ?>
            <?php if ($debugMode): ?>
            <div style="background: #fff3cd; border: 1px solid #ffc107; padding: 10px; margin: 10px;
 font-size: 11px; font-family: monospace; text-align: left;">
                <strong>Logo Path Debug Info:</strong><br>
                BASE_URL: <code><?= htmlspecialchars(BASE_URL) ?></code><br>
                HTTP_HOST: <code><?= htmlspecialchars($_SERVER['HTTP_HOST'] ?? 'N/A') ?></code><br>
                REQUEST_URI: <code><?= htmlspecialchars($_SERVER['REQUEST_URI'] ?? 'N/A') ?></code><
br>
                Relative Path: <code><?= htmlspecialchars($logoUrl) ?></code><br>
                Absolute Path: <code><?= htmlspecialchars($absoluteLogoUrl) ?></code><br>
                <strong>Using:</strong> <code><?= htmlspecialchars($logoUrl) ?></code>
            </div>
            <?php endif; ?>
            <img src="<?= htmlspecialchars($logoUrl) ?>"
                 alt="WPU Logo"
                 onerror="console.error('Logo failed:', this.src); console.log('Trying absolute path
:', '<?= htmlspecialchars($absoluteLogoUrl) ?>'); this.onerror=null; this.src='<?= htmlspecialchars(
$absoluteLogoUrl) ?>';"
                 style="max-width: 200px; height: auto; display: block; margin: 0 auto;">
        </div>

        <div style="padding: 16px 24px; margin: 0 40px 24px; background: linear-gradient(135deg, #25
63eb 0%, #1e40af 100%); color: white; border-radius: 12px; text-align: center; box-shadow: 0 4px 14p
x rgba(37, 99, 235, 0.4);">
            <h2 style="margin: 0; font-size: 1.60rem; font-weight: 800; letter-spacing: 0.3px;">WPU
EMPLOYMENT AND SELECTION SYSTEM</h2>
        </div>

        <div class="login-form">
            <?php if (isset($_GET['message'])): ?>
```

```
                <div class="alert alert-info">
                    <i class="fas fa-info-circle"></i>
                    <div><?= htmlspecialchars($_GET['message']) ?></div>
                </div>
            <?php endif; ?>

            <?php if (isset($_GET['error'])): ?>
                <div class="alert alert-danger">
                    <i class="fas fa-exclamation-triangle"></i>
                    <div><?= htmlspecialchars($_GET['error']) ?></div>
                </div>
            <?php endif; ?>

            <form method="POST" action="<?= BASE_URL ?>auth/login_process.php" id="loginForm">
                <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">

                <div class="form-group">
                    <label class="form-label">Email Address</label>
                    <input type="email" class="form-control" name="email" placeholder="Enter your em
ail" required>
                </div>

                <div class="form-group">
                    <label class="form-label">Password</label>
                    <input type="password" class="form-control" name="password" placeholder="Enter y
our password" required>
                </div>

                <button class="btn-login" type="submit">
                    <i class="fas fa-sign-in-alt"></i> SIGN IN
                </button>

                <div class="text-center">
                    <p>
                        Don't have an account?
                        <a href="<?= BASE_URL ?>shared/register.php" class="link-primary">Register h
ere</a>
                    </p>
                </div>
            </form>
        </div>
    </div>
</body>
</html>
```

shared/register.php

```
<?php
require_once '../config/config.php';
require_once '../includes/models.php';
require_once '../includes/services/UserService.php';
require_once '../includes/exceptions/Exceptions.php';

// Redirect if already logged in
if (isLoggedIn()) {
    $redirect = hasRole(ROLE_ADMIN) ? 'admin/pages/dashboard.php' : 'applicant/pages/dashboard.php';
    header('Location: ' . BASE_URL . $redirect);
    exit();
}

$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // Validate form submission (CSRF + Form Token)
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if ($validation['error'] === 'duplicate') {
            // Redirect to login page to avoid resubmission
            header('Location: ' . BASE_URL . 'shared/login.php?info=Registration already processed.
Please login.');
            exit();
        }
        $error = $validation['error'];
    } else {
        // Sanitize input
        $username = sanitize($_POST['username'] ?? '');
        $email = sanitize($_POST['email'] ?? '');
        $password = $_POST['password'] ?? '';
        $confirmPassword = $_POST['confirm_password'] ?? '';
        $fullName = sanitize($_POST['full_name'] ?? '');
        $phone = sanitize($_POST['phone'] ?? '');
        $address = sanitize($_POST['address'] ?? '');

        // Validate input
        if (empty($username) || empty($email) || empty($password) || empty($fullName)) {
            $error = 'All required fields must be filled';
        } elseif ($password !== $confirmPassword) {
            $error = 'Passwords do not match';
        } elseif (strlen($password) < 6) {
            $error = 'Password must be at least 6 characters long';
        } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            $error = 'Invalid email format';
        } else {
            try {
                $userService = new UserService();
                $userData = [
                    'username' => $username,
                    'email' => $email,
                    'password' => $password,
                    'role' => ROLE_APPLICANT,
                    'full_name' => $fullName,
                    'phone' => $phone,
                    'address' => $address
                ];

                $user = $userService->registerUser($userData);

                $_SESSION['pending_verification_email'] = $user['email'];
                if (!$user['verification_email_sent']) {
                    $_SESSION['pending_verification_notice'] = 'We created your account but could no
t send the verification email. Please click "Resend code" to try again.';
                }
```

```
                FormTokenManager::clearFormTokens('register_user');

                header('Location: ' . BASE_URL . 'shared/verify-email.php?email=' . urlencode($user[
'email']) . '&new=1');
                exit();
            } catch (ValidationException $e) {
                $error = $e->getMessage();
            } catch (Exception $e) {
                error_log("Registration error: " . $e->getMessage());
                $error = 'An error occurred. Please try again.';
            }
        }
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register - WPU Applicant System</title>
    <link rel="icon" type="image/x-icon" href="<?= BASE_URL ?>favicon.ico">
    <link href="<?= BASE_URL ?>assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <link href="<?= BASE_URL ?>assets/css/office-theme.css" rel="stylesheet">
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }
        body {
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            padding: 20px;
            font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, 'Helvetica Neue', Ar
ial, sans-serif;
        }
        .register-container {
            background: white;
            border-radius: 20px;
            box-shadow: 0 20px 60px rgba(0, 0, 0, 0.3);
            overflow: hidden;
            max-width: 600px;
            width: 100%;
            animation: slideUp 0.4s ease;
            margin: 20px auto;
        }
        @keyframes slideUp {
            from {
                opacity: 0;
                transform: translateY(20px);
            }
            to {
                opacity: 1;
                transform: translateY(0);
            }
        }
        .register-header {
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            padding: 40px 40px;
            text-align: center;
            color: white;
            position: relative;
            overflow: hidden;
```

```
        }
        .register-header::before {
            content: '';
            position: absolute;
            top: -50%;
            right: -50%;
            width: 200%;
            height: 200%;
            background: radial-gradient(circle, rgba(255,255,255,0.1) 0%, transparent 70%);
            animation: pulse 3s ease-in-out infinite;
        }
        @keyframes pulse {
            0%, 100% { transform: scale(1); opacity: 0.5; }
            50% { transform: scale(1.1); opacity: 0.3; }
        }
        .register-header-content {
            position: relative;
            z-index: 1;
        }
        .register-header i {
            font-size: 3rem;
            margin-bottom: 12px;
            opacity: 0.95;
        }
        .register-header h2 {
            font-size: 1.85rem;
            font-weight: 700;
            margin-bottom: 8px;
            letter-spacing: -0.5px;
        }
        .register-header p {
            opacity: 0.9;
            margin: 0;
            font-size: 1rem;
            font-weight: 300;
        }
        .register-form {
            padding: 36px 40px;
            max-height: calc(120vh - 220px);
            overflow-y: auto;
        }
        .form-group {
            margin-bottom: 20px;
        }
        .form-label {
            display: block;
            margin-bottom: 8px;
            font-weight: 600;
            color: #374151;
            font-size: 0.9rem;
        }
        .form-control {
            width: 100%;
            padding: 12px 16px;
            border: 2px solid #e5e7eb;
            border-radius: 12px;
            font-size: 0.95rem;
            transition: all 0.2s ease;
            background: #f9fafb;
        }
        .form-control:focus {
            outline: none;
            border-color: #2563eb;
            background: white;
            box-shadow: 0 0 0 4px rgba(37, 99, 235, 0.1);
        }
        .form-control::placeholder {
            color: #9ca3af;
```

```
        }
        textarea.form-control {
            resize: vertical;
            min-height: 80px;
        }
        .btn-register {
            width: 100%;
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            color: white;
            border: none;
            padding: 15px 24px;
            font-weight: 600;
            font-size: 1rem;
            text-transform: none;
            letter-spacing: 0.3px;
            border-radius: 12px;
            cursor: pointer;
            transition: all 0.3s ease;
            box-shadow: 0 4px 14px rgba(37, 99, 235, 0.4);
            margin-bottom: 20px;
        }
        .btn-register:hover {
            transform: translateY(-2px);
            box-shadow: 0 8px 20px rgba(37, 99, 235, 0.5);
        }
        .btn-register:active {
            transform: translateY(0);
        }
        .google-btn {
            width: 100%;
            display: flex;
            align-items: center;
            justify-content: center;
            gap: 12px;
            padding: 13px 24px;
            border: 2px solid #e5e7eb;
            background: white;
            color: #374151;
            border-radius: 12px;
            text-decoration: none;
            font-weight: 600;
            transition: all 0.2s ease;
            margin-bottom: 20px;
        }
        .google-btn:hover {
            background: #f9fafb;
            border-color: #d1d5db;
            transform: translateY(-1px);
            box-shadow: 0 4px 12px rgba(0, 0, 0, 0.08);
        }
        .google-btn i {
            font-size: 1.2rem;
            color: #ea4335;
        }
        .link-primary {
            color: #2563eb;
            text-decoration: none;
            font-weight: 600;
            transition: color 0.2s ease;
        }
        .link-primary:hover {
            color: #1e40af;
            text-decoration: underline;
        }
        .divider {
            text-align: center;
            margin: 24px 0;
            position: relative;
```

```
        }
        .divider::before {
            content: '';
            position: absolute;
            top: 50%;
            left: 0;
            right: 0;
            height: 1px;
            background: #e5e7eb;
        }
        .divider span {
            background: white;
            padding: 0 20px;
            position: relative;
            color: #6b7280;
            font-size: 0.875rem;
            font-weight: 500;
        }
        .text-center {
            text-align: center;
        }
        .text-center p {
            margin: 0;
            color: #6b7280;
            font-size: 0.95rem;
        }
        .alert {
            padding: 14px 16px;
            border-radius: 10px;
            margin-bottom: 20px;
            display: flex;
            align-items: start;
            gap: 12px;
            font-size: 0.9rem;
        }
        .alert i {
            margin-top: 2px;
            flex-shrink: 0;
        }
        .alert-danger {
            background: #fee2e2;
            color: #991b1b;
            border: 1px solid #fca5a5;
        }
        .success-message {
            text-align: center;
            padding: 60px 40px;
        }
        .success-message i {
            font-size: 5rem;
            color: #10b981;
            margin-bottom: 24px;
            animation: scaleIn 0.5s ease;
        }
        @keyframes scaleIn {
            from {
                transform: scale(0);
                opacity: 0;
            }
            to {
                transform: scale(1);
                opacity: 1;
            }
        }
        .success-message h3 {
            font-size: 1.75rem;
            color: #1f2937;
            margin-bottom: 12px;
```

```
            font-weight: 700;
        }
        .success-message p {
            color: #6b7280;
            margin-bottom: 28px;
            font-size: 1rem;
            line-height: 1.6;
        }
        .form-row {
            display: grid;
            grid-template-columns: 1fr 1fr;
            gap: 16px;
        }
        @media (max-width: 640px) {
            .form-row {
                grid-template-columns: 1fr;
            }
            .register-header {
                padding: 32px 28px;
            }
            .register-header i {
                font-size: 2.5rem;
            }
            .register-header h2 {
                font-size: 1.5rem;
            }
            .register-form {
                padding: 28px 24px;
            }
        }
    </style>
</head>
<body>
    <div class="register-container">
            <div class="register-form">
                <?php if ($error): ?>
                    <div class="alert alert-danger">
                        <i class="fas fa-exclamation-triangle"></i>
                        <div><?= htmlspecialchars($error) ?></div>
                    </div>
                <?php endif; ?>



                <form method="POST" id="registerForm" class="prevent-double-submit">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                    <?php FormTokenManager::renderFormTokenInput('register_user'); ?>

                    <div class="form-group">
                        <label class="form-label">Full Name</label>
                        <input type="text" class="form-control" name="full_name" placeholder="Enter
your full name"
                               required maxlength="100" value="<?= htmlspecialchars($_POST['full_nam
e'] ?? '') ?>">
                    </div>

                    <div class="form-group">
                        <label class="form-label">Username</label>
                        <input type="text" class="form-control" name="username" placeholder="Choose
a username"
                               required maxlength="50" value="<?= htmlspecialchars($_POST['username'
] ?? '') ?>">
                    </div>

                    <div class="form-group">
                        <label class="form-label">Email Address</label>
                        <input type="email" class="form-control" name="email" placeholder="Enter you
r email"
```

```
                                required maxlength="100" value="<?= htmlspecialchars($_POST['email']
?? '') ?>">
                    </div>

                    <div class="form-group">
                        <label class="form-label">Phone Number (Optional)</label>
                        <input type="tel" class="form-control" name="phone" placeholder="Enter your
phone number"
                                maxlength="20" value="<?= htmlspecialchars($_POST['phone'] ?? '') ?>"
>
                    </div>

                    <div class="form-group">
                        <label class="form-label">Address (Optional)</label>
                        <textarea class="form-control" name="address" placeholder="Enter your addres
s"
                                  rows="3"><?= htmlspecialchars($_POST['address'] ?? '') ?></textare
a>
                    </div>

                    <div class="form-row">
                        <div class="form-group">
                            <label class="form-label">Password</label>
                            <input type="password" class="form-control" name="password" placeholder=
"Create a password"
                                   required minlength="6">
                        </div>

                        <div class="form-group">
                            <label class="form-label">Confirm Password</label>
                            <input type="password" class="form-control" name="confirm_password" plac
eholder="Confirm your password"
                                   required minlength="6">
                        </div>
                    </div>

                    <button class="btn-register" type="submit">
                        <i class="fas fa-user-plus"></i> CREATE ACCOUNT
                    </button>

                    <div class="text-center">
                        <p>
                            Already have an account?
                            <a href="login.php" class="link-primary">Login here</a>
                        </p>
                    </div>
                </form>
            </div>
    </div>

    <script>
        // Password confirmation validation
        const passwordInput = document.querySelector('input[name="password"]');
        const confirmPasswordInput = document.querySelector('input[name="confirm_password"]');

        if (confirmPasswordInput) {
            confirmPasswordInput.addEventListener('input', function() {
                if (passwordInput.value !== this.value) {
                    this.setCustomValidity('Passwords do not match');
                } else {
                    this.setCustomValidity('');
                }
            });
        }

        // Form validation
        document.getElementById('registerForm').addEventListener('submit', function(e) {
            if (passwordInput.value !== confirmPasswordInput.value) {
```

```
                e.preventDefault();
                showError('Passwords do not match');
            }
        });
    </script>
    <script src="<?= BASE_URL ?>assets/js/form-submission-manager.js"></script>
</body>
</html>
```

shared/verify-email.php

```
<?php
require_once '../config/config.php';
require_once '../includes/models.php';
require_once '../includes/services/UserService.php';
require_once '../includes/exceptions/Exceptions.php';

$emailParam = sanitize($_GET['email'] ?? ($_SESSION['pending_verification_email'] ?? ''));

if (empty($emailParam)) {
    header('Location: ' . BASE_URL . 'shared/register.php');
    exit();
}

$userModel = new User();
$user = $userModel->findByEmail($emailParam);

if (!$user) {
    header('Location: ' . BASE_URL . 'shared/register.php?error=Account not found. Please create an
account first.');
    exit();
}

if (!empty($user['email_verified_at'])) {
    unset($_SESSION['pending_verification_email'], $_SESSION['pending_verification_notice']);
    header('Location: ' . BASE_URL . 'shared/login.php?message=Your email is already verified. Pleas
e sign in.');
    exit();
}

$userService = new UserService();
$error = '';
$success = '';
$notice = '';

if (isset($_GET['notice'])) {
    $notice = sanitize($_GET['notice']);
}

if (!empty($_SESSION['pending_verification_notice'])) {
    $notice = $_SESSION['pending_verification_notice'];
    unset($_SESSION['pending_verification_notice']);
}

$resendWaitSeconds = 0;
if (!empty($user['email_verification_last_sent_at'])) {
    $resendWaitSeconds = max(
        0,
        EMAIL_VERIFICATION_RESEND_INTERVAL - (time() - strtotime($user['email_verification_last_sent
_at']))
    );
}

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $action = $_POST['action'] ?? 'verify';
    $validation = FormTokenManager::validateFormSubmission($_POST);

    if (!$validation['valid']) {
        if (($validation['error'] ?? '') === 'duplicate') {
            $error = 'This form has already been processed. Please refresh the page.';
        } else {
            $error = $validation['error'] ?? 'Invalid submission. Please try again.';
        }
    } else {
        try {
            if ($action === 'resend') {
                $user = $userService->resendEmailVerification($user['id']);
```

```
                $success = 'We sent a new verification code to ' . htmlspecialchars($user['email'])
. '.';
                $resendWaitSeconds = EMAIL_VERIFICATION_RESEND_INTERVAL;
                FormTokenManager::clearFormTokens('resend_verification_code');
            } else {
                $otpCode = trim($_POST['otp_code'] ?? '');
                $userService->verifyEmailWithCode($user['email'], $otpCode);
                unset($_SESSION['pending_verification_email']);
                FormTokenManager::clearFormTokens('verify_email_code');
                header('Location: ' . BASE_URL . 'shared/login.php?message=Email verified successful
ly. You can now sign in.');
                exit();
            }
        } catch (ValidationException $e) {
            $error = $e->getMessage();
            $user = $userModel->findByEmail($emailParam);
            if (!empty($user['email_verification_last_sent_at'])) {
                $resendWaitSeconds = max(
                    0,
                    EMAIL_VERIFICATION_RESEND_INTERVAL - (time() - strtotime($user['email_verificati
on_last_sent_at']))
                );
            }
        } catch (Exception $e) {
            error_log("Email verification error: " . $e->getMessage());
            $error = 'Something went wrong. Please try again in a moment.';
        }
    }
}

$codeExpiresAt = $user['email_verification_expires_at'] ?? null;
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Verify Email - WPU Applicant System</title>
    <link href="<?= BASE_URL ?>assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <link href="<?= BASE_URL ?>assets/css/office-theme.css" rel="stylesheet">
    <style>
        body {
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            padding: 20px;
            font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, 'Helvetica Neue', Ar
ial, sans-serif;
        }
        .verify-container {
            background: white;
            border-radius: 20px;
            box-shadow: 0 20px 60px rgba(0, 0, 0, 0.3);
            overflow: hidden;
            max-width: 520px;
            width: 100%;
            animation: slideUp 0.4s ease;
        }
        @keyframes slideUp {
            from {
                opacity: 0;
                transform: translateY(20px);
            }
            to {
                opacity: 1;
                transform: translateY(0);
```

```
            }
        }
        .verify-header {
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            padding: 36px 40px;
            text-align: center;
            color: white;
        }
        .verify-header i {
            font-size: 3rem;
            margin-bottom: 12px;
        }
        .verify-body {
            padding: 32px 40px;
        }
        .alert {
            padding: 14px 16px;
            border-radius: 10px;
            margin-bottom: 20px;
            display: flex;
            gap: 12px;
            font-size: 0.92rem;
        }
        .alert i {
            margin-top: 2px;
        }
        .alert-info {
            background: #dbeafe;
            color: #1e40af;
            border: 1px solid #93c5fd;
        }
        .alert-danger {
            background: #fee2e2;
            color: #991b1b;
            border: 1px solid #fca5a5;
        }
        .alert-success {
            background: #dcfce7;
            color: #166534;
            border: 1px solid #86efac;
        }
        .info-text {
            color: #4b5563;
            margin-bottom: 24px;
            line-height: 1.6;
        }
        .otp-input {
            display: flex;
            gap: 12px;
        }
        .otp-input input {
            width: 100%;
            padding: 14px 16px;
            border: 2px solid #e5e7eb;
            border-radius: 12px;
            font-size: 1.2rem;
            letter-spacing: 0.5rem;
            text-align: center;
            background: #f9fafb;
            transition: all 0.2s ease;
        }
        .otp-input input:focus {
            outline: none;
            border-color: #2563eb;
            background: white;
            box-shadow: 0 0 0 4px rgba(37, 99, 235, 0.1);
        }
        .btn-primary {
```

```
            width: 100%;
            background: linear-gradient(135deg, #2563eb 0%, #1e40af 100%);
            color: white;
            border: none;
            padding: 15px 24px;
            font-weight: 600;
            font-size: 1rem;
            border-radius: 12px;
            cursor: pointer;
            transition: all 0.3s ease;
            box-shadow: 0 4px 14px rgba(37, 99, 235, 0.4);
            margin-top: 10px;
        }
        .btn-primary:hover {
            transform: translateY(-2px);
            box-shadow: 0 8px 20px rgba(37, 99, 235, 0.5);
        }
        .resend-section {
            margin-top: 24px;
            text-align: center;
            color: #4b5563;
            font-size: 0.95rem;
        }
        .resend-section button {
            margin-top: 12px;
            padding: 12px 24px;
            border-radius: 10px;
            border: 2px solid #e5e7eb;
            background: white;
            color: #1f2937;
            cursor: pointer;
            transition: all 0.2s ease;
            font-weight: 600;
        }
        .resend-section button:hover:not([disabled]) {
            background: #f9fafb;
            transform: translateY(-1px);
        }
        .resend-section button[disabled] {
            cursor: not-allowed;
            opacity: 0.6;
        }
        .back-to-login {
            margin-top: 28px;
            text-align: center;
        }
        .back-to-login a {
            color: #2563eb;
            font-weight: 600;
            text-decoration: none;
        }
        .back-to-login a:hover {
            text-decoration: underline;
        }
    </style>
</head>
<body>
    <div class="verify-container">
        <div class="verify-header">
            <i class="fas fa-envelope-open-text"></i>
            <h2>Verify your email</h2>
            <p>Please enter the verification code sent to <?= htmlspecialchars($user['email']) ?></p
>
        </div>
        <div class="verify-body">
            <?php if ($notice): ?>
                <div class="alert alert-info">
                    <i class="fas fa-info-circle"></i>
```

```
                    <div><?= htmlspecialchars($notice) ?></div>
                </div>
            <?php endif; ?>

            <?php if ($error): ?>
                <div class="alert alert-danger">
                    <i class="fas fa-exclamation-triangle"></i>
                    <div><?= htmlspecialchars($error) ?></div>
                </div>
            <?php endif; ?>

            <?php if ($success): ?>
                <div class="alert alert-success">
                    <i class="fas fa-check-circle"></i>
                    <div><?= htmlspecialchars($success) ?></div>
                </div>
            <?php endif; ?>

            <div class="info-text">
                <p>Enter the <?= EMAIL_VERIFICATION_CODE_LENGTH ?>-digit code sent to your email to
complete your registration.</p>
                <?php if ($codeExpiresAt): ?>
                    <p>The current code expires at <?= date('g:i A', strtotime($codeExpiresAt)) ?>.<
/p>
                <?php else: ?>
                    <p>If you don't see the email, check your spam folder or request a new code belo
w.</p>
                <?php endif; ?>
            </div>

            <form method="POST" class="prevent-double-submit">
                <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                <?php FormTokenManager::renderFormTokenInput('verify_email_code'); ?>
                <input type="hidden" name="action" value="verify">

                <div class="otp-input">
                    <input type="text" name="otp_code" inputmode="numeric" pattern="\d{<?= EMAIL_VER
IFICATION_CODE_LENGTH ?>}" maxlength="<?= EMAIL_VERIFICATION_CODE_LENGTH ?>" placeholder="??????" re
quired>
                </div>

                <button type="submit" class="btn-primary">
                    <i class="fas fa-check"></i> Verify Email
                </button>
            </form>

            <div class="resend-section">
                <div id="resendCountdown" data-remaining="<?= (int)$resendWaitSeconds ?>">
                    <?php if ($resendWaitSeconds > 0): ?>
                        You can request a new code in <?= $resendWaitSeconds ?> seconds.
                    <?php else: ?>
                        Didn't receive the email?
                    <?php endif; ?>
                </div>
                <form method="POST" style="margin-top: 12px;">
                    <input type="hidden" name="csrf_token" value="<?= generateCSRFToken() ?>">
                    <?php FormTokenManager::renderFormTokenInput('resend_verification_code'); ?>
                    <input type="hidden" name="action" value="resend">
                    <button type="submit" id="resendButton" <?= $resendWaitSeconds > 0 ? 'disabled'
: '' ?> data-remaining="<?= (int)$resendWaitSeconds ?>">
                        <i class="fas fa-paper-plane"></i> Resend Code
                    </button>
                </form>
            </div>

            <div class="back-to-login">
                <p>Ready to sign in? <a href="login.php">Go to login</a></p>
            </div>
```

```
        </div>
    </div>

    <script>
        document.addEventListener('DOMContentLoaded', function() {
            const resendButton = document.getElementById('resendButton');
            const countdownEl = document.getElementById('resendCountdown');

            if (!resendButton || !countdownEl) {
                return;
            }

            let remaining = parseInt(resendButton.dataset.remaining || countdownEl.dataset.remaining
 || '0', 10);

            if (Number.isNaN(remaining) || remaining <= 0) {
                countdownEl.textContent = 'Didn\'t receive the email?';
                resendButton.disabled = false;
                return;
            }

            resendButton.disabled = true;

            const updateCountdown = () => {
                remaining -= 1;
                if (remaining <= 0) {
                    countdownEl.textContent = 'You can request a new code now.';
                    resendButton.disabled = false;
                    clearInterval(timer);
                } else {
                    countdownEl.textContent = `You can request a new code in ${remaining} seconds.`;
                }
            };

            countdownEl.textContent = `You can request a new code in ${remaining} seconds.`;
            const timer = setInterval(updateCountdown, 1000);
        });
    </script>
    <script src="<?= BASE_URL ?>assets/js/form-submission-manager.js"></script>
</body>
</html>
```

start.php

```
<?php require_once __DIR__ . '/config/config.php'; ?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>WPU Applicant System - Start Here</title>
    <link href="<?= BASE_URL ?>assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="<?= BASE_URL ?>assets/vendor/fontawesome/css/all.min.css" rel="stylesheet">
    <style>
        body {
            background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
            min-height: 100vh;
            padding: 20px;
        }
        .card {
            border-radius: 15px;
            box-shadow: 0 10px 30px rgba(0, 0, 0, 0.2);
        }
        .step {
            background: white;
            border-radius: 10px;
            padding: 20px;
            margin-bottom: 15px;
            transition: all 0.3s ease;
        }
        .step:hover {
            transform: translateX(5px);
            box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
        }
        .step-number {
            width: 40px;
            height: 40px;
            border-radius: 50%;
            background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
            color: white;
            display: flex;
            align-items: center;
            justify-content: center;
            font-weight: bold;
            font-size: 20px;
        }
        .btn-custom {
            background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
            border: none;
            color: white;
            padding: 12px 30px;
            border-radius: 8px;
            font-weight: 600;
            transition: all 0.3s ease;
        }
        .btn-custom:hover {
            color: white;
            transform: translateY(-2px);
            box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
        }
        .status-box {
            background: #f8f9fa;
            border-radius: 8px;
            padding: 15px;
            margin-bottom: 15px;
        }
        .status-ok {
            color: #28a745;
            font-weight: bold;
        }
```

```
        .status-error {
            color: #dc3545;
            font-weight: bold;
        }
    </style>
</head>
<body>
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-lg-10">
                <div class="card">
                    <div class="card-body p-5">
                        <div class="text-center mb-4">
                            <h1><i class="fas fa-graduation-cap" style="color: #667eea;"></i> WPU Ap
plicant System</h1>
                            <p class="lead">Welcome! Let's get you started.</p>
                        </div>

                        <div class="alert alert-info">
                            <i class="fas fa-info-circle"></i> <strong>First Time Setup</strong><br>
                            Follow these steps to set up and access the system.
                        </div>

                        <h4 class="mb-3">Quick Setup Steps:</h4>

                        <div class="step">
                            <div class="d-flex align-items-start">
                                <div class="step-number me-3">1</div>
                                <div class="flex-grow-1">
                                    <h5>Verify XAMPP is Running</h5>
                                    <p class="mb-2">Make sure Apache and MySQL services are started
in XAMPP Control Panel.</p>
                                    <div class="status-box">
                                        <i class="fas fa-server"></i> <strong>Apache:</strong> <span
 class="status-ok">Must be GREEN/Started</span><br>
                                        <i class="fas fa-database"></i> <strong>MySQL:</strong> <spa
n class="status-ok">Must be GREEN/Started</span>
                                    </div>
                                </div>
                            </div>
                        </div>

                        <div class="step">
                            <div class="d-flex align-items-start">
                                <div class="step-number me-3">2</div>
                                <div class="flex-grow-1">
                                    <h5>Setup Database</h5>
                                    <p class="mb-2">Initialize the database with all required tables
.</p>
                                    <p class="text-muted">Database setup has been completed. If you
need to reconfigure, please contact your system administrator.</p>
                                </div>
                            </div>
                        </div>

                        <div class="step">
                            <div class="d-flex align-items-start">
                                <div class="step-number me-3">3</div>
                                <div class="flex-grow-1">
                                    <h5>Login to System</h5>
                                    <p class="mb-2">Use the default admin credentials to login.</p>
                                    <div class="status-box">
                                        <strong>Default Admin Credentials:</strong><br>
                                        <i class="fas fa-envelope"></i> <strong>Email:</strong> admi
n@wpu.ac.id<br>
                                        <i class="fas fa-lock"></i> <strong>Password:</strong> passw
ord<br>
                                        <i class="fas fa-user-shield"></i> <strong>Role:</strong> Ad
```

```
min
                                    </div>
                                    <a href="login.php" class="btn btn-custom">
                                        <i class="fas fa-sign-in-alt"></i> Go to Login
                                    </a>
                                </div>
                            </div>
                        </div>

                        <hr class="my-4">

                        <div class="row">
                            <div class="col-md-6 mb-3">
                                <h6><i class="fas fa-link"></i> Quick Links</h6>
                                <ul class="list-unstyled">
                                    <li><a href="login.php">Regular Login</a></li>
                                    <li><a href="register.php">Register New Applicant</a></li>
                                </ul>
                            </div>
                            <div class="col-md-6 mb-3">
                                <h6><i class="fas fa-tools"></i> Troubleshooting</h6>
                                <ul class="list-unstyled">
                                    <li><a href="TROUBLESHOOTING.md" target="_blank">View Troublesho
oting Guide</a></li>
                                </ul>
                            </div>
                        </div>

                        <div class="alert alert-warning mt-3">
                            <i class="fas fa-exclamation-triangle"></i> <strong>Security Warning:</s
trong><br>
                            Please change the default admin password immediately after first login!
                        </div>

                        <div class="alert alert-danger mt-3">
                            <i class="fas fa-exclamation-circle"></i> <strong>Having Issues?</strong
><br>
                            If you see "ERR_TOO_MANY_REDIRECTS":
                            <ol class="mb-0 mt-2">
                                <li>Clear your browser cookies and cache</li>
                                <li>Make sure database is setup first</li>
                            </ol>
                        </div>
                    </div>
                </div>

                <div class="text-center mt-3">
                    <small class="text-white">
                        <i class="fas fa-info-circle"></i> For detailed instructions, see INSTALLATI
ON.md or TROUBLESHOOTING.md
                    </small>
                </div>
            </div>
        </div>
    </div>

    <script src="<?= BASE_URL ?>assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

sw.js

```
/**
 * WPU Jobs - Service Worker
 * Provides offline support and caching for the applicant portal
 */

// Default configuration - will be updated when config is fetched
let CACHE_NAME = 'wpu-jobs-v1';
let OFFLINE_URL = '/Applicant_WPU/offline.html';
let BASE_PATH = '/Applicant_WPU/';

// Assets to cache on install (default paths)
let PRECACHE_ASSETS = [
  '/Applicant_WPU/assets/css/office-theme.css',
  '/Applicant_WPU/assets/js/office-theme.js',
  '/Applicant_WPU/assets/js/toast.js',
  '/Applicant_WPU/assets/js/notifications.js',
  '/Applicant_WPU/assets/logo.png',
  '/Applicant_WPU/assets/pwa/icon-192x192.png',
  '/Applicant_WPU/assets/pwa/icon-512x512.png',
  '/Applicant_WPU/favicon.ico',
  '/Applicant_WPU/offline.html',
  'https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css'
];

// Try to determine base path from service worker location
const swLocation = self.location.pathname;
const swPathMatch = swLocation.match(/^(\/[^\/]+\/)/);
if (swPathMatch) {
  BASE_PATH = swPathMatch[1];
  OFFLINE_URL = BASE_PATH + 'offline.html';
  PRECACHE_ASSETS = [
    BASE_PATH + 'assets/css/office-theme.css',
    BASE_PATH + 'assets/js/office-theme.js',
    BASE_PATH + 'assets/js/toast.js',
    BASE_PATH + 'assets/js/notifications.js',
    BASE_PATH + 'assets/logo.png',
    BASE_PATH + 'assets/pwa/icon-192x192.png',
    BASE_PATH + 'assets/pwa/icon-512x512.png',
    BASE_PATH + 'favicon.ico',
    BASE_PATH + 'offline.html',
    'https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.0.0/css/all.min.css'
  ];
}

// Install event - cache core assets
self.addEventListener('install', (event) => {
  console.log('[SW] Installing service worker...');

  event.waitUntil(
    caches.open(CACHE_NAME)
      .then((cache) => {
        console.log('[SW] Precaching core assets');
        return cache.addAll(PRECACHE_ASSETS);
      })
      .then(() => {
        console.log('[SW] Service worker installed successfully');
        return self.skipWaiting();
      })
      .catch((error) => {
        console.error('[SW] Failed to precache assets:', error);
      })
  );
});

// Activate event - cleanup old caches
self.addEventListener('activate', (event) => {
```

```
  console.log('[SW] Activating service worker...');

  event.waitUntil(
    caches.keys()
      .then((cacheNames) => {
        return Promise.all(
          cacheNames
            .filter((name) => name !== CACHE_NAME)
            .map((name) => {
              console.log('[SW] Deleting old cache:', name);
              return caches.delete(name);
            })
        );
      })
      .then(() => {
        console.log('[SW] Service worker activated');
        return self.clients.claim();
      })
  );
});

// Fetch event - serve from cache, fallback to network
self.addEventListener('fetch', (event) => {
  const { request } = event;
  const url = new URL(request.url);

  // Skip non-GET requests
  if (request.method !== 'GET') {
    return;
  }

  // Skip API requests and form submissions
  if (url.pathname.includes('/api/') ||
      url.pathname.includes('/actions/') ||
      url.pathname.includes('/auth/')) {
    return;
  }

  // Handle navigation requests (HTML pages)
  if (request.mode === 'navigate') {
    event.respondWith(
      fetch(request)
        .then((response) => {
          // Cache successful navigation responses
          if (response.status === 200) {
            const responseClone = response.clone();
            caches.open(CACHE_NAME).then((cache) => {
              cache.put(request, responseClone);
            });
          }
          return response;
        })
        .catch(() => {
          // Try to serve from cache first
          return caches.match(request)
            .then((cachedResponse) => {
              if (cachedResponse) {
                return cachedResponse;
              }
              // Serve offline page as fallback
              return caches.match(OFFLINE_URL);
            });
        })
    );
    return;
  }

  // Cache-first strategy for static assets
```

```
  if (isStaticAsset(url.pathname)) {
    event.respondWith(
      caches.match(request)
        .then((cachedResponse) => {
          if (cachedResponse) {
            // Return cached version and update cache in background
            fetchAndCache(request);
            return cachedResponse;
          }
          return fetchAndCache(request);
        })
        .catch(() => {
          // Return a placeholder for failed image requests
          if (request.destination === 'image') {
            return new Response(
              '<svg xmlns="http://www.w3.org/2000/svg" width="100" height="100" viewBox="0 0 100 100
"><rect fill="#f0f0f0" width="100" height="100"/><text fill="#999" font-family="sans-serif" font-siz
e="12" x="50" y="50" text-anchor="middle" dy=".3em">Image</text></svg>',
              { headers: { 'Content-Type': 'image/svg+xml' } }
            );
          }
        })
    );
    return;
  }

  // Network-first strategy for dynamic content
  event.respondWith(
    fetch(request)
      .then((response) => {
        // Cache successful responses
        if (response.status === 200) {
          const responseClone = response.clone();
          caches.open(CACHE_NAME).then((cache) => {
            cache.put(request, responseClone);
          });
        }
        return response;
      })
      .catch(() => {
        return caches.match(request);
      })
  );
});

// Helper function to check if a path is a static asset
function isStaticAsset(pathname) {
  const staticExtensions = [
    '.css', '.js', '.png', '.jpg', '.jpeg', '.gif', '.svg', '.ico',
    '.woff', '.woff2', '.ttf', '.eot', '.mp3', '.webp'
  ];
  return staticExtensions.some(ext => pathname.endsWith(ext));
}

// Helper function to fetch and cache
function fetchAndCache(request) {
  return fetch(request)
    .then((response) => {
      if (response.status === 200) {
        const responseClone = response.clone();
        caches.open(CACHE_NAME).then((cache) => {
          cache.put(request, responseClone);
        });
      }
      return response;
    });
}
```

```
// Handle push notifications
self.addEventListener('push', (event) => {
  if (!event.data) return;

  try {
    const data = event.data.json();

    const options = {
      body: data.body || 'You have a new notification',
      icon: BASE_PATH + 'assets/pwa/icon-192x192.png',
      badge: BASE_PATH + 'assets/pwa/icon-96x96.png',
      vibrate: [100, 50, 100],
      data: {
        url: data.url || BASE_PATH + 'applicant/pages/dashboard.php',
        dateOfArrival: Date.now()
      },
      actions: [
        { action: 'open', title: 'Open' },
        { action: 'close', title: 'Dismiss' }
      ],
      tag: data.tag || 'wpu-notification',
      renotify: true
    };

    event.waitUntil(
      self.registration.showNotification(data.title || 'WPU Jobs', options)
    );
  } catch (error) {
    console.error('[SW] Error handling push notification:', error);
  }
});

// Handle notification click
self.addEventListener('notificationclick', (event) => {
  event.notification.close();

  if (event.action === 'close') {
    return;
  }

  const urlToOpen = event.notification.data?.url || BASE_PATH + 'applicant/pages/dashboard.php';

  event.waitUntil(
    clients.matchAll({ type: 'window', includeUncontrolled: true })
      .then((clientList) => {
        // Check if there's already a window open
        for (const client of clientList) {
          if (client.url.includes(BASE_PATH) && 'focus' in client) {
            client.navigate(urlToOpen);
            return client.focus();
          }
        }
        // Open new window if no existing window found
        if (clients.openWindow) {
          return clients.openWindow(urlToOpen);
        }
      })
  );
});

// Handle background sync
self.addEventListener('sync', (event) => {
  if (event.tag === 'sync-applications') {
    event.waitUntil(syncApplications());
  }
});

// Sync applications when back online
```

```
async function syncApplications() {
  console.log('[SW] Syncing applications...');
  // This can be extended to handle offline form submissions
}

// Message handler for communication with main thread
self.addEventListener('message', (event) => {
  if (event.data && event.data.type === 'SKIP_WAITING') {
    self.skipWaiting();
  }

  if (event.data && event.data.type === 'CLEAR_CACHE') {
    caches.delete(CACHE_NAME).then(() => {
      console.log('[SW] Cache cleared');
    });
  }
});
```

wpu_applicant_system.sql

```
-- phpMyAdmin SQL Dump
-- version 5.2.1
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Jan 08, 2026 at 07:08 AM
-- Server version: 10.4.32-MariaDB
-- PHP Version: 8.2.12

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";


/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `wpu_applicant_system`
--

-- --------------------------------------------------------

--
-- Stand-in structure for view `active_positions`
-- (See below for the actual view)
--
CREATE TABLE `active_positions` (
`id` int(11)
,`title` varchar(100)
,`description` text
,`requirements` text
,`min_experience_years` int(11)
,`max_applications` int(11)
,`salary_range` varchar(50)
,`location` varchar(100)
,`employment_type` varchar(50)
,`deadline` date
,`is_active` tinyint(1)
,`created_by` int(11)
,`created_at` timestamp
,`updated_at` timestamp
,`created_by_name` varchar(100)
);

-- --------------------------------------------------------

--
-- Table structure for table `activity_logs`
--

CREATE TABLE `activity_logs` (
  `id` int(11) NOT NULL,
  `user_id` int(11) DEFAULT NULL,
  `action` varchar(100) NOT NULL,
  `description` text DEFAULT NULL,
  `ip_address` varchar(45) DEFAULT NULL,
  `user_agent` text DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `activity_logs`
--
```

```
INSERT INTO `activity_logs` (`id`, `user_id`, `action`, `description`, `ip_address`, `user_agent`, `
created_at`) VALUES
(1, NULL, 'google_login', 'User logged in via Google OAuth', '::1', 'Mozilla/5.0 (Windows NT 10.0; W
in64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 05:51
:16'),
(2, NULL, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 05:51:24'),
(3, NULL, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-10 05:54:45'),
(4, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) App
leWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-10 05:54
:51'),
(5, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 05:56:36'),
(6, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10.
0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 0
5:57:03'),
(7, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 05:57:15'),
(8, NULL, 'google_login', 'User logged in via Google OAuth', '::1', 'Mozilla/5.0 (Windows NT 10.0; W
in64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 10:33
:20'),
(9, NULL, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 10:33:34'),
(10, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 10:34:35'),
(11, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10
.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10
10:35:22'),
(12, NULL, 'google_login', 'User logged in via Google OAuth', '::1', 'Mozilla/5.0 (Windows NT 10.0;
Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 10:3
5:32'),
(13, NULL, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKi
t/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 10:36:26'),
(14, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 10:36:53'),
(15, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-10 23:41:06'),
(16, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-11-
11 00:27:52'),
(17, NULL, 'verify_email', 'Email address verified successfully', '127.0.0.1', 'Mozilla/5.0 (Windows
 NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.
0.0.0', '2025-11-11 00:28:31'),
(18, NULL, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64
; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-1
1-11 00:28:53'),
(19, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-11-1
1 00:30:56'),
(20, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-11 00:32:01'),
(21, 1, 'logout', 'User logged out', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWe
bKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-11 01:11:32'),
(22, NULL, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64
; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-11 01:11:39'
),
(23, NULL, 'logout', 'User logged out', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Appl
eWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-11 01:24:07'),
(24, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-11 01:24:16'),
(25, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-11 01:2
4:51'),
(26, NULL, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64
; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-1
1-11 02:21:45'),
```

```
(27, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-11-1
1 02:22:21'),
(28, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-11-1
1 03:05:47'),
(29, NULL, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64
; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-1
1-11 05:02:00'),
(30, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-11-1
1 05:03:11'),
(31, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-11 05:3
8:38'),
(32, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-11 05:39:05'),
(33, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36 Edg/141.0.0.0', '2025-11-1
1 06:43:25'),
(34, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-12 00:30:53'),
(35, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-15 04:4
7:38'),
(36, NULL, 'register', 'User registered successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10;
 K) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Mobile Safari/537.36', '2025-11-15 04:49
:14'),
(37, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-15 04:50:48'),
(38, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-15 04:52:01'),
(39, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10
.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-15
04:52:24'),
(40, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Linux; Android 10; K) AppleW
ebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Mobile Safari/537.36', '2025-11-15 04:52:37'),
(41, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-15 04:52:44'),
(42, 1, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/5
37.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 10:50:19'),
(43, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 10:51:16'),
(44, 1, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/5
37.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 10:51:26'),
(45, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 10:52:03'),
(46, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10
.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16
10:52:43'),
(47, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 10:52:57'),
(48, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-16 10:5
9:21'),
(49, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 11:25:00'),
(50, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-16 11:2
9:11'),
(51, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-16 12:4
5:34'),
(52, 1, 'archive_application', 'Archived application #5 for 9', '::1', 'Mozilla/5.0 (Windows NT 10.0
; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0',
'2025-11-16 12:48:33'),
(53, 1, 'restore_application', 'Restored application #5 for user 9', '::1', 'Mozilla/5.0 (Windows NT
 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0
```

```
.0', '2025-11-16 12:48:42'),
(54, 1, 'archive_application', 'Archived application #5 for 9', '::1', 'Mozilla/5.0 (Windows NT 10.0
; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0',
'2025-11-16 12:54:40'),
(55, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-16 12:55:12'),
(56, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-17 00:00:15'),
(57, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-17 00:0
0:33'),
(58, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-2
6 02:13:33'),
(59, 10, 'register', 'User registered successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win
64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-26 02:15:3
8'),
(60, 10, 'verify_email', 'Email address verified successfully', '127.0.0.1', 'Mozilla/5.0 (Windows N
T 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11
-26 02:15:56'),
(61, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-26 02:16:05'),
(62, 1, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-2
6 05:56:32'),
(63, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-26 05:56:38'),
(64, 10, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36', '2025-11-27 00:21:46'),
(65, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-27 00:2
3:34'),
(66, 10, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Linux; Android 6.0; Nexus 5 Bu
ild/MRA58N) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Mobile Safari/537.36 Edg/142.0.0
.0', '2025-11-27 02:39:58'),
(67, 10, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Linux; Android 6.0; Nexus 5 Build/MRA58N)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Mobile Safari/537.36 Edg/142.0.0.0', '2025-
11-27 02:40:11'),
(68, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/131.0.0.0 Mobile Safari/537.36', '2025-11-27 02:57:00'),
(69, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-
27 02:57:48'),
(70, 10, 'logout', 'User logged out', '127.0.0.1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleW
ebKit/537.36 (KHTML, like Gecko) Chrome/142.0.0.0 Safari/537.36 Edg/142.0.0.0', '2025-11-27 02:58:02
'),
(71, 10, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 00:
46:30'),
(72, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36', '2026-01-07 00:47:17'),
(73, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-07 00:54:00'),
(74, 10, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/
537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 01:50:21'),
(75, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-
07 01:52:09'),
(76, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-
07 01:56:07'),
(77, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-
07 01:58:56'),
(78, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10
.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0'
, '2026-01-07 02:01:23'),
(79, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
```

```
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 0
2:01:43'),
(80, 1, 'archive_application', 'Archived application #7 for 10', '::1', 'Mozilla/5.0 (Windows NT 10.
0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36', '2026-01-07 0
2:08:56'),
(81, 1, 'auto_archive_application', 'Application #8 automatically archived after being approved', ':
:1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.
0.0 Safari/537.36', '2026-01-07 02:10:00'),
(82, 1, 'restore_application', 'Restored application #8 for user 13', '::1', 'Mozilla/5.0 (Windows N
T 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36', '2026-01
-07 02:11:14'),
(83, 1, 'auto_archive_application', 'Application #8 automatically archived after being rejected', ':
:1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.
0.0 Safari/537.36', '2026-01-07 02:11:21'),
(85, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-
07 02:17:34'),
(86, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10
.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0'
, '2026-01-07 02:18:18'),
(87, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 0
2:18:31'),
(89, 10, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 02:
30:40'),
(90, 1, 'auto_archive_application', 'Application #9 automatically archived after being approved', ':
:1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.
0.0 Safari/537.36', '2026-01-07 02:38:54'),
(91, 10, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/
537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 02:43:46'),
(92, 10, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 02:
44:06'),
(93, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) Ap
pleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-07 02:44:47'),
(94, 1, 'auto_archive_application', 'Application #10 automatically archived after being approved', '
::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0
.0.0 Safari/537.36', '2026-01-07 03:06:33'),
(95, 10, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/
537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 03:34:33'),
(96, NULL, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-
07 03:34:56'),
(97, NULL, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10
.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0'
, '2026-01-07 03:35:25'),
(98, NULL, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-07 0
3:35:42'),
(99, 10, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 02:
27:48'),
(100, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36', '2026-01-08 02:28:45'),
(101, 10, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 02:56:39'),
(102, 16, 'register', 'User registered successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x
64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-0
8 02:56:58'),
(103, 16, 'verify_email', 'Email address verified successfully', '::1', 'Mozilla/5.0 (Windows NT 10.
0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0',
 '2026-01-08 02:57:44'),
(104, 16, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 02
:57:56'),
(105, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
```

```
g/143.0.0.0', '2026-01-08 03:03:09'),
(106, 16, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 03
:25:52'),
(107, 16, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-08 03:27:11')
,
(108, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 03:43:34'),
(109, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 03:48:39'),
(110, 16, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-08 04:36:48')
,
(111, 16, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-08 04:36:49')
,
(112, 1, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36', '2026-01-08 04:37:30'),
(113, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 04:38:22'),
(114, 16, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 04:39:23'),
(115, 16, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 04
:39:32'),
(116, 16, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 04:39:38'),
(117, 16, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 04
:41:31'),
(118, 16, 'logout', 'User logged out', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 04:41:36'),
(119, 16, 'logout', 'User logged out', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) AppleWebKit/
537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-08 04:46:04'),
(120, 16, 'login', 'User logged in successfully', '::1', 'Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Edg/143.0.0.0', '2026-01-08 04
:46:29'),
(121, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 04:49:00'),
(122, 10, 'login', 'User logged in successfully', '127.0.0.1', 'Mozilla/5.0 (Linux; Android 10; K) A
ppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537.36', '2026-01-08 04:49:31')
,
(123, 10, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '127.0.0.1', 'Mozilla/
5.0 (Linux; Android 10; K) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Mobile Safari/537
.36', '2026-01-08 04:49:42'),
(124, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 05:12:53'),
(125, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 05:35:58'),
(126, 16, 'privacy_waiver_accepted', 'User accepted the Data Privacy Waiver', '::1', 'Mozilla/5.0 (W
indows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/143.0.0.0 Safari/537.36 Ed
g/143.0.0.0', '2026-01-08 05:47:39');

-- --------------------------------------------------------

--
-- Table structure for table `applications`
--

CREATE TABLE `applications` (
  `id` int(11) NOT NULL,
```

```
  `user_id` int(11) NOT NULL,
  `position_id` int(11) NOT NULL,
  `cover_letter` text DEFAULT NULL,
  `resume_file` varchar(255) DEFAULT NULL,
  `status` enum('pending','approved','rejected') DEFAULT 'pending',
  `is_archived` tinyint(1) DEFAULT 0,
  `archived_at` timestamp NULL DEFAULT NULL,
  `admin_notes` text DEFAULT NULL,
  `total_experience_years` decimal(3,1) DEFAULT 0.0,
  `meets_requirements` tinyint(1) DEFAULT 0,
  `applied_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  `interview_date` date DEFAULT NULL,
  `interview_time` time DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `applications`
--

INSERT INTO `applications` (`id`, `user_id`, `position_id`, `cover_letter`, `resume_file`, `status`,
 `is_archived`, `archived_at`, `admin_notes`, `total_experience_years`, `meets_requirements`, `appli
ed_at`, `updated_at`, `interview_date`, `interview_time`) VALUES
(10, 10, 1, '', '1767755117_10_ANNEX H-1 - CS Form No. 212 Revised 2025 - Personal Data Sheet.xlsx',
 'approved', 1, '2026-01-07 03:06:33', NULL, 3.9, 1, '2026-01-07 03:05:17', '2026-01-07 03:06:33', '
2026-01-08', '08:00:00'),
(12, 16, 1, '', '1767852305_16_WPU-Recruitment-and-Selection-Extension-Datasheet.xlsx', 'pending', 0
, NULL, NULL, 0.0, 1, '2026-01-08 06:05:05', '2026-01-08 06:05:05', NULL, NULL);

-- --------------------------------------------------------

--
-- Table structure for table `application_documents`
--

CREATE TABLE `application_documents` (
  `id` int(11) NOT NULL,
  `application_id` int(11) NOT NULL,
  `document_type` enum('resume','cover_letter','certificate','portfolio','other') NOT NULL,
  `file_name` varchar(255) NOT NULL,
  `file_path` varchar(255) NOT NULL,
  `file_size` int(11) DEFAULT NULL,
  `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `application_documents`
--

INSERT INTO `application_documents` (`id`, `application_id`, `document_type`, `file_name`, `file_pat
h`, `file_size`, `uploaded_at`) VALUES
(27, 12, 'certificate', 'WPU-Recruitment-and-Selection-Extension-Google-Forms.pdf', '1767852305_16_6
95f491139f32_WPU-Recruitment-and-Selection-Extension-Google-Forms.pdf', 433797, '2026-01-08 06:05:05
');

-- --------------------------------------------------------

--
-- Stand-in structure for view `application_summary`
-- (See below for the actual view)
--
CREATE TABLE `application_summary` (
`id` int(11)
,`user_id` int(11)
,`position_id` int(11)
,`applicant_name` varchar(100)
,`applicant_email` varchar(100)
,`position_title` varchar(100)
```

```
,`status` enum('pending','approved','rejected')
,`total_experience_years` decimal(3,1)
,`meets_requirements` tinyint(1)
,`applied_at` timestamp
);

-- --------------------------------------------------------

--
-- Table structure for table `employment_types`
--

CREATE TABLE `employment_types` (
  `id` int(11) NOT NULL,
  `name` varchar(50) NOT NULL,
  `slug` varchar(50) NOT NULL,
  `is_active` tinyint(1) DEFAULT 1,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `employment_types`
--

INSERT INTO `employment_types` (`id`, `name`, `slug`, `is_active`, `created_at`, `updated_at`) VALUE
S
(1, 'Full-time', 'full-time', 1, '2025-11-15 05:36:43', '2025-11-15 05:36:43'),
(2, 'Part-time', 'part-time', 1, '2025-11-15 05:36:43', '2025-11-15 05:36:43'),
(3, 'Contract', 'contract', 1, '2025-11-15 05:36:43', '2025-11-15 05:36:43'),
(4, 'Internship', 'internship', 1, '2025-11-15 05:36:43', '2025-11-15 05:36:43'),
(7, 'Job Order', 'job-order', 1, '2025-11-16 11:11:04', '2025-11-16 11:11:04');

-- --------------------------------------------------------

--
-- Table structure for table `messages`
--

CREATE TABLE `messages` (
  `id` int(11) NOT NULL,
  `application_id` int(11) DEFAULT NULL,
  `sender_id` int(11) NOT NULL,
  `recipient_id` int(11) DEFAULT NULL,
  `sender_role` enum('admin','applicant') NOT NULL,
  `message` text NOT NULL,
  `is_read` tinyint(1) DEFAULT 0,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `messages`
--

INSERT INTO `messages` (`id`, `application_id`, `sender_id`, `recipient_id`, `sender_role`, `message
`, `is_read`, `created_at`) VALUES
(1, NULL, 1, 10, 'admin', 'hiii', 0, '2025-11-26 03:23:31'),
(2, NULL, 1, 10, 'admin', 'hello', 0, '2025-11-26 03:25:35'),
(3, NULL, 1, 10, 'admin', '555', 0, '2025-11-26 03:27:46');

-- --------------------------------------------------------

--
-- Table structure for table `positions`
--

CREATE TABLE `positions` (
  `id` int(11) NOT NULL,
```

```
  `title` varchar(100) NOT NULL,
  `description` text NOT NULL,
  `requirements` text NOT NULL,
  `min_experience_years` int(11) DEFAULT 0,
  `max_applications` int(11) DEFAULT NULL,
  `salary_range` varchar(50) DEFAULT NULL,
  `location` varchar(100) DEFAULT NULL,
  `employment_type` varchar(50) DEFAULT 'full-time',
  `deadline` date DEFAULT NULL,
  `is_active` tinyint(1) DEFAULT 1,
  `created_by` int(11) DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `positions`
--

INSERT INTO `positions` (`id`, `title`, `description`, `requirements`, `min_experience_years`, `max_
applications`, `salary_range`, `location`, `employment_type`, `deadline`, `is_active`, `created_by`,
 `created_at`, `updated_at`) VALUES
(1, 'Software Developer', 'We are looking for an experienced software developer to join our team and
 work on cutting-edge web applications.', 'Bachelor degree in Computer Science or related field\r\n-
 3+ years of experience in web development\r\n- Proficient in PHP, JavaScript, and MySQL\r\n- Strong
 problem-solving skills\r\n- Good communication skills', 0, NULL, '', '', 'full-time', '2026-01-08',
 1, 1, '2025-11-11 00:40:48', '2026-01-07 02:36:03'),
(7, 'University Extension Specialist V SG 24', 'asdasdasd', 'asdasdasd', 3, 3, 'PHP 25,000.00', 'SAN
 JUAN, ABORLAN', 'full-time', '2026-01-10', 1, 1, '2026-01-08 05:18:33', '2026-01-08 05:18:33');

-- --------------------------------------------------------

--
-- Table structure for table `users`
--

CREATE TABLE `users` (
  `id` int(11) NOT NULL,
  `username` varchar(50) NOT NULL,
  `email` varchar(100) NOT NULL,
  `password` varchar(255) DEFAULT NULL,
  `role` enum('admin','applicant') NOT NULL DEFAULT 'applicant',
  `full_name` varchar(100) NOT NULL,
  `phone` varchar(20) DEFAULT NULL,
  `address` text DEFAULT NULL,
  `age` int(11) DEFAULT NULL,
  `sex` enum('Male','Female','Other') DEFAULT NULL,
  `civil_status` enum('Married','Single','Separated','Widowed','Annuled','Solo Parent') DEFAULT NULL
,
  `highest_educational_attainment` enum('Elementary Level','Elementary Graduate','Secondary/ High Sc
hool Level','Secondary/ High School Graduate','College Level','College Graduate','Master''s Degree H
older','Doctoral Degree Holder') DEFAULT NULL,
  `bachelors_degree` text DEFAULT NULL,
  `masters_degree` text DEFAULT NULL,
  `doctorate_degree` text DEFAULT NULL,
  `application_type` set('PROMOTION','ENTRY LEVEL') DEFAULT NULL,
  `ipcr_rating` text DEFAULT NULL,
  `ipcr_file_path` varchar(255) DEFAULT NULL,
  `pe_rating` text DEFAULT NULL,
  `pe_file_path` varchar(255) DEFAULT NULL,
  `position_applied_for` enum('University Extension Specialist V SG 24','University Extension Specia
list IV SG 22','University Extension Specialist III SG 20','University Extension Specialist II SG 18
','University Extension Specialist I SG 16','University Extension Associate I SG 12','Administrative
 Assistant III SG 9','Administrative Aide VI (Clerk III) SG 6','Administrative Aide IV (Clerk II) SG
 4') DEFAULT NULL,
  `training_programs` text DEFAULT NULL,
  `career_service_eligibilities` set('Professional Eligibility','Sub-Professional Eligibility','Care
er Service Executive Eligibility (CSE-E)','Bar/Board Eligibility (RA 1080)','Other') DEFAULT NULL,
```

```
  `career_service_eligibilities_other` text DEFAULT NULL,
  `special_needs` text DEFAULT NULL,
  `profile_picture` varchar(255) DEFAULT NULL,
  `google_id` varchar(255) DEFAULT NULL,
  `oauth_provider` enum('google','facebook','microsoft') DEFAULT NULL,
  `email_verified_at` datetime DEFAULT NULL,
  `email_verification_code` varchar(6) DEFAULT NULL,
  `email_verification_expires_at` datetime DEFAULT NULL,
  `email_verification_attempts` int(11) DEFAULT 0,
  `email_verification_last_sent_at` datetime DEFAULT NULL,
  `data_privacy_accepted_at` timestamp NULL DEFAULT NULL,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE current_timestamp(),
  `is_active` tinyint(1) DEFAULT 1
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `users`
--

INSERT INTO `users` (`id`, `username`, `email`, `password`, `role`, `full_name`, `phone`, `address`,
 `age`, `sex`, `civil_status`, `highest_educational_attainment`, `bachelors_degree`, `masters_degree
`, `doctorate_degree`, `application_type`, `ipcr_rating`, `ipcr_file_path`, `pe_rating`, `pe_file_pa
th`, `position_applied_for`, `training_programs`, `career_service_eligibilities`, `career_service_el
igibilities_other`, `special_needs`, `profile_picture`, `google_id`, `oauth_provider`, `email_verifi
ed_at`, `email_verification_code`, `email_verification_expires_at`, `email_verification_attempts`, `
email_verification_last_sent_at`, `data_privacy_accepted_at`, `created_at`, `updated_at`, `is_active
`) VALUES
(1, 'admin', 'admin@wpu.ac.id', '$2y$10$92IXUNpkjO0rOQ5byMi.Ye4oKoEa3Ro9llC/.og/at2.uheWG/igi', 'adm
in', 'System Administrator', '081234567890', NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, N
ULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, '2025-11-10 13:50:08', NULL,
NULL, 0, NULL, NULL, '2025-11-10 05:50:08', '2025-11-10 05:50:08', 1),
(10, 'joms_27', 'recaldejoms2729@gmail.com', '$2y$10$XR/sWQizIxs3s/DZJKEdiOAURrkY1PNa0lfysjtE7lLBTpy
dJSLnW', 'applicant', 'Jomari Barraquio Recalde', '09686132511', 'IHAI SUBDIVISION LOMBOY ST', NULL,
 NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL, NUL
L, NULL, NULL, '2025-11-26 10:15:56', NULL, NULL, 0, '2025-11-26 10:15:38', '2026-01-08 03:49:42', '
2025-11-26 02:15:38', '2026-01-08 04:49:42', 1),
(16, 'joms666', 'recaldejoms27@gmail.com', '$2y$10$7F2cS7Y5qpceQGj3Z30yFeKnr6l6ZrK/GXiKhR.f7paN5Fp.u
7Nai', 'applicant', 'JOMARI BARRAQUIO RECALDE', '09935030140', 'IHAI SUBDIVISION LOMBOY ST BRGY SAN
JOSE', 24, 'Male', 'Single', 'College Graduate', 'Bachelor of Science in Information System, Fullbri
ght College, 2025', 'N/A', 'N/A', 'PROMOTION,ENTRY LEVEL', '3.450', NULL, '4.5', NULL, 'Administrati
ve Aide VI (Clerk III) SG 6', 'IT SUPPORT, DSWD MIMAROPA, MARCH 17 - JULY 30, 2025', 'Other', 'N/A',
 'N/A', NULL, NULL, NULL, '2026-01-08 10:57:44', NULL, NULL, 0, '2026-01-08 11:47:26', '2026-01-08 0
4:47:39', '2026-01-08 02:56:57', '2026-01-08 05:47:39', 1);

-- --------------------------------------------------------

--
-- Table structure for table `user_experience`
--

CREATE TABLE `user_experience` (
  `id` int(11) NOT NULL,
  `user_id` int(11) NOT NULL,
  `company_name` varchar(100) NOT NULL,
  `position_title` varchar(100) NOT NULL,
  `start_date` date NOT NULL,
  `end_date` date DEFAULT NULL,
  `is_current` tinyint(1) DEFAULT 0,
  `description` text DEFAULT NULL,
  `years_duration` decimal(3,1) DEFAULT 0.0,
  `created_at` timestamp NOT NULL DEFAULT current_timestamp()
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

--
-- Dumping data for table `user_experience`
--
```

```
INSERT INTO `user_experience` (`id`, `user_id`, `company_name`, `position_title`, `start_date`, `end
_date`, `is_current`, `description`, `years_duration`, `created_at`) VALUES
(2, 10, 'FBC', 'Instructor 1', '2022-02-26', '2025-11-26', 0, 'sdasdasdasd', 3.8, '2025-11-26 02:16:
34'),
(3, 10, 'Western Philippine University', 'System Analysis 1', '2025-11-10', '2025-12-26', 0, 'System
 Developer at WPU', 0.1, '2026-01-07 00:57:14');

-- --------------------------------------------------------

--
-- Table structure for table `user_training_certificates`
--

CREATE TABLE `user_training_certificates` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `file_name` varchar(255) NOT NULL,
  `file_path` varchar(255) NOT NULL,
  `file_size` int(11) DEFAULT NULL,
  `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_training_certificates_user_id` (`user_id`),
  KEY `idx_training_certificates_uploaded_at` (`uploaded_at`),
  CONSTRAINT `fk_training_certificates_user` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DE
LETE CASCADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- --------------------------------------------------------

--
-- Table structure for table `user_application_documents`
--

CREATE TABLE `user_application_documents` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `user_id` int(11) NOT NULL,
  `document_type` enum('APLET','PDS','WES','TOR','DIP','COE','SRE','EL') NOT NULL,
  `file_name` varchar(255) NOT NULL,
  `file_path` varchar(255) NOT NULL,
  `file_size` int(11) DEFAULT NULL,
  `uploaded_at` timestamp NOT NULL DEFAULT current_timestamp(),
  PRIMARY KEY (`id`),
  KEY `idx_app_documents_user_id` (`user_id`),
  KEY `idx_app_documents_type` (`document_type`),
  KEY `idx_app_documents_user_type` (`user_id`, `document_type`),
  CONSTRAINT `fk_app_documents_user` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE CAS
CADE
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;

-- --------------------------------------------------------

--
-- Structure for view `active_positions`
--
DROP TABLE IF EXISTS `active_positions`;

CREATE ALGORITHM=UNDEFINED DEFINER=`root`@`localhost` SQL SECURITY DEFINER VIEW `active_positions`
AS SELECT `p`.`id` AS `id`, `p`.`title` AS `title`, `p`.`description` AS `description`, `p`.`require
ments` AS `requirements`, `p`.`min_experience_years` AS `min_experience_years`, `p`.`max_application
s` AS `max_applications`, `p`.`salary_range` AS `salary_range`, `p`.`location` AS `location`, `p`.`e
mployment_type` AS `employment_type`, `p`.`deadline` AS `deadline`, `p`.`is_active` AS `is_active`,
`p`.`created_by` AS `created_by`, `p`.`created_at` AS `created_at`, `p`.`updated_at` AS `updated_at`
, `u`.`full_name` AS `created_by_name` FROM (`positions` `p` left join `users` `u` on(`p`.`created_b
y` = `u`.`id`)) WHERE `p`.`is_active` = 1 AND (`p`.`deadline` is null OR `p`.`deadline` >= curdate()
) ;

-- --------------------------------------------------------
```

```
--
-- Structure for view `application_summary`
--
DROP TABLE IF EXISTS `application_summary`;

CREATE ALGORITHM=UNDEFINED DEFINER=`root`@`localhost` SQL SECURITY DEFINER VIEW `application_summary
`  AS SELECT `a`.`id` AS `id`, `a`.`user_id` AS `user_id`, `a`.`position_id` AS `position_id`, `u`.`
full_name` AS `applicant_name`, `u`.`email` AS `applicant_email`, `p`.`title` AS `position_title`, `
a`.`status` AS `status`, `a`.`total_experience_years` AS `total_experience_years`, `a`.`meets_requir
ements` AS `meets_requirements`, `a`.`applied_at` AS `applied_at` FROM ((`applications` `a` join `us
ers` `u` on(`a`.`user_id` = `u`.`id`)) join `positions` `p` on(`a`.`position_id` = `p`.`id`)) ;

--
-- Indexes for dumped tables
--

--
-- Indexes for table `activity_logs`
--
ALTER TABLE `activity_logs`
  ADD PRIMARY KEY (`id`),
  ADD KEY `user_id` (`user_id`);

--
-- Indexes for table `applications`
--
ALTER TABLE `applications`
  ADD PRIMARY KEY (`id`),
  ADD UNIQUE KEY `unique_application` (`user_id`,`position_id`),
  ADD KEY `position_id` (`position_id`),
  ADD KEY `idx_applications_status` (`status`),
  ADD KEY `idx_applications_user_position` (`user_id`,`position_id`),
  ADD KEY `idx_applications_interview` (`interview_date`,`interview_time`),
  ADD KEY `idx_applications_archived` (`is_archived`);

--
-- Indexes for table `application_documents`
--
ALTER TABLE `application_documents`
  ADD PRIMARY KEY (`id`),
  ADD KEY `application_id` (`application_id`);

--
-- Indexes for table `employment_types`
--
ALTER TABLE `employment_types`
  ADD PRIMARY KEY (`id`),
  ADD UNIQUE KEY `slug` (`slug`);

--
-- Indexes for table `messages`
--
ALTER TABLE `messages`
  ADD PRIMARY KEY (`id`),
  ADD KEY `idx_messages_application` (`application_id`),
  ADD KEY `idx_messages_sender` (`sender_id`),
  ADD KEY `idx_messages_created` (`created_at`),
  ADD KEY `idx_messages_recipient` (`recipient_id`);

--
-- Indexes for table `positions`
--
ALTER TABLE `positions`
  ADD PRIMARY KEY (`id`),
  ADD KEY `created_by` (`created_by`),
  ADD KEY `idx_positions_active` (`is_active`);

--
```

```
-- Indexes for table `users`
--
ALTER TABLE `users`
  ADD PRIMARY KEY (`id`),
  ADD UNIQUE KEY `username` (`username`),
  ADD UNIQUE KEY `email` (`email`),
  ADD UNIQUE KEY `google_id` (`google_id`),
  ADD KEY `idx_users_email` (`email`),
  ADD KEY `idx_users_role` (`role`),
  ADD KEY `idx_users_google_id` (`google_id`),
  ADD KEY `idx_users_oauth_provider` (`oauth_provider`),
  ADD KEY `idx_users_data_privacy_accepted` (`data_privacy_accepted_at`),
  ADD KEY `idx_users_civil_status` (`civil_status`),
  ADD KEY `idx_users_educational_attainment` (`highest_educational_attainment`),
  ADD KEY `idx_users_application_type` (`application_type`);

--
-- Indexes for table `user_experience`
--
ALTER TABLE `user_experience`
  ADD PRIMARY KEY (`id`),
  ADD KEY `idx_experience_user` (`user_id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `activity_logs`
--
ALTER TABLE `activity_logs`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=127;

--
-- AUTO_INCREMENT for table `applications`
--
ALTER TABLE `applications`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=13;

--
-- AUTO_INCREMENT for table `application_documents`
--
ALTER TABLE `application_documents`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=28;

--
-- AUTO_INCREMENT for table `employment_types`
--
ALTER TABLE `employment_types`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=8;

--
-- AUTO_INCREMENT for table `messages`
--
ALTER TABLE `messages`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=34;

--
-- AUTO_INCREMENT for table `positions`
--
ALTER TABLE `positions`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=8;

--
-- AUTO_INCREMENT for table `users`
--
ALTER TABLE `users`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=17;
```

```
--
-- AUTO_INCREMENT for table `user_experience`
--
ALTER TABLE `user_experience`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;

--
-- Constraints for dumped tables
--

--
-- Constraints for table `activity_logs`
--
ALTER TABLE `activity_logs`
  ADD CONSTRAINT `activity_logs_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE
SET NULL;

--
-- Constraints for table `applications`
--
ALTER TABLE `applications`
  ADD CONSTRAINT `applications_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELETE C
ASCADE,
  ADD CONSTRAINT `applications_ibfk_2` FOREIGN KEY (`position_id`) REFERENCES `positions` (`id`) ON
DELETE CASCADE;

--
-- Constraints for table `application_documents`
--
ALTER TABLE `application_documents`
  ADD CONSTRAINT `application_documents_ibfk_1` FOREIGN KEY (`application_id`) REFERENCES `applicati
ons` (`id`) ON DELETE CASCADE;

--
-- Constraints for table `messages`
--
ALTER TABLE `messages`
  ADD CONSTRAINT `messages_ibfk_1` FOREIGN KEY (`application_id`) REFERENCES `applications` (`id`) O
N DELETE CASCADE,
  ADD CONSTRAINT `messages_ibfk_2` FOREIGN KEY (`sender_id`) REFERENCES `users` (`id`) ON DELETE CAS
CADE,
  ADD CONSTRAINT `messages_ibfk_3` FOREIGN KEY (`recipient_id`) REFERENCES `users` (`id`) ON DELETE
CASCADE;

--
-- Constraints for table `positions`
--
ALTER TABLE `positions`
  ADD CONSTRAINT `positions_ibfk_1` FOREIGN KEY (`created_by`) REFERENCES `users` (`id`) ON DELETE S
ET NULL;

--
-- Constraints for table `user_experience`
--
ALTER TABLE `user_experience`
  ADD CONSTRAINT `user_experience_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON DELET
E CASCADE;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```