

# SEA CONTAINER SPECIFICATIONS

# DRY CARGO CONTAINERS



#### DIMENSIONS

| Туре  | Container Weight |       |        | 1      | nterior M | Door Open |          |       |        |
|-------|------------------|-------|--------|--------|-----------|-----------|----------|-------|--------|
|       | Gross            | Tare  | Net    | Length | Width     | Height    | Capacity | Width | Height |
| 20 ft | 24,000           | 2,370 | 21,630 | 5.898  | 2.352     | 2.394     | 33.20    | 2.343 | 2.280  |
| 40 ft | 30,480           | 4,000 | 26,480 | 12.031 | 2.352     | 2.394     | 67.74    | 2.343 | 2.280  |

CHARACTERISTICS
 Manufactured from either Aluminium or steel, they are suitable for most types of cargo / general cargo. Aluminium containers have a slightly larger payload than steel, and steel containers have a slightly larger internal cube

#### REFRIGERATED CONTAINERS



#### DIMENSIONS

| Туре  | Container Weight |       |        | 1      | nterior M | Door Open |          |       |        |
|-------|------------------|-------|--------|--------|-----------|-----------|----------|-------|--------|
|       | Gross            | Tare  | Net    | Length | Width     | Height    | Capacity | Width | Height |
| 20 ft | 24,000           | 3,050 | 20,950 | 5.449  | 2.290     | 2.244     | 26.70    | 2.276 | 2.261  |
| 40 ft | 30,480           | 4,520 | 25,960 | 11.690 | 2.250     | 2.247     | 57.10    | 2.280 | 2.205  |

#### CHARACTERISTICS

nded for delicate cargo. Bottom-air delivery system ensures refrigerated cargo reaches its destination in optimum

### OPEN TOP CONTAINERS



### DIMENSIONS

| Туре  | Container Weight |       |        | 1      | nterior M | Door Open |          |       |        |
|-------|------------------|-------|--------|--------|-----------|-----------|----------|-------|--------|
|       | Gross            | Tare  | Net    | Length | Width     | Height    | Capacity | Width | Height |
| 20 ft | 24,000           | 2,580 | 21,420 | 5.629  | 2.212     | 2.311     | 32.00    | 2.330 | 2.263  |
| 40 ft | 30,480           | 4,290 | 26,190 | 11.763 | 2.212     | 2.311     | 65.40    | 2.330 | 2.263  |

#### CHARACTERISTICS

Allowing cargo to be loaded from the top, open top containers are particularly suitable for bulky cargo such as machinery. They are fitted with a PVC tarpaulin cover and attachable bows with cable sealing devices. The container doors can be removed to make the stuffing of cargo more convenient. Manufactured from steel

#### FLAT RACK CONTAINERS



#### DIMENSIONS

| Туре           | Con    | tainer We | ight   | Interior Measurement |       |        |          |  |  |  |
|----------------|--------|-----------|--------|----------------------|-------|--------|----------|--|--|--|
|                | Gross  | Tare      | Net    | Length               | Width | Height | Capacity |  |  |  |
| 20 ft<br>40 ft | 30,480 | 2,900     | 27,580 | 5.624                | 2.236 | 2.234  | 27.90    |  |  |  |
| 40 ft          | 34,000 | 5,870     | 28,130 | 11.786               | 2.236 | 1.968  | 51.90    |  |  |  |

# CHARACTERISTICS

Flatracks are especially suited to heavy loads or cargo that needs loading from the top or sides, such as pipes and machinery. There are collapsible and non-collapsible containers with or without walls. Manufactured from steel.

# **GARMENT CONTAINERS**



# DIMENSIONS

| Туре  | Container Weight |       |        | 1      | nterior M | Door Open |          |       |        |
|-------|------------------|-------|--------|--------|-----------|-----------|----------|-------|--------|
|       | Gross            | Tare  | Net    | Length | Width     | Height    | Capacity | Width | Height |
| 20 ft | 24,000           | 2,240 | 21,760 | 5.898  | 2.352     | 2.394     | 33.20    | 2.343 | 2.280  |
| 40 ft | 30,480           | 3,885 | 26,595 | 12.031 | 2.352     | 2.394     | 67.74    | 2.343 | 2.280  |

CHARACTERISTICS
Use for all kinds of garment. The containers are specially designed for garment product and related industry. There are some
options of using a string or bar system or a combination of both. The containers allow increased flexibility, greater load Internal
Capacity and savings on transportation and handling cost.

#### HIGH CUBE CONTAINERS



# DIMENSIONS

| Туре  | Container Weight |       |        | - 1    | nterior M | Door Open |          |       |        |
|-------|------------------|-------|--------|--------|-----------|-----------|----------|-------|--------|
|       | Gross            | Tare  | Net    | Length | Width     | Height    | Capacity | Width | Height |
| 40 ft | 30,480           | 3,980 | 26,500 | 12.031 | 2.352     | 2.698     | 76.30    | 2.340 | 2.585  |
| 45 ft | 30.480           | 4.800 | 25.680 | 13.544 | 2.352     | 2.698     | 86.00    | 2 340 | 2.585  |

# CHARACTERISTICS

With high cube containers, you gain an extra foot in height compared with general-purpose containers. Ideal for light, volumi-nous cargo or bulky cargo. These extra volume containers come in steel and aluminium.