```
Name: Jomol R k
```

Rollno: 5

Question: Generate an invoice bill of a shop or a KSEB monthly bill.

```
Program:
```

```
void main()
{
 float price[10],slno;
 int itemquantity[10],i,slid,n;
 char date[15],item[10][20],cname[20],addr[80],phone[11];
 printf("\n");
 printf(" \t \t \t \t********** A B C STORES***********\n");
 printf("\t \t \t----");
 printf("\t \nEnter the slid=");
 scanf("%d",&slid);
 printf("\t\nEnter the Date=");
 scanf("%s",&date);
 printf("\t\nEnter the name of Customer=");
 scanf("%s",cname);
 printf("\t\nEnter the Address of customer=");
 scanf("%s",&addr);
 printf("\t\nEnter the Phone number of customer=");
 scanf("%s",&phone);
 printf("\t\n\nHow many purchase items=");
 scanf("%d",&n);
 for(i=0;i<n;i++)
 {
```

```
printf("\t\n\nEnter the %d item name=",i+1);
    scanf("%s",&item[i]);
    printf("\t\nEnter the price of %s item=",item[i]);
    scanf("%f",&price[i]);
    printf("\t\t\nEnter the quantity of %s item=",item[i]);
    scanf("%d",&itemquantity[i]);
    slno=slno+(price[i]*itemquantity[i]);
  }
  printf("\t \n\nslid is= %d",slid);
printf("\t \n\ncustomer= %s",cname);
  printf("\t\n\nAddress= %s",addr);
  printf("\t\n\nPhone number=%s",phone);
  printf("\n");
  printf("\t\n\n\nItemname\tprice\tQuantity Amount");
  printf("\n");
  for(i=0;i<n;i++)
  {
  printf("\n\n\%s\t\t\%.2f\t\%d\t\%.2f", item[i], price[i], itemquantity[i], price[i]*itemquantity[i]);
  }
  printf("\n\n\t\t\tTotal= %f",slno);
  printf("\n");
```

## **OUTPUT**





