

1. Clases y paquetes.

```
Projects × Services
                   Files
                                          Actividad7.java [-/A] ×
                                          Source History | 😭 📴 ▼ 🐺 ▼ | 🔩 🐶 🖶 🗔 | 🔗 😓 | 😉 💇 | ● 🖂 | 👑 📑
 Actividad7 [main]
    Source Packages
      ⊞<sub>@</sub>actividad7
                                                package actividad7;
                                           2
         Actividad7.java [-/A]
      ⊞<sub>@</sub>controller
                                           4 = import controller.Controlador;
         Controlador.java [-/A]
                                           5
                                                import model.Modelo;
      ⊞gmodel
                                                import view.TipoVentana;
         Modelo.java [-/A]
                                                import view.Vista;
         Usuario.java [-/A]
     ∕ <mark>⊞</mark>gview
                                                public class Actividad7 {
         Division.java [-/A]
                                          10
         Menu.java [-/A]
                                          11
         Multiplicacion.java [-/A]
                                                      * @param args the command line arguments
                                          12
         Potencia.java [-/A]
                                          13
         Raiz.java [-/A]
                                          14
                                                     public static void main(String[] args) {
         Resta.java [-/A]
                                          15
                                                         // TODO code application logic here
         Suma.java [-/A]
                                          16
                                                         Modelo modelo = new Modelo();
         17
                                                         Vista vista = new Vista();
         Vista.java [-/A]
                                                         Controlador controlador= new Controlador(modelo, vista);
                                          18
  Test Packanes
                                          19
Navigator ×
                                          20
                                                         modelo.setControlador(controlador);
                                          21
                                                         vista.setControlador(controlador);
                                 ~ T
Members
                 <empty>
v 🟡 Menu :: Vista
                                          23
                                                         controlador.crearUsuario("3812512680101", "Jonadab", "Melendrez", 23);
     Menu()
                                          24
                                                         controlador.crearVentanas();
    divisionButtonActionPerformed(ActionEver
                                                         controlador.mostrarVentana(TipoVentana.Ventana.VENTANA MENU);
    initComponents()
                                          26
```


2.Menú.




3.Suma.




4.Resta.




5. Multiplicacion.



6.Division.



7.Potencia.



8.Raiz.

