

```
import React, { useState } from 'react';
import { createUserWithEmailAndPassword,
signInWithEmailAndPassword } from
'firebase/auth';
import { setDoc, doc } from
'firebase/firestore';
import { auth, db } from '../firebase';
import '../styles/Auth.css';

function Auth() {
  const [isSignup, setIsSignup] =
useState(true);
  const [formData, setFormData] =
useState({
    name: '',
    email: '',
    password: '',
    isSeller: false
  });
  const [error, setError] = useState('');
  const [loading, setLoading] =
useState(false);
  const [success, setSuccess] =
useState('');

  const handleChange = (e) => {
    const { name, value, type, checked } =
e.target;
    setFormData(prev => ({
      ...prev,
```

```

      [name]: type === 'checkbox' ? checked
    : value
  }));
};

const validateEmail = (email) => {
  return email.includes('@mubs.ac.ug');
};

const handleSignup = async (e) => {
  e.preventDefault();
  setError('');
  setSuccess('');

  if (!validateEmail(formData.email)) {
    setError('Use your MUBS email (must end with @mubs.ac.ug)');
    return;
  }

  if (formData.password.length < 8) {
    setError('Password must be at least 8 characters');
    return;
  }

  setLoading(true);
  try {
    const userCredential = await
    createUserWithEmailAndPassword(auth,
    formData.email, formData.password);

    await setDoc(doc(db, 'users',
    userCredential.user.uid), {

```

```
        name: formData.name,
        email: formData.email,
        isSeller: formData.isSeller,
        verifiedSeller: false,
        createdAt: new Date(),
        bio: '',
        phone: ''
    });

    setSuccess('Account created! You can
now log in.');
```

```
    setTimeout(() => {
        setIsSignup(false);
        setFormData({ name: '', email: '',
password: '', isSeller: false });
        setSuccess('');
    }, 2000);
    } catch (err) {
        setError(err.message);
    }
    setLoading(false);
};

const handleLogin = async (e) => {
    e.preventDefault();
    setError('');
    setLoading(true);

    try {
        await
signInWithEmailAndPassword(auth,
formData.email, formData.password);
    } catch (err) {
        setError(err.message);
    }
};
```

```

    }
    setLoading(false);
  };

  const handleSubmit = isSignup ?
  handleSignup : handleLogin;

  return (
    <div className="auth-container">
      <div className="auth-card">
        <div className="auth-header">
          <h1>MUBS Marketplace</h1>
          <p>Buy & sell with campus
mates</p>
        </div>

        <div className="auth-content">
          <div className="verification-
badge">
            <strong>🔒 Campus only</strong>
            Only MUBS students can join.
          </div>

          {error && <div className="error-
message">{error}</div>}
          {success && <div
className="success-message">{success}
</div>}

          {isSignup ? (
            <form onSubmit={handleSignup}>
              <div className="form-group">
                <label>Full name</label>
                <input

```

```

        type="text"
        name="name"
        value={formData.name}
        onChange={handleChange}
        placeholder="Your name"
        required
      />
    </div>

    <div className="form-group">
      <label>MUBS email</label>
      <input
        type="email"
        name="email"
        value={formData.email}
        onChange={handleChange}

placeholder="yourname@mubs.ac.ug"
        required
      />
      <div className="email-
hint">Must use your official campus
email</div>
    </div>

    <div className="form-group">
      <label>Password</label>
      <input
        type="password"
        name="password"
        value={formData.password}
        onChange={handleChange}
        placeholder="At least 8
characters"

```

```

        required
      />
    </div>

    <div className="seller-
checkbox">
      <input
        type="checkbox"
        id="signup-seller"
        name="isSeller"
        checked=
{formData.isSeller}
        onChange={handleChange}
      />
      <label htmlFor="signup-
seller">I want to sell items</label>
    </div>

    {formData.isSeller && (
      <div className="seller-
note">
        ★ Sellers need approval.
        We verify your identity to keep the
        community safe.
      </div>
    )}

    <button type="submit"
className="submit-btn" disabled={loading}>
      {loading ? 'Creating
account...' : 'Create account'}
    </button>

    <div className="toggle-form">

```

```

        Already have an account?
        <button type="button" onClick={() =>
        setIsSignup(false)}>Log in</button>
      </div>
    </form>
  ) : (
    <form onSubmit={handleLogin}>
      <div className="form-group">
        <label>MUBS email</label>
        <input
          type="email"
          name="email"
          value={formData.email}
          onChange={handleChange}

placeholder="yourname@mubs.ac.ug"
          required
        />
      </div>

      <div className="form-group">
        <label>Password</label>
        <input
          type="password"
          name="password"
          value={formData.password}
          onChange={handleChange}
          placeholder="Your
password"
          required
        />
      </div>

      <button type="submit"

```

```

        className="submit-btn" disabled={loading}>
            {loading ? 'Logging in...' : 'Log in'}
        </button>

        <div className="toggle-form">
            Don't have an account?
            <button type="button" onClick={() =>
                setIsSignup(true)}>Sign up</button>
        </div>
    </form>
    )}
</div>
</div>
);
}

export default Auth;

```