

```
import React, { useState, useEffect } from
'react';
import { signOut } from 'firebase/auth';
import { collection, query, where,
onSnapshot } from 'firebase/firestore';
import { auth, db } from '../firebase';
import { useNavigate } from 'react-router-
dom';
import '../styles/Marketplace.css';

function Marketplace({ user }) {
  const navigate = useNavigate();
  const [listings, setListings] =
useState([]);
  const [filteredListings,
setFilteredListings] = useState([]);
  const [searchTerm, setSearchTerm] =
useState('');
  const [selectedCategory,
setSelectedCategory] = useState('');
  const [loading, setLoading] =
useState(true);

  const categories = ['cosmetics',
'clothing', 'books', 'food', 'accessories',
'other'];
  const categoryEmojis = {
    cosmetics: '💄',
    clothing: '👕',
    books: '📚',
```

```

    food: '🍿',
    accessories: '🕒',
    other: '📦'
  };

  useEffect(() => {
    const q = query(collection(db,
'listings'), where('status', '==',
'active'));

    const unsubscribe = onSnapshot(q,
(snapshot) => {
      const items = snapshot.docs.map(doc
=> ({ id: doc.id, ...doc.data() }));
      setListings(items);
      setLoading(false);
    });

    return unsubscribe;
  }, []);

  useEffect(() => {
    let results = listings;

    if (searchTerm) {
      results = results.filter(item =>

item.name.toLowerCase().includes(searchTerm
.toLowerCase()) ||

item.description.toLowerCase().includes(sea
rchTerm.toLowerCase())

    );
  }
}

```

```

    if (selectedCategory) {
      results = results.filter(item =>
item.category === selectedCategory);
    }

    setFilteredListings(results);
  }, [listings, searchTerm,
selectedCategory]);

  const handleLogout = async () => {
    await signOut(auth);
    navigate('/');
  };

  return (
    <div className="marketplace">
      <div className="navbar">
        <div className="navbar-brand">MUBS
<span>Marketplace</span></div>
        <div className="navbar-actions">
          <button className="btn-small"
onClick={() => navigate('/seller')}>My
Listings</button>
          <button className="btn-small btn-
primary" onClick={() =>
navigate('/seller')}>+ Sell</button>
          <button className="btn-small"
onClick={handleLogout}>Logout</button>
        </div>
      </div>

      <div className="container">
        <div className="header">

```

```

        <h1>What's being sold today?</h1>
        <p>Browse cosmetics, clothing,
books, food & more from your campus
mates</p>
    </div>

    <div className="filters-section">
        <div className="filter-group">
            <label htmlFor="search">Search
items</label>
            <input
                id="search"
                type="text"
                placeholder="e.g. concealer,
jeans, notes"
                value={searchTerm}
                onChange={(e) =>
setSearchTerm(e.target.value)}
            />
        </div>
        <div className="filter-group">
            <label
htmlFor="category">Category</label>
            <select
                id="category"
                value={selectedCategory}
                onChange={(e) =>
setSelectedCategory(e.target.value)}
            >
                <option value="">All
categories</option>
                {categories.map(cat => (
                    <option key={cat} value=
{cat}>>{cat.charAt(0).toUpperCase() +

```

```

cat.slice(1)}</option>
    ))}
  </select>
</div>
</div>

  <div className="category-tags">
    <div
      className={`tag
${!selectedCategory ? 'active' : ''}`}
      onClick={() =>
setSelectedCategory('')}
    >
      All
    </div>
    {categories.map(cat => (
      <div
        key={cat}
        className={`tag
${selectedCategory === cat ? 'active' :
''}`}
        onClick={() =>
setSelectedCategory(cat)}
      >
        {categoryEmojis[cat]}
        {cat.charAt(0).toUpperCase() +
cat.slice(1)}
      </div>
    ))}
  </div>

  <div className="results-info">
    {loading ? 'Loading listings...'
: `Showing ${filteredListings.length}

```

```

listing${filteredListings.length !== 1 ?
's' : ''}`}
    </div>

    {loading ? (
      <div style={{ textAlign:
'center', padding: '2rem' }}>Loading...
    </div>
    ) : filteredListings.length === 0 ?
(
  <div className="empty-state">
    <p>No items found</p>
    <p style={{ fontSize: '0.9rem'
}}>Try adjusting your search or filters</p>
  </div>
) : (
  <div className="listings-grid">
    {filteredListings.map(item => (
      <div key={item.id}
className="listing-card">
        <div className="listing-
image">

{categoryEmojis[item.category]}
          <div className="category-
badge">{item.category}</div>
        </div>
        <div className="listing-
info">
          <div className="listing-
name">{item.name}</div>
          <div className="listing-
price">UGX {item.price.toLocaleString()}
        </div>
      </div>
    )
    )}
  </div>
)
}

```

```

        <div className="listing-
seller">
            {item.verifiedSeller ?
'✓ ' : ''}{item.sellerName}
            </div>
            <button
className="contact-btn">Message
seller</button>
        </div>
    </div>
    )}
</div>
    )}
</div>
</div>
    );
}

export default Marketplace;

```