

Build 2026 Dry-Run Checklist

Build 2026 — 15-Minute Live Code Demo: Dry-Run Checklist

Demo: Code-to-Agents with MCP on Azure Functions **Owner:** Jonah Andersson **Target runtime:** 15:00 (±1:30) **Print this page and tick boxes as you go.**

1. Pre-flight setup (do 5 min before going on stage)

- ☐ Laptop on power, Wi-Fi confirmed, hotspot ready as backup
- ☐ Display mirroring tested at 1080p+; VS Code zoom level 2 (Ctrl+ = twice)
- ☐ Notifications silenced (Focus Assist ON), Slack/Teams/email closed
- ☐ Terminal font ≥ 16pt, theme high-contrast
- ☐ Timer visible on phone, set to 15:00 countdown
- ☐ Bottle of water within reach

Pre-warm services

- ☐ **Foundry agent** pre-warmed once: `cd src/DevOpsAgent; dotnet run -- "ping"` then Ctrl-C
- ☐ **Storefront** running: `dotnet run --project demo/shop-api-seed/src/ShopWeb/ShopWeb.csproj` → `http://localhost:5050` returns 200
- ☐ **Azurite** running locally (needed by Functions host)
- ☐ **Function App** in Azure restarted once (avoid cold start): `az functionapp restart -g <rg> -n <app>`
- ☐ MCP endpoint key cached: `$mcpKey = az functionapp keys list -g <rg> -n <app> --query systemKeys.mcp_extension -o tsv`

Browser tabs (open in this cmd-tab order)

- ☐ Tab A — Storefront `http://localhost:5050`
- ☐ Tab B — AzDO PRs
`https://dev.azure.com/jonahanderssonazuredemos/msbuild2026eshopdemo/_git/shop-api/pullrequests`
- ☐ Tab C — AzDO Pipelines (last failed run pinned)
- ☐ Tab D — Foundry agent page (already authenticated)
- ☐ Tab E — App Insights live metrics

VS Code state

- ☐ Open at repo root `c:\dev\build2026-mcp-azure-functions`
- ☐ Terminal split into 2 panes (Pane 1 = `func start`, Pane 2 = `dotnet run` for agent)
- ☐ `DeploymentTools.cs`, `AzureDevOpsClient.cs`, `DevOpsAgent/Program.cs` pinned in editor

2. The 15-minute flow

✓	T+	Beat	Action	Verify
☐	00:00	1. Title + problem	Speak 30 s, no slide change	Mic working

✓	T+	Beat	Action	Verify
☐	00:30	2. Show MCP tools	Open <code>DeploymentTools.cs</code> , point at 3 <code>[McpToolTrigger]</code> methods	Audience can read
☐	01:30	3. Start MCP server	Pane 1: <code>func start</code>	3 tool registrations log within 10 s
☐	03:00	4. Verify SSE endpoint	<code>curl -N http://localhost:7071/runtime/webhooks/mcp/sse</code>	200, <code>text/event-stream</code>
☐	04:00	5. What's at stake	Cmd-Tab A (storefront), 10 s only	Catalog visible
☐	04:30	6. Auth story	Show <code>AzureDevOpsClient.cs</code> + <code>DefaultAzureCredential</code>	"No PAT, no secrets"
☐	05:30	7. Observability	Tab E live metrics, 30 s	Recent traces visible
☐	06:30	8. Show agent code	<code>DevOpsAgent/Program.cs</code> , hosted-MCP block	Single screen
☐	08:00	9. Run the agent	Pane 2: <code>dotnet run</code> , paste rollback prompt	Stream begins
☐	09:30	10. Watch tools fire	Cmd-Tab to Pane 1 logs	<code>get_recent_deployments</code> → <code>diagnose_deployment</code> → <code>create_rollback_pr</code>
☐	11:30	11. PR appears	Tab B, refresh	New PR with agent reasoning in description
☐	12:30	12. Site survived	Tab A again	Storefront still loads
☐	13:00	13. 3 takeaways	Speak from memory	Timer ≤ 14:00
☐	14:00	14. Buffer / Q&A	Breathe	Stop at 15:00

3. Pass/fail scorecard (after each run)

- ☐ Hit 15:00 ±1:30
- ☐ No "uh, let me find that..." moments
- ☐ All 3 MCP tools fired in correct order
- ☐ PR appeared in AzDO with non-empty reasoning text
- ☐ Storefront stayed responsive throughout
- ☐ You never apologized
- ☐ You looked at the script ≤ 2 times

Score: ___ / 7 — Ship-ready at **7/7 on a cold-boot run #3**.

4. Failure modes & on-stage recovery

Symptom	Recovery
Foundry first call slow	Pre-warm twice in setup, not once

Symptom	Recovery
<code>func start</code> port clash	Storefront=5050, func=7071 — check <code>local.settings.json</code>
Agent runs, no PR appears	MCP server URL needs <code>?code=\$mcpKey</code> — Foundry sends no headers
PR body empty	Prompt must include a <i>reason</i> — the tool param is required
Storefront slow first hit	Hit it once during setup
<code>az devops</code> CLI auth fails on stage	Use the AzDO web UI tab (B) only — never invoke CLI live
Function App cold start mid-demo	Restart Function App once during setup

5. Rehearsal cadence

- ☐ **Run #1** — clock yourself, expect 18–20 min, mark dead air
- ☐ **Run #2** — same day, target ≤ 16 min, cut beats 5/7/12 if needed
- ☐ **Run #3** — cold-boot fresh terminal, target ≤ 15 min, all 7 checkboxes green

Stop rehearsing past run #3. Fresh delivery beats canned.

6. The on-stage cheat sheet (one-liners)

```
# Storefront
dotnet run --project demo/shop-api-seed/src/ShopWeb/ShopWeb.csproj

# MCP server (Functions)
cd src/DeploymentMcp ; func start

# Verify MCP SSE
curl -N http://localhost:7071/runtime/webhooks/mcp/sse

# Agent (Foundry → hosted MCP)
cd src/DevOpsAgent ; dotnet run

# Function App MCP key (for Foundry tool URL)
az functionapp keys list -g <rg> -n <app> --query systemKeys.mcp_extension -o tsv

# Restart Function App (avoid cold start)
az functionapp restart -g <rg> -n <app>
```

Printable. Tick boxes during each rehearsal. Keep this page next to your laptop on stage.