



LEGEND

| | |
|---|--|
| (F) | Concrete Sidewalk, 4" |
| (F1) | Concrete Sidewalk, 4", Colored (See Color Legend, This Sheet) |
| (G) | Clean & Paint Exist. Guard Rail Black |
| (T) | Tree; See Landscape Plans |
| (26) | Sodding |
| (30) | Adjust Casting to Grade |
| (75) | Remove Ex. Light Pole & Fdn. |
| (81) | Mulched Seeding, Type U |
|  | Concrete, Remove |
|  | Asphalt, Remove |

| | | | |
|-----|-------------------------|----|----------|
| 1 | REV. MEDIAN LANDSCAPING | NI | 07/17/23 |
| NO. | REVISION DESCRIPTION | BY | DATE |

120+00

+05, 52.0' Inlet
+05, 23.9' Catch Basin
+05, 11.8' Catch Basin

+59, 66.9' Tree

+74, 66.4' Light Pole

121+00

+10, 68.4' Tree

122+00

+00, 53.8' Inlet
+01, 26.0' Catch Basin

+55, 66.7' Light Pole

123+00

+37, 67.9' Tree

+45, 66.6' Light Pole

124+00


+61, 59.5' Manhole
+67, 13.3' Catch Basin
+68, 26.6' Catch Basin
+68, 53.5' Inlet
+76, 64.4' Inlet

125+00

+77, 64.4' Manhole


+94, 11.8' Inlet

+94, 26.3' Inlet



Indiana
Toll Road

Indiana
Toll Road



125+00

126+00

127+00

128+00

129+00


130+00

Placemaking Node 3:
Toll Road Overpass NW;
See Layout and Grading
Detail 5, Sheet 20

*See Node Layout Detail for
Complete Removal Notes

Placemaking Node 4:
Toll Road Overpass NE;
See Layout and Grading Detail 6, Sheet 21

*See Node Layout Detail for
Complete Removal Notes



NOTES

1. Install Mulched Seeding, Type "U" in disturbed areas outside sodding limits.

LEGEND

- (F) Concrete Sidewalk, 4"
- (F1) Concrete Sidewalk, 4", Colored (See Color Legend, This Sheet)
- (G) Clean & Paint Exist. Guard Rail Black
- (M) Black Vinyl Coated Bridge Railing
- (T) Tree; See Landscape Plans
- (72) Remove Exist. Chain Link Fence on Exist. Bridge Curb
- (26) Sodding
- (75) Remove Exist. Light Pole & Fdn.
- (81) Mulched Seeding, Type U
- (83) Remove Tree
- [Hatched Box] Concrete, Remove
- [Dotted Box] Asphalt, Remove

SIDEWALK MEDIAN COLOR LEGEND

CHROMIX P Admixture Integral Concrete Color Manufactured by Scofield, a Sika Brand

- [Pattern Box] C-24 Charcoal
- [Pattern Box] C-30 Brownstone

PROJECT:

STATE ROAD 19
CORRIDOR IMPROVEMENTS
(PA7663)

SHEET TITLE:

SITE PLAN
STA. 120+00 TO STA. 130+00
LINE "B"

DRAWN BY:

NI

DESIGNED BY:

CAK/ZDH

PM REVIEW:

RAN


QA/QC REVIEW:

DSK

DATE:

03/02/23

SEAL:



SIGNATURE:

DATE:

03/02/2023

SCALE:

HORZ: 1" = 20'

VERT: N/A

ACI JOB #

20-1114

SHEET NO.



9 of 56



ABONMARCHÉ

315 W. Jefferson Blvd.
South Bend, IN 46601
T 574.232.8700
F 574.251.4440
abonmarche.com

Portage
South Bend
South Haven
Valparaiso
Hobart
Lafayette

Engineering Architecture Land Surveying






NOTES

1. Install Mulched Seeding, Type "U", in disturbed areas outside sodding limits.

LEGEND

- (C) PCCP for Approaches, 9" on Subgrade Treatment Type II
 - (D) HMA for Approaches:
 - 165 #/SYD HMA Surface, Type B
 - 275 #/SYD HMA Intermediate, Type B
 - 440 #/SYD HMA Base, Type B on Subgrade Treatment Type II
 - (F) Concrete Sidewalk, 4"
 - (ST) Sidewalk Transition
 - (T) Tree; See Landscape Plans
 - (13) Concrete Curb
 - (15) Concrete Curb & Gutter
 - (26) Sodding
 - (29) Adjust Valve to Grade
 - (30) Adjust Casting to Grade
 - (81) Mulched Seeding, Type "U"
 - (83) Remove Tree
 - (90) Remove Concrete Gutter/Curb & Gutter; Neat Sawcut Along EOP
- Concrete, Remove
- Asphalt, Remove



NOTES

1. Install Mulched Seeding, Type "U", in disturbed areas outside sodding limits.

LEGEND

- (C) PCCP for Approaches, 9" on Subgrade Treatment Type II
- (D) HMA for Approaches: 165 #/SYD HMA Surface, Type B 275 #/SYD HMA Intermediate, Type B 440 #/SYD HMA Base, Type B on Subgrade Treatment Type II
- (F) Concrete Sidewalk, 4"
- (S1) Sidewalk Transition
- (13) Concrete Curb
- (15) Concrete Curb & Gutter
- (26) Sodding
- (29) Adjust Valve to Grade
- (45) 24" Solid White Stop Bar, Thermoplastic (Place over Exist. Stop Bar)
- (46) 6" Solid White Line, Thermoplastic
- (72) Relocate Mailbox
- (81) Mulched Seeding, Type "U"
- (90) Remove Concrete Gutter/Curb & Gutter; Neat Sawcut Along EOP

- Concrete, Remove
- Asphalt, Remove



Portage
South Bend
South Haven
Valparaiso
Benton Harbor
Ft. Wayne
Goshen
Hobart
Lafayette
315 W. Jefferson Blvd.
South Bend, IN 46601
T 574.232.8700
F 574.251.4440
abonmarche.com

CORPORATE 800-ABONMARCHÉ CONSULTANTS, INC. Engineering, Architecture, Land Surveying


STATE ROAD 19
CORRIDOR IMPROVEMENTS
(PA7663)

PROJECT:

SITE PLAN
STA. 149+50 TO STA. 154+18
LINE "B"

SHEET TITLE:

DRAWN BY:
NI
DESIGNED BY:
CAK/ZDH
PM REVIEW:
RAN
QA/QC REVIEW:
DSK
DATE:
03/02/23



SIGNATURE:
DATE:
03/02/2023

SCALE:
HORZ: 1" = 20'
VERT: N/A

ACI JOB #
20-1114
SHEET NO.