

newfile.rdf - newfile\_orig.rdf

```

<?xml version="1.0"                                <?xml version="1.0"
encoding="UTF-8"?>                                encoding="UTF-8"?>
<rdf:RDF                                           <rdf:RDF
xmlns:rdf="http://www.w3.org/1999/                xmlns:rdf="http://www.w3.org/1999/
02/22-rdf-syntax-ns#"                            02/22-rdf-syntax-ns#"
xmlns:rdfs="http://www.w3.org/2000               xmlns:rdfs="http://www.w3.org/2000
/01/rdf-schema#"                                 /01/rdf-schema#"
xmlns:ndl="http://www.science.uva.              xmlns:ndl="http://www.science.uva.
nl/research/sne/ndl#"                            nl/research/sne/ndl#"
xmlns:geo="http://www.w3.org/2003/               xmlns:geo="http://www.w3.org/2003/
01/geo/wgs84_pos#"                               01/geo/wgs84_pos#"
xmlns:vc="http://www.w3.org/2001/v               xmlns:vc="http://www.w3.org/2001/v
card-rdf/3.0#"                                   card-rdf/3.0#"
xml:base="http://trafficlight.uva.              xml:base="http://trafficlight.uva.
netherlight.nl/ndl/files/lighthouse              netherlight.nl/ndl/files/lighthouse
.rdf">                                           .rdf">

<!-- Description of LightHouse -->                <!-- Description of LightHouse -->
<ndl:Location                                     <ndl:Location
rdf:about="http://www.uva.netherli               rdf:about="http://www.uva.netherli
ght.nl#LightHouse">                             ght.nl#LightHouse">
  <rdfs:label                                     <rdfs:label
xml:lang="en">Lighthouse UvA/SARA                xml:lang="en">Lighthouse UvA/SARA
lab</rdfs:label>                                lab</rdfs:label>
  <!-- rdfs:label is the same                    <!-- rdfs:label is the same
as ndl:name -->                                as ndl:name -->
  <vc:ADR                                         <vc:ADR
rdf:parseType="Resource">                        rdf:parseType="Resource">
    <vc:Street>Kruislaan                        <vc:Street>Kruislaan
403</vc:Street>                                403</vc:Street>

<vc:Locality>Amsterdam</vc:Localit              <vc:Locality>Amsterdam</vc:Localit
y>                                                y>

<vc:Country>Netherlands</vc:Countr              <vc:Country>Netherlands</vc:Countr
y>                                                y>
  </vc:ADR>                                       </vc:ADR>
  <geo:lat>4.95262</geo:lat>                    <geo:lat>4.95262</geo:lat>
  <geo:long>52.35623</geo:long>                 <geo:long>52.35623</geo:long>
</ndl:Location>                                </ndl:Location>

<!-- Description of NetherLight                   <!-- Description of NetherLight
-->                                              -->
<ndl:Location                                     <ndl:Location
rdf:about="http://noc.netherlight.               rdf:about="http://noc.netherlight.
net/netherlight.rdf#NetherLight">               net/netherlight.rdf#NetherLight">
  <rdfs:seeAlso                                   <rdfs:seeAlso
rdf:resource="http://noc.netherlig               rdf:resource="http://noc.netherlig
ht.net/netherlight.rdf"/>                        ht.net/netherlight.rdf"/>
  <rdfs:label                                     <rdfs:label
xml:lang="en">NetherLight</rdfs:la              xml:lang="en">NetherLight</rdfs:la
bel>                                              bel>
  <geo:lat>4.95279</geo:lat>                    <geo:lat>4.95279</geo:lat>
  <geo:long>52.35605</geo:long>                 <geo:long>52.35605</geo:long>

```

# newfile.rdf - newfile\_orig.rdf

```

</ndl:Location>                                </ndl:Location>

<!-- Description of
NIKHEF-serverroom -->                          <!-- Description of
NIKHEF-serverroom -->
<ndl:Location                                  <ndl:Location
rdf:about="http://www.nikhef.nl#NI             rdf:about="http://www.nikhef.nl#NI
KHEF-serverroom">                             KHEF-serverroom">
    <rdfs:label                                <rdfs:label
xml:lang="en">NIKHEF                           xml:lang="en">NIKHEF
serverroom</rdfs:label>                       serverroom</rdfs:label>
    <geo:lat>4.95127</geo:lat>                <geo:lat>4.95127</geo:lat>
    <geo:long>52.35617</geo:long>             <geo:long>52.35617</geo:long>
</ndl:Location>                                </ndl:Location>

<!-- Description of
UvA-serverroom -->                              <!-- Description of
UvA-serverroom -->
<ndl:Location                                  <ndl:Location
rdf:about="http://www.science.uva.           rdf:about="http://www.science.uva.
nl#UvA-serverroom">                           nl#UvA-serverroom">
    <rdfs:label xml:lang="en">UvA              <rdfs:label xml:lang="en">UvA
serverroom F-building</rdfs:label>            serverroom F-building</rdfs:label>
    <geo:lat>4.95028</geo:lat>                <geo:lat>4.95028</geo:lat>
    <geo:long>52.35538</geo:long>             <geo:long>52.35538</geo:long>
</ndl:Location>                                </ndl:Location>

<!-- Description of StarLight -->              <!-- Description of StarLight -->
<ndl:Location                                  <ndl:Location
rdf:about="http://www.startap.net/            rdf:about="http://www.startap.net/
#StarLight">                                   #StarLight">
    <rdfs:label                                <rdfs:label
xml:lang="en">StarLight</rdfs:labe             xml:lang="en">StarLight</rdfs:labe
l>                                              l>
    <!-- rdfs:seeAlso                          <!-- rdfs:seeAlso
rdf:resource="http://www.startap.n            rdf:resource="http://www.startap.n
et/starlight/network.rdf"/ -->                et/starlight/network.rdf"/ -->
</ndl:Location>                                </ndl:Location>

<!--Rembrandt cluster-->                      <!--Rembrandt cluster-->
<!--Since there is no "cluster"               <!--Since there is no "cluster"
class yet, we simply use "Bag"-->             class yet, we simply use "Bag"-->
<rdf:Bag                                        <rdf:Bag
rdf:about="http://rembrandt0.uva.n            rdf:about="http://rembrandt0.uva.n
etherlight.nl#Rembrandt">                     etherlight.nl#Rembrandt">
    <rdf:li                                    <rdf:li
rdf:resource="http://rembrandt0.uv            rdf:resource="http://rembrandt0.uv
a.netherlight.nl#Rembrandt0"/>                a.netherlight.nl#Rembrandt0"/>
    <rdf:li                                    <rdf:li
rdf:resource="http://rembrandt1.uv            rdf:resource="http://rembrandt1.uv
a.netherlight.nl#Rembrandt1"/>                a.netherlight.nl#Rembrandt1"/>
    <rdf:li                                    <rdf:li
rdf:resource="http://rembrandt2.uv            rdf:resource="http://rembrandt2.uv
a.netherlight.nl#Rembrandt2"/>                a.netherlight.nl#Rembrandt2"/>
    <rdf:li                                    <rdf:li
rdf:resource="http://rembrandt3.uv            rdf:resource="http://rembrandt3.uv
a.netherlight.nl#Rembrandt3"/>                a.netherlight.nl#Rembrandt3"/>

```

```
newfile.rdf - newfile_orig.rdf
```

[illegible]

newfile.rdf - newfile\_orig.rdf

va.netherlight.nl#Rembrandt26"/>	va.netherlight.nl#Rembrandt26"/>
<rdf:li	<rdf:li
rdf:resource="http://rembrandt27.u	rdf:resource="http://rembrandt27.u
va.netherlight.nl#Rembrandt27"/>	va.netherlight.nl#Rembrandt27"/>
<rdf:li	<rdf:li
rdf:resource="http://rembrandt28.u	rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28"/>	va.netherlight.nl#Rembrandt28"/>
<rdf:li	<rdf:li
rdf:resource="http://rembrandt29.u	rdf:resource="http://rembrandt29.u
va.netherlight.nl#Rembrandt29"/>	va.netherlight.nl#Rembrandt29"/>
</rdf:Bag>	</rdf:Bag>
<!--Rembrandt0-->	<!--Rembrandt0-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt0.uva.n	rdf:about="http://rembrandt0.uva.n
etherlight.nl#Rembrandt0">	etherlight.nl#Rembrandt0">
<rdfs:label>Rembrandt0</rdfs:label	<rdfs:label>Rembrandt0</rdfs:label
>	>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.nethe	rdf:resource="http://www.uva.nethe
rlight.nl#LightHouse"/>	rlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt0.uv	rdf:resource="http://rembrandt0.uv
a.netherlight.nl#Rembrandt0:eth1"/>	a.netherlight.nl#Rembrandt0:eth1"/>
<ndl:hasVideoServer	<ndl:hasVideoServer
rdf:resource="http://rembrandt0.uv	rdf:resource="http://rembrandt0.uv
a.netherlight.nl#Rembrandt0:VidServ	a.netherlight.nl#Rembrandt0:VidServ
1"/>	1"/>
	<ndl:hasVideoServer
	rdf:resource="http://rembrandt0.uv
	a.netherlight.nl#Rembrandt0:VidServ
	2"/>
<geo:lat>-1.0528072714805603</geo:	<geo:lat>-1.0528072714805603</geo:
lat>	lat>
<geo:long>53.94962535318904</geo:l	<geo:long>53.94962535318904</geo:l
ong>	ong>
</ndl:Device>	</ndl:Device>
<!--Rembrandt1-->	<!--Rembrandt1-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt1.uva.n	rdf:about="http://rembrandt1.uva.n
etherlight.nl#Rembrandt1">	etherlight.nl#Rembrandt1">
<rdfs:label>Rembrandt1</rdfs:label	<rdfs:label>Rembrandt1</rdfs:label
>	>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.nethe	rdf:resource="http://www.uva.nethe
rlight.nl#LightHouse"/>	rlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt1.uv	rdf:resource="http://rembrandt1.uv
a.netherlight.nl#Rembrandt1:eth1"/>	a.netherlight.nl#Rembrandt1:eth1"/>

newfile.rdf - newfile\_orig.rdf

<pre>         &lt;ndl:hasVideoServer rdf:resource="http://rembrandt1.uv a.netherlight.nl#Rembrandt1:VidServ 1"/&gt; </pre>	<pre>         &lt;ndl:hasVideoServer rdf:resource="http://rembrandt1.uv a.netherlight.nl#Rembrandt1:VidServ 1"/&gt; </pre>
<pre> &lt;geo:lat&gt;-1.0535019636154175&lt;/geo: lat&gt; </pre>	<pre> &lt;geo:lat&gt;-1.0535019636154175&lt;/geo: lat&gt; </pre>
<pre> &lt;geo:long&gt;53.94532853618514&lt;/geo:l ong&gt; &lt;/ndl:Device&gt; </pre>	<pre> &lt;geo:long&gt;53.94532853618514&lt;/geo:l ong&gt; &lt;/ndl:Device&gt; </pre>
<pre> &lt;!--Rembrandt2--&gt; &lt;ndl:Device rdf:about="http://rembrandt2.uva.n etherlight.nl#Rembrandt2"&gt; </pre>	<pre> &lt;!--Rembrandt2--&gt; &lt;ndl:Device rdf:about="http://rembrandt2.uva.n etherlight.nl#Rembrandt2"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt2&lt;/rdfs:label &gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt2.uv a.netherlight.nl#Rembrandt2:eth1"/&gt;     &lt;ndl:hasVideoServer rdf:resource="http://rembrandt2.uv a.netherlight.nl#Rembrandt2:VidServ 1"/&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt2&lt;/rdfs:label &gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt2.uv a.netherlight.nl#Rembrandt2:eth1"/&gt;     &lt;ndl:hasVideoServer rdf:resource="http://rembrandt2.uv a.netherlight.nl#Rembrandt2:VidServ 1"/&gt; </pre>
<pre> &lt;geo:lat&gt;-1.053687036037445&lt;/geo:l at&gt; </pre>	<pre> &lt;geo:lat&gt;-1.053687036037445&lt;/geo:l at&gt; </pre>
<pre> &lt;geo:long&gt;53.94602470741682&lt;/geo:l ong&gt; &lt;/ndl:Device&gt; </pre>	<pre> &lt;geo:long&gt;53.94602470741682&lt;/geo:l ong&gt; &lt;/ndl:Device&gt; </pre>
<pre> &lt;!--Rembrandt3--&gt; &lt;ndl:Device rdf:about="http://rembrandt3.uva.n etherlight.nl#Rembrandt3"&gt; </pre>	<pre> &lt;!--Rembrandt3--&gt; &lt;ndl:Device rdf:about="http://rembrandt3.uva.n etherlight.nl#Rembrandt3"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt3&lt;/rdfs:label &gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt3.uv a.netherlight.nl#Rembrandt3:eth1"/&gt;     &lt;ndl:hasVideoServer rdf:resource="http://rembrandt3.uv a.netherlight.nl#Rembrandt3:VidServ 1"/&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt3&lt;/rdfs:label &gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt3.uv a.netherlight.nl#Rembrandt3:eth1"/&gt;     &lt;ndl:hasVideoServer rdf:resource="http://rembrandt3.uv a.netherlight.nl#Rembrandt3:VidServ 1"/&gt; </pre>

newfile.rdf - newfile\_orig.rdf

<geo:lat>-1.0556297136306763</geo:lat>	<geo:lat>-1.0556297136306763</geo:lat>
<geo:long>53.94631413975456</geo:long>	<geo:long>53.94631413975456</geo:long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt4-->	<!--Rembrandt4-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt4.uva.netherlight.nl#Rembrandt4">	rdf:about="http://rembrandt4.uva.netherlight.nl#Rembrandt4">
<rdfs:label>Rembrandt4</rdfs:label>	<rdfs:label>Rembrandt4</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt4.uva.netherlight.nl#Rembrandt4:eth1"/>	rdf:resource="http://rembrandt4.uva.netherlight.nl#Rembrandt4:eth1"/>
<ndl:hasVideoServer	<ndl:hasVideoServer
rdf:resource="http://rembrandt4.uva.netherlight.nl#Rembrandt4:VidServer1"/>	rdf:resource="http://rembrandt4.uva.netherlight.nl#Rembrandt4:VidServer1"/>
<geo:lat>-1.0578927397727966</geo:lat>	<geo:lat>-1.0578927397727966</geo:lat>
<geo:long>53.94678874591617</geo:long>	<geo:long>53.94678874591617</geo:long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt5-->	<!--Rembrandt5-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt5.uva.netherlight.nl#Rembrandt5">	rdf:about="http://rembrandt5.uva.netherlight.nl#Rembrandt5">
<rdfs:label>Rembrandt5</rdfs:label>	<rdfs:label>Rembrandt5</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt5.uva.netherlight.nl#Rembrandt5:eth1"/>	rdf:resource="http://rembrandt5.uva.netherlight.nl#Rembrandt5:eth1"/>
<ndl:hasVideoServer	<ndl:hasVideoServer
rdf:resource="http://rembrandt5.uva.netherlight.nl#Rembrandt5:VidServer1"/>	rdf:resource="http://rembrandt5.uva.netherlight.nl#Rembrandt5:VidServer1"/>
<geo:lat>-1.0580927397727966</geo:lat>	<geo:lat>-1.0580927397727966</geo:lat>
<geo:long>53.94678874591617</geo:long>	<geo:long>53.94678874591617</geo:long>

newfile.rdf - newfile\_orig.rdf

</ndl:Device>	</ndl:Device>
<!--Rembrandt6-->	<!--Rembrandt6-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt6.uva.netherlight.nl#Rembrandt6">	rdf:about="http://rembrandt6.uva.netherlight.nl#Rembrandt6">
<rdfs:label>Rembrandt6</rdfs:label>	<rdfs:label>Rembrandt6</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:eth1"/>	rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:eth1"/>
<ndl:hasVideoServer	<ndl:hasVideoServer
rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:VidServ1"/>	rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:VidServ1"/>
<ndl:hasVideoServer	<ndl:hasVideoServer
rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:VidServ2"/>	rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:VidServ2"/>
<geo:lat>-1.0585927397727966</geo:lat>	<geo:lat>-1.0585927397727966</geo:lat>
<geo:long>53.94678974591617</geo:long>	<geo:long>53.94678974591617</geo:long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt9-->	<!--Rembrandt9-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt9.uva.netherlight.nl#Rembrandt9">	rdf:about="http://rembrandt9.uva.netherlight.nl#Rembrandt9">
<rdfs:label>Rembrandt9</rdfs:label>	<rdfs:label>Rembrandt9</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt9.uva.netherlight.nl#Rembrandt9:eth1"/>	rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt9:eth1"/>
<ndl:hasVideoServerConnection	<ndl:hasVideoServerConnection
rdf:resource="http://rembrandt9.uva.netherlight.nl#Rembrandt9:VidConnection1"/>	rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt9:VidConnection1"/>
<geo:lat>-1.0498595237731934</geo:lat>	<geo:lat>-1.0498595237731934</geo:lat>
<geo:long>53.94735860849437</geo:long>	<geo:long>53.94735860849437</geo:long>

newfile.rdf - newfile\_orig.rdf

```
ong>
</ndl:Device>
```

```
ong>
</ndl:Device>
```

```
<!--Rembrandt10-->
<ndl:Device
rdf:about="http://rembrandt10.uva.
netherlight.nl#Rembrandt10">
```

```
<!--Rembrandt10-->
<ndl:Device
rdf:about="http://rembrandt10.uva.
netherlight.nl#Rembrandt10">
```

```
<rdfs:label>Rembrandt10</rdfs:label>
```

```
<rdfs:label>Rembrandt10</rdfs:label>
```

```
  <ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
```

```
  <ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
```

```
  <ndl:hasInterface
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:eth1"/>
```

```
  <ndl:hasInterface
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:eth1"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:VidConnection1"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:VidConnection1"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:VidConnection2"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:VidConnection2"/>
```

```
<geo:lat>-1.050017774105072</geo:lat>
```

```
<geo:lat>-1.050017774105072</geo:lat>
```

```
<geo:long>53.94876192109405</geo:long>
</ndl:Device>
```

```
<geo:long>53.94876192109405</geo:long>
</ndl:Device>
```

```
<!--Rembrandt11-->
<ndl:Device
rdf:about="http://rembrandt11.uva.
netherlight.nl#Rembrandt11">
```

```
<!--Rembrandt11-->
<ndl:Device
rdf:about="http://rembrandt11.uva.
netherlight.nl#Rembrandt11">
```

```
<rdfs:label>Rembrandt11</rdfs:label>
```

```
<rdfs:label>Rembrandt11</rdfs:label>
```

```
  <ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
```

```
  <ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
```

```
  <ndl:hasInterface
rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:eth1"/>
```

```
  <ndl:hasInterface
rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:eth1"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:VidConnection1"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:VidConnection1"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:VidConnection2"/>
```

```
  <ndl:hasVideoServerConnection
rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:VidConnection2"/>
```



newfile.rdf - newfile\_orig.rdf

nnection2"/>	nnection2"/>
<geo:lat>-1.05289172714805603</geo:lat>	<geo:lat>-1.05289172714805603</geo:lat>
<geo:long>53.94942535318904</geo:long>	<geo:long>53.94942535318904</geo:long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt12-->	<!--Rembrandt12-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12">	rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12">
<rdfs:label>Rembrandt12</rdfs:label>	<rdfs:label>Rembrandt12</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth1"/>	rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth1"/>
<ndl:hasVideoServerConnection	<ndl:hasVideoServerConnection
rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:VidConnection1"/>	rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:VidConnection1"/>
<ndl:hasVideoServerConnection	<ndl:hasVideoServerConnection
rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:VidConnection2"/>	rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:VidConnection2"/>
<geo:lat>-1.0531927807426453</geo:lat>	<geo:lat>-1.0531927807426453</geo:lat>
<geo:long>53.94616937733914</geo:long>	<geo:long>53.94616937733914</geo:long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt13-->	<!--Rembrandt13-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt13.uva.netherlight.nl#Rembrandt13">	rdf:about="http://rembrandt13.uva.netherlight.nl#Rembrandt13">
<rdfs:label>Rembrandt13</rdfs:label>	<rdfs:label>Rembrandt13</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt13.uva.netherlight.nl#Rembrandt13:eth1"/>	rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt13:eth1"/>
<ndl:hasVideoServerConnection	<ndl:hasVideoServerConnection
rdf:resource="http://rembrandt13.uva.netherlight.nl#Rembrandt13:VidConnection1"/>	rdf:resource="http://rembrandt13.uva.netherlight.nl#Rembrandt13:VidConnection1"/>

newfile.rdf - newfile\_orig.rdf

va.netherlight.nl#Rembrandt13:VidCo nnection1"/>	va.netherlight.nl#Rembrandt13:VidCo nnection1"/>
<ndl:hasVideoServerConnection rdf:resource="http://rembrandt13.u va.netherlight.nl#Rembrandt13:VidCo nnection2"/>	<ndl:hasVideoServerConnection rdf:resource="http://rembrandt13.u va.netherlight.nl#Rembrandt13:VidCo nnection2"/>
<geo:lat>-1.0554297136306763</geo: lat>	<geo:lat>-1.0554297136306763</geo: lat>
<geo:long>53.94621513975456</geo:l ong>	<geo:long>53.94621513975456</geo:l ong>
</ndl:Device>	</ndl:Device>
<!--Rembrandt14-->	<!--Rembrandt14-->
<ndl:Device rdf:about="http://rembrandt14.uva. netherlight.nl#Rembrandt14">	<ndl:Device rdf:about="http://rembrandt14.uva. netherlight.nl#Rembrandt14">
<rdfs:label>Rembrandt14</rdfs:labe l>	<rdfs:label>Rembrandt14</rdfs:labe l>
<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>	<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>
<ndl:hasInterface rdf:resource="http://rembrandt14.u va.netherlight.nl#Rembrandt14:eth1" />	<ndl:hasInterface rdf:resource="http://rembrandt14.u va.netherlight.nl#Rembrandt14:eth1" />
<ndl:hasVideoServerConnection rdf:resource="http://rembrandt14.u va.netherlight.nl#Rembrandt14:VidCo nnection1"/>	<ndl:hasVideoServerConnection rdf:resource="http://rembrandt14.u va.netherlight.nl#Rembrandt14:VidCo nnection1"/>
<ndl:hasVideoServerConnection rdf:resource="http://rembrandt14.u va.netherlight.nl#Rembrandt14:VidCo nnection2"/>	<ndl:hasVideoServerConnection rdf:resource="http://rembrandt14.u va.netherlight.nl#Rembrandt14:VidCo nnection2"/>
<geo:lat>-1.0562673211097717</geo: lat>	<geo:lat>-1.0562673211097717</geo: lat>
<geo:long>53.948910300093516</geo: long>	<geo:long>53.948910300093516</geo: long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt15-->	<!--Rembrandt15-->
<ndl:Device rdf:about="http://rembrandt15.uva. netherlight.nl#Rembrandt15">	<ndl:Device rdf:about="http://rembrandt15.uva. netherlight.nl#Rembrandt15">
<rdfs:label>Rembrandt15</rdfs:labe l>	<rdfs:label>Rembrandt15</rdfs:labe l>
<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>	<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface

newfile.rdf - newfile\_orig.rdf

<code>rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth1"/&gt;</code>	<code>rdf:resource="http://rembrandt14.uva.netherlight.nl#Rembrandt15:eth1"/&gt;</code>
<code>&lt;ndl:hasVideoServerConnection rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:VidConnection1"/&gt;</code>	<code>&lt;ndl:hasVideoServerConnection rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:VidConnection1"/&gt;</code>
<code>&lt;ndl:hasVideoServerConnection rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:VidConnection2"/&gt;</code>	<code>&lt;ndl:hasVideoServerConnection rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:VidConnection2"/&gt;</code>
<code>&lt;geo:lat&gt;-1.0562473211097717&lt;/geo:lat&gt;</code>	<code>&lt;geo:lat&gt;-1.0562473211097717&lt;/geo:lat&gt;</code>
<code>&lt;geo:long&gt;53.948911300093516&lt;/geo:long&gt;</code>	<code>&lt;geo:long&gt;53.948911300093516&lt;/geo:long&gt;</code>
<code>&lt;/ndl:Device&gt;</code>	<code>&lt;/ndl:Device&gt;</code>
<code>&lt;!--Rembrandt19--&gt; &lt;ndl:Device rdf:about="http://rembrandt19.uva.netherlight.nl#Rembrandt19"&gt;</code>	<code>&lt;!--Rembrandt19--&gt; &lt;ndl:Device rdf:about="http://rembrandt19.uva.netherlight.nl#Rembrandt19"&gt;</code>
<code>&lt;rdfs:label&gt;Rembrandt19&lt;/rdfs:label&gt;</code>	<code>&lt;rdfs:label&gt;Rembrandt19&lt;/rdfs:label&gt;</code>
<code>&lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;</code>	<code>&lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;</code>
<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth1"/&gt;</code>	<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth1"/&gt;</code>
<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth2"/&gt;</code>	<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth2"/&gt;</code>
<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth3"/&gt;</code>	<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth3"/&gt;</code>
<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth4"/&gt;</code>	<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth4"/&gt;</code>
<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth5"/&gt;</code>	<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth5"/&gt;</code>
<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth6"/&gt;</code>	<code>&lt;ndl:hasInterface rdf:resource="http://rembrandt19.uva.netherlight.nl#Rembrandt19:eth6"/&gt;</code>



# newfile.rdf - newfile\_orig.rdf

<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth25 "/>	<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth25 "/>
<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth26 "/>	<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth26 "/>
<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth27 "/>	<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth27 "/>
<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth28 "/>	<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth28 "/>
<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth29 "/>	<ndl:hasInterface rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth29 "/>
<geo:lat>-1.0531827807426453</geo: lat>	<geo:lat>-1.0531827807426453</geo: lat>
<geo:long>53.94632937733914</geo:l ong>	<geo:long>53.94632937733914</geo:l ong>
</ndl:Device>	</ndl:Device>
<!--Rembrandt20--> <ndl:Device rdf:about="http://rembrandt20.uva. netherlight.nl#Rembrandt20">	<!--Rembrandt20--> <ndl:Device rdf:about="http://rembrandt20.uva. netherlight.nl#Rembrandt20">
<rdfs:label>Rembrandt20</rdfs:labe l>	<rdfs:label>Rembrandt20</rdfs:labe l>
<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>	<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>
<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth1" />	<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth1" />
<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth2" />	<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth2" />
<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth3" />	<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth3" />
<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth4" />	<ndl:hasInterface rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth4" />
<ndl:hasInterface	<ndl:hasInterface

newfile.rdf - newfile\_orig.rdf

```
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth5"
/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth6"
/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth7"
/>

    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth10"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth11"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth12"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth13"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth14"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth15"
"/>

    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth19"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth20"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth21"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u va.netherlight.nl#Rembrandt20:eth22"
"/>
    <ndl:hasInterface
rdf:resource="http://rembrandt20.u
```

newfile.rdf - newfile\_orig.rdf

va.netherlight.nl#Rembrandt20:eth23	va.netherlight.nl#Rembrandt20:eth23
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt20.u	rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth24	va.netherlight.nl#Rembrandt20:eth24
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt20.u	rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth25	va.netherlight.nl#Rembrandt20:eth25
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt20.u	rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth26	va.netherlight.nl#Rembrandt20:eth26
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt20.u	rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth27	va.netherlight.nl#Rembrandt20:eth27
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt20.u	rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth28	va.netherlight.nl#Rembrandt20:eth28
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt20.u	rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth29	va.netherlight.nl#Rembrandt20:eth29
"/>	"/>
<geo:lat>-1.0530057549476624</geo:	<geo:lat>-1.0530057549476624</geo:
lat>	lat>
<geo:long>53.94706026035942</geo:l	<geo:long>53.94706026035942</geo:l
ong>	ong>
</ndl:Device>	</ndl:Device>
<!--Rembrandt21-->	<!--Rembrandt21-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt21.uva.	rdf:about="http://rembrandt21.uva.
netherlight.nl#Rembrandt21">	netherlight.nl#Rembrandt21">
<rdfs:label>Rembrandt21</rdfs:labe	<rdfs:label>Rembrandt21</rdfs:labe
l>	l>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.nethe	rdf:resource="http://www.uva.nethe
rlight.nl#LightHouse"/>	rlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.u	rdf:resource="http://rembrandt21.u
va.netherlight.nl#Rembrandt21:eth1"	va.netherlight.nl#Rembrandt21:eth1"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.u	rdf:resource="http://rembrandt21.u
va.netherlight.nl#Rembrandt21:eth2"	va.netherlight.nl#Rembrandt21:eth2"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.u	rdf:resource="http://rembrandt21.u
va.netherlight.nl#Rembrandt21:eth3"	va.netherlight.nl#Rembrandt21:eth3"

```
newfile.rdf - newfile_orig.rdf
```

[illegible]



newfile.rdf - newfile\_orig.rdf

<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth20"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth20"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth21"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth21"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth22"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth22"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth23"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth23"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth24"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth24"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth25"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth25"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth26"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth26"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth27"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth27"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth28"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth28"
</>	</>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth29"	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth29"
</>	</>
<geo:lat>-1.0535556077957153</geo:lat>	<geo:lat>-1.0535556077957153</geo:lat>
<geo:long>53.947571712998446</geo:long>	<geo:long>53.947571712998446</geo:long>
</ndl:Device>	</ndl:Device>
<!--Rembrandt22-->	<!--Rembrandt22-->
<ndl:Device	<ndl:Device
rdf:about="http://rembrandt22.uva.netherlight.nl#Rembrandt22">	rdf:about="http://rembrandt22.uva.netherlight.nl#Rembrandt22">
</>	</>
<rdfs:label>Rembrandt22</rdfs:label>	<rdfs:label>Rembrandt22</rdfs:label>

newfile.rdf - newfile\_orig.rdf

<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.nethe	rdf:resource="http://www.uva.nethe
rlight.nl#LightHouse"/>	rlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth1"	va.netherlight.nl#Rembrandt22:eth1"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth2"	va.netherlight.nl#Rembrandt22:eth2"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth3"	va.netherlight.nl#Rembrandt22:eth3"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth4"	va.netherlight.nl#Rembrandt22:eth4"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth5"	va.netherlight.nl#Rembrandt22:eth5"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth6"	va.netherlight.nl#Rembrandt22:eth6"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth9"	va.netherlight.nl#Rembrandt22:eth9"
/>	/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth10	va.netherlight.nl#Rembrandt22:eth10
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth11	va.netherlight.nl#Rembrandt22:eth11
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth12	va.netherlight.nl#Rembrandt22:eth12
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth13	va.netherlight.nl#Rembrandt22:eth13
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth14	va.netherlight.nl#Rembrandt22:eth14
"/>	"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt22.u	rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth15	va.netherlight.nl#Rembrandt22:eth15

```

"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth19 va.netherlight.nl#Rembrandt22:eth19
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth20 va.netherlight.nl#Rembrandt22:eth20
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth21 va.netherlight.nl#Rembrandt22:eth21
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth22 va.netherlight.nl#Rembrandt22:eth22
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth23 va.netherlight.nl#Rembrandt22:eth23
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth24 va.netherlight.nl#Rembrandt22:eth24
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth25 va.netherlight.nl#Rembrandt22:eth25
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth26 va.netherlight.nl#Rembrandt22:eth26
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth27 va.netherlight.nl#Rembrandt22:eth27
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth28 va.netherlight.nl#Rembrandt22:eth28
"/>                                "/>

    <ndl:hasInterface
rdf:resource="http://rembrandt22.u    <ndl:hasInterface
rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth29 va.netherlight.nl#Rembrandt22:eth29
"/>                                "/>

<geo:lat>-1.0537460446357727</geo:    <geo:lat>-1.0537460446357727</geo:
lat>                                lat>

<geo:long>53.94604996511156</geo:l    <geo:long>53.94604996511156</geo:l
ong>                                ong>
</ndl:Device>                        </ndl:Device>

<!--Rembrandt23-->                  <!--Rembrandt23-->

```

newfile.rdf - newfile\_orig.rdf

<pre> &lt;ndl:Device rdf:about="http://rembrandt23.uva. netherlight.nl#Rembrandt23"&gt;  &lt;rdfs:label&gt;Rembrandt23&lt;/rdfs:labe l&gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth1" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth2" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth3" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth4" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth5" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth6" /&gt;      &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth9" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth10" "/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth11" "/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth12" "/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth13" "/&gt;     &lt;ndl:hasInterface </pre>	<pre> &lt;ndl:Device rdf:about="http://rembrandt23.uva. netherlight.nl#Rembrandt23"&gt;  &lt;rdfs:label&gt;Rembrandt23&lt;/rdfs:labe l&gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth1" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth2" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth3" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth4" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth5" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth6" /&gt;      &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth9" /&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth10" "/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth11" "/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth12" "/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt23.u va.netherlight.nl#Rembrandt23:eth13" "/&gt;     &lt;ndl:hasInterface </pre>
---	---

newfile.rdf - newfile\_orig.rdf

```
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth14" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth15" />

  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth19" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth20" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth21" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth22" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth23" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth24" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth25" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth26" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth27" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth28" />
  <ndl:hasInterface
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth29" />

<geo:lat>-1.0518014430999756</geo:lat>
```

<pre> &lt;geo:long&gt;53.949218105909&lt;/geo:lon g&gt; &lt;/ndl:Device&gt;  &lt;!--Rembrandt24--&gt; &lt;ndl:Device rdf:about="http://rembrandt24.uva. netherlight.nl#Rembrandt24"&gt;  &lt;rdfs:label&gt;Rembrandt24&lt;/rdfs:labe l&gt;    &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth1" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth2" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth3" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth4" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth5" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth6" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth7" /&gt;    &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth10 "/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth11 "/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth12 </pre>	<pre> &lt;geo:long&gt;53.949218105909&lt;/geo:lon g&gt; &lt;/ndl:Device&gt;  &lt;!--Rembrandt24--&gt; &lt;ndl:Device rdf:about="http://rembrandt24.uva. netherlight.nl#Rembrandt24"&gt;  &lt;rdfs:label&gt;Rembrandt24&lt;/rdfs:labe l&gt;    &lt;ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth1" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth2" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth3" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth4" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth5" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth6" /&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth7" /&gt;    &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth10 "/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth11 "/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt24.u va.netherlight.nl#Rembrandt24:eth12 </pre>
---	---

```
newfile.rdf - newfile_orig.rdf
```

[illegible]

newfile.rdf - newfile\_orig.rdf

<pre> rdf:resource="http://rembrandt24.uva.netherlight.nl#Rembrandt24:eth29" /&gt;  &lt;geo:lat&gt;-1.0523861646652222&lt;/geo:lat&gt;  &lt;geo:long&gt;53.94832309500639&lt;/geo:long&gt; &lt;/ndl:Device&gt;  &lt;!--Rembrandt25--&gt; &lt;ndl:Device rdf:about="http://rembrandt25.uva.netherlight.nl#Rembrandt25"&gt;  &lt;rdfs:label&gt;Rembrandt25&lt;/rdfs:label&gt;    &lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth1" /&gt;       &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth2" /&gt;         &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth3" /&gt;           &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth4" /&gt;             &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth5" /&gt;               &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth6" /&gt;                 &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth7" /&gt;                   &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth8" /&gt;                     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth9" /&gt; </pre>	<pre> rdf:resource="http://rembrandt24.uva.netherlight.nl#Rembrandt24:eth29" /&gt;  &lt;geo:lat&gt;-1.0523861646652222&lt;/geo:lat&gt;  &lt;geo:long&gt;53.94832309500639&lt;/geo:long&gt; &lt;/ndl:Device&gt;  &lt;!--Rembrandt25--&gt; &lt;ndl:Device rdf:about="http://rembrandt25.uva.netherlight.nl#Rembrandt25"&gt;  &lt;rdfs:label&gt;Rembrandt25&lt;/rdfs:label&gt;    &lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth1" /&gt;       &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth2" /&gt;         &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth3" /&gt;           &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth4" /&gt;             &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth5" /&gt;               &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth6" /&gt;                 &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth7" /&gt;                   &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth8" /&gt;                     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth9" /&gt; </pre>
---	---



```
newfile.rdf - newfile_orig.rdf
```

[illegible]

```
newfile.rdf - newfile_orig.rdf
```

<pre>rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth23"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth24"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth25"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth26"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth27"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth28"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth29"/&gt; &lt;geo:lat&gt;-1.0555297136306763&lt;/geo:lat&gt; &lt;geo:long&gt;53.94621413975456&lt;/geo:long&gt; &lt;/ndl:Device&gt; &lt;!--Rembrandt26--&gt; &lt;ndl:Device rdf:about="http://rembrandt26.uva.netherlight.nl#Rembrandt26"&gt; &lt;rdfs:label&gt;Rembrandt26&lt;/rdfs:label&gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth1"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth2"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt26.u</pre>	<pre>rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth23"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth24"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth25"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth26"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth27"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth28"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth29"/&gt; &lt;geo:lat&gt;-1.0555297136306763&lt;/geo:lat&gt; &lt;geo:long&gt;53.94621413975456&lt;/geo:long&gt; &lt;/ndl:Device&gt; &lt;!--Rembrandt26--&gt; &lt;ndl:Device rdf:about="http://rembrandt26.uva.netherlight.nl#Rembrandt26"&gt; &lt;rdfs:label&gt;Rembrandt26&lt;/rdfs:label&gt;     &lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth1"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth2"/&gt;     &lt;ndl:hasInterface rdf:resource="http://rembrandt26.u</pre>
--	--

```
newfile.rdf - newfile_orig.rdf
```

[illegible]

# newfile.rdf - newfile\_orig.rdf

```

rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth17" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth18" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth19" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth20" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth21" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth22" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth23" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth24" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth25" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth26" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth27" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth28" />
  <ndl:hasInterface
rdf:resource="http://rembrandt26.uva.netherlight.nl#Rembrandt26:eth29" />

<geo:lat>-1.0569056868553162</geo:lat>

```

newfile.rdf - newfile\_orig.rdf

<pre> &lt;geo:long&gt;53.94754329912749&lt;/geo:long&gt; &lt;/ndl:Device&gt;  &lt;!--Rembrandt27--&gt; &lt;ndl:Device rdf:about="http://rembrandt27.uva.netherlight.nl#Rembrandt27"&gt;  &lt;rdfs:label&gt;Rembrandt27&lt;/rdfs:label&gt;    &lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth1"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth2"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth3"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth4"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth5"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth6"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth7"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth8"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth9"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth10"/&gt;   &lt;ndl:hasInterface </pre>	<pre> &lt;geo:long&gt;53.94754329912749&lt;/geo:long&gt; &lt;/ndl:Device&gt;  &lt;!--Rembrandt27--&gt; &lt;ndl:Device rdf:about="http://rembrandt27.uva.netherlight.nl#Rembrandt27"&gt;  &lt;rdfs:label&gt;Rembrandt27&lt;/rdfs:label&gt;    &lt;ndl:locatedAt rdf:resource="http://www.uva.netherlight.nl#LightHouse"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth1"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth2"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth3"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth4"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth5"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth6"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth7"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth8"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth9"/&gt;   &lt;ndl:hasInterface rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth10"/&gt;   &lt;ndl:hasInterface </pre>
--	--

```
newfile.rdf - newfile_orig.rdf
```

[illegible]

# newfile.rdf - newfile\_orig.rdf

<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth25 "/>	<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth25 "/>
<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth26 "/>	<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth26 "/>
<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth27 "/>	<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth27 "/>
<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth28 "/>	<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth28 "/>
<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth29 "/>	<ndl:hasInterface rdf:resource="http://rembrandt27.u va.netherlight.nl#Rembrandt27:eth29 "/>
<geo:lat>-1.0581207275390625</geo: lat>	<geo:lat>-1.0581207275390625</geo: lat>
<geo:long>53.94769957517824</geo:l ong>	<geo:long>53.94769957517824</geo:l ong>
</ndl:Device>	</ndl:Device>
<!--Rembrandt28--> <ndl:Device rdf:about="http://rembrandt28.uva. netherlight.nl#Rembrandt28">	<!--Rembrandt28--> <ndl:Device rdf:about="http://rembrandt28.uva. netherlight.nl#Rembrandt28">
<rdfs:label>Rembrandt28</rdfs:labe l>	<rdfs:label>Rembrandt28</rdfs:labe l>
<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>	<ndl:locatedAt rdf:resource="http://www.uva.nethe rlight.nl#LightHouse"/>
<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth1" />	<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth1" />
<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth2" />	<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth2" />
<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth3" />	<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth3" />
<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth4" />	<ndl:hasInterface rdf:resource="http://rembrandt28.u va.netherlight.nl#Rembrandt28:eth4" />

```
newfile.rdf - newfile_orig.rdf
```

[illegible]



newfile.rdf - newfile\_orig.rdf

```

"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth19 va.netherlight.nl#Rembrandt28:eth19
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth20 va.netherlight.nl#Rembrandt28:eth20
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth21 va.netherlight.nl#Rembrandt28:eth21
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth22 va.netherlight.nl#Rembrandt28:eth22
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth23 va.netherlight.nl#Rembrandt28:eth23
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth24 va.netherlight.nl#Rembrandt28:eth24
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth25 va.netherlight.nl#Rembrandt28:eth25
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth26 va.netherlight.nl#Rembrandt28:eth26
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth27 va.netherlight.nl#Rembrandt28:eth27
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth28 va.netherlight.nl#Rembrandt28:eth28
"/>                                "/>
    <ndl:hasInterface                <ndl:hasInterface
rdf:resource="http://rembrandt28.u  rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth29 va.netherlight.nl#Rembrandt28:eth29
"/>                                "/>
    <geo:lat>-1.02808</geo:lat>    <geo:lat>-1.02808</geo:lat>
    <geo:long>53.985519</geo:long> <geo:long>53.985519</geo:long>
</ndl:Device>                      </ndl:Device>

<!--Rembrandt29-->                <!--Rembrandt29-->
<ndl:Device                        <ndl:Device
rdf:about="http://rembrandt29.uva.  rdf:about="http://rembrandt29.uva.

```

newfile.rdf - newfile\_orig.rdf

netherlight.nl#Rembrandt29">	netherlight.nl#Rembrandt29">
<rdfs:label>Rembrandt29</rdfs:label>	<rdfs:label>Rembrandt29</rdfs:label>
<ndl:locatedAt	<ndl:locatedAt
rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>	rdf:resource="http://www.uva.netherlight.nl#LightHouse"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth1"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth1"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth2"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth2"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth3"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth3"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth4"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth4"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth5"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth5"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth6"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth6"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth7"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth7"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth8"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth8"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth9"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth9"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth10"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth10"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth11"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth11"/>
<ndl:hasInterface	<ndl:hasInterface
rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth12"/>	rdf:resource="http://rembrandt29.uva.netherlight.nl#Rembrandt29:eth12"/>

```
newfile.rdf - newfile_orig.rdf
```

[illegible]

# newfile.rdf - newfile\_orig.rdf

```

"/>                                "/>
  <ndl:hasInterface                  <ndl:hasInterface
rdf:resource="http://rembrandt29.u  rdf:resource="http://rembrandt29.u
va.netherlight.nl#Rembrandt29:eth27 va.netherlight.nl#Rembrandt29:eth27
"/>                                "/>
  <ndl:hasInterface                  <ndl:hasInterface
rdf:resource="http://rembrandt29.u  rdf:resource="http://rembrandt29.u
va.netherlight.nl#Rembrandt29:eth28 va.netherlight.nl#Rembrandt29:eth28
"/>                                "/>
  <ndl:hasInterface                  <ndl:hasInterface
rdf:resource="http://rembrandt29.u  rdf:resource="http://rembrandt29.u
va.netherlight.nl#Rembrandt29:eth29 va.netherlight.nl#Rembrandt29:eth29
"/>                                "/>
    <geo:lat>-1.029931</geo:lat>    <geo:lat>-1.029931</geo:lat>
    <geo:long>53.948156</geo:long>  <geo:long>53.948156</geo:long>
</ndl:Device>                      </ndl:Device>

<!--Rembrandt0:VidServ1-->         <!--Rembrandt0:VidServ1-->
<ndl:VideoServer                   <ndl:VideoServer
rdf:about="http://rembrandt0.uva.n  rdf:about="http://rembrandt0.uva.n
etherlight.nl#Rembrandt0:VidServ1"> etherlight.nl#Rembrandt0:VidServ1">

<rdfs:label>Rembrandt0:VidServ1</r  <rdfs:label>Rembrandt0:VidServ1</r
dfs:label>                          dfs:label>
  <ndl:videoServerWaitInterval      <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20  rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi 01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>              deoServerWaitInterval>
  <ndl:videoServerPacketLength      <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20  rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1344</ndl:video 01/XMLSchema#float">1344</ndl:video
ServerPacketLength>                 ServerPacketLength>
  <ndl:videoServerContentLength     <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/20  rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1316</ndl:video 01/XMLSchema#float">1316</ndl:video
ServerContentLength>                 ServerContentLength>
</ndl:VideoServer>                  </ndl:VideoServer>

```

```

<!--Rembrandt0:VidServ2-->
<ndl:VideoServer
rdf:about="http://rembrandt0.uva.n
etherlight.nl#Rembrandt0:VidServ2">

<rdfs:label>Rembrandt0:VidServ2</r
dfs:label>
  <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>
  <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1344</ndl:video
ServerPacketLength>
  <ndl:videoServerContentLength

```

	<pre> rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1316&lt;/ndl:video ServerContentLength&gt; &lt;/ndl:VideoServer&gt; </pre>
<pre> &lt;!--Rembrandt1:VidServ1--&gt; &lt;ndl:VideoServer rdf:about="http://rembrandt1.uva.n etherlight.nl#Rembrandt1:VidServ1"&gt; </pre>	<pre> &lt;!--Rembrandt1:VidServ1--&gt; &lt;ndl:VideoServer rdf:about="http://rembrandt1.uva.n etherlight.nl#Rembrandt1:VidServ1"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt1:VidServ1&lt;/r dfs:label&gt;   &lt;ndl:videoServerWaitInterval rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;20.6E-3&lt;/ndl:vi deoServerWaitInterval&gt;   &lt;ndl:videoServerPacketLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1344&lt;/ndl:video ServerPacketLength&gt;   &lt;ndl:videoServerContentLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1316&lt;/ndl:video ServerContentLength&gt; &lt;/ndl:VideoServer&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt1:VidServ1&lt;/r dfs:label&gt;   &lt;ndl:videoServerWaitInterval rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;20.6E-3&lt;/ndl:vi deoServerWaitInterval&gt;   &lt;ndl:videoServerPacketLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1344&lt;/ndl:video ServerPacketLength&gt;   &lt;ndl:videoServerContentLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1316&lt;/ndl:video ServerContentLength&gt; &lt;/ndl:VideoServer&gt; </pre>
<pre> &lt;!--Rembrandt2:VidServ1--&gt; &lt;ndl:VideoServer rdf:about="http://rembrandt2.uva.n etherlight.nl#Rembrandt2:VidServ1"&gt; </pre>	<pre> &lt;!--Rembrandt2:VidServ1--&gt; &lt;ndl:VideoServer rdf:about="http://rembrandt2.uva.n etherlight.nl#Rembrandt2:VidServ1"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt2:VidServ1&lt;/r dfs:label&gt;   &lt;ndl:videoServerWaitInterval rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;20.6E-3&lt;/ndl:vi deoServerWaitInterval&gt;   &lt;ndl:videoServerPacketLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1344&lt;/ndl:video ServerPacketLength&gt;   &lt;ndl:videoServerContentLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1316&lt;/ndl:video ServerContentLength&gt; &lt;/ndl:VideoServer&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt2:VidServ1&lt;/r dfs:label&gt;   &lt;ndl:videoServerWaitInterval rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;20.6E-3&lt;/ndl:vi deoServerWaitInterval&gt;   &lt;ndl:videoServerPacketLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1344&lt;/ndl:video ServerPacketLength&gt;   &lt;ndl:videoServerContentLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1316&lt;/ndl:video ServerContentLength&gt; &lt;/ndl:VideoServer&gt; </pre>
<pre> &lt;!--Rembrandt3:VidServ1--&gt; &lt;ndl:VideoServer rdf:about="http://rembrandt3.uva.n etherlight.nl#Rembrandt3:VidServ1"&gt; </pre>	<pre> &lt;!--Rembrandt3:VidServ1--&gt; &lt;ndl:VideoServer rdf:about="http://rembrandt3.uva.n etherlight.nl#Rembrandt3:VidServ1"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt3:VidServ1&lt;/r dfs:label&gt;   &lt;ndl:videoServerWaitInterval </pre>	<pre> &lt;rdfs:label&gt;Rembrandt3:VidServ1&lt;/r dfs:label&gt;   &lt;ndl:videoServerWaitInterval </pre>

newfile.rdf - newfile\_orig.rdf

```

rdf:datatype="http://www.w3.org/2001/XMLSchema#float">20.6E-3</ndl:videoServerWaitInterval>
  <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">1344</ndl:videoServerPacketLength>
  <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">1316</ndl:videoServerContentLength>
</ndl:VideoServer>

<!--Rembrandt4:VidServ1-->
<ndl:VideoServer
rdf:about="http://rembrandt4.uva.netherlight.nl#Rembrandt4:VidServ1">

<rdfs:label>Rembrandt4:VidServ1</rdfs:label>
  <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">20.6E-3</ndl:videoServerWaitInterval>
  <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">1344</ndl:videoServerPacketLength>
  <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">1316</ndl:videoServerContentLength>
</ndl:VideoServer>

<!--Rembrandt5:VidServ1-->
<ndl:VideoServer
rdf:about="http://rembrandt5.uva.netherlight.nl#Rembrandt5:VidServ1">

<rdfs:label>Rembrandt5:VidServ1</rdfs:label>
  <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">20.6E-3</ndl:videoServerWaitInterval>
  <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">1344</ndl:videoServerPacketLength>
  <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">1316</ndl:videoServerContentLength>
</ndl:VideoServer>

```

newfile.rdf - newfile\_orig.rdf

```

<!--Rembrandt6:VidServ1-->          <!--Rembrandt6:VidServ1-->
<ndl:VideoServer                      <ndl:VideoServer
rdf:about="http://rembrandt6.uva.n   rdf:about="http://rembrandt6.uva.n
etherlight.nl#Rembrandt6:VidServ1"> etherlight.nl#Rembrandt6:VidServ1">

<rdfs:label>Rembrandt6:VidServ1</r   <rdfs:label>Rembrandt6:VidServ1</r
dfs:label>                             dfs:label>
    <ndl:videoServerWaitInterval      <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20   rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi  01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>               deoServerWaitInterval>
    <ndl:videoServerPacketLength      <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20   rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1344</ndl:video  01/XMLSchema#float">1344</ndl:video
ServerPacketLength>                 ServerPacketLength>
    <ndl:videoServerContentLength     <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/20   rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1316</ndl:video  01/XMLSchema#float">1316</ndl:video
ServerContentLength>               ServerContentLength>
</ndl:VideoServer>                  </ndl:VideoServer>

<!--Rembrandt6:VidServ2-->          <!--Rembrandt6:VidServ2-->
<ndl:VideoServer                      <ndl:VideoServer
rdf:about="http://rembrandt6.uva.n   rdf:about="http://rembrandt6.uva.n
etherlight.nl#Rembrandt6:VidServ2"> etherlight.nl#Rembrandt6:VidServ2">

<rdfs:label>Rembrandt6:VidServ2</r   <rdfs:label>Rembrandt6:VidServ2</r
dfs:label>                             dfs:label>
    <ndl:videoServerWaitInterval      <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20   rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi  01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>               deoServerWaitInterval>
    <ndl:videoServerPacketLength      <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20   rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1344</ndl:video  01/XMLSchema#float">1344</ndl:video
ServerPacketLength>                 ServerPacketLength>
    <ndl:videoServerContentLength     <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/20   rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1316</ndl:video  01/XMLSchema#float">1316</ndl:video
ServerContentLength>               ServerContentLength>
</ndl:VideoServer>                  </ndl:VideoServer>

```

```

<!--Rembrandt6:VidServ3-->
<ndl:VideoServer
rdf:about="http://rembrandt6.uva.n
etherlight.nl#Rembrandt6:VidServ3">

<rdfs:label>Rembrandt6:VidServ3</r
dfs:label>
    <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>
    <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20

```

```

01/XMLSchema#float">1344</ndl:video
ServerPacketLength>
  <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1316</ndl:video
ServerContentLength>
</ndl:VideoServer>

<!--Rembrandt7:VidServ1-->
<ndl:VideoServer
rdf:about="http://rembrandt7.uva.n
etherlight.nl#Rembrandt7:VidServ1">

  <rdfs:label>Rembrandt7:VidServ1</r
dfs:label>
    <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>
    <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1344</ndl:video
ServerPacketLength>
    <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1316</ndl:video
ServerContentLength>
</ndl:VideoServer>

<!--Rembrandt7:VidServ2-->
<ndl:VideoServer
rdf:about="http://rembrandt7.uva.n
etherlight.nl#Rembrandt7:VidServ2">

  <rdfs:label>Rembrandt7:VidServ2</r
dfs:label>
    <ndl:videoServerWaitInterval
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">20.6E-3</ndl:vi
deoServerWaitInterval>
    <ndl:videoServerPacketLength
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1344</ndl:video
ServerPacketLength>
    <ndl:videoServerContentLength
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">1316</ndl:video
ServerContentLength>
</ndl:VideoServer>

<!--Rembrandt8:VidServ1-->
<ndl:VideoServer
rdf:about="http://rembrandt5.uva.n
etherlight.nl#Rembrandt8:VidServ1">

```



	<pre> &lt;rdfs:label&gt;Rembrandt8:VidServ1&lt;/r dfs:label&gt;     &lt;ndl:videoServerWaitInterval rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;20.6E-3&lt;/ndl:vi deoServerWaitInterval&gt;     &lt;ndl:videoServerPacketLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1344&lt;/ndl:video ServerPacketLength&gt;     &lt;ndl:videoServerContentLength rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;1316&lt;/ndl:video ServerContentLength&gt; &lt;/ndl:VideoServer&gt; </pre>
<pre> &lt;!--Rembrandt9:VidServerConnection 1--&gt; &lt;ndl:VideoServerConnection rdf:about="http://rembrandt9.uva.n etherlight.nl#Rembrandt9:VidServerC onnection1"&gt;  &lt;rdfs:label&gt;Rembrandt9:VidServerCo nnection1&lt;/rdfs:label&gt;  &lt;ndl:applicationToServerConnection rdf:resource="http://rembrandt0.uva .netherlight.nl#Rembrandt0:VidServ1 "/&gt;     &lt;ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;0.01&lt;/ndl:maxDe lay&gt; &lt;/ndl:VideoServerConnection&gt; </pre>	<pre> &lt;!--Rembrandt9:VidServerConnection 1--&gt; &lt;ndl:VideoServerConnection rdf:about="http://rembrandt9.uva.n etherlight.nl#Rembrandt9:VidServerC onnection1"&gt;  &lt;rdfs:label&gt;Rembrandt9:VidServerCo nnection1&lt;/rdfs:label&gt;  &lt;ndl:applicationToServerConnection rdf:resource="http://rembrandt0.uva .netherlight.nl#Rembrandt0:VidServ1 "/&gt;     &lt;ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;0.01&lt;/ndl:maxDe lay&gt; &lt;/ndl:VideoServerConnection&gt; </pre>
<pre> &lt;!--Rembrandt10:VidServerConnectio n1--&gt; &lt;ndl:VideoServerConnection rdf:about="http://rembrandt10.uva. netherlight.nl#Rembrandt10:VidServe rConnection1"&gt;  &lt;rdfs:label&gt;Rembrandt10:VidServerC onnection1&lt;/rdfs:label&gt;  &lt;ndl:applicationToServerConnection rdf:resource="http://rembrandt0.uva .netherlight.nl#Rembrandt0:VidServ1 "/&gt;     &lt;ndl:maxDelay </pre>	<pre> &lt;!--Rembrandt10:VidServerConnectio n1--&gt; &lt;ndl:VideoServerConnection rdf:about="http://rembrandt10.uva. netherlight.nl#Rembrandt10:VidServe rConnection1"&gt;  &lt;rdfs:label&gt;Rembrandt10:VidServerC onnection1&lt;/rdfs:label&gt;  &lt;ndl:applicationToServerConnection rdf:resource="http://rembrandt0.uva .netherlight.nl#Rembrandt0:VidServ1 "/&gt;     &lt;ndl:maxDelay </pre>

# newfile.rdf - newfile\_orig.rdf

```

rdf:datatype="http://www.w3.org/2001/XMLSchema#float">0.01</ndl:maxDe
lay>
</ndl:VideoServerConnection>

<!--Rembrandt10:VidServerConnectio
n2-->
<ndl:VideoServerConnection
rdf:about="http://rembrandt10.uva.
netherlight.nl#Rembrandt10:VidServe
rConnection2">

<rdfs:label>Rembrandt10:VidServerC
onnection2</rdfs:label>

<ndl:applicationToServerConnection

rdf:resource="http://rembrandt1.uva
.netherlight.nl#Rembrandt1:VidServ1
"/>
    <ndl:maxDelay
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe
lay>
</ndl:VideoServerConnection>

<!--Rembrandt11:VidServerConnectio
n1-->
<ndl:VideoServerConnection
rdf:about="http://rembrandt11.uva.
netherlight.nl#Rembrandt11:VidServe
rConnection1">

<rdfs:label>Rembrandt11:VidServerC
onnection1</rdfs:label>

<ndl:applicationToServerConnection

rdf:resource="http://rembrandt1.uva
.netherlight.nl#Rembrandt1:VidServ1
"/>
    <ndl:maxDelay
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe
lay>
</ndl:VideoServerConnection>

<!--Rembrandt11:VidServerConnectio
n2-->
<ndl:VideoServerConnection
rdf:about="http://rembrandt11.uva.
netherlight.nl#Rembrandt11:VidServe
rConnection2">

<rdfs:label>Rembrandt11:VidServerC

```

```

onnection2</rdfs:label>                                onnection2</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection
rdf:resource="http://rembrandt2.uva.rdf:resource="http://rembrandt2.uva
.netherlight.nl#Rembrandt2:VidServ1 .netherlight.nl#Rembrandt2:VidServ1
"/>                                "/>
    <ndl:maxDelay                                <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay>                                lay>
</ndl:VideoServerConnection>        </ndl:VideoServerConnection>

<!--Rembrandt12:VidServerConnectio <!--Rembrandt12:VidServerConnectio
n1-->                                n1-->
<ndl:VideoServerConnection            <ndl:VideoServerConnection
rdf:about="http://rembrandt12.uva. rdf:about="http://rembrandt12.uva.
netherlight.nl#Rembrandt12:VidServe netherlight.nl#Rembrandt12:VidServe
rConnection1">                                rConnection1">

<rdfs:label>Rembrandt12:VidServerC <rdfs:label>Rembrandt12:VidServerC
onnection1</rdfs:label>                                onnection1</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection
rdf:resource="http://rembrandt2.uva.rdf:resource="http://rembrandt2.uva
.netherlight.nl#Rembrandt2:VidServ1 .netherlight.nl#Rembrandt2:VidServ1
"/>                                "/>
    <ndl:maxDelay                                <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay>                                lay>
</ndl:VideoServerConnection>        </ndl:VideoServerConnection>

<!--Rembrandt12:VidServerConnectio <!--Rembrandt12:VidServerConnectio
n2-->                                n2-->
<ndl:VideoServerConnection            <ndl:VideoServerConnection
rdf:about="http://rembrandt12.uva. rdf:about="http://rembrandt12.uva.
netherlight.nl#Rembrandt12:VidServe netherlight.nl#Rembrandt12:VidServe
rConnection2">                                rConnection2">

<rdfs:label>Rembrandt12:VidServerC <rdfs:label>Rembrandt12:VidServerC
onnection2</rdfs:label>                                onnection2</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection
rdf:resource="http://rembrandt3.uva.rdf:resource="http://rembrandt3.uva
.netherlight.nl#Rembrandt3:VidServ1 .netherlight.nl#Rembrandt3:VidServ1
"/>                                "/>
    <ndl:maxDelay                                <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay>                                lay>
</ndl:VideoServerConnection>        </ndl:VideoServerConnection>

```

newfile.rdf - newfile\_orig.rdf

```

<!--Rembrandt13:VidServerConnectio n1--> <!--Rembrandt13:VidServerConnectio
n1-->
<ndl:VideoServerConnection <ndl:VideoServerConnection
rdf:about="http://rembrandt13.uva. rdf:about="http://rembrandt13.uva.
netherlight.nl#Rembrandt13:VidServe netherlight.nl#Rembrandt13:VidServe
rConnection1"> rConnection1">

<rdfs:label>Rembrandt13:VidServerC <rdfs:label>Rembrandt13:VidServerC
onnection1</rdfs:label> onnection1</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection

rdf:resource="http://rembrandt3.uva rdf:resource="http://rembrandt3.uva
.netherlight.nl#Rembrandt3:VidServl .netherlight.nl#Rembrandt3:VidServl
"/> "/>
    <ndl:maxDelay <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay> lay>
</ndl:VideoServerConnection> </ndl:VideoServerConnection>

<!--Rembrandt13:VidServerConnectio n2--> <!--Rembrandt13:VidServerConnectio
n2-->
<ndl:VideoServerConnection <ndl:VideoServerConnection
rdf:about="http://rembrandt13.uva. rdf:about="http://rembrandt13.uva.
netherlight.nl#Rembrandt13:VidServe netherlight.nl#Rembrandt13:VidServe
rConnection2"> rConnection2">

<rdfs:label>Rembrandt13:VidServerC <rdfs:label>Rembrandt13:VidServerC
onnection2</rdfs:label> onnection2</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection

rdf:resource="http://rembrandt4.uva rdf:resource="http://rembrandt4.uva
.netherlight.nl#Rembrandt4:VidServl .netherlight.nl#Rembrandt4:VidServl
"/> "/>
    <ndl:maxDelay <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay> lay>
</ndl:VideoServerConnection> </ndl:VideoServerConnection>

<!--Rembrandt14:VidServerConnectio n1--> <!--Rembrandt14:VidServerConnectio
n1-->
<ndl:VideoServerConnection <ndl:VideoServerConnection
rdf:about="http://rembrandt14.uva. rdf:about="http://rembrandt14.uva.
netherlight.nl#Rembrandt14:VidServe netherlight.nl#Rembrandt14:VidServe
rConnection1"> rConnection1">

<rdfs:label>Rembrandt14:VidServerC <rdfs:label>Rembrandt14:VidServerC
onnection1</rdfs:label> onnection1</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection

rdf:resource="http://rembrandt4.uva rdf:resource="http://rembrandt4.uva

```

# newfile.rdf - newfile\_orig.rdf

```
.netherlight.nl#Rembrandt4:VidServ1 .netherlight.nl#Rembrandt4:VidServ1
"/>                                "/>
    <ndl:maxDelay                    <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay>                                lay>
</ndl:VideoServerConnection>      </ndl:VideoServerConnection>

<!--Rembrandt14:VidServerConnectio <!--Rembrandt14:VidServerConnectio
n2-->                               n2-->
<ndl:VideoServerConnection          <ndl:VideoServerConnection
rdf:about="http://rembrandt14.uva. rdf:about="http://rembrandt14.uva.
netherlight.nl#Rembrandt14:VidServe netherlight.nl#Rembrandt14:VidServe
rConnection2">                      rConnection2">

<rdfs:label>Rembrandt14:VidServerC <rdfs:label>Rembrandt14:VidServerC
onnection2</rdfs:label>             onnection2</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection

rdf:resource="http://rembrandt5.uva rdf:resource="http://rembrandt5.uva
.netherlight.nl#Rembrandt5:VidServ1 .netherlight.nl#Rembrandt5:VidServ1
"/>                                "/>
    <ndl:maxDelay                    <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay>                                lay>
</ndl:VideoServerConnection>      </ndl:VideoServerConnection>

<!--Rembrandt15:VidServerConnectio <!--Rembrandt15:VidServerConnectio
n1-->                               n1-->
<ndl:VideoServerConnection          <ndl:VideoServerConnection
rdf:about="http://rembrandt15.uva. rdf:about="http://rembrandt15.uva.
netherlight.nl#Rembrandt15:VidServe netherlight.nl#Rembrandt15:VidServe
rConnection1">                      rConnection1">

<rdfs:label>Rembrandt15:VidServerC <rdfs:label>Rembrandt15:VidServerC
onnection1</rdfs:label>             onnection1</rdfs:label>

<ndl:applicationToServerConnection <ndl:applicationToServerConnection

rdf:resource="http://rembrandt5.uva rdf:resource="http://rembrandt5.uva
.netherlight.nl#Rembrandt5:VidServ1 .netherlight.nl#Rembrandt5:VidServ1
"/>                                "/>
    <ndl:maxDelay                    <ndl:maxDelay
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe 01/XMLSchema#float">0.01</ndl:maxDe
lay>                                lay>
</ndl:VideoServerConnection>      </ndl:VideoServerConnection>

<!--Rembrandt15:VidServerConnectio <!--Rembrandt15:VidServerConnectio
n2-->                               n2-->
<ndl:VideoServerConnection          <ndl:VideoServerConnection
rdf:about="http://rembrandt15.uva. rdf:about="http://rembrandt15.uva.
netherlight.nl#Rembrandt15:VidServe netherlight.nl#Rembrandt15:VidServe
```

newfile.rdf - newfile\_orig.rdf

rConnection2">	rConnection2">
<rdfs:label>Rembrandt15:VidServerC onnection2</rdfs:label>	<rdfs:label>Rembrandt15:VidServerC onnection2</rdfs:label>
<ndl:applicationToServerConnection	<ndl:applicationToServerConnection
rdf:resource="http://rembrandt6.uva .netherlight.nl#Rembrandt6:VidServ1 "/>	rdf:resource="http://rembrandt6.uva .netherlight.nl#Rembrandt6:VidServ1 "/>
	<ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float">0.01</ndl:maxDe lay> </ndl:VideoServerConnection>
	<!--Rembrandt16:VidServerConnectio n1--> <ndl:VideoServerConnection rdf:about="http://rembrandt16.uva. netherlight.nl#Rembrandt16:VidServe rConnection1"> <rdfs:label>Rembrandt16:VidServerC onnection1</rdfs:label> <ndl:applicationToServerConnection rdf:resource="http://rembrandt6.uva .netherlight.nl#Rembrandt6:VidServ1 "/> <ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float">0.01</ndl:maxDe lay> </ndl:VideoServerConnection>
	<!--Rembrandt16:VidServerConnectio n2--> <ndl:VideoServerConnection rdf:about="http://rembrandt16.uva. netherlight.nl#Rembrandt16:VidServe rConnection2"> <rdfs:label>Rembrandt16:VidServerC onnection2</rdfs:label> <ndl:applicationToServerConnection rdf:resource="http://rembrandt6.uva .netherlight.nl#Rembrandt6:VidServ2 "/> <ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float">0.01</ndl:maxDe

```

lay>
</ndl:VideoServerConnection>

<!--Rembrandt17:VidServerConnectio
n1-->
<ndl:VideoServerConnection
rdf:about="http://rembrandt17.uva.
netherlight.nl#Rembrandt17:VidServe
rConnection1">

<rdfs:label>Rembrandt17:VidServerC
onnection1</rdfs:label>

<ndl:applicationToServerConnection
rdf:resource="http://rembrandt6.uva.
netherlight.nl#Rembrandt6:VidServ2
"/>
  <ndl:maxDelay
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe
lay>
</ndl:VideoServerConnection>

<!--Rembrandt17:VidServerConnectio
n2-->
<ndl:VideoServerConnection
rdf:about="http://rembrandt17.uva.
netherlight.nl#Rembrandt17:VidServe
rConnection2">

<rdfs:label>Rembrandt17:VidServerC
onnection2</rdfs:label>

<ndl:applicationToServerConnection
rdf:resource="http://rembrandt7.uva.
netherlight.nl#Rembrandt7:VidServ1
"/>
  <ndl:maxDelay
rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">0.01</ndl:maxDe
lay>
</ndl:VideoServerConnection>

<!--Rembrandt18:VidServerConnectio
n1-->
<ndl:VideoServerConnection
rdf:about="http://rembrandt18.uva.
netherlight.nl#Rembrandt18:VidServe
rConnection1">

<rdfs:label>Rembrandt18:VidServerC
onnection1</rdfs:label>

```

	<pre> &lt;ndl:applicationToServerConnection rdf:resource="http://rembrandt7.uva .netherlight.nl#Rembrandt7:VidServ1 "/&gt;     &lt;ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;0.01&lt;/ndl:maxDe lay&gt; &lt;/ndl:VideoServerConnection&gt;  &lt;!--Rembrandt18:VidServerConnectio n2--&gt; &lt;ndl:VideoServerConnection rdf:about="http://rembrandt18.uva. netherlight.nl#Rembrandt18:VidServe rConnection2"&gt;  &lt;rdfs:label&gt;Rembrandt18:VidServerC onnection2&lt;/rdfs:label&gt;  &lt;ndl:applicationToServerConnection rdf:resource="http://rembrandt8.uva .netherlight.nl#Rembrandt8:VidServ1 "/&gt;         </pre>
<pre>         &lt;ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;0.01&lt;/ndl:maxDe lay&gt; &lt;/ndl:VideoServerConnection&gt;         </pre>	<pre>         &lt;ndl:maxDelay rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;0.01&lt;/ndl:maxDe lay&gt; &lt;/ndl:VideoServerConnection&gt;         </pre>
<pre> &lt;!--Rembrandt0:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt0.uva.n etherlight.nl#Rembrandt0:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt0:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth1" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;     &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt1:eth1--&gt;         </pre>	<pre> &lt;!--Rembrandt0:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt0.uva.n etherlight.nl#Rembrandt0:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt0:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth1" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;     &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt1:eth1--&gt;         </pre>



newfile.rdf - newfile\_orig.rdf

<pre> &lt;ndl:Interface rdf:about="http://rembrandt1.uva.n etherlight.nl#Rembrandt1:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt1:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth2" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;     &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt2:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt2.uva.n etherlight.nl#Rembrandt2:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt2:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth3" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;     &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt3:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt3.uva.n etherlight.nl#Rembrandt3:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt3:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth4" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac </pre>	<pre> &lt;ndl:Interface rdf:about="http://rembrandt1.uva.n etherlight.nl#Rembrandt1:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt1:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth2" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;     &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt2:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt2.uva.n etherlight.nl#Rembrandt2:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt2:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth3" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;     &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt3:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt3.uva.n etherlight.nl#Rembrandt3:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt3:eth1&lt;/rdfs: label&gt;     &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth4" /&gt;     &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac </pre>
--	--

newfile.rdf - newfile\_orig.rdf

ity>	ity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt4:eth1-->	<!--Rembrandt4:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt4.uva.netherlight.nl#Rembrandt4:eth1">	rdf:about="http://rembrandt4.uva.netherlight.nl#Rembrandt4:eth1">
<rdfs:label>Rembrandt4:eth1</rdfs:label>	<rdfs:label>Rembrandt4:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt20.uva.netherlight.nl#Rembrandt20:eth1"/>	rdf:resource="http://rembrandt20.uva.netherlight.nl#Rembrandt20:eth1"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt5:eth1-->	<!--Rembrandt5:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt5.uva.netherlight.nl#Rembrandt5:eth1">	rdf:about="http://rembrandt5.uva.netherlight.nl#Rembrandt5:eth1">
<rdfs:label>Rembrandt5:eth1</rdfs:label>	<rdfs:label>Rembrandt5:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth1"/>	rdf:resource="http://rembrandt21.uva.netherlight.nl#Rembrandt21:eth1"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt6:eth1-->	<!--Rembrandt6:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt6.uva.netherlight.nl#Rembrandt6:eth1">	rdf:about="http://rembrandt6.uva.netherlight.nl#Rembrandt6:eth1">
<rdfs:label>Rembrandt6:eth1</rdfs:label>	<rdfs:label>Rembrandt6:eth1</rdfs:label>

newfile.rdf - newfile\_orig.rdf

label>	label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt24.uva.netherlight.nl#Rembrandt24:eth1"	rdf:resource="http://rembrandt24.uva.netherlight.nl#Rembrandt24:eth1"
/>	/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt7:eth1-->	<!--Rembrandt7:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt7.uva.netherlight.nl#Rembrandt7:eth1">	rdf:about="http://rembrandt7.uva.netherlight.nl#Rembrandt7:eth1">
<rdfs:label>Rembrandt7:eth1</rdfs:label>	<rdfs:label>Rembrandt7:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth1"	rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth1"
/>	/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt8:eth1-->	<!--Rembrandt8:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt8.uva.netherlight.nl#Rembrandt8:eth1">	rdf:about="http://rembrandt8.uva.netherlight.nl#Rembrandt8:eth1">
<rdfs:label>Rembrandt8:eth1</rdfs:label>	<rdfs:label>Rembrandt8:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth2"	rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth2"
/>	/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>

</ndl:Interface>	</ndl:Interface>
<!--Rembrandt9:eth1-->	<!--Rembrandt9:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt9.uva.netherlight.nl#Rembrandt9:eth1">	rdf:about="http://rembrandt9.uva.netherlight.nl#Rembrandt9:eth1">
<rdfs:label>Rembrandt9:eth1</rdfs:label>	<rdfs:label>Rembrandt9:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth3"/>	rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth3"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt10:eth1-->	<!--Rembrandt10:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt10.uva.netherlight.nl#Rembrandt10:eth1">	rdf:about="http://rembrandt10.uva.netherlight.nl#Rembrandt10:eth1">
<rdfs:label>Rembrandt10:eth1</rdfs:label>	<rdfs:label>Rembrandt10:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth1"/>	rdf:resource="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth1"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt11:eth1-->	<!--Rembrandt11:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt11.uva.netherlight.nl#Rembrandt11:eth1">	rdf:about="http://rembrandt11.uva.netherlight.nl#Rembrandt11:eth1">
<rdfs:label>Rembrandt11:eth1</rdfs:label>	<rdfs:label>Rembrandt11:eth1</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth2"/>	rdf:resource="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth2"/>

# newfile.rdf - newfile\_orig.rdf

```

    <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
    <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt12:eth1-->
<ndl:Interface
rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth1">

<rdfs:label>Rembrandt12:eth1</rdfs:label>
    <ndl:connectedTo
rdf:resource="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth1"/>
    <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
    <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt12:eth2-->
<ndl:Interface
rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth2">

<rdfs:label>Rembrandt12:eth2</rdfs:label>
    <ndl:connectedTo
rdf:resource="http://rembrandt1.uva.netherlight.nl#Rembrandt1:eth1"/>
    <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
    <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt12:eth3-->
<ndl:Interface

```

newfile.rdf - newfile\_orig.rdf

```

rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth3">
  <rdfs:label>Rembrandt12:eth3</rdfs:label>
  <ndl:connectedTo
    rdf:resource="http://rembrandt2.uva.netherlight.nl#Rembrandt2:eth1"/>
  <ndl:capacity
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt12:eth4-->
<ndl:Interface
  rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth4">
  <rdfs:label>Rembrandt12:eth4</rdfs:label>
  <ndl:connectedTo
    rdf:resource="http://rembrandt3.uva.netherlight.nl#Rembrandt3:eth1"/>
  <ndl:capacity
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt12:eth5-->
<ndl:Interface
  rdf:about="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth5">
  <rdfs:label>Rembrandt12:eth5</rdfs:label>
  <ndl:connectedTo
    rdf:resource="http://rembrandt13.uva.netherlight.nl#Rembrandt13:eth2"/>
  <ndl:capacity
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

```

# newfile.rdf - newfile\_orig.rdf

```

01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt12:eth6-->           <!--Rembrandt12:eth6-->
<ndl:Interface                     <ndl:Interface
rdf:about="http://rembrandt12.uva. rdf:about="http://rembrandt12.uva.
netherlight.nl#Rembrandt12:eth6"> netherlight.nl#Rembrandt12:eth6">

<rdfs:label>Rembrandt12:eth6</rdfs <rdfs:label>Rembrandt12:eth6</rdfs
:label>                             :label>
    <ndl:connectedTo               <ndl:connectedTo
rdf:resource="http://rembrandt18.u rdf:resource="http://rembrandt18.u
va.netherlight.nl#Rembrandt18:eth1" va.netherlight.nl#Rembrandt18:eth1"
/>                                  />
    <ndl:capacity                  <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                   <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt12:eth7-->           <!--Rembrandt12:eth7-->
<ndl:Interface                     <ndl:Interface
rdf:about="http://rembrandt12.uva. rdf:about="http://rembrandt12.uva.
netherlight.nl#Rembrandt12:eth7"> netherlight.nl#Rembrandt12:eth7">

<rdfs:label>Rembrandt12:eth7</rdfs <rdfs:label>Rembrandt12:eth7</rdfs
:label>                             :label>
    <ndl:connectedTo               <ndl:connectedTo
rdf:resource="http://rembrandt20.u rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth1" va.netherlight.nl#Rembrandt20:eth1"
/>                                  />
    <ndl:capacity                  <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                   <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt13:eth1-->           <!--Rembrandt13:eth1-->
<ndl:Interface                     <ndl:Interface
rdf:about="http://rembrandt13.uva. rdf:about="http://rembrandt13.uva.
netherlight.nl#Rembrandt13:eth1"> netherlight.nl#Rembrandt13:eth1">

<rdfs:label>Rembrandt13:eth1</rdfs <rdfs:label>Rembrandt13:eth1</rdfs
:label>                             :label>
    <ndl:connectedTo               <ndl:connectedTo
rdf:resource="http://rembrandt4.uv rdf:resource="http://rembrandt4.uv

```

# newfile.rdf - newfile\_orig.rdf

```

a.netherlight.nl#Rembrandt4:eth1"/> a.netherlight.nl#Rembrandt4:eth1"/>
  <ndl:capacity                                <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
  <ndl:latency                                <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                                </ndl:Interface>

<!--Rembrandt13:eth2-->                                <!--Rembrandt13:eth2-->
<ndl:Interface                                <ndl:Interface
rdf:about="http://rembrandt13.uva.netherlight.nl#Rembrandt13:eth2"> rdf:about="http://rembrandt13.uva.
netherlight.nl#Rembrandt13:eth2"> netherlight.nl#Rembrandt13:eth2">

<rdfs:label>Rembrandt13:eth2</rdfs:label>                                <rdfs:label>Rembrandt13:eth2</rdfs
:label>
  <ndl:connectedTo                                <ndl:connectedTo
rdf:resource="http://rembrandt12.uva.netherlight.nl#Rembrandt12:eth5" rdf:resource="http://rembrandt12.u
va.netherlight.nl#Rembrandt12:eth5" /> va.netherlight.nl#Rembrandt12:eth5"
/> />
  <ndl:capacity                                <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
  <ndl:latency                                <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                                </ndl:Interface>

<!--Rembrandt13:eth3-->                                <!--Rembrandt13:eth3-->
<ndl:Interface                                <ndl:Interface
rdf:about="http://rembrandt13.uva.netherlight.nl#Rembrandt13:eth3"> rdf:about="http://rembrandt13.uva.
netherlight.nl#Rembrandt13:eth3"> netherlight.nl#Rembrandt13:eth3">

<rdfs:label>Rembrandt13:eth3</rdfs:label>                                <rdfs:label>Rembrandt13:eth3</rdfs
:label>
  <ndl:connectedTo                                <ndl:connectedTo
rdf:resource="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth2" rdf:resource="http://rembrandt14.u
va.netherlight.nl#Rembrandt14:eth2" /> va.netherlight.nl#Rembrandt14:eth2"
/> />
  <ndl:capacity                                <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
  <ndl:latency                                <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                                </ndl:Interface>

<!--Rembrandt14:eth1-->                                <!--Rembrandt14:eth1-->
<ndl:Interface                                <ndl:Interface

```



# newfile.rdf - newfile\_orig.rdf

```

rdf:about="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth1">
  <rdfs:label>Rembrandt14:eth1</rdfs:label>
  <ndl:connectedTo
    rdf:resource="http://rembrandt5.uva.netherlight.nl#Rembrandt5:eth1"/>
  <ndl:capacity
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt14:eth2-->
<ndl:Interface
  rdf:about="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth2">
  <rdfs:label>Rembrandt14:eth2</rdfs:label>
  <ndl:connectedTo
    rdf:resource="http://rembrandt13.uva.netherlight.nl#Rembrandt13:eth3"/>
  <ndl:capacity
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt14:eth3-->
<ndl:Interface
  rdf:about="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth3">
  <rdfs:label>Rembrandt14:eth3</rdfs:label>
  <ndl:connectedTo
    rdf:resource="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth2"/>
  <ndl:capacity
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
    rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

```

# newfile.rdf - newfile\_orig.rdf

```

rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt14:eth4-->
<ndl:Interface
rdf:about="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth4">

<rdfs:label>Rembrandt14:eth4</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth4"
/>
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt15:eth1-->
<ndl:Interface
rdf:about="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth1">

<rdfs:label>Rembrandt15:eth1</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:eth1"
/>
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt15:eth2-->
<ndl:Interface
rdf:about="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth2">

<rdfs:label>Rembrandt15:eth2</rdfs:label>
  <ndl:connectedTo

```

newfile.rdf - newfile\_orig.rdf

```

rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:eth1" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt15:eth3-->
<ndl:Interface
rdf:about="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth3">

<rdfs:label>Rembrandt15:eth3</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth6" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt15:eth4-->
<ndl:Interface
rdf:about="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth4">

<rdfs:label>Rembrandt15:eth4</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth4" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

rdf:resource="http://rembrandt11.uva.netherlight.nl#Rembrandt11:eth1" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt15:eth3-->
<ndl:Interface
rdf:about="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth3">

<rdfs:label>Rembrandt15:eth3</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth6" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt15:eth4-->
<ndl:Interface
rdf:about="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth4">

<rdfs:label>Rembrandt15:eth4</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt14.uva.netherlight.nl#Rembrandt14:eth4" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

```

# newfile.rdf - newfile\_orig.rdf

```

<!--Rembrandt16:eth1-->                                <!--Rembrandt16:eth1-->
<ndl:Interface                                           <ndl:Interface
rdf:about="http://rembrandt16.uva.                      rdf:about="http://rembrandt16.uva.
netherlight.nl#Rembrandt16:eth1">                      netherlight.nl#Rembrandt16:eth1">

<rdfs:label>Rembrandt16:eth1</rdfs                     <rdfs:label>Rembrandt16:eth1</rdfs
:label>                                                  :label>
    <ndl:connectedTo                                     <ndl:connectedTo
rdf:resource="http://rembrandt7.uv                      rdf:resource="http://rembrandt7.uv
a.netherlight.nl#Rembrandt7:eth1"/>                    a.netherlight.nl#Rembrandt7:eth1"/>
    <ndl:capacity                                         <ndl:capacity
rdf:datatype="http://www.w3.org/20                     rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac                      01/XMLSchema#float">10E6</ndl:capac
ity>                                                    ity>
    <ndl:latency                                          <ndl:latency
rdf:datatype="http://www.w3.org/20                     rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten                      01/XMLSchema#float">2E-6</ndl:laten
cy>                                                    cy>
</ndl:Interface>                                        </ndl:Interface>

<!--Rembrandt16:eth2-->                                <!--Rembrandt16:eth2-->
<ndl:Interface                                           <ndl:Interface
rdf:about="http://rembrandt16.uva.                      rdf:about="http://rembrandt16.uva.
netherlight.nl#Rembrandt16:eth2">                      netherlight.nl#Rembrandt16:eth2">

<rdfs:label>Rembrandt16:eth2</rdfs                     <rdfs:label>Rembrandt16:eth2</rdfs
:label>                                                  :label>
    <ndl:connectedTo                                     <ndl:connectedTo
rdf:resource="http://rembrandt8.uv                      rdf:resource="http://rembrandt8.uv
a.netherlight.nl#Rembrandt8:eth1"/>                    a.netherlight.nl#Rembrandt8:eth1"/>
    <ndl:capacity                                         <ndl:capacity
rdf:datatype="http://www.w3.org/20                     rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac                      01/XMLSchema#float">10E6</ndl:capac
ity>                                                    ity>
    <ndl:latency                                          <ndl:latency
rdf:datatype="http://www.w3.org/20                     rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten                      01/XMLSchema#float">2E-6</ndl:laten
cy>                                                    cy>
</ndl:Interface>                                        </ndl:Interface>

<!--Rembrandt16:eth3-->                                <!--Rembrandt16:eth3-->
<ndl:Interface                                           <ndl:Interface
rdf:about="http://rembrandt16.uva.                      rdf:about="http://rembrandt16.uva.
netherlight.nl#Rembrandt16:eth3">                      netherlight.nl#Rembrandt16:eth3">

<rdfs:label>Rembrandt16:eth3</rdfs                     <rdfs:label>Rembrandt16:eth3</rdfs
:label>                                                  :label>
    <ndl:connectedTo                                     <ndl:connectedTo
rdf:resource="http://rembrandt9.uv                      rdf:resource="http://rembrandt9.uv
a.netherlight.nl#Rembrandt9:eth1"/>                    a.netherlight.nl#Rembrandt9:eth1"/>
    <ndl:capacity                                         <ndl:capacity
rdf:datatype="http://www.w3.org/20                     rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac                      01/XMLSchema#float">10E6</ndl:capac
ity>                                                    ity>
    <ndl:latency                                          <ndl:latency

```

newfile.rdf - newfile\_orig.rdf

<pre> rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt16:eth4--&gt; &lt;ndl:Interface rdf:about="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth4"&gt;  &lt;rdfs:label&gt;Rembrandt16:eth4&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt17.uva.netherlight.nl#Rembrandt17:eth4" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt16:eth5--&gt; &lt;ndl:Interface rdf:about="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth5"&gt;  &lt;rdfs:label&gt;Rembrandt16:eth5&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt20.uva.netherlight.nl#Rembrandt20:eth4" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt16:eth6--&gt; &lt;ndl:Interface rdf:about="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth6"&gt;  &lt;rdfs:label&gt;Rembrandt16:eth6&lt;/rdfs:label&gt;   &lt;ndl:connectedTo </pre>	<pre> rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt16:eth4--&gt; &lt;ndl:Interface rdf:about="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth4"&gt;  &lt;rdfs:label&gt;Rembrandt16:eth4&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt17.uva.netherlight.nl#Rembrandt17:eth4" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt16:eth5--&gt; &lt;ndl:Interface rdf:about="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth5"&gt;  &lt;rdfs:label&gt;Rembrandt16:eth5&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt20.uva.netherlight.nl#Rembrandt20:eth4" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt16:eth6--&gt; &lt;ndl:Interface rdf:about="http://rembrandt16.uva.netherlight.nl#Rembrandt16:eth6"&gt;  &lt;rdfs:label&gt;Rembrandt16:eth6&lt;/rdfs:label&gt;   &lt;ndl:connectedTo </pre>
--	--

# newfile.rdf - newfile\_orig.rdf

```

rdf:resource="http://rembrandt15.uva.netherlight.nl#Rembrandt15:eth3" />
    <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
    <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt17:eth1-->
<ndl:Interface
rdf:about="http://rembrandt17.uva.netherlight.nl#Rembrandt17:eth1">

<rdfs:label>Rembrandt17:eth1</rdfs:label>
    <ndl:connectedTo
rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:eth1"/>
    <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
    <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt17:eth2-->
<ndl:Interface
rdf:about="http://rembrandt17.uva.netherlight.nl#Rembrandt17:eth2">

<rdfs:label>Rembrandt17:eth2</rdfs:label>
    <ndl:connectedTo
rdf:resource="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth3" />
    <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
    <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt17:eth3-->

```

newfile.rdf - newfile\_orig.rdf

<pre> &lt;ndl:Interface rdf:about="http://rembrandt17.uva. netherlight.nl#Rembrandt17:eth3"&gt; </pre>	<pre> &lt;ndl:Interface rdf:about="http://rembrandt17.uva. netherlight.nl#Rembrandt17:eth3"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt17:eth3&lt;/rdfs :label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth2" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt17:eth3&lt;/rdfs :label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt19.u va.netherlight.nl#Rembrandt19:eth2" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt; </pre>
<pre> &lt;!--Rembrandt17:eth4--&gt; &lt;ndl:Interface rdf:about="http://rembrandt17.uva. netherlight.nl#Rembrandt17:eth4"&gt; </pre>	<pre> &lt;!--Rembrandt17:eth4--&gt; &lt;ndl:Interface rdf:about="http://rembrandt17.uva. netherlight.nl#Rembrandt17:eth4"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt17:eth4&lt;/rdfs :label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt16.u va.netherlight.nl#Rembrandt16:eth4" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt17:eth4&lt;/rdfs :label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt16.u va.netherlight.nl#Rembrandt16:eth4" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt; </pre>
<pre> &lt;!--Rembrandt18:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt18.uva. netherlight.nl#Rembrandt18:eth1"&gt; </pre>	<pre> &lt;!--Rembrandt18:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt18.uva. netherlight.nl#Rembrandt18:eth1"&gt; </pre>
<pre> &lt;rdfs:label&gt;Rembrandt18:eth1&lt;/rdfs :label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt12.u va.netherlight.nl#Rembrandt12:eth6" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac </pre>	<pre> &lt;rdfs:label&gt;Rembrandt18:eth1&lt;/rdfs :label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt12.u va.netherlight.nl#Rembrandt12:eth6" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac </pre>

newfile.rdf - newfile\_orig.rdf

ity>	ity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt18:eth2-->	<!--Rembrandt18:eth2-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth2">	rdf:about="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth2">
<rdfs:label>Rembrandt18:eth2</rdfs:label>	<rdfs:label>Rembrandt18:eth2</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt24.uva.netherlight.nl#Rembrandt24:eth3"/>	rdf:resource="http://rembrandt24.uva.netherlight.nl#Rembrandt24:eth3"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt18:eth3-->	<!--Rembrandt18:eth3-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth3">	rdf:about="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth3">
<rdfs:label>Rembrandt18:eth3</rdfs:label>	<rdfs:label>Rembrandt18:eth3</rdfs:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth2"/>	rdf:resource="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth2"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>	rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt18:eth4-->	<!--Rembrandt18:eth4-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth4">	rdf:about="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth4">
<rdfs:label>Rembrandt18:eth4</rdfs:label>	<rdfs:label>Rembrandt18:eth4</rdfs:label>



newfile.rdf - newfile\_orig.rdf

```

:label>                                :label>
  <ndl:connectedTo                      <ndl:connectedTo
rdf:resource="http://rembrandt20.u    rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth2"  va.netherlight.nl#Rembrandt20:eth2"
/>                                    />
  <ndl:capacity                         <ndl:capacity
rdf:datatype="http://www.w3.org/20    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac   01/XMLSchema#float">10E6</ndl:capac
ity>                                   ity>
  <ndl:latency                         <ndl:latency
rdf:datatype="http://www.w3.org/20    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten   01/XMLSchema#float">2E-6</ndl:laten
cy>                                    cy>
</ndl:Interface>                     </ndl:Interface>

<!--Rembrandt19:eth1-->              <!--Rembrandt19:eth1-->
<ndl:Interface                        <ndl:Interface
rdf:about="http://rembrandt19.uva.    rdf:about="http://rembrandt19.uva.
netherlight.nl#Rembrandt19:eth1">    netherlight.nl#Rembrandt19:eth1">

<rdfs:label>Rembrandt19:eth1</rdfs   <rdfs:label>Rembrandt19:eth1</rdfs
:label>                               :label>
  <ndl:connectedTo                      <ndl:connectedTo
rdf:resource="http://rembrandt26.u    rdf:resource="http://rembrandt26.u
va.netherlight.nl#Rembrandt26:eth3"  va.netherlight.nl#Rembrandt26:eth3"
/>                                    />
  <ndl:capacity                         <ndl:capacity
rdf:datatype="http://www.w3.org/20    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac   01/XMLSchema#float">10E6</ndl:capac
ity>                                   ity>
  <ndl:latency                         <ndl:latency
rdf:datatype="http://www.w3.org/20    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten   01/XMLSchema#float">2E-6</ndl:laten
cy>                                    cy>
</ndl:Interface>                     </ndl:Interface>

<!--Rembrandt19:eth2-->              <!--Rembrandt19:eth2-->
<ndl:Interface                        <ndl:Interface
rdf:about="http://rembrandt19.uva.    rdf:about="http://rembrandt19.uva.
netherlight.nl#Rembrandt19:eth2">    netherlight.nl#Rembrandt19:eth2">

<rdfs:label>Rembrandt19:eth2</rdfs   <rdfs:label>Rembrandt19:eth2</rdfs
:label>                               :label>
  <ndl:connectedTo                      <ndl:connectedTo
rdf:resource="http://rembrandt27.u    rdf:resource="http://rembrandt27.u
va.netherlight.nl#Rembrandt27:eth3"  va.netherlight.nl#Rembrandt27:eth3"
/>                                    />
  <ndl:capacity                         <ndl:capacity
rdf:datatype="http://www.w3.org/20    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac   01/XMLSchema#float">10E6</ndl:capac
ity>                                   ity>
  <ndl:latency                         <ndl:latency
rdf:datatype="http://www.w3.org/20    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten   01/XMLSchema#float">2E-6</ndl:laten
cy>                                    cy>

```

newfile.rdf - newfile\_orig.rdf

```

</ndl:Interface>                                </ndl:Interface>

<!--Rembrandt20:eth1-->                        <!--Rembrandt20:eth1-->
<ndl:Interface                                <ndl:Interface
rdf:about="http://rembrandt20.uva.          rdf:about="http://rembrandt20.uva.
netherlight.nl#Rembrandt20:eth1">          netherlight.nl#Rembrandt20:eth1">

<rdfs:label>Rembrandt20:eth1</rdfs:          <rdfs:label>Rembrandt20:eth1</rdfs
:label>                                       :label>
  <ndl:connectedTo                           <ndl:connectedTo
rdf:resource="http://rembrandt22.u          rdf:resource="http://rembrandt22.u
va.netherlight.nl#Rembrandt22:eth7"        va.netherlight.nl#Rembrandt22:eth7"
/>                                           />
  <ndl:capacity                             <ndl:capacity
rdf:datatype="http://www.w3.org/20          rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac        01/XMLSchema#float">10E6</ndl:capac
ity>                                         ity>
  <ndl:latency                             <ndl:latency
rdf:datatype="http://www.w3.org/20          rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten        01/XMLSchema#float">2E-6</ndl:laten
cy>                                         cy>
</ndl:Interface>                            </ndl:Interface>

<!--Rembrandt20:eth2-->                        <!--Rembrandt20:eth2-->
<ndl:Interface                                <ndl:Interface
rdf:about="http://rembrandt20.uva.          rdf:about="http://rembrandt20.uva.
netherlight.nl#Rembrandt20:eth2">          netherlight.nl#Rembrandt20:eth2">

<rdfs:label>Rembrandt20:eth2</rdfs:          <rdfs:label>Rembrandt20:eth2</rdfs
:label>                                       :label>
  <ndl:connectedTo                           <ndl:connectedTo
rdf:resource="http://rembrandt28.u          rdf:resource="http://rembrandt28.u
va.netherlight.nl#Rembrandt28:eth4"        va.netherlight.nl#Rembrandt28:eth4"
/>                                           />
  <ndl:capacity                             <ndl:capacity
rdf:datatype="http://www.w3.org/20          rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac        01/XMLSchema#float">10E6</ndl:capac
ity>                                         ity>
  <ndl:latency                             <ndl:latency
rdf:datatype="http://www.w3.org/20          rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten        01/XMLSchema#float">2E-6</ndl:laten
cy>                                         cy>
</ndl:Interface>                            </ndl:Interface>

<!--Rembrandt20:eth3-->                        <!--Rembrandt20:eth3-->
<ndl:Interface                                <ndl:Interface
rdf:about="http://rembrandt20.uva.          rdf:about="http://rembrandt20.uva.
netherlight.nl#Rembrandt20:eth3">          netherlight.nl#Rembrandt20:eth3">

<rdfs:label>Rembrandt20:eth3</rdfs:          <rdfs:label>Rembrandt20:eth3</rdfs
:label>                                       :label>
  <ndl:connectedTo                           <ndl:connectedTo
rdf:resource="http://rembrandt19.u          rdf:resource="http://rembrandt19.u
va.netherlight.nl#Rembrandt19:eth1"        va.netherlight.nl#Rembrandt19:eth1"
/>                                           />

```

# newfile.rdf - newfile\_orig.rdf

<pre>         &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;         &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt20:eth4--&gt; &lt;ndl:Interface rdf:about="http://rembrandt20.uva. netherlight.nl#Rembrandt20:eth4"&gt;  &lt;rdfs:label&gt;Rembrandt20:eth4&lt;/rdfs :label&gt;         &lt;ndl:connectedTo rdf:resource="http://rembrandt29.u va.netherlight.nl#Rembrandt29:eth5" /&gt;         &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;         &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt21:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt21.uva. netherlight.nl#Rembrandt21:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt21:eth1&lt;/rdfs :label&gt;         &lt;ndl:connectedTo rdf:resource="http://rembrandt29.u va.netherlight.nl#Rembrandt29:eth4" /&gt;         &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;         &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt21:eth3--&gt; &lt;ndl:Interface rdf:about="http://rembrandt21.uva. </pre>	<pre>         &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;         &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt20:eth4--&gt; &lt;ndl:Interface rdf:about="http://rembrandt20.uva. netherlight.nl#Rembrandt20:eth4"&gt;  &lt;rdfs:label&gt;Rembrandt20:eth4&lt;/rdfs :label&gt;         &lt;ndl:connectedTo rdf:resource="http://rembrandt29.u va.netherlight.nl#Rembrandt29:eth5" /&gt;         &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;         &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt21:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt21.uva. netherlight.nl#Rembrandt21:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt21:eth1&lt;/rdfs :label&gt;         &lt;ndl:connectedTo rdf:resource="http://rembrandt29.u va.netherlight.nl#Rembrandt29:eth4" /&gt;         &lt;ndl:capacity rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;10E6&lt;/ndl:capac ity&gt;         &lt;ndl:latency rdf:datatype="http://www.w3.org/20 01/XMLSchema#float"&gt;2E-6&lt;/ndl:laten cy&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt21:eth3--&gt; &lt;ndl:Interface rdf:about="http://rembrandt21.uva. </pre>
---	---

# newfile.rdf - newfile\_orig.rdf

```
netherlight.nl#Rembrandt21:eth3"> netherlight.nl#Rembrandt21:eth3">

<rdfs:label>Rembrandt21:eth3</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth25" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt22:eth1-->
<ndl:Interface
rdf:about="http://rembrandt21.uva.netherlight.nl#Rembrandt22:eth1">

<rdfs:label>Rembrandt22:eth1</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt8.uva.netherlight.nl#Rembrandt8:eth11" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt22:eth2-->
<ndl:Interface
rdf:about="http://rembrandt21.uva.netherlight.nl#Rembrandt22:eth2">

<rdfs:label>Rembrandt22:eth2</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt7.uva.netherlight.nl#Rembrandt7:eth11" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
```

# newfile.rdf - newfile\_orig.rdf

```

rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt23:eth29-->
<ndl:Interface
rdf:about="http://rembrandt23.uva.netherlight.nl#Rembrandt23:eth29">

<rdfs:label>Rembrandt23:eth29</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt27.uva.netherlight.nl#Rembrandt27:eth13"/>
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt22:eth1-->
<ndl:Interface
rdf:about="http://rembrandt21.uva.netherlight.nl#Rembrandt22:eth1">

<rdfs:label>Rembrandt22:eth1</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt8.uva.netherlight.nl#Rembrandt8:eth17"/>
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt22:eth10-->
<ndl:Interface
rdf:about="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth10">

<rdfs:label>Rembrandt22:eth10</rdfs:label>
  <ndl:connectedTo

```

newfile.rdf - newfile\_orig.rdf

```

rdf:resource="http://rembrandt10.uva.netherlight.nl#Rembrandt10:eth11" />
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt22:eth11-->
<ndl:Interface
rdf:about="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth11">

<rdfs:label>Rembrandt22:eth11</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt8.uva.netherlight.nl#Rembrandt8:eth15"/>
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

<!--Rembrandt22:eth6-->
<ndl:Interface
rdf:about="http://rembrandt22.uva.netherlight.nl#Rembrandt22:eth6">

<rdfs:label>Rembrandt22:eth6</rdfs:label>
  <ndl:connectedTo
rdf:resource="http://rembrandt6.uva.netherlight.nl#Rembrandt6:eth11"/>
  <ndl:capacity
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">10E6</ndl:capacity>
  <ndl:latency
rdf:datatype="http://www.w3.org/2001/XMLSchema#float">2E-6</ndl:latency>
</ndl:Interface>

```

newfile.rdf - newfile\_orig.rdf

```

<!--Rembrandt23:eth1-->                                <!--Rembrandt23:eth1-->
<ndl:Interface                                           <ndl:Interface
rdf:about="http://rembrandt23.uva.                      rdf:about="http://rembrandt23.uva.
netherlight.nl#Rembrandt23:eth1">                      netherlight.nl#Rembrandt23:eth1">

<rdfs:label>Rembrandt23:eth1</rdfs                     <rdfs:label>Rembrandt23:eth1</rdfs
:label>                                                  :label>
    <ndl:connectedTo                                     <ndl:connectedTo
rdf:resource="http://rembrandt18.u                      rdf:resource="http://rembrandt18.u
va.netherlight.nl#Rembrandt18:eth11                    va.netherlight.nl#Rembrandt18:eth11
"/>                                                    "/>
    <ndl:capacity                                       <ndl:capacity
rdf:datatype="http://www.w3.org/20                    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac                    01/XMLSchema#float">10E6</ndl:capac
ity>                                                    ity>
    <ndl:latency                                       <ndl:latency
rdf:datatype="http://www.w3.org/20                    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten                    01/XMLSchema#float">2E-6</ndl:laten
cy>                                                    cy>
</ndl:Interface>                                        </ndl:Interface>

<!--Rembrandt23:eth15-->                                <!--Rembrandt23:eth15-->
<ndl:Interface                                           <ndl:Interface
rdf:about="http://rembrandt23.uva.                      rdf:about="http://rembrandt23.uva.
netherlight.nl#Rembrandt23:eth1">                      netherlight.nl#Rembrandt23:eth1">

<rdfs:label>Rembrandt23:eth15</rdf                    <rdfs:label>Rembrandt23:eth15</rdf
s:label>                                                  s:label>
    <ndl:connectedTo                                     <ndl:connectedTo
rdf:resource="http://rembrandt19.u                      rdf:resource="http://rembrandt19.u
va.netherlight.nl#Rembrandt19:eth11                    va.netherlight.nl#Rembrandt19:eth11
"/>                                                    "/>
    <ndl:capacity                                       <ndl:capacity
rdf:datatype="http://www.w3.org/20                    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac                    01/XMLSchema#float">10E6</ndl:capac
ity>                                                    ity>
    <ndl:latency                                       <ndl:latency
rdf:datatype="http://www.w3.org/20                    rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten                    01/XMLSchema#float">2E-6</ndl:laten
cy>                                                    cy>
</ndl:Interface>                                        </ndl:Interface>

<!--Rembrandt23:eth17-->                                <!--Rembrandt23:eth17-->
<ndl:Interface                                           <ndl:Interface
rdf:about="http://rembrandt23.uva.                      rdf:about="http://rembrandt23.uva.
netherlight.nl#Rembrandt23:eth17">                    netherlight.nl#Rembrandt23:eth17">

<rdfs:label>Rembrandt23:eth17</rdf                    <rdfs:label>Rembrandt23:eth17</rdf
s:label>                                                  s:label>
    <ndl:connectedTo                                     <ndl:connectedTo
rdf:resource="http://rembrandt20.u                      rdf:resource="http://rembrandt20.u
va.netherlight.nl#Rembrandt20:eth11                    va.netherlight.nl#Rembrandt20:eth11
"/>                                                    "/>
    <ndl:capacity                                       <ndl:capacity
rdf:datatype="http://www.w3.org/20                    rdf:datatype="http://www.w3.org/20

```

# newfile.rdf - newfile\_orig.rdf

```

01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                    <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt24:eth1-->           <!--Rembrandt24:eth1-->
<ndl:Interface                    <ndl:Interface
rdf:about="http://rembrandt24.uva. rdf:about="http://rembrandt24.uva.
netherlight.nl#Rembrandt24:eth1"> netherlight.nl#Rembrandt24:eth1">

<rdfs:label>Rembrandt24:eth1</rdfs <rdfs:label>Rembrandt24:eth1</rdfs
:label>                             :label>
    <ndl:connectedTo              <ndl:connectedTo
rdf:resource="http://rembrandt18.u rdf:resource="http://rembrandt18.u
va.netherlight.nl#Rembrandt18:eth24 va.netherlight.nl#Rembrandt18:eth24
"/>                                "/>
    <ndl:capacity                <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                  <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt24:eth21-->           <!--Rembrandt24:eth21-->
<ndl:Interface                    <ndl:Interface
rdf:about="http://rembrandt24.uva. rdf:about="http://rembrandt24.uva.
netherlight.nl#Rembrandt24:eth21"> netherlight.nl#Rembrandt24:eth21">

<rdfs:label>Rembrandt24:eth21</rdf <rdfs:label>Rembrandt24:eth21</rdf
s:label>                             s:label>
    <ndl:connectedTo              <ndl:connectedTo
rdf:resource="http://rembrandt19.u rdf:resource="http://rembrandt19.u
va.netherlight.nl#Rembrandt19:eth24 va.netherlight.nl#Rembrandt19:eth24
"/>                                "/>
    <ndl:capacity                <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                  <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt24:eth18-->           <!--Rembrandt24:eth18-->
<ndl:Interface                    <ndl:Interface
rdf:about="http://rembrandt24.uva. rdf:about="http://rembrandt24.uva.
netherlight.nl#Rembrandt24:eth18"> netherlight.nl#Rembrandt24:eth18">

```



<pre> &lt;rdfs:label&gt;Rembrandt24:eth18&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt17.uva.netherlight.nl#Rembrandt17:eth25" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt25:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt25:eth1&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth25" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt25:eth7--&gt; &lt;ndl:Interface rdf:about="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth7"&gt;  &lt;rdfs:label&gt;Rembrandt25:eth7&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth7" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; </pre>	<pre> &lt;rdfs:label&gt;Rembrandt24:eth18&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt17.uva.netherlight.nl#Rembrandt17:eth25" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt25:eth1--&gt; &lt;ndl:Interface rdf:about="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth1"&gt;  &lt;rdfs:label&gt;Rembrandt25:eth1&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth25" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; &lt;/ndl:Interface&gt;  &lt;!--Rembrandt25:eth7--&gt; &lt;ndl:Interface rdf:about="http://rembrandt25.uva.netherlight.nl#Rembrandt25:eth7"&gt;  &lt;rdfs:label&gt;Rembrandt25:eth7&lt;/rdfs:label&gt;   &lt;ndl:connectedTo rdf:resource="http://rembrandt18.uva.netherlight.nl#Rembrandt18:eth7" /&gt;   &lt;ndl:capacity rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;10E6&lt;/ndl:capacity&gt;   &lt;ndl:latency rdf:datatype="http://www.w3.org/2001/XMLSchema#float"&gt;2E-6&lt;/ndl:latency&gt; </pre>
---	---

newfile.rdf - newfile\_orig.rdf

01/XMLSchema#float">2E-6</ndl:laten	01/XMLSchema#float">2E-6</ndl:laten
cy>	cy>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt25:eth8-->	<!--Rembrandt25:eth8-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt25.uva.	rdf:about="http://rembrandt25.uva.
netherlight.nl#Rembrandt25:eth8">	netherlight.nl#Rembrandt25:eth8">
<rdfs:label>Rembrandt25:eth8</rdfs	<rdfs:label>Rembrandt25:eth8</rdfs
:label>	:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt8.uv	rdf:resource="http://rembrandt8.uv
a.netherlight.nl#Rembrandt8:eth7"/>	a.netherlight.nl#Rembrandt8:eth7"/>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/20	rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac	01/XMLSchema#float">10E6</ndl:capac
ity>	ity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/20	rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten	01/XMLSchema#float">2E-6</ndl:laten
cy>	cy>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt26:eth1-->	<!--Rembrandt26:eth1-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt25.uva.	rdf:about="http://rembrandt25.uva.
netherlight.nl#Rembrandt26:eth1">	netherlight.nl#Rembrandt26:eth1">
<rdfs:label>Rembrandt26:eth1</rdfs	<rdfs:label>Rembrandt26:eth1</rdfs
:label>	:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt1.uv	rdf:resource="http://rembrandt1.uv
a.netherlight.nl#Rembrandt1:eth25"/	a.netherlight.nl#Rembrandt1:eth25"/
>	>
<ndl:capacity	<ndl:capacity
rdf:datatype="http://www.w3.org/20	rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac	01/XMLSchema#float">10E6</ndl:capac
ity>	ity>
<ndl:latency	<ndl:latency
rdf:datatype="http://www.w3.org/20	rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten	01/XMLSchema#float">2E-6</ndl:laten
cy>	cy>
</ndl:Interface>	</ndl:Interface>
<!--Rembrandt26:eth10-->	<!--Rembrandt26:eth10-->
<ndl:Interface	<ndl:Interface
rdf:about="http://rembrandt25.uva.	rdf:about="http://rembrandt25.uva.
netherlight.nl#Rembrandt26:eth10">	netherlight.nl#Rembrandt26:eth10">
<rdfs:label>Rembrandt26:eth10</rdf	<rdfs:label>Rembrandt26:eth10</rdf
s:label>	s:label>
<ndl:connectedTo	<ndl:connectedTo
rdf:resource="http://rembrandt2.uv	rdf:resource="http://rembrandt2.uv
a.netherlight.nl#Rembrandt26:eth25"	a.netherlight.nl#Rembrandt26:eth25"

newfile.rdf - newfile\_orig.rdf

```

/>                                />
    <ndl:capacity                  <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                  <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt26:eth5-->          <!--Rembrandt26:eth5-->
<ndl:Interface                    <ndl:Interface
rdf:about="http://rembrandt25.uva. rdf:about="http://rembrandt25.uva.
netherlight.nl#Rembrandt26:eth5"> netherlight.nl#Rembrandt26:eth5">

<rdfs:label>Rembrandt26:eth5</rdfs <rdfs:label>Rembrandt26:eth5</rdfs
:label>                            :label>
    <ndl:connectedTo              <ndl:connectedTo
rdf:resource="http://rembrandt1.uv rdf:resource="http://rembrandt1.uv
a.netherlight.nl#Rembrandt1:eth29"/ a.netherlight.nl#Rembrandt1:eth29"/
>                                >
    <ndl:capacity                <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                  <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

<!--Rembrandt26:eth7-->          <!--Rembrandt26:eth7-->
<ndl:Interface                    <ndl:Interface
rdf:about="http://rembrandt25.uva. rdf:about="http://rembrandt25.uva.
netherlight.nl#Rembrandt26:eth7"> netherlight.nl#Rembrandt26:eth7">

<rdfs:label>Rembrandt26:eth7</rdfs <rdfs:label>Rembrandt26:eth7</rdfs
:label>                            :label>
    <ndl:connectedTo              <ndl:connectedTo
rdf:resource="http://rembrandt1.uv rdf:resource="http://rembrandt1.uv
a.netherlight.nl#Rembrandt2:eth25"/ a.netherlight.nl#Rembrandt2:eth25"/
>                                >
    <ndl:capacity                <ndl:capacity
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">10E6</ndl:capac 01/XMLSchema#float">10E6</ndl:capac
ity>                                ity>
    <ndl:latency                  <ndl:latency
rdf:datatype="http://www.w3.org/20 rdf:datatype="http://www.w3.org/20
01/XMLSchema#float">2E-6</ndl:laten 01/XMLSchema#float">2E-6</ndl:laten
cy>                                cy>
</ndl:Interface>                  </ndl:Interface>

```

newfile.rdf - newfile\_orig.rdf

</rdf:RDF>

</rdf:RDF>